

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 December 2001 (20.12.2001)

PCT

(10) International Publication Number
WO 01/96509 A1

- (51) International Patent Classification⁷: C11D 1/825 // 1/72, 1/66
- (21) International Application Number: PCT/US01/19137
- (22) International Filing Date: 15 June 2001 (15.06.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: 09/594,878 15 June 2000 (15.06.2000) US
- (71) Applicant: S. C. JOHNSON & SON, INC. [US/US]; 1525 Howe Street, Racine, WI 53403 (US).
- (72) Inventor: WAGERS, Kevin, J.; 1 Cedarwood Court, Racine, WI 53402 (US).
- (74) Agents: MEIER, Linda, Blair et al.; S. C. Johnson & Son, Inc., Patent Section, 1525 Howe Street, Racine, WI 53403 (US).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— with international search report
— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 01/96509 A1

(54) Title: ALL PURPOSE CLEANER WITH LOW ORGANIC SOLVENT CONTENT

(57) Abstract: An all purpose cleaner for hard surfaces comprises an aqueous solution of a secondary alcohol ethoxylate surfactant, an alkylpolyglycoside surfactant, and water, optionally comprising a chelating agent and sufficient pH modification agent to provide an alkaline solution. The ethoxylate surfactants preferably have HLB values of from 12.2 to 14.6, and each surfactant may comprise up to about 5 weight percent of the solution. The solution may be essentially free of organic solvents, such as alkylene glycol or alkylene glycol ethers, or other volatile organic compounds. As a result, the solution may be fragrance free, and, if so desired, colorless. Optionally, however, the cleaning solution may contain fragrances, coloring agents, anti-bacterials, stabilizers, preservatives, and other constituents, including a minor amount of a co-surfactant.

ALL PURPOSE CLEANER WITH LOW ORGANIC SOLVENT CONTENTBACKGROUND OF THE INVENTION

5

Technical Field

The present invention relates to hard surface cleaning compositions having low concentrations of organic solvent chemicals, or volatile organic compounds, frequently referred to as VOCs. The cleaning compositions of this invention deliver a high level of cleaning performance without reliance upon significant amounts of glycol ether solvents generally included in all purpose cleaner formulations. The use of a specific surfactant as the primary cleaning ingredient permits the exclusion or limitation of solvent, resulting in a significantly lower level of solvent odor, permitting the use of significantly less fragancing.

15

Background Art

It is known that all purpose liquid cleaning compositions are widely accepted for cleaning hard surfaces, such as tile, wash bowls, toilets, bathtubs, walls, floors, painted and washable wall papered surfaces, etc. These all purpose cleaners generally comprise aqueous mixtures of water soluble organic detergents and water soluble detergent builder salts. Many previous such compositions relied upon the use of water soluble inorganic phosphate salts, which have now been replaced, for environmental reasons. For example, early phosphate containing compositions are set forth in U. S. Patent Numbers 2,560, 839; 3,234,138; and 3,350,319.

25

In light of harmful effects upon ground water caused by phosphates in cleaning compositions, improved liquid cleaners, as well as laundry detergents, containing reduced concentrations of phosphate builder salts have been developed, such as disclosed in U. S. Patent No. 4,244,840. However, such all purpose cleaners containing detergent builder salts or other equivalents tend to leave films, spots, or streaks upon poorly rinsed cleaned surfaces, particularly noticeable on shiny surfaces for which these cleaners are most often used. Accordingly, such cleaners require thorough rinsing of the surfaces to which they are applied, a time consuming and annoying requirement, often neglected in use.

30

Alkyl glycoside materials such as, for example, higher alkyl monoglycosides and higher alkyl polyglycosides are known to function as nonionic surfactants, and have been suggested as being suitable for use in some detergent compositions, such as in U. S. Patent No. 4,627,931. This reference teaches the use of nonionic glycoside surfactants in a hard surface liquid cleaning composition which comprises a nonionic surfactant component containing at least about 75 weight percent nonionic glycoside surfactant, a water miscible organic solvent, a water soluble detergent builder, and water. Examples of nonionic surfactants suitable for use with the glycosides include polyethylene oxide condensates of alkyl phenols, and condensation products of aliphatic alcohols. This reference, moreover, requires the presence of organic solvents, such as alkylene glycols and/or ethers thereof, and detergent builders such as alkali metal, ammonium or substituted ammonium polyphosphates, polyphosphonates, carbonates, polycarboxylates, carboxylated carbohydrates, etc.

In addition, all purpose cleaners have been developed employing anionic and nonionic detergents in combination with glycol ether solvent and organic amines, such as taught in U. S. Patent No. 3,935,130. Such glycol ether solvents and organic amines are effective as grease removal solvents, and are especially helpful against oily and greasy soils. However, in addition to the need for thorough rinsing necessitated by the presence of high levels of organic detergents, such cleaners frequently also require high amounts of fragrancings to overcome the odors of the solvent materials present. Further, such solvents, frequently referred to as volatile organic compounds or VOCs, are in themselves objectionable, particularly in an age of increasing environmental awareness and concern.

Accordingly, there is a need for all purpose cleaners comprising a clear, aqueous solution having good interfacial tension for cleaning hard surfaces and good grease removal capability as a result thereof, without the presence of such objectionable components as phosphates or VOCs.

SUMMARY OF THE INVENTION

The present invention provides an improved all purpose cleaner, comprising a clear aqueous solution having acceptable interfacial tension properties, permitting good removal of greasy soil from hard surfaces such as plastic, ceramic, vitreous and metal surfaces,

particularly those having a shiny finish, such as tiles, wash bowls, toilets, bathtubs, walls, floors, painted and washable wall papered surfaces, etc. The improved cleaner composition exhibits good soil removal properties with minimal rubbing, may be used diluted or undiluted, dries relatively quickly after wiping, and leaves the cleaned surface free of streaks or visible residue without rinsing. The cleaning solution is suitable for a wide range of possible uses, including (in diluted form) as a glass cleaner.

Moreover, the present cleaning composition achieves these results without the use of objectionable polyphosphate or other inorganic or organic detergent builder salts, and essentially or completely in the absence of grease removal solvents or VOCs.

Accordingly, the present composition is capable of being formulated without the addition of fragancing agents to overcome the objectionable odors of organic solvents, and may thus be odor-free, or nearly so. As such, the present composition provides a capable all purpose liquid cleaner which may be applied by spraying upon a surface and wiping away, which is both effective as a cleansing means and environmentally acceptable.

The objects of the present invention therefore include providing an all purpose liquid cleaning composition which is environmentally acceptable, has little or no perceptible odor, and is effective in removal of grease and oil from hard surfaces. It is yet another object of the invention to provide a hard surface cleaning composition which may be sprayed upon the surface and removed by wiping, which will dry without streaking or visible residue, and requires no rinsing.

These and other objects are accomplished by provision of a cleaning composition comprising a secondary alcohol ethoxylate nonionic surfactant, an alkylpolyglycoside nonionic surfactant, and having an alkaline pH. More specifically, the all purpose cleaner of the present invention comprises from about 0.05 to about 5.0 weight percent of alkyloxypolyethylene oxyethanol, from about 0.075 to about 5.0 weight percent $C_8 - C_{16}$ alkylpolyglycoside, and sufficient pH adjustment composition, if needed, to achieve a pH between 7.0 and 12.5, and preferably between 11.8 and 12.4. Additional components may include a chelating agent to prevent precipitation of hard water salts from materials present in the alkylpolyglycoside, or other components, when hard water is employed, and optionally, coloring agents, fragancing agents, anti-bacterial additives, drying agents, thickeners, and co-surfactants to boost the effectiveness of the primary surfactant. The

entire composition is in the form of a water solution; preferably using soft water as the carrier, and may be provided in concentrated form for dilution prior to use by the consumer.

5

DETAILED DESCRIPTION OF THE INVENTION

The all purpose cleaning composition of the present invention comprises an essentially clear aqueous composition comprising a secondary alcohol ethoxylate nonionic surfactant, an alkylpolyglycoside nonionic surfactant, a chelating agent for the alkylpolyglycoside, and, optionally a pH modifying agent. The primary cleaning agent, the ethoxylate surfactant, is preferably present in a range of from about 0.25 to about 2.50 weight percent, while the alkylpolyglycoside, which assists in surface wetting and film forming, is preferably present in a range of from 0.10 to about 1.50 weight percent. There does not appear to be a critical relationship between the two surfactant components, either in terms of ratio or sum, as long as both are present. In preferred embodiments, accordingly, the sum of the two surfactant components may range from about 0.125 to about 10 weight percent of the total solution. Unless otherwise indicated, all percentages expressed herein are weight percentages based upon the weight of active ingredients.

The primary nonionic surfactants suitable for the present invention comprise water soluble alcohol ethylene oxide condensates of a secondary aliphatic alcohol containing from 9 to 18 carbon atoms in a straight or branched configuration, condensed with from 5 to 30 moles, preferably from about 7 to 12 moles, of ethylene oxide. Examples of preferred commercially available surfactants of this composition are C₁₁-C₁₅ secondary alkanols condensed with 7, 9, or 12 moles of ethylene oxide, available from Union Carbide under the tradenames Tergitol® 15-S-7, 15-S-9, and 15-S-12, for example, believed to comprise alkyloxypolyethylene oxyethanol. Additional suitable surfactants, of the same type, are marketed by Union Carbide under the tradenames Tergitol® TMN-6 and TMN-10, believed to comprise reaction products of trimethyl-nonanol with ethylene oxide.

A key property held in common by these compositions is an HLB value greater than 11.5 but less than 15.0. The term HLB value refers to hydrophobic lipophilic balance value, a measure of water solubility and ability to give good emulsification, critical

properties for a detergent composition. In general, compositions with an HLB value of less than about 10 tend to be poorly soluble in water.

A single member of this group of surfactant compositions may be employed, or mixtures of such suitable surfactant materials may be employed, provided that the average HLB values of the surfactant or the mixture of surfactants is from about 11.5 about 15.0, preferably from about 12.2 to about 14.6, and most preferably from about 12.4 to about 14.4.

The quantity of secondary alcohol ethoxylate employed may range from as low as about 0.05 weight percent of the composition, an amount suitable for use in a ready-to-use glass cleaning composition, up to concentrations at which streaking and solubility issues arise. Generally, up to about 5 percent by weight of the composition may comprise a secondary alcohol ethoxylate surfactant, above which amount streaking becomes a factor. A preferred range for the ethoxylate surfactants is from about 0.25 to about 2.5 weight percent, with a range of from about 0.5 to about 1.5 weight percent being more preferred.

In addition to the secondary alcohol ethoxylate surfactants, the present cleaning compositions comprise an alkylpolyglycoside surfactant. Glycoside surfactants suitable for use in the present invention may be selected from those of the general formula $RO(R'O)_y(Z)_x$, wherein R is a monovalent organic radical, (such as a monovalent saturated aliphatic, unsaturated aliphatic, or aromatic radical such as alkyl, hydroxyalkyl, alkenyl, aryl, arylalkyl, etc.) containing from about 8 to about 18 carbon atoms; R' is a divalent hydrocarbon radical containing from 2 to 4 carbon atoms such as ethylene, propylene, or butylene; Z represents a moiety derived from a reducing saccharide containing 5 or 6 carbon atoms (preferably a glucose unit); y is a number having an average value of from 0 to about 12; and x is a number having an average value of from 1 to about 10, preferably from 1 to 3.

Most suitable among these glycoside surfactants are the alkylpolyglycosides, particularly those available from Cognis, Inc., under the tradenames APG® 325, based upon a synthetic alcohol having from 9 to 11 carbon atoms, and GLUCOPON® 425, based upon a natural alcohol having from 8 to 16 carbon atoms. The alkylpolyglycoside surfactant may be present in an amount of from about 0.075 weight percent, an amount suitable for use in a ready-to-use window cleaning composition, for example, up to about 5.0 weight percent, the upper limit being a function of solubility, streaking, and cost.

Preferably, the alkylpolyglycoside is present in a range of from about 0.1 to about 1.5 weight percent, and most preferably in a concentration of about 0.5 to about 1.0 weight percent.

As previously indicated, both the alcohol ethoxy surfactant and the alkylpolyglycoside surfactants are necessarily present in the present invention. The ratio of the two does not appear to be critical to the success of the cleaning composition, and the total quantity of the two may be merely the sums of the two components used.

In addition, it has been found that the presence of a small amount of a chelating agent may be necessary to prevent precipitation of components present in the components of the cleaner if the solution utilizes hard water. Conventional chelating agents such as the tetrasodium salt of EDTA, sodium nitrilotriacetate, and sodium citrate may be employed, in a suitable concentration of from about 0.004 to about 0.4 weight percent, preferably about 0.1 percent active. Such chelating agents are appropriate to prevent the precipitation of hard water salts of materials frequently present in commercially available alkylpolyglycosides, but are unnecessary if deionized water is employed.

The pH of the solution should be above 7.0, and preferably from about 8.0 to about 12.5. The most preferred pH may range from about 11.8 to about 12.4. If necessary for pH adjustment, sodium hydroxide, or caustic, is employed in sufficient quantity to adjust the pH to the desired alkalinity. Alternatively, sulfuric acid and citric acid, or similar acidic compositions, may be employed to lower pH if appropriate. It has been found that raising the pH above about 8.0 has a beneficial effect upon the grease cleaning capability of the surfactants used in the present invention, and while lower pH may be acceptable for light duty cleaning where little or no greasy soil is present, such as with a glass cleaner, elevation of the pH to a value of from about 11.8 to about 12.4 is preferred. Above a pH of about 12.5, however, the cleaning solution becomes excessively caustic, presenting possible injuries to the skin, and damage to surfaces upon which the solution is used. Moreover, such highly caustic solutions create an unstable system, and can be damaging to processing, handling, and storage equipment.

Since the cleaning composition is an aqueous solution, the active ingredients should be mixed with water to the desired concentrations. It is desirable that soft water be used, but one may use distilled, deionized, or filtered tap water, containing no compounds reactive with the cleaning solution ingredients, and containing no materials which would

leave a residue or streaking on surfaces to which the cleaning composition is applied. Since the compositions as prepared are aqueous liquid formulations, and since water comprises the major ingredient, no particular mixing is required to obtain a uniform solution, and the cleaning composition may be prepared simply by combining all of the ingredients in a suitable vessel or container. The order of mixing the ingredients is not particularly important, and generally the various ingredients may be added sequentially or all at once, or in the form of aqueous solutions of each, or all of the ingredients may be separately prepared and combined with each other. The pH adjustment should be made last, however, after all other ingredients have been mixed and a stable solution formed.

While the above combination of a secondary alcohol ethoxylate surfactant, an alkylpolyglycoside surfactant, and water, comprises a preferred embodiment of the all purpose cleaner of the present invention, other optional modifications and additions may be made. Another preferred embodiment of the invention comprises the above combination plus a chelating agent and a pH modifier to bring the solution to a pH of from about 11.8 to about 12.4. Further, fragrances may be present in the cleaning solution, although the avoidance of glycol ethers and other VOCs commonly employed in all purpose cleaning solutions greatly lowers the necessity or desirability for the addition of a perfume. Fragrances suitable for use in the present invention include all suitable perfumes or essential oils, selected, for example and without limitation, from the group consisting of Aniseed oil, Balsam, Basil, Camphor, cinnamon, Citronella, Clove, Coriander, Coumarin, Eucalyptus, Fennel, Ginger, Grapefruit, Juniper berry, Lemon, Lemongrass oil, Musk ketone, Nutmeg, Orange, Patchouli, Peppermint, Sage, Sassafras, Spearmint, Lavender, Wintergreen, Geraniol, and the like.

Optionally, other ingredients which are compatible with the water soluble surfactants may be included, such as up to about 5 weight percent of a thickening agent such as hydroxyethyl cellulose, xanthan gum, or other conventional thickening agents. Particulate additives such as silica and other high surface area particles are to be avoided in accordance with the purpose of the present invention, which is to provide a non streaking cleaning solution. Similarly, other conventional additives such as dyes, preservatives, disinfectants, and buffering agents, may be included in the aqueous solutions of the present invention provided that they are compatible with the other ingredients present.

In addition, small quantities of alkylene glycols and/or ethers thereof may also be added as co-surfactants, to boost the cleaning power of the other surfactants present. These conventional cleaning agents may be present in an amount preferably less than about 4 weight percent, but possibly in ranges from zero to about 10 weight percent, up to
 5 limits of solubility, odor, and VOC contribution to the cleaning composition of the invention. Preferred examples of such co-surfactants include, without limitation, such organic solvents as ethylene glycol monohexyl ether, butyl propylol, and butyl cellosolve, and the like.

Still further, small quantities, such as from zero to about 3 weight percent, of
 10 drying agents may be included. Suitable drying agents include such alcohols as isopropanol, ethanol, tert-butanol, and the like.

Examples

The following test method was employed to determine the relative cleaning
 15 efficacy of a composition in accordance with the present invention, relative to removal of greasy soils which could be found on kitchen hard surfaces following food preparation. A greasy soil was applied to a porcelain enameled metal tile, and allowed to rest or "cure" for at least one hour. The tile was then cleaned, using the test composition, a cellulose sponge, and a linear scrubbing machine. Comparative cleaning efficacy may be deter-
 20 mined by counting "strokes to clean", or may be determined gravimetrically.

<u>Weight percent</u>	<u>Common name</u>	<u>Chemical name</u>
96.532	Soft water	Water
1.500	Tergitol® 15-S-7	Alkyloxypolyethylene oxyethanol
1.500	APG® 325 NK (50% active)	Alkylpolyglycoside
0.250	Versene® 100 Tetrasodium salt of EDTA (40% active)	
30 0.218	Caustic soda (50% active)	Sodium hydroxide

This composition was tested, and found to remove the greasy soil acceptably.

Additional samples were prepared, varying both the proportion and selection of secondary alcohol ethoxylate surfactant utilized. In these samples, the following proportions of the following ethoxylates were substituted for the 1.5 percent of Tergitol® 15-S-7 used above: 0.5 percent Tergitol® 15-S-7; 0.54 percent Tergitol® TMN-6; a mixture of 0.6 percent Tergitol® 15-S-7 and 0.63 percent Tergitol® TMN-6; and a mixture of 0.5 percent Tergitol® 15-S-7, 0.45 percent Tergitol® TMN-6, and 0.25 percent Tergitol® 15-S-5. In each instance, the other ingredients were unchanged, with the exception of the water. Further, in each instance, the examples were tested, and were also found to remove greasy soil acceptably.

The all purpose cleaners as taught herein are ready for direct use upon a surface, or may be diluted as desired. In either instance, little or no rinsing is required, and substantially no visible residue or streaks remain on the cleaned surface after the cleaner is wiped away, for example with a clean damp cloth or paper toweling. Further, since the cleaners are essentially free of detergent builders such as alkali metal polyphosphates, they are environmentally acceptable, and provide a highly reflective shine on hard surfaces. Moreover, since the compositions of the present invention preferably contain no glycol ethers or VOCs, they may be prepared with no fragrances or other objectionable additives, such as coloring dyes. Accordingly, the present invention provides an effective and environmentally friendly all purpose aqueous cleaning solution which is essentially colorless and odorless.

While intended for use directly upon a hard surface, the cleaning solution of the present invention may be applied directly from the bottle, diluted with additional water and applied as a dilute cleaner, or sprayed upon the surface, as from a pump applicator or a pressurized aerosol container, for spray and wipe applications.

INDUSTRIAL APPLICABILITY

The present invention provides a cleaning solution which is an environmental improvement over cleaning solutions presently available. The solution of the present invention comprises water soluble compositions which are readily available in commercial quantities, and which may be combined and mixed in a simple manner in standard

equipment to provide an aqueous cleaner which may be conventionally packaged for use in a conventional manner.

5 While the present invention has been described with respect to what is at present considered to be the preferred embodiments, it is to be understood that the invention is not to be limited to the disclosed embodiments. To the contrary, the invention is intended to cover various modifications and equivalent arrangements within the spirit and scope of the appended claims. The scope of the following claims is to be accorded the broadest interpretation so as to encompass all such modifications and equivalent formulations and functions.

CLAIMS

We claim:

- 5 1. An aqueous all purpose cleaning composition consisting essentially of a nonionic secondary alcohol ethoxylate surfactant, a nonionic alkylpolyglycoside surfactant, and water, wherein the pH of said composition is alkaline.
- 10 2. The cleaning composition of Claim 1, wherein said secondary alcohol ethoxylate surfactant has an average HLB value of from about 11.5 to about 15.0.
3. The cleaning composition of Claim 2, wherein said composition has a pH of from about 8.0 to about 12.5.
- 15 4. The cleaning composition of Claim 3, wherein said ethoxylate surfactant comprises a condensate of a secondary alcohol having from 9 to 18 carbon atoms with from about 7 to 12 moles of ethylene oxide, said ethoxylate surfactant comprises from about 0.05 to about 5.0 weight percent of the composition, and said alkylpolyglycoside surfactant comprises from about 0.075 to about 5.0 weight percent of the composition.
- 20 5. The cleaning composition of Claim 4, wherein said ethoxylate surfactant is alkyloxypolyethylene oxyethanol and comprises from about 0.25 to about 2.5 weight percent of the composition.
- 25 6. The cleaning composition of Claim 4, wherein said alkylpolyglycoside surfactant is present in a range of from about 0.1 to about 1.5 weight percent.
- 30 7. The cleaning composition of Claim 6, wherein the HLB value of said ethoxylate surfactant averages from about 12.2 to about 14.6, said ethoxylate surfactant comprises from about 0.5 to about 1.5 weight percent of the composition, and said alkylpolyglycoside surfactant comprises from about 0.5 to about 1.0 weight percent of the composition.

8. An aqueous all purpose cleaning composition consisting essentially of a nonionic secondary alcohol ethoxylate surfactant, a nonionic alkylpolyglycoside surfactant, a chelating agent, a pH modification agent, and water.

5 9. The cleaning composition of Claim 8, wherein said secondary alcohol ethoxylate surfactant has an HLB value of from about 11.5 to about 15.0.

10. The cleaning composition of Claim 9, wherein said composition has a pH of from about 8.0 to about 12.5.

10

11. The cleaning composition of Claim 10, wherein said ethoxylate surfactant comprises a condensate of a secondary alcohol having from 9 to 18 carbon atoms with from about 7 to 12 moles of ethylene oxide, said ethoxylate surfactant comprises from about 0.05 to about 5.0 weight percent of the composition, and said alkylpolyglycoside surfac-

15 tant comprises from about 0.075 to about 5.0 weight percent of the composition.

12. The cleaning composition of Claim 11, wherein said ethoxylate surfactant is a condensate of a $C_{11} - C_{15}$ secondary alkanol and comprises from about 0.25 to about 2.5 weight percent of the composition.

20

13. The cleaning composition of Claim 12, wherein said alkylpolyglycoside surfactant is present in a range of from about 0.1 to about 1.5 weight percent.

25

14. The cleaning composition of Claim 13, wherein the HLB value of said ethoxylate surfactant averages from about 12.2 to about 14.6, said ethoxylate surfactant comprises from about 0.5 to about 1.5 weight percent of the composition, and said alkylpolyglyco-

side surfactant comprises from about 0.5 to about 1.0 weight percent of the composition.

30

15. An aqueous all purpose cleaning solution comprising from about 0.05 to about 5.0 percent secondary alcohol ethoxylate surfactant, from about 0.075 to about 5.0 percent alkylpolyglycoside surfactant, from 0.01 to about 1.0 chelating agent, and water, said solution having an alkali pH.

16. The solution of Claim 15, wherein said ethoxylate surfactant has an HLB value of from 12.2 to 14.6 and comprises from about 0.25 to about 2.5 percent of the solution.

5 17. The solution of Claim 16, wherein said HLB value is from 12.4 to 14.4, and said pH has a value of from 11.8 to 12.4.

18. The solution of Claim 17, wherein said alkylpolyglycoside surfactant comprises from about 0.1 to about 1.5 percent of the solution.

10

19. The solution of Claim 18, further comprising up to about 4.0 percent of a co-surfactant organic solvent selected from the group consisting of alkylene glycols and ethers thereof.

15 20. The solution of Claim 19, further comprising a fragrance.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/19137

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C11D1/825 //C11D1/72,C11D1/66

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

WPI Data, EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category ^o	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 953 631 A (ECOLAB INC) - 3 November 1999 (1999-11-03) claims 1,9; table 3	1-20
A	US 4 627 931 A (MALIK ARSHAD H) 9 December 1986 (1986-12-09) cited in the application column 4, line 12 - line 28; examples 3-6	1-20
A	EP 0 673 993 A (AMWAY CORP) 27 September 1995 (1995-09-27) claim 19; example 26	1-20



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

^o Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * & * document member of the same patent family

Date of the actual completion of the international search

23 October 2001

Date of mailing of the international search report

30/10/2001

Name and mailing address of the ISA

European Patent Office, P.B. 5018 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Saunders, T

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/19137

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0953631	A	03-11-1999	US 6194371 B1	27-02-2001
			AU 2362599 A	11-11-1999
			EP 0953631 A1	03-11-1999
US 4627931	A	09-12-1986	CA 1278971 A1	15-01-1991
			DE 3665734 D1	26-10-1989
			EP 0210220 A1	04-02-1987
			JP 62501570 T	25-06-1987
			WO 8604349 A1	31-07-1986
EP 0673993	A	27-09-1995	US 5474713 A	12-12-1995
			AU 682027 B2	18-09-1997
			AU 6302994 A	12-10-1995
			CA 2126268 A1	24-09-1995
			CN 1121952 A	08-05-1996
			EP 0673993 A2	27-09-1995
			JP 7258691 A	09-10-1995
			PL 303965 A1	02-10-1995