




(22) Date de dépôt/Filing Date: 1996/12/12
 (41) Mise à la disp. pub./Open to Public Insp.: 1997/06/26
 (45) Date de délivrance/Issue Date: 2001/07/17
 (30) Priorité/Priority: 1995/12/25 (7-350900) JP

(51) Cl.Int.⁶/Int.Cl.⁶ G06F 3/153, G06F 17/00, G06F 7/00
 (72) Inventeurs/Inventors:
 Tsuruoka, Noriko, JP;
 Arai, Koji, JP;
 Aoyama, Koji, JP
 (73) Propriétaire/Owner:
 Hudson Soft Co., Ltd., JP
 (74) Agent: G. RONALD BELL & ASSOCIATES

(54) Titre : METHODE DE PROGRAMMATION D'UN JEU POUR LA TELEVISION
 (54) Title: METHOD FOR PROGRAMMING TELEVISION-GAME



(57) Abrégé/Abstract:

According to a method of programming a TV-game of the present invention, the event variation process is added between processes of the TV-game program. Therefore, one of the processes of the TV-game program or the event variation process is selected according to a situation of a TV-game scenario. Namely, the event variation process is executed only when the event variation process is selected. The event variation process is not executed when another process is selected. Therefore, the CPU load is light, because the event variation process is not executed at each time. Further, even if the characters of the TV-game are many, the character motion is not paused. Therefore, the TV-game can include a variety of situations, because the steps in the TV-program are not cut off.

ABSTRACT

According to a method of programming a TV-game of the present invention, the event variation process is added between processes of the TV-game program. Therefore, one of the processes of the TV-game program or the event variation process is selected according to a situation of a TV-game scenario. Namely, the event variation process is executed only when the event variation process is selected. The event variation process is not executed when another process is selected. Therefore, the CPU load is light, because the event variation process is not executed at each time. Further, even if the characters of the TV-game are many, the character motion is not paused. Therefore, the TV-game can include a variety of situations, because the steps in the TV-program are not cut off.

METHOD FOR PROGRAMMING TELEVISION-GAME

The invention relates to a television (TV)-game, and more particularly to, a method for programming a TV-game.

5 A conventional game unit comprises a CPU, one or more memories, output/input (I/O) interfaces and an image processing unit.

10 The image processing unit comprises a VRAM (Video Random Access Memory), a VDC (Video Displaying Controller) and a VDE (Video Displaying Color Encoder). The game unit is connected to a home TV by using the I/O interface. The VDE has a color palette table which relates to a color code for outputting an image data and a color code for a game program.

15 In the game unit, the image data is processed and then outputted to the home TV through the I/O interface. The processed image data is displayed on the home TV by using scanning lines. It takes 1/60 second to display one image by the scanning lines (i.e., an image displaying cycle is 1/60 second). Therefore, a next image must be prepared within 1/60
20 second.

In a conventional method for programming a TV-game, when the next image is not prepared in the VRAM within a predetermined time such as the image displaying cycle, a programmer modifies a TV-game program. Further, if a next image
25 processed by the modified TV-game program is not prepared in the VRAM within the predetermined time, a programmer must cut off one or more steps of the TV-game program.

30 In the conventional method for programming a TV-game, however, there are disadvantages in that a TV-game becomes very simple and rough, because the steps of the TV-game program are cut off.

Accordingly, it is an object of the invention to provide a method for programming a TV-game without changing

contents of a TV-game and without increasing a CPU performance load.

According to a first aspect of the invention, a method of programming a TV-game, the method comprising the steps of:
5 determining a process condition according to a TV-game scenario;
determining one of a plurality of processes in a TV-game program according to the TV-game scenario; determining an event variation process in said TV-game program according to said TV-game scenario; and executing said event variation process after
10 said determined process of said plurality of processes in said TV-game program is executed and said determined process condition is sufficient.

Advantageously, the event variation process is carried out in response to said step of determining one of a plurality
15 of processes, when no other processes are selected during said step of determining one of a plurality of processes. The step of determining one of a plurality of processes may perform a selection between said event variation process and said other processes in accordance with the TV-game scenario. A condition
20 process may also be carried out in response to a predetermined process selected during said step of determining one of a plurality of processes. Further advantageously, the condition process is carried out to define a predetermined game event and the event variation process is carried out only in response to
25 said predetermined game event. Furthermore, the condition process may be carried out to compare an event time with a predetermined time period and the event variation process is carried out when said event time is not less than said predetermined time period.

30 The invention will be described in more detail with reference to the accompanying drawings, wherein:

FIG. 1 is a block diagram of a TV-game unit of the prior art;

FIG. 2 is a block diagram of a home TV display unit;

FIG. 3 is a sample flow chart of a TV-game program of the prior art;

FIG. 4 is a sample flow chart of a TV-game program of the prior art;

5 FIG. 5 is a flow chart of an event variation process of the prior art;

FIG. 6 is a flow chart of a conditional event variation process of the prior art;

10 FIG. 7 is a block diagram of a game unit and a ROM cartridge according to a first preferred embodiment of the present invention;

FIG. 8 is a flow chart of an event variation process according to the first preferred embodiment of the present invention;

15 FIG. 9 is a flow chart of a conditional event variation process according to the first preferred embodiment of the present invention; and

FIG. 10 is a timing chart related to the flow chart of FIG. 9.

20 Before explaining a method for programming a TV-game in the preferred embodiment according to the invention, the above mentioned conventional method for programming a TV-game will be explained with reference to FIGs. 1 to 6.

25 FIG. 1 is a block diagram of a TV-game unit of the prior art. A game unit 7 comprises a CPU 3, a ROM (Read Only Memory) 10 for storing an operating program such as a load program, a RAM (Random Access Memory) 9, output/input (I/O) interfaces 2 and 11, and an image processing unit 8.

30 The image processing unit 8 comprises a VRAM (Video Random Access Memory) 5, a VDC (Video Displaying Controller) 4, and a VDE (Video Displaying Color Encoder) 6. The game unit 7 is connected to a home TV 1 by the I/O interface 2. The VDE 6 has a color palette table which relates to a color code for outputting an image data and a color code for a game program.

In the game unit 7, an image data and a game program is loaded into the RAM 9 through the I/O interface 11 by the CPU 3 using a load program in the ROM 10. The image data in the RAM 9 is processed by the CPU 3. The VDC 4 has a display pattern, a color code and a display position of an image data. The processed image data is stored in the VRAM 5 through the VDC 4. Then the image data in the VRAM 5 is converted into an output image data by the VDC 4. The output image data is sent to the VDE 6. The VDE 6 converts the output image data into analog image data for a home TV 1. The analog image data is outputted to the home TV 1 through the I/O interface 2.

FIG. 2 is a block diagram of a home TV display unit. The analog image data is displayed on the home TV 1 by using scanning lines 20 and 21. The scanning lines 20 and 21 display an image on the home TV 1 according to scanning from right to left and from up to down. The scanning lines 20 shown by a full line, which run from right to left, are displayed on the home TV 1. The scanning lines 21 shown by a broken line, which return from left to right, are not displayed on the home TV 1. One image displaying cycle is a scanning process from a point A to a point B and a return process from the point B to the point A (A -> B -> A). It takes 1/60 second to display one image by the scanning lines 20 (namely, one image displaying cycle is 1/60 second). Therefore, a next image must be prepared within 1/60 second. For example, when an animation image is displayed, an animation image data in the VRAM 5 must be replaced with a next animation image data within 1/60 second.

FIGS. 3 and 4 are sample flow charts of a TV-game program of the prior art. In FIG. 3, a statement "C = 10" is placed in a program loop, because a programmer considers that a program logic does not include a logic absurdity. In this case, program efficiency is bad, because the statement "C = 10" is wastefully executed many times in every loop. In FIG. 4, the statement "C = 10" is placed out of the program loop, because

a programmer considers program efficiency rather than program logic.

Both program patterns in FIGs. 3 and 4 have an advantage and a disadvantage. Therefore, the programmer selects a program pattern in FIG. 3 or 4 on a case-by-case basis.

In a conventional method for programming a TV-game, when the next image is not prepared in the VRAM 5 within a predetermined time such as the image displaying cycle, a programmer modifies a TV-game program. Namely, the programmer searches for the program pattern such as FIG. 3, then the program pattern is modified to a pattern such as FIG. 4. Further, if a next image processed by the modified TV-game program is not prepared in the VRAM 5 within the predetermined time, the programmer must eliminate one or more steps of the TV-game program.

FIG. 5 is a flow chart of an event variation process of the prior art. This loop is executed an integral number of times for each period of the image displaying cycle. The period is within 1/10 second, because if the period is over 1/10 second a character motion of the TV-game is not smooth. In FIG. 5, at the step 30, any one of processes A to N is selected according to a situation of the TV-game scenario. After the selected process is executed, an event variation process is executed at the step 40. The CPU load is very heavy, because the event variation process 40 is executed at each time. The event variation process time is much longer than the image displaying cycle. In particular, when the characters of the TV-game are many, the character motion is paused. Therefore, the programmer must eliminate one or more steps in the processes A to N.

FIG. 6 is a flow chart of a conditional event variation process of the prior art. This loop is executed an integral number of times for each period of the image displaying cycle. In FIG. 6, at the step 30, any one of processes A to N is selected according to a situation of the TV-game scenario.

After the selected process is executed, a condition process is executed at the step 31. At the step 31, "T" indicates a predetermined conditional time in the TV-game and "t" indicates a situation time (an elapsed time) according to a TV-game scenario. If "t" is the same as or greater than "T" ($T \leq t$), after the condition process 31, an event variation process 40 is executed. In this case, the CPU load is very heavy, because a condition process 31 and the event variation process 40 are executed at each time until the situation time ("t") is cleared. In particular, when the characters of the TV-game are many the character motion is paused, because the event variation process time is much longer than the image displaying cycle. Therefore, the programmer must eliminate one or more steps in the processes A to N.

In the conventional method for programming a TV-game, however, there are disadvantages in that a TV-game becomes very simple and rough, because one or more steps of the TV-game program are eliminated.

Therefore, a method for programming a TV-game without eliminating the steps of the TV-game program is desirable.

Next, a method for programming a TV-game according to a first preferred embodiment of the invention will be explained with reference to FIGs. 7 to 10.

FIG. 7 is a block diagram of a game unit and a ROM cartridge of the present invention. In FIG. 7, the TV-game apparatus comprises a game unit 7 and a ROM cartridge 12. The game unit 7 has a CPU 3, a ROM (Read Only Memory) 10 for storing an operating program such as a load program, a RAM (Random Access Memory) 9, output/input (I/O) interfaces 2 and 11, and an image processing unit 8. The ROM cartridge 12 has a ROM 14 and a RTC (Real Time Clock) 13.

In the game unit 7, the CPU 3, the ROM 10, and the RAM 9 are connected to each other. The CPU 3 is for executing programs and instructions. The ROM 10 is for storing programs

and instructions of an operating system of the TV-game apparatus. The RAM 9 stores a part or all of the game program. The game unit 7 of the present invention is the same as the prior art in FIG. 1.

5 The RTC 13 in the ROM cartridge 12 is an IC (Integrated Circuit) having a clock function and a calendar function. A time of a TV-game is corresponded with a real time by the clock function and the calendar function in the RTC 13. Namely, the RTC 13 saves year, month, day, day of the week,
10 hour, minute, and second of the real time therein at the time of the TV-game by using the clock function and the calendar function.

 Further, the I/O interface 11 is in connection with the I/O interface 15 when the ROM cartridge 12 is inserted into
15 the game unit 7. The TV-game program is stored in the ROM 14. The CPU 3 accesses the ROM 14 and the RTC 13. Then, the CPU 3 loads the TV-game program from the ROM 14 and a content in the RTC 13. The TV-game program and the content of the RTC 13 are
20 supplied to the RAM 9 in the game unit 7 through the connected I/O interfaces 11 and 15. Then, the CPU 3 processes the TV-game program according to the content of the RTC 13.

 FIG. 8 is a flow chart of an event variation process of the present invention. This loop is executed an integral number of times for each period of the image displaying cycle.
25 The period is within 1/10 second, because if the period is over 1/10 second a character motion of the TV-game is not smooth. In FIG. 8, the event variation process 40 is added between the processes A to N. Therefore, at the step 30, any one of the processes A to N or the event variation process 40 is selected
30 according to a situation of the TV-game scenario. Namely, the event variation process 40 is executed only when the event variation process 40 is selected at the step 30. The event variation process 40 is not executed when another process is selected at the step 30. Therefore, the CPU load is light,

because the event variation process 40 is not executed at each time. Further, even if the characters of the TV-game are many, the character motion is not paused. Therefore, the TV-game can include a variety of situations, because no steps in the TV-program are eliminated.

FIG. 9 is a flow chart of a conditional event variation process of the present invention. This loop is executed an integral number of times for each period of the image displaying cycle. In FIG. 9, the condition process 31 and the event variation process 40 is added after the process J. At the step 30, any one of processes A to N is selected according to a situation of the TV-game scenario. Namely, the condition process 31 is executed only when the process J is selected at the step 30. The condition process 31 is not executed when another process is selected at the step 30. After the process J is executed, the condition process 31 is executed. At the step 31, "T" indicates a predetermined conditional time in the TV-game and "t" indicates a situation time (an elapsed time) loaded from the RTC 13 in the ROM cartridge 12 according to a TV-game scenario. If "t" is the same as or greater than "T" ($T \leq t$) at the step 31, the event variation process 40 is executed. Namely, the event variation process 40 is executed only when both the process J is selected at the step 30 and "t" is the same as or greater than "T" ($T \leq t$) at the step 31. The event variation process 40 is not executed when the selected process at the step 30 is not the process J or "t" is smaller than "T" ($t < T$) at the step 31. Therefore, the CPU load is light, because the event variation process 40 is not executed at each time. Further, even if the characters of the TV-game are many, the character motion is not paused. Therefore, the TV-game can include a variety of situations, because no steps in the TV-program are eliminated.

In this case, the event variation process 40 does not execute based just on time according to the TV-game situation,

because the process J must be selected before the event variation process 40 is executed. However, this method is better than the conventional method, because the TV-game content is not changed generally.

5 For example, the flow chart in FIG. 8 is explained on the assumption that a TV-game scenario relates to keeping a pet. The TV-game has conditions as follows:

- (1) a pet has a number of life span points;
- (2) the number of life span points is decreased by one for every one hour which elapses in the RTC 13;
- (3) the pet dies when the number of life span points is zero;
- (4) the life span points are recovered by the pet eating food;
- (5) the pet is kept only in a pet shop; and
- (6) a life span process is executed only when the pet is in the pet shop or the pet is spoken to.

15 In this case, the process 30 in FIG. 9 selects the event variation process 40 when the pet is in the pet shop or the pet is spoken to (the above condition (6)). The event variation process 40 in FIG. 9 is the life span process of the above condition (6).

The condition (6) is processed as follows:

- (1) "a time of a previous life span process = t1";
- (2) "a current time of the RTC 13 = t2";
- (3) "T = t2 - t1 (hours)";
- (4) "the life span points = the life span points - T";
- (5) "t1 = t2" (t1 modified); and
- (6) the life span process is executed according to the modified life span points, in particular, the pet dies when the number of life span points is zero (the above condition (3)).

30 Next, the flow chart in FIG. 9 is explained on the assumption that a TV-game scenario is one in which a letter is received at the predetermined time (T). FIG. 10 is a timing chart related to the flow chart of FIG. 9. The TV-game has conditions shown in FIG. 10. In this case, "T" is a difference

between a time of receiving a previous letter and a next letter. The process J in FIG. 9 is based on the assumption that an image process replaces a background image called as "MAP" of the TV-game. Namely, after the "MAP" of the TV-game is replaced, an
5 elapsed time (t) in the RTC 13 is compared with "T" (at the step 31 in FIG. 9). If "t" is the same as or greater than "T", any one of the letters A to D is received corresponding with the TV-game scenario and the predetermined time "T".

10 In these above cases, the event variation process 40 does not execute based just on time according to the TV-game situation. However, a method of the present invention is better than the conventional method, because the TV-game content (scenario) is not changed generally.

15 In another preferred embodiment according to the invention, the RTC 13 of FIG. 7 may instead be found in the game unit 7. Further, the VRAM 5 and the RAM 9 may be replaced with a non-volatile memory such as an EEPROM (Electrically Erasable Programmable Read Only Memory) or a flash memory.

20 As this invention may be embodied in several forms without departing from the spirit of essential characteristics thereof, the present embodiment is therefore illustrative and not restrictive, since the scope of the invention is defined by the appended claims rather than by the description proceeding
25 them, and all changes that fall within the metes and bounds of the claims, or equivalence of such metes and bounds are therefore intended to be embraced by the claims.

THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:

1. A method of programming a TV-game , the method comprising the steps of:
 - determining a process condition according to a TV-game scenario;
 - determining one of a plurality of processes in a TV-game program according to the TV-game scenario;
 - determining an event variation process in said TV-game program according to said TV-game scenario; and
 - executing said event variation process after said determined process of said plurality of processes in said TV-game program is executed and said determined process condition is sufficient.
2. The method of claim 1, wherein said event variation process is carried out in response to said step of determining one of a plurality of processes, when no other processes are selected during said step of determining one of a plurality of processes.
3. The method of claim 2, wherein said step of determining one of a plurality of processes performs a selection between said event variation process and said other processes in accordance with the TV-game scenario.
4. The method of claim 1, wherein a condition process is carried out in response to a predetermined process selected during said step of determining one of a plurality of processes.
5. The method of claim 4, wherein said condition process is carried out to define a predetermined game event.

6. The method of claim 5, wherein said event variation process is carried out only in response to said predetermined game event.

7. The method of claim 4, wherein said condition process is carried out to compare an event time with a predetermined time period.

8. The method of claim 7, wherein said event variation process is carried out when said event time is not less than said predetermined time period.

FIG. 1 (PRIOR ART)




FIG. 2 (PRIOR ART)







FIG. 3 (PRIOR ART)**FIG. 4 (PRIOR ART)**

FIG. 5 (PRIOR ART)


NOTE :  IS PROCESS FLOW

FIG. 6 (PRIOR ART)




FIG. 7




FIG. 8




FIG. 9




FIG. 10

PREDETERMINED TIME "T"	LETTER TO BE RECEIVED
1 HOUR	LETTER A
3 HOURS	LETTER B
8 HOURS	LETTER C
24 HOURS	LETTER D

NOTE : "T" IS DIFFERENCE BETWEEN TIMES OF RECEIVING PREVIOUS LETTER AND NEXT LETTER

