



US00D899012S

(12) **United States Design Patent**  
**Zinn et al.**

(10) **Patent No.:** **US D899,012 S**

(45) **Date of Patent:** **\*\* Oct. 13, 2020**

- (54) **RECEIVER FOR A PET COLLAR**
- (71) Applicant: **Radio Systems Corporation,**  
Knoxville, TN (US)
- (72) Inventors: **Kevin Zinn,** Knoxville, TN (US);  
**Robert A Nytko,** Knoxville, TN (US);  
**Heather Williams,** Knoxville, TN (US);  
**Kenneth R. Wacasey,** Knoxville, TN (US)
- (73) Assignee: **RADIO SYSTEMS CORPORATION,**  
Knoxville, TN (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/725,495**
- (22) Filed: **Feb. 25, 2020**

- D661,846 S \* 6/2012 Miller ..... D30/152
- D665,952 S \* 8/2012 Guo ..... D30/152
- D666,367 S \* 8/2012 Miller ..... D30/152
- D699,758 S \* 2/2014 Lavin ..... D14/496
- D706,500 S \* 6/2014 Hu ..... D30/152
- D788,999 S \* 6/2017 Zinn ..... D30/152
- D798,003 S \* 9/2017 Dong ..... D30/199
- D812,499 S \* 3/2018 Kuh ..... D10/70
- D819,280 S \* 5/2018 Li ..... D30/199

(Continued)

*Primary Examiner* — George D. Kirschbaum

*Assistant Examiner* — Joseph J Kukella

(74) *Attorney, Agent, or Firm* — Baker, Donelson,  
Bearman, Caldwell & Berkowitz PC

(57) **CLAIM**

The ornamental design for a receiver for a pet collar, as shown and described.

**Related U.S. Application Data**

- (60) Division of application No. 29/596,339, filed on Mar. 7, 2017, now Pat. No. Des. 880,082, which is a continuation-in-part of application No. 29/557,723, filed on Mar. 11, 2016, now Pat. No. Des. 788,999.
- (51) **LOC (12) Cl.** ..... **30-04**
- (52) **U.S. Cl.**  
USPC ..... **D30/152**
- (58) **Field of Classification Search**  
USPC .... D10/106.1; D14/144, 147-148, 155, 159,  
D14/188, 191-192; D22/120; D30/144,  
D30/151, 152  
CPC .... A01K 15/00; A01K 15/021; A01K 15/022;  
A01K 15/023  
See application file for complete search history.

**DESCRIPTION**


FIG. 1 is a first perspective view showing our new design for a receiver for a pet collar, taken from a right front angle. FIG. 2 is a second perspective view of the receiver for a pet collar of FIG. 1, but taken from a left front angle. FIG. 3 is a third perspective view of the receiver for a pet collar of FIG. 1, but taken from a top right angle. FIG. 4 is a top view thereof. FIG. 5 is a bottom view thereof. FIG. 6 is a front elevational view thereof. FIG. 7 is a back elevational view thereof. FIG. 8 is a left side elevational view thereof; and, FIG. 9 is a right side elevational view thereof. The structural features shown in broken lines have been shown for the purpose of illustrating portions of the receiver for a pet collar that form no part of the claimed design. The broken lines for the trademark "PetSafe" are included for the purpose of illustrating environment and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D330,173 S \* 10/1992 Juliana ..... D30/152
- D657,098 S \* 4/2012 So ..... D30/152

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D822,922	S *	7/2018	Wen	.....	D30/199
D834,769	S *	11/2018	Wen	.....	D30/199
D836,858	S *	12/2018	Zinn	.....	D30/199
D846,817	S *	4/2019	Li	.....	D30/152
D850,732	S *	6/2019	Dong	.....	D30/152
D850,733	S *	6/2019	Dong	.....	D30/152
D851,339	S *	6/2019	Solinsky	.....	A01K 15/023
					D30/152
D858,904	S *	9/2019	Zinn	.....	D30/152
D861,259	S *	9/2019	Dong	.....	D30/152
D880,082	S *	3/2020	Zinn	.....	D30/152
D882,188	S *	4/2020	Dong	.....	D30/152
2018/0153138	A1 *	6/2018	Goetzl	.....	A01K 15/023

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9