

(43) International Publication Date
29 September 2011 (29.09.2011)(10) International Publication Number
WO 2011/117152 A1

- (51) **International Patent Classification:**
C07D 513/04 (2006.01) *A01N 43/90* (2006.01)
- (21) **International Application Number:**
PCT/EP2011/054129
- (22) **International Filing Date:**
18 March 2011 (18.03.2011)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
10157419.2 23 March 2010 (23.03.2010) EP
61/316,461 23 March 2010 (23.03.2010) US
- (71) **Applicant (for all designated States except US):** BASF SE [DE/DE]; 67056 Ludwigshafen (DE).
- (72) **Inventors; and**
- (75) **Inventors/Applicants (for US only):** SONG, Dschun [DE/DE]; Eichendorffstr. 15a, 68167 Mannheim (DE). MAJOR, Julia [DE/DE]; Hinter den Ruestern 15, 67251 Freinsheim (DE). HUTZLER, Johannes [DE/DE]; Carl-Bosch-Str. 9, 67165 Waldsee (DE). NEWTON, Trevor William [GB/DE]; Neubergstrasse 30, 67435 Neustadt (DE). WITSCHER, Matthias [DE/DE]; Höhenweg 12b, 67098 Bad Dürkheim (DE). MOBERG, William Karl [US/DE]; Kellereistraße 16, 67433 Neustadt (DE). PAR-RA RAPADO, Liliana [ES/DE]; Walther-Blumenstock-Str. 22, 77654 Offenburg (DE). QU, Tao [CN/DE]; Vonder-Tann Strasse 40, 67063 Ludwigshafen (DE). STELZER, Frank [DE/DE]; Ida-Dehmel-Ring 40, 68309 Mannheim (DE). KLOET, Andree van der [NL/DE]; Bergstraße 25, 69120 Heidelberg (DE). SEITZ, Thomas [DE/DE]; Emil-Nolde-Straße 10, 68519 Viernheim (DE). EHRHARDT, Thomas [DE/DE]; Maulbronner Hof 49,


67346 Speyer (DE). KREUZ, Klaus [DE/DE]; Hauptstr. 30/4, 79211 Denzlingen (DE). GROßMANN, Klaus [DE/DE]; Mainstr. 1, 67141 Neuhofen (DE). MICHROWSKA-PIANOWSKA, Anna Aleksandra [PL/DE]; Siegstrasse 20, 68167 Mannheim (DE). SIMON, Anja [DE/DE]; Multring 65, 69469 Weinheim (DE). RHEINGRUBER, Ruediger [DE/DE]; Paul-Klee-Strasse 5, 67061 Ludwigshafen (DE). KRAUS, Helmut [DE/FR]; 7 Rue de Kaysersberg, F-67160 Wissembourg (FR). HÖFFKEN, Hans Wolfgang [DE/DE]; Dammstückerweg 37, 67069 Ludwigshafen (DE). MIETZNER, Thomas [DE/DE]; Rehbergstr. 62, 76855 Annweiler (DE).

(74) **Common Representative:** BASF SE; 67056 Ludwigshafen (DE).

(81) **Designated States (unless otherwise indicated, for every kind of national protection available):** AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) **Designated States (unless otherwise indicated, for every kind of regional protection available):** ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,

[Continued on next page]

(54) **Title:** PYRIDOTHAZINES HAVING HERBICIDAL ACTION

(57) **Abstract:** Substituted pyridines of the formula I in which the variables are defined according to the description, processes and intermediates for preparing the compounds of the formula I and their N-oxides, their agriculturally suitable salts, compositions comprising them and their use as herbicides, and also methods for controlling unwanted vegetation.

WO 2011/117152 A1




SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, **Published:**
GW, ML, MR, NE, SN, TD, TG).

— *with international search report (Art. 21(3))*

PYRIDOTHIAZINES HAVING HERBICIDAL ACTION

Description

5 The present invention relates to substituted pyridines of the formula I



in which the variables have the following meaning:

- 10 R is O-R^A, S(O)_n-R^A or O-S(O)_n-R^A;
 R^A is hydrogen, C₁-C₄-alkyl, Z-C₃-C₆-cycloalkyl, C₁-C₄-haloalkyl, C₂-C₆-alkenyl, Z-C₃-C₆-cycloalkenyl, C₂-C₆-alkynyl, Z-(tri-C₁-C₄-alkyl)silyl, Z-C(=O)-R^a, Z-NRⁱ-C(O)-NRⁱⁱ, Z-P(=O)(R^a)₂, NRⁱRⁱⁱ, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be partially or fully substituted by groups R^a and/or R^b,
 15 R^a is hydrogen, OH, C₁-C₈-alkyl, C₁-C₄-haloalkyl, Z-C₃-C₆-cycloalkyl, C₂-C₈-alkenyl, Z-C₅-C₆-cycloalkenyl, C₂-C₈-alkynyl, Z-C₁-C₆-alkoxy, Z-C₁-C₄-haloalkoxy, Z-C₃-C₈-alkenyloxy, Z-C₃-C₈-alkynyloxy, NRⁱRⁱⁱ, C₁-C₆-alkylsulfonyl, Z-(tri-C₁-C₄-alkyl)silyl, Z-phenyl, Z-phenoxy, Z-phenylamino or a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S,
 20 where the cyclic groups are unsubstituted or substituted by 1, 2, 3 or 4 groups R^b;
 25 Rⁱ, Rⁱⁱ independently of one another are hydrogen, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₃-C₈-alkenyl, C₃-C₈-alkynyl, Z-C₃-C₆-cycloalkyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, Z-C(=O)-R^a, Z-phenyl, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which is attached via Z;
 30

- R^i and R^{ii} together with the nitrogen atom to which they are attached may also form a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S;
- 5 R^b independently of one another are Z-CN, Z-OH, Z-NO₂, Z-halogen, oxo (=O), =N-R^a, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₂-C₈-alkenyl, C₂-C₈-alkynyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, Z-C₃-C₁₀-cycloalkyl, O-Z-C₃-C₁₀-cycloalkyl, Z-C(=O)-R^a, NRⁱRⁱⁱ, Z-(tri-C₁-C₄-alkyl)silyl, Z-phenyl and S(O)_nR^{bb}; two groups R^b may together
- 10 form a ring which has three to six ring members and, in addition to carbon atoms, may also contain heteroatoms from the group consisting of O, N and S and may be unsubstituted or substituted by further groups R^b;
- R^{bb} is C₁-C₈-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₂-C₆-haloalkenyl, C₂-C₆-haloalkynyl or C₁-C₆-haloalkyl;
- 15 Z is a covalent bond or C₁-C₄-alkylene;
- n is 0, 1 or 2;
- 18 R^1 is cyano, halogen, nitro, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-haloalkyl, Z-C₁-C₆-alkoxy, Z-C₁-C₄-alkoxy-C₁-C₄-alkoxy, Z-C₁-C₄-alkylthio, Z-C₁-C₄-alkylthio-C₁-C₄-alkylthio, C₂-C₆-alkenyloxy, C₂-C₆-alkynyloxy, C₁-C₆-haloalkoxy, C₁-C₄-haloalkoxy-C₁-C₄-alkoxy, S(O)_nR^{bb}, Z-phenoxy, Z-heterocycloxy, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where
- 20 cyclic groups are unsubstituted or partially or fully substituted by R^b;
- 25 A is N or C-R²;
- R^2, R^3, R^4, R^5 independently of one another are hydrogen, Z-halogen, Z-CN, Z-OH, Z-NO₂, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₂-C₈-alkenyl, C₂-C₈-alkynyl, C₂-C₈-haloalkenyl, C₂-C₈-haloalkynyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, Z-C₁-C₄-alkoxy-C₁-C₄-alkoxy, Z-C₁-C₄-alkylthio, Z-C₁-C₄-alkylthio-C₁-C₄-alkylthio, Z-C₁-C₆-haloalkylthio, C₂-C₆-alkenyloxy, C₂-C₆-alkynyloxy, C₁-C₆-haloalkoxy, C₁-C₄-haloalkoxy-C₁-C₄-alkoxy, Z-C₃-C₁₀-cycloalkyl, O-Z-C₃-C₁₀-cycloalkyl, Z-C(=O)-R^a, NRⁱRⁱⁱ, Z-(tri-C₁-C₄-alkyl)silyl, S(O)_nR^{bb}, Z-phenyl, Z¹-phenyl, Z-heterocyclyl, Z¹-heterocyclyl, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or
- 30 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where cyclic groups are unsubstituted or partially or fully substituted by R^b;
- 35 R^2 together with the group attached to the adjacent carbon atom may also form a five- to ten-membered saturated or partially or fully unsaturated mono- or bicyclic ring which, in addition to carbon atoms, may contain 1, 2 or 3 heteroatoms
- 40

selected from the group consisting of O, N and S and may be substituted by further groups R^b;

Z¹ is a covalent bond, C₁-C₄-alkyleneoxy, C₁-C₄-oxyalkylene or C₁-C₄-alkyleneoxy-C₁-C₄-alkylene;

5 R⁶ is hydrogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkoxy, C₁-C₄-haloalkylthio;

R⁷, R⁸ independently of one another are hydrogen, halogen or C₁-C₄-alkyl;

R^x is C₁-C₆-alkyl, C₁-C₄-haloalkyl, C₁-C₂-alkoxy-C₁-C₂-alkyl, C₂-C₆-alkenyl, C₂-C₆-haloalkenyl, C₃-C₆-alkynyl, C₃-C₆-haloalkynyl or Z-phenyl, which is

10 unsubstituted or substituted by 1 to 5 groups R^b;

where in the groups R^A, and R¹, R², R³, R⁴ and R⁵ and their substituents, the carbon chains and/or the cyclic groups may be partially or fully substituted by groups R^b,

or an N-oxide or an agriculturally suitable salt thereof.

15

Moreover, the invention relates to processes and intermediates for preparing the pyridazines of the formula I and the N-oxides thereof, the agriculturally usable salts thereof, and also to active compound combinations comprising them, to compositions comprising them and to their use as herbicides, i.e. for controlling harmful plants, and

20 also to a method for controlling unwanted vegetation which comprises allowing a herbicidally effective amount of at least one pyridazine compound of the formula I or of an agriculturally suitable salt of I to act on plants, their seed and/or their habitat.

Further embodiments of the present invention can be found in the claims, the description and the examples. It is to be understood that the features mentioned above

25 and those still to be illustrated below of the subject matter of the invention can be applied not only in the respective given combination but also in other combinations without leaving the scope of the invention.

WO 2008/063180, and WO 2010/029311 describe herbicidal pyridopyrazines;

30 however, their herbicidal action at low application rates and/or their compatibility with crop plants leave scope for improvement.

It is an object of the present invention to provide compounds having herbicidal action. To be provided are in particular active compounds having strong herbicidal


35 action, in particular even at low application rates, whose compatibility with crop plants is sufficient for commercial application.

These and further objects are achieved by the compounds of the formula I defined at the outset and by their N-oxides and also their agriculturally suitable salts.

40 The compounds according to the invention can be prepared analogously to the synthesis routes described in the abovementioned documents according to standard

processes of organic chemistry, for example according to the following synthesis route:

- Pyridazinecarboxylic acids of the formula II can be reacted with carbonyl compounds of the formula III to give compounds of the formula IV. In the formulae II and III, the variables have the meaning given for formula I. The group Hal is a halogen atom or another suitable nucleophilic leaving group, such as alkoxy or phenoxy.




- This reaction is usually carried out at temperatures of from -78°C to 120°C , preferably from -20°C to 50°C , in an inert organic solvent in the presence of a base, such as, for example, triethylamine (cf. J. Agric. and Food Chem. 1994, 42(4), 1019-1025), a catalyst, such as, for example, dicyclohexylcarbodiimide (cf. Egyptian Journal of Chemistry 1994, 37(3), 273-282) or other known coupling agents.
- Suitable solvents are aliphatic hydrocarbons, such as pentane, hexane, cyclohexane and petroleum ether, aromatic hydrocarbons, such as toluene, o-, m- and p-xylene, halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene, ethers, such as diethyl ether, diisopropyl ether, tert-butyl methyl ether, dioxane, anisole and tetrahydrofuran (THF), nitriles, such as acetonitrile and propionitrile, ketones, such as acetone, methyl ethyl ketone, diethyl ketone and tert-butyl methyl ketone, and also dimethyl sulfoxide, dimethylformamide (DMF) and dimethylacetamide, particularly preferably halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene. It is also possible to use mixtures of the solvents mentioned.
- Suitable bases are, in general, inorganic compounds, such as lithium oxide, sodium oxide, calcium oxide and magnesium oxide, alkali metal and alkaline earth metal hydrides, such as lithium hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate and calcium carbonate, and also alkali metal bicarbonates, such as sodium bicarbonate, organometallic compounds, in particular alkali metal alkyls, such as methyllithium, butyllithium and phenyllithium, alkylmagnesium halides, such as methylmagnesium chloride, and also alkali metal and alkaline earth metal alkoxides, such as sodium methoxide, sodium ethoxide, potassium ethoxide, potassium tert-butoxide and dimethoxymagnesium, moreover organic bases, for example tertiary amines, such as trimethylamine, triethylamine, tributylamine, diisopropylethylamine and N-methylpiperidine, pyridine, substituted pyridines, such as collidine, lutidine and 4-dimethylaminopyridine, and also bicyclic amines. Particular preference is given to

tertiary amines such as trimethylamine, triethylamine, tributylamine, diisopropyl-ethylamine and alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate and calcium carbonate. The bases are generally employed in equimolar amounts; however, they can also be used in catalytic amounts, in excess or, if appropriate, as solvents.

The starting materials are generally reacted with one another in equimolar amounts.

The compounds of the formula IV are activated by introducing a leaving group L¹. Suitable leaving groups L¹ are, in general, groups which increase the electrophilicity of the carbonyl group, for example O-alkyl, O-aryl, halides, activated esters or aldehydes (such as, for example, Weinreb amide), in particular pentafluorophenoxy.



This reaction is usually carried out at temperatures of from -78°C to 120°C, preferably from -20°C to 50°C, in an inert organic solvent in the presence of a base, such as, for example, triethylamine (cf. J. Agric. and Food Chem. 1994, 42(4), 1019-1025), a catalyst, such as, for example, dicyclohexylcarbodiimide (cf. Egyptian Journal of Chemistry 1994, 37(3), 273-282) or other known coupling agents.

Suitable solvents are aliphatic hydrocarbons, such as pentane, hexane, cyclohexane and petroleum ether, aromatic hydrocarbons, such as toluene, o-, m- and p-xylene, halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene, ethers, such as diethyl ether, diisopropyl ether, tert-butyl methyl ether, dioxane, anisole and tetrahydrofuran, nitriles, such as acetonitrile and propionitrile, ketones, such as acetone, methyl ethyl ketone, diethyl ketone and tert-butyl methyl ketone, and also dimethyl sulfoxide, dimethylformamide and dimethylacetamide, particularly preferably methylene chloride and toluene. It is also possible to use mixtures of the solvents mentioned.


Suitable bases are, in general, inorganic compounds, such as alkali metal and alkaline earth metal oxides, such as lithium oxide, sodium oxide, calcium oxide and magnesium oxide, alkali metal and alkaline earth metal hydrides, such as lithium hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate and calcium carbonate, and also alkali metal bicarbonates, such as sodium bicarbonate, organometallic compounds, in particular alkali metal alkyls, such as methyl lithium, butyllithium and phenyllithium, alkylmagnesium halides, such as methylmagnesium chloride, and also alkali metal and alkaline earth metal alkoxides, such as sodium methoxide, sodium ethoxide, potassium ethoxide, potassium tert-butoxide and

dimethoxymagnesium, moreover organic bases, for example tertiary amines, such as trimethylamine, triethylamine, tributylamine, diisopropylethylamine and N-methyl-piperidine, pyridine, substituted pyridines, such as collidine, lutidine and 4-dimethyl-aminopyridine, and also bicyclic amines. Particular preference is given to alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate, calcium carbonate, cesium carbonate and rubidium carbonate. The bases are generally employed in catalytic amounts; however, they can also be used in equimolar amounts, in excess or, if appropriate, as solvents.

The starting materials are generally reacted with one another in equimolar amounts.

Suitable agents H-L¹ are alcohols, optionally subst. phenols, N,O-dialkylhydroxylamine, in particular pentafluorophenol or N,O-dimethylhydroxylamine.

The compounds of the formula V are cyclized to give the compounds of the formula I.



This reaction is usually carried out at temperatures of from -78°C to 120°C, preferably from -20°C to 50°C, in an inert organic solvent in the presence of a base or a Lewis acid or a catalyst [cf. Silverman, Richard B. J. Am. Chem. Soc. 1981, 103(13), 3910].

Suitable solvents are aliphatic hydrocarbons, such as pentane, hexane, cyclohexane and petroleum ether, aromatic hydrocarbons, such as toluene, o-, m- and p-xylene, halogenated hydrocarbons, such as methylene chloride, chloroform and chlorobenzene, ethers, such as diethyl ether, diisopropyl ether, tert-butyl methyl ether, dioxane, anisole and tetrahydrofuran, nitriles, such as acetonitrile and propionitrile, ketones, such as acetone, methyl ethyl ketone, diethyl ketone and tert-butyl methyl ketone, and also dimethyl sulfoxide, dimethylformamide and dimethylacetamide, particularly preferably acetonitrile and dimethylformamide. It is also possible to use mixtures of the solvents mentioned.


Suitable bases are, in general, inorganic compounds, such as alkali metal and alkaline earth metal oxides, such as lithium oxide, sodium oxide, calcium oxide and magnesium oxide, alkali metal and alkaline earth metal hydrides, such as lithium hydride, sodium hydride, potassium hydride and calcium hydride, alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate, calcium carbonate, cesium carbonate and rubidium carbonate, and also alkali metal

bicarbonates, such as sodium bicarbonate, organometallic compounds, in particular alkali metal alkyls, such as methyllithium, butyllithium and phenyllithium, alkyl-magnesium halides, such as methylmagnesium chloride, and also alkali metal and alkaline earth metal alkoxides, such as sodium methoxide, sodium ethoxide, potassium ethoxide, potassium tert-butoxide and dimethoxymagnesium, moreover organic bases, for example tertiary amines, such as trimethylamine, triethylamine, tributylamine, diisopropylethylamine and N-methylpiperidine, pyridine, substituted pyridines, such as collidine, lutidine and 4-dimethylaminopyridine, and also bicyclic amines. Particular preference is given to alkali metal and alkaline earth metal carbonates, such as lithium carbonate, potassium carbonate, calcium carbonate, cesium carbonate and rubidium carbonate.

The bases are generally employed in catalytic amounts; however, they can also be used in equimolar amounts, in excess or, if appropriate, as solvents.


The starting materials are generally reacted with one another in equimolar amounts.

Alternatively, the compounds of the formula I can also be obtained via a reverse reaction sequence, i.e. the reaction of the compounds of the formula II with compounds H-L¹ gives the activated derivatives of the formula VI.



Per se, this reaction is carried out under the conditions mentioned for the reaction of the formula IV with H-L¹.

The compounds of the formula VI can then be reacted with compounds III to give the derivatives of the formula V.



Per se, this reaction is carried out under the conditions mentioned for the reaction of the formula II with III.

The phenylacetic acid derivatives of the formula III are known or can be prepared from correspondingly substituted benzoic acids or halobenzenes on the basis of syntheses known in the literature [cf. Journal of Medicinal Chemistry 49(12), 3563-3580

(2006); Journal of Medicinal Chemistry 28(10), 1533-6 (1985); US 2004/077901; US 2004/068141; Chemistry-A European Journal 14(26), 7969-7977 (2008); Journal of Enzyme Inhibition and Medicinal Chemistry 17(3), 187-196 (2002)]. Suitably substituted benzoic acids and halobenzenes are known, for example from: WO 2002/006211, 5 WO 2009/058237, WO 98/52926, WO 96/26193, EP-A 352 543, WO 98/52926, WO 97/30986, WO 98/12180.

The reaction mixtures are worked up in a customary manner, for example by mixing with water, separating the phases and, if appropriate, chromatographic purification of 10 the crude products. Some of the intermediates and end products are obtained in the form of colorless or slightly brownish viscous oils which are purified or freed from volatile components under reduced pressure and at moderately elevated temperature. If the intermediates and end products are obtained as solids, the purification can also be carried out by recrystallization or digestion.

15 If individual compounds I cannot be obtained by the routes described above, they can be prepared by derivatization of other compounds I.

If the synthesis yields mixtures of isomers, a separation is generally however not necessarily required since in some cases the individual isomers can be interconverted during work-up for use or during application (for example under the action of light, acids 20 or bases). Such conversions may also take place after application, for example in the case of the treatment of plants in the treated plant or in the harmful plant to be controlled.

The organic moieties mentioned for the substituents of the compounds according to 25 the invention are collective terms for individual enumerations of the individual group members. All hydrocarbon chains, such as alkyl, haloalkyl, alkenyl, alkynyl, and the alkyl moieties and alkenyl moieties in alkoxy, haloalkoxy, alkylamino, dialkylamino, N-alkylsulfonylamino, alkenyloxy, alkynyloxy, alkoxyamino, alkylaminosulfonylamino, dialkylaminosulfonylamino, alkenylamino, alkynylamino, N-(alkenyl)-N-(alkyl)amino, 30 N-(alkynyl)-N-(alkyl)amino, N-(alkoxy)-N-(alkyl)amino, N-(alkenyl)-N-(alkoxy)amino or N-(alkynyl)-N-(alkoxy)amino can be straight-chain or branched.

The prefix C_n-C_m- indicates the respective number of carbons of the hydrocarbon unit. Unless indicated otherwise, halogenated substituents preferably carry one to five identical or different halogen atoms, in particular fluorine atoms or chlorine atoms.

35 The meaning halogen denotes in each case fluorine, chlorine, bromine or iodine.

Examples of other meanings are:

alkyl and the alkyl moieties for example in alkoxy, alkylamino, dialkylamino: saturated straight-chain or branched hydrocarbon radicals having one or more carbon atoms, for example 1 or 2, 1 to 4 or 1 to 6 carbon atoms, for example C₁-C₆-alkyl, such 40 as methyl, ethyl, propyl, 1-methylethyl, butyl, 1-methylpropyl, 2-methylpropyl, 1,1-dimethylethyl, pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 2,2-dimethylpropyl,

1-ethylpropyl, hexyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, 1-methylpentyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, 1,1-dimethylbutyl, 1,2-dimethylbutyl, 1,3-dimethylbutyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1-ethylbutyl, 2-ethylbutyl, 1,1,2-trimethylpropyl, 1,2,2-trimethylpropyl, 1-ethyl-1-methylpropyl, 1-ethyl-2-methylpropyl. In one embodiment according to the invention, alkyl denotes small alkyl groups, such as C₁-C₄-alkyl. In another embodiment according to the invention, alkyl denotes relatively large alkyl groups, such as C₅-C₆-alkyl.

Haloalkyl: an alkyl radical as mentioned above, some or all of whose hydrogen atoms are substituted by halogen atoms, such as fluorine, chlorine, bromine and/or iodine, for example chloromethyl, dichloromethyl, trichloromethyl, fluoromethyl, difluoromethyl, trifluoromethyl, chlorofluoromethyl, dichlorofluoromethyl, chlorodifluoromethyl, 2-fluoroethyl, 2-chloroethyl, 2-bromoethyl, 2-iodoethyl, 2,2-difluoroethyl, 2,2,2-trifluoroethyl, 2-chloro-2-fluoroethyl, 2-chloro-2,2-difluoroethyl, 2,2-dichloro-2-fluoroethyl, 2,2,2-trichloroethyl, pentafluoroethyl, 2-fluoropropyl, 3-fluoropropyl, 2,2-difluoropropyl, 2,3-difluoropropyl, 2-chloropropyl, 3-chloropropyl, 2,3-dichloropropyl, 2-bromopropyl, 3-bromopropyl, 3,3,3-trifluoropropyl, 3,3,3-trichloropropyl, 2,2,3,3,3-pentafluoropropyl, heptafluoropropyl, 1-(fluoromethyl)-2-fluoroethyl, 1-(chloromethyl)-2-chloroethyl, 1-(bromomethyl)-2-bromoethyl, 4-fluorobutyl, 4-chlorobutyl, 4-bromobutyl and nonafluorobutyl.

Cycloalkyl and the cycloalkyl moieties for example in cycloalkoxy or cycloalkyl-carbonyl: monocyclic saturated hydrocarbon groups having three or more carbon atoms, for example 3 to 6 carbon ring members, such as cyclopropyl, cyclobutyl, cyclopentyl and cyclohexyl.

Alkenyl and the alkenyl moieties for example in alkenyloxy: monounsaturated straight-chain or branched hydrocarbon radicals having two or more carbon atoms, for example 2 to 4, 2 to 6 or 3 to 6 carbon atoms, and a double bond in any position, for example C₂-C₆-alkenyl, such as ethenyl, 1-propenyl, 2-propenyl, 1-methylethenyl, 1-butenyl, 2-butenyl, 3-butenyl, 1-methyl-1-propenyl, 2-methyl-1-propenyl, 1-methyl-2-propenyl, 2-methyl-2-propenyl, 1-pentenyl, 2-pentenyl, 3-pentenyl, 4-pentenyl, 1-methyl-1-butenyl, 2-methyl-1-butenyl, 3-methyl-1-butenyl, 1-methyl-2-butenyl, 2-methyl-2-butenyl, 3-methyl-2-butenyl, 1-methyl-3-butenyl, 2-methyl-3-butenyl, 3-methyl-3-butenyl, 1,1-dimethyl-2-propenyl, 1,2-dimethyl-1-propenyl, 1,2-dimethyl-2-propenyl, 1-ethyl-1-propenyl, 1-ethyl-2-propenyl, 1-hexenyl, 2-hexenyl, 3-hexenyl, 4-hexenyl, 5-hexenyl, 1-methyl-1-pentenyl, 2-methyl-1-pentenyl, 3-methyl-1-pentenyl, 4-methyl-1-pentenyl, 1-methyl-2-pentenyl, 2-methyl-2-pentenyl, 3-methyl-2-pentenyl, 4-methyl-2-pentenyl, 1-methyl-3-pentenyl, 2-methyl-3-pentenyl, 3-methyl-3-pentenyl, 4-methyl-3-pentenyl, 1-methyl-4-pentenyl, 2-methyl-4-pentenyl, 3-methyl-4-pentenyl, 4-methyl-4-pentenyl, 1,1-dimethyl-2-butenyl, 1,1-dimethyl-3-butenyl, 1,2-dimethyl-1-butenyl, 1,2-dimethyl-2-butenyl, 1,2-dimethyl-3-butenyl, 1,3-dimethyl-1-butenyl, 1,3-dimethyl-2-butenyl, 1,3-dimethyl-3-butenyl, 2,2-dimethyl-3-butenyl, 2,3-dimethyl-1-butenyl, 2,3-dimethyl-2-butenyl, 2,3-dimethyl-3-butenyl,

3,3-dimethyl-1-butenyl, 3,3-dimethyl-2-butenyl, 1-ethyl-1-butenyl, 1-ethyl-2-butenyl, 1-ethyl-3-butenyl, 2-ethyl-1-butenyl, 2-ethyl-2-butenyl, 2-ethyl-3-butenyl, 1,1,2-trimethyl-2-propenyl, 1-ethyl-1-methyl-2-propenyl, 1-ethyl-2-methyl-1-propenyl, 1-ethyl-2-methyl-2-propenyl.

- 5 Cycloalkenyl: monocyclic monounsaturated hydrocarbon groups having 3 to 6, preferably 5 or 6, carbon ring members, such as cyclopenten-1-yl, cyclopenten-3-yl, cyclohexen-1-yl, cyclohexen-3-yl, cyclohexen-4-yl.

Alkynyl and the alkynyl moieties for example in alkynyloxy, alkynylamino: straight-chain or branched hydrocarbon groups having two or more carbon atoms, for example
 10 2 to 4, 2 to 6 or 3 to 6 carbon atoms, and a triple bond in any position, for example C₂-C₆-alkynyl, such as ethynyl, 1-propynyl, 2-propynyl, 1-butylnyl, 2-butylnyl, 3-butylnyl, 1-methyl-2-propynyl, 1-pentylnyl, 2-pentylnyl, 3-pentylnyl, 4-pentylnyl, 1-methyl-2-butylnyl, 1-methyl-3-butylnyl, 2-methyl-3-butylnyl, 3-methyl-1-butylnyl, 1,1-dimethyl-2-propynyl, 1-ethyl-2-propynyl, 1-hexynyl, 2-hexynyl, 3-hexynyl, 4-hexynyl, 5-hexynyl, 1-methyl-2-
 15 pentylnyl, 1-methyl-3-pentylnyl, 1-methyl-4-pentylnyl, 2-methyl-3-pentylnyl, 2-methyl-4-pentylnyl, 3-methyl-1-pentylnyl, 3-methyl-4-pentylnyl, 4-methyl-1-pentylnyl, 4-methyl-2-pentylnyl, 1,1-dimethyl-2-butylnyl, 1,1-dimethyl-3-butylnyl, 1,2-dimethyl-3-butylnyl, 2,2-dimethyl-3-butylnyl, 3,3-dimethyl-1-butylnyl, 1-ethyl-2-butylnyl, 1-ethyl-3-butylnyl, 2-ethyl-3-butylnyl, 1-ethyl-1-methyl-2-propynyl.

- 20 Alkoxy: alkyl as defined above which is attached via an oxygen atom, for example methoxy, ethoxy, n-propoxy, 1-methylethoxy, butoxy, 1-methylpropoxy, 2-methylpropoxy or 1,1-dimethylethoxy, pentoxy, 1-methylbutoxy, 2-methylbutoxy, 3-methylbutoxy, 1,1-dimethylpropoxy, 1,2-dimethylpropoxy, 2,2-dimethylpropoxy, 1-ethylpropoxy, hexoxy, 1-methylpentoxy, 2-methylpentoxy, 3-methylpentoxy, 4-methyl-
 25 pentoxy, 1,1-dimethylbutoxy, 1,2-dimethylbutoxy, 1,3-dimethylbutoxy, 2,2-dimethylbutoxy, 2,3-dimethylbutoxy, 3,3-dimethylbutoxy, 1-ethylbutoxy, 2-ethylbutoxy, 1,1,2-trimethylpropoxy, 1,2,2-trimethylpropoxy, 1-ethyl-1-methylpropoxy or 1-ethyl-2-methylpropoxy.

- 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated
 30 or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and may be attached via carbon or nitrogen. From among these, preference is given to 5- or 6-membered heterocycles.

Saturated or unsaturated heterocyclic groups which are attached via nitrogen or carbon, such as: pyridazin-3-yl, pyridazin-4-yl, pyrimidin-2-yl, pyrimidin-4-yl, pyrimidin-
 35 5-yl, pyrazin-2-yl, isoxazolin-3-yl, isoxazolin-4-yl, isoxazolin-5-yl, isothiazol-3-yl, isothiazol-4-yl, isothiazol-5-yl, imidazol-1-yl, imidazol-2-yl, imidazol-4-yl, oxazol-2-yl, oxazolin-2-yl, thiazolin-2-yl and morpholinyl.

Heteroaromatic groups which are attached via nitrogen or carbon, such as: pyrazol-
 3-yl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, isoxazol-
 40 3-yl, isoxazol-4-yl, isoxazol-5-yl, imidazol-5-yl, oxazol-2-yl, oxazol-4-yl, oxazol-5-yl, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl, pyridin-2-yl, pyridin-3-yl, pyridin-4-yl, pyrimidin-2-

yl, pyrimidin-4-yl, pyrimidin-5-yl, pyridazin-4-yl, pyrazin-2-yl, [1H]-tetrazol-5-yl and [2H]-tetrazol-5-yl.

5 The compounds of the formula I may, depending on the substitution pattern, contain one or more further centers of chirality. Accordingly, the compounds according to the invention can be present as pure enantiomers or diastereomers or as enantiomer or diastereomer mixtures. The invention provides both the pure enantiomers or diastereomers and their mixtures.

10 The compounds of the formula I may also be present in the form of the N-oxides and/or of their agriculturally useful salts, the type of salt generally not being important. Suitable salts are generally the salts of those cations or the acid addition salts of those acids whose cations and anions, respectively, have no adverse effect on the herbicidal activity of the compounds I.

15 Suitable cations are in particular ions of the alkali metals, preferably lithium, sodium or potassium, of the alkaline earth metals, preferably calcium or magnesium, and of the transition metals, preferably manganese, copper, zinc or iron. Another cation that may be used is ammonium, where, if desired, one to four hydrogen atoms may be replaced by C₁-C₄-alkyl, hydroxy-C₁-C₄-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, hydroxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, phenyl or benzyl, preferably ammonium, dimethylammonium, diisopropyl-
20 ammonium, tetramethylammonium, tetrabutylammonium, 2-(2-hydroxyeth-1-oxy)eth-1-ylammonium, di(2-hydroxyeth-1-yl)ammonium, trimethylbenzylammonium. Another suitable ammonium cation is the pyridine nitrogen atom of the formula I quaternized by alkylation or arylation. Also suitable are phosphonium ions, sulfonium ions, preferably tri(C₁-C₄-alkyl)sulfonium, or sulfoxonium ions, preferably tri(C₁-C₄-alkyl)sulfoxonium.

25 Anions of suitable acid addition salts are primarily chloride, bromide, fluoride, hydrogensulfate, sulfate, dihydrogenphosphate, hydrogenphosphate, nitrate, bicarbonate, carbonate, hexafluorosilicate, hexafluorophosphate, benzoate and also the anions of C₁-C₄-alkanoic acids, preferably formate, acetate, propionate, butyrate or trifluoroacetate.

30

With respect to the variables, the particularly preferred embodiments of the intermediates correspond to those of the groups of the formula I.

In a particular embodiment, the variables of the compounds of the formula I have the following meanings, these meanings, both on their own and in combination with one
35 another, being particular embodiments of the compounds of the formula I:

In one preferred embodiment of the compounds of the formula I, R is O-R^A, in which R^A is H, C₃-C₈-alkenyl, C₃-C₈-haloalkenyl, C₃-C₈-alkynyl, C₃-C₈-haloalkynyl, C₁-C₆-alkylcarbonyl, such as C(O)CH₃, C(O)CH₂CH₃, C(O)CH(CH₃)₂ or C(O)C(CH₃)₃; C₁-C₆-cycloalkylcarbonyl, such as cyclopropylcarbonyl, cyclopentylcarbonyl or
40 cyclohexylcarbonyl; C₂-C₆-alkenylcarbonyl, such as C(O)CH=CH₂ or C(O)CH₂CH=CH₂, optionally subst. benzoyl, such as C(O)C₆H₅, C(O)[2-CH₃-C₆H₄], C(O)[4-CH₃-C₆H₄],

C(O)[2-F-C₆H₄], C(O)[4-F-C₆H₄], or optionally subst. heteroaryl, such as pyridyl, which is attached via a carbonyl group. Particularly preferably, R^A is H, C₃-C₄-alkenyl, C₃-C₄-alkynyl or C₁-C₆-alkylcarbonyl. Especially preferably, R^A is selected from the group consisting of H, CH₂CH=CH₂, CH₂C≡CH, CH₃, C(O)CH₃, C(O)CH₂CH₃,
 5 C(O)CH(CH₃)₂, C(O)C(CH₃)₃, C(O)-c-C₃H₅, C(O)-C₆H₅, C(O)-CH₂C₆H₅, C(O)CH₂Cl, C(O)CF₃, C(O)CH₂OCH₃, C(O)N(CH₃)₂ and C(O)OCH₂CH₃.

In a further preferred embodiment of the compounds of the formula I, R is OS(O)_n-R^A where n is preferably 0 or 2, in particular 2, such as, for example, OS(O)₂-CH₃, OS(O)₂-C₂H₅, OS(O)₂-C₃H₇, OS(O)₂-C₆H₅ or OS(O)₂-(4-CH₃-C₆H₄).

10 In a further preferred embodiment, R is O-S(O)_n-NRⁱRⁱⁱ, in particular with the groups NRⁱRⁱⁱ mentioned below as preferred.

Rⁱ and Rⁱⁱ are preferably C₁-C₈-alkyl, C₁-C₄-haloalkyl, Z-C₃-C₆-cycloalkyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, Z-phenyl, Z-C(=O)-R^a or Z-hetaryl. Preference is given here to CH₃, C₂H₅, n-propyl, CH(CH₃)₂, butyl, 2-chloroethyl, cyclopentyl, cyclohexyl,
 15 2-ethoxymethyl, 2-chloroethoxy, phenyl, pyrimidines or triazines, which rings are unsubstituted or substituted. Preferred substituents are C₁-C₄-alkylcarbonyl or C₁-C₄-haloalkylcarbonyl, in particular C(=O)-CH₃, C(=O)-C₂H₅, C(=O)-C₃H₇, C(=O)-CH(CH₃)₂, butylcarbonyl and C(=O)-CH₂Cl. Particularly preferred aspects of group NRⁱRⁱⁱ are N(di-C₁-C₄-alkyl), in particular N(CH₃)-C₁-C₄-alkyl, such as N(CH₃)₂, N(CH₃)CH₂CH₃,
 20 N(CH₃)C₃H₇ and N(CH₃)CH(CH₃)₂.

Further particularly preferred aspects of NRⁱRⁱⁱ are NH-aryl, where aryl is preferably phenyl which is substituted - in particular in the 2- and 6-position - by one to three identical or different groups from the group consisting of halogen, CH₃, halo-C₁-C₂-alkyl, halo-C₁-C₂-alkoxy and carboxyl, such as 2-Cl,6-COOH-C₆H₃, 2,6-Cl₂-C₆H₃,
 25 2,6-F₂-C₆H₃, 2,6-Cl₂ 3-C₆H₂, 2-CF₃,6-CH₂CHF₂-C₆H₃, 2-CF₃,6-OCF₃-C₆H₃ and 2-CF₃,6-CH₂CHF₂-C₆H₃.

In a further preferred embodiment of the invention, R^A is a 5- or 6-membered heterocycle optionally substituted by R^b as defined above, which preferably has either 1, 2, 3 or 4 N or 1 O or 1 S atom and if appropriate 1 or 2 N atoms as ring members
 30 and which is unsubstituted or may have 1 or 2 substituents selected from R^b. Preference is given to saturated or unsaturated groups attached via nitrogen, such as, for example:

Heteroaromatic groups: pyridazin-3-yl, pyridazin-4-yl, pyrimidin-2-yl, pyrimidin-4-yl, pyrimidin-5-yl, pyrazin-2-yl, 2-furyl, 3-furyl, 2-thienyl, 3-thienyl, pyrazol-1-yl, pyrazol-3-yl, pyrazol-4-yl, isoxazol-3-yl, isoxazol-4-yl, isoxazol-5-yl, isothiazol-3-yl, isothiazol-4-yl, isothiazol-5-yl, imidazol-1-yl, imidazol-2-yl, imidazol-4-yl, oxazol-2-yl, oxazol-4-yl, oxazol-5-yl, thiazol-2-yl, thiazol-4-yl and thiazol-5-yl.
 35

In another aspect, R^A is a heteroaromatic group attached via carbon, such as pyrazol-3-yl, imidazol-5-yl, oxazol-2-yl, thiazol-2-yl, thiazol-4-yl, thiazol-5-yl, pyridin-2-yl, pyridin-3-yl, pyridin-4-yl, pyrimidin-2-yl, pyrimidin-4-yl, pyrimidin-5-yl, pyridazin-4-yl, pyrazin-2-yl, [1H]-tetrazol-5-yl and [2H]-tetrazol-5-yl, where each of the heterocycles
 40

mentioned here in an exemplary manner may have 1 or 2 substituents selected from R^b. Preferred groups R^b are in this case in particular F, Cl, CN, NO₂, CH₃, C₂H₅, OCH₃, OC₂H₅, OCHF₂, OCF₃ and CF₃.

- In particularly preferred embodiments of the compounds of the formula I, R is
- 5 selected from the group consisting of OH, OCH₂CH=CH₂, OCH₂C≡CH, OCH₃, OC(O)CH₃, OC(O)CH₂CH₃, OC(O)CH(CH₃)₂, OC(O)C(CH₃)₃, OC(O)-c-C₃H₅, OC(O)-C₆H₅, OC(O)-CH₂C₆H₅, OC(O)CH₂Cl, OC(O)-CF₃, OC(O)-CH₂OCH₃, OC(O)-N(CH₃)₂ and OC(O)-OCH₂CH₃.
- 10 Groups R^a preferred for the compounds of the formula I are selected from the group consisting of OH, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₃-C₈-alkenyl, C₃-C₈-alkynyl, Z-C₁-C₆-alkoxy, Z-C₁-C₄-haloalkoxy, Z-C₃-C₈-alkenyloxy, Z-C₃-C₈-alkynyloxy and NRⁱRⁱⁱ.

- For the compounds of the formula I, the groups R^b are preferably selected from the
- 15 group consisting of halogen, oxo (=O), =N-R^a, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, Z-C₁-C₄-haloalkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkylthio-C₁-C₄-alkyl, Z-C(=O)-R^a and S(O)_nR^{bb}, where R^{bb} is preferably C₁-C₄-alkyl or C₁-C₄-haloalkyl and n is 0, 1 or 2.

- 20 Particularly preferably, R^b is a group selected from the group consisting of halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-haloalkoxy, C₁-C₄-haloalkylthio, C₃-C₄-alkenyl, C₃-C₄-alkynyl and =N-C₁-C₄-alkoxy.

- Two groups R^b together may form a ring which preferably has three to seven ring
- 25 members and, in addition to carbon atoms, may also contain heteroatoms from the group consisting of O, N and S and which may be unsubstituted or substituted by further groups R^b. These substituents R^b are preferably selected from the group consisting of halogen, C₁-C₄-alkyl, C₁-C₄-alkoxy and C₁-C₄-haloalkyl.

- Groups R^a and R^b are selected independently of one another if a plurality of such
- 30 groups is present.

- In a preferred embodiment of the compounds of the formula I, R¹ is cyano, halogen, nitro, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-haloalkyl, Z-C₁-C₆-alkoxy, Z-C₁-C₄-alkoxy-C₁-C₄-alkoxy, Z-C₁-C₄-alkylthio, Z-C₁-C₄-alkylthio-C₁-C₄-alkylthio,
- 35 C₂-C₆-alkenyloxy, C₂-C₆-alkynyloxy, C₁-C₆-haloalkoxy, C₁-C₄-haloalkoxy-C₁-C₄-alkoxy, S(O)_nR^{bb}, Z-phenoxy, Z-heterocycloxy, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, cyclic groups being unsubstituted or partially or fully substituted by R^b.


40

In a particularly preferred embodiment of the compounds of the formula I, R¹ is

- halogen, CN, NO₂, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkylthio-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₃-C₄-alkenyloxy, C₃-C₄-alkynyloxy, C₁-C₄-alkoxy-C₁-C₄-alkoxy, C₁-C₄-haloalkoxy-C₁-C₄-alkoxy, S(O)_n-C₁-C₄-alkyl and
- 5 S(O)_n-C₁-C₄-haloalkyl. Particularly preferably, R¹ is selected from the group consisting of F, Cl, Br, NO₂, CH₃, CF₃, OCH₃, OCF₃, SCF₃, SO₂CH₃, OCH₂CH₂OCH₃, CH₂OCH₂CH₂OCH₃, CH₂OCH₂CF₃.

In a further preferred embodiment of the compounds of the formula I, A is C-R².

- 10 These compounds correspond to the formula I.1



where the variables have the meanings defined at the outset and preferably the meanings mentioned as preferred.

- 15 Particularly preferably, in the compounds of the formula I.1, the group
- R¹ is halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkylthio or C₁-C₄-alkylsulfonyl, in particular F, Cl, Br, I, NO₂, CH₃, CF₃, OCH₃, OCF₃, OCHF₂, SCF₃, SCHF₂, SO₂CH₃, CH₂OCH₂CH₂OCH₃;
- 20 R³ is H, halogen, CN, NO₂, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfonyl, in particular H, F, Cl, Br, CN, NO₂, CH₃, CH₂CH₃, CF₃, CHF₂, OCH₃, OCF₃, OCHF₂, SCH₃, SO₂CH₃ or SO₂CH₂CH₃;
- R⁴, R⁵ are independently selected from the group consisting of H, F and Cl.
- 25 Particularly preferably, in the compounds of the formula I.1, the group
- R¹ is halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkylthio or C₁-C₄-alkylsulfonyl, in particular F, Cl, Br, NO₂, CH₃, CF₃, OCH₃, OCF₃, OCHF₂, SCF₃, SCHF₂, SO₂CH₃, CH₂OCH₂CH₂OCH₃;
- 30 R³ is H, halogen, CN, NO₂, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfonyl, in particular H, F, Cl, Br, CN, NO₂, CH₃, CH₂CH₃, CF₃, CHF₂, OCH₃, OCF₃, OCHF₂, SCH₃, SO₂CH₃ or SO₂CH₂CH₃;
- R⁴ is H;
- R⁵ is H, F or Cl.
- 35 In a preferred embodiment of the compounds of the formula I.1, R² is Z¹-heterocyclyl where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-

membered bicyclic, saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, cyclic groups being unsubstituted or partially or fully substituted by R^b.

5 R² is in this case preferably a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which is attached via Z¹ and contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where the cyclic groups are unsubstituted or partially or fully substituted by groups R^b.

10 In a further preferred aspect of the compounds of the formula I.1, R² is a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which is attached directly or via C₁-C₄-alkyleneoxy, C₁-C₄-oxyalkylene or C₁-C₄-alkyleneoxy-C₁-C₄-alkylene, which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be substituted as defined at the outset.

A preferred aspect of group R² relates to five- or six-membered saturated or partially unsaturated heterocycles, such as, for example, isoxazoline, tetrazolone, 1,2-dihydro-tetrazolone, 1,4-dihydro-tetrazolone, tetrahydrofuran, dioxolane, piperidine, morpholine and piperazine. Particular preference is given to 3-isoxazoline, 5-isoxazoline, 20 1-tetrazolone, 2-tetrazolone, [1,3]dioxolane-2 and N-morpholine. Especially preferred are: 4,5-dihydroisoxazole-3, unsubstituted or substituted by 5-CH₃, 5-CH₂F or 5-CHF₂; 4,5-dihydroisoxazole-5, unsubstituted or substituted by 3-CH₃, 3-OCH₃, 3-CH₂OCH₃, 3-CH₂SCH₃; 1-methyl-5-oxo-1,5-dihydro-tetrazole-2; 4-methyl-5-oxo-4,5-dihydro-tetrazole-1 and N-morpholine.

25 A further preferred aspect of group R² relates to five- or six-membered aromatic heterocycles, such as, for example, isoxazole, pyrazole, thiazole, furyl, pyridine, pyrimidine and pyrazine. Particular preference is given to 3-isoxazole, 5-isoxazole, 3-pyrazole, 5-pyrazole, 2-thiazole, 2-oxazole, 2-furyl. Especially preferred are: 3-isoxazole, 5-methyl-3-isoxazole, 5-isoxazole, 3-methyl-5-isoxazole, 1-methyl-1H-pyrazole-3, 30 2-methyl-2H-pyrazole-3 and thiazole-2.

In a preferred aspect of the compounds of the formula I, the groups R^b independently of one another are Z-CN, Z-OH, Z-NO₂, Z-halogen, oxo (=O), =N-R^a, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₂-C₈-alkenyl, C₂-C₈-alkynyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, 35 Z-C₃-C₁₀-cycloalkyl, O-Z-C₃-C₁₀-cycloalkyl, Z-C(=O)-R^a, NRⁱRⁱⁱ, Z-(tri-C₁-C₄-alkyl)silyl, Z-phenyl or S(O)_nR^{bb}.

In a preferred aspect of heterocyclic groups R², the groups R^b independently of one another are preferably C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkylthio-C₁-C₄-alkyl, C₁-C₄-alkylthio or C₁-C₄-alkylsulfonyl. Especially 40 preferred are CH₃, C₂H₅, CH₂F, CF₂H, CF₃, OCH₃, CH₂OCH₃, CH₂SCH₃, SCH₃ and SO₂CH₃.

The group R^{bb} is preferably C_1 - C_8 -alkyl.

In a preferred aspect, the group Z^1 is a covalent bond.

In a further preferred aspect, the group Z^1 is C_1 - C_4 -alkyleneoxy, in particular OCH_2 or
 5 OCH_2CH_2 .


In a further preferred aspect, the group Z^1 is C_1 - C_4 -oxyalkylene, in particular CH_2O or CH_2CH_2O .

In a further preferred aspect, the group Z^1 is C_1 - C_4 -alkyleneoxy- C_1 - C_4 -alkylene, in particular OCH_2OCH_2 or $OCH_2CH_2OCH_2$.

10 Particularly preferred aspects of heterocycles attached via Z^1 include tetrahydrofuran-2-ylmethoxymethyl and [1,3]dioxolan-2-ylmethoxy.

In a further preferred embodiment of the compounds of the formula I.1, R^2 is phenyl which is attached via Z^1 or oxygen and is unsubstituted or substituted by C_1 - C_4 -alkyl,
 15 C_1 - C_4 -alkoxy, C_1 - C_4 -haloalkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl or C_1 - C_4 -alkoxy- C_1 - C_4 -alkoxy.

Particular preference is given in this case to a phenyl group which may be partially or fully substituted - preferably mono-, di- or trisubstituted, in particular monosubstituted - by groups R^b . Groups R^b preferred for this aspect include: C_1 - C_2 -alkyl, C_1 - C_4 -alkoxy, C_1 - C_2 -haloalkyl, C_1 - C_2 -alkoxy- C_1 - C_2 -alkyl or C_1 - C_2 -alkoxy- C_1 - C_2 -alkoxy. Particular
 20 preference is given to CH_3 , C_2H_5 , OCH_3 , OC_2H_5 , CHF_2 , CF_3 , $OCHF_2$, OCF_3 , OCH_2OCH_3 and $OCH_2CH_2OCH_3$. Special preference is given to alkoxy, such as OCH_3 or OC_2H_5 . A group R^b is preferably in position 4. A particularly preferred phenyl group R^2 is a group P:



25 in which # denotes the bond via which the group R^2 is attached and the substituents are selected from R^b and are in particular:

R^{P2} H or F;

R^{P3} H, F, Cl or OCH_3 ; and

R^{P4} H, F, Cl, CH_3 , CF_3 , OCH_3 , OCH_2OCH_3 or $OCH_2CH_2OCH_3$.

30

In a further preferred embodiment of the compounds of the formula I.1, R^2 is an aliphatic group selected from the group consisting of C_1 - C_8 -alkyl, C_2 - C_6 -haloalkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, C_2 - C_8 -alkenyl, C_2 - C_8 -alkynyl, C_2 - C_8 -haloalkenyl, C_2 - C_8 -haloalkynyl, C_1 - C_6 -alkoxy, Z - C_1 - C_4 -alkoxy- C_1 - C_4 -alkoxy, Z - C_1 - C_4 -haloalkoxy- C_1 - C_4 -alkoxy,
 35 Z - C_1 - C_6 -haloalkoxy, C_2 - C_8 -alkenyloxy, C_2 - C_8 -alkynyloxy, Z - C_1 - C_4 -alkythio, Z - C_1 - C_6 -haloalkylthio, Z - $C(=O)$ - R^a or $S(O)_nR^{bb}$.

In a particularly preferred aspect of these compounds of the formula I.1, R^2 is an aliphatic group selected from the group consisting of C_1 - C_6 -alkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -

alkyl, C₁-C₄-haloalkoxy-C₁-C₄-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₂-C₄-alkoxy, C₁-C₄-haloalkoxy, C₃-C₆-alkenyloxy, C₃-C₆-alkynyloxy, C₃-C₆-haloalkenyloxy, C₃-C₆-haloalkynyloxy, C₁-C₄-alkoxycarbonyl, S(O)₂-C₁-C₄-alkyl and S(O)₂-C₁-C₈-haloalkyl.

- 5 Particularly preferred aliphatic groups R² include C₂-C₄-alkenyl, C₂-C₄-alkynyl, C₁-C₂-haloalkoxy-C₁-C₂-alkyl, C₃-C₄-alkenyloxy, C₃-C₄-alkynyloxy, C₁-C₄-alkylsulfonyl, C₁-C₄-alkoxy, C₁-C₄-alkoxycarbonyl and S(O)₂-C₁-C₄-alkyl. Special preference is given to CH=CH₂, CH=CHCH₃, CH₂OCH₂CF₃, OC₂H₅, OCH₂CH=CH₂, OCH₂C≡CH, OCH₂CH₂OCH₃, COOCH₃, COOC₂H₅ and SO₂CH₃, SO₂C₂H₅ and SO₂CH(CH₃)₂.

10

In a further preferred aspect, R² together with the group attached to the adjacent carbon atom forms a five- to ten-membered saturated, partially or fully unsaturated mono- or bicyclic ring which, in addition to carbon atoms, may contain 1, 2 or 3 heteroatoms selected from the group consisting of O, N and S and which may be substituted by further groups R^b.

15


In a particularly preferred aspect, R² together with R¹ or R³ forms a five- to ten-membered mono- or bicyclic, saturated or partially unsaturated ring which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be partially or fully substituted by groups R^b. Together with the phenyl group which carries the groups R¹ to R⁵, a nine- to fifteen-membered bi- or tricyclic, optionally heterocyclic, ring system results. Suitable are, for example, the following: 2,3-dihydrobenzo[b]thiophene 1,1-dioxide, thiochroman 1,1-dioxide, 2,3-dihydrobenzo[1,4]dithiin 1,1,4,4-tetraoxide, 3H-benzothiazol-2-one, quinoline and saccharin.

20

Preferably, R² together with R¹ or R³ forms a five- or six-membered monocyclic, saturated or partially unsaturated ring.

25


Preferred bicyclic ring systems comprising the phenyl group attached to the dioxodihydrothiatriazanaphthalene skeleton and R¹ and R² are, for example, groups A to D:



30

denotes the bond to the skeleton.

Preferred bi- and tricyclic ring systems comprising the phenyl group attached to the dioxodihydrothiatriazanaphthalene skeleton and R^2 and R^3 contain one or two sulfur atoms and optionally one nitrogen atom. Preferred are groups E to L:



In groups A to L, the groups R^b independently of one another are preferably halogen, C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy, C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy- C_1 - C_4 -alkoxy- C_1 - C_4 -alkyl, C_1 - C_4 -alkylthio, C_1 - C_4 -haloalkyl, C_1 - C_4 -haloalkoxy, C_1 - C_4 -haloalkylthio, C_3 - C_4 -alkenyl, C_3 - C_4 -alkynyl, $=N$ - C_1 - C_4 -alkoxy.


10


The compounds of the formula I in which R^2 is one of groups A to L correspond to the formulae I.A to I.L.

In the formulae I.A to I.L, R^b is preferably halogen, C_1 - C_4 -alkyl, C_1 - C_4 -alkoxy or C_1 - C_4 -haloalkyl.

15

The following examples represent particularly preferred groups A to L:





R^{3A} , R^{3B} , R^{3C} and R^{3D} are preferably halogen, C_1 - C_4 -alkyl, C_1 - C_4 -haloalkyl, C_1 - C_4 -alkoxy, in particular F, Cl, Br, CH_3 , CF_3 or OCH_3 .

- 5 R^{bE1} , R^{bE2} are preferably H, C_1 - C_4 -alkyl or C_1 - C_4 -alkoxy, in particular R^{bE1} is H or CH_3 ; R^{bE2} is H, CH_3 or OCH_3 .

R^{bJ1} is preferably C_1 - C_4 -haloalkoxy, in particular OCH_2CH_2F .

R^{bJ2} is preferably C_1 - C_4 -alkoxy, in particular OCH_3 or OCH_2CH_3 .

- 10 R^{bL} is preferably C_1 - C_4 -Alkyl or C_3 - C_4 -Alkenyl, in particular CH_3 , CH_2CH_3 , $CH_2CH_2CH_3$, $CH(CH_3)_2$ or $CH_2CH=CH_2$.

- In a further preferred embodiment of the compounds of the formula I, in particular of the formula I.1, R^3 is hydrogen, cyano, halogen, nitro, C_1 - C_4 -alkyl, C_1 - C_4 -haloalkyl, C_1 - C_4 -alkoxy, C_1 - C_4 -haloalkoxy, C_2 - C_4 -alkenyl, C_2 - C_4 -alkynyl, C_2 - C_4 -alkenyloxy, C_2 - C_4 -alkynyloxy or $S(O)_nR^{bb}$.


- In a particularly preferred embodiment of the compounds of the formula I, in particular of the formula I.1, R^3 is hydrogen, halogen, CN, NO_2 , C_1 - C_4 -alkyl, C_1 - C_4 -haloalkyl, C_1 - C_4 -alkoxy, C_1 - C_4 -haloalkoxy, $S(O)_n$ - C_1 - C_4 -alkyl and $S(O)_n$ - C_1 - C_4 -haloalkyl, where n is preferably 0 or 2. Particularly preferably, R^3 is selected from the group consisting of H, F, Cl, Br, CN, NO_2 , CH_3 , CF_3 , CHF_2 , OCH_3 , OCF_3 , $OCHF_2$, SCH_3 , SCF_3 , $SCHF_2$, SO_2CH_3 , $SO_2CH_2CH_3$.

- In further preferred aspects of the formula I.1, the groups R^1 , R^2 , R^3 , R^4 and R^5 together form the following substitution patterns: 2-Br, 2-Cl, 2,4- Cl_2 , 2-Cl-4-F, 2-Cl-5-F, 2-Cl-6-F, 2-Cl-4- CF_3 , 2-Cl-5- CF_3 , 2-Cl-6- CF_3 , 2-Cl-3,6- F_2 , 2-F, 2,4- F_2 , 2,5- F_2 , 2,6- F_2 , 2-F-4- CF_3 , 2-F-5- CF_3 , 2-F-6- CF_3 , 2,3,6- F_3 , 2- NO_2 , 2- NO_2 -4-F, 2- NO_2 -5-F, 2- NO_2 -6-F, 2- NO_2 -4- CF_3 , 2- NO_2 -5- CF_3 , 2- NO_2 -6- CF_3 , 2- NO_2 -3,6- F_2 , 2-CN, 2- CH_3 , 2- CH_3 -4-F, 2- CH_3 -5-F, 2- CH_3 -6-F, 2- CH_3 -4- CF_3 , 2- CH_3 -5- CF_3 , 2- CH_3 -6- CF_3 , 2- CH_3 -3,6- F_2 , 2- OCH_3 , 2- OCH_3 -4-F, 2- OCH_3 -5-F, 2- OCH_3 -6-F, 2- OCH_3 -4- CF_3 , 2- OCH_3 -5- CF_3 , 2- OCH_3 -6- CF_3 , 2- OCH_3 -3,6- F_2 , 2- CHF_2 , 2- CHF_2 -4-F, 2- CHF_2 -5-F, 2- CHF_2 -6-F, 2- CHF_2 -4- CF_3 , 2- CHF_2 -5- CF_3 , 2- CHF_2 -6- CF_3 , 2- CHF_2 -3,6- F_2 , 2- CF_3 , 2- CF_3 -4-F, 2- CF_3 -5-F, 2- CF_3 -6-F, 2- CF_3 -4- CF_3 , 2- CF_3 -5- CF_3 , 2- CF_3 -6- CF_3 , 2- CF_3 -3,6- F_2 , 2- $OCHF_2$, 2- $OCHF_2$ -4-F, 2- $OCHF_2$ -5-F, 2- $OCHF_2$ -6-F, 2- $OCHF_2$ -4- CF_3 , 2- $OCHF_2$ -5- CF_3 , 2- $OCHF_2$ -6- CF_3 ,

2-OCHF₂-3,6-F₂, 2-OCF₃, 2-OCF₃-4-F, 2-OCF₃-5-F, 2-OCF₃-6-F, 2-OCF₃-4-CF₃,
 2-OCF₃-5-CF₃, 2-OCF₃-6-CF₃, 2-OCF₃-3,6-F₂, 2-Cl-3-Br-6-F, 2-Cl-5-CF₃, 2,5,6-Cl₃,
 2-CF₃-5-Cl, 2,6-Cl₂, 2-Br-4-F, 2,4,6-Cl₃, 2-Br-4-F-6-Cl, 2-Br-4,6-Cl₂, 2-Br-4,6-F₂,
 2,4-Cl₂-6-F, 2-CF₃-4,6-Cl₂, 2-CF₃-4-F-6-Cl, 2-CF₃-4,6-F₂, 2,6-Cl₂, 2-Br-4-F, 2,4,6-Cl₃,
 5 2-Br-4-F-6-Cl, 2-Br-4,6-Cl₂, 2-Br-4,6-F₂, 2,4-Cl₂-6-F, 2-CF₃-4,6-Cl₂, 2-CF₃-4-F-6-Cl or
 2-CF₃-4,6-F₂.

In further preferred aspects of the formula I.1, the groups R¹, R², R³, R⁴ and R⁵ together
 form the following substitution patterns: 2-Br, 2-Cl, 2,4-Cl₂, 2-Cl-4-F, 2-Cl-5-F, 2-Cl-6-F,
 10 2-Cl-4-CF₃, 2-Cl-5-CF₃, 2-Cl-6-CF₃, 2-Cl-3,6-F₂, 2-F, 2,4-F₂, 2,5-F₂, 2,6-F₂, 2-F-4-CF₃,
 2-F-5-CF₃, 2-F-6-CF₃, 2,3,6-F₃, 2-NO₂, 2-NO₂-4-F, 2-NO₂-5-F, 2-NO₂-6-F, 2-NO₂-4-CF₃,
 2-NO₂-5-CF₃, 2-NO₂-6-CF₃, 2-NO₂-3,6-F₂, 2-CN, 2-CH₃, 2-CH₃-4-F, 2-CH₃-5-F,
 2-CH₃-6-F, 2-CH₃-4-CF₃, 2-CH₃-5-CF₃, 2-CH₃-6-CF₃, 2-CH₃-3,6-F₂, 2-OCH₃,
 2-OCH₃-4-F, 2-OCH₃-5-F, 2-OCH₃-6-F, 2-OCH₃-4-CF₃, 2-OCH₃-5-CF₃, 2-OCH₃-6-CF₃,
 15 2-OCH₃-3,6-F₂, 2-CHF₂, 2-CHF₂-4-F, 2-CHF₂-5-F, 2-CHF₂-6-F, 2-CHF₂-4-CF₃,
 2-CHF₂-5-CF₃, 2-CHF₂-6-CF₃, 2-CHF₂-3,6-F₂, 2-CF₃, 2-CF₃-4-F, 2-CF₃-5-F, 2-CF₃-6-F,
 2-CF₃-4-CF₃, 2-CF₃-5-CF₃, 2-CF₃-6-CF₃, 2-CF₃-3,6-F₂, 2-OCHF₂, 2-OCHF₂-4-F,
 2-OCHF₂-5-F, 2-OCHF₂-6-F, 2-OCHF₂-4-CF₃, 2-OCHF₂-5-CF₃, 2-OCHF₂-6-CF₃,
 2-OCHF₂-3,6-F₂, 2-OCF₃, 2-OCF₃-4-F, 2-OCF₃-5-F, 2-OCF₃-6-F, 2-OCF₃-4-CF₃,
 20 2-OCF₃-5-CF₃, 2-OCF₃-6-CF₃, 2-OCF₃-3,6-F₂, 2-Cl-3-Br-6-F, 2-Cl-5-CF₃, 2,5,6-Cl₃ or
 2-CF₃-5-Cl.

In a further preferred embodiment of the compounds of the formula I, A is N. These
 compounds correspond to formula I.2,



25

in which the variables have the meanings defined at the outset and preferably those
 mentioned above. In one embodiment, R¹ and R³ are not halogen. Especially
 preferably, in compounds of the formula I.2 the group

R¹ is nitro, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy-
 30 C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-
 haloalkylthio or C₁-C₄-alkylsulfonyl, in particular NO₂, CH₃, CF₃,
 CH₂OCH₂CH₂OCH₃, OCH₃, OCF₃, OCHF₂, SCF₃, SCHF₂, SO₂CH₃;
 R³ is H, CN, NO₂, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-
 alkylsulfonyl, in particular H, CN, NO₂, CH₃, CH₂CH₃, CF₃, CHF₂, OCH₃, OCF₃,
 35 OCHF₂, SCH₃, SO₂CH₃ or SO₂CH₂CH₃;
 R⁴, R⁵ are H.

In a further preferred embodiment of the compounds of the formula I, R⁴ is hydrogen, halogen or C₁-C₄-haloalkyl, in particular H.

In a further preferred embodiment of the compounds of the formula I, R⁵ is hydrogen
5 or halogen, particularly preferably H, F or Cl, in particular H.

In a further preferred embodiment of the compounds of the formula I, one of the groups R⁴ and R⁵ is halogen, such as Cl or F.

In a further preferred embodiment of the compounds of the formula I, R⁶ is hydrogen,
10 C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkoxy or C₁-C₄-haloalkylthio, particularly preferably H, CH₃, CF₃, CHF₂, OCH₃, OCF₃, OCHF₂, SCH₃, SCF₃, SCHF₂, in particular H.

In further preferred embodiments:

R⁷ is H, OH, CN, halogen, alkyl, alkoxy, haloalkyl, in particular H; and

15 R⁸ is H, OH, CN, halogen, alkyl, alkoxy, haloalkyl, in particular H.

In a further preferred embodiment of the compounds of the formula I, at least one of the groups R⁷ and R⁸, preferably both groups, is/are hydrogen.

R^x is preferably H, C₁-C₆-alkyl, such as CH₃, C₂H₅, n-C₃H₇, CH(CH₃)₂, n-C₃H₉, or
20 C(CH₃)₃; C₃-C₆-cycloalkyl-C₁-C₄-alkyl, such as cyclopropylmethyl, C₃-C₆-alkenyl, C₃-C₆-alkynyl, such as CH₂CH=CH₂, CH₂C(CH₃)=CH₂, CH₂CH₂H=CH₂, CH₂CH₂C(CH₃)-CH₂, CH₂CH₂CH₂CH=CH₂, CH₂CH₂CH₂C(CH₃)=CH₂, CH₂C≡CH, or optionally subst. phenyl, such as C₆H₅, 4-CH₃-C₆H₄, 4-F-C₆H₄ or S(O)_n-R^N, where R^N is C₁-C₆-haloalkyl, such as CH₂CF₃, CH₂CHF₂. Particularly preferably, R^x is C₁-C₆-alkyl or C₁-C₄-haloalkyl.

25

A further embodiment relates to the N-oxides of the compounds of the formula I.

A further embodiment relates to salts of the compounds of the formula I, in particular those which are obtainable by quaternization of a pyridazine nitrogen atom, which may preferably take place by alkylation or arylation of the compounds of the formula I.

30 Preferred salts of the compounds are thus the N-alkyl salts, in particular the N-methyl salts, and the N-phenyl salts.

In particular with a view to their use, preference is given to the compounds of the formula I compiled in the tables below, which compounds correspond to the formulae
35 I.1A and I.2A. The groups mentioned for a substituent in the tables are furthermore per se, independently of the combination in which they are mentioned, a particularly preferred aspect of the substituent in question.

Table 1

40 Compounds of the formula I, in which R^x is CH₃, R is OH, R⁶ is H and the combination of R¹ to R⁵ for a compound corresponds in each case to one row of table A or is

specified in any of tables A.1 to A.8

Table 2

Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2CH=CH_2$, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table

5 A or is specified in any of tables A.1 to A.8

Table 3

Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2C\equiv CH$, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

10 Table 4

Compounds of the formula I, in which R^x is CH_3 , R is OH, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

15 Table 5

Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2CH=CH_2$, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 6

20 Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2C\equiv CH$, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 7

25 Compounds of the formula I, in which R^x is CH_3 , R is OH, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 8

30 Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2CH=CH_2$, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 9

Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2C\equiv CH$, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

35 Table 10

Compounds of the formula I, in which R^x is CH_3 , R is OH, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 11

40 Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2CH=CH_2$, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of

table A or is specified in any of tables A.1 to A.8

Table 12

Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2C\equiv CH$, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table

5 A or is specified in any of tables A.1 to A.8

Table 13

Compounds of the formula I, in which R^x is CH_3 , R is OH, R^6 is SCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

10 Table 14

Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2CH=CH_2$, R^6 is SCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 15

15 Compounds of the formula I, in which R^x is CH_3 , R is $OCH_2C\equiv CH$, R^6 is SCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 16

20 Compounds of the formula I, in which R^x is CH_2CH_3 , R is OH, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 17

25 Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2CH=CH_2$, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 18

Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2C\equiv CH$, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

30 Table 19

Compounds of the formula I, in which R^x is CH_2CH_3 , R is OH, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 20

35 Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2CH=CH_2$, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 21

40 Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2C\equiv CH$, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 22

Compounds of the formula I, in which R^x is CH_2CH_3 , R is OH, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

5 Table 23

Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2CH=CH_2$, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 24

10 Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2C\equiv CH$, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 25

15 Compounds of the formula I, in which R^x is CH_2CH_3 , R is OH, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 26

20 Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2CH=CH_2$, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 27

Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2C\equiv CH$, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

25 Table 28

Compounds of the formula I, in which R^x is CH_2CH_3 , R is OH, R^6 is SCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 29

30 Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2CH=CH_2$, R^6 is SCH_3 and the combination of R^1 , R^3 and if appropriate R^2 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 30

35 Compounds of the formula I, in which R^x is CH_2CH_3 , R is $OCH_2C\equiv CH$, R^6 is SCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 31

40 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is OH, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 32

Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{CH}=\text{CH}_2$, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 33

- 5 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{C}\equiv\text{CH}$, R^6 is H and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 34

- 10 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is OH, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 35

- 15 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{CH}=\text{CH}_2$, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 36

- 20 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{C}\equiv\text{CH}$, R^6 is CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 37

Compounds of the formula I, in which R^x is CH_2CHF_2 , R is OH, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 38

- 25 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{CH}=\text{CH}_2$, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 39

- 30 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{C}\equiv\text{CH}$, R^6 is CH_2CH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 40

- 35 Compounds of the formula I, in which R^x is CH_2CHF_2 , R is OH, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 41

Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{CH}=\text{CH}_2$, R^6 is OCH_3 and the combination of R^1 to R^5 for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

- 40 Table 42

Compounds of the formula I, in which R^x is CH_2CHF_2 , R is $\text{OCH}_2\text{C}\equiv\text{CH}$, R^6 is OCH_3

and the combination of R¹ to R⁵ for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 43

- Compounds of the formula I, in which R^x is CH₂CHF₂, R is OH, R⁶ is SCH₃ and the combination of R¹ to R⁵ for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 44



- Compounds of the formula I, in which R^x is CH₂CHF₂, R is OCH₂CH=CH₂, R⁶ is SCH₃ and the combination of R¹ to R⁵ for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8

Table 45

- Compounds of the formula I, in which R^x is CH₂CHF₂, R is OCH₂C≡CH, R⁶ is SCH₃ and the combination of R¹ to R⁵ for a compound corresponds in each case to one row of table A or is specified in any of tables A.1 to A.8










Table A



















Compounds of the formula I which correspond to the formulae I.1A and I.2A


































No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1	I.1A	Cl	H	H	H	H
A-2	I.1A	Br	H	H	H	H
A-3	I.1A	CH ₃	H	H	H	H
A-4	I.1A	CF ₃	H	H	H	H
A-5	I.1A	OCF ₃	H	H	H	H
A-6	I.1A	SCF ₃	H	H	H	H
A-7	I.1A	Cl	Cl	H	H	H
A-8	I.1A	Br	Cl	H	H	H
A-9	I.1A	CH ₃	Cl	H	H	H
A-10	I.1A	CF ₃	Cl	H	H	H
A-11	I.1A	OCF ₃	Cl	H	H	H
A-12	I.1A	SCF ₃	Cl	H	H	H
A-13	I.1A	Cl	F	H	H	H
A-14	I.1A	Br	F	H	H	H













No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-15	I.1A	CH ₃	F	H	H	H
A-16	I.1A	CF ₃	F	H	H	H
A-17	I.1A	OCF ₃	F	H	H	H
A-18	I.1A	SCF ₃	F	H	H	H
A-19	I.1A	Cl	H	Cl	H	H
A-20	I.1A	Br	H	Cl	H	H
A-21	I.1A	CH ₃	H	Cl	H	H
A-22	I.1A	CF ₃	H	Cl	H	H
A-23	I.1A	OCF ₃	H	Cl	H	H
A-24	I.1A	SCF ₃	H	Cl	H	H
A-25	I.1A	Cl	H	F	H	H
A-26	I.1A	Br	H	F	H	H
A-27	I.1A	CH ₃	H	F	H	H
A-28	I.1A	CF ₃	H	F	H	H
A-29	I.1A	OCF ₃	H	F	H	H
A-30	I.1A	SCF ₃	H	F	H	H
A-31	I.1A	Cl	H	CF ₃	H	H
A-32	I.1A	Br	H	CF ₃	H	H
A-33	I.1A	CH ₃	H	CF ₃	H	H
A-34	I.1A	CF ₃	H	CF ₃	H	H
A-35	I.1A	OCF ₃	H	CF ₃	H	H
A-36	I.1A	SCF ₃	H	CF ₃	H	H
A-37	I.1A	Cl	H	H	Cl	H
A-38	I.1A	Br	H	H	Cl	H
A-39	I.1A	CH ₃	H	H	Cl	H
A-40	I.1A	CF ₃	H	H	Cl	H
A-41	I.1A	OCF ₃	H	H	Cl	H
A-42	I.1A	SCF ₃	H	H	Cl	H
A-43	I.1A	Cl	H	H	F	H
A-44	I.1A	Br	H	H	F	H
A-45	I.1A	CH ₃	H	H	F	H
A-46	I.1A	CF ₃	H	H	F	H
A-47	I.1A	OCF ₃	H	H	F	H
A-48	I.1A	SCF ₃	H	H	F	H
A-49	I.1A	Cl	H	H	CF ₃	H
A-50	I.1A	Br	H	H	CF ₃	H
A-51	I.1A	CH ₃	H	H	CF ₃	H
A-52	I.1A	CF ₃	H	H	CF ₃	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-53	I.1A	OCF ₃	H	H	CF ₃	H
A-54	I.1A	SCF ₃	H	H	CF ₃	H
A-55	I.1A	Cl	H	H	H	Cl
A-56	I.1A	Br	H	H	H	Cl
A-57	I.1A	CH ₃	H	H	H	Cl
A-58	I.1A	CF ₃	H	H	H	Cl
A-59	I.1A	OCF ₃	H	H	H	Cl
A-60	I.1A	SCF ₃	H	H	H	Cl
A-61	I.1A	Cl	H	H	H	F
A-62	I.1A	Br	H	H	H	F
A-63	I.1A	CH ₃	H	H	H	F
A-64	I.1A	CF ₃	H	H	H	F
A-65	I.1A	OCF ₃	H	H	H	F
A-66	I.1A	SCF ₃	H	H	H	F
A-67	I.1A	Cl	F	H	H	F
A-68	I.1A	Br	F	H	H	F
A-69	I.1A	CH ₃	F	H	H	F
A-70	I.1A	CF ₃	F	H	H	F
A-71	I.1A	OCF ₃	F	H	H	F
A-72	I.1A	SCF ₃	F	H	H	F
A-73	I.1A	Cl		H	H	H
A-74	I.1A	Cl		CH ₃	H	H
A-75	I.1A	Cl		CF ₃	H	H
A-76	I.1A	Cl		CHF ₂	H	H
A-77	I.1A	Cl		OCH ₃	H	H
A-78	I.1A	Cl		OCHF ₂	H	H
A-79	I.1A	Cl		SCH ₃	H	H
A-80	I.1A	Cl		H	H	H
A-81	I.1A	Cl		CH ₃	H	H








No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-82	I.1A	Cl		CF ₃	H	H
A-83	I.1A	Cl		CHF ₂	H	H
A-84	I.1A	Cl		OCH ₃	H	H
A-85	I.1A	Cl		OCHF ₂	H	H
A-86	I.1A	Cl		SCH ₃	H	H
A-87	I.1A	Cl		H	H	H
A-88	I.1A	Cl		CH ₃	H	H
A-89	I.1A	Cl		CF ₃	H	H
A-90	I.1A	Cl		CHF ₂	H	H
A-91	I.1A	Cl		OCH ₃	H	H
A-92	I.1A	Cl		OCHF ₂	H	H
A-93	I.1A	Cl		SCH ₃	H	H
A-94	I.1A	Cl		H	H	H
A-95	I.1A	Cl		CH ₃	H	H
A-96	I.1A	Cl		CF ₃	H	H
A-97	I.1A	Cl		CHF ₂	H	H
A-98	I.1A	Cl		OCH ₃	H	H
A-99	I.1A	Cl		OCHF ₂	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-100	I.1A	Cl		SCH ₃	H	H
A-101	I.1A	Cl		H	H	H
A-102	I.1A	Cl		CH ₃	H	H
A-103	I.1A	Cl		CF ₃	H	H
A-104	I.1A	Cl		CHF ₂	H	H
A-105	I.1A	Cl		OCH ₃	H	H
A-106	I.1A	Cl		OCHF ₂	H	H
A-107	I.1A	Cl		SCH ₃	H	H
A-108	I.1A	Cl		H	H	H
A-109	I.1A	Cl		CH ₃	H	H
A-110	I.1A	Cl		CF ₃	H	H
A-111	I.1A	Cl		CHF ₂	H	H
A-112	I.1A	Cl		OCH ₃	H	H
A-113	I.1A	Cl		OCHF ₂	H	H
A-114	I.1A	Cl		SCH ₃	H	H
A-115	I.1A	Cl		H	H	H
A-116	I.1A	Cl		CH ₃	H	H
A-117	I.1A	Cl		CF ₃	H	H















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-118	I.1A	Cl		CHF ₂	H	H
A-119	I.1A	Cl		OCH ₃	H	H
A-120	I.1A	Cl		OCHF ₂	H	H
A-121	I.1A	Cl		SCH ₃	H	H
A-122	I.1A	Cl		H	H	H
A-123	I.1A	Cl		CH ₃	H	H
A-124	I.1A	Cl		CF ₃	H	H
A-125	I.1A	Cl		CHF ₂	H	H
A-126	I.1A	Cl		OCH ₃	H	H
A-127	I.1A	Cl		OCHF ₂	H	H
A-128	I.1A	Cl		SCH ₃	H	H
A-129	I.1A	Cl		H	H	H
A-130	I.1A	Cl		CH ₃	H	H












No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-131	I.1A	Cl		CF ₃	H	H
A-132	I.1A	Cl		CHF ₂	H	H
A-133	I.1A	Cl		OCH ₃	H	H
A-134	I.1A	Cl		OCHF ₂	H	H
A-135	I.1A	Cl		SCH ₃	H	H
A-136	I.1A	Cl		H	H	H
A-137	I.1A	Cl		CH ₃	H	H
A-138	I.1A	Cl		CF ₃	H	H
A-139	I.1A	Cl		CHF ₂	H	H
A-140	I.1A	Cl		OCH ₃	H	H
A-141	I.1A	Cl		OCHF ₂	H	H
A-142	I.1A	Cl		SCH ₃	H	H
A-143	I.1A	Cl	C ₆ H ₅	H	H	H
A-144	I.1A	Cl	C ₆ H ₅	CH ₃	H	H
A-145	I.1A	Cl	C ₆ H ₅	CF ₃	H	H
A-146	I.1A	Cl	C ₆ H ₅	CHF ₂	H	H
A-147	I.1A	Cl	C ₆ H ₅	OCH ₃	H	H
A-148	I.1A	Cl	C ₆ H ₅	OCHF ₂	H	H



















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-149	I.1A	Cl	C ₆ H ₅	SCH ₃	H	H
A-150	I.1A	Cl	4-OCH ₃ -C ₆ H ₄	H	H	H
A-151	I.1A	Cl	4-OCH ₃ -C ₆ H ₄	CH ₃	H	H
A-152	I.1A	Cl	4-OCH ₃ -C ₆ H ₄	CF ₃	H	H
A-153	I.1A	Cl	4-OCH ₃ -C ₆ H ₄	CHF ₂	H	H
A-154	I.1A	Cl	4-OCH ₃ -C ₆ H ₄	OCH ₃	H	H
A-155	I.1A	Cl	4-OCH ₃ -C ₆ H ₄	OCHF ₂	H	H
A-156	I.1A	Cl	4-OCH ₃ -C ₆ H ₄	SCH ₃	H	H
A-157	I.1A	Cl	CH=CH ₂	H	H	H
A-158	I.1A	Cl	CH=CH ₂	CH ₃	H	H
A-159	I.1A	Cl	CH=CH ₂	CF ₃	H	H
A-160	I.1A	Cl	CH=CH ₂	CHF ₂	H	H
A-161	I.1A	Cl	CH=CH ₂	OCH ₃	H	H
A-162	I.1A	Cl	CH=CH ₂	OCHF ₂	H	H
A-163	I.1A	Cl	CH=CH ₂	SCH ₃	H	H
A-164	I.1A	Cl	CH=CH-CH ₃	H	H	H
A-165	I.1A	Cl	CH=CH-CH ₃	CH ₃	H	H
A-166	I.1A	Cl	CH=CH-CH ₃	CF ₃	H	H
A-167	I.1A	Cl	CH=CH-CH ₃	CHF ₂	H	H
A-168	I.1A	Cl	CH=CH-CH ₃	OCH ₃	H	H
A-169	I.1A	Cl	CH=CH-CH ₃	OCHF ₂	H	H
A-170	I.1A	Cl	CH=CH-CH ₃	SCH ₃	H	H
A-171	I.1A	Cl	CH ₂ CH=CH ₂	H	H	H
A-172	I.1A	Cl	CH ₂ CH=CH ₂	CH ₃	H	H
A-173	I.1A	Cl	CH ₂ CH=CH ₂	CF ₃	H	H
A-174	I.1A	Cl	CH ₂ CH=CH ₂	CHF ₂	H	H
A-175	I.1A	Cl	CH ₂ CH=CH ₂	OCH ₃	H	H
A-176	I.1A	Cl	CH ₂ CH=CH ₂	OCHF ₂	H	H
A-177	I.1A	Cl	CH ₂ CH=CH ₂	SCH ₃	H	H
A-178	I.1A	Cl	CH ₂ C≡CH	H	H	H
A-179	I.1A	Cl	CH ₂ C≡CH	CH ₃	H	H
A-180	I.1A	Cl	CH ₂ C≡CH	CF ₃	H	H
A-181	I.1A	Cl	CH ₂ C≡CH	CHF ₂	H	H
A-182	I.1A	Cl	CH ₂ C≡CH	OCH ₃	H	H
A-183	I.1A	Cl	CH ₂ C≡CH	OCHF ₂	H	H
A-184	I.1A	Cl	CH ₂ C≡CH	SCH ₃	H	H
A-185	I.1A	Cl	CH ₂ OCH ₂ CF ₃	H	H	H
A-186	I.1A	Cl	CH ₂ OCH ₂ CF ₃	CH ₃	H	H















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-187	I.1A	Cl	CH ₂ OCH ₂ CF ₃	CF ₃	H	H
A-188	I.1A	Cl	CH ₂ OCH ₂ CF ₃	CHF ₂	H	H
A-189	I.1A	Cl	CH ₂ OCH ₂ CF ₃	OCH ₃	H	H
A-190	I.1A	Cl	CH ₂ OCH ₂ CF ₃	OCHF ₂	H	H
A-191	I.1A	Cl	CH ₂ OCH ₂ CF ₃	SCH ₃	H	H
A-192	I.1A	Cl		H	H	H
A-193	I.1A	Cl		CH ₃	H	H
A-194	I.1A	Cl		CF ₃	H	H
A-195	I.1A	Cl		CHF ₂	H	H
A-196	I.1A	Cl		OCH ₃	H	H
A-197	I.1A	Cl		OCHF ₂	H	H
A-198	I.1A	Cl		SCH ₃	H	H
A-199	I.1A	Cl	OCH ₂ CH ₃	H	H	H
A-200	I.1A	Cl	OCH ₂ CH ₃	CH ₃	H	H
A-201	I.1A	Cl	OCH ₂ CH ₃	CF ₃	H	H
A-202	I.1A	Cl	OCH ₂ CH ₃	CHF ₂	H	H
A-203	I.1A	Cl	OCH ₂ CH ₃	OCH ₃	H	H
A-204	I.1A	Cl	OCH ₂ CH ₃	OCHF ₂	H	H
A-205	I.1A	Cl	OCH ₂ CH ₃	SCH ₃	H	H
A-206	I.1A	Cl	OCH ₂ CH ₂ OCH ₃	H	H	H
A-207	I.1A	Cl	OCH ₂ CH ₂ OCH ₃	CH ₃	H	H
A-208	I.1A	Cl	OCH ₂ CH ₂ OCH ₃	CF ₃	H	H
A-209	I.1A	Cl	OCH ₂ CH ₂ OCH ₃	CHF ₂	H	H














No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-210	I.1A	Cl	OCH ₂ CH ₂ OCH ₃	OCH ₃	H	H
A-211	I.1A	Cl	OCH ₂ CH ₂ OCH ₃	OCHF ₂	H	H
A-212	I.1A	Cl	OCH ₂ CH ₂ OCH ₃	SCH ₃	H	H
A-213	I.1A	Cl	SO ₂ CH ₃	H	H	H
A-214	I.1A	Cl	SO ₂ CH ₃	CH ₃	H	H
A-215	I.1A	Cl	SO ₂ CH ₃	CF ₃	H	H
A-216	I.1A	Cl	SO ₂ CH ₃	CHF ₂	H	H
A-217	I.1A	Cl	SO ₂ CH ₃	OCH ₃	H	H
A-218	I.1A	Cl	SO ₂ CH ₃	OCHF ₂	H	H
A-219	I.1A	Cl	SO ₂ CH ₃	SCH ₃	H	H
A-220	I.1A	Cl	SO ₂ CH ₂ CH ₃	H	H	H
A-221	I.1A	Cl	SO ₂ CH ₂ CH ₃	CH ₃	H	H
A-222	I.1A	Cl	SO ₂ CH ₂ CH ₃	CF ₃	H	H
A-223	I.1A	Cl	SO ₂ CH ₂ CH ₃	CHF ₂	H	H
A-224	I.1A	Cl	SO ₂ CH ₂ CH ₃	OCH ₃	H	H
A-225	I.1A	Cl	SO ₂ CH ₂ CH ₃	OCHF ₂	H	H
A-226	I.1A	Cl	SO ₂ CH ₂ CH ₃	SCH ₃	H	H
A-227	I.1A	Cl	SO ₂ CH(CH ₃) ₂	H	H	H
A-228	I.1A	Cl	SO ₂ CH(CH ₃) ₂	CH ₃	H	H
A-229	I.1A	Cl	SO ₂ CH(CH ₃) ₂	CF ₃	H	H
A-230	I.1A	Cl	SO ₂ CH(CH ₃) ₂	CHF ₂	H	H
A-231	I.1A	Cl	SO ₂ CH(CH ₃) ₂	OCH ₃	H	H
A-232	I.1A	Cl	SO ₂ CH(CH ₃) ₂	OCHF ₂	H	H
A-233	I.1A	Cl	SO ₂ CH(CH ₃) ₂	SCH ₃	H	H
A-234	I.1A	Cl	COOCH ₃	H	H	H
A-235	I.1A	Cl	COOCH ₃	CH ₃	H	H
A-236	I.1A	Cl	COOCH ₃	CF ₃	H	H
A-237	I.1A	Cl	COOCH ₃	CHF ₂	H	H
A-238	I.1A	Cl	COOCH ₃	OCH ₃	H	H
A-239	I.1A	Cl	COOCH ₃	OCHF ₂	H	H
A-240	I.1A	Cl	COOCH ₃	SCH ₃	H	H
A-241	I.1A	Cl	COOCH ₂ CH ₃	H	H	H
A-242	I.1A	Cl	COOCH ₂ CH ₃	CH ₃	H	H
A-243	I.1A	Cl	COOCH ₂ CH ₃	CF ₃	H	H
A-244	I.1A	Cl	COOCH ₂ CH ₃	CHF ₂	H	H
A-245	I.1A	Cl	COOCH ₂ CH ₃	OCH ₃	H	H
A-246	I.1A	Cl	COOCH ₂ CH ₃	OCHF ₂	H	H
A-247	I.1A	Cl	COOCH ₂ CH ₃	SCH ₃	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-248	I.1A	Cl	# ² -CH ₂ CH ₂ SO ₂ -# ³		H	H
A-249	I.1A	Cl	# ² -CH(CH ₃)CH ₂ SO ₂ -# ³		H	H
A-250	I.1A	Cl	# ² -C(CH ₃) ₂ CH ₂ SO ₂ -# ³		H	H
A-251	I.1A	Cl	# ² -SO ₂ CH ₂ CH ₂ SO ₂ -# ³		H	H
A-252	I.1A	Cl	# ² -CH(OCH ₂ CH ₂ F)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-253	I.1A	Cl	# ² -C(=NOCH ₃)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-254	I.1A	Cl	# ² -SO ₂ CH ₂ CH ₂ C(CH ₃) ₂ -# ³		H	H
A-255	I.1A	Cl	# ² -N(CH ₃)C(=O)S-# ³		H	H
A-256	I.1A	Cl	# ² -C(=O)N(CH ₃)SO ₂ -# ³		H	H
A-257	I.1A	Br		H	H	H
A-258	I.1A	Br		CH ₃	H	H
A-259	I.1A	Br		CF ₃	H	H
A-260	I.1A	Br		CHF ₂	H	H
A-261	I.1A	Br		OCH ₃	H	H
A-262	I.1A	Br		OCHF ₂	H	H
A-263	I.1A	Br		SCH ₃	H	H
A-264	I.1A	Br		H	H	H
A-265	I.1A	Br		CH ₃	H	H
A-266	I.1A	Br		CF ₃	H	H
A-267	I.1A	Br		CHF ₂	H	H
A-268	I.1A	Br		OCH ₃	H	H
A-269	I.1A	Br		OCHF ₂	H	H
A-270	I.1A	Br		SCH ₃	H	H








No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-271	I.1A	Br		H	H	H
A-272	I.1A	Br		CH ₃	H	H
A-273	I.1A	Br		CF ₃	H	H
A-274	I.1A	Br		CHF ₂	H	H
A-275	I.1A	Br		OCH ₃	H	H
A-276	I.1A	Br		OCHF ₂	H	H
A-277	I.1A	Br		SCH ₃	H	H
A-278	I.1A	Br		H	H	H
A-279	I.1A	Br		CH ₃	H	H
A-280	I.1A	Br		CF ₃	H	H
A-281	I.1A	Br		CHF ₂	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-282	I.1A	Br		OCH ₃	H	H
A-283	I.1A	Br		OCHF ₂	H	H
A-284	I.1A	Br		SCH ₃	H	H
A-285	I.1A	Br		H	H	H
A-286	I.1A	Br		CH ₃	H	H
A-287	I.1A	Br		CF ₃	H	H
A-288	I.1A	Br		CHF ₂	H	H
A-289	I.1A	Br		OCH ₃	H	H
A-290	I.1A	Br		OCHF ₂	H	H
A-291	I.1A	Br		SCH ₃	H	H
A-292	I.1A	Br		H	H	H
A-293	I.1A	Br		CH ₃	H	H
A-294	I.1A	Br		CF ₃	H	H
A-295	I.1A	Br		CHF ₂	H	H
A-296	I.1A	Br		OCH ₃	H	H
A-297	I.1A	Br		OCHF ₂	H	H
A-298	I.1A	Br		SCH ₃	H	H
A-299	I.1A	Br		H	H	H














No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-300	I.1A	Br		CH ₃	H	H
A-301	I.1A	Br		CF ₃	H	H
A-302	I.1A	Br		CHF ₂	H	H
A-303	I.1A	Br		OCH ₃	H	H
A-304	I.1A	Br		OCHF ₂	H	H
A-305	I.1A	Br		SCH ₃	H	H
A-306	I.1A	Br		H	H	H
A-307	I.1A	Br		CH ₃	H	H
A-308	I.1A	Br		CF ₃	H	H
A-309	I.1A	Br		CHF ₂	H	H
A-310	I.1A	Br		OCH ₃	H	H
A-311	I.1A	Br		OCHF ₂	H	H
A-312	I.1A	Br		SCH ₃	H	H
A-313	I.1A	Br		H	H	H



















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-314	I.1A	Br		CH ₃	H	H
A-315	I.1A	Br		CF ₃	H	H
A-316	I.1A	Br		CHF ₂	H	H
A-317	I.1A	Br		OCH ₃	H	H
A-318	I.1A	Br		OCHF ₂	H	H
A-319	I.1A	Br		SCH ₃	H	H
A-320	I.1A	Br		H	H	H
A-321	I.1A	Br		CH ₃	H	H
A-322	I.1A	Br		CF ₃	H	H
A-323	I.1A	Br		CHF ₂	H	H
A-324	I.1A	Br		OCH ₃	H	H
A-325	I.1A	Br		OCHF ₂	H	H
A-326	I.1A	Br		SCH ₃	H	H
A-327	I.1A	Br	C ₆ H ₅	H	H	H
A-328	I.1A	Br	C ₆ H ₅	CH ₃	H	H
A-329	I.1A	Br	C ₆ H ₅	CF ₃	H	H



No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-330	I.1A	Br	C ₆ H ₅	CHF ₂	H	H
A-331	I.1A	Br	C ₆ H ₅	OCH ₃	H	H
A-332	I.1A	Br	C ₆ H ₅	OCHF ₂	H	H
A-333	I.1A	Br	C ₆ H ₅	SCH ₃	H	H
A-334	I.1A	Br	4-OCH ₃ -C ₆ H ₄	H	H	H
A-335	I.1A	Br	4-OCH ₃ -C ₆ H ₄	CH ₃	H	H
A-336	I.1A	Br	4-OCH ₃ -C ₆ H ₄	CF ₃	H	H
A-337	I.1A	Br	4-OCH ₃ -C ₆ H ₄	CHF ₂	H	H
A-338	I.1A	Br	4-OCH ₃ -C ₆ H ₄	OCH ₃	H	H
A-339	I.1A	Br	4-OCH ₃ -C ₆ H ₄	OCHF ₂	H	H
A-340	I.1A	Br	4-OCH ₃ -C ₆ H ₄	SCH ₃	H	H
A-341	I.1A	Br	CH=CH ₂	H	H	H
A-342	I.1A	Br	CH=CH ₂	CH ₃	H	H
A-343	I.1A	Br	CH=CH ₂	CF ₃	H	H
A-344	I.1A	Br	CH=CH ₂	CHF ₂	H	H
A-345	I.1A	Br	CH=CH ₂	OCH ₃	H	H
A-346	I.1A	Br	CH=CH ₂	OCHF ₂	H	H
A-347	I.1A	Br	CH=CH ₂	SCH ₃	H	H
A-348	I.1A	Br	CH=CH-CH ₃	H	H	H
A-349	I.1A	Br	CH=CH-CH ₃	CH ₃	H	H
A-350	I.1A	Br	CH=CH-CH ₃	CF ₃	H	H
A-351	I.1A	Br	CH=CH-CH ₃	CHF ₂	H	H
A-352	I.1A	Br	CH=CH-CH ₃	OCH ₃	H	H
A-353	I.1A	Br	CH=CH-CH ₃	OCHF ₂	H	H
A-354	I.1A	Br	CH=CH-CH ₃	SCH ₃	H	H
A-355	I.1A	Br	CH ₂ CH=CH ₂	H	H	H
A-356	I.1A	Br	CH ₂ CH=CH ₂	CH ₃	H	H
A-357	I.1A	Br	CH ₂ CH=CH ₂	CF ₃	H	H
A-358	I.1A	Br	CH ₂ CH=CH ₂	CHF ₂	H	H
A-359	I.1A	Br	CH ₂ CH=CH ₂	OCH ₃	H	H
A-360	I.1A	Br	CH ₂ CH=CH ₂	OCHF ₂	H	H
A-361	I.1A	Br	CH ₂ CH=CH ₂	SCH ₃	H	H
A-362	I.1A	Br	CH ₂ C≡CH	H	H	H
A-363	I.1A	Br	CH ₂ C≡CH	CH ₃	H	H
A-364	I.1A	Br	CH ₂ C≡CH	CF ₃	H	H
A-365	I.1A	Br	CH ₂ C≡CH	CHF ₂	H	H
A-366	I.1A	Br	CH ₂ C≡CH	OCH ₃	H	H
A-367	I.1A	Br	CH ₂ C≡CH	OCHF ₂	H	H


















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-368	I.1A	Br	CH ₂ C≡CH	SCH ₃	H	H
A-369	I.1A	Br	CH ₂ OCH ₂ CF ₃	H	H	H
A-370	I.1A	Br	CH ₂ OCH ₂ CF ₃	CH ₃	H	H
A-371	I.1A	Br	CH ₂ OCH ₂ CF ₃	CF ₃	H	H
A-372	I.1A	Br	CH ₂ OCH ₂ CF ₃	CHF ₂	H	H
A-373	I.1A	Br	CH ₂ OCH ₂ CF ₃	OCH ₃	H	H
A-374	I.1A	Br	CH ₂ OCH ₂ CF ₃	OCHF ₂	H	H
A-375	I.1A	Br	CH ₂ OCH ₂ CF ₃	SCH ₃	H	H
A-376	I.1A	Br		H	H	H
A-377	I.1A	Br		CH ₃	H	H
A-378	I.1A	Br		CF ₃	H	H
A-379	I.1A	Br		CHF ₂	H	H
A-380	I.1A	Br		OCH ₃	H	H
A-381	I.1A	Br		OCHF ₂	H	H
A-382	I.1A	Br		SCH ₃	H	H
A-383	I.1A	Br	OCH ₂ CH ₃	H	H	H
A-384	I.1A	Br	OCH ₂ CH ₃	CH ₃	H	H
A-385	I.1A	Br	OCH ₂ CH ₃	CF ₃	H	H
A-386	I.1A	Br	OCH ₂ CH ₃	CHF ₂	H	H
A-387	I.1A	Br	OCH ₂ CH ₃	OCH ₃	H	H
A-388	I.1A	Br	OCH ₂ CH ₃	OCHF ₂	H	H
A-389	I.1A	Br	OCH ₂ CH ₃	SCH ₃	H	H
A-390	I.1A	Br	OCH ₂ CH ₂ OCH ₃	H	H	H













No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-391	I.1A	Br	OCH ₂ CH ₂ OCH ₃	CH ₃	H	H
A-392	I.1A	Br	OCH ₂ CH ₂ OCH ₃	CF ₃	H	H
A-393	I.1A	Br	OCH ₂ CH ₂ OCH ₃	CHF ₂	H	H
A-394	I.1A	Br	OCH ₂ CH ₂ OCH ₃	OCH ₃	H	H
A-395	I.1A	Br	OCH ₂ CH ₂ OCH ₃	OCHF ₂	H	H
A-396	I.1A	Br	OCH ₂ CH ₂ OCH ₃	SCH ₃	H	H
A-397	I.1A	Br	SO ₂ CH ₃	H	H	H
A-398	I.1A	Br	SO ₂ CH ₃	CH ₃	H	H
A-399	I.1A	Br	SO ₂ CH ₃	CF ₃	H	H
A-400	I.1A	Br	SO ₂ CH ₃	CHF ₂	H	H
A-401	I.1A	Br	SO ₂ CH ₃	OCH ₃	H	H
A-402	I.1A	Br	SO ₂ CH ₃	OCHF ₂	H	H
A-403	I.1A	Br	SO ₂ CH ₃	SCH ₃	H	H
A-404	I.1A	Br	SO ₂ CH ₂ CH ₃	H	H	H
A-405	I.1A	Br	SO ₂ CH ₂ CH ₃	CH ₃	H	H
A-406	I.1A	Br	SO ₂ CH ₂ CH ₃	CF ₃	H	H
A-407	I.1A	Br	SO ₂ CH ₂ CH ₃	CHF ₂	H	H
A-408	I.1A	Br	SO ₂ CH ₂ CH ₃	OCH ₃	H	H
A-409	I.1A	Br	SO ₂ CH ₂ CH ₃	OCHF ₂	H	H
A-410	I.1A	Br	SO ₂ CH ₂ CH ₃	SCH ₃	H	H
A-411	I.1A	Br	SO ₂ CH(CH ₃) ₂	H	H	H
A-412	I.1A	Br	SO ₂ CH(CH ₃) ₂	CH ₃	H	H
A-413	I.1A	Br	SO ₂ CH(CH ₃) ₂	CF ₃	H	H
A-414	I.1A	Br	SO ₂ CH(CH ₃) ₂	CHF ₂	H	H
A-415	I.1A	Br	SO ₂ CH(CH ₃) ₂	OCH ₃	H	H
A-416	I.1A	Br	SO ₂ CH(CH ₃) ₂	OCHF ₂	H	H
A-417	I.1A	Br	SO ₂ CH(CH ₃) ₂	SCH ₃	H	H
A-418	I.1A	Br	COOCH ₃	H	H	H
A-419	I.1A	Br	COOCH ₃	CH ₃	H	H
A-420	I.1A	Br	COOCH ₃	CF ₃	H	H
A-421	I.1A	Br	COOCH ₃	CHF ₂	H	H
A-422	I.1A	Br	COOCH ₃	OCH ₃	H	H
A-423	I.1A	Br	COOCH ₃	OCHF ₂	H	H
A-424	I.1A	Br	COOCH ₃	SCH ₃	H	H
A-425	I.1A	Br	COOCH ₂ CH ₃	H	H	H
A-426	I.1A	Br	COOCH ₂ CH ₃	CH ₃	H	H
A-427	I.1A	Br	COOCH ₂ CH ₃	CF ₃	H	H
A-428	I.1A	Br	COOCH ₂ CH ₃	CHF ₂	H	H









No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-429	I.1A	Br	COOCH ₂ CH ₃	OCH ₃	H	H
A-430	I.1A	Br	COOCH ₂ CH ₃	OCHF ₂	H	H
A-431	I.1A	Br	COOCH ₂ CH ₃	SCH ₃	H	H
A-432	I.1A	Br	# ² -CH ₂ CH ₂ SO ₂ -# ³		H	H
A-433	I.1A	Br	# ² -CH(CH ₃)CH ₂ SO ₂ -# ³		H	H
A-434	I.1A	Br	# ² -C(CH ₃) ₂ CH ₂ SO ₂ -# ³		H	H
A-435	I.1A	Br	# ² -SO ₂ CH ₂ CH ₂ SO ₂ -# ³		H	H
A-436	I.1A	Br	# ² -CH(OCH ₂ CH ₂ F)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-437	I.1A	Br	# ² -C(=NOCH ₃)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-438	I.1A	Br	# ² -SO ₂ CH ₂ CH ₂ C(CH ₃) ₂ -# ³		H	H
A-439	I.1A	Br	# ² -N(CH ₃)C(=O)S-# ³		H	H
A-440	I.1A	Br	# ² -C(=O)N(CH ₃)SO ₂ -# ³		H	H
A-441	I.1A	CH ₃		H	H	H
A-442	I.1A	CH ₃		CH ₃	H	H
A-443	I.1A	CH ₃		CF ₃	H	H
A-444	I.1A	CH ₃		CHF ₂	H	H
A-445	I.1A	CH ₃		OCH ₃	H	H
A-446	I.1A	CH ₃		OCHF ₂	H	H
A-447	I.1A	CH ₃		SCH ₃	H	H
A-448	I.1A	CH ₃		H	H	H
A-449	I.1A	CH ₃		CH ₃	H	H
A-450	I.1A	CH ₃		CF ₃	H	H
A-451	I.1A	CH ₃		CHF ₂	H	H
A-452	I.1A	CH ₃		OCH ₃	H	H
A-453	I.1A	CH ₃		OCHF ₂	H	H




No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-454	I.1A	CH ₃		SCH ₃	H	H
A-455	I.1A	CH ₃		H	H	H
A-456	I.1A	CH ₃		CH ₃	H	H
A-457	I.1A	CH ₃		CF ₃	H	H
A-458	I.1A	CH ₃		CHF ₂	H	H
A-459	I.1A	CH ₃		OCH ₃	H	H
A-460	I.1A	CH ₃		OCHF ₂	H	H
A-461	I.1A	CH ₃		SCH ₃	H	H
A-462	I.1A	CH ₃		H	H	H
A-463	I.1A	CH ₃		CH ₃	H	H
A-464	I.1A	CH ₃		CF ₃	H	H
A-465	I.1A	CH ₃		CHF ₂	H	H
A-466	I.1A	CH ₃		OCH ₃	H	H
A-467	I.1A	CH ₃		OCHF ₂	H	H
A-468	I.1A	CH ₃		SCH ₃	H	H
A-469	I.1A	CH ₃		H	H	H
A-470	I.1A	CH ₃		CH ₃	H	H
A-471	I.1A	CH ₃		CF ₃	H	H





No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-472	I.1A	CH ₃		CHF ₂	H	H
A-473	I.1A	CH ₃		OCH ₃	H	H



No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-474	I.1A	CH ₃		OCHF ₂	H	H
A-475	I.1A	CH ₃		SCH ₃	H	H
A-476	I.1A	CH ₃		H	H	H
A-477	I.1A	CH ₃		CH ₃	H	H
A-478	I.1A	CH ₃		CF ₃	H	H
A-479	I.1A	CH ₃		CHF ₂	H	H
A-480	I.1A	CH ₃		OCH ₃	H	H
A-481	I.1A	CH ₃		OCHF ₂	H	H
A-482	I.1A	CH ₃		SCH ₃	H	H
A-483	I.1A	CH ₃		H	H	H
A-484	I.1A	CH ₃		CH ₃	H	H
A-485	I.1A	CH ₃		CF ₃	H	H
A-486	I.1A	CH ₃		CHF ₂	H	H
A-487	I.1A	CH ₃		OCH ₃	H	H
A-488	I.1A	CH ₃		OCHF ₂	H	H
A-489	I.1A	CH ₃		SCH ₃	H	H
A-490	I.1A	CH ₃		H	H	H



















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-491	I.1A	CH ₃		CH ₃	H	H
A-492	I.1A	CH ₃		CF ₃	H	H
A-493	I.1A	CH ₃		CHF ₂	H	H
A-494	I.1A	CH ₃		OCH ₃	H	H
A-495	I.1A	CH ₃		OCHF ₂	H	H
A-496	I.1A	CH ₃		SCH ₃	H	H
A-497	I.1A	CH ₃		H	H	H
A-498	I.1A	CH ₃		CH ₃	H	H
A-499	I.1A	CH ₃		CF ₃	H	H
A-500	I.1A	CH ₃		CHF ₂	H	H
A-501	I.1A	CH ₃		OCH ₃	H	H
A-502	I.1A	CH ₃		OCHF ₂	H	H



No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-503	I.1A	CH ₃		SCH ₃	H	H
A-504	I.1A	CH ₃		H	H	H
A-505	I.1A	CH ₃		CH ₃	H	H
A-506	I.1A	CH ₃		CF ₃	H	H
A-507	I.1A	CH ₃		CHF ₂	H	H
A-508	I.1A	CH ₃		OCH ₃	H	H
A-509	I.1A	CH ₃		OCHF ₂	H	H
A-510	I.1A	CH ₃		SCH ₃	H	H
A-511	I.1A	CH ₃	C ₆ H ₅	H	H	H
A-512	I.1A	CH ₃	C ₆ H ₅	CH ₃	H	H
A-513	I.1A	CH ₃	C ₆ H ₅	CF ₃	H	H
A-514	I.1A	CH ₃	C ₆ H ₅	CHF ₂	H	H
A-515	I.1A	CH ₃	C ₆ H ₅	OCH ₃	H	H
A-516	I.1A	CH ₃	C ₆ H ₅	OCHF ₂	H	H
A-517	I.1A	CH ₃	C ₆ H ₅	SCH ₃	H	H
A-518	I.1A	CH ₃	4-OCH ₃ -C ₆ H ₄	H	H	H
A-519	I.1A	CH ₃	4-OCH ₃ -C ₆ H ₄	CH ₃	H	H
A-520	I.1A	CH ₃	4-OCH ₃ -C ₆ H ₄	CF ₃	H	H
A-521	I.1A	CH ₃	4-OCH ₃ -C ₆ H ₄	CHF ₂	H	H
A-522	I.1A	CH ₃	4-OCH ₃ -C ₆ H ₄	OCH ₃	H	H
A-523	I.1A	CH ₃	4-OCH ₃ -C ₆ H ₄	OCHF ₂	H	H
A-524	I.1A	CH ₃	4-OCH ₃ -C ₆ H ₄	SCH ₃	H	H
A-525	I.1A	CH ₃	CH=CH ₂	H	H	H
A-526	I.1A	CH ₃	CH=CH ₂	CH ₃	H	H
A-527	I.1A	CH ₃	CH=CH ₂	CF ₃	H	H
A-528	I.1A	CH ₃	CH=CH ₂	CHF ₂	H	H
A-529	I.1A	CH ₃	CH=CH ₂	OCH ₃	H	H



















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-530	I.1A	CH ₃	CH=CH ₂	OCHF ₂	H	H
A-531	I.1A	CH ₃	CH=CH ₂	SCH ₃	H	H
A-532	I.1A	CH ₃	CH=CH-CH ₃	H	H	H
A-533	I.1A	CH ₃	CH=CH-CH ₃	CH ₃	H	H
A-534	I.1A	CH ₃	CH=CH-CH ₃	CF ₃	H	H
A-535	I.1A	CH ₃	CH=CH-CH ₃	CHF ₂	H	H
A-536	I.1A	CH ₃	CH=CH-CH ₃	OCH ₃	H	H
A-537	I.1A	CH ₃	CH=CH-CH ₃	OCHF ₂	H	H
A-538	I.1A	CH ₃	CH=CH-CH ₃	SCH ₃	H	H
A-539	I.1A	CH ₃	CH ₂ CH=CH ₂	H	H	H
A-540	I.1A	CH ₃	CH ₂ CH=CH ₂	CH ₃	H	H
A-541	I.1A	CH ₃	CH ₂ CH=CH ₂	CF ₃	H	H
A-542	I.1A	CH ₃	CH ₂ CH=CH ₂	CHF ₂	H	H
A-543	I.1A	CH ₃	CH ₂ CH=CH ₂	OCH ₃	H	H
A-544	I.1A	CH ₃	CH ₂ CH=CH ₂	OCHF ₂	H	H
A-545	I.1A	CH ₃	CH ₂ CH=CH ₂	SCH ₃	H	H
A-546	I.1A	CH ₃	CH ₂ C≡CH	H	H	H
A-547	I.1A	CH ₃	CH ₂ C≡CH	CH ₃	H	H
A-548	I.1A	CH ₃	CH ₂ C≡CH	CF ₃	H	H
A-549	I.1A	CH ₃	CH ₂ C≡CH	CHF ₂	H	H
A-550	I.1A	CH ₃	CH ₂ C≡CH	OCH ₃	H	H
A-551	I.1A	CH ₃	CH ₂ C≡CH	OCHF ₂	H	H
A-552	I.1A	CH ₃	CH ₂ C≡CH	SCH ₃	H	H
A-553	I.1A	CH ₃	CH ₂ OCH ₂ CF ₃	H	H	H
A-554	I.1A	CH ₃	CH ₂ OCH ₂ CF ₃	CH ₃	H	H
A-555	I.1A	CH ₃	CH ₂ OCH ₂ CF ₃	CF ₃	H	H
A-556	I.1A	CH ₃	CH ₂ OCH ₂ CF ₃	CHF ₂	H	H
A-557	I.1A	CH ₃	CH ₂ OCH ₂ CF ₃	OCH ₃	H	H
A-558	I.1A	CH ₃	CH ₂ OCH ₂ CF ₃	OCHF ₂	H	H
A-559	I.1A	CH ₃	CH ₂ OCH ₂ CF ₃	SCH ₃	H	H
A-560	I.1A	CH ₃		H	H	H
A-561	I.1A	CH ₃		CH ₃	H	H
A-562	I.1A	CH ₃		CF ₃	H	H
















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-563	I.1A	CH ₃		CHF ₂	H	H
A-564	I.1A	CH ₃		OCH ₃	H	H
A-565	I.1A	CH ₃		OCHF ₂	H	H
A-566	I.1A	CH ₃		SCH ₃	H	H
A-567	I.1A	CH ₃	OCH ₂ CH ₃	H	H	H
A-568	I.1A	CH ₃	OCH ₂ CH ₃	CH ₃	H	H
A-569	I.1A	CH ₃	OCH ₂ CH ₃	CF ₃	H	H
A-570	I.1A	CH ₃	OCH ₂ CH ₃	CHF ₂	H	H
A-571	I.1A	CH ₃	OCH ₂ CH ₃	OCH ₃	H	H
A-572	I.1A	CH ₃	OCH ₂ CH ₃	OCHF ₂	H	H
A-573	I.1A	CH ₃	OCH ₂ CH ₃	SCH ₃	H	H
A-574	I.1A	CH ₃	OCH ₂ CH ₂ OCH ₃	H	H	H
A-575	I.1A	CH ₃	OCH ₂ CH ₂ OCH ₃	CH ₃	H	H
A-576	I.1A	CH ₃	OCH ₂ CH ₂ OCH ₃	CF ₃	H	H
A-577	I.1A	CH ₃	OCH ₂ CH ₂ OCH ₃	CHF ₂	H	H
A-578	I.1A	CH ₃	OCH ₂ CH ₂ OCH ₃	OCH ₃	H	H
A-579	I.1A	CH ₃	OCH ₂ CH ₂ OCH ₃	OCHF ₂	H	H
A-580	I.1A	CH ₃	OCH ₂ CH ₂ OCH ₃	SCH ₃	H	H
A-581	I.1A	CH ₃	SO ₂ CH ₃	H	H	H
A-582	I.1A	CH ₃	SO ₂ CH ₃	CH ₃	H	H
A-583	I.1A	CH ₃	SO ₂ CH ₃	CF ₃	H	H
A-584	I.1A	CH ₃	SO ₂ CH ₃	CHF ₂	H	H
A-585	I.1A	CH ₃	SO ₂ CH ₃	OCH ₃	H	H
A-586	I.1A	CH ₃	SO ₂ CH ₃	OCHF ₂	H	H
A-587	I.1A	CH ₃	SO ₂ CH ₃	SCH ₃	H	H
A-588	I.1A	CH ₃	SO ₂ CH ₂ CH ₃	H	H	H
A-589	I.1A	CH ₃	SO ₂ CH ₂ CH ₃	CH ₃	H	H
A-590	I.1A	CH ₃	SO ₂ CH ₂ CH ₃	CF ₃	H	H
A-591	I.1A	CH ₃	SO ₂ CH ₂ CH ₃	CHF ₂	H	H














No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-592	I.1A	CH ₃	SO ₂ CH ₂ CH ₃	OCH ₃	H	H
A-593	I.1A	CH ₃	SO ₂ CH ₂ CH ₃	OCHF ₂	H	H
A-594	I.1A	CH ₃	SO ₂ CH ₂ CH ₃	SCH ₃	H	H
A-595	I.1A	CH ₃	SO ₂ CH(CH ₃) ₂	H	H	H
A-596	I.1A	CH ₃	SO ₂ CH(CH ₃) ₂	CH ₃	H	H
A-597	I.1A	CH ₃	SO ₂ CH(CH ₃) ₂	CF ₃	H	H
A-598	I.1A	CH ₃	SO ₂ CH(CH ₃) ₂	CHF ₂	H	H
A-599	I.1A	CH ₃	SO ₂ CH(CH ₃) ₂	OCH ₃	H	H
A-600	I.1A	CH ₃	SO ₂ CH(CH ₃) ₂	OCHF ₂	H	H
A-601	I.1A	CH ₃	SO ₂ CH(CH ₃) ₂	SCH ₃	H	H
A-602	I.1A	CH ₃	COOCH ₃	H	H	H
A-603	I.1A	CH ₃	COOCH ₃	CH ₃	H	H
A-604	I.1A	CH ₃	COOCH ₃	CF ₃	H	H
A-605	I.1A	CH ₃	COOCH ₃	CHF ₂	H	H
A-606	I.1A	CH ₃	COOCH ₃	OCH ₃	H	H
A-607	I.1A	CH ₃	COOCH ₃	OCHF ₂	H	H
A-608	I.1A	CH ₃	COOCH ₃	SCH ₃	H	H
A-609	I.1A	CH ₃	COOCH ₂ CH ₃	H	H	H
A-610	I.1A	CH ₃	COOCH ₂ CH ₃	CH ₃	H	H
A-611	I.1A	CH ₃	COOCH ₂ CH ₃	CF ₃	H	H
A-612	I.1A	CH ₃	COOCH ₂ CH ₃	CHF ₂	H	H
A-613	I.1A	CH ₃	COOCH ₂ CH ₃	OCH ₃	H	H
A-614	I.1A	CH ₃	COOCH ₂ CH ₃	OCHF ₂	H	H
A-615	I.1A	CH ₃	COOCH ₂ CH ₃	SCH ₃	H	H
A-616	I.1A	CH ₃	# ² -CH ₂ CH ₂ SO ₂ -# ³		H	H
A-617	I.1A	CH ₃	# ² -CH(CH ₃)CH ₂ SO ₂ -# ³		H	H
A-618	I.1A	CH ₃	# ² -C(CH ₃) ₂ CH ₂ SO ₂ -# ³		H	H
A-619	I.1A	CH ₃	# ² -SO ₂ CH ₂ CH ₂ SO ₂ -# ³		H	H
A-620	I.1A	CH ₃	# ² -CH(OCH ₂ CH ₂ F)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-621	I.1A	CH ₃	# ² -C(=NOCH ₃)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-622	I.1A	CH ₃	# ² -SO ₂ CH ₂ CH ₂ C(CH ₃) ₂ -# ³		H	H
A-623	I.1A	CH ₃	# ² -N(CH ₃)C(=O)S-# ³		H	H
A-624	I.1A	CH ₃	# ² -C(=O)N(CH ₃)SO ₂ -# ³		H	H
A-625	I.1A	CF ₃		H	H	H
A-626	I.1A	CF ₃		CH ₃	H	H



No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-627	I.1A	CF ₃		CF ₃	H	H
A-628	I.1A	CF ₃		CHF ₂	H	H
A-629	I.1A	CF ₃		OCH ₃	H	H
A-630	I.1A	CF ₃		OCHF ₂	H	H
A-631	I.1A	CF ₃		SCH ₃	H	H
A-632	I.1A	CF ₃		H	H	H
A-633	I.1A	CF ₃		CH ₃	H	H
A-634	I.1A	CF ₃		CF ₃	H	H
A-635	I.1A	CF ₃		CHF ₂	H	H
A-636	I.1A	CF ₃		OCH ₃	H	H
A-637	I.1A	CF ₃		OCHF ₂	H	H
A-638	I.1A	CF ₃		SCH ₃	H	H
A-639	I.1A	CF ₃		H	H	H
A-640	I.1A	CF ₃		CH ₃	H	H
A-641	I.1A	CF ₃		CF ₃	H	H
A-642	I.1A	CF ₃		CHF ₂	H	H
A-643	I.1A	CF ₃		OCH ₃	H	H
A-644	I.1A	CF ₃		OCHF ₂	H	H








No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-645	I.1A	CF ₃		SCH ₃	H	H
A-646	I.1A	CF ₃		H	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-647	I.1A	CF ₃		CH ₃	H	H
A-648	I.1A	CF ₃		CF ₃	H	H
A-649	I.1A	CF ₃		CHF ₂	H	H
A-650	I.1A	CF ₃		OCH ₃	H	H
A-651	I.1A	CF ₃		OCHF ₂	H	H
A-652	I.1A	CF ₃		SCH ₃	H	H
A-653	I.1A	CF ₃		H	H	H
A-654	I.1A	CF ₃		CH ₃	H	H
A-655	I.1A	CF ₃		CF ₃	H	H
A-656	I.1A	CF ₃		CHF ₂	H	H
A-657	I.1A	CF ₃		OCH ₃	H	H
A-658	I.1A	CF ₃		OCHF ₂	H	H
A-659	I.1A	CF ₃		SCH ₃	H	H
A-660	I.1A	CF ₃		H	H	H
A-661	I.1A	CF ₃		CH ₃	H	H
A-662	I.1A	CF ₃		CF ₃	H	H
A-663	I.1A	CF ₃		CHF ₂	H	H
A-664	I.1A	CF ₃		OCH ₃	H	H










No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-665	I.1A	CF ₃		OCHF ₂	H	H
A-666	I.1A	CF ₃		SCH ₃	H	H
A-667	I.1A	CF ₃		H	H	H
A-668	I.1A	CF ₃		CH ₃	H	H
A-669	I.1A	CF ₃		CF ₃	H	H
A-670	I.1A	CF ₃		CHF ₂	H	H
A-671	I.1A	CF ₃		OCH ₃	H	H
A-672	I.1A	CF ₃		OCHF ₂	H	H
A-673	I.1A	CF ₃		SCH ₃	H	H
A-674	I.1A	CF ₃		H	H	H
A-675	I.1A	CF ₃		CH ₃	H	H
A-676	I.1A	CF ₃		CF ₃	H	H
A-677	I.1A	CF ₃		CHF ₂	H	H
A-678	I.1A	CF ₃		OCH ₃	H	H
A-679	I.1A	CF ₃		OCHF ₂	H	H



















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-680	I.1A	CF ₃		SCH ₃	H	H
A-681	I.1A	CF ₃		H	H	H
A-682	I.1A	CF ₃		CH ₃	H	H
A-683	I.1A	CF ₃		CF ₃	H	H
A-684	I.1A	CF ₃		CHF ₂	H	H
A-685	I.1A	CF ₃		OCH ₃	H	H
A-686	I.1A	CF ₃		OCHF ₂	H	H
A-687	I.1A	CF ₃		SCH ₃	H	H
A-688	I.1A	CF ₃		H	H	H
A-689	I.1A	CF ₃		CH ₃	H	H
A-690	I.1A	CF ₃		CF ₃	H	H
A-691	I.1A	CF ₃		CHF ₂	H	H
A-692	I.1A	CF ₃		OCH ₃	H	H




No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-693	I.1A	CF ₃		OCHF ₂	H	H
A-694	I.1A	CF ₃		SCH ₃	H	H
A-695	I.1A	CF ₃	C ₆ H ₅	H	H	H
A-696	I.1A	CF ₃	C ₆ H ₅	CH ₃	H	H
A-697	I.1A	CF ₃	C ₆ H ₅	CF ₃	H	H
A-698	I.1A	CF ₃	C ₆ H ₅	CHF ₂	H	H
A-699	I.1A	CF ₃	C ₆ H ₅	OCH ₃	H	H
A-700	I.1A	CF ₃	C ₆ H ₅	OCHF ₂	H	H
A-701	I.1A	CF ₃	C ₆ H ₅	SCH ₃	H	H
A-702	I.1A	CF ₃	4-OCH ₃ -C ₆ H ₄	H	H	H
A-703	I.1A	CF ₃	4-OCH ₃ -C ₆ H ₄	CH ₃	H	H
A-704	I.1A	CF ₃	4-OCH ₃ -C ₆ H ₄	CF ₃	H	H
A-705	I.1A	CF ₃	4-OCH ₃ -C ₆ H ₄	CHF ₂	H	H
A-706	I.1A	CF ₃	4-OCH ₃ -C ₆ H ₄	OCH ₃	H	H
A-707	I.1A	CF ₃	4-OCH ₃ -C ₆ H ₄	OCHF ₂	H	H
A-708	I.1A	CF ₃	4-OCH ₃ -C ₆ H ₄	SCH ₃	H	H
A-709	I.1A	CF ₃	CH=CH ₂	H	H	H
A-710	I.1A	CF ₃	CH=CH ₂	CH ₃	H	H
A-711	I.1A	CF ₃	CH=CH ₂	CF ₃	H	H
A-712	I.1A	CF ₃	CH=CH ₂	CHF ₂	H	H
A-713	I.1A	CF ₃	CH=CH ₂	OCH ₃	H	H
A-714	I.1A	CF ₃	CH=CH ₂	OCHF ₂	H	H
A-715	I.1A	CF ₃	CH=CH ₂	SCH ₃	H	H
A-716	I.1A	CF ₃	CH=CH-CH ₃	H	H	H
A-717	I.1A	CF ₃	CH=CH-CH ₃	CH ₃	H	H
A-718	I.1A	CF ₃	CH=CH-CH ₃	CF ₃	H	H
A-719	I.1A	CF ₃	CH=CH-CH ₃	CHF ₂	H	H
A-720	I.1A	CF ₃	CH=CH-CH ₃	OCH ₃	H	H
A-721	I.1A	CF ₃	CH=CH-CH ₃	OCHF ₂	H	H
A-722	I.1A	CF ₃	CH=CH-CH ₃	SCH ₃	H	H
A-723	I.1A	CF ₃	CH ₂ CH=CH ₂	H	H	H
A-724	I.1A	CF ₃	CH ₂ CH=CH ₂	CH ₃	H	H
A-725	I.1A	CF ₃	CH ₂ CH=CH ₂	CF ₃	H	H
A-726	I.1A	CF ₃	CH ₂ CH=CH ₂	CHF ₂	H	H
A-727	I.1A	CF ₃	CH ₂ CH=CH ₂	OCH ₃	H	H
A-728	I.1A	CF ₃	CH ₂ CH=CH ₂	OCHF ₂	H	H



















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-729	I.1A	CF ₃	CH ₂ CH=CH ₂	SCH ₃	H	H
A-730	I.1A	CF ₃	CH ₂ C≡CH	H	H	H
A-731	I.1A	CF ₃	CH ₂ C≡CH	CH ₃	H	H
A-732	I.1A	CF ₃	CH ₂ C≡CH	CF ₃	H	H
A-733	I.1A	CF ₃	CH ₂ C≡CH	CHF ₂	H	H
A-734	I.1A	CF ₃	CH ₂ C≡CH	OCH ₃	H	H
A-735	I.1A	CF ₃	CH ₂ C≡CH	OCHF ₂	H	H
A-736	I.1A	CF ₃	CH ₂ C≡CH	SCH ₃	H	H
A-737	I.1A	CF ₃	CH ₂ OCH ₂ CF ₃	H	H	H
A-738	I.1A	CF ₃	CH ₂ OCH ₂ CF ₃	CH ₃	H	H
A-739	I.1A	CF ₃	CH ₂ OCH ₂ CF ₃	CF ₃	H	H
A-740	I.1A	CF ₃	CH ₂ OCH ₂ CF ₃	CHF ₂	H	H
A-741	I.1A	CF ₃	CH ₂ OCH ₂ CF ₃	OCH ₃	H	H
A-742	I.1A	CF ₃	CH ₂ OCH ₂ CF ₃	OCHF ₂	H	H
A-743	I.1A	CF ₃	CH ₂ OCH ₂ CF ₃	SCH ₃	H	H
A-744	I.1A	CF ₃		H	H	H
A-745	I.1A	CF ₃		CH ₃	H	H
A-746	I.1A	CF ₃		CF ₃	H	H
A-747	I.1A	CF ₃		CHF ₂	H	H
A-748	I.1A	CF ₃		OCH ₃	H	H
A-749	I.1A	CF ₃		OCHF ₂	H	H
A-750	I.1A	CF ₃		SCH ₃	H	H
A-751	I.1A	CF ₃	OCH ₂ CH ₃	H	H	H













No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-752	I.1A	CF ₃	OCH ₂ CH ₃	CH ₃	H	H
A-753	I.1A	CF ₃	OCH ₂ CH ₃	CF ₃	H	H
A-754	I.1A	CF ₃	OCH ₂ CH ₃	CHF ₂	H	H
A-755	I.1A	CF ₃	OCH ₂ CH ₃	OCH ₃	H	H
A-756	I.1A	CF ₃	OCH ₂ CH ₃	OCHF ₂	H	H
A-757	I.1A	CF ₃	OCH ₂ CH ₃	SCH ₃	H	H
A-758	I.1A	CF ₃	OCH ₂ CH ₂ OCH ₃	H	H	H
A-759	I.1A	CF ₃	OCH ₂ CH ₂ OCH ₃	CH ₃	H	H
A-760	I.1A	CF ₃	OCH ₂ CH ₂ OCH ₃	CF ₃	H	H
A-761	I.1A	CF ₃	OCH ₂ CH ₂ OCH ₃	CHF ₂	H	H
A-762	I.1A	CF ₃	OCH ₂ CH ₂ OCH ₃	OCH ₃	H	H
A-763	I.1A	CF ₃	OCH ₂ CH ₂ OCH ₃	OCHF ₂	H	H
A-764	I.1A	CF ₃	OCH ₂ CH ₂ OCH ₃	SCH ₃	H	H
A-765	I.1A	CF ₃	SO ₂ CH ₃	H	H	H
A-766	I.1A	CF ₃	SO ₂ CH ₃	CH ₃	H	H
A-767	I.1A	CF ₃	SO ₂ CH ₃	CF ₃	H	H
A-768	I.1A	CF ₃	SO ₂ CH ₃	CHF ₂	H	H
A-769	I.1A	CF ₃	SO ₂ CH ₃	OCH ₃	H	H
A-770	I.1A	CF ₃	SO ₂ CH ₃	OCHF ₂	H	H
A-771	I.1A	CF ₃	SO ₂ CH ₃	SCH ₃	H	H
A-772	I.1A	CF ₃	SO ₂ CH ₂ CH ₃	H	H	H
A-773	I.1A	CF ₃	SO ₂ CH ₂ CH ₃	CH ₃	H	H
A-774	I.1A	CF ₃	SO ₂ CH ₂ CH ₃	CF ₃	H	H
A-775	I.1A	CF ₃	SO ₂ CH ₂ CH ₃	CHF ₂	H	H
A-776	I.1A	CF ₃	SO ₂ CH ₂ CH ₃	OCH ₃	H	H
A-777	I.1A	CF ₃	SO ₂ CH ₂ CH ₃	OCHF ₂	H	H
A-778	I.1A	CF ₃	SO ₂ CH ₂ CH ₃	SCH ₃	H	H
A-779	I.1A	CF ₃	SO ₂ CH(CH ₃) ₂	H	H	H
A-780	I.1A	CF ₃	SO ₂ CH(CH ₃) ₂	CH ₃	H	H
A-781	I.1A	CF ₃	SO ₂ CH(CH ₃) ₂	CF ₃	H	H
A-782	I.1A	CF ₃	SO ₂ CH(CH ₃) ₂	CHF ₂	H	H
A-783	I.1A	CF ₃	SO ₂ CH(CH ₃) ₂	OCH ₃	H	H
A-784	I.1A	CF ₃	SO ₂ CH(CH ₃) ₂	OCHF ₂	H	H
A-785	I.1A	CF ₃	SO ₂ CH(CH ₃) ₂	SCH ₃	H	H
A-786	I.1A	CF ₃	COOCH ₃	H	H	H
A-787	I.1A	CF ₃	COOCH ₃	CH ₃	H	H
A-788	I.1A	CF ₃	COOCH ₃	CF ₃	H	H
A-789	I.1A	CF ₃	COOCH ₃	CHF ₂	H	H











No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-790	I.1A	CF ₃	COOCH ₃	OCH ₃	H	H
A-791	I.1A	CF ₃	COOCH ₃	OCHF ₂	H	H
A-792	I.1A	CF ₃	COOCH ₃	SCH ₃	H	H
A-793	I.1A	CF ₃	COOCH ₂ CH ₃	H	H	H
A-794	I.1A	CF ₃	COOCH ₂ CH ₃	CH ₃	H	H
A-795	I.1A	CF ₃	COOCH ₂ CH ₃	CF ₃	H	H
A-796	I.1A	CF ₃	COOCH ₂ CH ₃	CHF ₂	H	H
A-797	I.1A	CF ₃	COOCH ₂ CH ₃	OCH ₃	H	H
A-798	I.1A	CF ₃	COOCH ₂ CH ₃	OCHF ₂	H	H
A-799	I.1A	CF ₃	COOCH ₂ CH ₃	SCH ₃	H	H
A-800	I.1A	CF ₃	# ² -CH ₂ CH ₂ SO ₂ -# ³		H	H
A-801	I.1A	CF ₃	# ² -CH(CH ₃)CH ₂ SO ₂ -# ³		H	H
A-802	I.1A	CF ₃	# ² -C(CH ₃) ₂ CH ₂ SO ₂ -# ³		H	H
A-803	I.1A	CF ₃	# ² -SO ₂ CH ₂ CH ₂ SO ₂ -# ³		H	H
A-804	I.1A	CF ₃	# ² -CH(OCH ₂ CH ₂ F)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-805	I.1A	CF ₃	# ² -C(=NOCH ₃)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-806	I.1A	CF ₃	# ² -SO ₂ CH ₂ CH ₂ C(CH ₃) ₂ -# ³		H	H
A-807	I.1A	CF ₃	# ² -N(CH ₃)C(=O)S-# ³		H	H
A-808	I.1A	CF ₃	# ² -C(=O)N(CH ₃)SO ₂ -# ³		H	H
A-809	I.1A	OCF ₃		H	H	H
A-810	I.1A	OCF ₃		CH ₃	H	H
A-811	I.1A	OCF ₃		CF ₃	H	H
A-812	I.1A	OCF ₃		CHF ₂	H	H
A-813	I.1A	OCF ₃		OCH ₃	H	H
A-814	I.1A	OCF ₃		OCHF ₂	H	H
A-815	I.1A	OCF ₃		SCH ₃	H	H
A-816	I.1A	OCF ₃		H	H	H
A-817	I.1A	OCF ₃		CH ₃	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-818	I.1A	OCF ₃		CF ₃	H	H
A-819	I.1A	OCF ₃		CHF ₂	H	H
A-820	I.1A	OCF ₃		OCH ₃	H	H
A-821	I.1A	OCF ₃		OCHF ₂	H	H
A-822	I.1A	OCF ₃		SCH ₃	H	H
A-823	I.1A	OCF ₃		H	H	H
A-824	I.1A	OCF ₃		CH ₃	H	H
A-825	I.1A	OCF ₃		CF ₃	H	H
A-826	I.1A	OCF ₃		CHF ₂	H	H
A-827	I.1A	OCF ₃		OCH ₃	H	H
A-828	I.1A	OCF ₃		OCHF ₂	H	H
A-829	I.1A	OCF ₃		SCH ₃	H	H
A-830	I.1A	OCF ₃		H	H	H
A-831	I.1A	OCF ₃		CH ₃	H	H
A-832	I.1A	OCF ₃		CF ₃	H	H
A-833	I.1A	OCF ₃		CHF ₂	H	H
A-834	I.1A	OCF ₃		OCH ₃	H	H
A-835	I.1A	OCF ₃		OCHF ₂	H	H








No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-836	I.1A	OCF ₃		SCH ₃	H	H
A-837	I.1A	OCF ₃		H	H	H
A-838	I.1A	OCF ₃		CH ₃	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-839	I.1A	OCF ₃		CF ₃	H	H
A-840	I.1A	OCF ₃		CHF ₂	H	H
A-841	I.1A	OCF ₃		OCH ₃	H	H
A-842	I.1A	OCF ₃		OCHF ₂	H	H
A-843	I.1A	OCF ₃		SCH ₃	H	H
A-844	I.1A	OCF ₃		H	H	H
A-845	I.1A	OCF ₃		CH ₃	H	H
A-846	I.1A	OCF ₃		CF ₃	H	H
A-847	I.1A	OCF ₃		CHF ₂	H	H
A-848	I.1A	OCF ₃		OCH ₃	H	H
A-849	I.1A	OCF ₃		OCHF ₂	H	H
A-850	I.1A	OCF ₃		SCH ₃	H	H
A-851	I.1A	OCF ₃		H	H	H
A-852	I.1A	OCF ₃		CH ₃	H	H
A-853	I.1A	OCF ₃		CF ₃	H	H
A-854	I.1A	OCF ₃		CHF ₂	H	H
A-855	I.1A	OCF ₃		OCH ₃	H	H
A-856	I.1A	OCF ₃		OCHF ₂	H	H

















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-857	I.1A	OCF ₃		SCH ₃	H	H
A-858	I.1A	OCF ₃		H	H	H
A-859	I.1A	OCF ₃		CH ₃	H	H
A-860	I.1A	OCF ₃		CF ₃	H	H
A-861	I.1A	OCF ₃		CHF ₂	H	H
A-862	I.1A	OCF ₃		OCH ₃	H	H
A-863	I.1A	OCF ₃		OCHF ₂	H	H
A-864	I.1A	OCF ₃		SCH ₃	H	H
A-865	I.1A	OCF ₃		H	H	H
A-866	I.1A	OCF ₃		CH ₃	H	H
A-867	I.1A	OCF ₃		CF ₃	H	H
A-868	I.1A	OCF ₃		CHF ₂	H	H





No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-869	I.1A	OCF ₃		OCH ₃	H	H
A-870	I.1A	OCF ₃		OCHF ₂	H	H
A-871	I.1A	OCF ₃		SCH ₃	H	H
A-872	I.1A	OCF ₃		H	H	H
A-873	I.1A	OCF ₃		CH ₃	H	H
A-874	I.1A	OCF ₃		CF ₃	H	H
A-875	I.1A	OCF ₃		CHF ₂	H	H
A-876	I.1A	OCF ₃		OCH ₃	H	H
A-877	I.1A	OCF ₃		OCHF ₂	H	H
A-878	I.1A	OCF ₃		SCH ₃	H	H
A-879	I.1A	OCF ₃	C ₆ H ₅	H	H	H
A-880	I.1A	OCF ₃	C ₆ H ₅	CH ₃	H	H
A-881	I.1A	OCF ₃	C ₆ H ₅	CF ₃	H	H
A-882	I.1A	OCF ₃	C ₆ H ₅	CHF ₂	H	H
A-883	I.1A	OCF ₃	C ₆ H ₅	OCH ₃	H	H
A-884	I.1A	OCF ₃	C ₆ H ₅	OCHF ₂	H	H
A-885	I.1A	OCF ₃	C ₆ H ₅	SCH ₃	H	H
A-886	I.1A	OCF ₃	4-OCH ₃ -C ₆ H ₄	H	H	H
A-887	I.1A	OCF ₃	4-OCH ₃ -C ₆ H ₄	CH ₃	H	H
A-888	I.1A	OCF ₃	4-OCH ₃ -C ₆ H ₄	CF ₃	H	H
A-889	I.1A	OCF ₃	4-OCH ₃ -C ₆ H ₄	CHF ₂	H	H
A-890	I.1A	OCF ₃	4-OCH ₃ -C ₆ H ₄	OCH ₃	H	H



















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-891	I.1A	OCF ₃	4-OCH ₃ -C ₆ H ₄	OCHF ₂	H	H
A-892	I.1A	OCF ₃	4-OCH ₃ -C ₆ H ₄	SCH ₃	H	H
A-893	I.1A	OCF ₃	CH=CH ₂	H	H	H
A-894	I.1A	OCF ₃	CH=CH ₂	CH ₃	H	H
A-895	I.1A	OCF ₃	CH=CH ₂	CF ₃	H	H
A-896	I.1A	OCF ₃	CH=CH ₂	CHF ₂	H	H
A-897	I.1A	OCF ₃	CH=CH ₂	OCH ₃	H	H
A-898	I.1A	OCF ₃	CH=CH ₂	OCHF ₂	H	H
A-899	I.1A	OCF ₃	CH=CH ₂	SCH ₃	H	H
A-900	I.1A	OCF ₃	CH=CH-CH ₃	H	H	H
A-901	I.1A	OCF ₃	CH=CH-CH ₃	CH ₃	H	H
A-902	I.1A	OCF ₃	CH=CH-CH ₃	CF ₃	H	H
A-903	I.1A	OCF ₃	CH=CH-CH ₃	CHF ₂	H	H
A-904	I.1A	OCF ₃	CH=CH-CH ₃	OCH ₃	H	H
A-905	I.1A	OCF ₃	CH=CH-CH ₃	OCHF ₂	H	H
A-906	I.1A	OCF ₃	CH=CH-CH ₃	SCH ₃	H	H
A-907	I.1A	OCF ₃	CH ₂ CH=CH ₂	H	H	H
A-908	I.1A	OCF ₃	CH ₂ CH=CH ₂	CH ₃	H	H
A-909	I.1A	OCF ₃	CH ₂ CH=CH ₂	CF ₃	H	H
A-910	I.1A	OCF ₃	CH ₂ CH=CH ₂	CHF ₂	H	H
A-911	I.1A	OCF ₃	CH ₂ CH=CH ₂	OCH ₃	H	H
A-912	I.1A	OCF ₃	CH ₂ CH=CH ₂	OCHF ₂	H	H
A-913	I.1A	OCF ₃	CH ₂ CH=CH ₂	SCH ₃	H	H
A-914	I.1A	OCF ₃	CH ₂ C≡CH	H	H	H
A-915	I.1A	OCF ₃	CH ₂ C≡CH	CH ₃	H	H
A-916	I.1A	OCF ₃	CH ₂ C≡CH	CF ₃	H	H
A-917	I.1A	OCF ₃	CH ₂ C≡CH	CHF ₂	H	H
A-918	I.1A	OCF ₃	CH ₂ C≡CH	OCH ₃	H	H
A-919	I.1A	OCF ₃	CH ₂ C≡CH	OCHF ₂	H	H
A-920	I.1A	OCF ₃	CH ₂ C≡CH	SCH ₃	H	H
A-921	I.1A	OCF ₃	CH ₂ OCH ₂ CF ₃	H	H	H
A-922	I.1A	OCF ₃	CH ₂ OCH ₂ CF ₃	CH ₃	H	H
A-923	I.1A	OCF ₃	CH ₂ OCH ₂ CF ₃	CF ₃	H	H
A-924	I.1A	OCF ₃	CH ₂ OCH ₂ CF ₃	CHF ₂	H	H
A-925	I.1A	OCF ₃	CH ₂ OCH ₂ CF ₃	OCH ₃	H	H
A-926	I.1A	OCF ₃	CH ₂ OCH ₂ CF ₃	OCHF ₂	H	H
A-927	I.1A	OCF ₃	CH ₂ OCH ₂ CF ₃	SCH ₃	H	H

















No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-928	I.1A	OCF ₃		H	H	H
A-929	I.1A	OCF ₃		CH ₃	H	H
A-930	I.1A	OCF ₃		CF ₃	H	H
A-931	I.1A	OCF ₃		CHF ₂	H	H
A-932	I.1A	OCF ₃		OCH ₃	H	H
A-933	I.1A	OCF ₃		OCHF ₂	H	H
A-934	I.1A	OCF ₃		SCH ₃	H	H
A-935	I.1A	OCF ₃	OCH ₂ CH ₃	H	H	H
A-936	I.1A	OCF ₃	OCH ₂ CH ₃	CH ₃	H	H
A-937	I.1A	OCF ₃	OCH ₂ CH ₃	CF ₃	H	H
A-938	I.1A	OCF ₃	OCH ₂ CH ₃	CHF ₂	H	H
A-939	I.1A	OCF ₃	OCH ₂ CH ₃	OCH ₃	H	H
A-940	I.1A	OCF ₃	OCH ₂ CH ₃	OCHF ₂	H	H
A-941	I.1A	OCF ₃	OCH ₂ CH ₃	SCH ₃	H	H
A-942	I.1A	OCF ₃	OCH ₂ CH ₂ OCH ₃	H	H	H
A-943	I.1A	OCF ₃	OCH ₂ CH ₂ OCH ₃	CH ₃	H	H
A-944	I.1A	OCF ₃	OCH ₂ CH ₂ OCH ₃	CF ₃	H	H
A-945	I.1A	OCF ₃	OCH ₂ CH ₂ OCH ₃	CHF ₂	H	H
A-946	I.1A	OCF ₃	OCH ₂ CH ₂ OCH ₃	OCH ₃	H	H
A-947	I.1A	OCF ₃	OCH ₂ CH ₂ OCH ₃	OCHF ₂	H	H
A-948	I.1A	OCF ₃	OCH ₂ CH ₂ OCH ₃	SCH ₃	H	H
A-949	I.1A	OCF ₃	SO ₂ CH ₃	H	H	H
A-950	I.1A	OCF ₃	SO ₂ CH ₃	CH ₃	H	H














No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-951	I.1A	OCF ₃	SO ₂ CH ₃	CF ₃	H	H
A-952	I.1A	OCF ₃	SO ₂ CH ₃	CHF ₂	H	H
A-953	I.1A	OCF ₃	SO ₂ CH ₃	OCH ₃	H	H
A-954	I.1A	OCF ₃	SO ₂ CH ₃	OCHF ₂	H	H
A-955	I.1A	OCF ₃	SO ₂ CH ₃	SCH ₃	H	H
A-956	I.1A	OCF ₃	SO ₂ CH ₂ CH ₃	H	H	H
A-957	I.1A	OCF ₃	SO ₂ CH ₂ CH ₃	CH ₃	H	H
A-958	I.1A	OCF ₃	SO ₂ CH ₂ CH ₃	CF ₃	H	H
A-959	I.1A	OCF ₃	SO ₂ CH ₂ CH ₃	CHF ₂	H	H
A-960	I.1A	OCF ₃	SO ₂ CH ₂ CH ₃	OCH ₃	H	H
A-961	I.1A	OCF ₃	SO ₂ CH ₂ CH ₃	OCHF ₂	H	H
A-962	I.1A	OCF ₃	SO ₂ CH ₂ CH ₃	SCH ₃	H	H
A-963	I.1A	OCF ₃	SO ₂ CH(CH ₃) ₂	H	H	H
A-964	I.1A	OCF ₃	SO ₂ CH(CH ₃) ₂	CH ₃	H	H
A-965	I.1A	OCF ₃	SO ₂ CH(CH ₃) ₂	CF ₃	H	H
A-966	I.1A	OCF ₃	SO ₂ CH(CH ₃) ₂	CHF ₂	H	H
A-967	I.1A	OCF ₃	SO ₂ CH(CH ₃) ₂	OCH ₃	H	H
A-968	I.1A	OCF ₃	SO ₂ CH(CH ₃) ₂	OCHF ₂	H	H
A-969	I.1A	OCF ₃	SO ₂ CH(CH ₃) ₂	SCH ₃	H	H
A-970	I.1A	OCF ₃	COOCH ₃	H	H	H
A-971	I.1A	OCF ₃	COOCH ₃	CH ₃	H	H
A-972	I.1A	OCF ₃	COOCH ₃	CF ₃	H	H
A-973	I.1A	OCF ₃	COOCH ₃	CHF ₂	H	H
A-974	I.1A	OCF ₃	COOCH ₃	OCH ₃	H	H
A-975	I.1A	OCF ₃	COOCH ₃	OCHF ₂	H	H
A-976	I.1A	OCF ₃	COOCH ₃	SCH ₃	H	H
A-977	I.1A	OCF ₃	COOCH ₂ CH ₃	H	H	H
A-978	I.1A	OCF ₃	COOCH ₂ CH ₃	CH ₃	H	H
A-979	I.1A	OCF ₃	COOCH ₂ CH ₃	CF ₃	H	H
A-980	I.1A	OCF ₃	COOCH ₂ CH ₃	CHF ₂	H	H
A-981	I.1A	OCF ₃	COOCH ₂ CH ₃	OCH ₃	H	H
A-982	I.1A	OCF ₃	COOCH ₂ CH ₃	OCHF ₂	H	H
A-983	I.1A	OCF ₃	COOCH ₂ CH ₃	SCH ₃	H	H
A-984	I.1A	OCF ₃	# ² -CH ₂ CH ₂ SO ₂ -# ³		H	H
A-985	I.1A	OCF ₃	# ² -CH(CH ₃)CH ₂ SO ₂ -# ³		H	H
A-986	I.1A	OCF ₃	# ² -C(CH ₃) ₂ CH ₂ SO ₂ -# ³		H	H
A-987	I.1A	OCF ₃	# ² -SO ₂ CH ₂ CH ₂ SO ₂ -# ³		H	H
A-988	I.1A	OCF ₃	# ² -CH(OCH ₂ CH ₂ F)CH ₂ CH ₂ SO ₂ -# ³		H	H




No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-989	I.1A	OCF ₃	# ² -C(=NOCH ₃)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-990	I.1A	OCF ₃	# ² -SO ₂ CH ₂ CH ₂ C(CH ₃) ₂ -# ³		H	H
A-991	I.1A	OCF ₃	# ² -N(CH ₃)C(=O)S-# ³		H	H
A-992	I.1A	OCF ₃	# ² -C(=O)N(CH ₃)SO ₂ -# ³		H	H
A-993	I.1A	SCF ₃		H	H	H
A-994	I.1A	SCF ₃		CH ₃	H	H
A-995	I.1A	SCF ₃		CF ₃	H	H
A-996	I.1A	SCF ₃		CHF ₂	H	H
A-997	I.1A	SCF ₃		OCH ₃	H	H
A-998	I.1A	SCF ₃		OCHF ₂	H	H
A-999	I.1A	SCF ₃		SCH ₃	H	H
A-1000	I.1A	SCF ₃		H	H	H
A-1001	I.1A	SCF ₃		CH ₃	H	H
A-1002	I.1A	SCF ₃		CF ₃	H	H
A-1003	I.1A	SCF ₃		CHF ₂	H	H
A-1004	I.1A	SCF ₃		OCH ₃	H	H
A-1005	I.1A	SCF ₃		OCHF ₂	H	H
A-1006	I.1A	SCF ₃		SCH ₃	H	H
A-1007	I.1A	SCF ₃		H	H	H
A-1008	I.1A	SCF ₃		CH ₃	H	H







No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1009	I.1A	SCF ₃		CF ₃	H	H
A-1010	I.1A	SCF ₃		CHF ₂	H	H
A-1011	I.1A	SCF ₃		OCH ₃	H	H
A-1012	I.1A	SCF ₃		OCHF ₂	H	H


No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1013	I.1A	SCF ₃		SCH ₃	H	H
A-1014	I.1A	SCF ₃		H	H	H
A-1015	I.1A	SCF ₃		CH ₃	H	H
A-1016	I.1A	SCF ₃		CF ₃	H	H
A-1017	I.1A	SCF ₃		CHF ₂	H	H
A-1018	I.1A	SCF ₃		OCH ₃	H	H
A-1019	I.1A	SCF ₃		OCHF ₂	H	H
A-1020	I.1A	SCF ₃		SCH ₃	H	H
A-1021	I.1A	SCF ₃		H	H	H
A-1022	I.1A	SCF ₃		CH ₃	H	H
A-1023	I.1A	SCF ₃		CF ₃	H	H
A-1024	I.1A	SCF ₃		CHF ₂	H	H
A-1025	I.1A	SCF ₃		OCH ₃	H	H
A-1026	I.1A	SCF ₃		OCHF ₂	H	H
A-1027	I.1A	SCF ₃		SCH ₃	H	H
A-1028	I.1A	SCF ₃		H	H	H
A-1029	I.1A	SCF ₃		CH ₃	H	H
A-1030	I.1A	SCF ₃		CF ₃	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1031	I.1A	SCF ₃		CHF ₂	H	H
A-1032	I.1A	SCF ₃		OCH ₃	H	H
A-1033	I.1A	SCF ₃		OCHF ₂	H	H
A-1034	I.1A	SCF ₃		SCH ₃	H	H
A-1035	I.1A	SCF ₃		H	H	H
A-1036	I.1A	SCF ₃		CH ₃	H	H
A-1037	I.1A	SCF ₃		CF ₃	H	H
A-1038	I.1A	SCF ₃		CHF ₂	H	H
A-1039	I.1A	SCF ₃		OCH ₃	H	H
A-1040	I.1A	SCF ₃		OCHF ₂	H	H
A-1041	I.1A	SCF ₃		SCH ₃	H	H
A-1042	I.1A	SCF ₃		H	H	H
A-1043	I.1A	SCF ₃		CH ₃	H	H
A-1044	I.1A	SCF ₃		CF ₃	H	H
A-1045	I.1A	SCF ₃		CHF ₂	H	H
A-1046	I.1A	SCF ₃		OCH ₃	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1047	I.1A	SCF ₃		OCHF ₂	H	H
A-1048	I.1A	SCF ₃		SCH ₃	H	H
A-1049	I.1A	SCF ₃		H	H	H
A-1050	I.1A	SCF ₃		CH ₃	H	H
A-1051	I.1A	SCF ₃		CF ₃	H	H
A-1052	I.1A	SCF ₃		CHF ₂	H	H
A-1053	I.1A	SCF ₃		OCH ₃	H	H
A-1054	I.1A	SCF ₃		OCHF ₂	H	H
A-1055	I.1A	SCF ₃		SCH ₃	H	H
A-1056	I.1A	SCF ₃		H	H	H
A-1057	I.1A	SCF ₃		CH ₃	H	H
A-1058	I.1A	SCF ₃		CF ₃	H	H
A-1059	I.1A	SCF ₃		CHF ₂	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1060	I.1A	SCF ₃		OCH ₃	H	H
A-1061	I.1A	SCF ₃		OCHF ₂	H	H
A-1062	I.1A	SCF ₃		SCH ₃	H	H
A-1063	I.1A	SCF ₃	C ₆ H ₅	H	H	H
A-1064	I.1A	SCF ₃	C ₆ H ₅	CH ₃	H	H
A-1065	I.1A	SCF ₃	C ₆ H ₅	CF ₃	H	H
A-1066	I.1A	SCF ₃	C ₆ H ₅	CHF ₂	H	H
A-1067	I.1A	SCF ₃	C ₆ H ₅	OCH ₃	H	H
A-1068	I.1A	SCF ₃	C ₆ H ₅	OCHF ₂	H	H
A-1069	I.1A	SCF ₃	C ₆ H ₅	SCH ₃	H	H
A-1070	I.1A	SCF ₃	4-OCH ₃ -C ₆ H ₄	H	H	H
A-1071	I.1A	SCF ₃	4-OCH ₃ -C ₆ H ₄	CH ₃	H	H
A-1072	I.1A	SCF ₃	4-OCH ₃ -C ₆ H ₄	CF ₃	H	H
A-1073	I.1A	SCF ₃	4-OCH ₃ -C ₆ H ₄	CHF ₂	H	H
A-1074	I.1A	SCF ₃	4-OCH ₃ -C ₆ H ₄	OCH ₃	H	H
A-1075	I.1A	SCF ₃	4-OCH ₃ -C ₆ H ₄	OCHF ₂	H	H
A-1076	I.1A	SCF ₃	4-OCH ₃ -C ₆ H ₄	SCH ₃	H	H
A-1077	I.1A	SCF ₃	CH=CH ₂	H	H	H
A-1078	I.1A	SCF ₃	CH=CH ₂	CH ₃	H	H
A-1079	I.1A	SCF ₃	CH=CH ₂	CF ₃	H	H
A-1080	I.1A	SCF ₃	CH=CH ₂	CHF ₂	H	H
A-1081	I.1A	SCF ₃	CH=CH ₂	OCH ₃	H	H
A-1082	I.1A	SCF ₃	CH=CH ₂	OCHF ₂	H	H
A-1083	I.1A	SCF ₃	CH=CH ₂	SCH ₃	H	H
A-1084	I.1A	SCF ₃	CH=CH-CH ₃	H	H	H
A-1085	I.1A	SCF ₃	CH=CH-CH ₃	CH ₃	H	H
A-1086	I.1A	SCF ₃	CH=CH-CH ₃	CF ₃	H	H
A-1087	I.1A	SCF ₃	CH=CH-CH ₃	CHF ₂	H	H
A-1088	I.1A	SCF ₃	CH=CH-CH ₃	OCH ₃	H	H
A-1089	I.1A	SCF ₃	CH=CH-CH ₃	OCHF ₂	H	H
A-1090	I.1A	SCF ₃	CH=CH-CH ₃	SCH ₃	H	H
A-1091	I.1A	SCF ₃	CH ₂ CH=CH ₂	H	H	H
A-1092	I.1A	SCF ₃	CH ₂ CH=CH ₂	CH ₃	H	H
A-1093	I.1A	SCF ₃	CH ₂ CH=CH ₂	CF ₃	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1094	I.1A	SCF ₃	CH ₂ CH=CH ₂	CHF ₂	H	H
A-1095	I.1A	SCF ₃	CH ₂ CH=CH ₂	OCH ₃	H	H
A-1096	I.1A	SCF ₃	CH ₂ CH=CH ₂	OCHF ₂	H	H
A-1097	I.1A	SCF ₃	CH ₂ CH=CH ₂	SCH ₃	H	H
A-1098	I.1A	SCF ₃	CH ₂ C≡CH	H	H	H
A-1099	I.1A	SCF ₃	CH ₂ C≡CH	CH ₃	H	H
A-1100	I.1A	SCF ₃	CH ₂ C≡CH	CF ₃	H	H
A-1101	I.1A	SCF ₃	CH ₂ C≡CH	CHF ₂	H	H
A-1102	I.1A	SCF ₃	CH ₂ C≡CH	OCH ₃	H	H
A-1103	I.1A	SCF ₃	CH ₂ C≡CH	OCHF ₂	H	H
A-1104	I.1A	SCF ₃	CH ₂ C≡CH	SCH ₃	H	H
A-1105	I.1A	SCF ₃	CH ₂ OCH ₂ CF ₃	H	H	H
A-1106	I.1A	SCF ₃	CH ₂ OCH ₂ CF ₃	CH ₃	H	H
A-1107	I.1A	SCF ₃	CH ₂ OCH ₂ CF ₃	CF ₃	H	H
A-1108	I.1A	SCF ₃	CH ₂ OCH ₂ CF ₃	CHF ₂	H	H
A-1109	I.1A	SCF ₃	CH ₂ OCH ₂ CF ₃	OCH ₃	H	H
A-1110	I.1A	SCF ₃	CH ₂ OCH ₂ CF ₃	OCHF ₂	H	H
A-1111	I.1A	SCF ₃	CH ₂ OCH ₂ CF ₃	SCH ₃	H	H
A-1112	I.1A	SCF ₃		H	H	H
A-1113	I.1A	SCF ₃		CH ₃	H	H
A-1114	I.1A	SCF ₃		CF ₃	H	H
A-1115	I.1A	SCF ₃		CHF ₂	H	H
A-1116	I.1A	SCF ₃		OCH ₃	H	H
A-1117	I.1A	SCF ₃		OCHF ₂	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1118	I.1A	SCF ₃		SCH ₃	H	H
A-1119	I.1A	SCF ₃	OCH ₂ CH ₃	H	H	H
A-1120	I.1A	SCF ₃	OCH ₂ CH ₃	CH ₃	H	H
A-1121	I.1A	SCF ₃	OCH ₂ CH ₃	CF ₃	H	H
A-1122	I.1A	SCF ₃	OCH ₂ CH ₃	CHF ₂	H	H
A-1123	I.1A	SCF ₃	OCH ₂ CH ₃	OCH ₃	H	H
A-1124	I.1A	SCF ₃	OCH ₂ CH ₃	OCHF ₂	H	H
A-1125	I.1A	SCF ₃	OCH ₂ CH ₃	SCH ₃	H	H
A-1126	I.1A	SCF ₃	OCH ₂ CH ₂ OCH ₃	H	H	H
A-1127	I.1A	SCF ₃	OCH ₂ CH ₂ OCH ₃	CH ₃	H	H
A-1128	I.1A	SCF ₃	OCH ₂ CH ₂ OCH ₃	CF ₃	H	H
A-1129	I.1A	SCF ₃	OCH ₂ CH ₂ OCH ₃	CHF ₂	H	H
A-1130	I.1A	SCF ₃	OCH ₂ CH ₂ OCH ₃	OCH ₃	H	H
A-1131	I.1A	SCF ₃	OCH ₂ CH ₂ OCH ₃	OCHF ₂	H	H
A-1132	I.1A	SCF ₃	OCH ₂ CH ₂ OCH ₃	SCH ₃	H	H
A-1133	I.1A	SCF ₃	SO ₂ CH ₃	H	H	H
A-1134	I.1A	SCF ₃	SO ₂ CH ₃	CH ₃	H	H
A-1135	I.1A	SCF ₃	SO ₂ CH ₃	CF ₃	H	H
A-1136	I.1A	SCF ₃	SO ₂ CH ₃	CHF ₂	H	H
A-1137	I.1A	SCF ₃	SO ₂ CH ₃	OCH ₃	H	H
A-1138	I.1A	SCF ₃	SO ₂ CH ₃	OCHF ₂	H	H
A-1139	I.1A	SCF ₃	SO ₂ CH ₃	SCH ₃	H	H
A-1140	I.1A	SCF ₃	SO ₂ CH ₂ CH ₃	H	H	H
A-1141	I.1A	SCF ₃	SO ₂ CH ₂ CH ₃	CH ₃	H	H
A-1142	I.1A	SCF ₃	SO ₂ CH ₂ CH ₃	CF ₃	H	H
A-1143	I.1A	SCF ₃	SO ₂ CH ₂ CH ₃	CHF ₂	H	H
A-1144	I.1A	SCF ₃	SO ₂ CH ₂ CH ₃	OCH ₃	H	H
A-1145	I.1A	SCF ₃	SO ₂ CH ₂ CH ₃	OCHF ₂	H	H
A-1146	I.1A	SCF ₃	SO ₂ CH ₂ CH ₃	SCH ₃	H	H
A-1147	I.1A	SCF ₃	SO ₂ CH(CH ₃) ₂	H	H	H
A-1148	I.1A	SCF ₃	SO ₂ CH(CH ₃) ₂	CH ₃	H	H
A-1149	I.1A	SCF ₃	SO ₂ CH(CH ₃) ₂	CF ₃	H	H
A-1150	I.1A	SCF ₃	SO ₂ CH(CH ₃) ₂	CHF ₂	H	H
A-1151	I.1A	SCF ₃	SO ₂ CH(CH ₃) ₂	OCH ₃	H	H
A-1152	I.1A	SCF ₃	SO ₂ CH(CH ₃) ₂	OCHF ₂	H	H
A-1153	I.1A	SCF ₃	SO ₂ CH(CH ₃) ₂	SCH ₃	H	H

No.	Formula	R ¹	R ²	R ³	R ⁴	R ⁵
A-1154	I.1A	SCF ₃	COOCH ₃	H	H	H
A-1155	I.1A	SCF ₃	COOCH ₃	CH ₃	H	H
A-1156	I.1A	SCF ₃	COOCH ₃	CF ₃	H	H
A-1157	I.1A	SCF ₃	COOCH ₃	CHF ₂	H	H
A-1158	I.1A	SCF ₃	COOCH ₃	OCH ₃	H	H
A-1159	I.1A	SCF ₃	COOCH ₃	OCHF ₂	H	H
A-1160	I.1A	SCF ₃	COOCH ₃	SCH ₃	H	H
A-1161	I.1A	SCF ₃	COOCH ₂ CH ₃	H	H	H
A-1162	I.1A	SCF ₃	COOCH ₂ CH ₃	CH ₃	H	H
A-1163	I.1A	SCF ₃	COOCH ₂ CH ₃	CF ₃	H	H
A-1164	I.1A	SCF ₃	COOCH ₂ CH ₃	CHF ₂	H	H
A-1165	I.1A	SCF ₃	COOCH ₂ CH ₃	OCH ₃	H	H
A-1166	I.1A	SCF ₃	COOCH ₂ CH ₃	OCHF ₂	H	H
A-1167	I.1A	SCF ₃	COOCH ₂ CH ₃	SCH ₃	H	H
A-1168	I.1A	SCF ₃	# ² -CH ₂ CH ₂ SO ₂ -# ³		H	H
A-1169	I.1A	SCF ₃	# ² -CH(CH ₃)CH ₂ SO ₂ -# ³		H	H
A-1170	I.1A	SCF ₃	# ² -C(CH ₃) ₂ CH ₂ SO ₂ -# ³		H	H
A-1171	I.1A	SCF ₃	# ² -SO ₂ CH ₂ CH ₂ SO ₂ -# ³		H	H
A-1172	I.1A	SCF ₃	# ² -CH(OCH ₂ CH ₂ F)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-1173	I.1A	SCF ₃	# ² -C(=NOCH ₃)CH ₂ CH ₂ SO ₂ -# ³		H	H
A-1174	I.1A	SCF ₃	# ² -SO ₂ CH ₂ CH ₂ C(CH ₃) ₂ -# ³		H	H
A-1175	I.1A	SCF ₃	# ² -N(CH ₃)C(=O)S-# ³		H	H
A-1176	I.1A	SCF ₃	# ² -C(=O)N(CH ₃)SO ₂ -# ³		H	H
A-1177	I.2A	CH ₂ OCH ₂ CH ₂ OCH ₃	-	CF ₃	H	H
A-1178	I.1A	# ¹ -CH=CH-CH=N-# ²			F	H
A-1179	I.1A	# ¹ -CH=CH-CH=N-# ²			Cl	H
A-1180	I.1A	# ¹ -CH=CH-CH=N-# ²			CF ₃	H

#¹ characterizes the bond in position 2 (group R¹)

#² characterizes the bond in position 3 (group R²)

#³ characterizes the bond in position 4 (group R³)

5 Table A.1

Also especially preferred are compounds A.1-7 to A.1-18, A.1-37 to A.1-72, A.1-73, A.1-80, A.1-87, A.1-94, A.1-101, A.1-108, A.1-115, A.1-122, A.1-129, A.1-136, A.1-143, A.1-150, A.1-157, A.1-164, A.1-171, A.1-178, A.1-185, A.1-192, A.1-199, A.1-206, A.1-213, A.1-220, A.1-227, A.1-234, A.1-241, A.1-257, A.1-264, A.1-271, A.1-278, A.1-285, A.1-292, A.1-299, A.1-306, A.1-313, A.1-320, A.1-327, A.1-334, A.1-341, A.1-348, A.1-355, A.1-362, A.1-369, A.1-376, A.1-383, A.1-390, A.1-397, A.1-404, A.1-411, A.1-418,

A.1-425, A.1-441, A.1-448, A.1-455, A.1-462, A.1-469, A.1-476, A.1-483, A.1-490, A.1-497, A.1-504, A.1-511, A.1-518, A.1-525, A.1-532, A.1-539, A.1-546, A.1-553, A.1-560, A.1-567, A.1-574, A.1-581, A.1-588, A.1-595, A.1-602, A.1-609, A.1-625, A.1-632, A.1-639, A.1-646, A.1-653, A.1-660, A.1-667, A.1-674, A.1-681, A.1-688, A.1-695, A.1-702, 5 A.1-709, A.1-716, A.1-723, A.1-730, A.1-737, A.1-744, A.1-751, A.1-758, A.1-765, A.1-772, A.1-779, A.1-786, A.1-793, A.1-809, A.1-816, A.1-823, A.1-830, A.1-837, A.1-844, A.1-851, A.1-858, A.1-865, A.1-872, A.1-879, A.1-886, A.1-893, A.1-900, A.1-907, A.1-914, A.1-921, A.1-928, A.1-935, A.1-942, A.1-949, A.1-956, A.1-963, A.1-970, A.1-977, A.1-993, A.1-1000, A.1-1007, A.1-1014, A.1-1021, A.1-1028, A.1-1035, A.1-1042, A.1-10 1049, A.1-1056, A.1-1063, A.1-1070, A.1-1077, A.1-1084, A.1-1091, A.1-1098, A.1-1105, A.1-1112, A.1-1119, A.1-1126, A.1-1133, A.1-1140, A.1-1147, A.1-1154, A.1-1161 and A.1-1177 which differ from the corresponding compounds A-7 to A-18, A-37 to A-72, A-73, A-80, A-87, A-94, A-101, A-108, A-115, A-122, A-129, A-136, A-143, A-150, A-157, A-164, A-171, A-178, A-185, A-192, A-199, A-206, A-213, A-220, A-227, 15 A-234, A-241, A-257, A-264, A-271, A-278, A-285, A-292, A-299, A-306, A-313, A-320, A-327, A-334, A-341, A-348, A-355, A-362, A-369, A-376, A-383, A-390, A-397, A-404, A-411, A-418, A-425, A-441, A-448, A-455, A-462, A-469, A-476, A-483, A-490, A-497, A-504, A-511, A-518, A-525, A-532, A-539, A-546, A-553, A-560, A-567, A-574, A-581, A-588, A-595, A-602, A-609, A-625, A-632, A-639, A-646, A-653, A-660, A-667, A-674, 20 A-681, A-688, A-695, A-702, A-709, A-716, A-723, A-730, A-737, A-744, A-751, A-758, A-765, A-772, A-779, A-786, A-793, A-809, A-816, A-823, A-830, A-837, A-844, A-851, A-858, A-865, A-872, A-879, A-886, A-893, A-900, A-907, A-914, A-921, A-928, A-935, A-942, A-949, A-956, A-963, A-970, A-977, A-993, A-1000, A-1007, A-1014, A-1021, A-1028, A-1035, A-1042, A-1049, A-1056, A-1063, A-1070, A-1077, A-1084, A-1091, 25 A-1098, A-1105, A-1112, A-1119, A-1126, A-1133, A-1140, A-1147, A-1154, A-1161 and A-1177 only in that R³ is F.

Table A.2

Also especially preferred are compounds A.2-7 to A.2-18, A.2-37 to A.2-72, A.2-73, 30 A.2-80, A.2-87, A.2-94, A.2-101, A.2-108, A.2-115, A.2-122, A.2-129, A.2-136, A.2-143, A.2-150, A.2-157, A.2-164, A.2-171, A.2-178, A.2-185, A.2-192, A.2-199, A.2-206, A.2-213, A.2-220, A.2-227, A.2-234, A.2-241, A.2-257, A.2-264, A.2-271, A.2-278, A.2-285, A.2-292, A.2-299, A.2-306, A.2-313, A.2-320, A.2-327, A.2-334, A.2-341, A.2-348, A.2-355, A.2-362, A.2-369, A.2-376, A.2-383, A.2-390, A.2-397, A.2-404, A.2-411, A.2-418, 35 A.2-425, A.2-441, A.2-448, A.2-455, A.2-462, A.2-469, A.2-476, A.2-483, A.2-490, A.2-497, A.2-504, A.2-511, A.2-518, A.2-525, A.2-532, A.2-539, A.2-546, A.2-553, A.2-560, A.2-567, A.2-574, A.2-581, A.2-588, A.2-595, A.2-602, A.2-609, A.2-625, A.2-632, A.2-639, A.2-646, A.2-653, A.2-660, A.2-667, A.2-674, A.2-681, A.2-688, A.2-695, A.2-702, A.2-709, A.2-716, A.2-723, A.2-730, A.2-737, A.2-744, A.2-751, A.2-758, A.2-765, A.2- 40 772, A.2-779, A.2-786, A.2-793, A.2-809, A.2-816, A.2-823, A.2-830, A.2-837, A.2-844, A.2-851, A.2-858, A.2-865, A.2-872, A.2-879, A.2-886, A.2-893, A.2-900, A.2-907, A.2-

914, A.2-921, A.2-928, A.2-935, A.2-942, A.2-949, A.2-956, A.2-963, A.2-970, A.2-977, A.2-993, A.2-1000, A.2-1007, A.2-1014, A.2-1021, A.2-1028, A.2-1035, A.2-1042, A.2-1049, A.2-1056, A.2-1063, A.2-1070, A.2-1077, A.2-1084, A.2-1091, A.2-1098, A.2-1105, A.2-1112, A.2-1119, A.2-1126, A.2-1133, A.2-1140, A.2-1147, A.2-1154, A.2-1161 and A.2-1177 which differ from the corresponding compounds A-7 to A-18, A-37 to A-72, A-73, A-80, A-87, A-94, A-101, A-108, A-115, A-122, A-129, A-136, A-143, A-150, A-157, A-164, A-171, A-178, A-185, A-192, A-199, A-206, A-213, A-220, A-227, A-234, A-241, A-257, A-264, A-271, A-278, A-285, A-292, A-299, A-306, A-313, A-320, A-327, A-334, A-341, A-348, A-355, A-362, A-369, A-376, A-383, A-390, A-397, A-404, A-411, A-418, A-425, A-441, A-448, A-455, A-462, A-469, A-476, A-483, A-490, A-497, A-504, A-511, A-518, A-525, A-532, A-539, A-546, A-553, A-560, A-567, A-574, A-581, A-588, A-595, A-602, A-609, A-625, A-632, A-639, A-646, A-653, A-660, A-667, A-674, A-681, A-688, A-695, A-702, A-709, A-716, A-723, A-730, A-737, A-744, A-751, A-758, A-765, A-772, A-779, A-786, A-793, A-809, A-816, A-823, A-830, A-837, A-844, A-851, A-858, A-865, A-872, A-879, A-886, A-893, A-900, A-907, A-914, A-921, A-928, A-935, A-942, A-949, A-956, A-963, A-970, A-977, A-993, A-1000, A-1007, A-1014, A-1021, A-1028, A-1035, A-1042, A-1049, A-1056, A-1063, A-1070, A-1077, A-1084, A-1091, A-1098, A-1105, A-1112, A-1119, A-1126, A-1133, A-1140, A-1147, A-1154, A-1161 and A-1177 only in that R³ is Cl.

20

Table A.3

Also especially preferred are compounds A.3-1 to A.3-54 and A.3-73 to A.3-1180 which differ from the corresponding compounds A-1 to A-54 and A-73 to A-1180 only in that R⁵ is F.

25

Table A.4

Also especially preferred are compounds A.4-1 to A.4-54 and A.4-67 to A.4-1180 which differ from the corresponding compounds A-1 to A-54 and A-67 to A-1180 only in that R⁵ is Cl.

30

Table A.5

Also especially preferred are compounds A.5-7 to A.5-18, A.5-37 to A.5-72, A.5-73, A.5-80, A.5-87, A.5-94, A.5-101, A.5-108, A.5-115, A.5-122, A.5-129, A.5-136, A.5-143, A.5-150, A.5-157, A.5-164, A.5-171, A.5-178, A.5-185, A.5-192, A.5-199, A.5-206, A.5-213, A.5-220, A.5-227, A.5-234, A.5-241, A.5-257, A.5-264, A.5-271, A.5-278, A.5-285, A.5-292, A.5-299, A.5-306, A.5-313, A.5-320, A.5-327, A.5-334, A.5-341, A.5-348, A.5-355, A.5-362, A.5-369, A.5-376, A.5-383, A.5-390, A.5-397, A.5-404, A.5-411, A.5-418, A.5-425, A.5-441, A.5-448, A.5-455, A.5-462, A.5-469, A.5-476, A.5-483, A.5-490, A.5-497, A.5-504, A.5-511, A.5-518, A.5-525, A.5-532, A.5-539, A.5-546, A.5-553, A.5-560, A.5-567, A.5-574, A.5-581, A.5-588, A.5-595, A.5-602, A.5-609, A.5-625, A.5-632, A.5-639, A.5-646, A.5-653, A.5-660, A.5-667, A.5-674, A.5-681, A.5-688, A.5-695, A.5-702,

40

A.5-709, A.5-716, A.5-723, A.5-730, A.5-737, A.5-744, A.5-751, A.5-758, A.5-765, A.5-772, A.5-779, A.5-786, A.5-793, A.5-809, A.5-816, A.5-823, A.5-830, A.5-837, A.5-844, A.5-851, A.5-858, A.5-865, A.5-872, A.5-879, A.5-886, A.5-893, A.5-900, A.5-907, A.5-914, A.5-921, A.5-928, A.5-935, A.5-942, A.5-949, A.5-956, A.5-963, A.5-970, A.5-977, A.5-993, A.5-1000, A.5-1007, A.5-1014, A.5-1021, A.5-1028, A.5-1035, A.5-1042, A.5-1049, A.5-1056, A.5-1063, A.5-1070, A.5-1077, A.5-1084, A.5-1091, A.5-1098, A.5-1105, A.5-1112, A.5-1119, A.5-1126, A.5-1133, A.5-1140, A.5-1147, A.5-1154, A.5-1161 and A.5-1177 which differ from the corresponding compounds A.1-7 to A.1-18, A.1-37 to A.1-72, A.1-73, A.1-80, A.1-87, A.1-94, A.1-101, A.1-108, A.1-115, A.1-122, A.1-129, A.1-136, A.1-143, A.1-150, A.1-157, A.1-164, A.1-171, A.1-178, A.1-185, A.1-192, A.1-199, A.1-206, A.1-213, A.1-220, A.1-227, A.1-234, A.1-241, A.1-257, A.1-264, A.1-271, A.1-278, A.1-285, A.1-292, A.1-299, A.1-306, A.1-313, A.1-320, A.1-327, A.1-334, A.1-341, A.1-348, A.1-355, A.1-362, A.1-369, A.1-376, A.1-383, A.1-390, A.1-397, A.1-404, A.1-411, A.1-418, A.1-425, A.1-441, A.1-448, A.1-455, A.1-462, A.1-469, A.1-476, A.1-483, A.1-490, A.1-497, A.1-504, A.1-511, A.1-518, A.1-525, A.1-532, A.1-539, A.1-546, A.1-553, A.1-560, A.1-567, A.1-574, A.1-581, A.1-588, A.1-595, A.1-602, A.1-609, A.1-625, A.1-632, A.1-639, A.1-646, A.1-653, A.1-660, A.1-667, A.1-674, A.1-681, A.1-688, A.1-695, A.1-702, A.1-709, A.1-716, A.1-723, A.1-730, A.1-737, A.1-744, A.1-751, A.1-758, A.1-765, A.1-772, A.1-779, A.1-786, A.1-793, A.1-809, A.1-816, A.1-823, A.1-830, A.1-837, A.1-844, A.1-851, A.1-858, A.1-865, A.1-872, A.1-879, A.1-886, A.1-893, A.1-900, A.1-907, A.1-914, A.1-921, A.1-928, A.1-935, A.1-942, A.1-949, A.1-956, A.1-963, A.1-970, A.1-977, A.1-993, A.1-1000, A.1-1007, A.1-1014, A.1-1021, A.1-1028, A.1-1035, A.1-1042, A.1-1049, A.1-1056, A.1-1063, A.1-1070, A.1-1077, A.1-1084, A.1-1091, A.1-1098, A.1-1105, A.1-1112, A.1-1119, A.1-1126, A.1-1133, A.1-1140, A.1-1147, A.1-1154, A.1-1161 and A.1-1177 only in that R⁵ is F.

Table A.6

Also especially preferred are compounds A.6-7 to A.6-18, A.6-37 to A.6-72, A.6-73, A.6-80, A.6-87, A.6-94, A.6-101, A.6-108, A.6-115, A.6-122, A.6-129, A.6-136, A.6-143, A.6-150, A.6-157, A.6-164, A.6-171, A.6-178, A.6-185, A.6-192, A.6-199, A.6-206, A.6-213, A.6-220, A.6-227, A.6-234, A.6-241, A.6-257, A.6-264, A.6-271, A.6-278, A.6-285, A.6-292, A.6-299, A.6-306, A.6-313, A.6-320, A.6-327, A.6-334, A.6-341, A.6-348, A.6-355, A.6-362, A.6-369, A.6-376, A.6-383, A.6-390, A.6-397, A.6-404, A.6-411, A.6-418, A.6-425, A.6-441, A.6-448, A.6-455, A.6-462, A.6-469, A.6-476, A.6-483, A.6-490, A.6-497, A.6-504, A.6-511, A.6-518, A.6-525, A.6-532, A.6-539, A.6-546, A.6-553, A.6-560, A.6-567, A.6-574, A.6-581, A.6-588, A.6-595, A.6-602, A.6-609, A.6-625, A.6-632, A.6-639, A.6-646, A.6-653, A.6-660, A.6-667, A.6-674, A.6-681, A.6-688, A.6-695, A.6-702, A.6-709, A.6-716, A.6-723, A.6-730, A.6-737, A.6-744, A.6-751, A.6-758, A.6-765, A.6-772, A.6-779, A.6-786, A.6-793, A.6-809, A.6-816, A.6-823, A.6-830, A.6-837, A.6-844, A.6-851, A.6-858, A.6-865, A.6-872, A.6-879, A.6-886, A.6-893, A.6-900, A.6-907, A.6-914, A.6-921, A.6-928, A.6-935, A.6-942, A.6-949, A.6-956, A.6-963, A.6-970, A.6-977,

A.6-993, A.6-1000, A.6-1007, A.6-1014, A.6-1021, A.6-1028, A.6-1035, A.6-1042, A.6-1049, A.6-1056, A.6-1063, A.6-1070, A.6-1077, A.6-1084, A.6-1091, A.6-1098, A.6-1105, A.6-1112, A.6-1119, A.6-1126, A.6-1133, A.6-1140, A.6-1147, A.6-1154, A.6-1161 and A.6-1177 which differ from the corresponding compounds A.1-7 to A.1-18,
5 A.1-37 to A.1-72, A.1-73, A.1-80, A.1-87, A.1-94, A.1-101, A.1-108, A.1-115, A.1-122, A.1-129, A.1-136, A.1-143, A.1-150, A.1-157, A.1-164, A.1-171, A.1-178, A.1-185, A.1-192, A.1-199, A.1-206, A.1-213, A.1-220, A.1-227, A.1-234, A.1-241, A.1-257, A.1-264, A.1-271, A.1-278, A.1-285, A.1-292, A.1-299, A.1-306, A.1-313, A.1-320, A.1-327, A.1-334, A.1-341, A.1-348, A.1-355, A.1-362, A.1-369, A.1-376, A.1-383, A.1-390, A.1-397,
10 A.1-404, A.1-411, A.1-418, A.1-425, A.1-441, A.1-448, A.1-455, A.1-462, A.1-469, A.1-476, A.1-483, A.1-490, A.1-497, A.1-504, A.1-511, A.1-518, A.1-525, A.1-532, A.1-539, A.1-546, A.1-553, A.1-560, A.1-567, A.1-574, A.1-581, A.1-588, A.1-595, A.1-602, A.1-609, A.1-625, A.1-632, A.1-639, A.1-646, A.1-653, A.1-660, A.1-667, A.1-674, A.1-681, A.1-688, A.1-695, A.1-702, A.1-709, A.1-716, A.1-723, A.1-730, A.1-737, A.1-744, A.1-751, A.1-758, A.1-765, A.1-772, A.1-779, A.1-786, A.1-793, A.1-809, A.1-816, A.1-823, A.1-830, A.1-837, A.1-844, A.1-851, A.1-858, A.1-865, A.1-872, A.1-879, A.1-886, A.1-893, A.1-900, A.1-907, A.1-914, A.1-921, A.1-928, A.1-935, A.1-942, A.1-949, A.1-956, A.1-963, A.1-970, A.1-977, A.1-993, A.1-1000, A.1-1007, A.1-1014, A.1-1021, A.1-1028, A.1-1035, A.1-1042, A.1-1049, A.1-1056, A.1-1063, A.1-1070, A.1-1077, A.1-1084, A.1-1091, A.1-1098, A.1-1105, A.1-1112, A.1-1119, A.1-1126, A.1-1133, A.1-1140, A.1-1147, A.1-1154, A.1-1161 and A.1-1177 only in that R⁵ is Cl.

Table A.7

Also especially preferred are compounds A.7-7 to A.7-18, A.7-37 to A.7-72, A.7-73,
25 A.7-80, A.7-87, A.7-94, A.7-101, A.7-108, A.7-115, A.7-122, A.7-129, A.7-136, A.7-143, A.7-150, A.7-157, A.7-164, A.7-171, A.7-178, A.7-185, A.7-192, A.7-199, A.7-206, A.7-213, A.7-220, A.7-227, A.7-234, A.7-241, A.7-257, A.7-264, A.7-271, A.7-278, A.7-285, A.7-292, A.7-299, A.7-306, A.7-313, A.7-320, A.7-327, A.7-334, A.7-341, A.7-348, A.7-355, A.7-362, A.7-369, A.7-376, A.7-383, A.7-390, A.7-397, A.7-404, A.7-411, A.7-418,
30 A.7-425, A.7-441, A.7-448, A.7-455, A.7-462, A.7-469, A.7-476, A.7-483, A.7-490, A.7-497, A.7-504, A.7-511, A.7-518, A.7-525, A.7-532, A.7-539, A.7-546, A.7-553, A.7-560, A.7-567, A.7-574, A.7-581, A.7-588, A.7-595, A.7-602, A.7-609, A.7-625, A.7-632, A.7-639, A.7-646, A.7-653, A.7-660, A.7-667, A.7-674, A.7-681, A.7-688, A.7-695, A.7-702, A.7-709, A.7-716, A.7-723, A.7-730, A.7-737, A.7-744, A.7-751, A.7-758, A.7-765, A.7-772, A.7-779, A.7-786, A.7-793, A.7-809, A.7-816, A.7-823, A.7-830, A.7-837, A.7-844, A.7-851, A.7-858, A.7-865, A.7-872, A.7-879, A.7-886, A.7-893, A.7-900, A.7-907, A.7-914, A.7-921, A.7-928, A.7-935, A.7-942, A.7-949, A.7-956, A.7-963, A.7-970, A.7-977, A.7-993, A.7-1000, A.7-1007, A.7-1014, A.7-1021, A.7-1028, A.7-1035, A.7-1042, A.7-1049, A.7-1056, A.7-1063, A.7-1070, A.7-1077, A.7-1084, A.7-1091, A.7-1098, A.7-1105, A.7-1112, A.7-1119, A.7-1126, A.7-1133, A.7-1140, A.7-1147, A.7-1154, A.7-1161 and A.7-1177 which differ from the corresponding compounds A.2-7 to A.2-18,

A.2-37 to A.2-72, A.2-73, A.2-80, A.2-87, A.2-94, A.2-101, A.2-108, A.2-115, A.2-122, A.2-129, A.2-136, A.2-143, A.2-150, A.2-157, A.2-164, A.2-171, A.2-178, A.2-185, A.2-192, A.2-199, A.2-206, A.2-213, A.2-220, A.2-227, A.2-234, A.2-241, A.2-257, A.2-264, A.2-271, A.2-278, A.2-285, A.2-292, A.2-299, A.2-306, A.2-313, A.2-320, A.2-327, A.2-334, A.2-341, A.2-348, A.2-355, A.2-362, A.2-369, A.2-376, A.2-383, A.2-390, A.2-397, A.2-404, A.2-411, A.2-418, A.2-425, A.2-441, A.2-448, A.2-455, A.2-462, A.2-469, A.2-476, A.2-483, A.2-490, A.2-497, A.2-504, A.2-511, A.2-518, A.2-525, A.2-532, A.2-539, A.2-546, A.2-553, A.2-560, A.2-567, A.2-574, A.2-581, A.2-588, A.2-595, A.2-602, A.2-609, A.2-625, A.2-632, A.2-639, A.2-646, A.2-653, A.2-660, A.2-667, A.2-674, A.2-681, A.2-688, A.2-695, A.2-702, A.2-709, A.2-716, A.2-723, A.2-730, A.2-737, A.2-744, A.2-751, A.2-758, A.2-765, A.2-772, A.2-779, A.2-786, A.2-793, A.2-809, A.2-816, A.2-823, A.2-830, A.2-837, A.2-844, A.2-851, A.2-858, A.2-865, A.2-872, A.2-879, A.2-886, A.2-893, A.2-900, A.2-907, A.2-914, A.2-921, A.2-928, A.2-935, A.2-942, A.2-949, A.2-956, A.2-963, A.2-970, A.2-977, A.2-993, A.2-1000, A.2-1007, A.2-1014, A.2-1021, A.2-1028, A.2-1035, A.2-1042, A.2-1049, A.2-1056, A.2-1063, A.2-1070, A.2-1077, A.2-1084, A.2-1091, A.2-1098, A.2-1105, A.2-1112, A.2-1119, A.2-1126, A.2-1133, A.2-1140, A.2-1147, A.2-1154, A.2-1161 and A.2-1177 only in that R⁵ is F.

Table A.8

Also especially preferred are compounds A.8-7 to A.8-18, A.8-37 to A.8-72, A.8-73, A.8-80, A.8-87, A.8-94, A.8-101, A.8-108, A.8-115, A.8-122, A.8-129, A.8-136, A.8-143, A.8-150, A.8-157, A.8-164, A.8-171, A.8-178, A.8-185, A.8-192, A.8-199, A.8-206, A.8-213, A.8-220, A.8-227, A.8-234, A.8-241, A.8-257, A.8-264, A.8-271, A.8-278, A.8-285, A.8-292, A.8-299, A.8-306, A.8-313, A.8-320, A.8-327, A.8-334, A.8-341, A.8-348, A.8-355, A.8-362, A.8-369, A.8-376, A.8-383, A.8-390, A.8-397, A.8-404, A.8-411, A.8-418, A.8-425, A.8-441, A.8-448, A.8-455, A.8-462, A.8-469, A.8-476, A.8-483, A.8-490, A.8-497, A.8-504, A.8-511, A.8-518, A.8-525, A.8-532, A.8-539, A.8-546, A.8-553, A.8-560, A.8-567, A.8-574, A.8-581, A.8-588, A.8-595, A.8-602, A.8-609, A.8-625, A.8-632, A.8-639, A.8-646, A.8-653, A.8-660, A.8-667, A.8-674, A.8-681, A.8-688, A.8-695, A.8-702, A.8-709, A.8-716, A.8-723, A.8-730, A.8-737, A.8-744, A.8-751, A.8-758, A.8-765, A.8-772, A.8-779, A.8-786, A.8-793, A.8-809, A.8-816, A.8-823, A.8-830, A.8-837, A.8-844, A.8-851, A.8-858, A.8-865, A.8-872, A.8-879, A.8-886, A.8-893, A.8-900, A.8-907, A.8-914, A.8-921, A.8-928, A.8-935, A.8-942, A.8-949, A.8-956, A.8-963, A.8-970, A.8-977, A.8-993, A.8-1000, A.8-1007, A.8-1014, A.8-1021, A.8-1028, A.8-1035, A.8-1042, A.8-1049, A.8-1056, A.8-1063, A.8-1070, A.8-1077, A.8-1084, A.8-1091, A.8-1098, A.8-1105, A.8-1112, A.8-1119, A.8-1126, A.8-1133, A.8-1140, A.8-1147, A.8-1154, A.8-1161 and A.8-1177 which differ from the corresponding compounds A.2-7 to A.2-18, A.2-37 to A.2-72, A.2-73, A.2-80, A.2-87, A.2-94, A.2-101, A.2-108, A.2-115, A.2-122, A.2-129, A.2-136, A.2-143, A.2-150, A.2-157, A.2-164, A.2-171, A.2-178, A.2-185, A.2-192, A.2-199, A.2-206, A.2-213, A.2-220, A.2-227, A.2-234, A.2-241, A.2-257, A.2-264, A.2-271, A.2-278, A.2-285, A.2-292, A.2-299, A.2-306, A.2-313, A.2-320, A.2-327, A.2-

334, A.2-341, A.2-348, A.2-355, A.2-362, A.2-369, A.2-376, A.2-383, A.2-390, A.2-397, A.2-404, A.2-411, A.2-418, A.2-425, A.2-441, A.2-448, A.2-455, A.2-462, A.2-469, A.2-476, A.2-483, A.2-490, A.2-497, A.2-504, A.2-511, A.2-518, A.2-525, A.2-532, A.2-539, A.2-546, A.2-553, A.2-560, A.2-567, A.2-574, A.2-581, A.2-588, A.2-595, A.2-602, A.2-609, A.2-625, A.2-632, A.2-639, A.2-646, A.2-653, A.2-660, A.2-667, A.2-674, A.2-681, A.2-688, A.2-695, A.2-702, A.2-709, A.2-716, A.2-723, A.2-730, A.2-737, A.2-744, A.2-751, A.2-758, A.2-765, A.2-772, A.2-779, A.2-786, A.2-793, A.2-809, A.2-816, A.2-823, A.2-830, A.2-837, A.2-844, A.2-851, A.2-858, A.2-865, A.2-872, A.2-879, A.2-886, A.2-893, A.2-900, A.2-907, A.2-914, A.2-921, A.2-928, A.2-935, A.2-942, A.2-949, A.2-956, A.2-963, A.2-970, A.2-977, A.2-993, A.2-1000, A.2-1007, A.2-1014, A.2-1021, A.2-1028, A.2-1035, A.2-1042, A.2-1049, A.2-1056, A.2-1063, A.2-1070, A.2-1077, A.2-1084, A.2-1091, A.2-1098, A.2-1105, A.2-1112, A.2-1119, A.2-1126, A.2-1133, A.2-1140, A.2-1147, A.2-1154, A.2-1161 and A.2-1177 only in that R⁵ is Cl.

The compounds I and their agriculturally useful salts are suitable, both as isomer mixtures and in the form of the pure isomers, as herbicides. They are suitable as such or as an appropriately formulated composition. The herbicidal compositions comprising the compound I, in particular the preferred aspects thereof, control vegetation on non-crop areas very efficiently, especially at high rates of application. They act against broad-leaved weeds and weed grasses in crops such as wheat, rice, corn, soybeans and cotton without causing any significant damage to the crop plants. This effect is mainly observed at low rates of application.

Depending on the application method in question, the compounds I, in particular the preferred aspects thereof, or compositions comprising them can additionally be employed in a further number of crop plants for eliminating unwanted plants. Examples of suitable crops are the following:

Allium cepa, Ananas comosus, Arachis hypogaea, Asparagus officinalis, Avena sativa, Beta vulgaris spec. altissima, Beta vulgaris spec. rapa, Brassica napus var. napus, Brassica napus var. napobrassica, Brassica rapa var. silvestris, Brassica oleracea, Brassica nigra, Camellia sinensis, Carthamus tinctorius, Carya illinoensis, Citrus limon, Citrus sinensis, Coffea arabica (Coffea canephora, Coffea liberica), Cucumis sativus, Cynodon dactylon, Daucus carota, Elaeis guineensis, Fragaria vesca, Glycine max, Gossypium hirsutum, (Gossypium arboreum, Gossypium herbaceum, Gossypium vitifolium), Helianthus annuus, Hevea brasiliensis, Hordeum vulgare, Humulus lupulus, Ipomoea batatas, Juglans regia, Lens culinaris, Linum usitatissimum, Lycopersicon lycopersicum, Malus spec., Manihot esculenta, Medicago sativa, Musa spec., Nicotiana tabacum (N.rustica), Olea europaea, Oryza sativa, Phaseolus lunatus, Phaseolus vulgaris, Picea abies, Pinus spec., Pistacia vera, Pisum sativum, Prunus avium, Prunus persica, Pyrus communis, Prunus armeniaca, Prunus cerasus, Prunus dulcis and Prunus domestica, Ribes sylvestre, Ricinus communis, Saccharum

officinatum, Secale cereale, Sinapis alba, Solanum tuberosum, Sorghum bicolor (s. vulgare), Theobroma cacao, Trifolium pratense, Triticum aestivum, Triticale, Triticum durum, Vicia faba, Vitis vinifera, Zea mays.

5 The term "crop plants" also includes plants which have been modified by breeding, mutagenesis or genetic engineering. Genetically modified plants are plants whose genetic material has been modified in a manner which does not occur under natural conditions by crossing, mutations or natural recombination (i.e. reassembly of the genetic information). Here, in general, one or more genes are integrated into the
10 genetic material of the plant to improve the properties of the plant.

Accordingly, the term "crop plants" also includes plants which, by breeding and genetic engineering, have acquired tolerance to certain classes of herbicides, such as hydroxyphenylpyruvate dioxygenase (HPPD) inhibitors, acetolactate synthase (ALS) inhibitors, such as, for example, sulfonylureas (EP-A-0257993, US 5,013,659) or
15 imidazolinones (see, for example, US 6,222,100, WO 01/82685, WO 00/26390, WO 97/41218, WO 98/02526, WO 98/02527, WO 04/106529, WO 05/20673, WO 03/14357, WO 03/13225, WO 03/14356, WO 04/16073), enolpyruvylshikimate 3-phosphate synthase (EPSPS) inhibitors, such as, for example, glyphosate (see, for example, WO 92/00377), glutamine synthetase (GS) inhibitors, such as, for example,
20 glufosinate (see, for example, EP-A-0242236, EP-A-242246), or oxynil herbicides (see, for example, US 5,559,024).

Numerous crop plants, for example Clearfield® oilseed rape, tolerant to imidazolinones, for example imazamox, have been generated with the aid of classic breeding methods (mutagenesis). Crop plants such as soybeans, cotton, corn, beet
25 and oilseed rape, resistant to glyphosate or glufosinate, which are available under the tradenames RoundupReady® (glyphosate) and Liberty Link® (glufosinate) have been generated with the aid of genetic engineering methods.

Accordingly, the term "crop plants" also includes plants which, with the aid of genetic engineering, produce one or more toxins, for example those of the bacterial strain
30 *Bacillus* spp. Toxins which are produced by such genetically modified plants include, for example, insecticidal proteins of *Bacillus* spp., in particular *B. thuringiensis*, such as the endotoxins Cry1Ab, Cry1Ac, Cry1F, Cry1Fa2, Cry2Ab, Cry3A, Cry3Bb1, Cry9c, Cry34Ab1 or Cry35Ab1; or vegetative insecticidal proteins (VIPs), for example VIP1, VIP2, VIP3, or VIP3A; insecticidal proteins of nematode-colonizing bacteria, for
35 example *Photorhabdus* spp. or *Xenorhabdus* spp.; toxins of animal organisms, for example wasp, spider or scorpion toxins; fungal toxins, for example from Streptomyces; plant lectins, for example from peas or barley; agglutinins; proteinase inhibitors, for example trypsin inhibitors, serine protease inhibitors, patatin, cystatin or papain inhibitors, ribosome-inactivating proteins (RIPs), for example ricin, corn-RIP,
40 abrin, luffin, saporin or bryodin; steroid-metabolizing enzymes, for example 3-hydroxy-steroid oxidase, ecdysteroid-IDP glycosyl transferase, cholesterol oxidase, ecdysone

inhibitors, or HMG-CoA reductase; ion channel blockers, for example inhibitors of sodium channels or calcium channels; juvenile hormone esterase; receptors of the diuretic hormone (helicokinin receptors); stilbene synthase, bibenzyl synthase, chitinases and glucanases. In the plants, these toxins may also be produced as
5 pretoxins, hybrid proteins or truncated or otherwise modified proteins. Hybrid proteins are characterized by a novel combination of different protein domains (see, for example, WO 2002/015701). Further examples of such toxins or genetically modified plants which produce these toxins are disclosed in EP-A 374 753, WO 93/007278, WO 95/34656, EP-A 427 529, EP-A 451 878, WO 03/018810 and WO 03/052073. The
10 methods for producing these genetically modified plants are known to the person skilled in the art and disclosed, for example, in the publications mentioned above. Numerous of the toxins mentioned above bestow, upon the plants by which they are produced, tolerance to pests from all taxonomic classes of arthropods, in particular to beetles (Coeleropta), dipterans (Diptera) and butterflies (Lepidoptera) and to
15 nematodes (Nematoda).

Genetically modified plants which produce one or more genes coding for insecticidal toxins are described, for example, in the publications mentioned above, and some of them are commercially available, such as, for example, YieldGard® (corn varieties producing the toxin Cry1Ab), YieldGard® Plus (corn varieties which produce the toxins
20 Cry1Ab and Cry3Bb1), Starlink® (corn varieties which produce the toxin Cry9c), Herculex® RW (corn varieties which produce the toxins Cry34Ab1, Cry35Ab1 and the enzyme phosphinothricin-N-acetyltransferase [PAT]); NuCOTN® 33B (cotton varieties which produce the toxin Cry1Ac), Bollgard® I (cotton varieties which produce the toxin Cry1Ac), Bollgard® II (cotton varieties which produce the toxins Cry1Ac and Cry2Ab2);
25 VIPCOT® (cotton varieties which produce a VIP toxin); NewLeaf® (potato varieties which produce the toxin Cry3A); Bt-Xtra®, NatureGard®, KnockOut®, BiteGard®, Protecta®, Bt11 (for example Agrisure® CB) and Bt176 from Syngenta Seeds SAS, France (corn varieties which produce the toxin Cry1Ab and the PAT enzyme), MIR604 from Syngenta Seeds SAS, France (corn varieties which produce a modified version of
30 the toxin Cry3A, see WO 03/018810), MON 863 from Monsanto Europe S.A., Belgium (corn varieties which produce the toxin Cry3Bb1), IPC 531 from Monsanto Europe S.A., Belgium (cotton varieties which produce a modified version of the toxin Cry1Ac) and 1507 from Pioneer Overseas Corporation, Belgium (corn varieties which produce the toxin Cry1F and the PAT enzyme).

35 Accordingly, the term "crop plants" also includes plants which, with the aid of genetic engineering, produce one or more proteins which are more robust or have increased resistance to bacterial, viral or fungal pathogens, such as, for example, pathogenesis-related proteins (PR proteins, see EP-A 0 392 225), resistance proteins (for example potato varieties producing two resistance genes against *Phytophthora infestans* from
40 the wild Mexican potato *Solanum bulbocastanum*) or T4 lysozyme (for example potato cultivars which, by producing this protein, are resistant to bacteria such as *Erwinia*

amylvora).

Accordingly, the term "crop plants" also includes plants whose productivity has been improved with the aid of genetic engineering methods, for example by enhancing the potential yield (for example biomass, grain yield, starch, oil or protein content),
5 tolerance to drought, salt or other limiting environmental factors or resistance to pests and fungal, bacterial and viral pathogens.

The term "crop plants" also includes plants whose ingredients have been modified with the aid of genetic engineering methods in particular for improving human or animal diet, for example by oil plants producing health-promoting long-chain omega 3 fatty
10 acids or monounsaturated omega 9 fatty acids (for example Nexera® oilseed rape).

The term "crop plants" also includes plants which have been modified with the aid of genetic engineering methods for improving the production of raw materials, for example by increasing the amylopectin content of potatoes (Amflora® potato).

Furthermore, it has been found that the compounds of the formula I are also suitable
15 for the defoliation and/or desiccation of plant parts, for which crop plants such as cotton, potato, oilseed rape, sunflower, soybean or field beans, in particular cotton, are suitable. In this regard, there have been found compositions for the desiccation and/or defoliation of plants, processes for preparing these compositions and methods for desiccating and/or defoliating plants using the compounds of the formula I.

20 As desiccants, the compounds of the formula I are particularly suitable for desiccating the above-ground parts of crop plants such as potato, oilseed rape, sunflower and soybean, but also cereals. This makes possible the fully mechanical harvesting of these important crop plants.

25 Also of economic interest is to facilitate harvesting, which is made possible by concentrating within a certain period of time the dehiscence, or reduction of adhesion to the tree, in citrus fruit, olives and other species and varieties of pomaceous fruit, stone fruit and nuts. The same mechanism, i.e. the promotion of the development of abscission tissue between fruit part or leaf part and shoot part of the plants is also
30 essential for the readily controllable defoliation of useful plants, in particular cotton.

Moreover, a shortening of the time interval in which the individual cotton plants mature leads to an increased fiber quality after harvesting.

The compounds I, or the herbicidal compositions comprising the compounds I, can
35 be used, for example, in the form of ready-to-spray aqueous solutions, powders, suspensions, also highly concentrated aqueous, oily or other suspensions or dispersions, emulsions, oil dispersions, pastes, dusts, materials for broadcasting, or granules, by means of spraying, atomizing, dusting, spreading, watering or treatment of the seed or mixing with the seed. The use forms depend on the intended purpose; in

each case, they should ensure the finest possible distribution of the active ingredients according to the invention.

The herbicidal compositions comprise a herbicidally effective amount of at least one compound of the formula I or an agriculturally useful salt of I, and auxiliaries which are
5 customary for the formulation of crop protection agents.

Examples of auxiliaries customary for the formulation of crop protection agents are inert auxiliaries, solid carriers, surfactants (such as dispersants, protective colloids, emulsifiers, wetting agents and tackifiers), organic and inorganic thickeners, bactericides, antifreeze agents, antifoams, if appropriate colorants and, for seed
10 formulations, adhesives.

Examples of thickeners (i.e. compounds which impart to the formulation modified flow properties, i.e. high viscosity in the state of rest and low viscosity in motion) are polysaccharides, such as xanthan gum (Kelzan® from Kelco), Rhodopol® 23 (Rhône Poulenc) or Veegum® (from R.T. Vanderbilt), and also organic and inorganic sheet
15 minerals, such as Attaclay® (from Engelhardt).

Examples of antifoams are silicone emulsions (such as, for example, Silikon® SRE, Wacker or Rhodorsil® from Rhodia), long-chain alcohols, fatty acids, salts of fatty acids, organofluorine compounds and mixtures thereof.

Bactericides can be added for stabilizing the aqueous herbicidal formulation.
20 Examples of bactericides are bactericides based on diclorophen and benzyl alcohol hemiformal (Proxel® from ICI or Acticide® RS from Thor Chemie and Kathon® MK from Rohm & Haas), and also isothiazolinone derivates, such as alkylisothiazolinones and benzisothiazolinones (Acticide MBS from Thor Chemie).

Examples of antifreeze agents are ethylene glycol, propylene glycol, urea or glycerol.
25 Examples of colorants are both sparingly water-soluble pigments and water-soluble dyes. Examples which may be mentioned are the dyes known under the names Rhodamin B, C.I. Pigment Red 112 and C.I. Solvent Red 1, and also pigment blue 15:4, pigment blue 15:3, pigment blue 15:2, pigment blue 15:1, pigment blue 80, pigment yellow 1, pigment yellow 13, pigment red 112, pigment red 48:2, pigment red
30 48:1, pigment red 57:1, pigment red 53:1, pigment orange 43, pigment orange 34, pigment orange 5, pigment green 36, pigment green 7, pigment white 6, pigment brown 25, basic violet 10, basic violet 49, acid red 51, acid red 52, acid red 14, acid blue 9, acid yellow 23, basic red 10, basic red 108.

Examples of adhesives are polyvinylpyrrolidone, polyvinyl acetate, polyvinyl alcohol
35 and tylose.

Suitable inert auxiliaries are, for example, the following:

mineral oil fractions of medium to high boiling point, such as kerosene and diesel oil,

furthermore coal tar oils and oils of vegetable or animal origin, aliphatic, cyclic and aromatic hydrocarbons, for example paraffin, tetrahydronaphthalene, alkylated naphthalenes and their derivatives, alkylated benzenes and their derivatives, alcohols such as methanol, ethanol, propanol, butanol and cyclohexanol, ketones such as
5 cyclohexanone or strongly polar solvents, for example amines such as N-methylpyrrolidone, and water.

Solid carriers are mineral earths such as silicas, silica gels, silicates, talc, kaolin, limestone, lime, chalk, bole, loess, clay, dolomite, diatomaceous earth, calcium sulfate, magnesium sulfate and magnesium oxide, ground synthetic materials, fertilizers such
10 as ammonium sulfate, ammonium phosphate, ammonium nitrate and ureas, and products of vegetable origin, such as cereal meal, tree bark meal, wood meal and nutshell meal, cellulose powders, or other solid carriers.

Suitable surfactants (adjuvants, wetting agents, tackifiers, dispersants and also emulsifiers) are the alkali metal salts, alkaline earth metal salts and ammonium salts of
15 aromatic sulfonic acids, for example lignosulfonic acids (e.g. Borrespers-types, Borregaard), phenolsulfonic acids, naphthalenesulfonic acids (Morwet types, Akzo Nobel) and dibutyl naphthalenesulfonic acid (Nekal types, BASF SE), and of fatty acids, alkyl- and alkylarylsulfonates, alkyl sulfates, lauryl ether sulfates and fatty alcohol sulfates, and salts of sulfated hexa-, hepta- and octadecanols, and also of fatty alcohol
20 glycol ethers, condensates of sulfonated naphthalene and its derivatives with formaldehyde, condensates of naphthalene or of the naphthalenesulfonic acids with phenol and formaldehyde, polyoxyethylene octylphenol ether, ethoxylated isooctyl-, octyl- or nonylphenol, alkylphenyl or tributylphenyl polyglycol ether, alkylaryl polyether alcohols, isotridecyl alcohol, fatty alcohol/ethylene oxide condensates, ethoxylated
25 castor oil, polyoxyethylene alkyl ethers or polyoxypropylene alkyl ethers, lauryl alcohol polyglycol ether acetate, sorbitol esters, lignosulfite waste liquors and proteins, denatured proteins, polysaccharides (e.g. methylcellulose), hydrophobically modified starches, polyvinyl alcohol (Mowiol types Clariant), polycarboxylates (BASF SE, Sokalan types), polyalkoxylates, polyvinylamine (BASF SE, Lupamine types),
30 polyethyleneimine (BASF SE, Lupasol types), polyvinylpyrrolidone and copolymers thereof.

Powders, materials for broadcasting and dusts can be prepared by mixing or grinding the active ingredients together with a solid carrier.

Granules, for example coated granules, impregnated granules and homogeneous
35 granules, can be prepared by binding the active ingredients to solid carriers.

Aqueous use forms can be prepared from emulsion concentrates, suspensions, pastes, wettable powders or water-dispersible granules by adding water. To prepare emulsions, pastes or oil dispersions, the compounds of the formula I or Ia, either as

such or dissolved in an oil or solvent, can be homogenized in water by means of a wetting agent, tackifier, dispersant or emulsifier. Alternatively, it is also possible to prepare concentrates comprising active substance, wetting agent, tackifier, dispersant or emulsifier and, if desired, solvent or oil, which are suitable for dilution with water.

5 The concentrations of the compounds of the formula I in the ready-to-use preparations can be varied within wide ranges. In general, the formulations comprise from 0.001 to 98% by weight, preferably 0.01 to 95% by weight of at least one active compound. The active compounds are employed in a purity of from 90% to 100%, preferably 95% to 100% (according to NMR spectrum).

10 The formulations or ready-to-use preparations may also comprise acids, bases or buffer systems, suitable examples being phosphoric acid or sulfuric acid, or urea or ammonia.

The compounds I of the invention can for example be formulated as follows:

15 1. Products for dilution with water

A Water-soluble concentrates

10 parts by weight of active compound are dissolved in 90 parts by weight of water or a water-soluble solvent. As an alternative, wetters or other adjuvants are added. The active compound dissolves upon dilution with water. This gives a formulation with an
20 active compound content of 10% by weight.

B Dispersible concentrates

20 parts by weight of active compound are dissolved in 70 parts by weight of cyclohexanone with addition of 10 parts by weight of a dispersant, for example polyvinylpyrrolidone. Dilution with water gives a dispersion. The active compound
25 content is 20% by weight.

C Emulsifiable concentrates

15 parts by weight of active compound are dissolved in 75 parts by weight of an organic solvent (e.g. alkylaromatics) with addition of calcium dodecylbenzenesulfonate and castor oil ethoxylate (in each case 5 parts by weight). Dilution with water gives an
30 emulsion. The formulation has an active compound content of 15% by weight.

D Emulsions

25 parts by weight of active compound are dissolved in 35 parts by weight of an organic solvent (e.g. alkylaromatics) with addition of calcium dodecylbenzenesulfonate and castor oil ethoxylate (in each case 5 parts by weight). This mixture is introduced
35 into 30 parts by weight of water by means of an emulsifier (e.g. Ultraturrax) and made into a homogeneous emulsion. Dilution with water gives an emulsion. The formulation has an active compound content of 25% by weight.

E Suspensions

In an agitated ball mill, 20 parts by weight of active compound are comminuted with
40 addition of 10 parts by weight of dispersants and wetters and 70 parts by weight of

water or an organic solvent to give a fine active compound suspension. Dilution with water gives a stable suspension of the active compound. The active compound content in the formulation is 20% by weight.

F Water-dispersible granules and water-soluble granules

5 50 parts by weight of active compound are ground finely with addition of 50 parts by weight of dispersants and wetters and made into water-dispersible or water-soluble granules by means of technical appliances (for example extrusion, spray tower, fluidized bed). Dilution with water gives a stable dispersion or solution of the active compound. The formulation has an active compound content of 50% by weight.

10 G Water-dispersible powders and water-soluble powders

75 parts by weight of active compound are ground in a rotor-stator mill with addition of 25 parts by weight of dispersants, wetters and silica gel. Dilution with water gives a stable dispersion or solution of the active compound. The active compound content of the formulation is 75% by weight.

15 H Gel formulations

In a ball mill, 20 parts by weight of active compound, 10 parts by weight of dispersant, 1 part by weight of gelling agent and 70 parts by weight of water or of an organic solvent are ground to give a fine suspension. Dilution with water gives a stable suspension with active compound content of 20% by weight.

20

2. Products to be applied undiluted

I Dusts

5 parts by weight of active compound are ground finely and mixed intimately with 95 parts by weight of finely divided kaolin. This gives a dusting powder with an active compound content of 5% by weight.

25

J Granules (GR, FG, GG, MG)

0.5 parts by weight of active compound are ground finely and associated with 99.5 parts by weight of carriers. Current methods here are extrusion, spray-drying or the fluidized bed. This gives granules to be applied undiluted with an active compound content of 0.5% by weight.

30

K ULV solutions (UL)

10 parts by weight of active compound are dissolved in 90 parts by weight of an organic solvent, for example xylene. This gives a product to be applied undiluted with an active compound content of 10% by weight.

35

The compounds I or the herbicidal compositions comprising them can be applied pre- or post-emergence, or together with the seed of a crop plant. It is also possible to apply the herbicidal compositions or active compounds by applying seed, pretreated with the herbicidal compositions or active compounds, of a crop plant. If the active compounds are less well tolerated by certain crop plants, application techniques may

40

be used in which the herbicidal compositions are sprayed, with the aid of the spraying equipment, in such a way that as far as possible they do not come into contact with the leaves of the sensitive crop plants, while the active compounds reach the leaves of undesirable plants growing underneath, or the bare soil surface (post-directed, lay-by).

5

In a further embodiment, the compounds of the formula I or the herbicidal compositions can be applied by treating seed.

The treatment of seed comprises essentially all procedures familiar to the person skilled in the art (seed dressing, seed coating, seed dusting, seed soaking, seed film coating, seed multilayer coating, seed encrusting, seed dripping and seed pelleting) based on the compounds of the formula I according to the invention or the compositions prepared therefrom. Here, the herbicidal compositions can be applied diluted or undiluted.

The term seed comprises seed of all types, such as, for example, corns, seeds, fruits, tubers, cuttings and similar forms. Here, preferably, the term seed describes corns and seeds.

The seed used can be seed of the useful plants mentioned above, but also the seed of transgenic plants or plants obtained by customary breeding methods.

The rates of application of active compound are from 0.001 to 3.0, preferably 0.01 to 1.0, kg/ha of active substance (a.s.), depending on the control target, the season, the target plants and the growth stage. To treat the seed, the compounds I are generally employed in amounts of from 0.001 to 10 kg per 100 kg of seed.

It may also be advantageous to use the compounds of the formula I in combination with safeners. Safeners are chemical compounds which prevent or reduce damage to useful plants without substantially affecting the herbicidal action of the compounds of the formula I on unwanted plants. They can be used both before sowing (for example in the treatment of seed, or on cuttings or seedlings) and before or after the emergence of the useful plant. The safeners and the compounds of the formula I can be used simultaneously or in succession. Suitable safeners are, for example, (quinolin-8-oxy)-acetic acids, 1-phenyl-5-haloalkyl-1*H*-1,2,4-triazole-3-carboxylic acids, 1-phenyl-4,5-dihydro-5-alkyl-1*H*-pyrazole-3,5-dicarboxylic acids, 4,5-dihydro-5,5-diaryl-3-isoxazole-carboxylic acids, dichloroacetamides, alpha-oximinophenylacetonitriles, acetophenone oximes, 4,6-dihalo-2-phenylpyrimidines, N-[[4-(aminocarbonyl)phenyl]sulfonyl]-2-benzamides, 1,8-naphthalic anhydride, 2-halo-4-(haloalkyl)-5-thiazolecarboxylic acids, phosphorothiolates and O-phenyl N-alkylcarbamates and their agriculturally useful salts and, provided that they have an acid function, their agriculturally useful derivatives, such as amides, esters and thioesters.

To broaden the activity spectrum and to obtain synergistic effects, the compounds of

the formula I can be mixed and jointly applied with numerous representatives of other herbicidal or growth-regulating groups of active compounds or with safeners. Suitable mixing partners are, for example, 1,2,4-thiadiazoles, 1,3,4-thiadiazoles, amides, aminophosphoric acid and its derivatives, aminotriazoles, anilides, aryloxy/heteroaryl-oxyalkanoic acids and their derivatives, benzoic acid and its derivatives, benzothiadiazinones, 2-(heteroaryl/aryl)-1,3-cyclohexanediones, heteroaryl aryl ketones, benzylisoxazolidinones, meta-CF₃-phenyl derivatives, carbamates, quinoline carboxylic acid and its derivatives, chloroacetanilides, cyclohexenone oxime ether derivatives, diazines, dichloropropionic acid and its derivatives, dihydrobenzofurans, dihydrofuran-3-ones, dinitroanilines, dinitrophenols, diphenyl ethers, dipyridyls, halocarboxylic acids and their derivatives, ureas, 3-phenyluracils, imidazoles, imidazolinones, N-phenyl-3,4,5,6-tetrahydrophthalimides, oxadiazoles, oxiranes, phenols, aryloxy- and heteroaryloxyphenoxypionic esters, phenylacetic acid and its derivatives, 2-phenylpropionic acid and its derivatives, pyrazoles, phenylpyrazoles, pyridazines, pyridinecarboxylic acid and its derivatives, pyrimidyl ethers, sulfonamides, sulfonylureas, triazines, triazinones, triazolinones, triazolecarboxamides, uracils and also phenylpyrazolines and isoxazolines and their derivatives.

Moreover, it may be useful to apply the compounds I alone or in combination with other herbicides or else also mixed with further crop protection agents, jointly, for example with compositions for controlling pests or phytopathogenic fungi or bacteria. Also of interest is the miscibility with mineral salt solutions which are employed for alleviating nutritional and trace element deficiencies. Other additives such as nonphytotoxic oils and oil concentrates may also be added.

Examples of herbicides which can be used in combination with the pyridine compounds of the formula I according to the present invention are:

b1) from the group of the lipid biosynthesis inhibitors:

alloxydim, alloxydim-sodium, butoxydim, clethodim, clodinafop, clodinafop-propargyl, cycloxydim, cyhalofop, cyhalofop-butyl, diclofop, diclofop-methyl, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, metamifop, pinoxaden, profoxydim, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, tepraloxym, tralkoxydim, benfuresate, butylate, cycloate, dalapon, dimepiperate, EPTC, esprocarb, ethofumesate, flupropanate, molinate, orbencarb, pebulate, prosulfocarb, TCA, thiobencarb, tiocarbazil, triallate and vernolate;

b2) from the group of the ALS inhibitors:

amidosulfuron, azimsulfuron, bensulfuron, bensulfuron-methyl, bispyribac, bispyribac-sodium, chlorimuron, chlorimuron-ethyl, chlorsulfuron, cinosulfuron, cloransulam, cloransulam-methyl, cyclosulfamuron, diclosulam, ethametsulfuron, ethametsulfuron-methyl, ethoxysulfuron, flazasulfuron, florasulam, flucarbazone,

- flucarbazone-sodium, flucetosulfuron, flumetsulam, flupyrsulfuron, flupyrsulfuron-methyl-sodium, foramsulfuron, halosulfuron, halosulfuron-methyl, imazamethabenz, imazamethabenz-methyl, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, iodosulfuron, iodosulfuron-methyl-sodium, mesosulfuron, metosulam,
- 5 metsulfuron, metsulfuron-methyl, nicosulfuron, orthosulfamuron, oxasulfuron, penoxsulam, primisulfuron, primisulfuron-methyl, propoxycarbazone, propoxycarbazone-sodium, prosulfuron, pyrazosulfuron, pyrazosulfuron-ethyl, pyribenzoxim, pyrimisulfan, pyriftalid, pyriminobac, pyriminobac-methyl, pyriothiac, pyriothiac-sodium, pyroxsulam, rimsulfuron, sulfometuron, sulfometuron-methyl,
- 10 sulfosulfuron, thienicarbazone, thienicarbazone-methyl, thifensulfuron, thifensulfuron-methyl, triasulfuron, tribenuron, tribenuron-methyl, trifloxysulfuron, triflusulfuron, triflusulfuron-methyl and tritosulfuron;
- b3) from the group of the photosynthesis inhibitors:
- ametryn, amicarbazone, atrazine, bentazone, bentazone-sodium, bromacil,
- 15 bromofenoxim, bromoxynil and its salts and esters, chlorobromuron, chloridazone, chlorotoluron, chloroxuron, cyanazine, desmedipham, desmetryn, dimefuron, dimethametryn, diquat, diquat-dibromide, diuron, fluometuron, hexazinone, ioxynil and its salts and esters, isoproturon, isouron, karbutilate, lenacil, linuron, metamitron, methabenzthiazuron, metobenzuron, metoxuron, metribuzin, monolinuron, neburon,
- 20 paraquat, paraquat-dichloride, paraquat-dimethylsulfate, pentanochlor, phenmedipham, phenmedipham-ethyl, prometon, prometryn, propanil, propazine, pyridafol, pyridate, siduron, simazine, simetryn, tebuthiuron, terbacil, terbumeton, terbuthylazine, terbutryn, thidiazuron and trietazine;
- b4) from the group of the protoporphyrinogen-IX oxidase inhibitors:
- 25 acifluorfen, acifluorfen-sodium, azafenidin, bencarbazone, benzfendizone, bifenox, butafenacil, carfentrazone, carfentrazone-ethyl, chlormethoxyfen, cinidon-ethyl, fluazolate, flufenpyr, flufenpyr-ethyl, flumiclorac, flumiclorac-pentyl, flumioxazin, fluoroglycofen, fluoroglycofen-ethyl, fluthiacet, fluthiacet-methyl, fomesafen, halosafen, lactofen, oxadiargyl, oxadiazon, oxyfluorfen, pentoxazone, profluazol, pyraclostrobin,
- 30 pyraflufen, pyraflufen-ethyl, saflufenacil, sulfentrazone, thidiazimin, 2-chloro-5-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-4-fluoro-N-[(isopropyl)methylsulfamoyl]benzamide (H-1; CAS 372137-35-4), ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (H-2; CAS 353292-31-6), N-ethyl-3-(2,6-dichloro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-carboxamide (H-3; CAS 452098-92-9), N-tetrahydrofurfuryl-3-(2,6-dichloro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-carboxamide (H-4; CAS 915396-43-9), N-ethyl-3-(2-chloro-6-fluoro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-carboxamide (H-5; CAS 452099-05-7), N-tetrahydrofurfuryl-3-(2-chloro-6-fluoro-4-trifluoromethylphenoxy)-5-methyl-1H-pyrazole-1-
- 40 carboxamide (H-6; CAS 45100-03-7), 3-[7-fluoro-3-oxo-4-(prop-2-ynyl)-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl]-1,5-dimethyl-6-thioxo-[1,3,5]triazinan-2,4-dione, 1,5-dimethyl-6-

thioxo-3-(2,2,7-trifluoro-3-oxo-4-(prop-2-ynyl)-3,4-dihydro-2H-benzo[b][1,4]oxazin-6-yl)-1,3,5-triazinane-2,4-dione, 2-(2,2,7-Trifluoro-3-oxo-4-prop-2-ynyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl)-4,5,6,7-tetrahydro-isoindole-1,3-dione and 1-Methyl-6-trifluoromethyl-3-(2,2,7-trifluoro-3-oxo-4-prop-2-ynyl-3,4-dihydro-2H-benzo[1,4]oxazin-6-yl)-1H-pyrimidine-2,4-dione;

b5) from the group of the bleacher herbicides:

aclonifen, amitrol, beflubutamid, benzobicyclon, benzofenap, clomazone, diflufenican, fluridone, flurochloridone, flurtamone, isoxaflutole, mesotrione, norflurazon, picolinafen, pyrasulfutole, pyrazolynate, pyrazoxyfen, sulcotrione, tefuryltrione, tembotrione, topramezone, 4-hydroxy-3-[[2-[(2-methoxyethoxy)methyl]-6-(trifluoromethyl)-3-pyridyl]carbonyl]bicyclo[3.2.1]oct-3-en-2-one (H-7; CAS 352010-68-5) and 4-(3-trifluoromethylphenoxy)-2-(4-trifluoromethylphenyl)pyrimidine (H-8; CAS 180608-33-7);

b6) from the group of the EPSP synthase inhibitors:

glyphosate, glyphosate-isopropylammonium and glyphosate-trimesium (sulfosate);

b7) from the group of the glutamine synthase inhibitors:

bilanaphos (bialaphos), bilanaphos-sodium, glufosinate and glufosinate-ammonium;

b8) from the group of the DHP synthase inhibitors:

asulam;


b9) from the group of the mitose inhibitors:

amiprofos, amiprofos-methyl, benfluralin, butamiphos, butralin, carbetamide, chlorpropham, chlorthal, chlorthal-dimethyl, dinitramine, dithiopyr, ethalfluralin, fluchloralin, oryzalin, pendimethalin, prodiamine, propham, propyzamide, tebutam, thiazopyr and trifluralin;

b10) from the group of the VLCFA inhibitors:

acetochlor, alachlor, anilofos, butachlor, cafenstrole, dimethachlor, dimethanamid, dimethenamid-P, diphenamid, fentrazamide, flufenacet, mefenacet, metazachlor, metolachlor, metolachlor-S, naproanilide, napropamide, pethoxamid, piperophos, pretilachlor, propachlor, propisochlor, pyroxasulfone (KIH-485) and thenylchlor;


Compounds of the formula 2:



in which the variables have the following meanings:

Y is phenyl or 5- or 6-membered heteroaryl as defined at the outset, which radicals may be substituted by one to three groups R^{aa} ; $R^{21}, R^{22}, R^{23}, R^{24}$ are H, halogen or C_1 - C_4 -alkyl; X is O or NH; N is 0 or 1.

Compounds of the formula 2 have in particular the following meanings:




where # denotes the bond to the skeleton of the molecule; and

- 5 $R^{21}, R^{22}, R^{23}, R^{24}$ are H, Cl, F or CH_3 ; R^{25} is halogen, C_1 - C_4 -alkyl or C_1 - C_4 -haloalkyl; R^{26} is C_1 - C_4 -alkyl; R^{27} is halogen, C_1 - C_4 -alkoxy or C_1 - C_4 -haloalkoxy; R^{28} is H, halogen, C_1 - C_4 -alkyl, C_1 - C_4 -haloalkyl or C_1 - C_4 -haloalkoxy; M is 0, 1, 2 or 3; X is oxygen; N is 0 or 1.

Preferred compounds of the formula 2 have the following meanings:

10



R^{21} is H; R^{22}, R^{23} are F; R^{24} is H or F; X is oxygen; N is 0 or 1.

Particularly preferred compounds of the formula 2 are:

- 15 3-[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-ylmethanesulfonyl]-4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole (2-1); 3-[[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl]fluoromethanesulfonyl]-5,5-dimethyl-4,5-dihydroisoxazole (2-2); 4-(4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonylmethyl)-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-3); 4-[(5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonyl)fluoromethyl]-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-4); 4-(5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonylmethyl)-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-5); 3-[[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl]difluoromethanesulfonyl]-5,5-dimethyl-4,5-dihydroisoxazole (2-6); 4-[(5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonyl)difluoromethyl]-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-7); 3-[[5-(2,2-difluoroethoxy)-1-methyl-3-trifluoromethyl-1H-pyrazol-4-yl]difluoromethanesulfonyl]-4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole (2-8); 4-[difluoro-(4-fluoro-5,5-dimethyl-4,5-dihydroisoxazole-3-sulfonyl)methyl]-2-methyl-5-trifluoromethyl-2H-[1,2,3]triazole (2-9);

b11) from the group of the cellulose biosynthesis inhibitors:

- 30 chlorthiamid, dichlobenil, flupoxam and isoxaben;

b12) from the group of the decoupler herbicides:

dinoseb, dinoterb and DNOC and its salts;

b13) from the group of the auxin herbicides:

- 2,4-D and its salts and esters, 2,4-DB and its salts and esters, aminopyralid and its salts such as aminopyralid-tris(2-hydroxypropyl)ammonium and its esters, benazolin,
- 35

benazolin-ethyl, chloramben and its salts and esters, clomeprop, clopyralid and its salts and esters, dicamba and its salts and esters, dichlorprop and its salts and esters, dichlorprop-P and its salts and esters, fluroxypyr, fluroxypyr-butometyl, fluroxypyr-meptyl, MCPA and its salts and esters, MCPA-thioethyl, MCPB and its salts and esters, 5 mecoprop and its salts and esters, mecoprop-P and its salts and esters, picloram and its salts and esters, quinclorac, quinmerac, TBA (2,3,6) and its salts and esters, triclopyr and its salts and esters, and 5,6-dichloro-2-cyclopropyl-4-pyrimidinecarboxylic acid (H-9; CAS 858956-08-8) and its salts and esters;

10 b14) from the group of the auxin transport inhibitors: diflufenzopyr, diflufenzopyr-sodium, naptalam and naptalam-sodium;

b15) from the group of the other herbicides: bromobutide, chlorflurenol, chlorflurenol-methyl, cinmethylin, cumyluron, dalapon, dazomet, difenzoquat, difenzoquat-metilsulfate, dimethipin, DSMA, dymron, endothal and its salts, etobenzanid, flamprop, flamprop-isopropyl, flamprop-methyl, flamprop-M-isopropyl, flamprop-M-methyl, 15 flurenol, flurenol-butyl, flurprimidol, fosamine, fosamine-ammonium, indanofan, maleic hydrazide, mefluidide, metam, methyl azide, methyl bromide, methyl-dymron, methyl iodide, MSMA, oleic acid, oxaziclomefone, pelargonic acid, pyributicarb, quinoclamine, triaziflam, tridiphane and 6-chloro-3-(2-cyclopropyl-6-methylphenoxy)-4-pyridazinol (H-10; CAS 499223-49-3) and its salts and esters.

20 Examples of preferred safeners C are benoxacor, cloquintocet, cyometrinil, cyprosulfamide, dichlormid, dicyclonone, dietholate, fenchlorazole, fenclorim, flurazole, fluxofenim, furilazole, isoxadifen, mefenpyr, mephenate, naphthalic anhydride, oxabetrinil, 4-(dichloroacetyl)-1-oxa-4-azaspiro[4.5]decane (H-11; MON4660, CAS 71526-07-3) and 2,2,5-trimethyl-3-(dichloroacetyl)-1,3-oxazolidine (H-12; R-29148, 25 CAS 52836-31-4).

The active compounds of groups b1) to b15) and the safeners C are known herbicides and safeners, see, for example, The Compendium of Pesticide Common Names (<http://www.alanwood.net/pesticides/>); B. Hock, C. Fedtke, R. R. Schmidt, Herbicide [Herbicides], Georg Thieme Verlag, Stuttgart, 1995. Further herbicidally active 30 compounds are known from WO 96/26202, WO 97/41116, WO 97/41117, WO 97/41118, WO 01/83459 and WO 2008/074991 and from W. Krämer et al. (ed.) "Modern Crop Protection Compounds", Vol. 1, Wiley VCH, 2007 and the literature quoted therein.

35 The invention also relates to compositions in the form of a crop protection composition formulated as a 1-component composition comprising an active compound combination comprising at least one pyridine compound of the formula I and at least one further active compound, preferably selected from the active compounds of groups b1 to b15, and at least one solid or liquid carrier and/or one or more surfactants and, if 40 desired, one or more further auxiliaries customary for crop protection compositions.

The invention also relates to compositions in the form of a crop protection

composition formulated as a 2-component composition comprising a first component comprising at least one pyridine compound of the formula I, a solid or liquid carrier and/or one or more surfactants and a second component comprising at least one further active compound selected from the active compounds of groups b1 to b15, a solid or liquid carrier and/or one or more surfactants, where additionally both components may also comprise further auxiliaries customary for crop protection compositions.

In binary compositions comprising at least one compound of the formula I as component A and at least one herbicide B, the weight ratio of the active compounds A:B is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1.

In binary compositions comprising at least one compound of the formula I as component A and at least one safener C, the weight ratio of the active compounds A:C is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1.

In ternary compositions comprising both at least one compound of the formula I as component A, at least one herbicide B and at least one safener C, the relative parts by weight of the components A:B are generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1; the weight ratio of the components A:C is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1; and the weight ratio of the components B:C is generally in the range of from 1:1000 to 1000:1, preferably in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1. Preferably, the weight ratio of the components A + B to the component C is in the range of from 1:500 to 500:1, in particular in the range of from 1:250 to 250:1 and particularly preferably in the range of from 1:75 to 75:1.

Examples of particularly preferred compositions according to the invention comprising in each case one individualized compound of the formula I and one mixing partner or a mixing partner combination are given in Table B below.

A further aspect of the invention relates to the compositions B-1 to B-1236 listed in Table B below, where in each case one row of Table B corresponds to a herbicidal composition comprising one of the compounds of the formula I individualized in the above description (component 1) and the further active compound from groups b1) to b15) and/or safener C stated in each case in the row in question (component 2). The active compounds in the compositions described are in each case preferably present in

synergistically effective amounts.

Table B:

	Herbicide(s) B	Safener C
B-1	clodinafop-propargyl	--
B-2	cycloxydim	--
B-3	cyhalofop-butyl	--
B-4	fenoxaprop-P-ethyl	--
B-5	pinoxaden	--
B-6	profoxydim	--
B-7	tepraloxydim	--
B-8	tralkoxydim	--
B-9	esprocarb	--
B-10	prosulfocarb	--
B-11	thiobencarb	--
B-12	triallate	--
B-13	bensulfuron-methyl	--
B-14	bispyribac-sodium	--
B-15	cyclosulfamuron	--
B-16	flumetsulam	--
B-17	flupyrsulfuron-methyl-sodium	--
B-18	foramsulfuron	--
B-19	imazamox	--
B-20	imazapic	--
B-21	imazapyr	--
B-22	imazaquin	--
B-23	imazethapyr	--
B-24	imazosulfuron	--
B-25	iodosulfuron-methyl-sodium	--
B-26	mesosulfuron	--
B-27	nicosulfuron	--
B-28	penoxsulam	--
B-29	propoxycarbazone-sodium	--
B-30	pyrazosulfuron-ethyl	--
B-31	pyroxsulam	--
B-32	rimsulfuron	--
B-33	sulfosulfuron	--
B-34	thiencarbazone-methyl	--
B-35	tritosulfuron	--
B-36	2,4-D and its salts and esters	--

	Herbicide(s) B	Safener C
B-37	aminopyralid and its salts and esters	--
B-38	clopyralid and its salts and esters	--
B-39	dicamba and its salts and esters	--
B-40	fluroxypyr-meptyl	--
B-41	quinclorac	--
B-42	quinmerac	--
B-43	H-9	--
B-44	diflufenzopyr	--
B-45	diflufenzopyr-sodium	--
B-46	clomazone	--
B-47	diflufenican	--
B-48	fluorochloridone	--
B-49	isoxaflutol	--
B-50	mesotrione	--
B-51	picolinafen	--
B-52	sulcotrione	--
B-53	tefuryltrione	--
B-54	tembotrione	--
B-55	topramezone	--
B-56	H-7	--
B-57	atrazine	--
B-58	diuron	--
B-59	fluometuron	--
B-60	hexazinone	--
B-61	isoproturon	--
B-62	metribuzin	--
B-63	propanil	--
B-64	terbuthylazine	--
B-65	paraquat dichloride	--
B-66	flumioxazin	--
B-67	oxyfluorfen	--
B-68	saflufenacil	--
B-69	sulfentrazone	--
B-70	H-1	--
B-71	H-2	--
B-72	glyphosate	--
B-73	glyphosate-isopropylammonium	--
B-74	glyphosate-trimesium (sulfosate)	--

	Herbicide(s) B	Safener C
B-75	glufosinate	--
B-76	glufosinate-ammonium	--
B-77	pendimethalin	--
B-78	trifluralin	--
B-79	acetochlor	--
B-80	cafenstrole	--
B-81	dimethenamid-P	--
B-82	fentrazamide	--
B-83	flufenacet	--
B-84	mefenacet	--
B-85	metazachlor	--
B-86	metolachlor-S	--
B-87	pyroxasulfone	--
B-88	isoxaben	--
B-89	dymron	--
B-90	indanofan	--
B-91	oxaziclomefone	--
B-92	triaziflam	--
B-93	chlorotoluron	--
B-94	atrazine + H-1	--
B-95	atrazine + glyphosate	--
B-96	atrazine + mesotrione	--
B-97	atrazine + nicosulfuron	--
B-98	atrazine + tembotrione	--
B-99	atrazine + topramezone	--
B-100	clomazone + glyphosate	--
B-101	diflufenican + clodinafop-propargyl	--
B-102	diflufenican + fenoxaprop-P-ethyl	--
B-103	diflufenican + flupyrsulfuron-methyl-sodium	--
B-104	diflufenican + glyphosate	--
B-105	diflufenican + mesosulfuron-methyl	--
B-106	diflufenican + pinoxaden	--
B-107	diflufenican + pyroxsulam	--
B-108	flumetsulam + glyphosate	--
B-109	flumioxazin + glyphosate	--
B-110	imazapic + glyphosate	--
B-111	imazethapyr + glyphosate	--
B-112	isoxaflutol + H-1	--

	Herbicide(s) B	Safener C
B-113	isoxaflutol + glyphosate	--
B-114	metazachlor + H-1	--
B-115	metazachlor + glyphosate	--
B-116	metazachlor + mesotrione	--
B-117	metazachlor + nicosulfuron	--
B-118	metazachlor + terbuthylazine	--
B-119	metazachlor + topramezone	--
B-120	metribuzin + glyphosate	--
B-121	pendimethalin + H-1	--
B-122	pendimethalin + clodinafop-propargyl	--
B-123	pendimethalin + fenoxaprop-P-ethyl	--
B-124	pendimethalin + flupyrsulfuron-methyl-sodium	--
B-125	pendimethalin + glyphosate	--
B-126	pendimethalin + mesosulfuron-methyl	--
B-127	pendimethalin + mesotrione	--
B-128	pendimethalin + nicosulfuron	--
B-129	pendimethalin + pinoxaden	--
B-130	pendimethalin + pyroxsulam	--
B-131	pendimethalin + tembotrione	--
B-132	pendimethalin + topramezone	--
B-133	pyroxasulfone + tembotrione	--
B-134	pyroxasulfone + topramezone	--
B-135	sulfentrazone + glyphosate	--
B-136	terbuthylazine + H-1	--
B-137	terbuthylazine + foramsulfuron	--
B-138	terbuthylazine + glyphosate	--
B-139	terbuthylazine + mesotrione	--
B-140	terbuthylazine + nicosulfuron	--
B-141	terbuthylazine + tembotrione	--
B-142	terbuthylazine + topramezone	--
B-143	trifluralin + glyphosate	--
B-144	--	benoxacor
B-145	--	cloquintocet
B-146	--	cyprosulfamide
B-147	--	dichlormid
B-148	--	fenchlorazole
B-149	--	isoxadifen
B-150	--	mefenpyr

	Herbicide(s) B	Safener C
B-151	--	H-11
B-152	--	H-12
B-153	clodinafop-propargyl	benoxacor
B-154	cycloxydim	benoxacor
B-155	cyhalofop-butyl	benoxacor
B-156	fenoxaprop-P-ethyl	benoxacor
B-157	pinoxaden	benoxacor
B-158	profoxydim	benoxacor
B-159	tepraloxydim	benoxacor
B-160	tralkoxydim	benoxacor
B-161	esprocarb	benoxacor
B-162	prosulfocarb	benoxacor
B-163	thiobencarb	benoxacor
B-164	triallate	benoxacor
B-165	bensulfuron-methyl	benoxacor
B-166	bispyribac-sodium	benoxacor
B-167	cyclosulfamuron	benoxacor
B-168	flumetsulam	benoxacor
B-169	flupyrsulfuron-methyl-sodium	benoxacor
B-170	foramsulfuron	benoxacor
B-171	imazamox	benoxacor
B-172	imazapic	benoxacor
B-173	imazapyr	benoxacor
B-174	imazaquin	benoxacor
B-175	imazethapyr	benoxacor
B-176	imazosulfuron	benoxacor
B-177	iodosulfuron-methyl-sodium	benoxacor
B-178	mesosulfuron	benoxacor
B-179	nicosulfuron	benoxacor
B-180	penoxsulam	benoxacor
B-181	propoxycarbazone-sodium	benoxacor
B-182	pyrazosulfuron-ethyl	benoxacor
B-183	pyroxsulam	benoxacor
B-184	rimsulfuron	benoxacor
B-185	sulfosulfuron	benoxacor
B-186	thiencarbazone-methyl	benoxacor
B-187	tritosulfuron	benoxacor
B-188	2,4-D and its salts and esters	benoxacor

	Herbicide(s) B	Safener C
B-189	aminopyralid and its salts and esters	benoxacor
B-190	clopyralid and its salts and esters	benoxacor
B-191	dicamba and its salts and esters	benoxacor
B-192	fluroxypyr-meptyl	benoxacor
B-193	quinclorac	benoxacor
B-194	quinmerac	benoxacor
B-195	H-9	benoxacor
B-196	diflufenzopyr	benoxacor
B-197	diflufenzopyr-sodium	benoxacor
B-198	clomazone	benoxacor
B-199	diflufenican	benoxacor
B-200	fluorochloridone	benoxacor
B-201	isoxaflutol	benoxacor
B-202	mesotrione	benoxacor
B-203	picolinafen	benoxacor
B-204	sulcotrione	benoxacor
B-205	tefuryltrione	benoxacor
B-206	tembotrione	benoxacor
B-207	topramezone	benoxacor
B-208	H-7	benoxacor
B-209	atrazine	benoxacor
B-210	diuron	benoxacor
B-211	fluometuron	benoxacor
B-212	hexazinone	benoxacor
B-213	isoproturon	benoxacor
B-214	metribuzin	benoxacor
B-215	propanil	benoxacor
B-216	terbuthylazine	benoxacor
B-217	paraquat dichloride	benoxacor
B-218	flumioxazin	benoxacor
B-219	oxyfluorfen	benoxacor
B-220	saflufenacil	benoxacor
B-221	sulfentrazone	benoxacor
B-222	H-1	benoxacor
B-223	H-2	benoxacor
B-224	glyphosate	benoxacor
B-225	glyphosate-isopropylammonium	benoxacor
B-226	glyphosate-trimesium (sulfosate)	benoxacor

	Herbicide(s) B	Safener C
B-227	glufosinate	benoxacor
B-228	glufosinate-ammonium	benoxacor
B-229	pendimethalin	benoxacor
B-230	trifluralin	benoxacor
B-231	acetochlor	benoxacor
B-232	cafenstrole	benoxacor
B-233	dimethenamid-P	benoxacor
B-234	fentrazamide	benoxacor
B-235	flufenacet	benoxacor
B-236	mefenacet	benoxacor
B-237	metazachlor	benoxacor
B-238	metolachlor-S	benoxacor
B-239	pyroxasulfone	benoxacor
B-240	isoxaben	benoxacor
B-241	dymron	benoxacor
B-242	indanofan	benoxacor
B-243	oxaziclomefone	benoxacor
B-244	triaziflam	benoxacor
B-245	atrazine + H-1	benoxacor
B-246	atrazine + glyphosate	benoxacor
B-247	atrazine + mesotrione	benoxacor
B-248	atrazine + nicosulfuron	benoxacor
B-249	atrazine + tembotrione	benoxacor
B-250	atrazine + topramezone	benoxacor
B-251	clomazone + glyphosate	benoxacor
B-252	diflufenican + clodinafop-propargyl	benoxacor
B-253	diflufenican + fenoxaprop-P-ethyl	benoxacor
B-254	diflufenican + flupyrsulfuron-methyl-sodium	benoxacor
B-255	diflufenican + glyphosate	benoxacor
B-256	diflufenican + mesosulfuron-methyl	benoxacor
B-257	diflufenican + pinoxaden	benoxacor
B-258	diflufenican + pyroxsulam	benoxacor
B-259	flumetsulam + glyphosate	benoxacor
B-260	flumioxazin + glyphosate	benoxacor
B-261	imazapic + glyphosate	benoxacor
B-262	imazethapyr + glyphosate	benoxacor
B-263	isoxaflutol + H-1	benoxacor
B-264	isoxaflutol + glyphosate	benoxacor

	Herbicide(s) B	Safener C
B-265	metazachlor + H-1	benoxacor
B-266	metazachlor + glyphosate	benoxacor
B-267	metazachlor + mesotrione	benoxacor
B-268	metazachlor + nicosulfuron	benoxacor
B-269	metazachlor + terbuthylazine	benoxacor
B-270	metazachlor + topramezone	benoxacor
B-271	metribuzin + glyphosate	benoxacor
B-272	pendimethalin + H-1	benoxacor
B-273	pendimethalin + clodinafop-propargyl	benoxacor
B-274	pendimethalin + fenoxaprop-P-ethyl	benoxacor
B-275	pendimethalin + flupyrsulfuron-methyl-sodium	benoxacor
B-276	pendimethalin + glyphosate	benoxacor
B-277	pendimethalin + mesosulfuron-methyl	benoxacor
B-278	pendimethalin + mesotrione	benoxacor
B-279	pendimethalin + nicosulfuron	benoxacor
B-280	pendimethalin + pinoxaden	benoxacor
B-281	pendimethalin + pyroxsulam	benoxacor
B-282	pendimethalin + tembotrione	benoxacor
B-283	pendimethalin + topramezone	benoxacor
B-284	pyroxasulfone + tembotrione	benoxacor
B-285	pyroxasulfone + topramezone	benoxacor
B-286	sulfentrazone + glyphosate	benoxacor
B-287	terbuthylazine + H-1	benoxacor
B-288	terbuthylazine + foramsulfuron	benoxacor
B-289	terbuthylazine + glyphosate	benoxacor
B-290	terbuthylazine + mesotrione	benoxacor
B-291	terbuthylazine + nicosulfuron	benoxacor
B-292	terbuthylazine + tembotrione	benoxacor
B-293	terbuthylazine + topramezone	benoxacor
B-294	trifluralin + glyphosate	benoxacor
B-295	clodinafop-propargyl	cloquintocet
B-296	cycloxydim	cloquintocet
B-297	cyhalofop-butyl	cloquintocet
B-298	fenoxaprop-P-ethyl	cloquintocet
B-299	pinoxaden	cloquintocet
B-300	profoxydim	cloquintocet
B-301	tepraloxydim	cloquintocet
B-302	tralkoxydim	cloquintocet

	Herbicide(s) B	Safener C
B-303	esprocarb	cloquintocet
B-304	prosulfocarb	cloquintocet
B-305	thiobencarb	cloquintocet
B-306	triallate	cloquintocet
B-307	bensulfuron-methyl	cloquintocet
B-308	bispyribac-sodium	cloquintocet
B-309	cyclosulfamuron	cloquintocet
B-310	flumetsulam	cloquintocet
B-311	flupyrsulfuron-methyl-sodium	cloquintocet
B-312	foramsulfuron	cloquintocet
B-313	imazamox	cloquintocet
B-314	imazapic	cloquintocet
B-315	imazapyr	cloquintocet
B-316	imazaquin	cloquintocet
B-317	imazethapyr	cloquintocet
B-318	imazosulfuron	cloquintocet
B-319	iodosulfuron-methyl-sodium	cloquintocet
B-320	mesosulfuron	cloquintocet
B-321	nicosulfuron	cloquintocet
B-322	penoxsulam	cloquintocet
B-323	propoxycarbazone-sodium	cloquintocet
B-324	pyrazosulfuron-ethyl	cloquintocet
B-325	pyroxsulam	cloquintocet
B-326	rimsulfuron	cloquintocet
B-327	sulfosulfuron	cloquintocet
B-328	thiencarbazone-methyl	cloquintocet
B-329	tritosulfuron	cloquintocet
B-330	2,4-D and its salts and esters	cloquintocet
B-331	aminopyralid and its salts and esters	cloquintocet
B-332	clopyralid and its salts and esters	cloquintocet
B-333	dicamba and its salts and esters	cloquintocet
B-334	fluroxypyr-meptyl	cloquintocet
B-335	quinclorac	cloquintocet
B-336	quinmerac	cloquintocet
B-337	H-9	cloquintocet
B-338	diflufenzopyr	cloquintocet
B-339	diflufenzopyr-sodium	cloquintocet
B-340	clomazone	cloquintocet

	Herbicide(s) B	Safener C
B-341	diflufenican	cloquintocet
B-342	fluorochloridone	cloquintocet
B-343	isoxaflutol	cloquintocet
B-344	mesotrione	cloquintocet
B-345	picolinafen	cloquintocet
B-346	sulcotrione	cloquintocet
B-347	tefuryltrione	cloquintocet
B-348	tembotrione	cloquintocet
B-349	topramezone	cloquintocet
B-350	H-7	cloquintocet
B-351	atrazine	cloquintocet
B-352	diuron	cloquintocet
B-353	fluometuron	cloquintocet
B-354	hexazinone	cloquintocet
B-355	isoproturon	cloquintocet
B-356	metribuzin	cloquintocet
B-357	propanil	cloquintocet
B-358	terbuthylazine	cloquintocet
B-359	paraquat dichloride	cloquintocet
B-360	flumioxazin	cloquintocet
B-361	oxyfluorfen	cloquintocet
B-362	saflufenacil	cloquintocet
B-363	sulfentrazone	cloquintocet
B-364	H-1	cloquintocet
B-365	H-2	cloquintocet
B-366	glyphosate	cloquintocet
B-367	glyphosate-isopropylammonium	cloquintocet
B-368	glyphosate-trimesium (sulfosate)	cloquintocet
B-369	glufosinate	cloquintocet
B-370	glufosinate-ammonium	cloquintocet
B-371	pendimethalin	cloquintocet
B-372	trifluralin	cloquintocet
B-373	acetochlor	cloquintocet
B-374	cafenstrole	cloquintocet
B-375	dimethenamid-P	cloquintocet
B-376	fentrazamide	cloquintocet
B-377	flufenacet	cloquintocet
B-378	mefenacet	cloquintocet

	Herbicide(s) B	Safener C
B-379	metazachlor	cloquintocet
B-380	metolachlor-S	cloquintocet
B-381	pyroxasulfone	cloquintocet
B-382	isoxaben	cloquintocet
B-383	dymron	cloquintocet
B-384	indanofan	cloquintocet
B-385	oxaziclomefone	cloquintocet
B-386	triaziflam	cloquintocet
B-387	atrazine + H-1	cloquintocet
B-388	atrazine + glyphosate	cloquintocet
B-389	atrazine + mesotrione	cloquintocet
B-390	atrazine + nicosulfuron	cloquintocet
B-391	atrazine + tembotrione	cloquintocet
B-392	atrazine + topramezone	cloquintocet
B-393	clomazone + glyphosate	cloquintocet
B-394	diflufenican + clodinafop-propargyl	cloquintocet
B-395	diflufenican + fenoxaprop-p-ethyl	cloquintocet
B-396	diflufenican + flupyrsulfuron-methyl-sodium	cloquintocet
B-397	diflufenican + glyphosate	cloquintocet
B-398	diflufenican + mesosulfuron-methyl	cloquintocet
B-399	diflufenican + pinoxaden	cloquintocet
B-400	diflufenican + pyroxsulam	cloquintocet
B-401	flumetsulam + glyphosate	cloquintocet
B-402	flumioxazin + glyphosate	cloquintocet
B-403	imazapic + glyphosate	cloquintocet
B-404	imazethapyr + glyphosate	cloquintocet
B-405	isoxaflutol + H-1	cloquintocet
B-406	isoxaflutol + glyphosate	cloquintocet
B-407	metazachlor + H-1	cloquintocet
B-408	metazachlor + glyphosate	cloquintocet
B-409	metazachlor + mesotrione	cloquintocet
B-410	metazachlor + nicosulfuron	cloquintocet
B-411	metazachlor + terbutylazine	cloquintocet
B-412	metazachlor + topramezone	cloquintocet
B-413	metribuzin + glyphosate	cloquintocet
B-414	pendimethalin + H-1	cloquintocet
B-415	pendimethalin + clodinafop-propargyl	cloquintocet
B-416	pendimethalin + fenoxaprop-P-ethyl	cloquintocet

	Herbicide(s) B	Safener C
B-417	pendimethalin + flupyrsulfuron-methyl-sodium	cloquintocet
B-418	pendimethalin + glyphosate	cloquintocet
B-419	pendimethalin + mesosulfuron-methyl	cloquintocet
B-420	pendimethalin + mesotrione	cloquintocet
B-421	pendimethalin + nicosulfuron	cloquintocet
B-422	pendimethalin + pinoxaden	cloquintocet
B-423	pendimethalin + pyroxsulam	cloquintocet
B-424	pendimethalin + tembotrione	cloquintocet
B-425	pendimethalin + topramezone	cloquintocet
B-426	pyroxasulfone + tembotrione	cloquintocet
B-427	pyroxasulfone + topramezone	cloquintocet
B-428	sulfentrazone + glyphosate	cloquintocet
B-429	terbuthylazine + H-1	cloquintocet
B-430	terbuthylazine + foramsulfuron	cloquintocet
B-431	terbuthylazine + glyphosate	cloquintocet
B-432	terbuthylazine + mesotrione	cloquintocet
B-433	terbuthylazine + nicosulfuron	cloquintocet
B-434	terbuthylazine + tembotrione	cloquintocet
B-435	terbuthylazine + topramezone	cloquintocet
B-436	trifluralin + glyphosate	cloquintocet
B-437	clodinafop-propargyl	dichlormid
B-438	cycloxydim	dichlormid
B-439	cyhalofop-butyl	dichlormid
B-440	fenoxaprop-P-ethyl	dichlormid
B-441	pinoxaden	dichlormid
B-442	profoxydim	dichlormid
B-443	tepraloxydim	dichlormid
B-444	tralkoxydim	dichlormid
B-445	esprocarb	dichlormid
B-446	prosulfocarb	dichlormid
B-447	thiobencarb	dichlormid
B-448	triallate	dichlormid
B-449	bensulfuron-methyl	dichlormid
B-450	bispyribac-sodium	dichlormid
B-451	cyclosulfamuron	dichlormid
B-452	flumetsulam	dichlormid
B-453	flupyrsulfuron-methyl-sodium	dichlormid
B-454	foramsulfuron	dichlormid

	Herbicide(s) B	Safener C
B-455	imazamox	dichlormid
B-456	imazapic	dichlormid
B-457	imazapyr	dichlormid
B-458	imazaquin	dichlormid
B-459	imazethapyr	dichlormid
B-460	imazosulfuron	dichlormid
B-461	iodosulfuron-methyl-sodium	dichlormid
B-462	mesosulfuron	dichlormid
B-463	nicosulfuron	dichlormid
B-464	penoxsulam	dichlormid
B-465	propoxycarbazone-sodium	dichlormid
B-466	pyrazosulfuron-ethyl	dichlormid
B-467	pyroxsulam	dichlormid
B-468	rimsulfuron	dichlormid
B-469	sulfosulfuron	dichlormid
B-470	thiencarbazone-methyl	dichlormid
B-471	tritosulfuron	dichlormid
B-472	2,4-D and its salts and esters	dichlormid
B-473	aminopyralid and its salts and esters	dichlormid
B-474	clopyralid and its salts and esters	dichlormid
B-475	dicamba and its salts and esters	dichlormid
B-476	fluroxypyr-meptyl	dichlormid
B-477	quinclorac	dichlormid
B-478	quinmerac	dichlormid
B-479	H-9	dichlormid
B-480	diflufenzopyr	dichlormid
B-481	diflufenzopyr-sodium	dichlormid
B-482	clomazone	dichlormid
B-483	diflufenican	dichlormid
B-484	fluorochloridone	dichlormid
B-485	isoxaflutol	dichlormid
B-486	mesotrione	dichlormid
B-487	picolinafen	dichlormid
B-488	sulcotrione	dichlormid
B-489	tefuryltrione	dichlormid
B-490	tembotrione	dichlormid
B-491	topramezone	dichlormid
B-492	H-7	dichlormid

	Herbicide(s) B	Safener C
B-493	atrazine	dichlormid
B-494	diuron	dichlormid
B-495	fluometuron	dichlormid
B-496	hexazinone	dichlormid
B-497	isoproturon	dichlormid
B-498	metribuzin	dichlormid
B-499	propanil	dichlormid
B-500	terbuthylazine	dichlormid
B-501	paraquat dichloride	dichlormid
B-502	flumioxazin	dichlormid
B-503	oxyfluorfen	dichlormid
B-504	saflufenacil	dichlormid
B-505	sulfentrazone	dichlormid
B-506	H-1	dichlormid
B-507	H-2	dichlormid
B-508	glyphosate	dichlormid
B-509	glyphosate-isopropylammonium	dichlormid
B-510	glyphosate-trimesium (sulfosate)	dichlormid
B-511	glufosinate	dichlormid
B-512	glufosinate-ammonium	dichlormid
B-513	pendimethalin	dichlormid
B-514	trifluralin	dichlormid
B-515	acetochlor	dichlormid
B-516	cafenstrole	dichlormid
B-517	dimethenamid-P	dichlormid
B-518	fentrazamide	dichlormid
B-519	flufenacet	dichlormid
B-520	mefenacet	dichlormid
B-521	metazachlor	dichlormid
B-522	metolachlor-S	dichlormid
B-523	pyroxasulfone	dichlormid
B-524	isoxaben	dichlormid
B-525	dymron	dichlormid
B-526	indanofan	dichlormid
B-527	oxaziclomefone	dichlormid
B-528	triaziflam	dichlormid
B-529	atrazine + H-1	dichlormid
B-530	atrazine + glyphosate	dichlormid

	Herbicide(s) B	Safener C
B-531	atrazine + mesotrione	dichlormid
B-532	atrazine + nicosulfuron	dichlormid
B-533	atrazine + tembotrione	dichlormid
B-534	atrazine + topramezone	dichlormid
B-535	clomazone + glyphosate	dichlormid
B-536	diflufenican + clodinafop-propargyl	dichlormid
B-537	diflufenican + fenoxaprop-p-ethyl	dichlormid
B-538	diflufenican + flupyr-sulfuron-methyl-sodium	dichlormid
B-539	diflufenican + glyphosate	dichlormid
B-540	diflufenican + mesosulfuron-methyl	dichlormid
B-541	diflufenican + pinoxaden	dichlormid
B-542	diflufenican + pyroxsulam	dichlormid
B-543	flumetsulam + glyphosate	dichlormid
B-544	flumioxazin + glyphosate	dichlormid
B-545	imazapic + glyphosate	dichlormid
B-546	imazethapyr + glyphosate	dichlormid
B-547	isoxaflutol + H-1	dichlormid
B-548	isoxaflutol + glyphosate	dichlormid
B-549	metazachlor + H-1	dichlormid
B-550	metazachlor + glyphosate	dichlormid
B-551	metazachlor + mesotrione	dichlormid
B-552	metazachlor + nicosulfuron	dichlormid
B-553	metazachlor + terbutylazine	dichlormid
B-554	metazachlor + topramezone	dichlormid
B-555	metribuzin + glyphosate	dichlormid
B-556	pendimethalin + H-1	dichlormid
B-557	pendimethalin + clodinafop-propargyl	dichlormid
B-558	pendimethalin + fenoxaprop-P-ethyl	dichlormid
B-559	pendimethalin + flupyr-sulfuron-methyl-sodium	dichlormid
B-560	pendimethalin + glyphosate	dichlormid
B-561	pendimethalin + mesosulfuron-methyl	dichlormid
B-562	pendimethalin + mesotrione	dichlormid
B-563	pendimethalin + nicosulfuron	dichlormid
B-564	pendimethalin + pinoxaden	dichlormid
B-565	pendimethalin + pyroxsulam	dichlormid
B-566	pendimethalin + tembotrione	dichlormid
B-567	pendimethalin + topramezone	dichlormid
B-568	pyroxasulfone + tembotrione	dichlormid

	Herbicide(s) B	Safener C
B-569	pyroxasulfone + topramezone	dichlormid
B-570	sulfentrazone + glyphosate	dichlormid
B-571	terbuthylazine + H-1	dichlormid
B-572	terbuthylazine + foramsulfuron	dichlormid
B-573	terbuthylazine + glyphosate	dichlormid
B-574	terbuthylazine + mesotrione	dichlormid
B-575	terbuthylazine + nicosulfuron	dichlormid
B-576	terbuthylazine + tembotrione	dichlormid
B-577	terbuthylazine + topramezone	dichlormid
B-578	trifluralin + glyphosate	dichlormid
B-579	clodinafop-propargyl	fenchlorazole
B-580	cycloxydim	fenchlorazole
B-581	cyhalofop-butyl	fenchlorazole
B-582	fenoxaprop-P-ethyl	fenchlorazole
B-583	pinoxaden	fenchlorazole
B-584	profoxydim	fenchlorazole
B-585	tepraloxydim	fenchlorazole
B-586	tralkoxydim	fenchlorazole
B-587	esprocarb	fenchlorazole
B-588	prosulfocarb	fenchlorazole
B-589	thiobencarb	fenchlorazole
B-590	triallate	fenchlorazole
B-591	bensulfuron-methyl	fenchlorazole
B-592	bispyribac-sodium	fenchlorazole
B-593	cyclosulfamuron	fenchlorazole
B-594	flumetsulam	fenchlorazole
B-595	flupyrsulfuron-methyl-sodium	fenchlorazole
B-596	foramsulfuron	fenchlorazole
B-597	imazamox	fenchlorazole
B-598	imazapic	fenchlorazole
B-599	imazapyr	fenchlorazole
B-600	imazaquin	fenchlorazole
B-601	imazethapyr	fenchlorazole
B-602	imazosulfuron	fenchlorazole
B-603	iodosulfuron-methyl-sodium	fenchlorazole
B-604	mesosulfuron	fenchlorazole
B-605	nicosulfuron	fenchlorazole
B-606	penoxsulam	fenchlorazole

	Herbicide(s) B	Safener C
B-607	propoxycarbazone-sodium	fenchlorazole
B-608	pyrazosulfuron-ethyl	fenchlorazole
B-609	pyroxsulam	fenchlorazole
B-610	rimsulfuron	fenchlorazole
B-611	sulfosulfuron	fenchlorazole
B-612	thiencarbazone-methyl	fenchlorazole
B-613	tritosulfuron	fenchlorazole
B-614	2,4-D and its salts and esters	fenchlorazole
B-615	aminopyralid and its salts and esters	fenchlorazole
B-616	clopyralid and its salts and esters	fenchlorazole
B-617	dicamba and its salts and esters	fenchlorazole
B-618	fluroxypyr-meptyl	fenchlorazole
B-619	quinclorac	fenchlorazole
B-620	quinmerac	fenchlorazole
B-621	H-9	fenchlorazole
B-622	diflufenzopyr	fenchlorazole
B-623	diflufenzopyr-sodium	fenchlorazole
B-624	clomazone	fenchlorazole
B-625	diflufenican	fenchlorazole
B-626	fluorochloridone	fenchlorazole
B-627	isoxaflutol	fenchlorazole
B-628	mesotrione	fenchlorazole
B-629	picolinafen	fenchlorazole
B-630	sulcotrione	fenchlorazole
B-631	tefuryltrione	fenchlorazole
B-632	tembotrione	fenchlorazole
B-633	topramezone	fenchlorazole
B-634	H-7	fenchlorazole
B-635	atrazine	fenchlorazole
B-636	diuron	fenchlorazole
B-637	fluometuron	fenchlorazole
B-638	hexazinone	fenchlorazole
B-639	isoproturon	fenchlorazole
B-640	metribuzin	fenchlorazole
B-641	propanil	fenchlorazole
B-642	terbuthylazine	fenchlorazole
B-643	paraquat dichloride	fenchlorazole
B-644	flumioxazin	fenchlorazole

	Herbicide(s) B	Safener C
B-645	oxyfluorfen	fenchlorazole
B-646	saflufenacil	fenchlorazole
B-647	sulfentrazone	fenchlorazole
B-648	H-1	fenchlorazole
B-649	H-2	fenchlorazole
B-650	glyphosate	fenchlorazole
B-651	glyphosate-isopropylammonium	fenchlorazole
B-652	glyphosate-trimesium (sulfosate)	fenchlorazole
B-653	glufosinate	fenchlorazole
B-654	glufosinate-ammonium	fenchlorazole
B-655	pendimethalin	fenchlorazole
B-656	trifluralin	fenchlorazole
B-657	acetochlor	fenchlorazole
B-658	cafenstrole	fenchlorazole
B-659	dimethenamid-P	fenchlorazole
B-660	fentrazamide	fenchlorazole
B-661	flufenacet	fenchlorazole
B-662	mefenacet	fenchlorazole
B-663	metazachlor	fenchlorazole
B-664	metolachlor-S	fenchlorazole
B-665	pyroxasulfone	fenchlorazole
B-666	isoxaben	fenchlorazole
B-667	dymron	fenchlorazole
B-668	indanofan	fenchlorazole
B-669	oxaziclomefone	fenchlorazole
B-670	triaziflam	fenchlorazole
B-671	atrazine + H-1	fenchlorazole
B-672	atrazine + glyphosate	fenchlorazole
B-673	atrazine + mesotrione	fenchlorazole
B-674	atrazine + nicosulfuron	fenchlorazole
B-675	atrazine + tembotrione	fenchlorazole
B-676	atrazine + topramezone	fenchlorazole
B-677	clomazone + glyphosate	fenchlorazole
B-678	diflufenican + clodinafop-propargyl	fenchlorazole
B-679	diflufenican + fenoxaprop-P-ethyl	fenchlorazole
B-680	diflufenican + flupyr-sulfuron-methyl-sodium	fenchlorazole
B-681	diflufenican + glyphosate	fenchlorazole
B-682	diflufenican + mesosulfuron-methyl	fenchlorazole

	Herbicide(s) B	Safener C
B-683	diflufenican + pinoxaden	fenchlorazole
B-684	diflufenican + pyroxsulam	fenchlorazole
B-685	flumetsulam + glyphosate	fenchlorazole
B-686	flumioxazin + glyphosate	fenchlorazole
B-687	imazapic + glyphosate	fenchlorazole
B-688	imazethapyr + glyphosate	fenchlorazole
B-689	isoxaflutol + H-1	fenchlorazole
B-690	isoxaflutol + glyphosate	fenchlorazole
B-691	metazachlor + H-1	fenchlorazole
B-692	metazachlor + glyphosate	fenchlorazole
B-693	metazachlor + mesotrione	fenchlorazole
B-694	metazachlor + nicosulfuron	fenchlorazole
B-695	metazachlor + terbuthylazine	fenchlorazole
B-696	metazachlor + topramezone	fenchlorazole
B-697	metribuzin + glyphosate	fenchlorazole
B-698	pendimethalin + H-1	fenchlorazole
B-699	pendimethalin + clodinafop-propargyl	fenchlorazole
B-700	pendimethalin + fenoxaprop-P-ethyl	fenchlorazole
B-701	pendimethalin + flupyrsulfuron-methyl-sodium	fenchlorazole
B-702	pendimethalin + glyphosate	fenchlorazole
B-703	pendimethalin + mesosulfuron-methyl	fenchlorazole
B-704	pendimethalin + mesotrione	fenchlorazole
B-705	pendimethalin + nicosulfuron	fenchlorazole
B-706	pendimethalin + pinoxaden	fenchlorazole
B-707	pendimethalin + pyroxsulam	fenchlorazole
B-708	pendimethalin + tembotrione	fenchlorazole
B-709	pendimethalin + topramezone	fenchlorazole
B-710	pyroxasulfone + tembotrione	fenchlorazole
B-711	pyroxasulfone + topramezone	fenchlorazole
B-712	sulfentrazone + glyphosate	fenchlorazole
B-713	terbuthylazine + H-1	fenchlorazole
B-714	terbuthylazine + foramsulfuron	fenchlorazole
B-715	terbuthylazine + glyphosate	fenchlorazole
B-716	terbuthylazine + mesotrione	fenchlorazole
B-717	terbuthylazine + nicosulfuron	fenchlorazole
B-718	terbuthylazine + tembotrione	fenchlorazole
B-719	terbuthylazine + topramezone	fenchlorazole
B-720	trifluralin + glyphosate	fenchlorazole

	Herbicide(s) B	Safener C
B-721	clodinafop-propargyl	isoxadifen
B-722	cycloxydim	isoxadifen
B-723	cyhalofop-butyl	isoxadifen
B-724	fenoxaprop-P-ethyl	isoxadifen
B-725	pinoxaden	isoxadifen
B-726	profoxydim	isoxadifen
B-727	tepraloxydim	isoxadifen
B-728	tralkoxydim	isoxadifen
B-729	esprocarb	isoxadifen
B-730	prosulfocarb	isoxadifen
B-731	thiobencarb	isoxadifen
B-732	triallate	isoxadifen
B-733	bensulfuron-methyl	isoxadifen
B-734	bispyribac-sodium	isoxadifen
B-735	cyclosulfamuron	isoxadifen
B-736	flumetsulam	isoxadifen
B-737	flupyrsulfuron-methyl-sodium	isoxadifen
B-738	foramsulfuron	isoxadifen
B-739	imazamox	isoxadifen
B-740	imazapic	isoxadifen
B-741	imazapyr	isoxadifen
B-742	imazaquin	isoxadifen
B-743	imazethapyr	isoxadifen
B-744	imazosulfuron	isoxadifen
B-745	iodosulfuron-methyl-sodium	isoxadifen
B-746	mesosulfuron	isoxadifen
B-747	nicosulfuron	isoxadifen
B-748	penoxsulam	isoxadifen
B-749	propoxycarbazone-sodium	isoxadifen
B-750	pyrazosulfuron-ethyl	isoxadifen
B-751	pyroxsulam	isoxadifen
B-752	rimsulfuron	isoxadifen
B-753	sulfosulfuron	isoxadifen
B-754	thiencarbazone-methyl	isoxadifen
B-755	tritosulfuron	isoxadifen
B-756	2,4-D and its salts and esters	isoxadifen
B-757	aminopyralid and its salts and esters	isoxadifen
B-758	clopyralid and its salts and esters	isoxadifen

	Herbicide(s) B	Safener C
B-759	dicamba and its salts and esters	isoxadifen
B-760	fluroxypyr-meptyl	isoxadifen
B-761	quinclorac	isoxadifen
B-762	quinmerac	isoxadifen
B-763	H-9	isoxadifen
B-764	diflufenzopyr	isoxadifen
B-765	diflufenzopyr-sodium	isoxadifen
B-766	clomazone	isoxadifen
B-767	diflufenican	isoxadifen
B-768	fluorochloridone	isoxadifen
B-769	isoxaflutol	isoxadifen
B-770	mesotrione	isoxadifen
B-771	picolinafen	isoxadifen
B-772	sulcotrione	isoxadifen
B-773	tefuryltrione	isoxadifen
B-774	tembotrione	isoxadifen
B-775	topramezone	isoxadifen
B-776	H-7	isoxadifen
B-777	atrazine	isoxadifen
B-778	diuron	isoxadifen
B-779	fluometuron	isoxadifen
B-780	hexazinone	isoxadifen
B-781	isoproturon	isoxadifen
B-782	metribuzin	isoxadifen
B-783	propanil	isoxadifen
B-784	terbuthylazine	isoxadifen
B-785	paraquat dichloride	isoxadifen
B-786	flumioxazin	isoxadifen
B-787	oxyfluorfen	isoxadifen
B-788	saflufenacil	isoxadifen
B-789	sulfentrazone	isoxadifen
B-790	H-1	isoxadifen
B-791	H-2	isoxadifen
B-792	glyphosate	isoxadifen
B-793	glyphosate-isopropylammonium	isoxadifen
B-794	glyphosate-trimesium (sulfosate)	isoxadifen
B-795	glufosinate	isoxadifen
B-796	glufosinate-ammonium	isoxadifen

	Herbicide(s) B	Safener C
B-797	pendimethalin	isoxadifen
B-798	trifluralin	isoxadifen
B-799	acetochlor	isoxadifen
B-800	cafenstrole	isoxadifen
B-801	dimethenamid-P	isoxadifen
B-802	fentrazamide	isoxadifen
B-803	flufenacet	isoxadifen
B-804	mefenacet	isoxadifen
B-805	metazachlor	isoxadifen
B-806	metolachlor-S	isoxadifen
B-807	pyroxasulfone	isoxadifen
B-808	isoxaben	isoxadifen
B-809	dymron	isoxadifen
B-810	indanofan	isoxadifen
B-811	oxaziclomefone	isoxadifen
B-812	triaziflam	isoxadifen
B-813	atrazine + H-1	isoxadifen
B-814	atrazine + glyphosate	isoxadifen
B-815	atrazine + mesotrione	isoxadifen
B-816	atrazine + nicosulfuron	isoxadifen
B-817	atrazine + tembotrione	isoxadifen
B-818	atrazine + topramezone	isoxadifen
B-819	clomazone + glyphosate	isoxadifen
B-820	diflufenican + clodinafop-propargyl	isoxadifen
B-821	diflufenican + fenoxaprop-P-ethyl	isoxadifen
B-822	diflufenican + flupyrsulfuron-methyl-sodium	isoxadifen
B-823	diflufenican + glyphosate	isoxadifen
B-824	diflufenican + mesosulfuron-methyl	isoxadifen
B-825	diflufenican + pinoxaden	isoxadifen
B-826	diflufenican + pyroxsulam	isoxadifen
B-827	flumetsulam + glyphosate	isoxadifen
B-828	flumioxazin + glyphosate	isoxadifen
B-829	imazapic + glyphosate	isoxadifen
B-830	imazethapyr + glyphosate	isoxadifen
B-831	isoxaflutol + H-1	isoxadifen
B-832	isoxaflutol + glyphosate	isoxadifen
B-833	metazachlor + H-1	isoxadifen
B-834	metazachlor + glyphosate	isoxadifen

	Herbicide(s) B	Safener C
B-835	metazachlor + mesotrione	isoxadifen
B-836	metazachlor + nicosulfuron	isoxadifen
B-837	metazachlor + terbuthylazine	isoxadifen
B-838	metazachlor + topramezone	isoxadifen
B-839	metribuzin + glyphosate	isoxadifen
B-840	pendimethalin + H-1	isoxadifen
B-841	pendimethalin + clodinafop-propargyl	isoxadifen
B-842	pendimethalin + fenoxaprop-P-ethyl	isoxadifen
B-843	pendimethalin + flupyrsulfuron-methyl-sodium	isoxadifen
B-844	pendimethalin + glyphosate	isoxadifen
B-845	pendimethalin + mesosulfuron-methyl	isoxadifen
B-846	pendimethalin + mesotrione	isoxadifen
B-847	pendimethalin + nicosulfuron	isoxadifen
B-848	pendimethalin + pinoxaden	isoxadifen
B-849	pendimethalin + pyroxsulam	isoxadifen
B-850	pendimethalin + tembotrione	isoxadifen
B-851	pendimethalin + topramezone	isoxadifen
B-852	pyroxasulfone + tembotrione	isoxadifen
B-853	pyroxasulfone + topramezone	isoxadifen
B-854	sulfentrazone + glyphosate	isoxadifen
B-855	terbuthylazine + H-1	isoxadifen
B-856	terbuthylazine + foramsulfuron	isoxadifen
B-857	terbuthylazine + glyphosate	isoxadifen
B-858	terbuthylazine + mesotrione	isoxadifen
B-859	terbuthylazine + nicosulfuron	isoxadifen
B-860	terbuthylazine + tembotrione	isoxadifen
B-861	terbuthylazine + topramezone	isoxadifen
B-862	trifluralin + glyphosate	isoxadifen
B-863	clodinafop-propargyl	mefenpyr
B-864	cycloxydim	mefenpyr
B-865	cyhalofop-butyl	mefenpyr
B-866	fenoxaprop-P-ethyl	mefenpyr
B-867	pinoxaden	mefenpyr
B-868	profoxydim	mefenpyr
B-869	tepraloxydim	mefenpyr
B-870	tralkoxydim	mefenpyr
B-871	esprocarb	mefenpyr
B-872	prosulfocarb	mefenpyr

	Herbicide(s) B	Safener C
B-873	thiobencarb	mefenpyr
B-874	triallate	mefenpyr
B-875	bensulfuron-methyl	mefenpyr
B-876	bispyribac-sodium	mefenpyr
B-877	cyclosulfamuron	mefenpyr
B-878	flumetsulam	mefenpyr
B-879	flupyrsulfuron-methyl-sodium	mefenpyr
B-880	foramsulfuron	mefenpyr
B-881	imazamox	mefenpyr
B-882	imazapic	mefenpyr
B-883	imazapyr	mefenpyr
B-884	imazaquin	mefenpyr
B-885	imazethapyr	mefenpyr
B-886	imazosulfuron	mefenpyr
B-887	iodosulfuron-methyl-sodium	mefenpyr
B-888	mesosulfuron	mefenpyr
B-889	nicosulfuron	mefenpyr
B-890	penoxsulam	mefenpyr
B-891	propoxycarbazone-sodium	mefenpyr
B-892	pyrazosulfuron-ethyl	mefenpyr
B-893	pyroxsulam	mefenpyr
B-894	rimsulfuron	mefenpyr
B-895	sulfosulfuron	mefenpyr
B-896	thiencarbazone-methyl	mefenpyr
B-897	tritosulfuron	mefenpyr
B-898	2,4-D and its salts and esters	mefenpyr
B-899	aminopyralid and its salts and esters	mefenpyr
B-900	clopyralid and its salts and esters	mefenpyr
B-901	dicamba and its salts and esters	mefenpyr
B-902	fluroxypyr-meptyl	mefenpyr
B-903	quinclorac	mefenpyr
B-904	quinmerac	mefenpyr
B-905	H-9	mefenpyr
B-906	diflufenzopyr	mefenpyr
B-907	diflufenzopyr-sodium	mefenpyr
B-908	clomazone	mefenpyr
B-909	diflufenican	mefenpyr
B-910	fluorochloridone	mefenpyr

	Herbicide(s) B	Safener C
B-911	isoxaflutol	mefenpyr
B-912	mesotrione	mefenpyr
B-913	picolinafen	mefenpyr
B-914	sulcotrione	mefenpyr
B-915	tefuryltrione	mefenpyr
B-916	tembotrione	mefenpyr
B-917	topramezone	mefenpyr
B-918	H-7	mefenpyr
B-919	atrazine	mefenpyr
B-920	diuron	mefenpyr
B-921	fluometuron	mefenpyr
B-922	hexazinone	mefenpyr
B-923	isoproturon	mefenpyr
B-924	metribuzin	mefenpyr
B-925	propanil	mefenpyr
B-926	terbuthylazine	mefenpyr
B-927	paraquat dichloride	mefenpyr
B-928	flumioxazin	mefenpyr
B-929	oxyfluorfen	mefenpyr
B-930	saflufenacil	mefenpyr
B-931	sulfentrazone	mefenpyr
B-932	H-1	mefenpyr
B-933	H-2	mefenpyr
B-934	glyphosate	mefenpyr
B-935	glyphosate-isopropylammonium	mefenpyr
B-936	glyphosate-trimesium (sulfosate)	mefenpyr
B-937	glufosinate	mefenpyr
B-938	glufosinate-ammonium	mefenpyr
B-939	pendimethalin	mefenpyr
B-940	trifluralin	mefenpyr
B-941	acetochlor	mefenpyr
B-942	cafenstrole	mefenpyr
B-943	dimethenamid-P	mefenpyr
B-944	fentrazamide	mefenpyr
B-945	flufenacet	mefenpyr
B-946	mefenacet	mefenpyr
B-947	metazachlor	mefenpyr
B-948	metolachlor-S	mefenpyr

	Herbicide(s) B	Safener C
B-949	pyroxasulfone	mefenpyr
B-950	isoxaben	mefenpyr
B-951	dymron	mefenpyr
B-952	indanofan	mefenpyr
B-953	oxaziclomefone	mefenpyr
B-954	triaziflam	mefenpyr
B-955	atrazine + H-1	mefenpyr
B-956	atrazine + glyphosate	mefenpyr
B-957	atrazine + mesotrione	mefenpyr
B-958	atrazine + nicosulfuron	mefenpyr
B-959	atrazine + tembotrione	mefenpyr
B-960	atrazine + topramezone	mefenpyr
B-961	clomazone + glyphosate	mefenpyr
B-962	diflufenican + clodinafop-propargyl	mefenpyr
B-963	diflufenican + fenoxaprop-P-ethyl	mefenpyr
B-964	diflufenican + flupyr-sulfuron-methyl-sodium	mefenpyr
B-965	diflufenican + glyphosate	mefenpyr
B-966	diflufenican + mesosulfuron-methyl	mefenpyr
B-967	diflufenican + pinoxaden	mefenpyr
B-968	diflufenican + pyroxsulam	mefenpyr
B-969	flumetsulam + glyphosate	mefenpyr
B-970	flumioxazin + glyphosate	mefenpyr
B-971	imazapic + glyphosate	mefenpyr
B-972	imazethapyr + glyphosate	mefenpyr
B-973	isoxaflutol + H-1	mefenpyr
B-974	isoxaflutol + glyphosate	mefenpyr
B-975	metazachlor + H-1	mefenpyr
B-976	metazachlor + glyphosate	mefenpyr
B-977	metazachlor + mesotrione	mefenpyr
B-978	metazachlor + nicosulfuron	mefenpyr
B-979	metazachlor + terbuthylazine	mefenpyr
B-980	metazachlor + topramezone	mefenpyr
B-981	metribuzin + glyphosate	mefenpyr
B-982	pendimethalin + H-1	mefenpyr
B-983	pendimethalin + clodinafop-propargyl	mefenpyr
B-984	pendimethalin + fenoxaprop-P-ethyl	mefenpyr
B-985	pendimethalin + flupyr-sulfuron-methyl-sodium	mefenpyr
B-986	pendimethalin + glyphosate	mefenpyr

	Herbicide(s) B	Safener C
B-987	pendimethalin + mesosulfuron-methyl	mefenpyr
B-988	pendimethalin + mesotrione	mefenpyr
B-989	pendimethalin + nicosulfuron	mefenpyr
B-990	pendimethalin + pinoxaden	mefenpyr
B-991	pendimethalin + pyroxsulam	mefenpyr
B-992	pendimethalin + tembotrione	mefenpyr
B-993	pendimethalin + topramezone	mefenpyr
B-994	pyroxasulfone + tembotrione	mefenpyr
B-995	pyroxasulfone + topramezone	mefenpyr
B-996	sulfentrazone + glyphosate	mefenpyr
B-997	terbuthylazine + H-1	mefenpyr
B-998	terbuthylazine + foramsulfuron	mefenpyr
B-999	terbuthylazine + glyphosate	mefenpyr
B-1000	terbuthylazine + mesotrione	mefenpyr
B-1001	terbuthylazine + nicosulfuron	mefenpyr
B-1002	terbuthylazine + tembotrione	mefenpyr
B-1003	terbuthylazine + topramezone	mefenpyr
B-1004	trifluralin + glyphosate	mefenpyr
B-1005	clodinafop-propargyl	H-12
B-1006	cycloxydim	H-12
B-1007	cyhalofop-butyl	H-12
B-1008	fenoxaprop-P-ethyl	H-12
B-1009	pinoxaden	H-12
B-1010	profoxydim	H-12
B-1011	tepraloxydim	H-12
B-1012	tralkoxydim	H-12
B-1013	esprocarb	H-12
B-1014	prosulfocarb	H-12
B-1015	thiobencarb	H-12
B-1016	triallate	H-12
B-1017	bensulfuron-methyl	H-12
B-1018	bispyribac-sodium	H-12
B-1019	cyclosulfamuron	H-12
B-1020	flumetsulam	H-12
B-1021	flupyrsulfuron-methyl-sodium	H-12
B-1022	foramsulfuron	H-12
B-1023	imazamox	H-12
B-1024	imazapic	H-12

	Herbicide(s) B	Safener C
B-1025	imazapyr	H-12
B-1026	imazaquin	H-12
B-1027	imazethapyr	H-12
B-1028	imazosulfuron	H-12
B-1029	iodosulfuron-methyl-sodium	H-12
B-1030	mesosulfuron	H-12
B-1031	nicosulfuron	H-12
B-1032	penoxsulam	H-12
B-1033	propoxycarbazone-sodium	H-12
B-1034	pyrazosulfuron-ethyl	H-12
B-1035	pyroxsulam	H-12
B-1036	rimsulfuron	H-12
B-1037	sulfosulfuron	H-12
B-1038	thiencarbazone-methyl	H-12
B-1039	tritosulfuron	H-12
B-1040	2,4-D and its salts and esters	H-12
B-1041	aminopyralid and its salts and esters	H-12
B-1042	clopyralid and its salts and esters	H-12
B-1043	dicamba and its salts and esters	H-12
B-1044	fluroxypyr-meptyl	H-12
B-1045	quinclorac	H-12
B-1046	quinmerac	H-12
B-1047	B-9	H-12
B-1048	diflufenzopyr	H-12
B-1049	diflufenzopyr-sodium	H-12
B-1050	clomazone	H-12
B-1051	diflufenican	H-12
B-1052	fluorochloridone	H-12
B-1053	isoxaflutol	H-12
B-1054	mesotrione	H-12
B-1055	picolinafen	H-12
B-1056	sulcotrione	H-12
B-1057	tefuryltrione	H-12
B-1058	tembotrione	H-12
B-1059	topramezone	H-12
B-1060	H-7	H-12
B-1061	atrazine	H-12
B-1062	diuron	H-12

	Herbicide(s) B	Safener C
B-1063	fluometuron	H-12
B-1064	hexazinone	H-12
B-1065	isoproturon	H-12
B-1066	metribuzin	H-12
B-1067	propanil	H-12
B-1068	terbuthylazine	H-12
B-1069	paraquat dichloride	H-12
B-1070	flumioxazin	H-12
B-1071	oxyfluorfen	H-12
B-1072	saflufenacil	H-12
B-1073	sulfentrazone	H-12
B-1074	H-1	H-12
B-1075	H-2	H-12
B-1076	glyphosate	H-12
B-1077	glyphosate-isopropylammonium	H-12
B-1078	glyphosate-trimesium (sulfosate)	H-12
B-1079	glufosinate	H-12
B-1080	glufosinate-ammonium	H-12
B-1081	pendimethalin	H-12
B-1082	trifluralin	H-12
B-1083	acetochlor	H-12
B-1084	cafenstrole	H-12
B-1085	dimethenamid-P	H-12
B-1086	fentrazamide	H-12
B-1087	flufenacet	H-12
B-1088	mefenacet	H-12
B-1089	metazachlor	H-12
B-1090	metolachlor-S	H-12
B-1091	pyroxasulfone	H-12
B-1092	isoxaben	H-12
B-1093	dymron	H-12
B-1094	indanofan	H-12
B-1095	oxaziclomefone	H-12
B-1096	triaziflam	H-12
B-1097	atrazine + H-1	H-12
B-1098	atrazine + glyphosate	H-12
B-1099	atrazine + mesotrione	H-12
B-1100	atrazine + nicosulfuron	H-12

	Herbicide(s) B	Safener C
B-1101	atrazine + tembotrione	H-12
B-1102	atrazine + topramezone	H-12
B-1103	clomazone + glyphosate	H-12
B-1104	diflufenican + clodinafop-propargyl	H-12
B-1105	diflufenican + fenoxaprop-P-ethyl	H-12
B-1106	diflufenican + flupyr-sulfuron-methyl-sodium	H-12
B-1107	diflufenican + glyphosate	H-12
B-1108	diflufenican + mesosulfuron-methyl	H-12
B-1109	diflufenican + pinoxaden	H-12
B-1110	diflufenican + pyroxsulam	H-12
B-1111	flumetsulam + glyphosate	H-12
B-1112	flumioxazin + glyphosate	H-12
B-1113	imazapic + glyphosate	H-12
B-1114	imazethapyr + glyphosate	H-12
B-1115	isoxaflutol + H-1	H-12
B-1116	isoxaflutol + glyphosate	H-12
B-1117	metazachlor + H-1	H-12
B-1118	metazachlor + glyphosate	H-12
B-1119	metazachlor + mesotrione	H-12
B-1120	metazachlor + nicosulfuron	H-12
B-1121	metazachlor + terbutylazine	H-12
B-1122	metazachlor + topramezone	H-12
B-1123	metribuzin + glyphosate	H-12
B-1124	pendimethalin + H-1	H-12
B-1125	pendimethalin + clodinafop-propargyl	H-12
B-1126	pendimethalin + fenoxaprop-P-ethyl	H-12
B-1127	pendimethalin + flupyr-sulfuron-methyl-sodium	H-12
B-1128	pendimethalin + glyphosate	H-12
B-1129	pendimethalin + mesosulfuron-methyl	H-12
B-1130	pendimethalin + mesotrione	H-12
B-1131	pendimethalin + nicosulfuron	H-12
B-1132	pendimethalin + pinoxaden	H-12
B-1133	pendimethalin + pyroxsulam	H-12
B-1134	pendimethalin + tembotrione	H-12
B-1135	pendimethalin + topramezone	H-12
B-1136	pyroxasulfone + tembotrione	H-12
B-1137	pyroxasulfone + topramezone	H-12
B-1138	sulfentrazone + glyphosate	H-12

	Herbicide(s) B	Safener C
B-1139	terbuthylazine + H-1	H-12
B-1140	terbuthylazine + foramsulfuron	H-12
B-1141	terbuthylazine + glyphosate	H-12
B-1142	terbuthylazine + mesotrione	H-12
B-1143	terbuthylazine + nicosulfuron	H-12
B-1144	terbuthylazine + tembotrione	H-12
B-1145	terbuthylazine + topramezone	H-12
B-1146	trifluralin + glyphosate	H-12
B-1147	2-1	--
B-1148	2-2	--
B-1149	2-3	--
B-1150	2-4	--
B-1151	2-5	--
B-1152	2-6	--
B-1153	2-7	--
B-1154	2-8	--
B-1155	2-9	--
B-1156	2-1	benoxacor
B-1157	2-2	benoxacor
B-1158	2-3	benoxacor
B-1159	2-4	benoxacor
B-1160	2-5	benoxacor
B-1161	2-6	benoxacor
B-1162	2-7	benoxacor
B-1163	2-8	benoxacor
B-1164	2-9	benoxacor
B-1165	2-1	cloquintocet
B-1166	2-2	cloquintocet
B-1167	2-3	cloquintocet
B-1168	2-4	cloquintocet
B-1169	2-5	cloquintocet
B-1170	2-6	cloquintocet
B-1171	2-7	cloquintocet
B-1172	2-8	cloquintocet
B-1173	2-9	cloquintocet
B-1174	2-1	cyprosulfamide
B-1175	2-2	cyprosulfamide
B-1176	2-3	cyprosulfamide

	Herbicide(s) B	Safener C
B-1177	2-4	cyprosulfamide
B-1178	2-5	cyprosulfamide
B-1179	2-6	cyprosulfamide
B-1180	2-7	cyprosulfamide
B-1181	2-8	cyprosulfamide
B-1182	2-9	cyprosulfamide
B-1183	2-1	dichlormid
B-1184	2-2	dichlormid
B-1185	2-3	dichlormid
B-1186	2-4	dichlormid
B-1187	2-5	dichlormid
B-1188	2-6	dichlormid
B-1189	2-7	dichlormid
B-1190	2-8	dichlormid
B-1191	2-9	dichlormid
B-1192	2-1	fenchlorazole
B-1193	2-2	fenchlorazole
B-1194	2-3	fenchlorazole
B-1195	2-4	fenchlorazole
B-1196	2-5	fenchlorazole
B-1197	2-6	fenchlorazole
B-1198	2-7	fenchlorazole
B-1199	2-8	fenchlorazole
B-1200	2-9	fenchlorazole
B-1201	2-1	isoxadifen
B-1202	2-2	isoxadifen
B-1203	2-3	isoxadifen
B-1204	2-4	isoxadifen
B-1205	2-5	isoxadifen
B-1206	2-6	isoxadifen
B-1207	2-7	isoxadifen
B-1208	2-8	isoxadifen
B-1209	2-9	isoxadifen
B-1210	2-1	mefenpyr
B-1211	2-2	mefenpyr
B-1212	2-3	mefenpyr
B-1213	2-4	mefenpyr
B-1214	2-5	mefenpyr

	Herbicide(s) B	Safener C
B-1215	2-6	mefenpyr
B-1216	2-7	mefenpyr
B-1217	2-8	mefenpyr
B-1218	2-9	mefenpyr
B-1219	2-1	H-11
B-1220	2-2	H-11
B-1221	2-3	H-11
B-1222	2-4	H-11
B-1223	2-5	H-11
B-1224	2-6	H-11
B-1225	2-7	H-11
B-1226	2-8	H-11
B-1227	2-9	H-11
B-1228	2-1	H-12
B-1229	2-2	H-12
B-1230	2-3	H-12
B-1231	2-4	H-12
B-1232	2-5	H-12
B-1233	2-6	H-12
B-1234	2-7	H-12
B-1235	2-8	H-12
B-1236	2-9	H-12

The compounds I and the compositions according to the invention may also have a plant-strengthening action. Accordingly, they are suitable for mobilizing the defense system of the plants against attack by unwanted microorganisms, such as harmful fungi, but also viruses and bacteria. Plant-strengthening (resistance-inducing) substances are to be understood as meaning, in the present context, those substances which are capable of stimulating the defense system of treated plants in such a way that, when subsequently inoculated by unwanted microorganisms, the treated plants display a substantial degree of resistance to these microorganisms.

The compounds I can be employed for protecting plants against attack by unwanted microorganisms within a certain period of time after the treatment. The period of time within which their protection is effected generally extends from 1 to 28 days, preferably from 1 to 14 days, after the treatment of the plants with the compounds I, or, after treatment of the seed, for up to 9 months after sowing.

The compounds I and the compositions according to the invention are also suitable for increasing the harvest yield.

Moreover, they have reduced toxicity and are tolerated well by the plants.

Hereinbelow, the compounds of the formula I are illustrated by way of examples, without limiting the subject matter of the present invention to the examples shown.

5 I. Synthesis examples

With appropriate modification of the starting materials, the procedures given in the synthesis examples below were used to obtain further compounds I. The compounds obtained in this manner are listed in the table that follows, together with physical data.

10 The products shown below were characterized by determination of the melting point, by NMR spectroscopy or by the masses ($[m/z]$) or retention time (RT; [min.]) determined by HPLC-MS spectrometry.

HPLC-MS = high performance liquid chromatography coupled with mass spectrometry;

15 HPLC column:

RP-18 column (Chromolith Speed ROD from Merck KGaA, Germany), 50*4.6 mm; mobile phase: acetonitrile + 0.1% trifluoroacetic acid (TFA)/water + 0.1% TFA, using a gradient from 5:95 to 100:0 over 5 minutes at 40°C, flow rate 1.8 ml/min.

MS: quadrupole electrospray ionization, 80 V (positive mode).

20 Ac: Acetyl; THF: tetrahydrofurane; DMF: dimethylformamide; TEA: triethylamine; dppf: 1,1'-bis(diphenylphosphino)ferrocene; dba: dibenzylidenacetone; PE: petrol ether; EtOAc: acetic acid ethyl ester; Et₂O: diethyl ether; DCM: dichloromethane; NCS: N-chlorosuccinimide; LiHMDS: lithium-hexamethyldisilazane; AcOH: acetic acid; MeOH: methanol; m-CPBA: m-chloroperbenzoic acid.

25

Example 1: Preparation of 1-(2,2-difluoroethyl)-2,2-dioxo-3-(2-trifluoromethylphenyl)-1,2-dihydro-2-thia-1,5-diazanaphthalen-4-ol [Tab. 31, A-4]

30 Step 1: Methyl 3-[(2,2-difluoroethyl)(2-trifluoromethylphenylmethanesulfonyl)amino]-pyridine-2-carboxylate

1.08 g (5.0 mmol) of methyl 3-(2,2-difluoroethylamino)pyridine-2-carboxylate (cf. WO2009/090401) and a solution of 5.0 mmol of lithium hexamethyl disilazane in THF were added to a solution of 1.29 g (5.0 mmol) of (2-trifluoromethylphenyl)methanesulfonyl chloride in THF. Work-up gave 1.3 g of methyl 3-[(2,2-difluoroethyl)-(2-trifluoromethylphenylmethanesulfonyl)amino]pyridine-2-carboxylate, which was reacted further without further purification.

35

Step 2: 1-(2,2-Difluoroethyl)-2,2-dioxo-3-(2-trifluoromethylphenyl)-1,2-dihydro-2-thia-1,5-diazanaphthalen-4-ol


40 Potassium carbonate was added to a solution of 1.3 g (3.2 mmol) of the ester from Step 1 in DMF. Purification by preparative HPLC gave 345 mg of 1-(2,2-difluoroethyl)-

2,2-dioxo-3-(2-trifluoromethylphenyl)-1,2-dihydro-2-thia-1,5-diazanaphthalen-4-ol.

$^1\text{H-NMR}$ (CDCl_3) δ : 8.50 (d); 7.82 (d); 7.6 (m); 6.1 (tt); 4.33 (m); 4.15 (m).

MS (ESI): $\text{M}+\text{H}= 407.0$

- 5 Example 2: Preparation of 1-(2,2-difluoroethyl)-3-[3-methylsulfonyl-2-(trifluoromethyl)phenyl]-2,2-dioxo-pyrido[3,2-c]thiazin-4-ol (hereinafter also referred to as compound 10 which corresponds to compound I-148 in the Table I below)



10

- Step 1: To a solution of compound 1 (6.05 g, 25.0 mmol) in DMF (60 ml) was added sodium methylmercaptide (1.66 g, 23.7 mmol) in portions. The resulting solution was stirred at room temperature for two hours. The mixture was dissolved in CH_2Cl_2 , then washed with water and brine. The organic phase was dried and concentrated in vacuum to give crude compound 2 (6.75 g, 100%) as a colorless syrup used directly without further purification.

$^1\text{H NMR}$: CDCl_3 400 MHz δ 7.51-7.47 (m, 1H), 7.23 (d, $J=4.8$ Hz, 2H), 2.47(s, 2H).

- Step 2: To a solution of compound 2 (6.75 g, 25.0 mmol) in toluene/ methanol (450 ml/ 150 ml) was added TEA (12.65 g, 125.0 mmol) and Pd(dppf)Cl_2 (3.4 g, 50% wt). The resulting solution was stirred at 80°C under carbon monoxide atmosphere (50 Psi) for two days. After cooled to room temperature, the mixture was concentrated in vacuum. The residue was purified by column (PE: EtOAc = 100 : 1) to give compound 3 (4.35 g, 69.9%) as a yellow syrup.

¹H NMR: CDCl₃ 400 MHz δ 7.52-7.44 (m, 2H), 7.24 (d, *J*= 7.2 Hz, 1H), 3.91 (s, 3H), 2.53 (s, 3H).

Step 3: To a solution of compound 3 (4.35 g, 17.5 mmol) in dry THF (50 ml) was added lithium borohydride (1.54 g, 70.0 mmol) in portions at 0°C under nitrogen. The resulting solution was stirred and refluxed for three days. The mixture was quenched with water. The resulting solution was extracted with EtOAc. The organic phase was dried and concentrated in vacuum to give compound 4 (3.87 g, 100%) as a colorless syrup used directly without further purification.

¹H NMR: CDCl₃ 400 MHz δ 7.51-7.47 (m, 2H), 7.30 (d, *J*= 7.6 Hz, 1H), 4.87 (s, 2H), 2.50 (s, 3H).

Step 4: To a solution of compound 4 (4.37 g, 19.8 mmol) in dry CH₂Cl₂ (50 ml) was added m-CPBA (10.93 g, 79.2 mmol) in portions at 0°C. The resulting solution was stirred at room temperature for overnight. The mixture was washed with 10% aqueous sodium hydroxide and extracted with CH₂Cl₂. The organic phase was dried and concentrated in vacuum. The residue was purified by column (PE/ EtOAc: 1/ 1) to give compound 5 (3.2 g, 63.6%)

¹H NMR: CDCl₃ 400 MHz δ 8.29 (d, *J*= 8.0 Hz, 1H), 8.14 (d, *J*= 7.6 Hz, 1H), 7.76 (t, *J*= 7.6 Hz, 1H), 4.96 (s, 2H), 3.27 (s, 3H).

Step 5: To a solution of compound 5 (3.2 g, 12.6 mmol) in dry CH₂Cl₂ (35 ml) was added dropwise a solution of phosphorus tribromide (5.12 g, 18.9 mmol) in CH₂Cl₂ at 0°C. The resulting solution was stirred at room temperature for two hours. The mixture was washed with saturated aqueous sodium bicarbonate and extracted with CH₂Cl₂. The organic phase was dried and concentrated in vacuum to give the crude compound 6 (1.9 g, 47.6%) as a yellow solid used directly without further purification.

¹H NMR: CDCl₃ 400 MHz δ 8.35 (d, *J*= 8.0 Hz, 1H), 7.88 (d, *J*= 8.0 Hz, 1H), 7.74 (t, *J*= 7.6 Hz, 1H), 4.66 (s, 2H), 3.29 (s, 3H).

Step 6: To a solution of compound 6 (1.9 g, 6.0 mmol) in acetone (20 ml) was added potassium thioacetate (1.03 g, 9.0 mmol) in one portion. The resulting solution was stirred and refluxed for overnight. The mixture was filtered and the filtrate was concentrated in vacuum. The residue was purified by column (PE/ EtOAc: 5/ 1) to give compound 7 (1.55 g, 82.9%) as a yellow solid.

¹H NMR: CDCl₃ 400 MHz δ 8.28 (d, *J*= 8.0 Hz, 1H), 7.84 (d, *J*= 8.0 Hz, 1H), 7.66 (t, *J*= 8.0 Hz, 1H), 4.37 (s, 2H), 3.27 (s, 3H), 2.37 (s, 3H).

Step 7: To a solution of hydrochloric acid (2M, 0.40 ml) in acetonitrile (10 ml) was added NCS (0.85 g, 6.4 mmol) in portions. Then a solution of compound 7 (0.50 g, 1.6 mmol) in acetonitrile (1ml) was added dropwise at 0°C. The resulting solution was


stirred at 0°C for five minutes. The mixture was concentrated in vacuum. The residue was dissolved in Et₂O and filtered. The filtrate was concentrated in vacuum to give compound 8 (0.54 g, 100%) as a white solid used directly without further purification.

¹H NMR: CDCl₃ 400 MHz δ 8.53 (d, *J* = 8.0 Hz, 1H), 8.05 (d, *J* = 8.0 Hz, 1H), 7.87 (t, *J* = 8.0 Hz, 1H), 5.26 (s, 2H), 3.30 (s, 3H).

Step 8: To a solution of compound 9 (0.35 g, 1.6 mmol) in dry THF (10 ml) was added LiHMDS (3.2 ml) dropwise at -78°C under nitrogen. After stirred at -78°C for 1 hour, a solution of compound 8 (0.54 g, 1.6 mmol) in dry THF was added dropwise to the above mixture at -78°C. The resulting solution was stirred from -78 °C to room temperature for overnight. The mixture was quenched with water. THF was removed by concentration and the residue was dissolved in water. The resulting aqueous phase was acidified to pH 3 and extracted with EtOAc. The organic phase was dried over anhydrous sodium sulfate and concentrated in vacuum. The residue was purified by prep. HPLC to give compound 10 (72 mg, 9.3%) as a yellow solid.

¹H NMR: CDCl₃ 400 MHz δ 8.52-8.50 (m, 2H), 7.99 (d, *J* = 7.6 Hz, 1H), 7.88-7.81 (m, 2H), 7.61-7.58 (m, 1H), 6.12 (t, *J* = 55.6 Hz, 1H), 4.43-4.31 (m, 1H), 4.19-4.08 (m, 1H), 3.27 (s, 3H).

Example 3: Preparation of 1-(2,2-difluoroethyl)-3-[3-(2-methoxyethoxy)-2-(trifluoromethyl)phenyl]-2,2-dioxo-pyrido[3,2-c]thiazin-4-ol (hereinafter also referred to as compound 19 which corresponds to compound I-54 in the Table I below)



Step 1: To a solution of 2-methoxy-ethanol (2.83 g, 37.2 mmol) in DMF (30 ml) was

added sodium hydride (1.49 g, 37.2 mmol) in portions at 0°C under nitrogen. After stirred at room temperature for one hour, compound 11 (3.0 g, 12.4 mmol) was added in one portion. The resulting solution was stirred at room temperature for one hour. The mixture was quenched with water, and then poured into EtOAc and water. The solution
5 was separated and the organic phase was washed with brine. It was dried and concentrated in vacuum to give the crude compound 12 (3.1 g, 83.5%) as a colorless syrup without further purification.

Step 2: To a solution of compound 12 (5.3 g, 17.7 mmol) in toluene/ methanol (300
10 ml/ 100 ml) was added TEA (8.95 g, 88.5 mmol, 5 eq) and Pd(dppf)Cl₂ (2.5 g, 50% wt). The resulting solution was stirred at 80°C under carbon monoxide atmosphere (50 Psi.) for two days. After cooled to room temperature, the mixture was concentrated in vacuum. The residue was purified by column (PE: EtOAc = 30 : 1) to give compound 13 (4.64 g, 94.3%) as a yellow syrup.

15 ¹H NMR: CDCl₃ 400 MHz δ 7.50 (t, *J*= 8.0 Hz, 1H), 7.12 (d, *J*= 8.4 Hz, 1H), 7.03 (d, *J*= 7.6 Hz, 1H), 4.21 (t, *J*= 4.8 Hz, 2H), 3.90 (s, 3H), 3.78 (t, *J*= 4.8 Hz, 2H), 3.45 (s, 3H).

Step 3: To a solution of compound 13 (4.64 g, 16.7 mmol) in dry THF (50 ml) was
20 added lithium borohydride (0.74 g, 33.4 mmol) in portions at 0°C under nitrogen. The resulting solution was stirred at 70 °C for overnight. The mixture was added dropwise with water. The resulting solution was extracted with EtOAc. The organic phase was dried and concentrated in vacuum to give compound 14 (4.0 g, 95.8%) as a yellow syrup used directly without further purification.

25 ¹H NMR: CDCl₃ 400 MHz δ 7.47 (t, *J*= 8.0 Hz, 1H), 7.26 (d, *J*= 7.6 Hz, 1H), 6.99 (d, *J*= 8.4 Hz, 1H), 4.86 (s, 2H), 4.18 (t, *J*= 4.8 Hz, 2H), 3.78 (t, *J*= 5.2 Hz, 2H), 3.46 (s, 3H).

Step 4: To a solution of compound 14 (4.0 g, 16.0 mmol) in dry DCM (50 ml) was
30 added dropwise a solution of phosphorus tribromide (6.5 g, 24.0 mmol) in DCM at 0°C. The resulting solution was stirred at room temperature for two hours. The mixture was washed with saturated aqueous sodium bicarbonate and extracted with DCM. The organic phase was dried and concentrated in vacuum to give the crude compound 15 (3.0 g, 59.9%) as a yellow solid used directly without further purification.

35 ¹H NMR: CDCl₃ 400 MHz δ 7.42 (t, *J*= 8.0 Hz, 1H), 7.05-7.00 (m, 2H), 4.63 (s, 2H), 4.18 (t, *J*= 4.8 Hz, 2H), 3.78 (t, *J*= 4.8 Hz, 2H), 3.46 (s, 3H).

Step 5: To a solution of compound 15 (2.0 g, 6.4 mmol) in acetone (20 ml) was
40 added potassium thioacetate (1.09 g, 9.6 mmol) in one portion. The resulting solution was stirred and refluxed for overnight. The mixture was filtered and the filtrate was concentrated in vacuum. The residue was purified by column (PE/ EtOAc: 50/ 1) to give

compound 16 (1.74 g, 88.3%) as an orange syrup.

¹H NMR: CDCl₃ 400 MHz δ 7.36 (t, *J*= 8.0 Hz, 1H), 7.09 (d, *J*= 7.6 Hz, 1H), 6.95 (d, *J*= 8.4 Hz, 1H), 4.28 (s, 2H), 4.16 (t, *J*= 4.8 Hz, 2H), 3.77 (t, *J*= 4.8 Hz, 2H), 3.45 (s, 3H), 2.32 (s, H).

5

Step 6: To a solution of hydrochloric acid (2M, 0.5 ml) in acetonitrile (10 ml) was added NCS (1.07 g, 8 mmol) in portions. Then a solution of compound 16 (0.62 g, 2 mmol) in acetonitrile (1 ml) was added dropwise at 0°C. The resulting solution was stirred at 0°C for five minutes. The mixture was concentrated in vacuum. The residue was dissolved in Et₂O and filtered. The filtrate was concentrated in vacuum to give compound 17 (0.66 g, 100%) as a yellow syrup used directly without further purification.

10

¹H NMR: CDCl₃ 400 MHz δ 7.54 (t, *J*= 8.0 Hz, 1H), 7.20 (d, *J*= 8.4 Hz, 1H), 7.15 (d, *J*= 7.6 Hz, 1H), 5.19 (s, 2H), 4.22 (t, *J*= 4.8 Hz, 2H), 3.79 (t, *J*= 4.8 Hz, 2H), 3.45 (s, 3H).

15

Step 7: To a solution of compound 9 (0.32 g, 1.5 mmol) in dry THF (10 ml) was added LiHMDS (3 ml) dropwise at -78°C under nitrogen. After stirred at -78°C for 1 hour, a solution of compound 17 (0.5 g, 1.5 mmol) in dry THF was added dropwise to the above mixture at -78°C. The resulting solution was stirred from -78 °C to room temperature for overnight. The mixture was quenched with water. THF was removed by concentration and the residue was dissolved in water. The resulting aqueous phase was acidified to pH 3 and extracted with EtOAc. The organic phase was dried over anhydrous sodium sulfate and concentrated in vacuo to give the crude product compound 18 (0.61 g, 79.4%) as a yellow syrup used directly without further purification.

20

25


Step 8: To a solution of compound 18 (0.61 g, 1.2 mmol) in DMF (6 ml) was added potassium carbonate (0.33 g, 2.4 mmol) in one portion. The resulting solution was stirred at 110°C for 2 hours. The mixture was filtered and the filtrate was purified by prep. HPLC to give compound 19 (117 mg, 20.3%) as a brown solid.

30

¹H NMR: CDCl₃ 400 MHz δ 8.48 (s, 1H), 7.79 (d, *J*= 8.4 Hz, 1H), 7.60-7.54 (m, 2H), 7.25-7.19 (m, 2H) 6.14 (t, *J*= 55.6 Hz, 1H), 4.43-4.31 (m, 1H), 4.24 (t, *J*= 4.4 Hz, 2H), 4.23-4.08 (m, 1H), 3.81 (t, *J*= 4.4 Hz, 2H), 3.47 (s, 3H).

35

Example 4: Preparation of 3-[5-chloro-3-morpholino-2-(trifluoromethyl)phenyl]-1-(2,2-difluoroethyl)-2,2-dioxo-pyrido[3,2-*c*]thiazin-4-ol (hereinafter also referred to as compound 29 which corresponds to compound I-56 in the Table I below)



- 5 Step 1: To a solution of compound 20 (80 g, 0.41 mol) in 800 ml AcOH was added Br₂ (131 g, 0.82 mol) at room temperature. The mixture was stirred at 50 °C for 5 hrs. The mixture was dilute with CH₂Cl₂ and washed with water, aq. Na₂CO₃ and brine, the organic layer was dried over Na₂SO₄ and concentrated in vacuo, the crude product was purified by column chromatography to give compound 21 (80 g, yield: 55%).

10 ¹H NMR MeOD 400MHz δ 7.69 (s, 1H).

- Step 2: To a solution of compound 21 (40 g, 0.11 mol) in H₃PO₄ (1.2 l) was added dropwise a solution of NaNO₂ (47 g, 0.68 mol) in 200 ml water at -4 °C, H₃PO₂ (480 ml) was added dropwise at -4 °C. The resulting mixture was stirred overnight at room temperature. The reaction mixture was diluted with CH₂Cl₂ and neutralized with sat. Na₂CO₃, the organic layer was washed brine, dried over anhydrous Na₂SO₄ and concentrated in vacuo, the crude product was purified by column chromatography to give compound 22 (30 g, yield: 78%).

¹H NMR MeOD 400MHz δ 7.93 (s, 2H).

Step 3: A mixture of compound 22 (10 g, 29.6 mmol), morpholine (2.6 g, 29.6 mmol), t-BuONa (5.7 g, 59.1 mmol), dppf (1.0 g, 1.77 mmol) and Pd₂(dba)₃ (0.81 g, 0.89 mmol) in toluene (150 ml) was heated to 90 °C under N₂ atmosphere overnight. The reaction mixture was filtered and concentrated in vacuo, the residue was purified by column chromatography to give compound 23 (2.8 g, yield: 25%).

¹H NMR MeOD 400MHz δ 7.56 (s, 1H), 7.33 (s, 1H), 3.77~3.79 (m, 4H), 2.95~2.97 (m, 4H).

Step 4: PdCl₂(dppf)₂ (1.6 g, 2.2 mmol) was added under N₂ atmosphere to a mixture of compound 23 (7.5 g, 21.8 mmol) and TEA (4.4 g, 43.5 mmol) in MeOH (150 mL) and toluene (200ml) at room temperature. The mixture was heated to 75 °C at 50 psi under CO atmosphere for overnight. The mixture was filtrated and evaporated in vacuo, the residue was purified by column chromatograph (PE:EtOAc=50:1) to give compound 24 (6.2 g, yield: 89%).

¹H NMR: CDCl₃ 400 MHz δ 7.30 (s, 1H), 7.25 (s, 1H), 3.90 (s, 3H), 3.81~3.83 (m, 4H), 2.98~3.00 (m, 4H).

Step 5: To a mixture of compound 24 (6.2 g, 19.2 mmol) in 80 ml of THF was added portionwise LiBH₄ (79 mg, 3.6 mmol) at 0 °C. The reaction mixture was stirred at room temperature for 3 days. The mixture was quenched with water at ice-water and extracted with EtOAc. The organic layer was washed with brine and dried over anhydrous Na₂SO₄, the crude product was purified by column chromatograph (PE:EtOAc=200:1) to give compound 25 (3.8 g, yield: 67%).

¹H NMR: CDCl₃ 400 MHz δ 7.48 (s, 1H), 7.12 (s, 1H), 4.78 (s, 2H), 3.74~3.76 (m, 4H), 2.82~2.84 (m, 4H).

Step 6: To a solution of compound 25 (3.8 g, 12.9 mmol) in dry CH₂Cl₂ (50 ml) was added dropwise a solution of phosphorus tribromide (5.2 g, 19.3 mmol) in CH₂Cl₂ (5 ml) at 0°C. The mixture was stirred at room temperature for 2 hours. The reaction mixture was poured into saturated aqueous sodium bicarbonate and adjusted to pH 8 by addition of more sodium bicarbonate. Then it was extracted with CH₂Cl₂ and washed with brine. The organic phase was dried over anhydrous sodium sulfate and concentrated in vacuo, the residue was purified by column chromatograph (PE:EtOAc=300:1) to give compound 26 (2.9 g, 63%).

¹H NMR MeOD 400MHz δ 7.43 (s, 1H), 7.42 (s, 1H), 4.66 (s, 2H), 3.78~3.80 (m, 4H), 2.89~2.91 (m, 4H).

Step 7: To a stirred solution of compound 26 (1.0 g, 2.8 mmol) in acetone (10 ml) was added a solution of sodium sulfite (0.39 g, 3.1 mmol) in water (10 ml). A white precipitate formed. The reaction mixture was refluxed overnight, the reaction mixture

was concentrated to approximately one-half of the original column and then filtered. After washing of the filter cake with water was obtained compound 27 (0.94 g, yield: 89%).

¹H NMR DMSO-*d*₆ 400MHz δ 7.49 (s, 1H), 7.40 (s, 1H), 3.92 (s, 2H), 3.66 (br, 4H),
5 2.81 (br, 4H).


Step 8: To a suspension of compound 27 (0.94 g, 2.5 mmol) in acetonitrile (10 ml) under nitrogen was added POCl₃ (2.3 g, 14.8 mmol) at room temperature. After refluxing for 6 hrs, the mixture was cooled to room temperature and dilute with EtOAc, then poured into a mixture of EtOAc and ice. The organic layer was washed cold water (twice) and brine (twice), and dried over MgSO₄ and concentrated to give compound 28 (0.7 g, yield: 75%).

¹H NMR DMSO-*d*₆ 400MHz δ 7.47 (s, 1H), 7.41 (s, 1H), 4.00 (s, 2H), 3.66 (br, 4H),
15 2.81 (br, 4H).

Step 9: LiHMDS (2.2 ml, 2.2 mmol, 1M) was added dropwise to a solution of compound 9 (0.24 g, 1.1 mmol) in THF at -78 °C under N₂ atmosphere, the mixture was continued to stir for 2 hrs at -78 °C, then compound 28 (0.38 g, 1.1 mmol) in THF was added dropwise to the above mixture, the resulting mixture was stirred for overnight at room temperature. The mixture was quenched with H₂O and acidified to pH 3 with aq. HCl, the reaction mixture was extracted with EtOAc and washed with brine. The organic layer was dried over anhydrous Na₂SO₄ and concentrated in vacuo. The crude product was purified by pre-HPLC to give compound 29 (250 mg, yield: 36%).

¹H NMR: CDCl₃ 400 MHz δ 8.45 (d, 1H, *J*= 4.8 Hz), 7.75 (d, 1H, *J*=8.4 Hz),
25 7.50~7.54 (m, 1H), 7.40 (s, 1H), 7.39 (s, 1H), 6.03~6.34 (m, 1H), 4.28~4.32 (m, 1H), 4.05~4.10 (m, 1H), 3.75~3.78 (m, 4H), 2.88~2.90 (m, 4H).

Table I: Compounds of the formula I.1A-1



No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-1	CH ₂ CHF ₂	CF ₃	H	H	H	H	H	H	H	406.3
I-2	CH ₂ CHF ₂	CF ₃	H	H	Cl	H	H	H	H	441.1
I-3	CH ₂ CHF ₂	CF ₃	H	H	F	H	H	H	H	425.0
I-4	H	CF ₃	H	H	H	H	H	H	H	342.3
I-5	CH ₂ CHF ₂	Cl	H	H	H	H	H	H	H	373.0
I-6	CH ₂ CHF ₂	NO ₂	H	H	H	H	H	H	H	384.0
I-7	CH ₂ CHF ₂	Cl	H	H	Cl	H	H	H	H	407.2
I-8	CH ₂ CHF ₂	Me	3-Me-isoxazolin-5-yl	SO ₂ Me	H	H	H	H	H	514.0

[illegible]

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-17	n-Bu	Cl	H	H	H	H	H	H	H	365.0
I-18	2-Me-Pr	Cl	H	H	H	H	H	H	H	365.0
I-19	n-Pr	CF ₃	H	H	H	H	H	H	H	385.0
I-20	n-Bu	CF ₃	H	H	H	H	H	H	H	399.0
I-21	2-Me-Pr	CF ₃	H	H	H	H	H	H	H	399.0
I-22	CH ₂ CHF ₂	Me	SO ₂ CH ₂ CH ₂ C(NOMe)		H	H	H	H	H	499.5
I-23	CH ₂ CHF ₂	Cl		SO ₂ Et	H	H	H	H	H	508.9
I-24	n-Pr	Cl		H	H	H	H	H	H	434.8

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-25	n-Bu	Cl	OCF ₃	H	H	H	H	H	H	448.8
I-26	2-Me-Pr	Cl	OCF ₃	H	H	H	H	H	H	449.0
I-27	CH ₂ CHF ₂	Me	OMe	SO ₂ Me	H	H	H	H	H	461.0
I-28	n-Bu	Cl	OEt	SO ₂ Et	H	H	H	H	H	501.0
I-29	2-Me-Pr	Cl	OEt	SO ₂ Et	H	H	H	H	H	501.0
I-30	Et	Me	OMe	SO ₂ Me	H	H	H	H	H	424.5
I-31	n-Pr	Me	OMe	SO ₂ Me	H	H	H	H	H	438.5
I-32	n-Bu	Me	OMe	SO ₂ Me	H	H	H	H	H	452.5

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-33	2-Me-Pr	Me	OMe	SO ₂ Me	H	H	H	H	H	452.5
I-34	Et	Cl	OCF ₃	H	H	H	H	H	H	420.8
I-35	CH ₂ CHF ₂	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	H	490.0
I-36	CH ₂ CHF ₂	Cl	Me	SO ₂ Me	H	H	H	H	H	465.9
I-37	CH ₂ CHF ₂	Me	CN	SO ₂ Me	H	H	H	H	H	457.0
I-38	CH ₂ CHF ₂	Cl	OMe	SO ₂ Me	H	H	H	H	H	480.9
I-39	Me	Cl	H	Cl	H	H	H	H	H	356.9
I-40	Et	Cl	H	Cl	H	H	H	H	H	370.9

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-41	n-Pr	Cl	H	Cl	H	H	H	H	H	385.0
I-42	n-Bu	Cl	H	Cl	H	H	H	H	H	399.0
I-43	2-Me-Pr	Cl	H	Cl	H	H	H	H	H	399.0
I-44	Me	Cl	H	H	H	H	H	H	H	322.8
I-45	Me	CF ₃	H	H	H	H	H	H	H	357.0
I-46	CH ₂ CHF ₂	Cl	C(O)C(Me ₂)CH ₂ SO ₂		H	H	H	H	H	505.0
I-47	2-Me-Pr	Me	SO ₂ CH ₂ CH ₂ C(Me ₂)		H	H	H	H	H	476.6
I-48	CH ₂ CHF ₂	Cl	CH ₂ CH ₂ SO ₂		H	H	H	H	H	462.9

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-49	2-Me-Pr	Me	Ph	H	H	H	H	H	H	420.5
I-50	CH ₂ CHF ₂	Me	NC(Cl)S		H	H	H	H	H	443.9
I-51	i-Pr	Cl	H	H	H	H	H	H	H	350.8
I-52	i-Pr	CF ₃	H	H	H	H	H	H	H	384.4
I-53	2-Me-Pr	Cl	CH ₂ CH ₂ SO ₂		H	H	H	H	H	455.0
I-54	CH ₂ CHF ₂	CF ₃	OCH ₂ CH ₂ OMe	H	H	H	H	H	H	480.9
I-55	CH ₂ CHF ₂	CF ₃	OCH ₂ - (tetrahydrofuran- 2-yl)	H	H	H	H	H	H	507.1
I-56	CH ₂ CHF ₂	CF ₃	morpholin-4-yl	H	Cl	H	H	H	H	525.8

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-57	CH ₂ CHF ₂	Br	H	H	H	H	H	H	H	418.9
I-58	CH ₂ CHF ₂	Cl	Me	Cl	H	H	H	H	H	421.2
I-59	Et	Cl	Me	Cl	H	H	H	H	H	385.3
I-60	CH ₂ CHF ₂	Cl	CHCHCHCH		H	H	H	H	H	423.0
I-61	Et	Cl	CHCHCHCH		H	H	H	H	H	387.0
I-62	CH ₂ CHF ₂	F	H	F	H	H	H	H	H	375.0
I-63	Et	F	H	F	H	H	H	H	H	339.0
I-64	CH ₂ CHF ₂	Me	isoxazolin-3-yl	OCHF ₂	H	H	H	H	H	488.0

[illegible]

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-73	CH ₂ CH(OEt) ₂	Cl	H	H	H	H	H	H	H	425.0
I-74	CH ₂ CHF ₂	Cl	Cl	OMe	H	H	H	H	H	436.9
I-75	Et	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	H	454.0
I-76	CH ₂ CHF ₂	F	H	H	H	H	H	H	H	357.0
I-77	Et	Br	H	H	H	H	H	H	H	383.9
I-78	CH ₂ CHF ₂	CF ₃	H	Cl	H	H	H	H	H	440.8
I-79	CH ₂ CHF ₂	Cl	H	I	H	H	H	H	H	498.9
I-80	CH ₂ CHF ₂	Cl	H	H	I	H	H	H	H	498.9

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-81	Et	Cl	H	Br	H	H	H	H	H	415.0
I-82	CH ₂ CH(OMe) ₂	CF ₃	H	H	H	H	H	H	H	430.9
I-83	CH ₂ CHF ₂	Me	SO ₂ Me	SO ₂ Me	H	H	H	H	H	508.5
I-84	Et	Me	SO ₂ Me	SO ₂ Me	H	H	H	H	H	472.6
I-85	CH ₂ CHF ₂	CF ₃	H	H	Cl	F	H	H	H	458.9
I-86	H	H	H	H	H	H	H	H	H	274.3
I-87	CH ₂ CHF ₂	Cl	H	Cl	F	H	H	H	H	424.9
I-88	Et	Cl	H	Cl	F	H	H	H	H	388.9

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-89	CH ₂ CHF ₂	CN	H	H	H	H	H	H	H	363.3
I-90	Et	CN	H	H	H	H	H	H	H	327.0
I-91	CH ₂ CHF ₂	Me	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	H	470.0
I-92	CH ₂ CHF ₂	CF ₃	Ph	H	H	H	H	H	H	483.0
I-93	CH ₂ CHF ₂	Cl	H	H	H	Cl	H	H	H	406.9
I-94	CH ₂ CHF ₂	Cl	H	F	H	H	H	H	H	391.0
I-95	Et	Cl	H	H	H	Cl	H	H	H	370.9
I-96	Et	Cl	H	F	H	H	H	H	H	355.0

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-97	Et	Cl	iPr	H	H	H	H	H	H	379.0
I-98	CH ₂ CHF ₂	Cl	iPr	H	H	H	H	H	H	415.0
I-99	CH ₂ CHF ₂	Me	Br	H	H	H	H	H	H	432.9
I-100	Et	Me	Br	H	H	H	H	H	H	396.9
I-101	CH ₂ CHF ₂	I	H	H	H	H	H	H	H	464.9
I-102	CH ₂ CH(OMe) ₂	Cl	H	Cl	H	H	H	H	H	431.1
I-103	CH ₂ CHF ₂	Me	H	H	H	H	H	H	H	353.0
I-104	CH ₂ CHF ₂	Br	H	Cl	H	H	H	H	H	452.9

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-105	CH ₂ CHF ₂	Cl	Cy-Hex	H	H	H	H	H	H	455.0
I-106	CH ₂ CHF ₂	Cl	t-Bu	H	H	H	H	H	H	429.0
I-107	CH ₂ CHF ₂	Cl	Ph	H	H	H	H	H	H	449.0
I-108	CH ₂ CHF ₂	Cl	Me	F	H	H	H	H	H	405.0
I-109	CH ₂ CHF ₂	OMe	3-Me-isoxazolin-5-yl	SO ₂ Me	H	H	H	H	H	529.5
I-110	Et	Br	H	Cl	H	H	H	H	H	415.7
I-111	Et	Cl	Cy-Hex	H	H	H	H	H	H	418.9
I-112	Et	Cl	t-Bu	H	H	H	H	H	H	392.9

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-113	Et	Cl	Me	F	H	H	H	H	H	368.8
I-114	Et	Cl	Ph	H	H	H	H	H	H	412.9
I-115	CH ₂ CHF ₂	Cl	3-Cl-6-OMe- phenyl	H	H	H	H	H	H	513.0
I-116	Et	Cl	3-Cl-6-OMe- phenyl	H	H	H	H	H	H	477.4
I-117	Et	CF ₃	H	H	H	F	H	H	H	389.2
I-118	CH ₂ CHF ₂	CF ₃	H	H	H	F	H	H	H	425.2
I-119	CH ₂ CHF ₂	Cl	H	Br	H	H	H	H	H	451.1
I-120	CH ₂ CHF ₂	Cl	3-Me-isoxazolin-5- yl	Cl	H	H	H	H	H	488.0

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-121	CH ₂ CHF ₂	Cl	CF ₃	H	H	H	H	H	H	440.9
I-122	CH ₂ CHF ₂	OCF ₃	H	H	H	H	H	H	H	423.0
I-123	CH ₂ CHF ₂	H	H	H	H	H	H	H	H	339.0
I-124	Et	Cl	CF ₃	H	H	H	H	H	H	405.0
I-125	Et	OCF ₃	H	H	H	H	H	H	H	387.0
I-126	CH ₂ CHF ₂	Cl	Cl	H	H	H	H	H	H	406.9
I-127	Et	Cl	Cl	H	H	H	H	H	H	371.0
I-128	CH ₂ CHF ₂	Cl	Me	H	H	H	H	H	H	387.0

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-129	Et	Cl	Me	H	H	H	H	H	H	350.8
I-130	n-Pr	Cl	H	Cl	H	H	H	OMe	H	415.3
I-131	Et	Cl	H	Cl	H	H	H	OMe	H	401.0
I-132	CH ₂ CHF ₂	CF ₃	H	H	Cl	Cl	H	H	H	474.9
I-133	Et	Cl	H	Cl	H	H	Cl	H	H	406.9
I-134	Et	Cl	H	Cl	H	H	CO ₂ Me	H	H	428.9
I-135	CH ₂ CH ₂ OH	CF ₃	H	H	H	H	H	H	H	387.2
I-136	CH ₂ CH ₂ OH	Cl	H	Cl	H	H	H	H	H	387.1

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-137	CH ₂ CHF ₂	OCF ₂ CF ₃	H	H	H	H	H	H	H	473.0
I-138	Et	OCF ₂ CF ₃	H	H	H	H	H	H	H	437.0
I-139	Et	Br	H	H	Cl	H	H	H	H	417.1
I-140	CH ₂ CHF ₂	Br	H	H	Cl	H	H	H	H	452.9
I-141	Et	Cl	H	H	F	H	H	H	H	355.1
I-142	CH ₂ CHF ₂	Cl	H	H	F	H	H	H	H	391.1
I-143	Allyl	CF ₃	H	H	H	H	H	H	H	383.2
I-144	Allyl	Cl	H	Cl	H	H	H	H	H	383.1

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-145	Et	Cl	H	CO ₂ Me	H	H	H	H	H	395.1
I-146	Et	I	H	F	H	H	H	H	H	447.0
I-147	Et	I	H	SO ₂ Me	H	H	H	H	H	487.1
I-148	CH ₂ CHF ₂	CF ₃	SO ₂ Me	H	H	H	H	H	H	485.1
I-149	Et	CF ₃	SO ₂ Me	H	H	H	H	H	H	449.2
I-150	CH ₂ CHF ₂	Cl	oxolan-2-yl	Cl	H	H	H	H	H	478.9
I-151	Et	Cl	oxolan-2-yl	Cl	H	H	H	H	H	443.3
I-152	CH ₂ CHF ₂	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	COiPr	560.4

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-153	CH ₂ CHF ₂	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	CotBu	574.4
I-154	CH ₂ CHF ₂	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	SO ₂ Me	568.4
I-155	CH ₂ CF ₃	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	H	507.9
I-156	Et	Cl	3-Me-isoxazol-5-yl	Cl	H	H	H	H	H	452.3
I-157	Et	Cl	3-Me-isoxazolin-5-yl	SO ₂ Me	H	H	H	H	H	498.0
I-158	Et	H	H	H	H	H	H	H	H	303.0
I-159	Et	I	H	H	H	H	H	H	H	428.9
I-160	Et	Cl	Me	SO ₂ Me	H	H	H	H	H	429.0

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-161	Me	I	H	H	H	H	H	H	H	414.9
I-162	CH ₂ CF ₃	Cl	H	F	H	H	H	H	H	408.9
I-163	CH ₂ CF ₃	Cl	H	Cl	F	H	H	H	H	442.9
I-164	CH ₂ CHF ₂	Cl	SO ₂ Me	H	H	Cl	H	H	H	484.9
I-165	Et	Cl	SO ₂ Me	H	H	Cl	H	H	H	449.3
I-166	CH ₂ CF ₃	Cl	H	H	H	H	H	H	H	390.9
I-167	CH ₂ CF ₃	Br	H	H	H	H	H	H	H	434.9
I-168	Et	Cl	H	CO ₂ Et	H	H	H	H	H	409.2

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-169	Et	I	H	CO ₂ Et	H	H	H	H	H	501.1
I-170	CH ₂ CHF ₂	H	Cl	H	Cl	H	H	H	H	407.2
I-171	CH ₂ CHF ₂	Cl	H	H	H	F	H	H	H	390.8
I-172	CH ₂ CH(OMe) ₂	Cl	H	Cl	H	H	Cl	H	H	465.7
I-173	Et	Cl	H	Cl	H	Cl	H	H	H	405.9
I-174	CH ₂ CHF ₂	Cl	H	Cl	H	Cl	H	H	H	442.9
I-175	Et	Br	H	F	H	H	H	H	H	400.9
I-176	CH ₂ CHF ₂	Br	H	F	H	H	H	H	H	435.9

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-177	Et	CF ₃	H	H	Cl	H	H	H	H	405.1
I-178	Et	Br	H	Br	H	H	H	H	H	461.0
I-179	Et	I	Cl	H	Cl	H	H	H	H	496.9
I-180	Et	I	H	Br	F	H	H	H	H	525.0
I-181	CH ₂ CF ₃	Me	Br	H	H	H	H	H	H	450.9
I-182	CH ₂ CHF ₂	Cl	OE _t	Cl	H	F	H	H	H	468.9
I-183	CH ₂ CF ₃	I	H	H	H	H	H	H	H	482.9
I-184	Et	CF ₃	H	F	H	H	H	H	H	389.1

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-185	CH ₂ CHF ₂	CF ₃	H	F	H	H	H	H	H	425.2
I-186	Et	CF ₃	H	Br	H	H	H	H	H	450.9
I-187	Et	I	H	H	Cl	H	H	H	H	463.0
I-188	Et	I	H	Br	H	H	H	H	H	508.8
I-189	CH ₂ CHF ₂	Cl	CN	Cl	H	H	H	H	H	432.2
I-190	Et	Cl	isoxazolin-3-yl	Cl	H	H	H	H	H	440.3
I-191	Et	Cl	CH ₂ OCH ₂ CF ₃	Cl	H	H	H	H	H	483.3
I-192	Et	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	H	454.3

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-193	Et	Cl	SO ₂ CH ₂ CH ₂ C(Me) ₂		H	H	H	H	H	469.0
I-194	CH ₂ CF ₃	CF ₃	H	H	H	H	H	H	H	424.3
I-195	CH ₂ CHF ₂	Cl	isoxazolin-3-yl	Cl	H	H	H	H	H	476.3
I-196	CH ₂ CHF ₂	Cl	CH ₂ OCH ₂ CF ₃	Cl	H	H	H	H	H	519.3
I-197	CH ₂ CHF ₂	Cl	3-Me-isoxazolin-5-yl	Cl	H	H	H	H	H	490.3
I-198	CH ₂ CHF ₂	CF ₃	H	Br	H	H	H	H	H	485.9
I-199	CH ₂ CHF ₂	I	H	Cl	H	H	H	H	H	499.1
I-200	CH ₂ CHF ₂	Cl	Cl	H	H	Cl	H	H	H	441.1

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-201	Et	CF ₃	H	H	H	Cl	H	H	H	405.0
I-202	CH ₂ CHF ₂	CF ₃	H	H	H	Cl	H	H	H	441.1
I-203	Et	Cl	Cl	H	Cl	H	H	H	H	406.9
I-204	CH ₂ CHF ₂	Cl	Cl	H	Cl	H	H	H	H	441.1
I-205	Et	Cl	Cl	H	H	Cl	H	H	H	407.0
I-206	Et	Cl	Br	H	H	H	H	H	H	415.9
I-207	Et	I	H	Cl	H	H	H	H	H	463.0
I-208	CH ₂ CF ₃	Cl	H	Cl	H	H	H	H	H	425.2

No.	R ^x	R ¹	R ²	R ³	R ⁴	R ⁵	R ⁷	R ⁸	R ^A	LCMS m/z
I-209	CH ₂ CHF ₂	Cl	H	NO ₂	H	H	H	H	H	417.8
I-210	Et	Cl	H	NO ₂	H	H	H	H	H	381.8
I-211	CH ₂ CHF ₂	Cl	H	Cl	Cl	H	H	H	H	441.7
I-212	CH ₂ CF ₃	Cl	H	Cl	Cl	H	H	H	H	459.7
I-213	CH ₂ CF ₃	Cl	Cl	H	H	Cl	H	H	H	459.7
I-214	CH ₂ CF ₃	CF ₃	H	H	Cl	F	H	H	H	476.8

Wherein Me denotes methyl, Et denotes ethyl, Pr denotes propyl, i-Pr denotes iso-propyl, Bu denotes butyl, t-Bu denotes tert-butyl, Ph denotes phenyl and Cy-Hex denotes cyclohexyl

II. Use examples

- 5 The herbicidal activity of the compounds of the formula I was demonstrated by the following greenhouse experiments:

The culture containers used were plastic flowerpots containing loamy sand with approximately 3.0% of humus as the substrate. The seeds of the test plants were sown
10 separately for each species.

For the pre-emergence treatment, the active ingredients, which had been suspended or emulsified in water, were applied directly after sowing by means of finely distributing nozzles. The containers were irrigated gently to promote germination and growth and
15 subsequently covered with transparent plastic hoods until the plants had rooted. This cover caused uniform germination of the test plants, unless this has been impaired by the active ingredients.

For the post-emergence treatment, the test plants were first grown to a height of 3 to
20 15 cm, depending on the plant habit, and only then treated with the active ingredients which had been suspended or emulsified in water. For this purpose, the test plants were either sown directly and grown in the same containers, or they were first grown separately as seedlings and transplanted into the test containers a few days prior to treatment.

25 Depending on the species, the plants were kept at 10-25°C or 20-35°C. The test period extended over 2 to 4 weeks. During this time, the plants were tended, and their response to the individual treatments was evaluated.

30 Evaluation was carried out using a scale from 0 to 100. 100 means no emergence of the plants, or complete destruction of at least the aerial moieties, and 0 means no damage, or normal course of growth. A good herbicidal activity is given at values of at least 70 and a very good herbicidal activity is given at values of at least 85.

35 The plants used in the greenhouse experiments belonged to the following species:

Bayer Code	Scientific name	English name
ABUTH	<i>Abutilon theophrasti</i>	velvetleaf
ALOMY	<i>Alopecurus myosuroides</i>	blackgrass
AMARE	<i>Amaranthus retroflexus</i>	common amaranth
AVEFA	<i>Avena fatua</i>	wild oat

Bayer Code	Scientific name	English name
CHEAL	<i>Chenopodium album</i>	lampsquaters
ECHCG	<i>Echinochloa crus-galli</i>	comon barnyardgrass
GALAP	<i>Galium aparine</i>	goosegrass
SETFA	<i>Setaria faberi</i>	Faber' s foxtail
SETVI	<i>Setaria viridis</i>	green foxtail
STEME	<i>Stellaria media</i>	common chickweed

At an application rate of 0.5 kg/ha, the compounds I-28 and I-46, applied by the post-emergence method, showed very good herbicidal activity against ABUTH.

5 At an application rate of 0.25 kg/ha, the compound I-45, applied by the post-emergence method, showed very good herbicidal activity against ABUTH.

At an application rate of 0.5 kg/ha, the compound I-7, applied by the post-emergence method, showed very good herbicidal activity against ALOMY.

At an application rate of 0.25 kg/ha, the compound I-82, applied by the post-emergence method, showed very good herbicidal activity against ALOMY.

10 At an application rate of 0.5 kg/ha, the compounds I-1, I-2, I-12, I-36, I-37, I-39, I-40, I-41, I-42, I-64, I-101, I-109, I-118 and I-119, applied by the post-emergence method, showed very good herbicidal activity against AMARE.

At an application rate of 0.5 kg/ha, the compounds I-43, I-104 and I-108, applied by the post-emergence method, showed good herbicidal activity against AMARE.

15 At an application rate of 0.447 kg/ha, the compound I-8, applied by the post-emergence method, showed very good herbicidal activity against AMARE.

At an application rate of 0.25 kg/ha, the compounds I-38, I-55, I-63, I-65, I-67, I-71, I-75, I-77, I-78 and I-79, applied by the post-emergence method, showed very good herbicidal activity against AMARE.

20 At an application rate of 0.25 kg/ha, the compound I-56, applied by the post-emergence method, showed good herbicidal activity against AMARE.

At an application rate of 0.154 kg/ha, the compound I-29, applied by the post-emergence method, showed very good herbicidal activity against AMARE.

25 At an application rate of 0.075 kg/ha, the compound I-66, applied by the post-emergence method, showed very good herbicidal activity against AMARE.

At an application rate of 0.041 kg/ha, the compound I-10, applied by the post-emergence method, showed very good herbicidal activity against AMARE.

At an application rate of 0.5 kg/ha, the compounds I-15, I-27 and I-35 applied by the post-emergence method, showed very good herbicidal activity against AVEFA.

30 At an application rate of 0.5 kg/ha, the compounds I-1, I-2, I-3, I-5, I-12, I-36, I-37, I-39, I-40, I-41, I-42, I-43, I-50, I-51, I-61, I-64, I-73, I-87, I-91, I-93, I-94, I-98, I-101, I-104, I-108, I-109, I-118, I-119 and I-120, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

At an application rate of 0.447 kg/ha, the compound I-8, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

At an application rate of 0.4 kg/ha, the compounds I-32 and I-33, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

- 5 At an application rate of 0.345 kg/ha, the compound I-33, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

At an application rate of 0.25 kg/ha, the compounds I-23, I-38, I-55, I-56, I-63, I-65, I-67, I-75, I-77, I-78, I-79, I-81, I-83 and I-85, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

- 10 At an application rate of 0.25 kg/ha, the compound I-71, applied by the post-emergence method, showed good herbicidal activity against CHEAL.

At an application rate of 0.233 kg/ha, the compound I-34, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

- 15 At an application rate of 0.2 kg/ha, the compound I-50, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

At an application rate of 0.154 kg/ha, the compounds I-29, I-50 and I-59, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

At an application rate of 0.1 kg/ha, the compounds I-44 and I-53, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

- 20 At an application rate of 0.075 kg/ha, the compound I-66, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

At an application rate of 0.0625 kg/ha, the compound I-62, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

- 25 At an application rate of 0.041 kg/ha, the compound I-10, applied by the post-emergence method, showed very good herbicidal activity against CHEAL.

At an application rate of 0.5 kg/ha, the compound I-3, applied by the post-emergence method, showed very good herbicidal activity against ECHCG.

At an application rate of 0.5 kg/ha, the compound I-5, applied by the post-emergence method, showed good herbicidal activity against ECHCG.

- 30 At an application rate of 0.4 kg/ha, the compounds I-32 and I-33, applied by the post-emergence method, showed very good herbicidal activity against ECHCG.

At an application rate of 0.345 kg/ha, the compound I-33, applied by the post-emergence method, showed very good herbicidal activity against ECHCG.

- 35 At an application rate of 0.25 kg/ha, the compounds I-52, I-65 and I-67, applied by the post-emergence method, showed very good herbicidal activity against ECHCG.

At an application rate of 0.1 kg/ha, the compound I-44, applied by the post-emergence method, showed very good herbicidal activity against ECHCG.

At an application rate of 0.5 kg/ha, the compound I-7, applied by the post-emergence method, showed good herbicidal activity against GALAP.

- 40 At an application rate of 0.25 kg/ha, the compounds I-24 and I-55, applied by the post-emergence method, showed very good herbicidal activity against GALAP.

At an application rate of 0.0625 kg/ha, the compound I-62, applied by the post-emergence method, showed good herbicidal activity against GALAP.

At an application rate of 0.5 kg/ha, the compounds I-11, I-15, I-27, I-31, I-35 and I-48, applied by the post-emergence method, showed very good herbicidal activity
5 against SETFA.

At an application rate of 0.5 kg/ha, the compound I-22, applied by the post-emergence method, showed good herbicidal activity against SETFA.

At an application rate of 0.5 kg/ha, the compounds I-2, I-3, I-50, I-51, I-87, I-91, I-93 and I-94, applied by the post-emergence method, showed very good herbicidal activity
10 against SETVI.

At an application rate of 0.5 kg/ha, the compounds I-1, I-5 and I-12, applied by the post-emergence method, showed good herbicidal activity against SETVI.

At an application rate of 0.25 kg/ha, the compounds I-75, I-78, I-79, I-80, I-83 and I-85, applied by the post-emergence method, showed very good herbicidal activity
15 against STEME.


At an application rate of 0.25 kg/ha, the compounds I-77 and I-81, applied by the post-emergence method, showed good herbicidal activity against STEME.

At an application rate of 0.233 kg/ha, the compound I-34, applied by the post-emergence method, showed very good herbicidal activity against STEME.

At an application rate of 0.075 kg/ha, the compound I-66, applied by the post-emergence method, showed very good herbicidal activity against STEME.
20

Claims

1. A substituted pyridine of the formula I



in which the variables have the following meaning:

R is O-R^A, S(O)_n-R^A or O-S(O)_n-R^A;

R^A is hydrogen, C₁-C₄-alkyl, Z-C₃-C₆-cycloalkyl, C₁-C₄-haloalkyl, C₂-C₆-alkenyl, Z-C₃-C₆-cycloalkenyl, C₂-C₆-alkynyl, Z-(tri-C₁-C₄-alkyl)silyl, Z-C(=O)-R^a, Z-NRⁱ-C(O)-NRⁱⁱ, Z-P(=O)(R^a)₂, NRⁱRⁱⁱ, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which may be partially or fully substituted by groups R^a and/or R^b,

R^a is hydrogen, OH, C₁-C₈-alkyl, C₁-C₄-haloalkyl, Z-C₃-C₆-cycloalkyl, C₂-C₈-alkenyl, Z-C₅-C₆-cycloalkenyl, C₂-C₈-alkynyl, Z-C₁-C₆-alkoxy, Z-C₁-C₄-haloalkoxy, Z-C₃-C₈-alkenyloxy, Z-C₃-C₈-alkynyloxy, NRⁱRⁱⁱ, C₁-C₆-alkylsulfonyl, Z-(tri-C₁-C₄-alkyl)silyl, Z-phenyl, Z-phenoxy, Z-phenylamino or a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where the cyclic groups are unsubstituted or substituted by 1, 2, 3 or 4 groups R^b;

Rⁱ, Rⁱⁱ independently of one another are hydrogen, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₃-C₈-alkenyl, C₃-C₈-alkynyl, Z-C₃-C₆-cycloalkyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, Z-C(=O)-R^a, Z-phenyl, a 3- to 7-membered monocyclic or 9- or 10-membered bicyclic saturated, unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S and which is attached via Z;

Rⁱ and Rⁱⁱ together with the nitrogen atom to which they are attached may also form a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S;

- R^b independently of one another are Z-CN, Z-OH, Z-NO₂, Z-halogen, oxo (=O), =N-R^a, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₂-C₈-alkenyl, C₂-C₈-alkynyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, Z-C₃-C₁₀-cycloalkyl, O-Z-C₃-C₁₀-cycloalkyl, Z-C(=O)-R^a, NRⁱRⁱⁱ, Z-(tri-C₁-C₄-alkyl)silyl, Z-phenyl and S(O)_nR^{bb}; two groups R^b may together form a ring which has three to six ring members and, in addition to carbon atoms, may also contain heteroatoms from the group consisting of O, N and S and may be unsubstituted or substituted by further groups R^b;
- R^{bb} is C₁-C₈-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₂-C₆-haloalkenyl, C₂-C₆-haloalkynyl or C₁-C₆-haloalkyl;
- Z is a covalent bond or C₁-C₄-alkylene;
- n is 0, 1 or 2;
- R^1 is cyano, halogen, nitro, C₁-C₆-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₁-C₆-haloalkyl, Z-C₁-C₆-alkoxy, Z-C₁-C₄-alkoxy-C₁-C₄-alkoxy, Z-C₁-C₄-alkylthio, Z-C₁-C₄-alkylthio-C₁-C₄-alkylthio, C₂-C₆-alkenyloxy, C₂-C₆-alkynyloxy, C₁-C₆-haloalkoxy, C₁-C₄-haloalkoxy-C₁-C₄-alkoxy, S(O)_nR^{bb}, Z-phenoxy, Z-heterocyclyloxy, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where cyclic groups are unsubstituted or partially or fully substituted by R^b;
- A is N or C-R²;
- R^2, R^3, R^4, R^5 independently of one another are hydrogen, Z-halogen, Z-CN, Z-OH, Z-NO₂, C₁-C₈-alkyl, C₁-C₄-haloalkyl, C₂-C₈-alkenyl, C₂-C₈-alkynyl, C₂-C₈-haloalkenyl, C₂-C₈-haloalkynyl, Z-C₁-C₈-alkoxy, Z-C₁-C₈-haloalkoxy, Z-C₁-C₄-alkoxy-C₁-C₄-alkoxy, Z-C₁-C₄-alkylthio, Z-C₁-C₄-alkylthio-C₁-C₄-alkylthio, Z-C₁-C₆-haloalkylthio, C₂-C₆-alkenyloxy, C₂-C₆-alkynyloxy, C₁-C₆-haloalkoxy, C₁-C₄-haloalkoxy-C₁-C₄-alkoxy, Z-C₃-C₁₀-cycloalkyl, O-Z-C₃-C₁₀-cycloalkyl, Z-C(=O)-R^a, NRⁱRⁱⁱ, Z-(tri-C₁-C₄-alkyl)silyl, S(O)_nR^{bb}, Z-phenyl, Z¹-phenyl, Z-heterocyclyl, Z¹-heterocyclyl, where heterocyclyl is a 5- or 6-membered monocyclic or 9- or 10-membered bicyclic saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S, where cyclic groups are unsubstituted or partially or fully substituted by R^b;
- R^2 together with the group attached to the adjacent carbon atom may also form a five- to ten-membered saturated or partially or fully unsaturated mono- or bicyclic ring which, in addition to carbon atoms, may contain 1, 2 or 3 heteroatoms selected from the group consisting of O, N and S and may be substituted by further groups R^b;
- Z¹ is a covalent bond, C₁-C₄-alkyleneoxy, C₁-C₄-oxyalkylene or

C₁-C₄-alkyleneoxy-C₁-C₄-alkylene;

R⁶ is hydrogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkoxy, C₁-C₄-haloalkylthio;

R⁷, R⁸ independently of one another are hydrogen, halogen or C₁-C₄-alkyl;

5 R^x is C₁-C₆-alkyl, C₁-C₄-haloalkyl, C₁-C₂-alkoxy-C₁-C₂-alkyl, C₂-C₆-alkenyl, C₂-C₆-haloalkenyl, C₃-C₆-alkynyl, C₃-C₆-haloalkynyl or Z-phenyl, which is unsubstituted or substituted by 1 to 5 groups R^b;


where in the groups R^A, and R¹, R², R³, R⁴ and R⁵ and their substituents, the carbon chains and/or the cyclic groups may be partially or fully substituted by groups R^b,

10 or an N-oxide or an agriculturally suitable salt thereof.

2. The compound of the formula I according to claim 1 in which A is CR².

15 3. The compound of the formula I according to claim 2 in which R² is an optionally substituted five- or six-membered saturated, partially unsaturated or aromatic heterocycle which contains 1, 2, 3 or 4 heteroatoms selected from the group consisting of O, N and S.

20 4. The compound of the formula I according to claim 2 in which R² is phenyl



in which # denotes the bond through which the group R² is attached and:

R^{P2} is H or F;

R^{P3} is H, F, Cl or OCH₃; and


25 R^{P4} is H, F, Cl, CH₃, CF₃, OCH₃, OCH₂OCH₃ or OCH₂CH₂OCH₃.

5. The compound of the formula I according to claim 3 in which R² is an optionally R^b-substituted heterocycle selected from the group consisting of isoxazoline, tetrazolone, 1,2-dihydropyrazolone, 1,4-dihydropyrazolone, tetrahydrofuran, dioxolane, piperidine, morpholine, piperazine, isoxazole, pyrazole, thiazole, oxazole, furyl, pyridine and pyrazine, and R^b is selected from the group consisting of C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkoxy-C₁-C₄-alkyl and C₁-C₄-alkylthio-C₁-C₄-alkyl.

35 6. The compound of the formula I according to claim 2 in which R² is an aliphatic group selected from the group consisting of C₁-C₆-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-haloalkoxy-C₁-C₄-alkyl, C₂-C₆-alkenyl, C₂-C₆-alkynyl, C₂-C₄-alkoxy, C₂-C₄-haloalkoxy, C₃-C₆-alkenyloxy,

C₃-C₆-alkynyloxy, C₃-C₆-haloalkenyloxy, C₃-C₆-haloalkynyloxy,
C₁-C₄-alkoxycarbonyl, S(O)₂-C₁-C₈-alkyl and S(O)₂-C₁-C₈-haloalkyl.

7. The compound of the formula I according to any of claims 1 to 6 in which
 5 R¹ is halogen, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl,
 C₁-C₄-alkoxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy,
 C₁-C₄-alkylthio, C₁-C₄-haloalkylthio or C₁-C₄-alkylsulfonyl; and
 R³ is H, halogen, CN, NO₂, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy,
 C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-alkylsulfonyl.
8. The compound of the formula I according to claim 2 in which R² together with R¹
 or R³ forms an optionally R^b-substituted five- to ten-membered mono- or bicyclic,
 partially unsaturated ring which contains 1, 2, 3 or 4 heteroatoms selected from
 the group consisting of O, N and S.
9. The compound of the formula I according to claim 8 in which the ring substituted
 by groups R¹, R², R³ and R⁴ corresponds to one of groups A to L



10. The compound of the formula I according to claim 1 in which A is N and

- R¹ is nitro, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy-C₁-C₄-alkoxy-C₁-C₄-alkyl, C₁-C₄-alkoxy, C₁-C₄-haloalkoxy, C₁-C₄-alkylthio, C₁-C₄-haloalkylthio or C₁-C₄-alkylsulfonyl; and
 R³ is H, CN, NO₂, C₁-C₄-alkyl, C₁-C₄-haloalkyl, C₁-C₄-alkoxy, C₁-C₄-alkylthio or C₁-C₄-alkylsulfonyl.
11. The compound of the formula I according to any of the preceding claims in which X,Y independently of one another are O or S;
 R⁴, R⁵ are H, Cl or F; and
 R⁶, R⁷ are H.
12. The compound of the formula I according to any of claims 3 to 11 in which R⁴ and R⁵ are hydrogen.
13. The compound of the formula I according to claim 2 in which the groups R¹, R², R³, R⁴ and R⁵ together form the following substitution patterns: 2-Br, 2-Cl, 2,4-Cl₂, 2-Cl-4-F, 2-Cl-5-F, 2-Cl-6-F, 2-Cl-4-CF₃, 2-Cl-5-CF₃, 2-Cl-6-CF₃, 2-Cl-3,6-F₂, 2-F, 2,4-F₂, 2,5-F₂, 2,6-F₂, 2-F-4-CF₃, 2-F-5-CF₃, 2-F-6-CF₃, 2,3,6-F₃, 2-NO₂, 2-NO₂-4-F, 2-NO₂-5-F, 2-NO₂-6-F, 2-NO₂-4-CF₃, 2-NO₂-5-CF₃, 2-NO₂-6-CF₃, 2-NO₂-3,6-F₂, 2-CN, 2-CH₃, 2-CH₃-4-F, 2-CH₃-5-F, 2-CH₃-6-F, 2-CH₃-4-CF₃, 2-CH₃-5-CF₃, 2-CH₃-6-CF₃, 2-CH₃-3,6-F₂, 2-OCH₃, 2-OCH₃-4-F, 2-OCH₃-5-F, 2-OCH₃-6-F, 2-OCH₃-4-CF₃, 2-OCH₃-5-CF₃, 2-OCH₃-6-CF₃, 2-OCH₃-3,6-F₂, 2-CHF₂, 2-CHF₂-4-F, 2-CHF₂-5-F, 2-CHF₂-6-F, 2-CHF₂-4-CF₃, 2-CHF₂-5-CF₃, 2-CHF₂-6-CF₃, 2-CHF₂-3,6-F₂, 2-CF₃, 2-CF₃-4-F, 2-CF₃-5-F, 2-CF₃-6-F, 2-CF₃-4-CF₃, 2-CF₃-5-CF₃, 2-CF₃-6-CF₃, 2-CF₃-3,6-F₂, 2-OCHF₂, 2-OCHF₂-4-F, 2-OCHF₂-5-F, 2-OCHF₂-6-F, 2-OCHF₂-4-CF₃, 2-OCHF₂-5-CF₃, 2-OCHF₂-6-CF₃, 2-OCHF₂-3,6-F₂, 2-OCF₃, 2-OCF₃-4-F, 2-OCF₃-5-F, 2-OCF₃-6-F, 2-OCF₃-4-CF₃, 2-OCF₃-5-CF₃, 2-OCF₃-6-CF₃, 2-OCF₃-3,6-F₂, 2-Cl-3-Br-6-F, 2-Cl-5-CF₃, 2,5,6-Cl₃ or 2-CF₃-5-Cl.
14. A composition comprising a herbicidally effective amount of at least one compound of the formula I or an agriculturally suitable salt thereof according to any of claims 1 to 13 and auxiliaries customary for formulating crop protection agents.
15. A method for controlling unwanted vegetation which comprises allowing a herbicidally effective amount of at least one compound of the formula I or of an agriculturally suitable salt thereof according to any of claims 1 to 13 to act on plants, their seed and/or their habitat.

INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2011/054129

A. CLASSIFICATION OF SUBJECT MATTER
INV. C07D513/04 A01N43/90
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
C07D A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, CHEM ABS Data, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 2010/029311 A2 (SYNGENTA LTD [GB]; HAWKES TIMOTHY ROBERT [GB]; DRAYTON PAUL RICHARD [G] 18 March 2010 (2010-03-18) Formula (II d), Formula (II e); examples 2.20, 3.3	1-15
A	----- WO 2009/063180 A1 (SYNGENTA LTD [GB]; WILLETTS NIGEL JAMES [GB]; CORDINGLEY MATTHEW ROBER) 22 May 2009 (2009-05-22) Formula (I); -----	1-15



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

18 May 2011

Date of mailing of the international search report

25/05/2011

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Johnson, Claire

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2011/054129

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
W0 2010029311 A2	18-03-2010	AR 075547 A1	20-04-2011
		AU 2009290688 A1	18-03-2010
		CA 2735476 A1	18-03-2010

W0 2009063180 A1	22-05-2009	AR 069212 A1	06-01-2010
		AU 2008322795 A1	22-05-2009
		CA 2704930 A1	22-05-2009
		CN 101910138 A	08-12-2010
		EA 201070607 A1	30-12-2010
		EP 2220056 A1	25-08-2010
		JP 2011503159 T	27-01-2011
		KR 20100097157 A	02-09-2010
		US 2010323889 A1	23-12-2010
