



US00D762166S

(12) **United States Design Patent**  
**Arends et al.**

(10) **Patent No.:** **US D762,166 S**  
(45) **Date of Patent:** **\*\* Jul. 26, 2016**

- (54) **BATTERY CHARGER**
- (71) Applicant: **Horizon Hobby, Inc.**, Champaign, IL (US)
- (72) Inventors: **Gregory Arends**, Mahomet, IL (US);  
**Mark Reed**, Champaign, IL (US)
- (73) Assignee: **Horizon Hobby, LLC**, Champaign, IL (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/476,006**
- (22) Filed: **Dec. 10, 2013**
- (51) **LOC (10) Cl.** ..... **13-02**
- (52) **U.S. Cl.**  
USPC ..... **D13/107**
- (58) **Field of Classification Search**  
USPC ..... D13/102–106, 110, 118–119, 184, 103,  
D13/104, 107–108; D14/96–100, 163, 176;  
320/107–115; 429/96–100, 163, 176  
CPC ..... Y02E 60/12; Y02E 60/122; Y02E 60/124;  
Y02E 60/50; H01M 2/02; H01M 2/022;  
H01M 2/0202; H01M 2/0207; H01M 2/0212;  
H01M 2/1061; H01M 2/1022; H01M 2/1055;  
H01M 2/1066; H01M 2/105; H01M 2/204;  
H01M 10/4257; H01M 10/0436; H01M 10/48;  
H01M 10/44; H01M 10/46; H01M 10/465;  
H01M 10/482; H01M 2200/30; H01M  
2250/30; H01M 2250/40; H02J 7/00; H02J  
7/0003; H02J 7/0011; H02J 7/0013; H02J  
7/0054; H02J 7/0055; H02J 7/0057; H02J  
2007/0062  
See application file for complete search history.

- 5,375,226 A \* 12/1994 Sano ..... G06F 1/1626  
345/169
- D367,052 S \* 2/1996 Ito ..... D14/162
- D411,530 S \* 6/1999 Carter ..... D14/217
- D427,145 S \* 6/2000 Singh ..... D13/107
- D505,913 S \* 6/2005 Kam Lun ..... D13/107
- D513,731 S \* 1/2006 Kang ..... D13/107

(Continued)

**OTHER PUBLICATIONS**

Prophet Sport Duo 50W, [online], [site visited Mar. 8, 2015]. Available from Internet, <URL: <http://www.horizonhobby.com/prophet-sport-duo-50w-x-2-ac-battery-charger-us-dync2020a>>.\*

*Primary Examiner* — Rosemary K Tarca

*Assistant Examiner* — Sanjeev Paul

(74) *Attorney, Agent, or Firm* — Barnes & Thornburg LLP

(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a battery charger;  
 FIG. 2 is a front view thereof;  
 FIG. 3 is a rear view thereof;  
 FIG. 4 is a left side view thereof;  
 FIG. 5 is a right side view thereof;  
 FIG. 6 is a top view thereof;  
 FIG. 7 is a bottom view thereof;  
 FIG. 8 is a perspective view of a battery charger, according to an alternate embodiment;  
 FIG. 9 is a front view thereof;  
 FIG. 10 is a rear view thereof;  
 FIG. 11 is a left side view thereof;  
 FIG. 12 is a right side view thereof;  
 FIG. 13 is a top view thereof; and,  
 FIG. 14 is a bottom view thereof.  
 The broken lines showing portions of the battery charger in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS

- D177,699 S \* 5/1956 Schultz ..... D10/103
- D225,581 S \* 12/1972 Danti ..... D13/110



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D540,742 S \* 4/2007 Bell ..... D13/107  
D548,695 S \* 8/2007 Krieger ..... D13/110  
D554,579 S \* 11/2007 Ogasawara ..... D13/103  
D555,591 S \* 11/2007 Grimes ..... D13/110  
D562,231 S \* 2/2008 Osiecki ..... D13/107

D605,111 S \* 12/2009 Schoch ..... D13/107  
D715,266 S \* 10/2014 Olswang ..... D14/217  
D717,278 S \* 11/2014 Amiya ..... D14/217  
D734,258 S \* 7/2015 Yin ..... D13/107  
D744,944 S \* 12/2015 Bates ..... D13/107  
D744,945 S \* 12/2015 Bates ..... D13/107  
D750,598 S \* 3/2016 Alexander ..... D14/217

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14