



US010956119B2

(12) **United States Patent**
Millington

(10) **Patent No.:** **US 10,956,119 B2**

(45) **Date of Patent:** **Mar. 23, 2021**

(54) **PLAYBACK DEVICE**

(56) **References Cited**

(71) Applicant: **Sonos, Inc.**, Santa Barbara, CA (US)

U.S. PATENT DOCUMENTS

(72) Inventor: **Nicholas A. J. Millington**, Santa Barbara, CA (US)

3,956,591 A 5/1976 Gates, Jr.
4,105,974 A 8/1978 Rogers
(Continued)

(73) Assignee: **Sonos, Inc.**, Santa Barbara, CA (US)

FOREIGN PATENT DOCUMENTS

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

CA 2320451 A1 3/2001
CA 2485100 A1 11/2003
(Continued)

(21) Appl. No.: **16/459,565**

OTHER PUBLICATIONS

(22) Filed: **Jul. 1, 2019**

File History of Re-Examination Application No. 90/013,423 (Sonos Ref. No. 12-0902-REX) retrieved from the U.S. Patent Office.

(65) **Prior Publication Data**

US 2019/0324713 A1 Oct. 24, 2019

(Continued)

Primary Examiner — Oleg Survillo

(74) *Attorney, Agent, or Firm* — McDonnell Boehnen Hulbert & Berghoff LLP

Related U.S. Application Data

(63) Continuation of application No. 13/864,249, filed on Apr. 17, 2013, which is a continuation of application (Continued)

(57) **ABSTRACT**

A system is described for maintaining synchrony of operations among a plurality of devices that have independent clocking arrangements. The system includes a task distribution device that distributes tasks to a synchrony group comprising a plurality of devices that are to perform the tasks distributed by the task distribution device in synchrony. The task distribution device distributes each task to the members of the synchrony group over a network. Each task is associated with a time stamp that indicates a time, relative to a clock maintained by the task distribution device, at which the members of the synchrony group are to execute the task. Each member of the synchrony group periodically obtains from the task distribution device an indication of the current time indicated by its clock, determines a time differential between the task distribution device's clock and its respective clock and determines therefrom a time at which, according to its respective clock, the time stamp indicates that it is to execute the task.

(51) **Int. Cl.**

G06F 15/16 (2006.01)
G06F 3/16 (2006.01)

(Continued)

(52) **U.S. Cl.**


CPC **G06F 3/165** (2013.01); **G05B 15/02** (2013.01); **G06F 1/00** (2013.01); **G06F 1/12** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC G06F 3/167; G06F 17/00; G06F 17/3074; G06F 3/048; G06F 3/0482; G06F 3/0484; (Continued)

30 Claims, 5 Drawing Sheets



Related U.S. Application Data

No. 13/297,000, filed on Nov. 15, 2011, now Pat. No. 9,182,777, which is a continuation of application No. 10/816,217, filed on Apr. 1, 2004, now Pat. No. 8,234,395.

(60) Provisional application No. 60/490,768, filed on Jul. 28, 2003.

(51) **Int. Cl.**

G06F 1/00 (2006.01)
G06F 1/12 (2006.01)
G06F 3/048 (2013.01)
G06F 3/0482 (2013.01)
G06F 3/0484 (2013.01)
G06F 16/23 (2019.01)
G06F 16/60 (2019.01)
G06F 16/63 (2019.01)
G06F 16/635 (2019.01)
G06F 16/638 (2019.01)
G06F 16/68 (2019.01)
G06F 17/00 (2019.01)
G11B 20/10 (2006.01)
H03G 3/00 (2006.01)
H03G 3/20 (2006.01)
H04H 20/10 (2008.01)
H04H 20/26 (2008.01)
H04J 3/06 (2006.01)
H04L 12/28 (2006.01)
H04L 29/06 (2006.01)
H04L 29/08 (2006.01)
H04N 5/04 (2006.01)
H04N 9/79 (2006.01)
H04N 21/43 (2011.01)
H04N 21/436 (2011.01)
H04R 3/12 (2006.01)
H04R 27/00 (2006.01)
H04W 56/00 (2009.01)
H04W 84/20 (2009.01)
G05B 15/02 (2006.01)

(52) **U.S. Cl.**

CPC **G06F 3/048** (2013.01); **G06F 3/0482** (2013.01); **G06F 3/0484** (2013.01); **G06F 3/04842** (2013.01); **G06F 3/04847** (2013.01); **G06F 3/16** (2013.01); **G06F 3/162** (2013.01); **G06F 3/167** (2013.01); **G06F 16/2322** (2019.01); **G06F 16/60** (2019.01); **G06F 16/63** (2019.01); **G06F 16/635** (2019.01); **G06F 16/638** (2019.01); **G06F 16/639** (2019.01); **G06F 16/68** (2019.01); **G06F 17/00** (2013.01); **G11B 20/10527** (2013.01); **H03G 3/00** (2013.01); **H03G 3/20** (2013.01); **H04H 20/103** (2013.01); **H04H 20/26** (2013.01); **H04J 3/0664** (2013.01); **H04L 12/2854** (2013.01); **H04L 65/1069** (2013.01); **H04L 65/4069** (2013.01); **H04L 65/4076** (2013.01); **H04L 65/4084** (2013.01); **H04L 65/4092** (2013.01); **H04L 65/60** (2013.01); **H04L 65/601** (2013.01); **H04L 65/80** (2013.01); **H04L 67/1095** (2013.01); **H04L 67/12** (2013.01); **H04L 67/26** (2013.01); **H04L 69/28** (2013.01); **H04N 5/04** (2013.01); **H04N 9/7904** (2013.01); **H04N 21/4307** (2013.01); **H04N 21/43615** (2013.01); **H04R 3/12** (2013.01); **H04R 27/00** (2013.01); **H04W**

56/0015 (2013.01); **H04W 84/20** (2013.01); **H05K 999/99** (2013.01); **G11B 2020/10592** (2013.01); **H04H 2201/20** (2013.01); **H04R 2227/003** (2013.01); **H04R 2227/005** (2013.01)

(58) **Field of Classification Search**

CPC . G06F 3/126; G06F 3/16; H04L 65/60; H04L 12/2812
 USPC 709/219, 220, 231
 See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D260,764 S 9/1981 Castagna et al.
 4,296,278 A 10/1981 Cullison et al.
 4,306,114 A 12/1981 Callahan
 4,509,211 A 4/1985 Robbins
 D279,779 S 7/1985 Taylor
 4,530,091 A 7/1985 Crockett
 4,696,037 A 9/1987 Fierens
 4,701,629 A 10/1987 Citroen
 4,712,105 A 12/1987 Koehler
 D293,671 S 1/1988 Beaumont
 4,731,814 A 3/1988 Becker et al.
 4,816,989 A 3/1989 Finn et al.
 4,824,059 A 4/1989 Butler
 D301,037 S 5/1989 Matsuda
 4,845,751 A 7/1989 Schwab
 D304,443 S 11/1989 Grinyer et al.
 D313,023 S 12/1990 Kolenda et al.
 D313,398 S 1/1991 Gilchrist
 D313,600 S 1/1991 Weber
 4,994,908 A 2/1991 Kuban et al.
 D320,598 S 10/1991 Auerbach et al.
 D322,609 S 12/1991 Patton
 5,086,385 A 2/1992 Launey et al.
 D326,450 S 5/1992 Watanabe
 D327,060 S 6/1992 Wachob et al.
 5,151,922 A 9/1992 Weiss
 5,153,579 A 10/1992 Fisch et al.
 D331,388 S 12/1992 Dahmert et al.
 5,182,552 A 1/1993 Paynting
 D333,135 S 2/1993 Wachob et al.
 5,185,680 A 2/1993 Kakubo
 5,198,603 A 3/1993 Nishikawa et al.
 5,237,327 A 8/1993 Saitoh et al.
 5,239,458 A 8/1993 Suzuki
 5,272,757 A 12/1993 Scofield et al.
 5,299,266 A 3/1994 Lumsden
 5,313,524 A 5/1994 Van Hulle et al.
 D350,531 S 9/1994 Tsuji
 D350,962 S 9/1994 Reardon et al.
 5,361,381 A 11/1994 Short
 5,372,441 A 12/1994 Louis
 D354,059 S 1/1995 Hendricks
 D354,751 S 1/1995 Hersh et al.
 D356,093 S 3/1995 McCauley et al.
 D356,312 S 3/1995 Althans
 D357,024 S 4/1995 Tokiyama et al.
 5,406,634 A 4/1995 Anderson et al.
 5,430,485 A 7/1995 Lankford et al.
 5,440,644 A 8/1995 Farinelli et al.
 D362,446 S 9/1995 Gasiorek et al.
 5,457,448 A 10/1995 Totsuka et al.
 D363,933 S 11/1995 Starck
 5,467,342 A 11/1995 Logston et al.
 D364,877 S 12/1995 Tokiyama et al.
 D364,878 S 12/1995 Green et al.
 D365,102 S 12/1995 Gioscia
 D366,044 S 1/1996 Hara et al.
 5,481,251 A 1/1996 Buys et al.
 5,491,839 A 2/1996 Schotz
 5,515,345 A 5/1996 Barreira et al.
 5,533,021 A 7/1996 Branstad et al.
 D372,716 S 8/1996 Thorne
 5,553,147 A 9/1996 Pineau

(56)

References Cited

U.S. PATENT DOCUMENTS

5,553,222	A	9/1996	Milne et al.
5,553,314	A	9/1996	Grube et al.
D377,651	S	1/1997	Biasotti et al.
5,596,696	A	1/1997	Tindell et al.
5,602,992	A	2/1997	Danneels
5,623,483	A	4/1997	Agrawal et al.
5,625,350	A	4/1997	Fukatsu et al.
5,633,871	A	5/1997	Bloks
D379,816	S	6/1997	Laituri et al.
5,636,345	A	6/1997	Valdevit
5,640,388	A	6/1997	Woodhead et al.
5,642,171	A	6/1997	Baumgartner et al.
D380,752	S	7/1997	Hanson
5,652,749	A	7/1997	Davenport et al.
D382,271	S	8/1997	Akwiwu
5,661,665	A	8/1997	Glass et al.
5,661,728	A	8/1997	Finotello et al.
5,668,884	A	9/1997	Clair, Jr. et al.
5,673,323	A	9/1997	Schotz et al.
D384,940	S	10/1997	Kono et al.
D387,352	S	12/1997	Kaneko et al.
5,696,896	A	12/1997	Badovinatz et al.
D388,792	S	1/1998	Nykerk
D389,143	S	1/1998	Wicks
D392,641	S	3/1998	Fenner
5,726,989	A	3/1998	Dokic
5,732,059	A	3/1998	Katsuyama et al.
D393,628	S	4/1998	Ledbetter et al.
5,740,235	A	4/1998	Lester et al.
5,742,623	A	4/1998	Nuber et al.
D394,659	S	5/1998	Biasotti et al.
5,751,819	A	5/1998	Dorough
5,761,320	A	6/1998	Farinelli et al.
5,774,016	A	6/1998	Ketterer
D395,889	S	7/1998	Gerba et al.
5,787,249	A	7/1998	Badovinatz et al.
5,790,543	A	8/1998	Cloutier
D397,996	S	9/1998	Smith
5,808,662	A	9/1998	Kinney et al.
5,812,201	A	9/1998	Yoo
5,815,689	A	9/1998	Shaw et al.
5,818,948	A	10/1998	Gulick
D401,587	S	11/1998	Rudolph
5,832,024	A	11/1998	Schotz et al.
5,838,909	A	11/1998	Roy et al.
5,848,152	A	12/1998	Slipy et al.
5,852,722	A	12/1998	Hamilton
D404,741	S	1/1999	Schumaker et al.
D405,071	S	2/1999	Gambaro
5,867,691	A	2/1999	Shiraishi
5,875,233	A	2/1999	Cox
5,875,354	A	2/1999	Charlton et al.
D406,847	S	3/1999	Gerba et al.
D407,071	S	3/1999	Keating
5,887,143	A	3/1999	Saito et al.
5,905,768	A	5/1999	Maturi et al.
D410,927	S	6/1999	Yamagishi
5,917,830	A	6/1999	Chen et al.
D412,337	S	7/1999	Hamano
5,923,869	A	7/1999	Kashiwagi et al.
5,923,902	A	7/1999	Inagaki
5,946,343	A	8/1999	Schotz et al.
5,956,025	A	9/1999	Goulden et al.
5,956,088	A	9/1999	Shen et al.
5,960,006	A	9/1999	Maturi et al.
D415,496	S	10/1999	Gerba et al.
D416,021	S	11/1999	Godette et al.
5,984,512	A	11/1999	Jones et al.
5,987,525	A	11/1999	Roberts et al.
5,987,611	A	11/1999	Freund
5,990,884	A	11/1999	Douma et al.
5,991,307	A	11/1999	Komuro et al.
5,999,906	A	12/1999	Mercs et al.
6,009,457	A	12/1999	Moller
6,018,376	A	1/2000	Nakatani
D420,006	S	2/2000	Tonino
6,026,150	A	2/2000	Frank et al.
6,029,196	A	2/2000	Lenz
6,031,818	A	2/2000	Lo et al.
6,032,202	A	2/2000	Lea et al.
6,038,614	A	3/2000	Chan et al.
6,046,550	A	4/2000	Ference et al.
6,061,457	A	5/2000	Stockhamer
6,078,725	A	6/2000	Tanaka
6,081,266	A	6/2000	Sciammarella
6,085,236	A	7/2000	Lea
6,088,063	A	7/2000	Shiba
D429,246	S	8/2000	Holma
D430,143	S	8/2000	Renk
6,101,195	A	8/2000	Lyons et al.
6,108,485	A	8/2000	Kim
6,108,686	A	8/2000	Williams, Jr.
6,119,239	A	9/2000	Fujii
6,122,668	A	9/2000	Teng et al.
6,122,749	A	9/2000	Gulick
D431,552	S	10/2000	Backs et al.
D432,525	S	10/2000	Beecroft
6,127,941	A	10/2000	Van Ryzin
6,128,318	A	10/2000	Sato
6,148,205	A	11/2000	Cotton
6,154,772	A	11/2000	Dunn et al.
6,157,957	A	12/2000	Berthaud
6,163,647	A	12/2000	Terashima et al.
6,169,725	B1	1/2001	Gibbs et al.
6,175,872	B1	1/2001	Neumann et al.
6,181,383	B1	1/2001	Fox et al.
6,185,737	B1	2/2001	Northcutt et al.
6,195,435	B1	2/2001	Kitamura
6,195,436	B1	2/2001	Scibora et al.
6,199,169	B1	3/2001	Voth
6,212,282	B1	4/2001	Mershon
6,246,701	B1	6/2001	Slattery
6,253,293	B1	6/2001	Rao et al.
D444,475	S	7/2001	Levey et al.
6,255,961	B1	7/2001	Van et al.
6,256,554	B1	7/2001	Dilorenzo
6,269,406	B1	7/2001	Dutcher et al.
6,301,012	B1	10/2001	White et al.
6,308,207	B1	10/2001	Tseng et al.
6,310,652	B1	10/2001	Li et al.
6,313,879	B1	11/2001	Kubo et al.
6,321,252	B1	11/2001	Bhola et al.
6,324,586	B1	11/2001	Johnson
D452,520	S	12/2001	Gotham et al.
6,332,147	B1	12/2001	Moran et al.
6,343,028	B1	1/2002	Kuwaoka
6,349,285	B1	2/2002	Liu et al.
6,349,339	B1	2/2002	Williams
6,349,352	B1	2/2002	Lea
6,351,821	B1	2/2002	Voth
6,353,172	B1	3/2002	Fay et al.
6,356,871	B1	3/2002	Hemkumar et al.
6,389,057	B1	5/2002	Haartsen
6,404,811	B1	6/2002	Cvetko et al.
6,418,150	B1	7/2002	Staats
6,430,353	B1	8/2002	Honda et al.
6,442,443	B1	8/2002	Fujii et al.
D462,339	S	9/2002	Allen et al.
D462,340	S	9/2002	Allen et al.
D462,945	S	9/2002	Skulley
6,446,080	B1	9/2002	Van et al.
6,449,642	B2	9/2002	Bourke-Dunphy et al.
6,449,653	B2	9/2002	Klemets et al.
6,456,783	B1	9/2002	Ando et al.
6,463,474	B1	10/2002	Fuh et al.
6,466,832	B1	10/2002	Zuqert et al.
6,469,633	B1	10/2002	Wachter et al.
D466,108	S	11/2002	Glodava et al.
6,487,296	B1	11/2002	Allen et al.
6,493,832	B1	12/2002	Itakura et al.
D468,297	S	1/2003	Ikeda
6,522,886	B1	2/2003	Youngs et al.
6,526,325	B1	2/2003	Sussman et al.
6,526,411	B1	2/2003	Ward

(56)

References Cited

U.S. PATENT DOCUMENTS

6,535,121	B2	3/2003	Matheny et al.	6,934,766	B1	8/2005	Russell
D474,763	S	5/2003	Tozaki et al.	6,937,988	B1	8/2005	Hemkumar et al.
D475,993	S	6/2003	Meyer	6,970,482	B2	11/2005	Kim
D476,643	S	7/2003	Yamagishi	6,985,694	B1	1/2006	De Bonet et al.
D477,310	S	7/2003	Moransais	6,987,767	B2	1/2006	Saito
6,587,127	B1	7/2003	Leeke et al.	D515,072	S	2/2006	Lee
6,598,172	B1	7/2003	Vandeusen et al.	D515,557	S	2/2006	Okuley
D478,051	S	8/2003	Sagawa	7,006,758	B1	2/2006	Yamamoto et al.
D478,069	S	8/2003	Beck et al.	7,007,106	B1	2/2006	Flood et al.
D478,896	S	8/2003	Summers	7,020,791	B1	3/2006	Aweya et al.
6,611,537	B1	8/2003	Edens et al.	D518,475	S	4/2006	Yang et al.
6,611,813	B1	8/2003	Bratton	7,043,477	B2	5/2006	Mercer et al.
D479,520	S	9/2003	De Saulles	7,043,651	B2	5/2006	Aweya et al.
D481,056	S	10/2003	Kawasaki et al.	7,046,677	B2	5/2006	Monta et al.
6,631,410	B1	10/2003	Kowalski et al.	7,047,308	B2	5/2006	Deshpande
6,636,269	B1	10/2003	Baldwin	7,054,888	B2	5/2006	Lachapelle et al.
6,639,584	B1	10/2003	Li	7,058,889	B2	6/2006	Trovato et al.
6,653,899	B2	11/2003	Organvidez et al.	7,068,596	B1	6/2006	Mou
6,654,720	B1	11/2003	Graham et al.	D524,296	S	7/2006	Kita
6,654,956	B1	11/2003	Trinh et al.	7,076,204	B2	7/2006	Richenstein et al.
6,658,091	B1	12/2003	Naidoo et al.	D527,375	S	8/2006	Flora et al.
6,674,803	B1	1/2004	Kesselring	7,089,333	B2	8/2006	Marinescu et al.
6,684,060	B1	1/2004	Curtin	7,092,528	B2	8/2006	Patrick et al.
D486,145	S	2/2004	Kaminski et al.	7,092,694	B2	8/2006	Griep et al.
6,687,664	B1	2/2004	Sussman et al.	7,095,947	B2	8/2006	Van
6,703,940	B1	3/2004	Allen et al.	7,096,169	B2	8/2006	Crutchfield et al.
6,704,421	B1	3/2004	Kitamura	7,102,513	B1	9/2006	Taskin et al.
6,741,708	B1	5/2004	Nakatsugawa	7,106,224	B2	9/2006	Knapp et al.
6,741,961	B2	5/2004	Lim	7,113,999	B2	9/2006	Pestoni et al.
D491,925	S	6/2004	Griesau et al.	7,115,017	B1	10/2006	Laursen et al.
6,757,517	B2	6/2004	Chang et al.	7,120,168	B2	10/2006	Zimmermann
D493,148	S	7/2004	Shibata et al.	7,130,316	B2	10/2006	Kovacevic
6,763,274	B1	7/2004	Gilbert	7,130,368	B1	10/2006	Aweya et al.
D495,333	S	8/2004	Borsboom	7,130,608	B2	10/2006	Hollstrom et al.
6,775,246	B1	8/2004	Kuribayashi et al.	7,130,616	B2	10/2006	Janik
6,778,073	B2	8/2004	Lutter et al.	7,136,934	B2	11/2006	Carter et al.
6,778,493	B1	8/2004	Ishii	7,139,981	B2	11/2006	Mayer et al.
6,778,869	B2	8/2004	Champion	7,143,141	B1	11/2006	Morgan et al.
D496,003	S	9/2004	Spira	7,143,939	B2	12/2006	Henzerling
D496,005	S	9/2004	Wang	7,146,260	B2	12/2006	Preston et al.
D496,335	S	9/2004	Spira	7,158,488	B2	1/2007	Fujimori
6,795,852	B1	9/2004	Kleinrock et al.	7,161,939	B2	1/2007	Israel et al.
D497,363	S	10/2004	Olson et al.	7,162,315	B2	1/2007	Gilbert
6,803,964	B1	10/2004	Post et al.	7,164,694	B1	1/2007	Nodoushani et al.
6,809,635	B1	10/2004	Kaaresoja	7,167,765	B2	1/2007	Janik
D499,086	S	11/2004	Polito	7,185,090	B2	2/2007	Kowalski et al.
6,816,104	B1	11/2004	Benq	7,187,947	B1	3/2007	White et al.
6,816,510	B1	11/2004	Banerjee	7,188,353	B1	3/2007	Crinon
6,816,818	B2	11/2004	Wolf et al.	7,197,148	B2	3/2007	Nourse et al.
6,823,225	B1	11/2004	Sass	7,206,367	B1	4/2007	Moore et al.
6,826,283	B1	11/2004	Wheeler et al.	7,206,618	B2	4/2007	Latto et al.
D499,395	S	12/2004	Hsu	7,206,967	B1	4/2007	Marti et al.
D499,718	S	12/2004	Chen	7,209,795	B2	4/2007	Sullivan et al.
D500,015	S	12/2004	Gubbe	7,215,649	B2	5/2007	Yu et al.
6,836,788	B2	12/2004	Kim et al.	7,218,708	B2	5/2007	Berezowski et al.
6,839,752	B1	1/2005	Miller et al.	7,218,930	B2	5/2007	Ko et al.
D501,477	S	2/2005	Hall	7,236,739	B2	6/2007	Chang et al.
6,859,460	B1	2/2005	Chen	7,236,773	B2	6/2007	Thomas
6,859,538	B1	2/2005	Voltz	7,251,533	B2	7/2007	Yoon et al.
6,873,862	B2	3/2005	Reshefsky	7,257,398	B1	8/2007	Ukita et al.
6,882,335	B2	4/2005	Saarinen	7,260,616	B1	8/2007	Cook
D504,872	S	5/2005	Uehara et al.	7,263,070	B1	8/2007	Delker et al.
D504,885	S	5/2005	Zhang et al.	7,263,110	B2	8/2007	Fujishiro
6,898,642	B2	5/2005	Chaffe et al.	7,269,338	B2	9/2007	Janevski
6,901,439	B1	5/2005	Bonasia et al.	7,274,761	B2	9/2007	Muller et al.
D506,463	S	6/2005	Daniels	7,277,547	B1	10/2007	Delker et al.
6,907,458	B2	6/2005	Tomassetti et al.	7,286,652	B1	10/2007	Azriel et al.
6,910,078	B1	6/2005	Raman et al.	7,289,631	B2	10/2007	Ishidoshiro
6,912,610	B2	6/2005	Spencer	7,293,060	B2	11/2007	Komsi
6,915,347	B2	7/2005	Hanko et al.	7,295,548	B2	11/2007	Blank et al.
6,917,592	B1	7/2005	Ramankutty et al.	7,305,694	B2	12/2007	Commons et al.
6,919,771	B2	7/2005	Nakajima	7,308,188	B2	12/2007	Namatame
6,920,373	B2	7/2005	Xi et al.	7,310,334	B1	12/2007	Fitzgerald et al.
6,931,557	B2	8/2005	Togawa	7,312,785	B2	12/2007	Tsuk et al.
6,934,300	B2	8/2005	Tomassetti et al.	7,313,384	B1	12/2007	Meenan et al.
				7,313,593	B1	12/2007	Pulito et al.
				7,319,764	B1	1/2008	Reid et al.
				7,324,857	B2	1/2008	Goddard
				7,330,875	B1	2/2008	Parasnis et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

7,333,519 B2	2/2008	Sullivan et al.	7,865,137 B2	1/2011	Goldberg et al.
7,356,011 B1	4/2008	Waters et al.	7,882,234 B2	2/2011	Watanabe et al.
7,359,006 B1	4/2008	Xiang et al.	7,885,622 B2	2/2011	Krampf et al.
7,366,206 B2	4/2008	Lockridge et al.	7,907,819 B2	3/2011	Ando et al.
7,372,846 B2	5/2008	Zwack	7,916,877 B2	3/2011	Goldberg et al.
7,383,036 B2	6/2008	Kang et al.	7,917,082 B2	3/2011	Goldberg et al.
7,391,791 B2	6/2008	Balassanian et al.	7,933,418 B2	4/2011	Morishima
7,392,102 B2	6/2008	Sullivan et al.	7,934,239 B1	4/2011	Dagman
7,392,481 B2	6/2008	Gewickey et al.	7,945,143 B2	5/2011	Yahata et al.
7,394,480 B2	7/2008	Song	7,945,636 B2	5/2011	Nelson et al.
7,400,644 B2	7/2008	Sakamoto et al.	7,945,708 B2	5/2011	Ohkita
7,412,499 B2	8/2008	Chang et al.	7,958,441 B2	6/2011	Heller et al.
7,428,310 B2	9/2008	Park	7,966,388 B1	6/2011	Pugaczewski et al.
7,430,181 B1	9/2008	Hong	7,987,294 B2	7/2011	Bryce et al.
7,433,324 B2	10/2008	Switzer et al.	7,995,732 B2	8/2011	Koch et al.
7,434,166 B2	10/2008	Acharya et al.	7,996,566 B1	8/2011	Sylvain et al.
7,457,948 B1	11/2008	Bilicksa et al.	7,996,588 B2	8/2011	Subbiah et al.
7,469,139 B2	12/2008	Van De Groenendaal	8,014,423 B2	9/2011	Thaler et al.
7,472,058 B2	12/2008	Tseng et al.	8,015,306 B2	9/2011	Bowman
7,474,677 B2	1/2009	Trott	8,020,023 B2	9/2011	Millington et al.
7,483,538 B2	1/2009	McCarty et al.	8,023,663 B2	9/2011	Goldberg
7,483,540 B2	1/2009	Rabinowitz et al.	8,028,038 B2	9/2011	Weel
7,483,958 B1	1/2009	Elabbady et al.	8,028,323 B2	9/2011	Weel
7,492,912 B2	2/2009	Chung et al.	8,041,062 B2	10/2011	Cohen et al.
7,505,889 B2	3/2009	Salmonsens et al.	8,045,721 B2	10/2011	Burgan et al.
7,509,181 B2	3/2009	Champion	8,045,952 B2	10/2011	Qureshey et al.
7,519,667 B1	4/2009	Capps	8,050,203 B2	11/2011	Jacobsen et al.
7,548,744 B2	6/2009	Oesterling et al.	8,050,652 B2	11/2011	Qureshey et al.
7,548,851 B1	6/2009	Lau et al.	8,055,364 B2	11/2011	Champion
7,558,224 B1	7/2009	Surazski et al.	8,074,253 B1	12/2011	Nathan
7,558,635 B1	7/2009	Thiel et al.	8,086,752 B2	12/2011	Millington et al.
7,571,014 B1	8/2009	Lambourne et al.	8,090,317 B2	1/2012	Burge et al.
7,574,274 B2	8/2009	Holmes	8,103,009 B2	1/2012	McCarty et al.
7,599,685 B2	10/2009	Goldberg et al.	8,111,132 B2	2/2012	Allen et al.
7,606,174 B2	10/2009	Ochi et al.	8,112,032 B2	2/2012	Ko et al.
7,607,091 B2	10/2009	Song et al.	8,116,476 B2	2/2012	Inohara
7,627,825 B2	12/2009	Kakuda	8,126,172 B2	2/2012	Horbach et al.
7,630,501 B2	12/2009	Blank et al.	8,131,389 B1 *	3/2012	Hardwick G11B 27/002 700/94
7,631,119 B2	12/2009	Moore et al.	8,131,390 B2	3/2012	Braithwaite et al.
7,643,894 B2	1/2010	Braithwaite et al.	8,134,650 B2	3/2012	Maxson et al.
7,653,344 B1	1/2010	Feldman et al.	8,144,883 B2	3/2012	Pdersen et al.
7,657,224 B2	2/2010	Goldberg et al.	8,148,622 B2	4/2012	Rothkopf et al.
7,657,644 B1	2/2010	Zheng	8,150,079 B2	4/2012	Maeda et al.
7,657,910 B1	2/2010	McAulay et al.	8,169,938 B2	5/2012	Duchscher et al.
7,665,115 B2	2/2010	Gallo et al.	8,170,222 B2	5/2012	Dunko
7,668,990 B2	2/2010	Krzyzanowski et al.	8,170,260 B2	5/2012	Reining et al.
7,669,113 B1	2/2010	Moore et al.	8,175,297 B1	5/2012	Ho et al.
7,669,219 B2	2/2010	Scott, III	8,185,674 B2	5/2012	Moore et al.
7,672,470 B2	3/2010	Lee	8,194,874 B2	6/2012	Starobin et al.
7,675,943 B2	3/2010	Mosig et al.	8,204,890 B1	6/2012	Gogan et al.
7,676,044 B2	3/2010	Sasaki et al.	8,208,653 B2	6/2012	Eo et al.
7,676,142 B1	3/2010	Hung	8,214,447 B2	7/2012	Deslippe et al.
7,688,306 B2	3/2010	Wehrenberg et al.	8,214,740 B2	7/2012	Johnson
7,689,304 B2	3/2010	Sasaki	8,214,873 B2	7/2012	Weel
7,689,305 B2	3/2010	Kreifeldt et al.	8,218,790 B2	7/2012	Bull et al.
7,690,017 B2	3/2010	Stecyk et al.	8,230,099 B2	7/2012	Weel
7,702,279 B2	4/2010	Ko et al.	8,233,029 B2	7/2012	Yoshida et al.
7,702,403 B1	4/2010	Gladwin et al.	8,233,648 B2	7/2012	Sorek et al.
7,710,941 B2	5/2010	Rietschel et al.	8,234,305 B2	7/2012	Seligmann et al.
7,711,774 B1	5/2010	Rothschild	8,234,395 B2	7/2012	Millington et al.
7,716,375 B2	5/2010	Blum et al.	8,239,748 B1	8/2012	Moore et al.
7,720,096 B2	5/2010	Klemets	8,275,910 B1	9/2012	Hauck
7,721,032 B2	5/2010	Bushell et al.	8,279,709 B2	10/2012	Choisel et al.
7,742,740 B2	6/2010	Goldberg et al.	8,281,001 B2	10/2012	Busam et al.
7,743,009 B2	6/2010	Hangartner et al.	8,285,404 B1	10/2012	Kekki
7,746,906 B2	6/2010	Jinzaki et al.	8,290,603 B1	10/2012	Lambourne
7,756,743 B1	7/2010	Lapcevic	8,300,845 B2	10/2012	Zurek et al.
7,761,176 B2	7/2010	Ben-Yaacov et al.	8,311,226 B2	11/2012	Lorgeoux et al.
7,765,315 B2	7/2010	Batson et al.	8,315,555 B2	11/2012	Ko et al.
RE41,608 E	8/2010	Blair et al.	8,316,147 B2	11/2012	Batson et al.
7,793,206 B2	9/2010	Lim et al.	8,325,931 B2	12/2012	Howard et al.
7,827,259 B2	11/2010	Heller et al.	8,326,951 B1	12/2012	Millington et al.
7,831,054 B2	11/2010	Ball et al.	8,340,330 B2	12/2012	Yoon et al.
7,835,689 B2	11/2010	Goldberg et al.	8,345,709 B2	1/2013	Nitzpon et al.
7,853,341 B2	12/2010	McCarty et al.	8,364,295 B2	1/2013	Beckmann et al.
			8,370,678 B2	2/2013	Millington et al.
			8,374,595 B2	2/2013	Chien et al.
			8,407,623 B2	3/2013	Kerr et al.

(56)	References Cited						
	U.S. PATENT DOCUMENTS						
8,411,883	B2	4/2013	Matsumoto	2002/0002562	A1	1/2002	Moran et al.
8,423,659	B2	4/2013	Millington	2002/0002565	A1	1/2002	Ohyama
8,423,893	B2	4/2013	Ramsay et al.	2002/0003548	A1	1/2002	Krusche et al.
8,432,851	B2	4/2013	Xu et al.	2002/0015003	A1	2/2002	Kato et al.
8,433,076	B2	4/2013	Zurek et al.	2002/0022453	A1	2/2002	Balog et al.
8,442,239	B2	5/2013	Bruelle-Drews et al.	2002/0026442	A1	2/2002	Lipscomb et al.
8,457,334	B2	6/2013	Yoon et al.	2002/0034374	A1	3/2002	Barton
8,463,184	B2	6/2013	Dua	2002/0035621	A1	3/2002	Zintel et al.
8,463,875	B2	6/2013	Katz et al.	2002/0042844	A1	4/2002	Chiazzese
8,473,844	B2	6/2013	Kreifeldt et al.	2002/0049843	A1	4/2002	Barone et al.
8,477,958	B2	7/2013	Moeller et al.	2002/0062406	A1	5/2002	Chang et al.
8,483,853	B1	7/2013	Lambourne	2002/0065926	A1	5/2002	Hackney et al.
8,509,211	B2	8/2013	Trotter et al.	2002/0067909	A1	6/2002	Iivonen
8,520,870	B2	8/2013	Sato et al.	2002/0072816	A1	6/2002	Shdema et al.
8,565,455	B2	10/2013	Worrell et al.	2002/0072817	A1	6/2002	Champion
8,577,048	B2	11/2013	Chaikin et al.	2002/0073228	A1	6/2002	Cognet et al.
8,588,949	B2	11/2013	Lambourne et al.	2002/0078293	A1	6/2002	Kou et al.
8,600,084	B1	12/2013	Garrett	2002/0080783	A1	6/2002	Fujimori et al.
8,601,394	B2	12/2013	Sheehan et al.	2002/0083172	A1	6/2002	Knowles et al.
8,611,559	B2	12/2013	Sanders	2002/0083342	A1	6/2002	Webb et al.
8,615,091	B2	12/2013	Terwal	2002/0090914	A1	7/2002	Kang et al.
8,639,830	B2	1/2014	Bowman	2002/0093478	A1	7/2002	Yeh
8,654,995	B2	2/2014	Silber et al.	2002/0095460	A1	7/2002	Benson
8,672,744	B1	3/2014	Gronkowski et al.	2002/0098878	A1	7/2002	Mooney et al.
8,683,009	B2	3/2014	Ng et al.	2002/0101357	A1	8/2002	Gharapetian
8,688,431	B2	4/2014	Lyons et al.	2002/0103635	A1	8/2002	Mesarovic et al.
8,689,036	B2	4/2014	Millington et al.	2002/0109710	A1	8/2002	Holtz et al.
8,731,206	B1	5/2014	Park	2002/0112084	A1	8/2002	Deen et al.
8,750,282	B2	6/2014	Gelter et al.	2002/0112244	A1	8/2002	Liou et al.
8,751,026	B2	6/2014	Sato et al.	2002/0114354	A1	8/2002	Sinha et al.
8,762,565	B2	6/2014	Togashi et al.	2002/0114359	A1	8/2002	Ibaraki et al.
8,775,546	B2	7/2014	Millington	2002/0124097	A1	9/2002	Isely et al.
8,818,538	B2	8/2014	Sakata	2002/0124182	A1	9/2002	Bacso et al.
8,819,554	B2	8/2014	Basso et al.	2002/0129128	A1	9/2002	Gold et al.
8,831,761	B2	9/2014	Kemp et al.	2002/0129156	A1	9/2002	Yoshikawa
8,843,586	B2	9/2014	Pantos et al.	2002/0131398	A1	9/2002	Taylor
8,861,739	B2	10/2014	Ojanpera	2002/0131761	A1	9/2002	Kawasaki et al.
8,868,698	B2	10/2014	Millington et al.	2002/0136335	A1	9/2002	Liou et al.
8,885,851	B2	11/2014	Westenbroek	2002/0137505	A1	9/2002	Eiche et al.
8,904,066	B2	12/2014	Moore et al.	2002/0143998	A1	10/2002	Rajagopal et al.
8,917,877	B2	12/2014	Haaff et al.	2002/0150053	A1	10/2002	Gray et al.
8,930,006	B2	1/2015	Haatainen	2002/0159596	A1	10/2002	Durand et al.
8,934,647	B2	1/2015	Joyce et al.	2002/0163361	A1	11/2002	Parkin
8,934,655	B2	1/2015	Breen et al.	2002/0165721	A1	11/2002	Chang et al.
8,938,637	B2	1/2015	Millington et al.	2002/0165921	A1	11/2002	Sapieyevski
8,942,252	B2	1/2015	Balassanian et al.	2002/0168938	A1	11/2002	Chang
8,942,395	B2	1/2015	Lissaman et al.	2002/0173273	A1	11/2002	Spurgat et al.
8,954,177	B2	2/2015	Sanders	2002/0174269	A1	11/2002	Spurgat et al.
8,965,544	B2	2/2015	Ramsay	2002/0177411	A1	11/2002	Yajima et al.
8,966,394	B2	2/2015	Gates et al.	2002/0181355	A1	12/2002	Shikunami et al.
9,042,556	B2	5/2015	Kallai et al.	2002/0184310	A1	12/2002	Traversat et al.
9,130,770	B2	9/2015	Millington et al.	2002/0188762	A1	12/2002	Tomasseti et al.
9,137,602	B2	9/2015	Mayman et al.	2002/0194260	A1	12/2002	Headley et al.
9,160,965	B2	10/2015	Redmann et al.	2002/0194309	A1	12/2002	Carter et al.
9,195,258	B2	11/2015	Millington	2003/0002609	A1	1/2003	Faller et al.
9,407,385	B2	8/2016	Spurgat et al.	2003/0002849	A1	1/2003	Lord
9,456,243	B1	9/2016	Hughes et al.	2003/0008616	A1*	1/2003	Anderson H04B 1/1646 455/45
9,507,780	B2	11/2016	Rothkopf et al.	2003/0014486	A1	1/2003	May
9,628,851	B2	4/2017	Hu et al.	2003/0018797	A1	1/2003	Dunning et al.
9,977,561	B2	5/2018	Bates et al.	2003/0020763	A1	1/2003	Mayer et al.
10,063,896	B2	8/2018	Amidei et al.	2003/0023411	A1	1/2003	Witmer et al.
10,133,536	B2	11/2018	Millington	2003/0023741	A1	1/2003	Tomasseti et al.
10,157,033	B2	12/2018	Millington	2003/0035072	A1	2/2003	Hagg
10,175,930	B2	1/2019	Millington	2003/0035444	A1	2/2003	Zwack
2001/0001160	A1	5/2001	Shoff et al.	2003/0037125	A1	2/2003	Luman et al.
2001/0009604	A1	7/2001	Ando et al.	2003/0041173	A1	2/2003	Hoyle
2001/0022823	A1	9/2001	Renaud	2003/0041174	A1	2/2003	Wen et al.
2001/0027498	A1	10/2001	Van De Meulenhof et al.	2003/0043856	A1	3/2003	Lakaniemi et al.
2001/0032188	A1	10/2001	Miyabe et al.	2003/0043924	A1	3/2003	Haddad et al.
2001/0042107	A1	11/2001	Palm	2003/0046703	A1	3/2003	Knowles et al.
2001/0043456	A1	11/2001	Atkinson	2003/0050058	A1	3/2003	Walsh et al.
2001/0046235	A1	11/2001	Trevitt et al.	2003/0055892	A1	3/2003	Huitema et al.
2001/0047377	A1	11/2001	Sincaglia et al.	2003/0061428	A1	3/2003	Garney et al.
2001/0050991	A1	12/2001	Eves	2003/0063528	A1	4/2003	Ogikubo
2002/0002039	A1	1/2002	Qureshey et al.	2003/0063755	A1	4/2003	Nourse et al.
				2003/0066094	A1	4/2003	Van Der Schaar et al.
				2003/0067437	A1	4/2003	McClintock et al.
				2003/0073432	A1	4/2003	Meade

(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0097478	A1	5/2003	King	2004/0131192	A1	7/2004	Metcalf	
2003/0099212	A1	5/2003	Anjum et al.	2004/0133689	A1	7/2004	Vasisht	
2003/0099221	A1	5/2003	Rhee	2004/0143368	A1	7/2004	May et al.	
2003/0100335	A1	5/2003	Gassho et al.	2004/0143675	A1	7/2004	Aust	
2003/0101253	A1	5/2003	Saito et al.	2004/0143852	A1	7/2004	Meyers	
2003/0103088	A1	6/2003	Dresti et al.	2004/0148237	A1	7/2004	Bittmann et al.	
2003/0109270	A1	6/2003	Shorty	2004/0168081	A1	8/2004	Ladas et al.	
2003/0110329	A1	6/2003	Higaki et al.	2004/0170383	A1	9/2004	Mazur	
2003/0118158	A1	6/2003	Hattori	2004/0171346	A1	9/2004	Lin	
2003/0123853	A1	7/2003	Iwahara et al.	2004/0177167	A1	9/2004	Iwamura et al.	
2003/0126211	A1	7/2003	Anttila et al.	2004/0179554	A1	9/2004	Tsao	
2003/0135822	A1	7/2003	Evans	2004/0183827	A1	9/2004	Putterman et al.	
2003/0157951	A1	8/2003	Hasty	2004/0185773	A1	9/2004	Gerber et al.	
2003/0164084	A1	9/2003	Redmann et al.	2004/0189363	A1	9/2004	Takano	
2003/0167335	A1	9/2003	Alexander	2004/0203378	A1	10/2004	Powers	
2003/0172123	A1	9/2003	Polan et al.	2004/0203590	A1	10/2004	Shteyn	
2003/0179780	A1	9/2003	Walker et al.	2004/0203936	A1	10/2004	Ogino et al.	
2003/0182254	A1	9/2003	Plastina et al.	2004/0208158	A1	10/2004	Fellman et al.	
2003/0185400	A1	10/2003	Yoshizawa et al.	2004/0213230	A1	10/2004	Douskalis et al.	
2003/0187657	A1	10/2003	Erhart et al.	2004/0223622	A1	11/2004	Lindemann et al.	
2003/0195964	A1	10/2003	Mane	2004/0224638	A1	11/2004	Fadell et al.	
2003/0198254	A1	10/2003	Sullivan et al.	2004/0228367	A1	11/2004	Mosig et al.	
2003/0198255	A1	10/2003	Sullivan et al.	2004/0248601	A1	12/2004	Chang	
2003/0198257	A1	10/2003	Sullivan et al.	2004/0249490	A1	12/2004	Sakai	
2003/0200001	A1	10/2003	Goddard et al.	2004/0249965	A1	12/2004	Huggins et al.	
2003/0204273	A1	10/2003	Dinker et al.	2004/0249982	A1	12/2004	Arnold et al.	
2003/0204509	A1	10/2003	Dinker et al.	2004/0252400	A1	12/2004	Blank et al.	
2003/0210347	A1	11/2003	Kondo	2004/0253969	A1	12/2004	Nguyen et al.	
2003/0210796	A1	11/2003	McCarty et al.	2005/0010691	A1	1/2005	Oyadomari et al.	
2003/0212802	A1	11/2003	Rector et al.	2005/0011388	A1	1/2005	Kouznetsov	
2003/0219007	A1	11/2003	Barrack et al.	2005/0013394	A1	1/2005	Rausch et al.	
2003/0227478	A1	12/2003	Chatfield	2005/0015551	A1	1/2005	Eames et al.	
2003/0229900	A1	12/2003	Reisman	2005/0021590	A1	1/2005	Debique et al.	
2003/0231208	A1	12/2003	Hanon et al.	2005/0027821	A1	2/2005	Alexander et al.	
2003/0231871	A1	12/2003	Ushimaru	2005/0047605	A1	3/2005	Lee et al.	
2003/0235304	A1	12/2003	Evans et al.	2005/0058149	A1	3/2005	Howe	
2004/0001106	A1	1/2004	Deutscher et al.	2005/0060435	A1	3/2005	Xue et al.	
2004/0001484	A1	1/2004	Ozguner	2005/0062637	A1	3/2005	El Zabadani et al.	
2004/0001591	A1	1/2004	Mani et al.	2005/0081213	A1	4/2005	Suzuoki et al.	
2004/0002938	A1	1/2004	Deguchi	2005/0102699	A1	5/2005	Kim et al.	
2004/0008852	A1	1/2004	Also et al.	2005/0105052	A1*	5/2005	McCormick	G03B 21/32 352/40
2004/0010727	A1	1/2004	Fujinami	2005/0114538	A1	5/2005	Rose	
2004/0012620	A1	1/2004	Buhler et al.	2005/0120128	A1	6/2005	Willes et al.	
2004/0014426	A1	1/2004	Moore	2005/0125222	A1	6/2005	Brown et al.	
2004/0015252	A1	1/2004	Aiso et al.	2005/0125357	A1	6/2005	Saadat et al.	
2004/0019497	A1	1/2004	Volk et al.	2005/0131558	A1	6/2005	Braithwaite et al.	
2004/0019807	A1	1/2004	Freund et al.	2005/0154766	A1	7/2005	Huang et al.	
2004/0019911	A1	1/2004	Gates et al.	2005/0159833	A1*	7/2005	Gaiimo	A63F 13/12 700/94
2004/0023697	A1	2/2004	Komura	2005/0160270	A1	7/2005	Goldberg et al.	
2004/0024478	A1	2/2004	Hans et al.	2005/0166135	A1	7/2005	Burke et al.	
2004/0024925	A1	2/2004	Cypher et al.	2005/0168630	A1	8/2005	Yamada et al.	
2004/0027166	A1	2/2004	Mangum et al.	2005/0170781	A1	8/2005	Jacobsen et al.	
2004/0032348	A1	2/2004	Lai et al.	2005/0177643	A1	8/2005	Xu	
2004/0032421	A1	2/2004	Williamson et al.	2005/0181348	A1	8/2005	Carey et al.	
2004/0032922	A1	2/2004	Knapp et al.	2005/0195205	A1	9/2005	Abrams	
2004/0037433	A1	2/2004	Chen	2005/0195823	A1	9/2005	Chen et al.	
2004/0041836	A1	3/2004	Zaner et al.	2005/0197725	A1	9/2005	Alexander et al.	
2004/0042629	A1	3/2004	Mellone et al.	2005/0198574	A1	9/2005	Lamkin et al.	
2004/0044742	A1*	3/2004	Evron	2005/0201549	A1	9/2005	Dedieu et al.	
				2005/0215265	A1	9/2005	Sharma	
				2005/0216556	A1	9/2005	Manion et al.	
				2005/0239445	A1	10/2005	Karaoguz et al.	
				2005/0246421	A1	11/2005	Moore et al.	
				2005/0262217	A1*	11/2005	Nonaka	H04N 7/17318 709/217
2004/0048569	A1	3/2004	Kawamura	2005/0281255	A1	12/2005	Davies et al.	
2004/0059842	A1	3/2004	Hanson et al.	2005/0283820	A1	12/2005	Richards et al.	
2004/0059965	A1	3/2004	Marshall et al.	2005/0288805	A1	12/2005	Moore et al.	
2004/0066736	A1	4/2004	Kroeger	2005/0289224	A1	12/2005	Deslippe et al.	
2004/0075767	A1	4/2004	Neuman et al.	2006/0041639	A1	2/2006	Lamkin et al.	
2004/0078383	A1	4/2004	Mercer et al.	2006/0049966	A1	3/2006	Ozawa et al.	
2004/0080671	A1	4/2004	Siemens et al.	2006/0072489	A1	4/2006	Toyoshima	
2004/0093096	A1	5/2004	Huang et al.	2006/0095516	A1	5/2006	Wijeratne	
2004/0098754	A1	5/2004	Vella et al.	2006/0098936	A1	5/2006	Ikeda et al.	
2004/0111473	A1	6/2004	Lysenko et al.	2006/0119497	A1	6/2006	Miller et al.	
2004/0117462	A1	6/2004	Bodin et al.	2006/0142034	A1	6/2006	Wentink et al.	
2004/0117491	A1	6/2004	Karaoguz et al.	2006/0143236	A1	6/2006	Wu	
2004/0117840	A1	6/2004	Boudreau et al.					
2004/0117858	A1	6/2004	Boudreau et al.					
2004/0128701	A1	7/2004	Kaneko et al.					

(56)		References Cited					
		U.S. PATENT DOCUMENTS					
2006/0155721	A1	7/2006	Grunwald et al.	2010/0004983	A1	1/2010	Dickerson et al.
2006/0156374	A1	7/2006	Hu et al.	2010/0031366	A1	2/2010	Knight et al.
2006/0161742	A1	7/2006	Sugimoto et al.	2010/0049835	A1	2/2010	Ko et al.
2006/0173844	A1	8/2006	Zhang et al.	2010/0087089	A1	4/2010	Struthers et al.
2006/0173976	A1	8/2006	Vincent et al.	2010/0228740	A1	9/2010	Cannistraro et al.
2006/0193454	A1	8/2006	Abou-Chakra et al.	2010/0284389	A1	11/2010	Ramsay et al.
2006/0215741	A1	9/2006	Chin et al.	2010/0299639	A1	11/2010	Ramsay et al.
2006/0222186	A1	10/2006	Paige et al.	2011/0001632	A1	1/2011	Hohorst
2006/0227985	A1	10/2006	Kawanami	2011/0002487	A1	1/2011	Panther et al.
2006/0259649	A1	11/2006	Hsieh et al.	2011/0066943	A1	3/2011	Brillon et al.
2006/0270395	A1	11/2006	Dhawan et al.	2011/0228944	A1	9/2011	Croghan et al.
2006/0281409	A1	12/2006	Levien et al.	2011/0316768	A1	12/2011	McRae
2006/0287746	A1	12/2006	Braithwaite et al.	2012/0029671	A1	2/2012	Millington et al.
2007/0003067	A1	1/2007	Gierl et al.	2012/0030366	A1	2/2012	Collart et al.
2007/0022207	A1	1/2007	Millington et al.	2012/0051567	A1	3/2012	Castor-Perry
2007/0038999	A1	2/2007	Millington	2012/0060046	A1	3/2012	Millington
2007/0043847	A1	2/2007	Carter et al.	2012/0129446	A1	5/2012	Ko et al.
2007/0047712	A1	3/2007	Gross et al.	2012/0148075	A1	6/2012	Goh et al.
2007/0048713	A1	3/2007	Plastina et al.	2012/0185771	A1	7/2012	Rothkopf et al.
2007/0054680	A1	3/2007	Mo et al.	2012/0192071	A1	7/2012	Millington
2007/0087686	A1	4/2007	Holm et al.	2012/0207290	A1	8/2012	Moyers et al.
2007/0142022	A1	6/2007	Madonna et al.	2012/0237054	A1	9/2012	Eo et al.
2007/0142944	A1	6/2007	Goldberg et al.	2012/0281058	A1	11/2012	Laney et al.
2007/0143493	A1	6/2007	Mullig et al.	2012/0290621	A1	11/2012	Heitz, III et al.
2007/0169115	A1	7/2007	Ko et al.	2013/0013757	A1	1/2013	Millington et al.
2007/0180137	A1	8/2007	Rajapakse	2013/0018960	A1	1/2013	Knysz et al.
2007/0192156	A1	8/2007	Gauger	2013/0031475	A1	1/2013	Maor et al.
2007/0220150	A1	9/2007	Garg	2013/0038726	A1	2/2013	Kim
2007/0249295	A1	10/2007	Ukita et al.	2013/0041954	A1	2/2013	Kim et al.
2007/0265031	A1	11/2007	Koizumi et al.	2013/0047084	A1	2/2013	Sanders et al.
2007/0271388	A1	11/2007	Bowra et al.	2013/0052940	A1	2/2013	Brillhart et al.
2007/0299778	A1	12/2007	Haveson et al.	2013/0070093	A1	3/2013	Rivera et al.
2008/0002836	A1	1/2008	Moeller et al.	2013/0080599	A1	3/2013	Ko et al.
2008/0007649	A1	1/2008	Bennett	2013/0124664	A1	5/2013	Fonseca, Jr. et al.
2008/0007650	A1	1/2008	Bennett	2013/0129122	A1	5/2013	Johnson et al.
2008/0007651	A1	1/2008	Bennett	2013/0132837	A1	5/2013	Mead et al.
2008/0018785	A1	1/2008	Bennett	2013/0159126	A1	6/2013	Elkady
2008/0022320	A1	1/2008	Ver Steeg	2013/0167029	A1	6/2013	Friesen et al.
2008/0025535	A1	1/2008	Rajapakse	2013/0174100	A1	7/2013	Seymour et al.
2008/0060084	A1	3/2008	Gappa et al.	2013/0174223	A1	7/2013	Dykeman et al.
2008/0072816	A1	3/2008	Riess et al.	2013/0179163	A1	7/2013	Herbig et al.
2008/0075295	A1	3/2008	Mayman et al.	2013/0191454	A1	7/2013	Oliver et al.
2008/0077619	A1	3/2008	Gilley et al.	2013/0197682	A1	8/2013	Millington
2008/0077620	A1	3/2008	Gilley et al.	2013/0226323	A1	8/2013	Millington
2008/0086318	A1	4/2008	Gilley et al.	2013/0230175	A1	9/2013	Bech et al.
2008/0091771	A1	4/2008	Allen et al.	2013/0232416	A1	9/2013	Millington
2008/0109852	A1	5/2008	Kretz et al.	2013/0253934	A1	9/2013	Parekh et al.
2008/0120429	A1	5/2008	Millington et al.	2013/0279706	A1	10/2013	Marti et al.
2008/0126943	A1	5/2008	Parasnis et al.	2013/0287186	A1	10/2013	Quady
2008/0144861	A1	6/2008	Melanson et al.	2013/0290504	A1	10/2013	Quady
2008/0144864	A1	6/2008	Huon et al.	2014/0006483	A1	1/2014	Garmark et al.
2008/0146289	A1	6/2008	Korneluk et al.	2014/0037097	A1	2/2014	Labosco
2008/0189272	A1	8/2008	Powers et al.	2014/0064501	A1	3/2014	Olsen et al.
2008/0205070	A1	8/2008	Osada	2014/0075308	A1	3/2014	Sanders et al.
2008/0212729	A1	9/2008	Shaanan	2014/0075311	A1	3/2014	Boettcher et al.
2008/0212786	A1	9/2008	Park	2014/0079242	A1	3/2014	Nguyen et al.
2008/0215169	A1	9/2008	Debettencourt et al.	2014/0108929	A1	4/2014	Garmark et al.
2008/0263010	A1	10/2008	Roychoudhuri et al.	2014/0123005	A1	5/2014	Forstall et al.
2008/0303947	A1	12/2008	Ohnishi et al.	2014/0140530	A1	5/2014	Gomes-Casseres et al.
2009/0011798	A1	1/2009	Yamada	2014/0161265	A1	6/2014	Chaikin et al.
2009/0017868	A1	1/2009	Ueda et al.	2014/0181569	A1	6/2014	Millington et al.
2009/0031336	A1	1/2009	Chavez et al.	2014/0233755	A1	8/2014	Kim et al.
2009/0062947	A1	3/2009	Lydon et al.	2014/0242913	A1	8/2014	Pang
2009/0070434	A1	3/2009	Himmelstein	2014/0256260	A1	9/2014	Ueda et al.
2009/0077610	A1	3/2009	White et al.	2014/0267148	A1	9/2014	Luna et al.
2009/0089327	A1	4/2009	Kalaboukis et al.	2014/0270202	A1	9/2014	Ivanov et al.
2009/0100189	A1	4/2009	Bahren et al.	2014/0273859	A1	9/2014	Luna et al.
2009/0124289	A1	5/2009	Nishida	2014/0279889	A1	9/2014	Luna et al.
2009/0157905	A1	6/2009	Davis	2014/0285313	A1	9/2014	Luna et al.
2009/0164655	A1	6/2009	Pettersson et al.	2014/0286496	A1	9/2014	Luna et al.
2009/0193345	A1	7/2009	Wensley et al.	2014/0298174	A1	10/2014	Ikonomov
2009/0222115	A1	9/2009	Malcolm et al.	2014/0323036	A1	10/2014	Daley et al.
2009/0222392	A1	9/2009	Martin et al.	2014/0344689	A1	11/2014	Scott et al.
2009/0228919	A1	9/2009	Zott et al.	2014/0378056	A1	12/2014	Liu et al.
2009/0251604	A1	10/2009	Iyer	2015/0019670	A1	1/2015	Redmann
				2015/0026613	A1	1/2015	Kwon et al.
				2015/0032844	A1	1/2015	Tarr et al.
				2015/0043736	A1	2/2015	Olsen et al.
				2015/0049248	A1	2/2015	Wang et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2015/0074527 A1 3/2015 Sevigny et al.
 2015/0074528 A1 3/2015 Sakalowsky et al.
 2015/0098576 A1 4/2015 Sundaresan et al.
 2015/0139210 A1 5/2015 Marin et al.
 2015/0256954 A1 9/2015 Carlsson et al.
 2015/0304288 A1 10/2015 Balasaygun et al.
 2015/0365987 A1 12/2015 Weel

FOREIGN PATENT DOCUMENTS

CN 1598767 A 3/2005
 CN 101292500 A 10/2008
 EP 0251584 A2 1/1988
 EP 0672985 A1 9/1995
 EP 0772374 A2 5/1997
 EP 1058985 A2 12/2000
 EP 1111527 A2 6/2001
 EP 1122931 A2 8/2001
 EP 1 295 420 1/2002
 EP 1312188 A1 5/2003
 EP 1389853 A1 2/2004
 EP 2713281 4/2004
 EP 1517464 A2 3/2005
 EP 0895427 A3 1/2006
 EP 1416687 B1 8/2006
 EP 1410686 3/2008
 EP 2043381 A2 4/2009
 EP 2161950 A2 3/2010
 EP 0742674 B1 4/2014
 EP 2591617 B1 6/2014
 GB 2284327 A 5/1995
 GB 2338374 12/1999
 GB 2379533 A 3/2003
 GB 2486183 6/2012
 JP 63269633 11/1988
 JP 07-210129 8/1995
 JP 2000149391 A 5/2000
 JP 2001034951 2/2001
 JP 2001251360 A 9/2001
 JP 2002111817 4/2002
 JP 2002123267 A 4/2002
 JP 2002141915 A 5/2002
 JP 2002358241 A 12/2002
 JP 2003037585 2/2003
 JP 2003037585 A 2/2003
 JP 2003506765 A 2/2003
 JP 2003101958 4/2003
 JP 2003101958 A 4/2003
 JP 2003169089 A 6/2003
 JP 2005108427 4/2005
 JP 2005136457 5/2005
 JP 2007241652 A 9/2007
 JP 2009506603 A 2/2009
 JP 2009075540 A 4/2009
 JP 2009135750 6/2009
 JP 2009535708 10/2009
 JP 2009538006 A 10/2009
 JP 2011130496 6/2011
 TW 439027 6/2001
 WO 199525313 9/1995
 WO 9709756 A2 3/1997
 WO 1999023560 5/1999
 WO 199961985 12/1999
 WO 0019693 A1 4/2000
 WO 0110125 A1 2/2001
 WO 200153994 7/2001
 WO 02073851 9/2002
 WO 02073851 A1 9/2002
 WO 02091596 A2 11/2002
 WO 03058965 A1 7/2003
 WO 03093950 A2 11/2003
 WO 03096741 A2 11/2003
 WO 2003093950 A2 11/2003
 WO 2005013047 A2 2/2005
 WO 2007023120 A1 3/2007

WO 2007127485 11/2007
 WO 2007131555 11/2007
 WO 2007135581 A2 11/2007
 WO 2008082350 A1 7/2008
 WO 2008114389 A1 9/2008
 WO 2012050927 4/2012
 WO 2014004182 1/2014
 WO 2014149533 A2 9/2014

OTHER PUBLICATIONS

Final Office Action dated Jun. 5, 2014, issued in connection with U.S. Appl. No. 13/907,666, filed May 31, 2013, 12 pages.
 Final Office Action dated Jul. 13, 2009, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 16 pages.
 Final Office Action dated Sep. 13, 2012, issued in connection with U.S. Appl. No. 13/297,000, filed Nov. 15, 2011, 17 pages.
 Final Office Action dated Nov. 18, 2015, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 56 pages.
 Final Office Action dated Oct. 21, 2011, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 19 pages.
 Final Office Action dated Mar. 27, 2014, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 29 pages.
 Final Office Action dated Jan. 28, 2011, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 21 pages.
 Final Office Action dated Jun. 30, 2008, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 30 pages.
 Final Office Action dated Jun. 2, 2017, issued in connection with U.S. Appl. No. 13/848,932, filed Mar. 22, 2013, 32 pages.
 Final Office Action dated Aug. 3, 2015, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 13 pages.
 Final Office Action dated Dec. 3, 2014, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 12 pages.
 Final Office Action dated Jul. 3, 2012, issued in connection with U.S. Appl. No. 13/298,090, filed Nov. 16, 2011, 46 pages.
 Final Office Action dated Jun. 3, 2016, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 24 pages.
 Final Office Action dated Mar. 3, 2015, issued in connection with U.S. Appl. No. 13/864,251, filed Apr. 17, 2013, 13 pages.
 Final Office Action dated Mar. 4, 2015, issued in connection with U.S. Appl. No. 13/848,904, filed Mar. 22, 2013, 16 pages.
 Final Office Action dated Jul. 5, 2013, issued in connection with U.S. Appl. No. 13/618,829, filed Sep. 14, 2012, 22 pages.
 Final Office Action dated Mar. 5, 2015, issued in connection with U.S. Appl. No. 13/888,203, filed May 6, 2013, 13 pages.
 Final Office Action dated Jun. 6, 2018, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 14 pages.
 Final Office Action dated Jan. 7, 2015, issued in connection with U.S. Appl. No. 13/848,932, filed Mar. 22, 2013, 14 pages.
 Final Office Action dated Mar. 8, 2017, issued in connection with U.S. Appl. No. 14/486,667, filed Sep. 15, 2014, 39 pages.
 Final Office Action dated Nov. 8, 2017, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 13 pages.
 Final Office Action dated Nov. 8, 2017, issued in connection with U.S. Appl. No. 13/871,785, filed Apr. 26, 2013, 12 pages.
 Final Office Action dated Mar. 9, 2015, issued in connection with U.S. Appl. No. 14/516,867, filed Oct. 17, 2014, 14 pages.
 Final Office Action dated Mar. 1, 2018, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 16 pages.
 Final Office Action dated Apr. 10, 2017, issued in connection with U.S. Appl. No. 15/243,355, filed Aug. 22, 2016, 15 pages.
 Final Office Action dated Aug. 10, 2015, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 26 pages.
 Final Office Action dated Aug. 11, 2015, issued in connection with U.S. Appl. No. 13/864,247, filed Apr. 17, 2013, 15 pages.
 Final Office Action dated Feb. 11, 2015, issued in connection with U.S. Appl. No. 14/184,526, filed Feb. 19, 2014, 13 pages.
 Final Office Action dated Feb. 11, 2015, issued in connection with U.S. Appl. No. 14/184,935, filed Feb. 20, 2014, 17 pages.
 Final Office Action dated Jul. 11, 2017, issued in connection with U.S. Appl. No. 15/243,186, filed Aug. 22, 2016, 13 pages.
 Final Office Action dated Jul. 11, 2018, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 13 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Final Office Action dated Jul. 11, 2018, issued in connection with U.S. Appl. No. 13/864,252, filed Apr. 17, 2013, 10 pages.
- Final Office Action dated Feb. 12, 2015, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 20 pages.
- Final Office Action dated Jan. 12, 2017, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 25 pages.
- Final Office Action dated Dec. 13, 2016, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 26, 2013, 41 pages.
- Final Office Action dated Oct. 13, 2011, issued in connection with U.S. Appl. No. 12/035,112, filed Feb. 21, 2008, 10 pages.
- Final Office Action dated Aug. 14, 2009, issued in connection with U.S. Appl. No. 11/147,116, filed Jun. 6, 2005, 28 pages.
- Final Office Action dated Feb. 15, 2018, issued in connection with U.S. Appl. No. 14/516,883, filed Oct. 17, 2014, 17 pages.
- Final Office Action dated Jul. 15, 2015, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 18 pages.
- Final Office Action dated Jun. 15, 2015, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 25 pages.
- Final Office Action dated Aug. 15, 2017, issued in connection with U.S. Appl. No. 15/228,639, filed Aug. 4, 2016, 16 pages.
- Final Office Action dated May 15, 2017, issued in connection with U.S. Appl. No. 13/864,252, filed Apr. 17, 2013, 13 pages.
- Final Office Action dated Mar. 16, 2011, issued in connection with U.S. Appl. No. 11/147,116, filed Jun. 6, 2005, 40 pages.
- Final Office Action dated Mar. 16, 2018, issued in connection with U.S. Appl. No. 90/013,959, filed Jun. 16, 2017, 39 pages.
- Final Office Action dated May 16, 2017, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 14 pages.
- Final Office Action dated May 16, 2017, issued in connection with U.S. Appl. No. 13/864,250, filed Apr. 17, 2013, 12 pages.
- Final Office Action dated May 16, 2018, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 11 pages.
- Final Office Action dated Oct. 16, 2018, issued in connection with U.S. Appl. No. 15/243,355, filed Aug. 22, 2016, 15 pages.
- Final Office Action dated Dec. 17, 2014, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 36 pages.
- Sony: BD/DVD Home Theatre System Operating Instructions for BDV-IT1000/BDV-IS1000, Copyright 2008, 159 pages.
- Sony: Blu-ray Disc/DVD Home Theatre System Operating Instructions for BDV-IZ1000W, Copyright 2010, 88 pages.
- Sony: DVD Home Theatre System Operating Instructions for DAV-DZ380W/DZ680W/DZ880W, Copyright 2009, 136 pages.
- Sony: DVD Home Theatre System Operating Instructions for DAV-DZ870W, Copyright 2008, 128 pages.
- Sony Ericsson MS500 User Guide, Copyright 2009, 2 pages.
- Sony: Home Theatre System Operating Instructions for HT-IS100, Copyright 2008, 168 pages.
- Sony: HT-IS100, 5.1 Channel Audio System, last updated Nov. 2009, 2 pages.
- Sony: Multi Channel AV Receiver Operating Instructions, 2007, 80 pages.
- Sony: Multi Channel AV Receiver Operating Instructions for STR-DN1000, Copyright 2009, 136 pages.
- Sony: STR-DN1000, Audio Video Receiver, last updated Aug. 2009, 2 pages.
- Sony: Wireless Surround Kit Operating Instructions for WHAT-SA2, Copyright 2010, 56 pages.
- Taylor, Marilou, "Long Island Sound," Audio Video Interiors, Apr. 2000, 8 pages.
- TOA Corporation, Digital Processor DP-0206 DACsys2000 Version 2.00 Software Instruction Manual, Copyright 2001, 67 pages.
- Understanding Universal Plug and Play, Microsoft White Paper (Jun. 2000) (D+M_0402074-118) (45 pages).
- U.S. Appl. No. 60/490,768, filed Jul. 28, 2003, entitled "Method for synchronizing audio playback between multiple networked devices," 13 pages.
- U.S. Appl. No. 60/825,407, filed Sep. 12, 2006, entitled "Controlling and manipulating groupings in a multi-zone music or media system," 82 pages.
- Universal Plug and Play Device Architecture V. 1.0, (Jun. 8, 2000) (54 pages).
- Universal Plug and Play in Windows XP, Tom Fout, Microsoft Corporation (Jul. 2001) (D+M_0402041-73) (33 pages).
- Universal Plug and Play ("UPnP") AV Architecture:1 for UPnP, Version 1.0, (Jun. 25, 2002) (D+M_0298151-72) (22 pages).
- Universal Plug and Play Vendor's Implementation Guide (Jan. 5, 2000) (7 pages).
- "UPnP and Sonos Questions," Sonos Community, Dec. 2006, 5 pages.
- UPnP AV Architecture:0.83 (Jun. 12, 2002) (SONDM000115483-504) (22 pages).
- UPnP Design by Example, A Software Developers Guide to Universal Plug and Play Michael Jeronimo and JackWeast, Intel Press (D+M_0401307-818) (Apr. 2003) (511 pages).
- UPnP; "Universal Plug and Play Device Architecture," Jun. 8, 2000; version 1.0; Microsoft Corporation; pp. 1-54.
- WANCommonInterfaceConfig:1 Service Template Version 1.01 for UPnP, Ver. 1.0 (Nov. 12, 2001) (D+M_0401820-43) (24 pages).
- WANIPConnection:1 Service Template Version 1.01 for UPnP Ver. 1.0 (Nov. 12, 2001) (D+M_0401844-917) (74 pages).
- WANPPPConnection:1 Service Template Version 1.01 for UPnP, Version 1.0 (Nov. 12, 2001) (D+M_0401918-2006) (89 pages).
- WaveLan High-Speed Multimode Chip Set, AVAGO0003, Agere Systems, Feb. 2003, 4 pages.
- WaveLan High-Speed Multimode Chip Set, AVAGO0005, Agere Systems, Feb. 2003, 4 pages.
- WaveLAN Wireless Integration Developer Kit (WI-DK) for Access Point Developers, AVAGO0054, Agere Systems, Jul. 2003, 2 pages.
- WaveLAN Wireless Integration-Developer Kit (WI-DK) Hardware Control Function (HCF), AVAGO0052, Agere Systems, Jul. 2003, 2 pages.
- "Welcome. You're watching Apple TV." Apple TV 1st Generation Setup Guide, Apr. 8, 2008 Retrieved Oct. 14, 2014, 40 pages.
- "Welcome. You're watching Apple TV." Apple TV 2nd Generation Setup Guide, Mar. 10, 2011 Retrieved Oct. 16, 2014, 36 pages.
- "Welcome. You're watching Apple TV." Apple TV 3rd Generation Setup Guide, Mar. 16, 2012 Retrieved Oct. 16, 2014, 36 pages.
- WI-DK Release 2 WaveLan Embedded Drivers for VxWorks and Linux, AVAGO0056, Agere Systems, Jul. 2003, 2 pages.
- WI-DK Release 2 WaveLAN END Reference Driver for VxWorks, AVAGO0044, Agere Systems, Jul. 2003, 4 pages.
- WI-DK Release 2 WaveLAN LKM Reference Drivers for Linux, AVAGO0048, Agere Systems, Jul. 2003, 4 pages.
- Windows Media Connect Device Compatibility Specification (Apr. 12, 2004) (16 pages).
- WPA Reauthentication Rates, AVAGO0063, Agere Systems, Feb. 2004, 3 pages.
- Yamaha DME 32 manual: copyright 2001.
- Yamaha DME 64 Owner's Manual; copyright 2004, 80 pages.
- Yamaha DME Designer 3.5 setup manual guide; copyright 2004, 16 pages.
- Yamaha DME Designer 3.5 User Manual; Copyright 2004, 507 pages.
- Yamaha DME Designer software manual: Copyright 2004, 482 pages.
- "Symantec pcAnywhere User's Guide," v 10.5.1, 1995-2002, 154 pages.
- "Systemline Modular Installation Guide, Multiroom System," Systemline, 2003, pp. 1-22.
- "ZR-8630AV MultiZone Audio/Video Receiver, Installation and Operation Guide," Niles Audio Corporation, 2003, 86 pages.
- ZX135: Installation Manual, LA Audio, Apr. 2003, 44 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Third Amended Complaint for Patent Infringement, filed Jan. 29, 2016, 47 pages.
- Sonos, Inc. v. D&M Holdings, Inc.*, Defendants' Final Invalidation Contentions (Jan. 18, 2017) (106 pages).
- Sonos, Inc. v. D&M Holdings*, DI 226, Opinion Denying Inequitable Conduct Defenses, Feb. 6, 2017, updated, 5 pages.
- Sonos, Inc. v. D&M Holdings*, DI 242, US District Judge Andrews 101 Opinion, Mar. 13, 2017, 16 pages.
- Sonos, Inc. v. D&M Holdings*, Sonos Supp Opening Markman Brief including Exhibits, Mar. 3, 2017, 17 pages.

(56)

References Cited

OTHER PUBLICATIONS

Sonos, Inc. v. D&M Holdings, Sonos Supp Reply Markman Brief including Exhibits, Mar. 29, 2017, 36 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Declaration of Steven C. Visser, executed Sep. 9, 2016, 40 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 1: Defendants' Invalidation Contentions for U.S. Pat. No. 7,571,014 filed Sep. 16, 2016, 270 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 10: Defendants' Invalidation Contentions for U.S. Pat. No. 9,219,959 filed Sep. 27, 2016, 236 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 11: Defendants' Invalidation Contentions for Design U.S. Pat. No. D. 559,197 filed Sep. 27, 2016, 52 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 2: Defendants' Invalidation Contentions for U.S. Pat. No. 8,588,949 filed Sep. 27, 2016, 224 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 3: Defendants' Invalidation Contentions for U.S. Pat. No. 8,843,224 filed Sep. 27, 2016, 147 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 4: Defendants' Invalidation Contentions for U.S. Pat. No. 8,938,312 filed Sep. 27, 2016, 229 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 5: Defendants' Invalidation Contentions for U.S. Pat. No. 8,938,637 filed Sep. 27, 2016, 213 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 6: Defendants' Invalidation Contentions for U.S. Pat. No. 9,042,556 filed Sep. 27, 2016, 162 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 7: Defendants' Invalidation Contentions for U.S. Pat. No. 9,195,258 filed Sep. 27, 2016, 418 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 8: Defendants' Invalidation Contentions for U.S. Pat. No. 9,202,509 filed Sep. 27, 2016, 331 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Amended Invalidation Contentions Exhibit 9: Defendants' Invalidation Contentions for U.S. Pat. No. 9,213,357 filed Sep. 27, 2016, 251 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 1: Defendants' Invalidation Contentions for U.S. Pat. No. 7,571,014 filed Apr. 15, 2016, 161 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 10: Defendants' Invalidation Contentions for U.S. Pat. No. 9,213,357 filed Apr. 15, 2016, 244 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 11: Defendants' Invalidation Contentions for U.S. Pat. No. 9,219,959 filed Apr. 15, 2016, 172 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 12: Defendants' Invalidation Contentions for Design U.S. Pat. No. D. 559,197 filed Apr. 15, 2016, 36 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 2: Defendants' Invalidation Contentions for U.S. Pat. No. 8,588,949 filed Apr. 15, 2016, 112 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 3: Defendants' Invalidation Contentions for U.S. Pat. No. 8,843,224 filed Apr. 15, 2016, 118 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 4: Defendants' Invalidation Contentions for U.S. Pat. No. 8,938,312 filed Apr. 15, 2016, 217 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 5: Defendants' Invalidation Contentions for U.S. Pat. No. 8,938,637 filed Apr. 15, 2016, 177 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 6: Defendants' Invalidation Contentions for U.S. Pat. No. 9,042,556 filed Apr. 15, 2016, 86 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 7: Defendants' Invalidation Contentions for U.S. Pat. No. 9,130,771 filed Apr. 15, 2016, 203 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 8: Defendants' Invalidation Contentions for U.S. Pat. No. 9,195,258 filed Apr. 15, 2016, 400 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Initial Invalidation Contentions Exhibit 9: Defendants' Invalidation Contentions for U.S. Pat. No. 9,202,509 filed Apr. 15, 2016, 163 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendant's Preliminary Identification of Prior Art References, provided Jul. 29, 2016, 5 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendants' Brief in Support of their Motion for Leave to Amend their Answer to Add the Defense of Inequitable Conduct, provided Oct. 12, 2016, 24 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Defendants' Opposition to Sonos's Motion to Strike Defendants' New Amended Answer Submitted with their Reply, provided Oct. 3, 2016, 15 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Exhibit A: Defendants' Second Amended Answer to Plaintiffs' Third Amended Complaint, provided Oct. 12, 2016, 43 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Exhibit B: Defendants' Second Amended Answer to Plaintiffs' Third Amended Complaint, provided Oct. 12, 2016, 43 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Opening Brief in Support of Defendants' Motion for Leave to Amend Their Answer to Add the Defense of Inequitable Conduct, provided Aug. 1, 2016, 11 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Order, provided Oct. 7, 2016, 2 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Plaintiff's Opposition to Defendants' Motion for Leave to Amend Their Answer to Add the Defense of Inequitable Conduct, provided Aug. 26, 2016, 25 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Redlined Exhibit B: Defendants' First Amended Answer to Plaintiffs' Third Amended Complaint, provided Aug. 1, 2016, 27 pages.

Sonos, Inc. v. D&M Holdings, DI 206-1, Transcript of 101 Hearing (Nov. 28, 2016) (28 pages).

Sonos, Inc. v. D&M Holdings, DI 207, Public Joint Claim Construction Brief (Nov. 30, 2016) (88 pages).

Sonos, Inc. v. D&M Holdings, DI 214, D&M Post-Markman Letter (Dec. 22, 2016) (13 pages).

Sonos, Inc. v. D&M Holdings, DI 215, Sonos Post-Markman Letter (Dec. 22, 2016) (15 pages).

Sonos, Inc. v. D&M Holdings, DI 219, Claim Construction Opinion (Jan. 12, 2017) (24 pages).

Sonos, Inc. v. D&M Holdings, DI 221, Claim Construction Order (Jan. 18, 2017) (2 pages).

Sonos, Inc. v. D&M Holdings, Markman Hearing Transcript (Dec. 14, 2016) (69 pages).

Sonos System Overview, Version 1.0, Jul. 2011, 12 pages.

Sony: AIR-SA 50R Wireless Speaker, Copyright 2009, 2 pages.

Sony: Altus Quick Setup Guide ALT-SA32PC, Copyright 2009, 2 pages.

Sony: BD/DVD Home Theatre System Operating Instructions for BDV-E300, E301 and E801, Copyright 2009, 115 pages.

Notice of Allowance dated Jul. 12, 2017, issued in connection with U.S. Appl. No. 13/894,179, filed May 14, 2013, 10 pages.

Notice of Allowance dated Sep. 12, 2018, issued in connection with U.S. Appl. No. 13/864,250, filed Apr. 17, 2013, 8 pages.

Notice of Allowance dated Sep. 12, 2018, issued in connection with U.S. Appl. No. 15/228,639, filed Aug. 4, 2016, 8 pages.

Notice of Allowance dated Sep. 12, 2018, issued in connection with U.S. Appl. No. 15/243,186, filed Aug. 22, 2016, 8 pages.

Notice of Allowance dated Dec. 13, 2016, issued in connection with U.S. Appl. No. 15/080,591, filed Mar. 25, 2016, 9 pages.

Notice of Allowance dated Jul. 13, 2015, issued in connection with U.S. Appl. No. 14/184,526, filed Feb. 19, 2014, 22 pages.

Notice of Allowance dated Jul. 13, 2017, issued in connection with U.S. Appl. No. 13/895,076, filed May 15, 2013, 10 pages.

Notice of Allowance dated Nov. 13, 2013, issued in connection with U.S. Appl. No. 13/724,048, filed Dec. 21, 2012, 7 pages.

Notice of Allowance dated Oct. 13, 2015, issued in connection with U.S. Appl. No. 13/864,251, filed Apr. 17, 2013, 7 pages.

(56)

References Cited

OTHER PUBLICATIONS

Notice of Allowance dated Aug. 14, 2012, issued in connection with U.S. Appl. No. 11/147,116, filed Jun. 6, 2005, 33 pages.

Notice of Allowance dated Dec. 14, 2016, issued in connection with U.S. Appl. No. 15/088,906, filed Apr. 1, 2016, 9 pages.

Notice of Allowance dated Jun. 14, 2012, issued in connection with U.S. Appl. No. 12/035,112, filed Feb. 21, 2008, 9 pages.

Notice of Allowance dated Mar. 14, 2019, issued in connection with U.S. Appl. No. 14/808,875, filed Jul. 24, 2015, 14 pages.

Notice of Allowance dated Jul. 15, 2015, issued in connection with U.S. Appl. No. 13/705,174, filed Dec. 5, 2012, 18 pages.

Notice of Allowance dated Mar. 15, 2017, issued in connection with U.S. Appl. No. 15/080,716, filed Mar. 25, 2016, 7 pages.

Notice of Allowance dated Jun. 16, 2009, issued in connection with U.S. Appl. No. 10/861,653, filed Jun. 5, 2004, 11 pages.

Notice of Allowance dated Dec. 17, 2018, issued in connection with U.S. Appl. No. 16/128,404, filed Sep. 11, 2018, 24 pages.

Notice of Allowance dated Jul. 17, 2015, issued in connection with U.S. Appl. No. 13/864,251, filed Apr. 17, 2013, 20 pages.

Notice of Allowance dated Jul. 18, 2014, issued in connection with U.S. Appl. No. 13/618,829, filed Sep. 14, 2012, 8 pages.

Notice of Allowance dated May 19, 2015, issued in connection with U.S. Appl. No. 13/907,666, filed May 31, 2013, 7 pages.

Notice of Allowance dated Nov. 19, 2018, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 19 pages.

Notice of Allowance dated Oct. 19, 2016, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 14 pages.

Notice of Allowance dated Nov. 20, 2018, issued in connection with U.S. Appl. No. 16/119,352, filed Aug. 31, 2018, 9 pages.

Notice of Allowance dated Nov. 20, 2018, issued in connection with U.S. Appl. No. 16/119,638, filed Aug. 31, 2018, 9 pages.

Notice of Allowance dated May 21, 2019, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 9 pages.

Notice of Allowance dated Sep. 21, 2015, issued in connection with U.S. Appl. No. 13/297,000, filed Nov. 15, 2011, 11 pages.

Notice of Allowance dated Dec. 22, 2016, issued in connection with U.S. Appl. No. 15/080,716, filed Mar. 25, 2016, 9 pages.

Notice of Allowance dated Oct. 22, 2018, issued in connection with U.S. Appl. No. 14/058,166, filed Oct. 18, 2013, 7 pages.

Notice of Allowance dated Sep. 22, 2015, issued in connection with U.S. Appl. No. 13/888,203, filed May 6, 2013, 7 pages.

Notice of Allowance dated Nov. 23, 2016, issued in connection with U.S. Appl. No. 14/803,953, filed Jul. 20, 2015, 21 pages.

Notice of Allowance dated Oct. 23, 2018, issued in connection with U.S. Appl. No. 14/516,883, filed Oct. 17, 2014, 10 pages.

Notice of Allowance dated Sep. 24, 2015, issued in connection with U.S. Appl. No. 13/705,174, filed Dec. 5, 2012, 7 pages.

Notice of Allowance dated Sep. 24, 2015, issued in connection with U.S. Appl. No. 14/184,935, filed Feb. 20, 2014, 7 pages.

Notice of Allowance dated Apr. 25, 2017, issued in connection with U.S. Appl. No. 15/156,392, filed May 17, 2016, 8 pages.

Notice of Allowance dated Mar. 25, 2019, issued in connection with U.S. Appl. No. 15/972,383, filed May 7, 2018, 9 pages.

Notice of Allowance dated Sep. 25, 2014, issued in connection with U.S. Appl. No. 14/176,808, filed Feb. 10, 2014, 5 pages.

Notice of Allowance dated Jul. 26, 2019, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 7 pages.

Notice of Allowance dated Sep. 26, 2018, issued in connection with U.S. Appl. No. 13/848,932, filed Mar. 22, 2013, 10 pages.

Notice of Allowance dated Apr. 27, 2015, issued in connection with U.S. Appl. No. 13/932,864, filed Jul. 1, 2013, 20 pages.

Notice of Allowance dated Aug. 27, 2015, issued in connection with U.S. Appl. No. 13/705,177, filed Dec. 5, 2012, 34 pages.

Notice of Allowance dated Aug. 27, 2015, issued in connection with U.S. Appl. No. 14/505,027, filed Oct. 2, 2014, 18 pages.

Notice of Allowance dated Dec. 27, 2011, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 15 pages.

Notice of Allowance dated Jun. 27, 2018, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 19 pages.

Notice of Allowance dated Mar. 27, 2017, issued in connection with U.S. Appl. No. 15/089,758, filed Apr. 4, 2016, 7 pages.

Notice of Allowance dated Nov. 27, 2018, issued in connection with U.S. Appl. No. 16/052,316, filed Aug. 1, 2018, 8 pages.

Notice of Allowance dated Jan. 28, 2019, issued in connection with U.S. Appl. No. 16/181,270, filed Nov. 5, 2018, 10 pages.

Notice of Allowance dated Mar. 28, 2017, issued in connection with U.S. Appl. No. 15/088,906, filed Apr. 1, 2016, 7 pages.

Notice of Allowance dated Mar. 28, 2017, issued in connection with U.S. Appl. No. 15/155,149, filed May 16, 2016, 7 pages.

Notice of Allowance dated Apr. 29, 2015, issued in connection with U.S. Appl. No. 13/863,083, filed Apr. 15, 2013, 19 pages.

Notice of Allowance dated Aug. 29, 2018, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 8 pages.

Notice of Allowance dated Jul. 29, 2015, issued in connection with U.S. Appl. No. 13/359,976, filed Jan. 27, 2012, 28 pages.

Notice of Allowance dated Jul. 29, 2015, issued in connection with U.S. Appl. No. 14/186,850, filed Feb. 21, 2014, 9 pages.

Notice of Allowance dated Mar. 29, 2017, issued in connection with U.S. Appl. No. 14/803,953, filed Jul. 20, 2015, 8 pages.

Notice of Allowance dated Mar. 29, 2019, issued in connection with U.S. Appl. No. 15/095,145, filed Apr. 10, 2016, 7 pages.

Notice of Allowance dated Apr. 3, 2017, issued in connection with U.S. Appl. No. 15/088,678, filed Apr. 1, 2016, 8 pages.

Notice of Allowance dated Jun. 3, 2019, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 8 pages.

Notice of Allowance dated Aug. 30, 2016, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 7 pages.

Notice of Allowance dated Jul. 30, 2015, issued in connection with U.S. Appl. No. 13/705,178, filed Dec. 5, 2012, 18 pages.

Notice of Allowance dated Mar. 30, 2017, issued in connection with U.S. Appl. No. 15/088,532, filed Apr. 1, 2016, 7 pages.

Notice of Allowance dated Jan. 31, 2018, issued in connection with U.S. Appl. No. 13/871,785, filed Apr. 26, 2013, 6 pages.

Notice of Allowance dated Aug. 5, 2015, issued in connection with U.S. Appl. No. 13/435,776, filed Mar. 30, 2012, 26 pages.

Notice of Allowance dated Apr. 6, 2017, issued in connection with U.S. Appl. No. 15/088,283, filed Apr. 1, 2016, 7 pages.

Notice of Allowance dated Jul. 6, 2015, issued in connection with U.S. Appl. No. 13/297,000, filed Nov. 15, 2011, 24 pages.

Notice of Allowance dated Mar. 6, 2019, issued in connection with U.S. Appl. No. 16/181,327, filed Nov. 5, 2018, 16 pages.

Notice of Allowance dated Jan. 8, 2019, issued in connection with U.S. Appl. No. 13/864,252, filed Apr. 17, 2013, 10 pages.

Notice of Appeal and Certificate of Service filed on Jul. 16, 2018, in connection with Reexam U.S. Appl. No. 90/013,959, filed Jun. 16, 2017, 2 pages.

Notice of Incomplete Re-Exam Request mailed on May 25, 2017, issued in connection with U.S. Appl. No. 90/013,959, filed Apr. 1, 2016, 10 pages.

Notice of Intent to Issue Re-Examination Certificate mailed on Aug. 3, 2017, issued in connection with U.S. Appl. No. 90/013,882, filed Dec. 27, 2016, 20 pages.

Nutzal et al., "Sharing Systems for Future HiFi Systems," IEEE, 2004, 9 pages.

Office Action in Ex Parte Reexamination mailed on Oct. 20, 2017, issued in connection with Reexamination U.S. Appl. No. 90/013,959, filed Jun. 16, 2017, 50 pages.

"Sonos Multi-Room Music System User Guide," Version 090401, Sonos, Inc. Apr. 1, 2009, 256 pages.

Palm, Inc., "Handbook for the Palm VII Handheld," May 2000, 311 pages.

Parasound Zpre2 Zone Preamplifier with PTZI Remote Control, 2005, 16 pages.

Park et al., "Group Synchronization in MultiCast Media Communications," Proceedings of the 5th Research on Multicast Technology Workshop, 2003, 5 pages.

Pascoe, Bob, "Salutation Architectures and the newly defined service discovery protocols from Microsoft® and Sun®," Salutation Consortium, White Paper, Jun. 6, 1999, 5 pages.

Patent Board Decision dated May 31, 2019, issued in connection with U.S. Appl. No. 90/013,959, filed Jun. 16, 2017, 9 pages.

(56)

References Cited

OTHER PUBLICATIONS

Pillai et al., "A Method to Improve the Robustness of MPEG Video Applications over Wireless Networks," Kent Ridge Digital Labs, 2000, 15 pages.

Polycom Conference Composer User Guide, copyright 2001, 29 pages.

Pre-Brief Conference Decision dated May 11, 2017, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 2 pages.

Pre-Interview First Office Action dated Mar. 10, 2015, issued in connection with U.S. Appl. No. 14/505,027, filed Oct. 2, 2014, 4 pages.

Presentations at WinHEC 2000, May 2000, 138 pages.

PRISMIQ, Inc., "PRISMIQ Media Player User Guide," 2003, 44 pages.

Pro Tools Reference Guide Version 5.3 Manual, 2002, 582 pages.

Pro Tools Reference Guide Version 6.1, 2003, 643 pages.

Proficient Audio Systems M6 Quick Start Guide, 2011, 5 pages.

Proficient Audio Systems: Proficient Editor Advanced Programming Guide, 2007, 40 pages.

Programming Interface for WL54040 Dual-Band Wireless Transceiver, AVAGO0066, Agere Systems, May 2004, 16 pages.

Radio Shack, "Auto-Sensing 4-Way Audio/Video Selector Switch," 2004, 1 page.

RadioShack, Pro-2053 Scanner, 2002 Catalog, part 1, 100 pages.

RadioShack, Pro-2053 Scanner, 2002 Catalog, part 2, 100 pages.

RadioShack, Pro-2053 Scanner, 2002 Catalog, part 3, 100 pages.

RadioShack, Pro-2053 Scanner, 2002 Catalog, part 4, 100 pages.

RadioShack, Pro-2053 Scanner, 2002 Catalog, part 5, 46 pages.

Rangan et al., "Feedback Techniques for Continuity and Synchronization in Multimedia Information Retrieval," ACM Transactions on Information Systems, 1995, pp. 145-176, vol. 13, No. 2.

Real Time Control Protocol (RTCP) and Realtime Transfer Protocol (RTP), RFC 1889 (Jan. 1996) (D+M_0397810-84) (75 pages).

Realtime Streaming Protocol (RTSP), RFC 2326 (Apr. 1998) (D+M_0397945-8036) (92 pages).

Realtime Transport Protocol (RTP), RFC 3550 (Jul. 2003) (D+M_0398235-323) (89 pages).

Re-Exam Final Office Action dated Aug. 5, 2015, issued in connection with U.S. Appl. No. 90/013,423, filed Jan. 5, 2015, 25 pages.

Reexam Non-Final Office Action dated Nov. 9, 2016, issued in connection with U.S. Appl. No. 90/013,774, filed Jun. 29, 2016, 35 pages.

Re-Exam Non-Final Office Action dated Apr. 22, 2015, issued in connection with U.S. Appl. No. 90/013,423, filed Jan. 5, 2015, 16 pages.

"NexSys Software v.3 Manual," Crest Audio, Inc., 1997, 76 pages.

Niederst, Jennifer "O'Reilly Web Design in a Nutshell," Second Edition, Sep. 2001, 678 pages.

Nilsson, M., "ID3 Tag Version 2," Mar. 26, 1998, 28 pages.

Non-Final Office Action dated May 1, 2014, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 31 pages.

Non-Final Office Action dated Dec. 5, 2013, issued in connection with U.S. Appl. No. 13/827,653, filed Mar. 14, 2013, 28 pages.

Non-Final Office Action dated Jan. 5, 2012, issued in connection with U.S. Appl. No. 13/298,090, filed Nov. 16, 2011, 40 pages.

Non-Final Office Action dated May 6, 2014, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 23 pages.

Non-Final Office Action dated Sep. 7, 2016, issued in connection with U.S. Appl. No. 13/864,248, filed Apr. 17, 2013, 12 pages.

Non-final Office Action dated Apr. 10, 2013, issued in connection with U.S. Appl. No. 13/619,237, filed Sep. 14, 2012, 10 pages.

Non-Final Office Action dated May 12, 2014, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 23 pages.

Non-Final Office Action dated May 14, 2014, issued in connection with U.S. Appl. No. 13/848,932, filed Mar. 22, 2013, 14 pages.

Non-Final Office Action dated Jun. 17, 2014, issued in connection with U.S. Appl. No. 14/176,808, filed Feb. 10, 2014, 6 pages.

Non-Final Office Action dated Dec. 18, 2013, issued in connection with U.S. Appl. No. 13/907,666, filed May 31, 2013, 12 pages.

Non-Final Office Action dated Jan. 18, 2008, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 38 pages.

Non-Final Office Action dated Apr. 19, 2010, issued in connection with U.S. Appl. No. 11/801,468, filed May 9, 2007, 16 pages.

Non-Final Office Action dated Mar. 19, 2013, issued in connection with U.S. Appl. No. 13/724,048, filed Dec. 21, 2012, 9 pages.

Non-Final Office Action dated Jun. 21, 2011, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 13 pages.

Non-Final Office Action dated Jan. 22, 2009, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 18 pages.

Non-Final Office Action dated Jul. 25, 2014, issued in connection with U.S. Appl. No. 14/184,526, filed Feb. 19, 2014, 9 pages.

Non-Final Office Action dated Jul. 25, 2014, issued in connection with U.S. Appl. No. 14/184,935, filed Feb. 20, 2014, 11 pages.

Non-Final Office Action dated Jun. 25, 2010, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 17 pages.

Non-Final Office Action dated Nov. 25, 2013, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 19 pages.

Non-Final Office Action dated May 27, 2014, issued in connection with U.S. Appl. No. 14/186,850, filed Feb. 21, 2014, 13 pages.

Non-Final Office Action dated Feb. 29, 2012, issued in connection with U.S. Appl. No. 13/297,000, filed Nov. 15, 2011, 10 pages.

Non-Final Office Action dated Nov. 29, 2010, issued in connection with U.S. Appl. No. 11/801,468, filed May 9, 2007, 17 pages.

Non-Final Office Action dated Jul. 30, 2013 issued in connection with U.S. Appl. No. 13/724,048, filed Dec. 21, 2012, 7 pages.

Non-Final Office Action dated Jul. 31, 2014, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 31 pages.

Non-Final Office Action dated Dec. 1, 2014, issued in connection with U.S. Appl. No. 14/516,867, filed Oct. 17, 2014, 11 pages.

Non-Final Office Action dated Jun. 1, 2016, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 21 pages.

Non-Final Office Action dated Sep. 1, 2010, issued in connection with U.S. Appl. No. 11/147,116, filed Jun. 6, 2005, 36 pages.

Non-Final Office Action dated Nov. 2, 2016, issued in connection with U.S. Appl. No. 14/486,667, filed Sep. 15, 2014, 37 pages.

Non-Final Office Action dated Feb. 3, 2009, issued in connection with U.S. Appl. No. 11/147,116, filed Jun. 6, 2005, 32 pages.

Non-Final Office Action dated Jan. 3, 2017, issued in connection with U.S. Appl. No. 14/808,875, filed Jul. 24, 2015, 10 pages.

Non-Final Office Action dated Jun. 3, 2015, issued in connection with U.S. Appl. No. 14/564,544, filed Dec. 9, 2014, 7 pages.

Non-Final Office Action dated Nov. 3, 2016, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 17 pages.

Non-Final Office Action dated Oct. 3, 2014, issued in connection with U.S. Appl. No. 13/863,083, filed Apr. 15, 2013, 22 pages.

Non-Final Office Action dated Jun. 4, 2015, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 26, 2013, 16 pages.

Non-Final Office Action dated Mar. 4, 2015, issued in connection with U.S. Appl. No. 13/435,776, filed Mar. 30, 2012, 16 pages.

Non-Final Office Action dated Oct. 4, 2016, issued in connection with U.S. Appl. No. 15/089,758, filed Apr. 4, 2016, 9 pages.

Non-Final Office Action dated Oct. 5, 2016, issued in connection with U.S. Appl. No. 13/864,250, filed Apr. 17, 2013, 10 pages.

Non-Final Office Action dated Oct. 5, 2016, issued in connection with U.S. Appl. No. 13/864,252, filed Apr. 17, 2013, 11 pages.

Non-Final Office Action dated Oct. 6, 2016, issued in connection with U.S. Appl. No. 15/088,678, filed Apr. 1, 2016, 9 pages.

Non-Final Office Action dated Nov. 7, 2011, issued in connection with U.S. Appl. No. 11/147,116, filed Jun. 6, 2005, 48 pages.

Non-Final Office Action dated Oct. 7, 2016, issued in connection with U.S. Appl. No. 15/156,392, filed May 17, 2016, 8 pages.

Non-Final Office Action dated Mar. 8, 2016, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 13 pages.

Non-Final Office Action dated Aug. 9, 2016, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 26, 2013, 31 pages.

Non-Final Office Action dated Apr. 10, 2017, issued in connection with U.S. Appl. No. 13/871,785, filed Apr. 26, 2013, 10 pages.

Non-Final Office Action dated Jan. 10, 2018, issued in connection with U.S. Appl. No. 13/848,932, filed Mar. 22, 2013, 18 pages.

(56)

References Cited

OTHER PUBLICATIONS

Non-Final Office Action dated Mar. 10, 2011, issued in connection with U.S. Appl. No. 12/035,112, filed Feb. 21, 2008, 12 pages.

Non-Final Office Action dated May 10, 2016, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 22 pages.

"884+ Automatic Matrix Mixer Control System," Ivie Technologies, Inc., 2000, pp. 1-4.

Advanced Driver Tab User Interface WaveLan GUI Guide, AVAGO0009, Agere Systems, Feb. 2004, 4 pages.

Advisory Action dated Feb. 2, 2016, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 8 pages.

Advisory Action dated Sep. 18, 2008, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 8 pages.

Advisory Action dated Feb. 1, 2016, issued in connection with U.S. Appl. No. 13/864,247, filed Apr. 17, 2013, 6 pages.

Advisory Action dated Jun. 1, 2015, issued in connection with U.S. Appl. No. 14/516,867, filed Oct. 17, 2014, 11 pages.

Advisory Action dated Nov. 1, 2013, issued in connection with U.S. Appl. No. 13/618,829, filed Sep. 14, 2012, 3 pages.

Advisory Action dated Mar. 8, 2015, issued in connection with U.S. Appl. No. 13/848,932, filed Mar. 22, 2013, 3 pages.

Advisory Action dated Jan. 5, 2012, issued in connection with U.S. Appl. No. 12/035,112, filed Feb. 21, 2008, 3 pages.

Advisory Action dated Sep. 5, 2014, issued in connection with U.S. Appl. No. 13/907,666, filed May 31, 2013, 3 pages.

Advisory Action dated Jan. 8, 2015, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 4 pages.

Advisory Action dated Mar. 8, 2017, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 26, 2013, 22 pages.

Advisory Action dated Jun. 9, 2016, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 25, 2013, 3 pages.

Advisory Action dated Aug. 10, 2017, issued in connection with U.S. Appl. No. 13/864,250, filed Apr. 17, 2013, 3 pages.

Advisory Action dated Feb. 10, 2016, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 26, 2013, 3 pages.

Advisory Action dated Aug. 10, 2018, issued in connection with U.S. Appl. No. 13/871,785, filed Apr. 26, 2013, 3 pages.

Advisory Action dated Jun. 11, 2018, issued in connection with U.S. Reexamination Control No. 90/013,959 for U.S. Pat. No. 9,213,357, filed Jun. 16, 2017, 3 pages.

Advisory Action dated Nov. 12, 2014, issued in connection with U.S. Appl. No. 13/907,666, filed May 31, 2013, 6 pages.

Advisory Action dated Apr. 15, 2015, issued in connection with U.S. Appl. No. 14/184,526, filed Feb. 19, 2014, 9 pages.

Advisory Action dated Apr. 15, 2015, issued in connection with U.S. Appl. No. 14/184,935, filed Feb. 20, 2014, 9 pages.

Advisory Action dated Aug. 16, 2017, issued in connection with U.S. Appl. No. 13/864,248, filed Apr. 17, 2013, 5 pages.

Advisory Action dated Jun. 20, 2017, issued in connection with U.S. Appl. No. 15/243,355, filed Aug. 22, 2016, 5 pages.

Advisory Action dated Aug. 22, 2017, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 3 pages.

Advisory Action dated Mar. 22, 2019, issued in connection with U.S. Appl. No. 16/009,182, filed Jun. 14, 2018, 3 pages.

Advisory Action dated Sep. 22, 2017, issued in connection with U.S. Appl. No. 15/243,186, filed Aug. 22, 2016, 3 pages.

Advisory Action dated Mar. 25, 2015, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 5 pages.

Advisory Action dated Feb. 26, 2015, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 3 pages.

Advisory Action dated Nov. 26, 2014, issued in connection with U.S. Appl. No. 14/186,850, filed Feb. 21, 2014, 9 pages.

Advisory Action dated Apr. 27, 2016, issued in connection with U.S. Appl. No. 14/486,667, filed Sep. 15, 2014, 7 pages.

Advisory Action dated Dec. 28, 2016, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 4 pages.

Advisory Action dated Jul. 28, 2015, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 7 pages.

Advisory Action dated Sep. 28, 2009, issued in connection with U.S. Appl. No. 10/816,217, filed Apr. 1, 2004, 4 pages.

Agere Systems' Voice-over-Wireless LAN (VoWLAN) Station Quality of Service, AVAGO0015, Agere Systems, Jan. 2005, 5 pages.

Akyildiz et al., "Multimedia Group Synchronization Protocols for Integrated Services Networks," IEEE Journal on Selected Areas in Communications, 1996 pp. 162-173, vol. 14, No. 1.

Allen and Heath ML4000 User Guide, 2003, 56 pages.

Appeal Brief and Exhibits A-K filed on Sep. 17, 2018, in connection with Rexam U.S. Appl. No. 90/013,959, filed Jun. 16, 2017, 240 pages.

Audio Authority: How to Install and Use the Model 1154 Signal Sensing Auto Selector, 2002, 4 pages.

Audio Authority: Model 1154B High Definition AV Auto Selector, 2008, 8 pages.

AudioSource: AMP 100 User Manual, 2003, 4 pages.

AudioTron Quick Start Guide, Version 1.0, Mar. 2001, 24 pages.

AudioTron Reference Manual, Version 3.0, May 2002, 70 pages.

AudioTron Setup Guide, Version 3.0, May 2002, 38 pages.

Automatic Profile Hunting Functional Description, AVAGO0013, Agere Systems, Feb. 2004, 2 pages.

"A/V Surround Receiver AVR-5800," Denon Electronics, 2000, 2 pages.

"A/V System Controleeer, Owner's Manual," B&K Components, Ltd., 1998, 52 pages.

AVTransport:1 Service Template Version 1.01 for UPnP, Version 1.0 (Jun. 25, 2002) (66 pages).

AXIS Communication: AXIS P8221 Network I/O Audio Module, 2009, 41 pages.

Baldwin, Roberto. "How-To: Setup iTunes DJ on Your Mac and iPhone", available at http://www.maclife.com/article/howtos/howto_setup_itunes_dj_your_mac_and_iphone, archived on Mar. 17, 2009, 4 pages.

Balfanz et al., "Network-in-a-Box: How to Set up a Secure Wireless Network in Under a Minute," 13th USENIX Security Symposium—Technical Paper, 2002, 23 pages.

Balfanz et al., "Talking to Strangers: Authentication in Ad-Hoc Wireless Networks," Xerox Palo Alto Research Center, 2002, 13 pages.

Non-Final Office Action dated Nov. 10, 2016, issued in connection with U.S. Appl. No. 15/243,355, filed Aug. 22, 2016, 11 pages.

Non-Final Office Action dated Jul. 11, 2017, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 10 pages.

Non-Final Office Action dated Jan. 12, 2017, issued in connection with U.S. Appl. No. 13/895,076, filed May 15, 2013, 10 pages.

Non-Final Office Action dated Jun. 12, 2015, issued in connection with U.S. Appl. No. 13/848,932, filed Mar. 22, 2013, 16 pages.

Non-Final Office Action dated Mar. 12, 2015, issued in connection with U.S. Appl. No. 13/705,174, filed Dec. 5, 2012, 13 pages.

Non-Final Office Action dated Jan. 13, 2016, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 14 pages.

Non-Final Office Action dated Mar. 13, 2015, issued in connection with U.S. Appl. No. 13/705,177, filed Dec. 5, 2012, 15 pages.

Non-Final Office Action dated Nov. 13, 2017, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 11 pages.

Non-Final Office Action dated Dec. 14, 2017, issued in connection with U.S. Appl. No. 15/081,911, filed Mar. 27, 2016, 17 pages.

Non-Final Office Action dated Nov. 14, 2017, issued in connection with U.S. Appl. No. 13/864,252, filed Apr. 17, 2013, 11 pages.

Non-Final Office Action dated Aug. 15, 2017, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 11 pages.

Non-Final Office Action dated Jul. 15, 2016, issued in connection with U.S. Appl. No. 14/803,953, filed Jul. 20, 2015, 20 pages.

Non-Final Office Action dated Nov. 15, 2017, issued in connection with U.S. Appl. No. 15/228,639, filed Aug. 4, 2016, 14 pages.

Non-Final Office Action dated Nov. 15, 2017, issued in connection with U.S. Appl. No. 15/243,186, filed Aug. 22, 2016, 13 pages.

Non-Final Office Action dated Nov. 16, 2016, issued in connection with U.S. Appl. No. 15/228,639, filed Aug. 4, 2016, 15 pages.

Non-Final Office Action dated Aug. 17, 2017, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 12 pages.

Non-Final Office Action dated Nov. 17, 2014, issued in connection with U.S. Appl. No. 13/864,247, filed Apr. 17, 2013, 11 pages.

Non-Final Office Action dated Feb. 18, 2009, issued in connection with U.S. Appl. No. 10/861,653, filed Jun. 5, 2004, 18 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Non-Final Office Action dated Jan. 18, 2013, issued in connection with U.S. Appl. No. 13/618,829, filed on Sep. 14, 2012, 58 pages.
- Non-Final Office Action dated Nov. 18, 2014, issued in connection with U.S. Appl. No. 13/435,739, filed Mar. 30, 2012, 10 pages.
- Non-Final Office Action dated Jun. 19, 2015, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 38 pages.
- Non-Final Office Action dated Nov. 19, 2014, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 9 pages.
- Non-Final Office Action dated Apr. 2, 2018, issued in connection with U.S. Appl. No. 15/243,355, filed Aug. 22, 2016, 20 pages.
- Non-Final Office Action dated Apr. 20, 2017, issued in connection with U.S. Appl. No. 90/013,882, filed Dec. 27, 2016, 197 pages.
- Non-Final Office Action dated Aug. 20, 2009, issued in connection with U.S. Appl. No. 11/906,702, filed Oct. 2, 2007, 27 pages.
- Non-Final Office Action dated Sep. 21, 2016, issued in connection with U.S. Appl. No. 15/080,591, filed Mar. 25, 2016, 9 pages.
- Non-Final Office Action dated Sep. 21, 2016, issued in connection with U.S. Appl. No. 15/080,716, filed Mar. 25, 2016, 8 pages.
- Non-Final Office Action dated Sep. 21, 2016, issued in connection with U.S. Appl. No. 15/088,283, filed Apr. 1, 2016, 9 pages.
- Non-Final Office Action dated Sep. 21, 2016, issued in connection with U.S. Appl. No. 15/088,532, filed Apr. 1, 2016, 9 pages.
- Non-Final Office Action dated Jul. 22, 2019, issued in connection with U.S. Appl. No. 16/009,182, filed Jun. 14, 2018, 23 pages.
- Non-Final Office Action dated Sep. 22, 2016, issued in connection with U.S. Appl. No. 15/088,906, filed Apr. 1, 2016, 9 pages.
- Non-Final Office Action dated Sep. 22, 2016, issued in connection with U.S. Appl. No. 15/155,149, filed May 16, 2016, 7 pages.
- Non-Final Office Action dated Jun. 23, 2015, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 30 pages.
- Non-Final Office Action dated Oct. 23, 2014, issued in connection with U.S. Appl. No. 13/848,904, filed Mar. 22, 2013, 11 pages.
- Non-Final Office Action dated Oct. 23, 2014, issued in connection with U.S. Appl. No. 13/864,251, filed Apr. 17, 2013, 11 pages.
- Non-Final Office Action dated Oct. 23, 2014, issued in connection with U.S. Appl. No. 13/888,203, filed May 6, 2013, 9 pages.
- Non-Final Office Action dated Oct. 23, 2014, issued in connection with U.S. Appl. No. 13/932,864, filed Jul. 1, 2013, 20 pages.
- Non-Final Office Action dated Oct. 23, 2018, issued in connection with U.S. Appl. No. 14/808,875, filed Jul. 24, 2015, 16 pages.
- Non-Final Office Action dated Apr. 24, 2018, issued in connection with U.S. Appl. No. 15/095,145, filed Apr. 10, 2016, 13 pages.
- Non-Final Office Action dated Oct. 24, 2014, issued in connection with U.S. Appl. No. 13/435,776, filed Mar. 30, 2012, 14 pages.
- Non-Final Office Action dated Feb. 26, 2015, issued in connection with U.S. Appl. No. 14/186,850, filed Feb. 21, 2014, 25 pages.
- Non-Final Office Action dated Jul. 26, 2017, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 14 pages.
- Non-Final Office Action dated Mar. 26, 2015, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 18 pages.
- Non-Final Office Action dated Jun. 27, 2008, issued in connection with U.S. Appl. No. 10/861,653, filed Jun. 5, 2004, 19 pages.
- Non-Final Office Action dated Mar. 27, 2015, issued in connection with U.S. Appl. No. 13/705,178, filed Dec. 5, 2012, 14 pages.
- Non-Final Office Action dated Aug. 28, 2017, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 17 pages.
- Non-Final Office Action dated Dec. 28, 2015, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 29 pages.
- Non-Final Office Action dated Nov. 28, 2017, issued in connection with U.S. Appl. No. 13/864,248, filed Apr. 17, 2013, 12 pages.
- Non-Final Office Action dated Sep. 28, 2018, issued in connection with U.S. Appl. No. 15/972,383, filed May 7, 2018, 15 pages.
- Non-Final Office Action dated Aug. 29, 2017, issued in connection with U.S. Appl. No. 14/058,166, filed Oct. 18, 2013, 12 pages.
- Final Office Action dated Oct. 19, 2016, issued in connection with U.S. Appl. No. 13/848,921, filed Mar. 22, 2013, 14 pages.
- Final Office Action dated Apr. 20, 2017, issued in connection with U.S. Appl. No. 13/864,248, filed Apr. 17, 2013, 14 pages.
- Final Office Action dated Jan. 21, 2010, issued in connection with U.S. Appl. No. 11/906,702, filed Oct. 2, 2007, 27 pages.
- Final Office Action dated Oct. 22, 2014, issued in connection with U.S. Appl. No. 14/186,850, filed Feb. 21, 2014, 12 pages.
- Final Office Action dated Oct. 23, 2014, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 23 pages.
- Final Office Action dated Dec. 24, 2009, issued in connection with U.S. Appl. No. 11/147,116, filed Jun. 6, 2005, 29 pages.
- Final Office Action dated Feb. 24, 2016, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 26, 2013, 28 pages.
- Final Office Action dated May 25, 2016, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 33 pages.
- Final Office Action dated Oct. 26, 2018, issued in connection with U.S. Appl. No. 15/095,145, filed Apr. 10, 2016, 14 pages.
- Final Office Action dated Apr. 28, 2015, issued in connection with U.S. Appl. No. 14/186,850, filed Feb. 21, 2014, 20 pages.
- Final Office Action dated Jun. 28, 2017, issued in connection with U.S. Appl. No. 14/808,875, filed Jul. 24, 2015, 14 pages.
- Final Office Action dated Mar. 29, 2018, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 24 pages.
- Final Office Action dated Nov. 30, 2015, issued in connection with U.S. Appl. No. 13/871,795, filed Apr. 26, 2013, 26 pages.
- Final Office Action dated Dec. 31, 2015, issued in connection with U.S. Appl. No. 14/486,667, filed Sep. 15, 2014, 34 pages.
- Final Office Action dated Dec. 4, 2018, issued in connection with U.S. Appl. No. 16/009,182, filed Jun. 14, 2018, 24 pages.
- Fireball DVD and Music Manager DVDM-100 Installation and User's Guide, Copyright 2003, 185 pages.
- Fireball MP-200 User's Manual, Copyright 2006, 93 pages.
- Fireball Remote Control Guide WD006-1-1, Copyright 2003, 19 pages.
- Fireball SE-D1 User's Manual, Copyright 2005, 90 pages.
- First Action Interview Office Action Summary dated Apr. 15, 2015, issued in connection with U.S. Appl. No. 14/505,027, filed Oct. 2, 2014, 6 pages.
- First Action Pre-Interview Office Action dated Jun. 22, 2017, issued in connection with U.S. Appl. No. 14/516,883, filed Oct. 17, 2014, 5 pages.
- First Office Action Interview dated Aug. 30, 2017, issued in connection with U.S. Appl. No. 14/516,883, filed Oct. 17, 2014, 5 pages.
- Fober et al., "Clock Skew Compensation over a High Latency Network," Proceedings of the ICMC, 2002, pp. 548-552.
- Fout, Tom, "Universal Plug and Play (UPnP) Client Support," Microsoft, Aug. 2001, 18 pages.
- Fries et al. "The MP3 and Internet Audio Handbook: Your Guide to the Digital Music Revolution." 2000, 320 pages.
- Fulton et al., "The Network Audio System: Make Your Application Sing (As Well as Dance)!" The X Resource, 1994, 14 pages.
- Gaston et al., "Methods for Sharing Stereo and Multichannel Recordings Among Planetariums," Audio Engineering Society Convention Paper 7474, 2008, 15 pages.
- General Event Notification Architecture Base: Client to Arbiter (Apr. 2000) (23 pages).
- Hans et al., "Interacting with Audio Streams for Entertainment and Communication," Proceedings of the Eleventh ACM International Conference on Multimedia, ACM, 2003, 7 pages.
- Herre et al., "The Reference Model Architecture for MPEG Spatial Audio Coding," Audio Engineering Society Convention Paper (Presented at the 118th Convention), May 28-31, 2005, 13 pages.
- Home Networking with Universal Plug and Play, IEEE Communications Magazine, vol. 39 No. 12 (Dec. 2001) (D+M_0402025-40) (16 pages).
- "Home Theater Control Systems," Cinema Source, 2002, 19 pages.
- Horwitz, Jeremy, "Logic3 i-Station25," retrieved from the internet: <http://www.ilounge.com/index.php/reviews/entry/logic3-i-station25/>, last visited Dec. 17, 2013, 5 pages.
- Huang C.M., et al., "A Synchronization Infrastructure for Multicast Multimedia at the Presentation Layer," IEEE Transactions on Consumer Electronics, 1997, pp. 370-380, vol. 43, No. 3.
- IBM Home Director Installation and Service Manual, Copyright 1998, 124 pages.
- IBM Home Director Owner's Manual, Copyright 1999, 67 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Implicit, LLC v. Sonos, Inc.*, Defendant's Original Complaint (Mar. 3, 2017) (15 pages).
- Integra Audio Network Receiver NAC 2.3 Instruction Manual, 68 pages.
- Integra Audio Network Server NAS 2.3 Instruction Manual, pp. 1-32.
- Integra Service Manual, Audio Network Receiver Model NAC-2.3, Dec. 2002, 44 pages.
- Intel Designing a UPnP AV Media Renderer, v. 1.0 ("Intel AV Media Renderer") (May 20, 2003) (SONDM000115117-62) (46 pages).
- Intel Media Renderer Device Interface ("Intel Media Renderer") (Sep. 6, 2002) (62 pages).
- Intel SDK for UPnP Devices Programming Guide, Version 1.2.1, (Nov. 2002) (30 pages).
- International Bureau, International Preliminary Report on Patentability dated Jan. 8, 2015, issued in connection with International Application No. PCT/US2013/046372, filed on Jun. 18, 2013, 6 pages.
- International Bureau, International Preliminary Report on Patentability, dated Jan. 8, 2015, issued in connection with International Application No. PCT/US2013/046386, filed on Jun. 18, 2013, 8 pages.
- International Bureau, International Preliminary Report on Patentability dated Jan. 30, 2014, issued in connection with International Application No. PCT/US2012/045894, filed on Jul. 9, 2012, 6 pages.
- International Searching Authority, International Search Report dated Aug. 1, 2008, in connection with International Application No. PCT/US2004/023102, 5 pages.
- International Searching Authority, International Search Report dated Aug. 26, 2013, issued in connection with International Application No. PCT/US2013/046372, filed on Jun. 18, 2013, 3 pages.
- International Searching Authority, International Search Report dated Dec. 26, 2012, issued in connection with International Application No. PCT/US2012/045894, filed on Jul. 9, 2012, 3 pages.
- International Searching Authority, International Search Report dated Sep. 30, 2013, issued in connection with International Application No. PCT/US2013/046386, filed on Jun. 18, 2013, 3 pages.
- Reid, Mark, "Multimedia conferencing over ISDN and IP networks using ITU-T H-series recommendations: architecture, control and coordination," Computer Networks, 1999, pp. 225-235, vol. 31.
- RenderingControl:1 Service Template Version 1.01 for UPnP, Version 1.0, (Jun. 25, 2002) (SONDM000115187-249) (63 pages).
- Renewed Request for Ex Parte Re-Examination, U.S. Appl. No. 90/013,959, filed Jun. 16, 2017, 126 pages.
- Renkus Heinz Manual; available for sale at least 2004, 6 pages.
- Request for Ex Parte Reexamination submitted in U.S. Pat. No. 9,213,357 on May 22, 2017, 85 pages.
- "Residential Distributed Audio Wiring Practices," Leviton Network Solutions, 2001, 13 pages.
- Ritchie et al., "MediaServer:1 Device Template Version 1.01," Contributing Members of the UPnP Forum, Jun. 25, 2002, 12 pages.
- Ritchie et al., "UPnP AV Architecture:1, Version 1.0," Contributing Members of the UPnP Forum, Jun. 25, 2002, 22 pages.
- Ritchie, John, "MediaRenderer:1 Device Template Version 1.01," Contributing Members of the UPnP Forum, Jun. 25, 2002, 12 pages.
- Roland Corporation, "Roland announces BA-55 Portable PA System," press release, Apr. 6, 2011, 2 pages.
- Rothermel et al., "An Adaptive Protocol for Synchronizing Media Streams," Institute of Parallel and Distributed High-Performance Systems (IPVR), 1997, 26 pages.
- Rothermel et al., "An Adaptive Stream Synchronization Protocol," 5th International Workshop on Network and Operating System Support for Digital Audio and Video, 1995, 13 pages.
- Rothermel et al., "An Adaptive Stream Synchronization Protocol," 5th International Workshop on Network and Operating System Support for Digital Audio and Video, Apr. 18-21, 1995, 12 pages.
- Rothermel et al., "Clock Hierarchies—An Abstraction for Grouping and Controlling Media Streams," University of Stuttgart Institute of Parallel and Distributed High-Performance Systems, Jan. 1996, 23 pages.
- Rothermel et al., "Synchronization in Joint-Viewing Environments," University of Stuttgart Institute of Parallel and Distributed High-Performance Systems, 1992, 13 pages.
- Rothermel, Kurt, "State-of-the-Art and Future Research in Stream Synchronization," University of Stuttgart, 3 pages.
- "RVL-6 Modular Multi-Room Controller, Installation & Operation Guide," Nile Audio Corporations, 1999, 46 pages.
- Schmandt et al., "Impromptu: Managing Networked Audio Applications for Mobile Users," 2004, 11 pages.
- Schulzrinne et al., "RTP: A Transport Protocol for Real-Time Applications," Network Working Group, Jan. 1996, pp. 1-75.
- Schulzrinne H., et al., "RIP: A Transport Protocol for Real-Time Applications, RFC 3550," Network Working Group, 2003, pp. 1-89.
- Simple Network Time Protocol (SNTPI), RFC 1361 (Aug. 1992) (D+M_0397537-46) (10 pages).
- Simple Network Time Protocol (SNTPII), RFC 1769 (Mar. 1995) (D+M_0397663-76) (14 pages).
- Simple Service Discovery Protocol/1.0 Operating without an Arbiter (Oct. 28, 1999) (24 pages).
- Solid State Logic G Series Master Studio System: SSL G Series Console, 1988, 113 pages.
- Solid State Logic G Series Systems Operator's Shortform Guide: SSL G Series Console, 1994, 49 pages.
- Solid State Logic SL 9000 J Series Total Studio System: Console Operator's Manual, 1994, 415 pages.
- Sonos, Inc. v. D&M Holdings*, D&M Supp Opposition Brief including Exhibits, Mar. 17, 2017, 23 pages.
- Sonos, Inc. v. D&M Holdings*, Expert Report of Jay P. Kesan including Appendices A-P, Feb. 20, 2017, 776 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Complaint for Patent Infringement, filed Oct. 21, 2014, 20 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendant's Amended Invalidity Contentions, filed Sep. 14, 2016, 100 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendant's Initial Invalidity Contentions, filed Apr. 15, 2016, 97 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendant's Preliminary Identification of Indefinite Terms, provided Jul. 29, 2016, 8 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendants' 35 U.S.C. § 282 Notice filed Nov. 2, 2017, 31 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendants' Amended Answer, Defenses, and Counterclaims for Patent Infringement, filed Nov. 30, 2015, 47 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendants' Answer to Plaintiff's Second Amended Complaint, filed Apr. 30, 2015, 19 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendants' First Amended Answer to Plaintiffs' Third Amended Complaint, filed Sep. 7, 2016, 23 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Defendants' Reply in Support of Partial Motion for Judgment on the Pleadings, filed Jun. 10, 2016, 15 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Exhibit A: Defendants' First Amended Answer to Plaintiffs' Third Amended Complaint, provided Aug. 1, 2016, 26 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Exhibit A: Defendants' Second Amended Answer to Plaintiffs' Third Amended Complaint, filed Sep. 9, 2016, 43 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Exhibit A: Defendants' Second Amended Answer to Plaintiffs' Third Amended Complaint, provided Sep. 9, 2016, 88 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, First Amended Complaint for Patent Infringement, filed Dec. 17, 2014, 26 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Joint Claim Construction Chart, vol. 1 of 3 with Exhibits A-O, filed Aug. 17, 2016, 30 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Opening Brief in Support of Defendants' Partial Motion for Judgment on the Pleadings for Lack of Patent-Eligible Subject Matter, filed May 6, 2016, 27 pages.
- Sonos, Inc. v. D&M Holdings Inc. et al.*, Plaintiff Sonos, Inc.'s Opening Claim Construction Brief, filed Sep. 9, 2016, 26 pages.

(56)

References Cited

OTHER PUBLICATIONS

Sonos, Inc. v. D&M Holdings Inc. et al., Plaintiff Sonos, Inc.'s Response in Opposition to Defendants' Partial Motion for Judgment on the Pleadings, filed May 27, 2016, 24 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Reply Brief in Support of Defendants' Motion for Leave to Amend their Answer to Add the Defense of Inequitable Conduct, provided Nov. 10, 2016, 16 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Reply Brief in Support of Defendants' Motion for Leave to Amend their Answer to Add the Defense of Inequitable Conduct, provided Sep. 9, 2016, 16 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Second Amended Complaint for Patent Infringement, filed Feb. 27, 2015, 49 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Sonos's Motion to Strike Defendants' New Amended Answer Submitted with their Reply Brief, provided Sep. 15, 2016, 10 pages.

Sonos, Inc. v. D&M Holdings Inc. et al., Sonos's Opposition to Defendants' Motion for Leave to Amend their Answer to Add the Defense of Inequitable Conduct, provided Oct. 31, 2016, 26 pages.

Non-Final Office Action dated Nov. 29, 2016, issued in connection with U.S. Appl. No. 13/894,179, filed May 14, 2013, 14 pages.

Non-Final Office Action dated Apr. 30, 2012, issued in connection with U.S. Appl. No. 13/204,511, filed Aug. 5, 2011, 16 pages.

Non-Final Office Action dated Jan. 30, 2015, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 29 pages.

Non-Final Office Action dated Jan. 30, 2015, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 13 pages.

Non-Final Office Action dated Jul. 30, 2018, issued in connection with U.S. Appl. No. 16/009,182, filed Jun. 14, 2018, 22 pages.

Non-Final Office Action dated Nov. 30, 2016, issued in connection with U.S. Appl. No. 15/243,186, filed Aug. 22, 2016, 12 pages.

Non-Final Office Action dated Oct. 30, 2018, issued in connection with U.S. Appl. No. 16/052,316, filed Aug. 1, 2018, 7 pages.

Non-Final Office Action dated Sep. 30, 2016, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 12 pages.

Non-Final Office Action dated Dec. 31, 2013, issued in connection with U.S. Appl. No. 13/618,829, filed Sep. 14, 2012, 26 pages.

Non-Final Office Action dated Jan. 7, 2019, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 15 pages.

Non-Final Office Action dated Jan. 7, 2019, issued in connection with U.S. Appl. No. 14/184,522, filed Feb. 19, 2014, 14 pages.

Non-Final Office Action dated Jan. 9, 2018, issued in connection with U.S. Appl. No. 13/864,250, filed Apr. 17, 2013, 13 pages.

North American MPEG-2 Information, "The MPEG-2 Transport Stream," Retrieved from the Internet: URL: <http://www.coolstf.com/mpeg/#ts>, 2006, pp. 1-5.

Notice of Allowance dated Jan. 31, 2013, issued in connection with U.S. Appl. No. 13/298,090, filed Nov. 16, 2011, 19 pages.

Notice of Allowance dated Dec. 1, 2016, issued in connection with U.S. Appl. No. 15/088,283, filed Apr. 1, 2016, 9 pages.

Notice of Allowance dated Jun. 1, 2017, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 12 pages.

Notice of Allowance dated Dec. 2, 2016, issued in connection with U.S. Appl. No. 15/088,532, filed Apr. 1, 2016, 9 pages.

Notice of Allowance dated Dec. 2, 2016, issued in connection with U.S. Appl. No. 15/088,678, filed Apr. 1, 2016, 9 pages.

Notice of Allowance dated Dec. 2, 2016, issued in connection with U.S. Appl. No. 15/089,758, filed Apr. 4, 2016, 9 pages.

Notice of Allowance dated Dec. 2, 2016, issued in connection with U.S. Appl. No. 15/155,149, filed May 16, 2016, 9 pages.

Notice of Allowance dated Jul. 2, 2015, issued in connection with U.S. Appl. No. 13/848,904, filed Mar. 22, 2013, 17 pages.

Notice of Allowance dated Jul. 2, 2015, issued in connection with U.S. Appl. No. 13/888,203, filed May 6, 2013, 19 pages.

Notice of Allowance dated Jul. 2, 2015, issued in connection with U.S. Appl. No. 14/184,935, filed Feb. 20, 2014, 23 pages.

Notice of Allowance dated Jun. 2, 2017, issued in connection with U.S. Appl. No. 14/488,667, filed Sep. 15, 2014, 10 pages.

Notice of Allowance dated Sep. 3, 2015, issued in connection with U.S. Appl. No. 13/705,174, filed Dec. 5, 2012, 4 pages.

Notice of Allowance dated Aug. 4, 2015, issued in connection with U.S. Appl. No. 14/516,867, filed Oct. 17, 2014, 13 pages.

Notice of Allowance dated Oct. 5, 2012, issued in connection with U.S. Appl. No. 13/204,511, filed Aug. 5, 2011, 11 pages.

Notice of Allowance dated Jul. 6, 2018, issued in connection with U.S. Appl. No. 14/058,166, filed Oct. 18, 2013, 19 pages.

Notice of Allowance dated Mar. 6, 2014, issued in connection with U.S. Appl. No. 13/827,653, filed Mar. 14, 2013, 17 pages.

Notice of Allowance dated May 6, 2011, issued in connection with U.S. Appl. No. 11/801,468, filed May 9, 2007, 10 pages.

Notice of Allowance dated Sep. 6, 2013, issued in connection with U.S. Appl. No. 13/619,237, filed Sep. 14, 2012, 10 pages.

Notice of Allowance dated Apr. 7, 2016, issued in connection with U.S. Appl. No. 13/533,105, filed Jun. 26, 2012, 40 pages.

Notice of Allowance dated Dec. 7, 2016, issued in connection with U.S. Appl. No. 15/156,392, filed May 17, 2016, 9 pages.

Notice of Allowance dated Oct. 7, 2015, issued in connection with U.S. Appl. No. 14/184,526, filed Feb. 19, 2014, 7 pages.

Notice of Allowance dated Mar. 9, 2017, issued in connection with U.S. Appl. No. 15/080,591, filed Mar. 25, 2016, 7 pages.

Notice of Allowance dated Oct. 9, 2015, issued in connection with U.S. Appl. No. 13/435,739, filed Mar. 30, 2012, 4 pages.

Notice of Allowance dated Oct. 1, 2018, issued in connection with U.S. Appl. No. 13/705,176, filed Dec. 5, 2012, 12 pages.

Notice of Allowance dated Aug. 10, 2015, issued in connection with U.S. Appl. No. 13/848,904, filed Mar. 22, 2013, 9 pages.

Notice of Allowance dated Aug. 10, 2018, issued in connection with U.S. Appl. No. 15/081,911, filed Mar. 27, 2016, 5 pages.

Notice of Allowance dated Feb. 10, 2017, issued in connection with U.S. Appl. No. 14/290,493, filed May 29, 2014, 13 pages.

Notice of Allowance dated Jul. 10, 2018, issued in connection with U.S. Appl. No. 14/504,812, filed Oct. 2, 2014, 9 pages.

Notice of Allowance dated May 10, 2018, issued in connection with U.S. Appl. No. 13/864,248, filed Apr. 17, 2013, 8 pages.

Notice of Allowance dated Nov. 10, 2011, issued in connection with U.S. Appl. No. 11/906,702, filed Oct. 2, 2007, 17 pages.

Notice of Allowance dated Apr. 11, 2016, issued in connection with U.S. Appl. No. 13/864,247, filed Apr. 17, 2013, 21 pages.

Notice of Allowance dated Feb. 11, 2019, issued in connection with U.S. Appl. No. 16/180,920, filed Nov. 5, 2018, 10 pages.

Notice of Allowance dated Feb. 11, 2019, issued in connection with U.S. Appl. No. 16/181,342, filed Nov. 6, 2018, 15 pages.

Notice of Allowance dated Jan. 11, 2016, issued in connection with U.S. Appl. No. 14/564,544, filed Dec. 9, 2014, 5 pages.

Notice of Allowance dated Mar. 11, 2019, issued in connection with U.S. Appl. No. 15/243,355, filed Aug. 22, 2016, 17 pages.

Notice of Allowance dated Aug. 12, 2015, issued in connection with U.S. Appl. No. 13/435,739, filed Mar. 30, 2012, 27 pages.

Barham et al., "Wide Area Audio Synchronisation," University of Cambridge Computer Laboratory, 1995, 5 pages.

Baudisch et al., "Flat Volume Control: Improving Usability by Hiding the Volume Control Hierarchy in the User Interface," 2004, 8 pages.

Benslimane Abderrahim, "A Multimedia Synchronization Protocol for Multicast Groups," Proceedings of the 26th Euromicro Conference, 2000, pp. 456-463, vol. 1.

Biersack et al., "Intra- and Inter-Stream Synchronization for Stored Multimedia Streams," IEEE International Conference on Multimedia Computing and Systems, 1996, pp. 372-381.

Blakowski G. et al., "A Media Synchronization Survey: Reference Model, Specification, and Case Studies," Jan. 1996, pp. 5-35, vol. 14, No. 1.

Bluetooth. "Specification of the Bluetooth System: The ad hoc SCATTERNET for affordable and highly functional wireless connectivity," Core, Version 1.0 A, Jul. 26, 1999, 1068 pages.

Bluetooth. "Specification of the Bluetooth System: Wireless connections made easy," Core, Version 1.0 B, Dec. 1, 1999, 1076 pages.

Bogen Communications, Inc., ProMatrix Digitally Matrixed Amplifier Model PM3180, Copyright 1996, 2 pages.

Brassil et al., "Enhancing Internet Streaming Media with Cueing Protocols," 2000, 9 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Breebaart et al., "Multi-Channel Goes Mobile: MPEG Surround Binaural Rendering," AES 29th International Conference, Sep. 2-4, 2006, pp. 1-13.
- Bretl W.E., et al., MPEG2 Tutorial [online], 2000 [retrieved on Jan. 13, 2009] Retrieved from the Internet:(<http://www.bretl.com/mpeghtml/MPEGindex.htm>), pp. 1-23.
- Canadian Intellectual Property Office, Canadian Office Action dated Apr. 4, 2016, issued in connection with Canadian Patent Application No. 2,842,342, 5 pages.
- Canadian Intellectual Property Office, Canadian Office Action dated Sep. 14, 2015, issued in connection with Canadian Patent Application No. 2,842,342, 2 pages.
- Canadian Patent Office, Canadian Office Action dated Jun. 11, 2019, issued in connection with Canadian Application No. 2982726, 4 pages.
- Canadian Patent Office, Office Action dated Jul. 10, 2018, issued in connection with Canadian Application No. 2982726, 3 pages.
- Cen et al., "A Distributed Real-Time MPEG Video Audio Player," Department of Computer Science and Engineering, Oregon Graduate Institute of Science and Technology, 1995, 12 pages.
- Chakrabarti et al., "A Remotely Controlled Bluetooth Enabled Environment," IEEE, 2004, pp. 77-81.
- Change Notification: Agere Systems WaveLan Multimode Reference Design (D2 to D3), AVAGO0042, Agere Systems, Nov. 2004, 2 pages.
- Chinese Office Action, Office Action dated Dec. 20, 2016, issued in connection with Chinese Application No. 20138004446.8, 16 pages.
- Chinese Patent Office, Office Action dated Jul. 5, 2016, issued in connection with Chinese Patent Application No. 201380044380.2, 25 pages.
- Chinese Patent Office, Second Office Action dated Feb. 27, 2017, issued in connection with Chinese Patent Application No. 201380044380.2, 22 pages.
- Connection Manager: 1 Service Template Version 1.01 for UPnP, Version 1.0 (Jun. 25, 2002) (25 pages).
- ContentDirectory:1 Service Template Version 1.01 for UPnP, Version 1.0 (Jun. 25, 2002) (89 pages).
- Corrected Notice of Allowability dated Dec. 23, 2016, issued in connection with U.S. Appl. No. 14/803,953, filed Jul. 20, 2015, 18 pages.
- Corrected Notice of Allowance dated Aug. 19, 2015, issued in connection with U.S. Appl. No. 13/907,666, filed May 31, 2013, 2 pages.
- Creative, "Connecting Bluetooth Devices with Creative D200," <http://support.creative.com/kb/ShowArticle.aspx?url=http://ask.creative.com:80/SRVS/CGI-BIN/WEB CGI.EXE/;/?St=106,E=000000000396859016,K=9377,Sxi=8,VARSET=ws:http://us.creative.com,case=63350>, available on Nov. 28, 2011, 2 pages.
- Crown PIP Manual available for sale at least 2004, 68 pages.
- Dannenberg et al., "A. System Supporting Flexible Distributed Real-Time Music Processing," Proceedings of the 2001 International Computer Music Conference, 2001, 4 pages.
- Dannenberg, Roger B., "Remote Access to Interactive Media," Proceedings of the SPIE 1785, 1993, pp. 230-237.
- Day, Rebecca, "Going Elan!" Primedia Inc., 2003, 4 pages.
- Deep-Sleep Implementation in WL60011 for IEEE 802.11b Applications, AVAGO0020, Agere Systems, Jul. 2004, 22 pages.
- Dell, Inc. "Dell Digital Audio Receiver: Reference Guide," Jun. 2000, 70 pages.
- Dell, Inc. "Start Here," Jun. 2000, 2 pages.
- "Denon 2003-2004 Product Catalog," Denon, 2003-2004, 44 pages.
- Denon AV Surround Receiver AVR-1604/684 User's Manual, 2004, 128 pages.
- Denon AV Surround Receiver AVR-5800 Operating Instructions, Copyright 2000, 67 pages.
- Designing a UPnP AV MediaServer, Nelson Kidd (2003) (SONDM000115062-116) (55 pages).
- Dhir, Amit, "Wireless Home Networks—DECT, Bluetooth, Home RF, and Wirelss LANs," XILINX, wp135 (v1.0), Mar. 21, 2001, 18 pages.
- "DP-0206 Digital Signal Processor," TOA Electronics, Inc., 2001, pp. 1-12.
- European Patent Office, European Extended Search Report dated Mar. 7, 2016, issued in connection with EP Application No. 13810340.3, 9 pages.
- European Patent Office, European Extended Search Report dated Feb. 28, 2014, issued in connection with EP Application No. 13184747.7, 8 pages.
- European Patent Office, European Extended Search Report dated Mar. 31, 2015, issued in connection with EP Application No. 14181454.1, 9 pages.
- European Patent Office, European Office Action dated Sep. 1, 2017, issued in connection with European Application No. 13184747.7, 7 pages.
- European Patent Office, Examination Report dated Mar. 22, 2016, issued in connection with European Patent Application No. EP14181454.1, 6 pages.
- European Patent Office, Examination Report dated Oct. 24, 2016, issued in connection with European Patent Application No. 13808623.6, 4 pages.
- European Patent Office, Office Action dated Nov. 25, 2016, issued in connection with EP Application No. 13810340.3, 5 pages.
- European Patent Office, Summons to Attend Oral Proceedings mailed on Jul. 10, 2018, issued in connection with European Application No. 13184747.7, 10 pages.
- Examiner's Answer to Appeal Brief mailed on Nov. 5, 2018, issued in connection with U.S. Reexamination Control No. 90/013,959 for U.S. Pat. No. 9,213,357, filed on Jun. 16, 2017, 14 pages.
- Falcone, John, "Sonos BU150 Digital Music System review," CNET, CNET [online] Jul. 27, 2009 [retrieved on Mar. 16, 2016], 11 pages Retrieved from the Internet: URL:<http://www.cnet.com/products/sonos-bu150-digital-music-system/>.
- Faller, Christof, "Coding of Spatial Audio Compatible with Different Playback Formats," Audio Engineering Society Convention Paper (Presented at the 117th Convention), Oct. 28-31, 2004, 12 pages.
- International Searching Authority, Written Opinion dated Aug. 26, 2013, issued in connection with International Application No. PCT/US2013/046372, filed on Jun. 18, 2013, 4 pages.
- International Searching Authority, Written Opinion dated Dec. 26, 2012, issued in connection with International Application No. PCT/US2012/045894, filed on Jul. 9, 2012, 4 pages.
- International Searching Authority, Written Opinion dated Sep. 30, 2013, issued in connection with International Application No. PCT/US2013/046386, filed on Jun. 18, 2013, 6 pages.
- Ishibashi et al., "A Comparison of Media Synchronization Quality Among Reactive Control Schemes," IEEE Infocom, 2001, pp. 77-84.
- Ishibashi et al., "A Group Synchronization Mechanism for Live Media in Multicast Communications," IEEE Global Telecommunications Conference, 1997, pp. 746-752, vol. 2.
- Ishibashi et al., "A Group Synchronization Mechanism for Stored Media in Multicast Communications," IEEE Information Revolution and Communications, 1997, pp. 692-700, vol. 2.
- Issues with Mixed IEEE 802.b/802.11g Networks, AVAGO0058, Agere Systems, Feb. 2004, 5 pages.
- Japanese Patent Office, Decision of Rejection dated Jul. 8, 2014, issued in connection with Japanese Patent Application No. 2012-178711, 3 pages.
- Japanese Patent Office, Final Office Action dated Nov. 8, 2016, issued in connection with Japanese Patent Application No. 2015-520286, 5 pages.
- Japanese Patent Office, Japanese Office Action dated Oct. 3, 2017, issued in connection with Japanese Application No. 2016-163042, 5 pages.
- Japanese Patent Office, Notice of Rejection, dated Feb. 3, 2015, issued in connection with Japanese Patent Application No. 2014-521648, 7 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Japanese Patent Office, Notice of Rejection dated Sep. 15, 2015, issued in connection with Japanese Patent Application No. 2014-220704, 7 pages.
- Japanese Patent Office, Office Action dated May 15, 2018, issued in connection with Japanese Application No. 2016-163042, 6 pages.
- Japanese Patent Office, Office Action dated Nov. 22, 2016, issued in connection with Japanese Application No. 2015-520288, 6 pages.
- Japanese Patent Office, Office Action dated May 24, 2016, issued in connection with Japanese Patent Application No. 2014-220704, 7 pages.
- Japanese Patent Office, Office Action dated Mar. 29, 2016, issued in connection with Japanese Patent Application No. JP2015-520288, 12 pages.
- Japanese Patent Office, Office Action dated Nov. 29, 2016, issued in connection with Japanese Application No. 2015-516169, 4 pages.
- Japanese Patent Office, Office Action dated Feb. 5, 2019, issued in connection with Japanese Application No. 2016-163042, 6 pages.
- Japanese Patent Office, Office Action Summary dated Feb. 2, 2016, issued in connection with Japanese Patent Application No. 2015-520286, 6 pages.
- Japanese Patent Office, Office Action Summary dated Nov. 19, 2013, issued in connection with Japanese Patent Application No. 2012-178711, 5 pages.
- Japanese Patent Office, Office Action Translation dated Feb. 5, 2019, issued in connection with Japanese Application No. 2016-163042, 4 pages.
- Japanese Patent Office, Translation of Office Action dated May 15, 2018, issued in connection with Japanese Application No. 2016-163042, 4 pages.
- Jo et al., "Synchronized One-to-many Media Streaming with Adaptive Playback Control," Proceedings of SPIE, 2002, pp. 71-82, vol. 4861.
- Jones, Stephen, "Dell Digital Audio Receiver: Digital upgrade for your analog stereo," Analog Stereo, Jun. 24, 2000 retrieved Jun. 18, 2014, 2 pages.
- Kou et al., "RenderingControl:1 Service Template Verion 1.01," Contributing Members of the UPnP Forum, Jun. 25, 2002, 63 pages.
- Lake Processors: Lake® LM Series Digital Audio Processors Operation Manual, 2011, 71 pages.
- Levergood et al., "AudioFile: A Network-Transparent System for Distributed Audio Applications," Digital Equipment Corporation, 1993, 109 pages.
- LG: RJP-201M Remote Jack Pack Installation and Setup Guide, 2010, 24 pages.
- Lienhart et al., "On the Importance of Exact Synchronization for Distributed Audio Signal Processing," Session L: Poster Session II—ICASSP'03 Papers, 2002, 1 page.
- LinkSys by Cisco, Wireless Home Audio Controller, Wireless-N Touchscreen Remote DMRW1000 Datasheet, Copyright 2008, 2 pages.
- LinkSys by Cisco, Wireless Home Audio Controller, Wireless-N Touchscreen Remote DMRW1000 User Guide, Copyright 2008, 64 pages.
- LinkSys by Cisco, Wireless Home Audio Player, Wireless-N Music Extender DMP100 Quick Installation Guide, Copyright 2009, 32 pages.
- LinkSys by Cisco, Wireless Home Audio Player, Wireless-N Music Extender DMP100 User Guide, Copyright 2008, 65 pages.
- Linux SDK for UPnP Devices v. 1.2 (Sep. 6, 2002) (101 pages).
- "Linux SDK for UPnP Devices v1.2," Intel Corporation, Jan. 17, 2003, 102 pages.
- Liu et al., "A synchronization control scheme for real-time streaming multimedia applications," Packet Video, 2003, 10 pages, vol. 2003.
- Liu et al., "Adaptive Delay Concealment for Internet Voice Applications with Packet-Based Time-Scale Modification," Information Technologies 2000, pp. 91-102.
- Louderback, Jim, "Affordable Audio Receiver Furnishes Homes With MP3," TechTV Vault. Jun. 28, 2000 retrieved Jul. 10, 2014, 2 pages.
- Maniactools, "Identify Duplicate Files by Sound," Sep. 28, 2010, <http://www.maniactools.com/soft/music-duplicate-remover/identify-duplicate-files-by-sound.shtml>.
- MediaRenderer:1 Device Template Version 1.01 for UPnP, Version 1.0 (Jun. 25, 2002) (12 pages).
- MediaServer:1 Device Template Version 1.01 for UPnP, Version 1.0 (Jun. 25, 2002) (12 pages).
- Microsoft, Universal Plug and Play (UPnP) Client Support ("Microsoft UPnP") (Aug. 2001) (D+M_0402007-24) (18 pages).
- Microsoft Window's XP Reviewer's Guide (Aug. 2001) (D+M_040225-85) (61 pages).
- "Microsoft Windows XP File and Printer Share with Microsoft Windows" Microsoft Windows XP Technical Article, 2003, 65 pages.
- Mills David L., "Network Time Protocol (Version 3) Specification, Implementation and Analysis," Network Working Group, Mar. 1992, 7 pages.
- Mills, David L., "Precision Synchronization of Computer Network Clocks," ACM SIGCOMM Computer Communication Review, 1994, pp. 28-43, vol. 24, No. 2.
- "Model MRC44 Four Zone—Four Source Audio/Video Controller/Amplifier System," Xantech Corporation, 2002, 52 pages.
- Motorola, "Simplefi, Wireless Digital Audio Receiver, Installation and User Guide," Dec. 31, 2001, 111 pages.
- "SMPTE Made Simple: A Time Code Tutor by Timeline," 1996, 46 pages.
- Network Time Protocol (NTP), RFC 1305 (Mar. 1992) (D+M_0397417-536) (120 pages).
- Non-Final Office Action dated Oct. 1, 2019, issued in connection with U.S. Appl. No. 16/516,567, filed Jul. 19, 2019, 11 pages.
- Non-Final Office Action dated Sep. 27, 2019, issued in connection with U.S. Appl. No. 13/864,249, filed Apr. 17, 2013, 13 pages.
- Notice of Allowance dated Oct. 1, 2019, issued in connection with U.S. Appl. No. 16/544,902, filed Aug. 20, 2019, 23 pages.
- Notice of Allowance dated Sep. 18, 2019, issued in connection with U.S. Appl. No. 16/459,569, filed Jul. 1, 2019, 10 pages.
- Notice of Allowance dated Sep. 26, 2019, issued in connection with U.S. Appl. No. 16/514,280, filed Jul. 17, 2019, 16 pages.
- Sonos, Inc. v. Implicit, LLC*: Declaration of Roman Chertov in Support of the Inter Partes Review of U.S. Pat. No. 7,391,791 dated Mar. 9, 2018, 92 pages.
- Sonos, Inc. v. Implicit, LLC*: Declaration of Roman Chertov in Support of the Inter Partes Review of U.S. Pat. No. 8,942,252 dated Mar. 9, 2018, 81 pages.
- Sonos, Inc. v. Lenbrook Industries Limited et al.*, Defendants' Answer to Plaintiff's Complaint—Exhibit A, filed Oct. 14, 2019, 3 pages.
- Sonos, Inc. v. Lenbrook Industries Limited et al.*, Defendants' Answer to Plaintiff's Complaint—Exhibit C, filed Oct. 14, 2019, 16 pages.
- Sonos, Inc. v. Lenbrook Industries Limited et al.*, Defendants' Answer to Plaintiff's Complaint—Exhibit D, filed Oct. 14, 2019, 36 pages.
- Sonos, Inc. v. Lenbrook Industries Limited et al.*, Defendants' Answer to Plaintiff's Complaint—Exhibit E, filed Oct. 14, 2019, 21 pages.
- Sonos, Inc. v. Lenbrook Industries Limited et al.*, Defendants' Answer to Plaintiff's Complaint, filed Oct. 14, 2019, 66 pages.
- Sonos, Inc. v. Lenbrook Industries Limited et al.*, Defendants' First Amended Answer and Counterclaims to Plaintiff's Complaint, filed Nov. 14, 2019, 66 pages.
- European Search Report dated Jan. 9, 2020 in application EP 19 19 4999 (16 pages).
- Sonos, Inc. v. Google LLC*, Respondents' Response to the Complaint and Notice of Investigation, filed Feb. 27, 2020, 46 pages.
- Sonos, Inc. v. Google LLC*, Appendix A to Respondents' Response to the Complaint and Notice of Investigation, filed Feb. 27, 2020, 2 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Sonos, Inc. v. Google LLC*, Appendix B to Respondents' Response to the Complaint and Notice of Investigation, filed Feb. 27, 2020, 176 pages.
- AudioPoint, Welcome to the coolest way to listen to digital music over your conventional stereo equipment, Home Director HD00B02, Sep. 2002, 2 pages.
- Audipoint from Home Director. Play Digital Music on Your Conventional Stereo System, 2 pages.
- Squeezebox by Logitech. Owner's Guide, 2007, 32 pages.
- Squeezebox Network Music Player. Owner's Manual, Slim Devices, 2003, 22 pages.
- Canadian Patent Office, Canadian Office Action dated Mar. 3, 2020, issued in connection with Canadian Application No. 3033268, 4 pages.
- European Patent Office, European Extended Search Report dated Mar. 31, 2020, issued in connection with European Application No. 19194999.9, 15 pages.
- Non-Final Office Action dated Nov. 13, 2019, issued in connection with U.S. Appl. No. 15/946,660, filed Apr. 5, 2018, 6 pages.
- Non-Final Office Action dated Apr. 30, 2020, issued in connection with U.S. Appl. No. 16/459,605, filed Jul. 1, 2019, 25 pages.
- Notice of Allowance dated Dec. 2, 2019, issued in connection with U.S. Appl. No. 16/514,280, filed Jul. 17, 2019, 8 pages.
- Notice of Allowance dated Nov. 15, 2019, issued in connection with U.S. Appl. No. 16/544,902, filed Aug. 20, 2019, 9 pages.
- Notice of Allowance dated Dec. 26, 2019, issued in connection with U.S. Appl. No. 16/544,900, filed Aug. 20, 2019, 20 pages.
- Notice of Allowance dated Nov. 27, 2019, issued in connection with U.S. Appl. No. 14/184,528, filed Feb. 19, 2014, 8 pages.
- Notice of Allowance dated Apr. 28, 2020, issued in connection with U.S. Appl. No. 16/459,569, filed Jul. 1, 2019, 8 pages.
- Notice of Allowance dated Nov. 29, 2019, issued in connection with U.S. Appl. No. 16/459,569, filed Jul. 1, 2019, 8 pages.
- Snarfed/p4sync. GitHub: A library and plugins for a few music player that (attempts to) synchronize playback across multiple computers, 2 pages [online]. [retrieved on Mar. 26, 2020]. Retrieved online URL: <https://github.com/snarfed/p4sync>.
- Software & drivers. Micro Audio System MCW770/37. Philips. Copyright 2004-2020, 3 pages [online]. [retrieved on Feb. 24, 2020]. Retrieved from the Internet URL: https://www.usa.philips.com/c-p/MCW770_37/-/support.
- Sonos v. Google*. Exhibit A to Respondents' Initial Invalidation Contentions dated Apr. 29, 2020, 194 pages.
- Yamaha DME Designer 3.0 Owner's Manual; Copyright 2008, 501 pages.
- Yahoo Groups. Exstreamer. Barix Exstreamer. Access via Wayback Machine <http://groups.yahoo.com/group/exstreamer/> Dec. 22, 2013, 1 page.
- Wireless Home Audio Director. Wireless N Music Player with Integrated Amplifier DMC250. Datasheet. Linksys by Cisco. Fill Your Home with Music, 2008, 2 pages.
- Sonos v. Google*. Respondents' Initial Invalidation Claim Charts for U.S. Pat. No. 10,439,896, Exhibits 1-16 and B, dated Apr. 29, 2020, 1102 pages.
- Sonos v. Google*. Respondents' Initial Invalidation Claim Charts for U.S. Pat. No. 10,209,953, Exhibits 1-10 and B, dated Apr. 29, 2020, 288 pages.
- Sonos v. Google*. Respondents' Initial Invalidation Claim Charts for U.S. Pat. No. 8,588,949, Exhibits 1-19 and B, dated Apr. 29, 2020, 280 pages.
- Sonos v. Google*. Respondents' Initial Invalidation Claim Charts for U.S. Pat. No. 9,195,258, Exhibits 1-10 and B, dated Apr. 29, 2020, 345 pages.
- Sonos v. Google*. Respondents' Initial Invalidation Claim Charts for U.S. Pat. No. 9,219,959, Exhibits 1-9 and B, dated Apr. 29, 2020, 344 pages.
- Sonos v. Google*. Respondents' Initial Invalidation Contentions dated Apr. 29, 2020, 200 pages.
- Squeezebox Duet Network Music System by Logitech. User Guide English (North America), 2008, 45 pages.
- Step-by-step P4 Connection. P4 Poster (without music), 5 pages [online], [retrieved on Mar. 26, 2020]. Retrieved from the Internet URL: https://snarfed.org/p4_poster/index.html.
- Structured Media Components. Leviton Integrated Networks, last modified Apr. 10, 2006, 28 pages.
- Support. Manuals & Documentation. Micro Audio System MCW770/37. Philips. Copyright 2004-2020, 3 pages. [online], [retrieved on Feb. 24, 2020]. Retrieved from the Internet URL: https://www.usa.philips.com/c-p/MCW770_37/-/support.
- Synchronizing mp3 playback. 3 pages [online]. [retrieved on Mar. 26, 2020]. Retrieved from the Internet URL: https://snarfed.org/synchronizing_mp3_playback.
- Teirikangas, Juddi. HAVi: Home Audio Video Interoperability. Helsinki University of Technology, 2001, 10 pages.
- TOA Electronics, Inc. DP-0206 Digital Signal Processor. DACsys 2000, 2001, 12 pages.
- UPnP AV Architecture:0.83 For UPnP Version 1.0, Jun. 12, 2002, copyright 2000, 22 pages.
- UPnP Forum. UPnP Device Architecture 1.0. Oct. 15, 2008, 80 pages.
- Weverka et al. Windows XP Gigabook for Dummies. Wiley Publishing, Inc. 2004, 915 pages.
- Amazon: Philips MCW770 WiFi Wireless PC Link AM/FM 5-CD Microsystem (Discontinued by Manufacturer): Home Audio & Theater, 5 pages [online]. [retrieved on Feb. 24, 2020]. Retrieved from the Internet URL: <https://www.amazon.com/gp/product/B000278KLC>.
- Ashcraft et al. P4 Protocol Specification vol. 2. Apr. 6, 2002, 11 pages [online]. [retrieved on Mar. 26, 2020]. Retrieved from the Internet URL: <https://snarfed.org/p4protocol>.
- Barix Download Exstreamer Software. Accessed via Wayback Machine, Apr. 6, 2003. <http://www.barix.com/estreamer/software.download.html>. 2 pages.
- Barix. Exstreamer Datasheet. Accessed via Wayback Machine, Apr. 2, 2003. <http://www.barix.com/exstreamer/>, 1 page.
- Barrett, Ryan. P4 Proposal:CS194 Project Proposal. Toward an Application-Independent Distributed Network Platform. Apr. 9, 2002, 4 pages [online]. [retrieved on Mar. 26, 2020]. Retrieved from the Internet URL: <https://snarfed.org/p4proposal>.
- Barrett, Ryan. (no title) Blog on PS4sync network and code, 1 page [online], [retrieved on Mar. 26, 2020]. Retrieved from the Internet URL: <https://snarfed.org.p4>.
- Bose. The Bose Lifestyle 50 System. Owner's Guide, Oct. 17, 2001, 55 pages.
- Bose. The Bose Lifestyle Powered Speaker System. Owner's Guide, Dec. 20, 2001, 19 pages.
- C-Media Electronics Inc. CMI8768/8768+ Advanced Driver Software Architecture. User Manual, Revision: 1.0, May 25, 2004, 29 pages.
- C-Media XeaR 3D Sound Solution. CMI8738 4/6-Channel PCI Audio Single Chip. User Manual, Rev. 2.1, May 21, 2002, 44 pages.
- Connected Planet. Using PC Link. Streamium PC Link by Philips. Models MC-i200/250, SI300i, SL400i, MX6000i, last modified Aug. 5, 2004, 2 pages.
- Creating the Future of Home Entertainment Today. NetStreams Product Catalog 2003/2004, 20 pages.
- Crest Audio Pro Series 8001 Power Amplifier. V. 2.2 Mar. 25, 1997, 2 pages.
- Davies, Chris. Sony Ericsson MS500 Bluetooth Splashproof Speaker. <http://www.slashgear.com/sony-ericsson-ms500-bluetooth-splashproof>. Mar. 17, 2009, 2 pages.
- Denon AVR-3805A/V Surround Receiver. Datasheet, last modified Mar. 1, 2004, 2 pages.
- Digigram. EtherSound ES8in/8out Ethernet Audio Bridges. Easy and Cost-Effective Audio Distribution, Nov. 2002, 4 pages.
- DP-0206 TOA Digital Signal Processor. TOA Corporation, 2001, 4 pages.
- Exstreamer. Network MP3 player for digital audio streaming in a consumer, home installation and commercial applications. Barix Think Further. Sep. 2002, 2 pages.

(56) **References Cited**

OTHER PUBLICATIONS

- Exstreamer. The Exstreamer Instruction Manual. Barix Think Further. Version 1.5, Oct. 2002, 21 pages.
- Exstreamer. The Exstreamer Technical Description: Version 1.5. Barix Think Further. Oct. 2002, 36 pages.
- FireBall Digital Music Manager E-40 and E120. Meet FireBall. The Industry's choice for managing your entire music collection. Datasheet. 2003, 2 pages.
- Fireball E2 User's Manual. Escient. Gracenote cddb. 2000-2004, 106 pages.
- Getting to know Logitech Squeezebox Touch Wi-Fi Music Player. Features Guide, 2010, 36 pages.
- Google's Answer to Complaint and Counterclaims filed with United States District Court Central District of California, Western Division on Mar. 2, 2020, 50 pages.
- Google's Counterclaims to Sono's Complaint filed with United States District Court Central District of California, Western Division on Mar. 11, 2020, 13 pages.
- HP Deskjet 5850 User Guide, copyright 2003, 217 pages.
- LA Audio ZX135E 6 Zone Expander. Pro Audio Design Pro. Inc. <https://www.proaudiodesign.com/products/la-audio-zx135e-6-zone-expander>, accessed Mar. 26, 2020, 6 pages.
- Microsoft Windows XP Student Edition Complete. University of Salford. Custom Guide Learn on Demand, 2004, 369 pages.
- Model MRC88 Eight Zone—Eight Source Audio/Video Controller/Aplifier System, Xantech Corporation, 2003, 102 pages.
- Multi-Zone Control Systems. ZR-8630AV MultiZone Receiver. Niles. <http://www.ampersandcom.com/zr8630av.html> accessed Mar. 26, 2020, 5 pages.
- Musica 5000 Series. Multi-Room Audio System, NetStreams, 2005, 7 pages.
- Musica MUR2E Network Interface. NetStreams Creating the future of home entertainment—today, 2004, 2 pages.
- Musica MUR2EM Network Interface/ NetStreams The IP Based Distributed Entertainment Company, 2005, 2 pages.
- NetStreams Musica MU 5066. Multi-Room Audio System. Installation and User's Guide, 2005, 44 pages.
- NetStreams Musica. NS-MU4602 Audio Distribution System, Integration & Design Guide. The IP-Based Audio Distribution Company, 2004, 22 pages.
- Notice of Allowance dated May 13, 2020, issued in connection with U.S. Appl. No. 16/544,900, filed Aug. 20, 2019, 8 pages.
- P4 0.3.1 software/source code available via link (“Download P4 0.3.1.”) 1 page [online]. [retrieved on Mar. 26, 2020]. Retrieved from the Internet URL: <http://snarfed.org/p4>.
- p4sync/player.cpp. GitHub. Copyright 2005, 4 pages [online], [retrieved on Mar. 26, 2020]. Retrieved from the Internet URL: <http://github.com/snarfed/p4sync/blob/master/player.cpp>.
- Parrot DS1120 User Guide, English. Retrieved on Mar. 26, 2020, 11 pages.
- Parrot DS1120 User Manual, 2007, 22 pages.
- Philips, Installation CD Content, software/ source code available via zip file (“Installation CD Content”) published Sep. 15, 2004, 3 pages [online], [retrieved on Feb. 24, 2004]. Retrieved from the Internet URL: https://www.usa.philips.com/c-p/MCW770_37/-/support.
- Philips Leads Consumer Electronics Industry with 21 CES Innovation Awards. Business Wire. 2004 International CES, Jan. 6, 2004, 3 pages.
- Philips. MC W7708. Wireless PC Link Quick Installation. Published Dec. 22, 2004, 8 pages.
- Philips MCW770 Leaflet. Remote Control MP3 Music from Your PC . . . Wirelessly. MP3 Micro Hi-Fi System with 5 CD Tray Changer. Published Mar. 2, 2004, 2 pages.
- Philips. MCW770 Quick Use Guide. English version. Published Dec. 22, 2004, 4 pages.
- Philips Media Manager 3.3.12.0004 Release Notes, last modified Aug. 29, 2006, 2 pages.
- Philips Media Manager Software—English version: PMM 3.3.12, software/ source code available via zip file (“Media Manager Software—English”) published Sep. 15, 2004, 3 pages [online], [retrieved on Feb. 24, 2020]. Retrieved from the Internet URL: https://www.usa.philips.com/c-p/MCW770_37/-/support.
- Philips. PC Software version: V.12.1, software/ source code available via zip file (“PC Software”) published Sep. 15, 2004, 3 pages [online], [retrieved on Feb. 24, 2020]. Retrieved from the Internet URL: https://www.usa.philips.com/c-p/MCW770_37/-/support.
- Philips.Wireless PC Link Micro MCW770 Custom Installation, User Manual, published Aug. 24, 2004, 61 pages.
- Rocketfish Wireless Outdoor Speaker RF-RBWS02 User Guide, 2009, 33 pages.
- Cd30. Audio Stream Protocol: Version 18. Mar. 9, 2004, 13 pages.
- Cd30, Network MP3 Player, Product Manual, Copyright 2003, 65 pages.
- Logitech Slimserver. Server for Logitech Squeezebox Players. 1 page [produced by Google in Inv. No. 337-TA-1191 on May 6, 2020].
- Logitech/slimserver. Github. 1 page [produced by Google in Inv. No. 337-TA-1191 on May 6, 2020].
- Logitech/Slimserver. Github. Version 2.2 Release. May 19, 2002. 2 pages [produced by Google in Inv. No. 337-TA-1191 on May 6, 2020].
- Muherim et al. On the Performance of Clock Synchronization Algorithms for a Distributed Commodity Audio System. Audio Engineering Society Convention Paper presented at 114th Convention Mar. 22-25, 2003, 12 pages.
- NetStreams. Musica MU4602 Audio Distribution System. Data Sheet. Copyright 2004, 2 pages.
- NewsRoom. Electronic House Expo Fall 2003 Exhibitor Profiles. Business Wire. Nov. 11, 2003, 7 pages.
- NewsRoom. Electronic House Expo Spring 2004 Exhibitor Profiles. Business Wire. Mar. 10, 2004, 7 pages.
- NewsRoom. Sirius XM Companies Flood Cedia Wirht New Products. Statellite Week. Sep. 15, 2003, 2 pages.
- NewsRoom. Slim Devices Introduces Slimserver. PR Newswire. Nov. 18, 2003, 2 pages.
- NewsRoom.Slim Devices Introduces Squeezebox. PR Newswire. Nov. 18, 2003, 2 pages.
- Notice of Allowance dated May 29, 2020, issued in connection with U.S. Appl. No. 16/514,280, filed Jul. 17, 2019, 8 pages.
- United States Patent and Trademark Office, U.S. Appl. No. 60/379,313, filed May 9, 2002, entitled “Audio Network Distribution System,” 49 pages.
- Yamaha, MusicCAST: Digital Audio Terminal MCX-A10, Owner's Manual. Jun. 4, 2003, 76 pages.
- Japanese Patent Office, Office Action and Translation dated Aug. 17, 2020, issued in connection with Japanese Patent Application No. 2019-104398, 5 pages.
- Non-Final Office Action dated Aug. 5, 2020, issued in connection with U.S. Appl. No. 16/544,905, filed Aug. 20, 2019, 15 pages.
- Notice of Allowance dated Jul. 13, 2020, issued in connection with U.S. Appl. No. 16/516,567, filed Jul. 19, 2019, 19 pages.
- Sonos, Inc. v. Google LLC*. Respondents' Final Invalidation Claim Charts for U.S. Pat. No. 9,195,258, Exhibits 1-10 and B, dated Sep. 4, 2020, 461 pages.
- Sonos, Inc. v. Google LLC*. Respondents' Final Invalidation Claim Charts for U.S. Pat. No. 10,209,953, Exhibits 1-10 and B, dated Sep. 4, 2020, 406 pages.
- Sonos, Inc. v. Google LLC*. Respondents' Final Invalidation Contentions [Redacted] dated Sep. 4, 2020, 261 pages.
- IEEE Standards 1588-2002. IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems, Nov. 8, 2002, 154 pages.
- Slim Devices. Index of/downloads. slimdevices.com, Apr. 13, 2003, 1 page.
- Slim Devices. Index of/downloads/SLIMP3_Server_v4.0. slim devices.com, Apr. 14, 2003, 1 page.
- Slim Devices. Support Downloads. slimdevices.com, Apr. 11, 2003, 1 page.
- Notice of Allowance dated Sep. 22, 2020, issued in connection with U.S. Appl. No. 16/545,844, filed Aug. 20, 2019, 8 pages.
- Notice of Allowance dated Sep. 29, 2020, issued in connection with U.S. Appl. No. 16/516,567, filed Jul. 19, 2019, 7 pages.

(56)

References Cited

OTHER PUBLICATIONS

Sonos, Inc. v. Google LLC. Order 20: Construing the Terms of the Asserted Claims of the Patents at Issue dated Sep. 25, 2020, 53 pages.

Sonos, Inc. v. Google LLC, Expert Report of Dan Schonfeld, PH.D., Regarding Invalidity of Asserted Claims of U.S. Pat Nos. 9,195,258 and 10,209,953 [Redacted] dated Oct. 23, 2020, 387 pages.

Notice of Allowance dated Nov. 25, 2020, issued in connection with U.S. Appl. No. 16/990,048, filed Aug. 20, 2020.

Sonos, Inc. v. Googl LLC, Rebuttal Expert Report of Kevin C. Almeroth [Redacted Jan. 29, 2021] dated Nov. 13, 2020, 574 pages.

Sonos, Inc. v. Googl LLC, Direct Witness Statement of Dan Shonfeld, PH.D. [Redacted Jan. 29, 2021], dated Dec. 18, 2020, 390 pages.

Sonos, Inc. v. Googl LLC, Rebuttal Witness Statement of Kevin C. Almeroth [Redacted Jan. 29, 2021] dated Jan. 8, 2021, 735 pages.

Sonos, Inc. v. Googl LLC, Respondent Google's Pre-Trial Brief [Redacted Jan. 29, 2021] dated Jan. 22, 2021, 516 pages.

Sonos, Inc. v. Googl LLC, Complaint Sonos, Inc.'s Pre-Hearing Brief [Redacted Jan. 29, 2021] dated Jan. 22, 2021, 513 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 2A




FIG. 3




FIG. 4

PLAYBACK DEVICE**CROSS-REFERENCE TO RELATED APPLICATIONS**

The present application is a continuation of U.S. application Ser. No. 13/864,249 filed Apr. 17, 2013, titled "Concurrent Transmission and Playback of Audio Information,"; U.S. application Ser. No. 13/864,249 is a continuation of U.S. application Ser. No. 13/297,000 filed Nov. 15, 2011, titled "System And Method For Synchronizing Operations Among A Plurality Of Independently Clocked Digital Data Processing Devices," and issued on Nov. 10, 2015, as U.S. Pat. No. 9,182,777; U.S. application Ser. No. 13/297,000 is a continuation of U.S. application Ser. No. 10/816,217 filed Apr. 1, 2004, titled "System And Method For Synchronizing Operations Among A Plurality Of Independently Clocked Digital Data Processing Devices," and issued on Jul. 31, 2012, as U.S. Pat. No. 8,234,395; U.S. application Ser. No. 10/816,217 claims priority to U.S. Provisional App. Ser. 60/490,768 filed Jul. 28, 2003, titled "Method For Synchronizing Audio Playback Between Multiple Networked Devices,". The entire contents of the Ser. No. 13/864,249; 13/297,000; 10/816,217; and 60/490,768 applications are incorporated herein by reference.

FIELD OF THE INVENTION

The present invention relates generally to the field of digital data processing devices, and more particularly to systems and methods for synchronizing operations among a plurality of independently-clocked digital data processing devices. The invention is embodied in a system for synchronizing operations among a plurality of devices, in relation to information that is provided by a common source. One embodiment of the invention enables synchronizing of audio playback as among two or more audio playback devices that receive audio information from a common information source, or channel.

More generally, the invention relates to the field of arrangements that synchronize output generated by a number of output generators, including audio output, video output, combinations of audio and video, as well as other types of output as will be appreciated by those skilled in the art, provided by a common channel. Generally, the invention will find utility in connection with any type of information for which synchrony among independently-clocked devices is desired.

BACKGROUND OF THE INVENTION

There are a number of circumstances under which it is desirable to maintain synchrony of operations among a plurality of independently-clocked digital data processing devices in relation to, for example, information that is provided thereto by a common source. For example, systems are being developed in which one audio information source can distribute audio information in digital form to a number of audio playback devices for playback. The audio playback devices receive the digital information and convert it to analog form for playback. The audio playback devices may be located in the same room or they may be distributed in different rooms in a residence such as a house or an apartment, in different offices in an office building, or the like. For example, in a system installed in a residence, one audio playback device may be located in a living room, while another audio playback device is located in a

kitchen, and yet other audio playback devices may be located in various bedrooms of a house. In such an arrangement, the audio information that is distributed to various audio playback devices may relate to the same audio program, or the information may relate to different audio programs. If the audio information source provides audio information relating to the same audio program to two or more audio playback devices at the same time, the audio playback devices will generally contemporaneously play the same program. For example, if the audio information source provides audio information to audio playback devices located in the living room and kitchen in a house at the same time, they will generally contemporaneously play the same program.

One problem that can arise is to ensure that, if two or more audio playback devices are contemporaneously attempting to play back the same audio program, they do so simultaneously. Small differences in the audio playback devices' start times and/or playback speeds can be perceived by a listener as an echo effect, and larger differences can be very annoying. Differences can arise because for a number of reasons, including delays in the transfer of audio information over the network. Such delays can differ as among the various audio playback devices for a variety of reasons, including where they are connected into the network, message traffic and other reasons as will be apparent to those skilled in the art.

Another problem arises from the following. When an audio playback device converts the digital audio information from digital to analog form, it does so using a clock that provides timing information. Generally, the audio playback devices that are being developed have independent clocks, and, if they are not clocking at precisely the same rate, the audio playback provided by the various devices can get out of synchronization.

SUMMARY OF THE INVENTION

The invention provides a new and improved system and method for synchronizing operations among a number of digital data processing devices that are regulated by independent clocking devices. Generally, the invention will find utility in connection with any type of information for which synchrony among devices connected to a network is desired. The invention is described in connection with a plurality of audio playback devices that receive digital audio information that is to be played back in synchrony, but it will be appreciated that the invention can find usefulness in connection with any kind of information for which coordination among devices that have independent clocking devices would find utility.

In brief summary, the invention provides, in one aspect, a system for maintaining synchrony of operations among a plurality of devices that have independent clocking arrangements. The system includes a task distribution device that distributes tasks to a synchrony group comprising a plurality of devices that are to perform the tasks distributed by the task distribution device in synchrony. The task distribution device distributes each task to the members of the synchrony group over a network. Each task is associated with a time stamp that indicates a time, relative to a clock maintained by the task distribution device, at which the members of the synchrony group are to execute the task. Each member of the synchrony group periodically obtains from the task distribution device an indication of the current time indicated by its clock, determines a time differential between the task distribution device's clock and its respective clock and

determines therefrom a time at which, according to its respective clock, the time stamp indicates that it is to execute the task.

In one embodiment, the tasks that are distributed include audio information for an audio track that is to be played by all of the devices comprising the synchrony group synchronously. The audio track is divided into a series of frames, each of which is associated with a time stamp indicating the time, relative to the clock maintained by an audio information channel device, which, in that embodiment, serves as the task distribution device, at which the members of the synchrony group are to play the respective frame. Each member of the synchrony group, using a very accurate protocol, periodically obtains the time indicated by the audio information channel device, and determines a differential between the time as indicated by its local clock and the audio information channel device's clock. The member uses the differential and the time as indicated by the time stamp to determine the time, relative to its local clock, at which it is to play the respective frame. The members of the synchrony group do this for all of the frames, and accordingly are able to play the frames in synchrony.

BRIEF DESCRIPTION OF THE DRAWINGS

This invention is pointed out with particularity in the appended claims. The above and further advantages of this invention may be better understood by referring to the following description taken in conjunction with the accompanying drawings, in which:

FIG. 1 schematically depicts an illustrative networked audio system, constructed in accordance with the invention;

FIG. 2 schematically depicts a functional block diagram of a synchrony group utilizing a plurality of zone players formed within the networked audio system depicted in FIG. 1;

FIG. 2A schematically depicts two synchrony groups, illustrating how a member of one synchrony group can provide audio information to the members of another synchrony group;

FIG. 3 depicts a functional block diagram of a zone player for use in the networked audio system depicted in FIG. 1; and

FIG. 4 is useful in understanding an digital audio information framing methodology useful in the network audio system depicted in FIG. 1.

DETAILED DESCRIPTION OF AN ILLUSTRATIVE EMBODIMENT

FIG. 1 depicts an illustrative network audio system 10 constructed in accordance with the invention. With reference to FIG. 1, the network audio system 10 includes a plurality of zone players 11(1) through 11(N) (generally identified by reference numeral 11(n)) interconnected by a local network 12, all of which operate under control of one or more user interface modules generally identified by reference numeral 13. One or more of the zone players 11(n) may also be connected to one or more audio information sources, which will generally be identified herein by reference numeral 14(n)(s), and/or one or more audio reproduction devices, which will generally be identified by reference numeral 15(n)(r). In the reference numeral 14(n)(s), index "n" refers to the index "n" of the zone player 11(n) to which the audio information source is connected, and the index "s" (s=1, . . . , S_n) refers to the "s-th" audio information source connected to that "n-th" zone player 11(n). Thus, if, for

example, a zone player 11(n) is connected to four audio information sources 14(n)(1) through 14(n)(4), the audio information sources may be generally identified by reference numeral 14(n)(s), with S_n=4. It will be appreciated that the number of audio information sources S_n may vary as among the various zone players 11(n), and some zone players may not have any audio information sources connected thereto. Similarly, in the reference numeral 15(n)(r), index "n" refers to the index "n" of the zone player 11(n) to which the audio reproduction device is connected, and the index "r" (r=1, . . . , R_n) refers to the "r-th" audio information source connected to that "n-th" zone player 11(n). In addition to the audio information sources 14(n)(s), the network audio system 10 may include one or more audio information sources 16(1) through 16(M) connected through appropriate network interface devices (not separately shown) to the local network 12. Furthermore, the local network may include one or more network interface devices (also not separately shown) that are configured to connect the local network 12 to other networks, including a wide area network such as the Internet, the public switched telephony network (PSTN) or other networks as will be apparent to those skilled in the art, over which connections to audio information sources may be established.

The zone players 11(n) associated with system 10 may be distributed throughout an establishment such as residence, an office complex, a hotel, a conference hall, an amphitheater or auditorium, or other types of establishments as will be apparent to those skilled in the art or the like. For example, if the zone players 11(n) and their associated audio information source(s) and/or audio reproduction device(s) are distributed throughout a residence, one, such as zone player 11(1) and its associated audio information source(s) and audio reproduction device(s) may be located in a living room, another may be located in a kitchen, another may be located in a dining room, and yet others may be located in respective bedrooms, to selectively provide entertainment in those rooms. On the other hand, if the zone players 11(n) and their associated audio information source(s) and/or audio reproduction device(s) are distributed throughout an office complex, one may, for example, be provided in each office to selectively provide entertainment to the employees in the respective offices. Similarly, if the zone players 11(n) and associated audio information source(s) and/or audio reproduction device(s) are used in a hotel, they may be distributed throughout the rooms to provide entertainment to the guests. Similar arrangements may be used with zone players 11(n) and associated audio information source(s) and/or audio reproduction device(s) used in an amphitheater or auditorium. Other arrangements in other types of environments will be apparent to those skilled in the art. In each case, the zone players 11(n) can be used to selectively provide entertainment in the respective locations, as will be described below.

The audio information sources 14(n)(s) and 16(m) may be any of a number of types of conventional sources of audio information, including, for example, compact disc ("CD") players, AM and/or FM radio receivers, analog or digital tape cassette players, analog record turntables and the like. In addition, the audio information sources 14(n)(s) and 16(m) may comprise digital audio files stored locally on, for example, personal computers (PCs), personal digital assistants (PDAs), or similar devices capable of storing digital information in volatile or non-volatile form. As noted above, the local network 12 may also have an interface (not shown) to a wide area network, over which the network audio system 10 can obtain audio information. Moreover, one or

more of the audio information sources $14(n)(s)$ may also comprise an interface to a wide area network such as the Internet, the public switched telephony network (PSTN) or any other source of audio information. In addition, one or more of the audio information sources $14(n)(s)$ and $16(m)$ may comprise interfaces to radio services delivered over, for example, satellite. Audio information obtained over the wide area network may comprise, for example, streaming digital audio information such as Internet radio, digital audio files stored on servers, and other types of audio information and sources as will be appreciated by those skilled in the art. Other arrangements and other types of audio information sources will be apparent to those skilled in the art.

Generally, the audio information sources $14(n)(s)$ and $16(m)$ provide audio information associated with audio programs to the zone players for playback. A zone player that receives audio information from an audio information source $14(n)(s)$ that is connected thereto can provide playback and/or forward the audio information, along with playback timing information, over the local network 12 to other zone players for playback. Similarly, each audio information source $16(m)$ that is not directly connected to a zone player can transmit audio information over the network 12 to any zone player $11(n)$ for playback. In addition, as will be explained in detail below, the respective zone player $11(n)$ can transmit the audio information that it receives either from an audio information source $14(n)(s)$ connected thereto, or from an audio information source $16(m)$, to selected ones of the other zone players $11(n')$, $11(n'')$, . . . (n not equal to n' , n'' , . . .) for playback by those other zone players. The other zone players $11(n')$, $11(n'')$, . . . to which the zone player $11(n)$ transmits the audio information for playback may be selected by a user using the user interface module 13 . In that operation, the zone player $11(n)$ will transmit the audio information to the selected zone players $11(n')$, $11(n'')$, . . . over the network 12 . As will be described below in greater detail, the zone players $11(n)$, $11(n')$, $11(n'')$, . . . operate such that the zone players $11(n')$, $11(n'')$, . . . synchronize their playback of the audio program with the playback by the zone player $11(n)$, so that the zone players $11(n)$, $11(n')$, $11(n'')$ provide the same audio program at the same time.

Users, using user interface module 13 , may also enable different groupings or sets of zone players to provide audio playback of different audio programs synchronously. For example, a user, using a user interface module 13 , may enable zone players $11(1)$ and $11(2)$ to play one audio program, audio information for which may be provided by, for example, one audio information source $14(1)(1)$. The same or a different user may, using the same or a different user interface module 13 , enable zone players $11(4)$ and $11(5)$ to contemporaneously play another audio program, audio information for which may be provided by a second audio information source, such as audio information source $14(5)(2)$. Further, a user may enable zone player $11(3)$ to contemporaneously play yet another audio program, audio information for which may be provided by yet another audio information source, such as audio information source $16(1)$. As yet another possibility, a user may contemporaneously enable zone player $11(1)$ to provide audio information from an audio information source connected thereto, such as audio information source $14(1)(2)$, to another zone player, such as zone player $11(6)$ for playback.

In the following, the term—"synchrony group" will be used to refer to a set of one or more zone players that are to play the same audio program synchronously. Thus, in the above example, zone players $11(1)$ and $11(2)$ comprise one syn-

chrony group, zone player $11(3)$ comprises a second synchrony group, zone players $11(4)$ and $11(5)$ comprise a third synchrony group, and zone player $11(6)$ comprises yet a fourth synchrony group. Thus, while zone players $11(1)$ and $11(2)$ are playing the same audio program, they will play the audio program synchronously. Similarly, while zone players $11(4)$ and $11(5)$ are playing the same audio program, they will play the audio program synchronously. On the other hand, zone players that are playing different audio programs may do so with unrelated timings. That is, for example, the timing with which zone players $11(1)$ and $11(2)$ play their audio program may have no relationship to the timing with which zone player $11(3)$, zone players $11(4)$ and $11(5)$, and zone player $11(6)$ play their audio programs. It will be appreciated that, since "synchrony group" is used to refer to sets of zone players that are playing the same audio program synchronously, zone player $11(1)$ will not be part of zone player $11(6)$'s synchrony group, even though zone player $11(1)$ is providing the audio information for the audio program to zone player $11(6)$.

In the network audio system 10 , the synchrony groups are not fixed. Users can enable them to be established and modified dynamically. Continuing with the above example, a user may enable the zone player $11(1)$ to begin providing playback of the audio program provided thereto by audio information source $14(1)(1)$, and subsequently enable zone player $11(2)$ to join the synchrony group. Similarly, a user may enable the zone player $11(5)$ to begin providing playback of the audio program provided thereto by audio information source $14(5)(2)$, and subsequently enable zone player $11(4)$ to join that synchrony group. In addition, a user may enable a zone player to leave a synchrony group and possibly join another synchrony group. For example, a user may enable the zone player $11(2)$ to leave the synchrony group with zone player $11(1)$, and join the synchrony group with zone player $11(6)$. As another possibility, the user may enable the zone player $11(1)$ to leave the synchrony group with zone player $11(2)$ and join the synchrony group with zone player $11(6)$. In connection with the last possibility, the zone player $11(1)$ can continue providing audio information from the audio information source $14(1)(1)$ to the zone player $11(2)$ for playback thereby.

A user, using the user interface module 13 , can enable a zone player $11(n)$ that is currently not a member of a synchrony group to join a synchrony group, after which it will be enabled to play the audio program that is currently being played by that synchrony group. Similarly, a user, also using the user interface module 13 , can enable a zone player $11(n)$ that is currently a member of one synchrony group, to disengage from that synchrony group and join another synchrony group, after which that zone player will be playing the audio program associated with the other synchrony group. For example, if a zone player $11(6)$ is currently not a member of any synchrony group, it, under control of the user interface module 13 , can become a member of a synchrony group, after which it will play the audio program being played by the other members of the synchrony group, in synchrony with the other members of the synchrony group. In becoming a member of the synchrony group, zone player $11(6)$ can notify the zone player that is the master device for the synchrony group that it wishes to become a member of its synchrony group, after which that zone player will also transmit audio information associated with the audio program, as well as timing information, to the zone player $11(6)$. As the zone player $11(6)$ receives the audio information and the timing information from the master device, it will play the audio information

with the timing indicated by the timing information, which will enable the zone player **11(6)** to play the audio program in synchrony with the other zone player(s) in the synchrony group.

Similarly, if a user, using the user interface module **13**, enables a zone player **11(n)** associated with a synchrony group to disengage from that synchrony group, and if the zone player **11(n)** is not the master device of the synchrony group, the zone player **11(n)** can notify the master device, after which the master device can terminate transmission of the audio information and timing information to the zone player **11(n)**. If the user also enables the zone player **11(n)** to begin playing another audio program using audio information from an audio information source **14(n)(s)** connected thereto, it will acquire the audio information from the audio information source **14(n)(s)** and initiate playback thereof. If the user enables another zone player **11(n')** to join the synchrony group associated with zone player **11(n)**, operations in connection therewith can proceed as described immediately above.

As yet another possibility, if a user, using the user interface module **13**, enables a zone player **11(n)** associated with a synchrony group to disengage from that synchrony group and join another synchrony group, and if the zone player is not the master device of the synchrony group from which it is disengaging, the zone player **11(n)** can notify the master device of the synchrony group from which it is disengaging, after which that zone player will terminate transmission of audio information and timing information to the zone player **11(n)** that is disengaging. Contemporaneously, the zone player **11(n)** can notify the master device of the synchrony group that it (that is, zone player **11(n)**) is joining, after which the master device can begin transmission of audio information and timing information to that zone player **11(n)**. The zone player **11(n)** can thereafter begin playback of the audio program defined by the audio information, in accordance with the timing information so that the zone player **11(n)** will play the audio program in synchrony with the master device.

As yet another possibility, a user, using the user interface module **13**, may enable a zone player **11(n)** that is not associated with a synchrony group, to begin playing an audio program using audio information provided to it by an audio information source **14(n)(s)** connected thereto. In that case, the user, also using the user interface module **13** or a user interface device that is specific to the audio information source **14(n)(s)**, can enable the audio information source **14(n)(s)** to provide audio information to the zone player **11(n)**. After the zone player **11(n)** has begun playback, or contemporaneously therewith, the user, using the user interface module **13**, can enable other zone players **11(n')**, **11(n'')**, . . . to join zone player **11(n)**'s synchrony group and enable that zone player **11(n)** to transmit audio information and timing information thereto as described above, to facilitate synchronous playback of the audio program by the other zone players **11(n')**, **11(n'')**

A user can use the user interface module **13** to control other aspects of the network audio system **10**, including but not limited to the selection of the audio information source **14(n)(s)** that a particular zone player **11(n)** is to utilize, the volume of the audio playback, and so forth. In addition, a user may use the user interface module **13** to turn audio information source(s) **14(n)(s)** on and off and to enable them to provide audio information to the respective zone players **11(n)**.

Operations performed by the various devices associated with a synchrony group will be described in connection with

FIG. 2, which schematically depicts a functional block diagram of a synchrony group in the network audio system **10** described above in connection with FIG. 1. With reference to FIG. 2, a synchrony group **20** includes a master device **21** and zero or more slave devices **22(1)** through **22(G)** (generally identified by reference numeral **22(g)**), all of which synchronously play an audio program provided by an audio information channel device **23**. Each of the master device **21**, slave devices **22(g)** and audio information channel device **23** utilizes a zone player **11(n)** depicted in FIG. 1, although it will be clear from the description below that a zone player may be utilized both for the audio information channel device for the synchrony group **20**, and the master device **21** or a slave device **22(g)** of the synchrony group **20**. As will be described below in more detail, the audio information channel device **23** obtains the audio information for the audio program from an audio information source, adds playback timing information, and transmits the combined audio and playback timing information to the master device **21** and slave devices **22(g)** over the network **12** for playback. The playback timing information that is provided with the audio information, together with clock timing information provided by the audio information channel device **23** to the various devices **21** and **22(g)** as will be described below, enables the master device **21** and slave devices **22(g)** of the synchrony group **20** to play the audio information simultaneously.

The master device **21** and the slave devices **22(g)** receive the audio and playback timing information, as well as the clock timing information, that are provided by the audio information channel device **23**, and play back the audio program defined by the audio information. The master device **21** is also the member of the synchrony group **20** that communicates with the user interface module **13** and that controls the operations of the slave devices **22(g)** in the synchrony group **20**. In addition, the master device **21** controls the operations of the audio information channel device **23** that provides the audio and playback timing information for the synchrony group **20**. Generally, the initial master device **21** for the synchrony group will be the first zone player **11(n)** that a user wishes to play an audio program. However, as will be described below, the zone player **11(n)** that operates as the master device **21** can be migrated from one zone player **11(n)** to another zone player **11(n')**, which preferably will be a zone player that is currently operating as a slave device **22(g)** in the synchrony group.

In addition, under certain circumstances, as will be described below, the zone player **11(n)** that operates as the audio information channel device **23** can be migrated from one zone player to another zone player, which also will preferably will be a zone player that is currently operating as a member of the synchrony group **20**. It will be appreciated that the zone player that operates as the master device **21** can be migrated to another zone player independently of the migration of the audio information channel device **23**. For example, if one zone player **11(n)** is operating as both the master device **21** and the audio information channel device **23** for a synchrony group **20**, the master device **21** can be migrated to another zone player **11(n')** while the zone player **11(n)** is still operating as the audio information channel device **23**. Similarly, if one zone player **11(n)** is operating as both the master device **21** and the audio information channel device **23** for a synchrony group **20**, the audio information channel device **23** can be migrated to another zone player **11(n')** while the zone player **11(n)** is still operating as the master device **21**. In addition, if one zone player **11(n)** is

operating as both the master device **21** and the audio information channel device **23** for a synchrony group **20**, the master device **21** can be migrated to another zone player **11(n')** and the audio information channel device can be migrated to a third zone player **11(n'')**.

The master device **21** receives control information from the user interface module **13** for controlling the synchrony group **20** and provides status information indicating the operational status of the synchrony group to the user interface module **13**. Generally, the control information from the user interface module **13** enables the master device **21** to, in turn, enable the audio information channel device **23** to provide audio and playback timing information to the synchrony group to enable the devices **21** and **22(g)** that are members of the synchrony group **20** to play the audio program synchronously. In addition, the control information from the user interface module **13** enables the master device **21** to, in turn, enable other zone players to join the synchrony group as slave devices **22(g)** and to enable slave devices **22(g)** to disengage from the synchrony group. Control information from the user interface module **13** can also enable the zone player **11(n)** that is currently operating as the master device **21** to disengage from the synchrony group, but prior to doing so that zone player will enable the master device **21** to transfer from that zone player **11(n)** to another zone player **11(n')**, preferably to a zone player **11(n')** that is currently a slave device **22(g)** in the synchrony group **20**. The control information from the user interface module **13** can also enable the master device **21** to adjust its playback volume and to enable individual ones of the various slave devices **22(g)** to adjust their playback volumes. In addition, the control information from the user interface module **13** can enable the synchrony group **20** to terminate playing of a current track of the audio program and skip to the next track, and to re-order tracks in a play list of tracks defining the audio program that is to be played by the synchrony group **20**.

The status information that the master device **21** may provide to the user interface module **13** can include such information as a name or other identifier for the track of the audio work that is currently being played, the names or other identifiers for upcoming tracks, the identifier of the zone player **11(n)** that is currently operating as the master device **21**, and identifiers of the zone players that are currently operating as slave devices **22(g)**. In one embodiment, the user interface module **13** includes a display (not separately shown) that can display the status information to the user.

It will be appreciated that the zone player **11(n)** that is operating as the audio information channel device **23** for one synchrony group may also comprise the master device **21** or any of the slave devices **22(g)** in another synchrony group. This may occur if, for example, the audio information source that is to provide the audio information that is to be played by the one synchrony group is connected to a zone player also being utilized as the master device or a slave device for the other synchrony group. This will be schematically illustrated below in connection with FIG. 2A. Since, as noted above, the zone player **11(n)** that is operating as the audio information channel device **23** for the synchrony group **20** may also be operating as a master device **21** or slave device **22(g)** for another synchrony group, it can also be connected to one or more audio reproduction devices **15(n)(r)**, although that is not depicted in FIG. 2. Since the master device **21** and slave devices **22(g)** are all to provide playback of the audio program, they will be connected to respective audio reproduction devices **15(n)(r)**. Furthermore, it will be appreciated that one or more of the zone players **11(n)** that

operate as the master device **21** and slave devices **22(g)** in synchrony group **20** may also operate as an audio information channel device for that synchrony group or for another synchrony group and so they may be connected to one or more audio information sources **14(n)(s)**, although that is also not depicted in FIG. 2. In addition, it will be appreciated that a zone player **11(n)** can also operate as a audio information channel device **23** for multiple synchrony groups.

If the audio information channel device **23** does not utilize the same zone player as the master device **21**, the master device **21** controls the audio information channel device by exchanging control information over the network **12** with the audio information channel device **23**. The control information is represented in FIG. 2 by the arrow labeled `CHAN_DEV_CTRL_INFO`. The control information that the master device **21** provides to the audio information channel device **23** will generally depend on the nature of the audio information source that is to provide the audio information for the audio program that is to be played and the operation to be enabled by the control information. If, for example, the audio information source is a conventional compact disc, tape, or record player, broadcast radio receiver, or the like, which is connected to a zone player **11(n)**, the master device **21** may merely enable the zone player serving as the audio information channel device **23** to receive the audio information for the program from the audio information source. It will be appreciated that, if the audio information is not in digital form, the audio information channel device **23** will convert it to digital form and provide the digitized audio information, along with the playback timing information, to the master device **21** and slave devices **22(g)**.

On the other hand, if the audio information source is, for example, a digital data storage device, such as may be on a personal computer or similar device, the master device **21** can provide a play list to the audio information channel device **23** that identifies one or more files containing the audio information for the audio program. In that case, the audio information channel device **23** can retrieve the files from the digital data storage device and provide them, along with the playback timing information, to the master device **21** and the slave devices **22(g)**. It will be appreciated that, in this case, the audio information source may be directly connected to the audio information channel device **23**, as, for example, an audio information source **14(n)(s)**, or it may comprise an audio information source **16(m)** connected to the network **12**. As a further alternative, if the audio information source is a source available over the wide area network, the master device **21** can provide a play list comprising a list of web addresses identifying the files containing the audio information for the audio program that is to be played, and in that connection the audio information channel device **23** can initiate a retrieval of the files over the wide area network. As yet another alternative, if the audio information source is a source of streaming audio received over the wide area network, the master device **21** can provide a network address from which the streaming audio can be received. Other arrangements by which the master device **21** can control the audio information channel device **23** will be apparent to those skilled in the art.

The master device **21** can also provide control information to the synchrony group's audio information channel device **23** to enable a migration from one zone player **11(n)** to another zone player **11(n')**. This may occur if, for example, the audio information source is one of audio information sources **16** or a source accessible over the wide area network via the network **12**. The master device **21** can

11

enable migration of the audio information channel device 23 for several reasons, including, for example, to reduce the loading of the zone player 11(*n*), to improve latency of message transmission in the network 12, and other reasons as will be appreciated by those skilled in the art.

As noted above, the audio information channel device 23 provides audio and playback timing information for the synchrony group to enable the master device 21 and slave devices 22(*g*) to play the audio program synchronously. Details of the audio and playback timing information will be described in detail below in connection with FIGS. 3 and 4, but, in brief, the audio information channel device 23 transmits the audio and playback timing information in messages over the network 12 using a multi-cast message transmission methodology. In that methodology, the audio information channel device 23 will transmit the audio and playback timing information in a series of messages, with each message being received by all of the zone players 11(*n*) comprising the synchrony group 20, that is, by the master device 21 and the slave devices 22(*g*). Each of the messages includes a multi-cast address, which the master device 21 and slave devices 22(*g*) will monitor and, when they detect a message with that address, they will receive and use the contents of the message. The audio and playback timing information is represented in FIG. 2 by the arrow labeled "AUD+PBTIME_INFO," which has a single tail, representing a source for the information at the audio information channel device 23, and multiple arrowheads representing the destinations of the information, with one arrowhead extending to the master device 21 and other arrowheads extending to each of the slave devices 22(*g*) in the synchrony group 20. The audio information channel device 23 may make use of any convenient multi-cast message transmission methodology in transmitting the audio and playback timing information to the synchrony group 20. As will be described in detail in connection with FIG. 4, the audio and playback timing information is in the form of a series of frames, with each frame having a time stamp. The time stamp indicates a time, relative to the time indicated by a clock maintained by the audio information channel device 23, at which the frame is to be played. Depending on the size or sizes of the messages used in the selected multi-cast message transmission methodology and the size or sizes of the frames, a message may contain one frame, or multiple frames, or, alternatively, a frame may extend across several messages.

The audio information channel device 23 also provides clock time information to the master device 21 and each of the slave devices 22(*g*) individually over network 12 using a highly accurate clock time information transmission methodology. The distribution of the clock time information is represented in FIG. 2 by the arrows labeled "AICD_CLK_INF (M)" (in the case of the clock time information provided to the master device 21) and "AICD_CLK_INF (S₁)" through "AICD_CLK_INF (S_{*G*})" (in the case of audio information channel device clock information provided to the slave devices 22(*g*)). In one embodiment, the master device 21 and slave devices 22(*g*) make use of the well-known SNTP (Simple Network Time Protocol) to obtain current clock time information from the audio information channel device 23. The SNTP makes use of a unicast message transfer methodology, in which one device, such as the audio information channel device 23, provides clock time information to a specific other device, such as the master device 21 or a slave device 22(*g*), using the other device's network, or unicast, address. Each of the master device 21 and slave devices 22(*g*) will periodically initiate SNTP transactions with the audio information channel

12

device 23 to obtain the clock time information from the audio information channel device 23. As will be described below in more detail, the master device 21 and each slave device 22(*g*) make use of the clock time information to determine the time differential between the time indicated by the audio information channel device's clock and the time indicated by its respective clock, and use that time differential value, along with the playback time information associated with the audio information and the respective device's local time as indicated by its clock to determine when the various frames are to be played. This enables the master device 21 and the slave devices 22(*g*) in the synchrony group 20 to play the respective frames simultaneously.

As noted above, the control information provided by the user to the master device 21 through the user interface module 13 can also enable the master device 21 to, in turn, enable another zone player 11(*n'*) to join the synchrony group as a new slave device 22(*g*). In that operation, the user interface module 13 will provide control information, including the identification of the zone player 11(*n'*) that is to join the synchrony group to the master device 21. After it receives the identification of the zone player 11(*n'*) that is to join the synchrony group, the master device 21 will exchange control information, which is represented in FIG. 2 by the arrows labeled SLV_DEV_CTRL_INF (S₁) through SLV_DEV_CTRL_INF (S_{*G*}) group slave control information, over the network 12 with the zone player 11(*d*) that is identified in the control information from the user interface module 13. The control information that the master device 21 provides to the new zone player 11(*n'*) includes the network address of the zone player 11(*n*) that is operating as the audio information channel device 23 for the synchrony group, as well as the multi-cast address that the audio information channel device 23 is using to broadcast the audio and playback timing information over the network. The zone player that is to operate as the new slave device 22(*g'*) uses the multi-cast address to begin receiving the multi-cast messages that contain the audio information for the audio program being played by the synchrony group.

It will be appreciated that, if the zone player 11(*n*) that is operating as the master device 21 for the synchrony group 20 is also operating the audio information channel device 23, and if there are no slave devices 22(*g*) in the synchrony group 20, the audio information channel device 23 may not be transmitting audio and playback timing information over the network. In that case, if the new slave device 22(*g'*) is the first slave device in the synchrony group, the zone player 11(*n*) that is operating as both the master device 21 and audio information channel device 23, can begin transmitting the audio and playback timing information over the network 12 when the slave device 22(*g'*) is added to the synchrony group 20. The zone player 11(*n*) can maintain a count of the number of slave devices 22(*g*) in the synchrony group 20 as they join and disengage, and, if the number drops to zero, it can stop transmitting the audio and playback timing information over the network 12 to reduce the message traffic over the network 12.

The new slave device 22(*g'*) added to the synchrony group 20 uses the network address of the audio information channel device 23 for several purposes. In particular, the new slave device 22(*g'*) will, like the master device 21 (assuming the zone player 11(*n*) operating as the master device 21 is not also the audio information channel device 23), engage in SNTP transactions with the audio information channel device 23 to obtain the clock timing information from the audio information channel device 23. In addition,

the new slave device 22(g') can notify the audio information channel device 23 that it is a new slave device 22(g') for the synchrony group 20 and provide the audio information channel device 23 with its network address. As will be described below, in one embodiment, particularly in connection with audio information obtained from a source, such as a digital data storage device, which can provide audio information at a rate that is faster than the rate at which it will be played, the audio information channel device 23 will buffer audio and timing information and broadcast it over the network 12 to the synchrony group 20 generally at a rate at which it is provided by the source. Accordingly, when a new slave device 22(g') joins the synchrony group 20, the playback timing information may indicate that the audio information that is currently being broadcast by the audio information channel device 23 using the multi-cast methodology is to be played back some time in the future. To reduce the delay with which the new slave device 22(g') will begin playback, the audio information channel device 23 can also retransmit previously transmitted audio and timing information that it had buffered to the new slave device 22(g') using the unicast network address of the slave device 22(g').

The master device 21 can also use the slave device control information exchanged with the slave devices 22(g) for other purposes. For example, the master device 21 can use the slave device control information to initiate a migration of the master from its zone player 11(n) to another zone player 11(n'). This may occur for any of a number of reasons, including, for example, that the master device 21 is terminating playback by it of the audio program and is leaving the synchrony group 20, but one or more of the other devices in the synchrony group is to continue playing the audio program. The master device 21 may also want to initiate a migration if it is overloaded, which can occur if, for example, the zone player 11(n) that is the master device 21 for its synchrony group is also operating as an audio information channel device 23 for another synchrony group.

The user can also use the user interface module 13 to adjust playback volume by the individual zone players 11(n) comprising the synchrony group. In that operation, the user interface module 13 provides information identifying the particular device whose volume is to be adjusted, and the level at which the volume is to be set to the master device 21. If the device whose volume is to be adjusted is the master device 21, the master device 21 can adjust its volume according to the information that it receives from the user interface module 13. On the other hand, if the device whose volume is to be adjusted is a slave device 22(g), the master device 21 can provide group slave control information to the respective slave device 22(g), to enable it to adjust its volume.

The user can also use the user interface module 13 to enable a synchrony group 20 to cancel playing of the track in an audio program that is currently being played, and to proceed immediately to the next track. This may occur, for example, if the tracks for the program is in the form of a series of digital audio information files, and the user wishes to cancel playback of the track that is defined by one of the files. In that case, when the master device 21 receives the command to cancel playback of the current track, it will provide channel device control information to the audio information channel device 23 so indicating. In response, the audio information channel device 23 inserts control information into the audio and playback timing information, which will be referred to as a "resynchronize" command. In addition, the audio information channel device 23 will begin transmitting audio information for the next track, with

timing information to enable it to be played immediately. The resynchronize command can also enable playback of a track to be cancelled before it has been played. Details of these operations will be described below.

As noted above, there may be multiple synchrony groups in the network audio system 10, and further that, for example, a zone player 11(n) may operate both as a master device 21 or a slave device 22(g) in one synchrony group, and as the audio information channel device 23 providing audio and playback timing information and clock timing information for another synchrony group. An illustrative arrangement of this will be described in connection with FIG. 2A. With reference to FIG. 2A, that FIG. depicts elements of two synchrony groups, identified by reference numerals 20(1) and 20(2), respectively. For clarity, FIG. 2A does not show a number of elements, the presence of which would be evident from FIGS. 1 and 2 as described above. For example, FIG. 2A does not depict the audio information sources from which audio information is obtained for the synchrony groups or the audio reproduction devices that are used to produce sound for the master and slave devices, which are depicted in both FIGS. 1 and 2. In addition, FIG. 2A does not depict arrows that represent control information provided by the respective master devices to the slave devices in the respective synchrony groups, or to the audio information channel devices that provide audio and timing information for the respective synchrony groups, which are depicted in FIG. 2. In addition, FIG. 2A does not depict the arrows that represent the clock timing information provided by the audio information channel devices to the respective members of the respective synchrony groups, which are also depicted in FIG. 2. As will be noted below, however, FIG. 2A does depict arrows representing the audio and playback timing information provided by the respective audio information channel devices for the respective synchrony groups 20(1), 20(2), to the master and slave devices comprising the respective synchrony groups 20(1), 20(2).

Each synchrony group 20(1), 20(2) comprises elements of a number of zone players. A functional block diagram of a zone player will be described below in connection with FIG. 3. Synchrony group 20(1) includes a master device 21(1) and "K" slave devices 22(1)(1) through 22(K)(1) (the index "1" in reference numeral 21(1) and the last index in reference numeral 22(1)(1) through 21(K)(1) corresponds to the index of the synchrony group 20(1) to which they belong) utilize zone players 11(1) and 11(K+1) respectively. Similarly, synchrony group 20(2) includes a master device 21(2) and "L" slave devices 22(1)(2) through 22(L)(2) that utilize zone players 11(K+2) through 11(K+L+2). In the illustrative arrangement depicted in FIG. 2A, both synchrony groups 20(1) and 20(2) are controlled by the user interface module 13, which can provide control information to, and receive status information from, the master devices 21(1) and 21(2) independently. It will be appreciated that separate user interface modules may be provided to provide control information to, and receive status information from, the respective master devices 21(1), 21(2).

As noted above, the slave device 22(1)(2) in synchrony group 20(2) utilizes zone player 11(K+3). In the illustrative arrangement depicted in FIG. 2A, the audio information channel device 23(1) that provides audio and playback timing information to the master and slave devices 21(1), 22(1)(1), . . . , 22(K)(1) of synchrony group 20(1) also utilizes zone player 11(K+3). As noted above, this may occur if, for example, the audio information source that is to provide audio information to be played by the synchrony group 20(1) is connected to the zone player 11(K+3). Thus,

when the master device **21(1)** of synchrony group **20(1)** exchanges channel device control information with the audio information channel device **23(1)**, it is effectively exchanging channel device control information with the zone player **11(K+3)**. Similarly, when the master and slave devices **21(1)**, **22(1)(1)**, . . . , **22(K)(1)** of synchrony group **20(1)** receive audio and playback timing information, as well as clock timing information, from the audio information channel device **23(1)**, they are effectively receiving the information from the zone player **11(K+3)**. FIG. 2A depicts a multi-headed arrow representing audio and playback timing information transmitted by the zone player **11(K+3)**, as audio information channel device **23(1)**, to the master and slave devices **21(1)**, **22(1)(1)**, . . . , **11(K)(1)** comprising synchrony group **20(1)**.

On the other hand, in the illustrative arrangement depicted in FIG. 2A, the synchrony group **20(2)** utilizes a zone player **11(K+L+3)** as its audio information channel device **23(2)**. As with synchrony group **20(1)**, when the master device **21(2)** of synchrony group **20(2)** exchanges channel device control information with the audio information channel device **23(2)**, it is effectively exchanging channel device control information with the zone player **11(K+L+3)**. Similarly, when the master and slave devices **21(2)**, **22(1)(2)**, . . . , **22(L)(2)** of synchrony group **20(2)** receive audio and playback timing information, as well as clock timing information, from the audio information channel device **23(2)**, they are effectively receiving the information from the zone player **11(K+L+3)**. FIG. 2A depicts a multi-headed arrow representing audio and playback timing information transmitted by the zone player **11(K+3)** as audio information channel device **23(2)** to the master and slave devices **21(2)**, **22(1)(2)**, . . . , **22(L)(2)** comprising synchrony group **20(2)**.

In the illustrative arrangement depicted in FIG. 2A, zone player **11(K+L+3)**, which is the audio information channel device **23(2)** for synchrony group **20(2)**, is not shown as being either a master or a slave device in another synchrony group. However, it will be appreciated that zone player **11(K+L+3)** could also be utilized as the master device or a slave device for another synchrony group. Indeed, it will be appreciated that the zone player that is utilized as the audio information channel device for synchrony group **20(2)** may also be a zone player that is utilized as the master device **21(1)** or a slave device **22(1)(1)**, . . . , **22(K)(1)** in the synchrony group **20(1)**.

A zone player **11(n)** that is utilized as a member of one synchrony group may also be utilized as the audio information channel device for another synchrony group if the audio information source that is to supply the audio information that is to be played by the other synchrony group is connected to that zone player **11(n)**. A zone player **11(n)** may also be utilized as the audio information channel device for the other synchrony group if, for example, the audio information source is an audio information source **16(m)** (FIG. 1) that is connected to the network **12** or an audio information source that is available over a wide area network such as the Internet. The latter may occur if, for example, the zone player **11(n)** has sufficient processing power to operate as the audio information channel device and it is in an optimal location in the network **12**, relative to the zone players comprising the other synchrony group (that is the synchrony group for which it is operating as audio information channel device) for providing the audio and playback timing information to the members of the other synchrony group. Other circumstances under which the zone player **11(n)** that is utilized as a member of one synchrony group may also be

utilized as the audio information channel device for another synchrony group will be apparent to those skilled in the art.

As was noted above, the master device **21** for a synchrony group **20** may be migrated from one zone player **11(n)** to another zone player **11(n')**. As was further noted above, the audio information channel device **23** for a synchrony group **20** may be migrated from one zone player **11(n)** to another zone player **11(n')**. It will be appreciated that the latter may occur if, for example, the audio information source that provides the audio program for the synchrony group is not connected to the zone player **11(n)** that is operating as the audio information channel device **23**, but instead is one of the audio information sources **16(m)** connected to the network **12** or a source available over a wide area network such as the Internet. Operations performed during a migration of an audio information channel device **23** from one zone player **11(n)** to another zone player **11(n')** will generally depend on the nature of the audio information that is being channeled by the audio information channel device **23**. For example, if the audio information source provides streaming audio, the zone player **11(n)** that is currently operating as the audio information channel device **23** for the synchrony group **20**, can provide the following information to the other zone player **11(n')** that is to become the audio information channel device **23** for the synchrony group **20**:

- (a) the identification of the source of the streaming audio information,
- (b) the time stamp associated with the frame that the zone player **11(n)** is currently forming, and
- (c) the identifications of the zone players that are operating as the master device **21** and slave devices **22(g)** comprising the synchrony group **20**.

After the zone player **11(n')** receives the information from the zone player **11(n)**, it will begin receiving the streaming audio from the streaming audio information source identified by the zone player **11(n)**, assemble the streaming audio information into frames, associate each frame with a time stamp, and transmit the resulting audio and playback timing information over the network **12**. The zone player **11(n')** will perform these operations in the same manner as described above, except that, instead of using the time indicated by its digital to analog converter clock **34** directly in generating the time stamps for the frames, the initial time stamp will be related to the value of the time stamp that is provided by the zone player **11(n)** (reference item (b) above), with the rate at which the time stamps are incremented corresponding to the rate at which its (that is, the zone player **11(n')**'s) clock increments. In addition, the zone player **11(n')** will notify the zone players that are operating as the master device **21** and slave devices **22(g)** of the synchrony group **20** that it is the new audio information channel device **23** for the synchrony group **20**, and provide the multi-cast address that it will be using to multi-cast the audio and playback timing information, as well as its unicast network address. After the members of the synchrony group **20** receive the notification from the zone player **11(n')** indicating that it is the new audio information channel device **23** for the synchrony group **20**, they will receive the audio and playback timing information from the zone player **11(n')** instead of the zone player **11(n)**, using the multi-cast address provided by the zone player **11(n')**. In addition, they can utilize the zone player **11(n')**'s unicast network address to obtain current time information therefrom. It will be appreciated that the zone player **11(n')** will determine its current time in relation to the time stamp that is provided by the zone player **11(n)** (reference item (b)

above) or the current time information that it received from the zone player **11**(*n*) using the SNTP protocol as described above.

Generally similar operations can be performed in connection with migrating the audio information channel device from one zone player **11**(*n*) to another zone player **11**(*n'*) if the audio information is from one or more audio information files, such as may be the case if the audio information comprises MP3 or WAV files that are available from sources such as sources **16**(*m*) connected to the network **12** or over from sources available over a wide area network such as the Internet, except for differences to accommodate the fact that the audio information is in files. In that case, the zone player **11**(*n*) that is currently operating as the audio information channel device **23** for the synchrony group **20** can provide the following information to the zone player **11**(*n'*) that is to become the audio information channel device **23** for the synchrony group **20**:

(d) a list of the audio information files containing the audio information that is to be played;

(e) the identification of the file for which the zone player **11**(*n*) is currently providing audio and playback timing information, along with the offset into the file for which the current item of audio and playback timing information is being generated and the time stamp that the zone player **11**(*n*) is associating with that frame, and

(f) the identifications of the zone players that comprise the master device **21** and slave devices **22**(*g*) comprising the synchrony group **20**.

After the zone player **11**(*n'*) receives the information from the zone player **11**(*n*), it will begin retrieving audio information from the file identified in item (e), starting at the identified offset. In addition, the zone player **11**(*n'*) can assemble the retrieved audio information into frames, associate each frame with a time stamp and transmit the resulting audio and playback timing information over the network **12**. The zone player **11**(*n'*) will perform these operations in the same manner as described above, except that, instead of using the time indicated by its digital to analog converter clock **34** directly in generating the time stamps for the frames, the value of the initial time stamp will be related to the time stamp that is provided by the zone player **11**(*n*) (reference item (e) above), with the rate at which the time stamps are incremented corresponding to the rate at which its (that is, the zone player **11**(*n'*)'s) clock increments. In addition, the zone player **11**(*n'*) will notify the zone players that are operating as the master device **21** and slave devices **22**(*g*) of the synchrony group **20** that it is the new audio information channel device **23** for the synchrony group **20**, and provide the multi-cast address that it will be using to multi-cast the audio and playback timing information, as well as its unicast network address. After the members of the synchrony group **20** receive the notification from the zone player **11**(*n'*) indicating that it is the new audio information channel device **23** for the synchrony group **20**, they will receive the audio and playback timing information from the zone player **11**(*n'*) instead of the zone player **11**(*n*), using the multi-cast address provided by the zone player **11**(*n'*). In addition, they can utilize the zone player **11**(*n'*)'s unicast network address to obtain current time information therefrom. It will be appreciated that the zone player **11**(*n'*) will determine its current time in relation to the time stamp that is provided by the zone player **11**(*n*) (reference item (b) above) or the current time information that it received from the zone player **11**(*n*) using the SNTP protocol as described above. The zone player **11**(*n'*) will process successive audio

information files in the list that it receives from the zone player **11**(*n*) (reference item (d)).

Operations performed by the zone players **11**(*n*) and **11**(*n'*) in connection with migration of the audio information channel device **23** for other types of audio information will be apparent to those skilled in the art. In any case, preferably, the zone player **11**(*n*) will continue operating as an audio information channel device **23** for the synchrony group **20** for at least a brief time after it notifies the zone player **11**(*n'*) that it is to become audio information channel device for the synchrony group, so that the zone player **11**(*n'*) will have time to notify the zone players in the synchrony group **20** that it is the new audio information channel device **23** for the synchrony group.

Before proceeding further in describing operations performed by the network audio system **10**, it would be helpful to provide a detailed description of a zone player **11**(*n*) constructed in accordance with the invention. FIG. 3 depicts a functional block diagram of a zone player **11**(*n*) constructed in accordance with the invention. All of the zone players in the network audio system **10** may have similar construction. With reference to FIG. 3, the zone player **11**(*n*) includes an audio information source interface **30**, an audio information buffer **31**, a playback scheduler **32**, a digital to analog converter **33**, an audio amplifier **35**, an audio reproduction device interface **36**, a network communications manager **40**, and a network interface **41**, all of which operate under the control of a control module **42**. The zone player **11**(*n*) also has a device clock **43** that provides timing signals that control the general operations of the zone player **11**(*n*). In addition, the zone player **11**(*n*) includes a user interface module interface **44** that can receive control signals from the user interface module **13** (FIGS. 1 and 2) for controlling operations of the zone player **11**(*n*), and provide status information to the user interface module **13**.

Generally, the audio information buffer **31** buffers audio information, in digital form, along with playback timing information. If the zone player **11**(*n*) is operating as the audio information channel device **23** (FIG. 2) for a synchrony group **20**, the information that is buffered in the audio information buffer **31** will include the audio and playback timing information that will be provided to the devices **21** and **22**(*g*) in the synchrony group **20**. If the zone player **11**(*n*) is operating as the master device **21** or a slave device **22**(*g*) for a synchrony group, the information that is buffered in the audio information buffer **31** will include the audio and playback timing information that the zone player **11**(*n*) is to play.

The audio information buffer **31** can receive audio and playback timing information from two sources, namely, the audio information source interface **30** and the network communications manager **40**. In particular, if the zone player **11**(*n*) is operating as the audio information channel device **23** for a synchrony group **20**, and if the audio information source is a source **14**(*n*)(*s*) connected to the zone player **11**(*n*), the audio information buffer **31** will receive and buffer audio and playback timing information from the audio information source interface **30**. On the other hand, if the zone player **11**(*n*) is operating as the audio information channel device **23** for a synchrony group **20**, and if the audio information source is a source **16**(*m*) connected to the network **12**, or a source available over the wide area network, the audio information buffer **31** will receive and buffer audio and playback timing information from the network communications manager **40**. It will be appreciated that, if the zone player **11**(*n*) is not a member of the

synchrony group, the zone player **11(n)** will not play this buffered audio and playback timing information.

On yet another hand, if the zone player **11(n)** is operating as the master device **21** or a slave device **22(g)** in a synchrony group, and if the zone player **11(n)** is not also the audio information channel device **23** providing audio and playback timing information for the synchrony group **20**, the audio information buffer **31** will receive and buffer audio and playback timing information from the network communications manager **40**.

The audio information source interface **30** connects to the audio information source(s) **14(n)(s)** associated with the zone player **11(n)**. While the zone player **11(n)** is operating as audio information channel device **23** for a synchrony group **20**, and if the audio information is to be provided by a source **14(n)(s)** connected to the zone player **11(n)**, the audio information source interface **30** will selectively receive audio information from one of the audio information source(s) **14(n)(s)** to which the zone player is connected and store the audio information in the audio information buffer **21**. If the audio information from the selected audio information source **14(n)(s)** is in analog form, the audio information source interface **30** will convert it to digital form. The selection of the audio information source **14(n)(s)** from which the audio information source interface **30** receives audio information is under control of the control module **42**, which, in turn, receives control information from the user interface module through the user interface module interface **44**. The audio information source interface **30** adds playback timing information to the digital audio information and buffers the combined audio and playback timing information in the audio information buffer **21**.

More specifically, as noted above, the audio information source interface **30** receives audio information from an audio information source **14(n)(s)**, converts it to digital form if necessary, and buffers it along with playback timing information in the audio information buffer **21**. In addition, the audio information source interface **30** will also provide formatting and scheduling information for the digital audio information, whether as received from the selected audio information source **14(n)(s)** or as converted from an analog audio information source. As will be made clear below, the formatting and scheduling information will control not only playback by the zone player **11(n)** itself, but will also enable other zone players **11(n')**, **11(n'')**, . . . that may be in a synchrony group for which the zone player **11(n)** is the master device, to play the audio program associated with the audio information in synchrony with the zone player **11(n)**.

In one particular embodiment, the audio information source interface **30** divides the audio information associated with an audio work into a series of frames, with each frame comprising digital audio information for a predetermined period of time. As used herein, an audio track may comprise any unit of audio information that is to be played without interruption. On the other hand, an audio program may comprise a series of one or more audio tracks that are to be played in succession. It will be appreciated that the tracks comprising the audio program may also be played without interruption, or alternatively playback between tracks may be interrupted by a selected time interval. FIG. 4 schematically depicts an illustrative framing strategy used in connection with one embodiment of the invention for a digital audio stream comprising an audio work. More specifically, FIG. 4 depicts a framed digital audio stream **50** comprising a sequence of frames **51(1)** through **51(F)** (generally identified by reference numeral **51(f)**). Each frame **51(f)**, in turn, comprises a series of audio samples **52(f)(1)** through

52(f)(S) (generally identified by reference numeral **52(f)(s)**) of the audio track. Preferably all of the frames will have the same number "S" of audio samples, although it will be appreciated from the following that that is primarily for convenience. On the other hand, it will be appreciated that, the number of audio samples may differ from "S"; this may particularly be the case if the frame **51(f)** contains the last audio samples for the digital audio stream for a particular audio work. In that case, the last frame **51(F)** will preferably contain samples **52(F)(1)** through **52(F)(x)**, where "x" is less than "S." Generally, it is desirable that the number of samples be consistent among all frames **51(f)**, and in that case padding, which will not be played, can be added to the last frame **51(F)**.

Associated with each frame **51(f)** is a header **55(f)** that includes a number of fields for storing other information that is useful in controlling playback of the audio samples in the respective frame **51(f)**. In particular, the header **55(f)** associated with a frame **51(f)** includes a frame sequence number field **56**, an encoding type field **57**, a sampling rate information field **58**, a time stamp field **60**, an end of track flag **61**, and a length flag field **62**. The header **55(f)** may also include fields (not shown) for storing other information that is useful in controlling playback. Generally, the frame sequence number field **56** receives a sequence number "P" that identifies the relative position of the frame **51(f)** in the sequence of frames **51(1)** . . . **51(f)** . . . **51(F)** containing the digital audio stream **50**. The encoding type field **57** receives a value that identifies the type of encoding and/or compression that has been used in generating the digital audio stream. Conventional encoding or compression schemes include, for example, the well-known MP3 and WAV encoding and/or compression schemes, although it will be appreciated that other schemes may be provided for as well. The sampling rate information field **58** receives sampling rate information that indicates the sampling rate for the audio samples **52(f)(s)**. As will be apparent to those skilled in the art, the sampling rate determines the rate at which the zone player **11(n)** is to play the audio samples **52(f)(s)** in the frame, and, as will be described below, determines the period of the digital to analog converter clock **34**.

The condition of the end of work flag **61** indicates whether the frame **51(f)** contains the last digital audio samples for the audio track associated with the framed digital audio work **50**. If the frame **51(f)** does not contain the audio samples that are associated with the end of the digital audio stream **50** for a respective audio work, the end of work flag will be clear. On the other hand, if the frame **51(f)** does contain the audio samples that are associated with the end of the digital audio stream **50** for a respective audio work, the end of work flag **61** will be set. In addition, since the number of valid audio samples **52(F)(s)** in the frame **51(F)**, that is, the samples that are not padding, may be less than "S," the default number of audio samples in a frame **51(f)**, the length flag field **62** will contain a value that identifies the number of audio samples in **52(F)(s)** in the last frame **51(F)** of the audio work **50**. If, as noted above, the frames have a consistent number "S" of samples, the samples **52(F)(x+1)** through **52(F)(S)** will contain padding, which will not be played.

The time stamp field **60** stores a time stamp that identifies the time at which the zone player **11(n)** is to play the respective frame. More specifically, for each frame of a framed digital audio stream **50** that is buffered in the audio information buffer **21**, the audio information source interface **30**, using timing information from the digital to analog converter clock **34**, will determine a time at which the zone player **11(n)** is to play the respective frame, and stores a time

stamp identifying the playback time in the time stamp field 60. The time stamp associated with each frame will later be used by the playback scheduler 32 to determine when the portion of the digital audio stream stored in the frame is to be coupled to the digital to analog converter 33 to initiate play back. It will be appreciated that the time stamps that are associated with frames in sequential frames 51(1), 51(2), . . . , 51(F), will be such that they will be played back in order, and without an interruption between the sequential frames comprising the digital audio stream 50. It will further be appreciated that, after a time stamp has been determined for the first frame, stored in frame 51(1), of a digital audio stream 50, the audio information source interface 30 can determine time stamps for the subsequent frame 51(2), 51(3), . . . , 51(F) in relation to the number of samples "S" in the respective frames and the sample rate. The time stamps will also preferably be such that frames will be played back after some slight time delay after they have been buffered in the audio information buffer 21; the purpose for the time delay will be made clear below.

Returning to FIG. 3, in addition to dividing the digital audio information into frames, the audio information source interface 30 also aggregates and/or divides the frames 51(*f*) as necessary into packets, each of which will be of a length that would fit into a message for transmission over the network, and associates each packet with a packet sequence number. For example, if a packet will accommodate multiple frames 51(*f*), 51(*f*+1), . . . 51(*f*+*y*-1), it will aggregate them into a packet and associate them with a packet number, for example *p*(*x*). If the entire frames 51(0 and 51(*f*+*y*-1) was accommodated in packet *p*(*x*), where "x" is the sequence number, which will occur if the size of a packet is an exact multiple of the frame size, the next packet, *p*(*x*+1) will begin with frame 51(*f*+*y*) and will include frames 51(*f*+*y*), . . . , 51(*f*+2*y*-1). Subsequent packets *p*(*x*+2), . . . will be formed in a similar manner. On the other hand, if the packet length will not accommodate an exact multiple of the frame size, the last frame in the packet will be continued at the beginning of the next packet.

If the audio information source interface 30 is aware of track boundaries, which may be the case if the tracks are divided into files, the packets will reflect the track boundaries, that is, the packets will not contain frames from two tracks. Thus, if the last frames associated with a track are insufficient to fill a packet, the packet will contain padding from the last frame associated with the track to the end of the packet, and the next packet will begin with the first frames associated with the next track.

In one embodiment, the audio information source interface 30 stores the packets in the audio information buffer 31 in a ring buffer. As is conventional, a ring buffer includes a series of storage locations in the buffer. Each entry will be sufficient to store one packet. Four pointers are used in connection with the ring buffer, a first pointer pointing to the beginning of the ring buffer, a second pointer pointing to the end of the ring buffer, a third "write" pointer pointing to the entry into which a packet will be written and a fourth "read" pointer pointing to the entry from which packet will be read for use in playback. When a packet is read from the ring buffer for playback, it will be read from the entry pointed to by the read pointer. After the packet has been read, the read pointer will be advanced. If the read pointer points beyond the end of the ring buffer, as indicated by the end pointer, it will be reset to point to the entry pointed to by the beginning pointer, and the operations can be repeated.

On the other hand, when the audio information source interface 30 stores a packet in the ring buffer, first determine

whether the entry pointed to by the write pointer points to the same entry as the entry pointed to by the read pointer. If the write pointer points to the same entry as the entry pointed to by the read pointer, the entry contains at least a portion of a packet that has not yet been read for playback, and the audio information source interface 30 will delay storage of the packet until the entire packet has been read and the read pointer advanced. After the read pointer has been advanced, the audio information source interface 30 can store the packet in the entry pointed to by the write pointer. After the packet has been stored, the audio information source interface 30 will advance the write pointer. If the write pointer points beyond the end of the ring buffer, as indicated by the end pointer, it will be reset to point to the entry pointed to by the beginning pointer, and the operations can be repeated.

As noted above, the zone player 11(*n*) can operate both as an audio information channel device 23 and a member of the synchrony group 20 of which it is a member. In that case, the audio information buffer 31 can contain one ring buffer. On the other hand, the zone player 11(*n*) can operate as an audio information channel device 23 for one synchrony group 20(1) (FIG. 2A) and a member of another synchrony group 20(2). In that case, the audio information buffer 31 would maintain two ring buffers, one for the audio and timing information associated with synchrony group 20(1), and the other for the audio and timing information associated with synchrony group 20(2). It will be appreciated that, in the latter case, the zone player 11(*n*) will only use the audio and timing information that is associated with synchrony group 20(2) for playback.

The playback scheduler 32 schedules playback of the audio information that is buffered in the audio information buffer 31 that is to be played by the zone player 11(*n*). Accordingly, under control of the playback scheduler 32, the digital audio information that is buffered in the audio information buffer 21 that is to be played by the zone player 11(*n*) is transferred to the digital to analog converter 33 for playback. As noted above, if the zone player 11(*n*) is operating as an audio information channel device 23 for a synchrony group 20 for which it is not a member, the playback scheduler 32 will not schedule the digital audio information that is to be played by that synchrony group 20 for playback. The playback scheduler 32 only schedules the digital audio information, if any, that is buffered in the audio information buffer 31 that is associated with a synchrony group for which the zone player 11(*n*) is a member, whether as master device 21 or a slave device 22(*g*).

Essentially, the playback scheduler 32 makes use of the read pointer associated with the circular buffer that contains the audio and playback timing information that is to be played by the zone player 11(*n*). The playback scheduler 32 retrieves the packet information from the entry of the ring buffer pointed to by the read pointer, and then advances the ring pointer as described above. The playback scheduler 32 determines the boundaries of the frames in the packet and uses the time stamps in the time stamp fields 60 associated with the respective frame 51(*f*), along with timing information provided by the zone player 11(*n*)'s digital to analog converter clock 34, to determine when the respective frame is to be transferred to the digital to analog converter 33. Generally, when the time stamp associated with a buffered digital audio information frame corresponds to the current time as indicated by the digital to analog converter clock 34, the playback scheduler 32 will enable the respective frame to be transferred to the digital to analog converter 33.

The digital to analog converter 33, also under control of the digital to analog converter clock 34, converts the buff-

ered digital audio information to analog form, and provides the analog audio information to the audio amplifier 35 for amplification. The amplified analog information, in turn, is provided to the audio reproduction devices 15(n)(r) through the audio reproduction device interface 36. The audio reproduction devices 15(n)(r) transform the analog audio information signal to sound thereby to provide the audio program to a listener. The amount by which the audio amplifier 35 amplifies the analog signal is controlled by the control module 42, in response to volume control information provided by the user through the user interface module 13.

The network communications manager 40 controls network communications over the network 12, and the network interface 41 transmits and receives message packets over the network 12. The network communications manager 40 generates and receives messages to facilitate the transfer of the various types of information described above in connection with FIG. 2, including the channel device control information, slave device control information, audio and playback timing information and the audio information channel device's clock timing information. In connection with the channel device control information and the slave device control information, the network communications manager 40 will generate messages for transfer over the network 12 in response to control information from the control module 42. Similarly, when the network communications manager 40 receives messages containing channel device control information and slave device control information, the network communications manager will provide the information to the control module 42 for processing.

With regards to the audio information channel device's clock timing information, as noted above, the master device 21 and slave devices 22(g) of the synchrony group 20 obtain the clock timing information from the audio information channel device 23 using the well-known SNTP. If the zone player 11(n) is operating as the audio information channel device 23 for a synchrony group, during the SNTP operation, it will provide its current time, particularly a current time as indicated by its digital to analog converter clock 34. On the other hand, if the zone player 11(n) is operating as the master device 21 or slave device 22(g) of a synchrony group 20, it will receive the clock timing information from the audio information channel device 23. After the respective device 21, 22(g) has obtained the audio information channel device's clock timing information, it will generate a differential time value ΔT representing the difference between the time T indicated by its digital to analog converter clock 34 and the current time information from the audio information channel device 23. The differential time value will be used to update the time stamps for the frames of the digital audio stream 50 (FIG. 4) that are received from the audio information channel device.

With regards to the audio and playback timing information, operations performed by the network communications manager 40 will depend on whether

- (i) the audio and playback timing information has been buffered in the audio information buffer 31 for transmission, as audio information channel device 23, over the network 12 to the master device 21 and/or slave devices 22(g) of a synchrony group, or
- (ii) the audio and playback timing information has been received from the network 12 to be played by the zone player 11(n) as either the master device 21 for a synchrony group or a slave device in a synchrony group.

It will be appreciated that the network communications manager 40 may be engaged in both (i) and (ii) contemporaneously,

since the zone player 11(n) may operate both as the audio information channel device 23(1) for a synchrony group 20(1) (reference FIG. 2A) of which it is not a member, and a member of another synchrony group 20(2) for which another zone player 11(n') is the audio information channel device 23(2). With reference to item (i) above, after a packet that is to be transmitted has been buffered in the respective ring buffer, the network communications manager 40 retrieves the packet, packages it into a message and enables the network interface 41 to transmit the message over the network 12. If the control module 42 receives control information from the user interface module 13 (if the master device 21 is also the audio information channel device 23 for the synchrony group 20) or from the master device (if the master device 21 is not the audio information channel device 23 for the synchrony group 20) that would require the transmission of a "resynchronize" command as described above, the control module 42 of the audio information channel device 23 enables the network communications manager 40 to insert the command into a message containing the audio and playback timing information. Details of the operations performed in connection with the "resynchronize" command will be described below. As noted above, the "resynchronize" command is used if the user enables a synchrony group to terminate the playback of a track that is currently being played, or cancel playback of a track whose playback has not begun.

On the other hand, with reference to item (ii) above, if network interface 41 receives a message containing a packet containing frames of audio and playback timing information that the zone player 11(n) is to play either as a master device 21 or a slave device for a synchrony group 20, the network interface 41 provides the audio and playback timing information to the network communications manager 40. The network communications manager 40 will determine whether the packet contains a resynchronize command and, if so, notify the control module 42, which will enable operations to be performed as described below. In any case, the network communications manager 40 will normally buffer the various frames comprising the audio and playback timing information in the audio information buffer 31, and in that operation will generally operate as described above in connection with the audio information source interface 30. Before buffering them, however, the network communications manager 40 will update their time stamps using the time differential value described above. It will be appreciated that the network communications manager 40 will perform similar operations whether the messages that contain the packets were multi-cast messages or unicast messages as described above.

The updating of the time stamps by the master device 21 and the slave devices 22(g) in the synchrony group 20 will ensure that they all play the audio information synchronously. In particular, after the network communications manager 40 has received a frame 51(f) from the network interface 41, it will also obtain, from the digital to analog converter clock 34, the zone player 11(n)'s current time as indicated by its digital to analog converter clock 34. The network communications manager 40 will determine a time differential value that is the difference between the slave device's current clock time, as indicated by its digital to analog converter 34, and the audio information channel device's time as indicated by the audio information channel device's clock timing information. Accordingly, if the master or slave device's current time has a value T_S and the audio information channel device's current time, as indicated by the clock timing information, has a value T_C , the

time differential value $\Delta T = T_S - T_C$. If the current time of the master or slave device in the synchrony group 20, as indicated by its digital to analog converter clock 34, is ahead of the audio information channel device's clock time as indicated by the clock timing information received during the SNTP operation, the time differential value will have a positive value. On the other hand, if the master or slave device's current time is behind the audio information channel device's clock time, the time differential value ΔT will have a negative value. If the zone player 11(n) obtains clock timing information from the audio information channel device 23 periodically while it is a member of the synchrony group 20, the network communications manager 40 can generate an updated value for the time differential value ΔT when it receives the clock timing information from the audio information channel device 23, and will subsequently use the updated time differential value.

The network communications manager 40 uses the time differential value ΔT that it generates from the audio information channel device timing information and zone player 11(n)'s current time to update the time stamps that will be associated with the digital audio information frames that the zone player 11(n) receives from the audio information channel device. For each digital audio information frame that is received from the audio information channel device, instead of storing the time stamp that is associated with the frame as received in the message in the audio information buffer 21, the network communications manager 40 will store the updated time stamp with the digital audio information frame. The updated time stamp is generated in a manner so that, when the zone player 11(n), as a member of the synchrony group plays back the digital audio information frame, it will do so in synchrony with other devices in the synchrony group.

More specifically, after the zone player 11(n)'s network interface 41 receives a message containing a packet that, in turn, contains one or more frames 51(f), it will provide the packet to the network communications manager 40. For each frame 51(f) in the packet that the network communications manager 40 receives from the network interface 41, the network communications manager 40 will add the time differential value ΔT to the frame's time stamp, to generate the updated time stamp for the frame 51(f), and store the frame 51(f), along with the header 55(f) with the updated time stamp in the audio information buffer 31. Thus, for example, if a frame's time stamp has a time value T_F , the network communications manager 40 will generate an updated time stamp $T_F^{U_F}$ having a time value $T_F^{U_F} = T_F + \Delta T$. Since time value $T_F^{U_F}$ according to the slave device's digital to analog converter clock 34 is simultaneous to the time value T_F according to the audio information channel device's digital to analog converter clock 34, the zone player 11(n) device will play the digital audio information frame at the time determined by the audio information channel device 23. Since all of the members of the synchrony group 20 will perform the same operations, generating the updated time stamps $T_F^{U_F}$ for the various frames 51(f) in relation to their respective differential time values, all of the zone players 11(n) in the synchrony group 20 will play them synchronously. The network communications manager 40 will generate updated time stamps $T_F^{U_F}$ for all of the time stamps 60 in the packet, and then store the packet in the audio information buffer 31.

It will be appreciated that, before storing a packet in the audio information buffer 21, the network communications manager 40 can compare the updated time stamps $T_F^{U_F}$ associated with the frames in the packet to the slave device's

current time as indicated by its digital to analog converter clock 34. If the network communications manager 40 determines the time indicated by the updated time stamps of frames 51(f) in the packet are earlier than the zone player's current time, it can discard the packet instead of storing it in the audio information buffer 21, since the zone player 11(n) will not play them. That is, if the updated time stamp has a time value $T_F^{U_F}$ that identifies a time that is earlier than the zone player's current time T_S as indicated by the zone player's digital to analog converter clock 34, the network communications manager 40 can discard the packet.

If the zone player 11(n) is operating as the master device 21 of a synchrony group 20, when the user, through the user interface module 13, notifies the zone player 11(n) that another zone player 11(n') is to join the synchrony group 20 as a slave device 22(g), the control module 42 of the zone player 11(n) enables the network communications manager 40 to engage in an exchange of messages, described above in connection with FIG. 2, to enable the other zone player 11(n') to join the synchrony group 20 as a slave device. As noted above, during the message exchange, the messages generated by the network communications manager 40 of the zone player 11(n) will provide the network communications manager of the zone player 11(n') that is to join the synchrony group 20 with information such as the multi-cast address being used by the audio information channel device 23 that is providing the audio program to the synchrony group 20, as well as a unicast network address for the audio information channel device 23. After receiving that information, the network communications manager and network interface of the zone player 11(n') that is to join the synchrony group 20 can begin receiving the multi-cast messages containing the audio program for the synchrony group, engage in SNTP transactions with the audio information channel device 23 to obtain the latter's current time, and also enable the audio information channel device 23 to send the zone player 11(n') frames 51(f) that it had previously broadcast using the unicast message transmission methodology as described above.

On the other hand, if the network communications manager 40 and network interface 41 of the zone player 11(n) receive a message over the network 12 indicating that it is to become a slave device 22(g) of a synchrony group for which another zone player 11(n') is the master device, the network communications manager 40 for zone player 11(n) will provide a notification to the control module 42 of zone player 11(n). Thereafter, the control module 42 of zone player 11(n) can enable the network communications manager 40 of zone player 11(n) to perform the operations described above to enable it to join the synchrony group 20.

As noted above, the user, using user interface module 13, can enable the synchrony group to terminate playback of a track of an audio program that is currently being played. After playback of a track that is currently being played has been terminated, playback will continue in a conventional manner with the next track that has been buffered in the audio information buffer 31. It will be appreciated that that could be the next track that is on the original play list, or a previous track. In addition, the user can enable the synchrony group 20 to cancel playback of a track that it has not yet begun to play, but for which buffering of packets has begun in the synchrony group 20. Both of these operations make use of the "resynchronize" command that the master device 21 of the synchrony group 20 can enable the audio information channel device 23 to include in the multi-cast message stream that it transmits to the synchrony group 20. Generally, in response to receipt of the resynchronize com-

mand, the members of the synchrony group **20** flush the ring buffer containing the packets that they are to play in the future. In addition, if the members of the synchrony group provide separate buffers for their respective digital to analog converters **33**, the members will also flush those buffers as well. After the audio information channel device transmits a packet containing the resynchronize command:

(i) in the case of the use of the resynchronize command to terminate playing of a track that is currently being played, the audio information channel device **23** will begin multi-casting packets for the next track, to begin play immediately, and will continue through the play list in the manner described above; and

(ii) in the case of the use of the resynchronize command to cancel play of a track for which buffering has begun, but which is to be played in the future, the audio information channel device **23** will begin multi-casting packets for the track after the track that has been cancelled, to be played beginning at the time the cancelled track was to begin play, and will also continue through the play list in the manner described above.

It will be appreciated that,

(a) in the first case (item (i) directly above), the resynchronize command can enable the read pointer to be set to point to the entry in the circular buffer into which the first packet for the next track will be written, which will correspond to the entry to which the write pointer points, but

(b) in the second case (item (ii) directly above), the resynchronize command can enable the write pointer for the circular buffer to be set to point to the entry that contains the first packet for the track whose play is being cancelled.

It will further be appreciated that, if a track is cancelled for which buffering has not begun, the resynchronize command will generally not be necessary, since the audio information channel device **23** for the synchrony group **20** need only delete that track from the play list.

Operations performed in connection with use of the resynchronize command to cancel playback of a track that is currently being played will be described in connection with Packet Sequence A below, and operations performed in connection with the use of the resynchronize command to cancel playback of a track that is has not yet begun to play, but for which buffering of packets has begun, will be described in connection with Packet Sequence B below.

Packet Sequence A	
(A1.0) [packet 57]	
(A1.1)	[continuation of frame 99]
(A1.2)	[frame 100, time = 0:00:01, type = mp3 audio]
(A1.3)	[frame 101, time = 0:00:02, type = mp3 audio]
(A1.4)	[frame 102, time = 0:00:03, type = mp3 audio]
(A2.0) [packet 58]	
(A2.1)	[continuation of frame 102]
(A2.2)	[frame 103, time = 0:00:04, type = mp3 audio]
(A2.3)	[frame 104, time = 0:00:05, type = mp3 audio]
(A2.4)	[frame 105, time = 0:00:06, type = mp3 audio]
(A3.0) [packet 59]	
(A3.1)	[continuation of frame 105]
(A3.2)	[frame 106, time = 0:00:07, type = mp3 audio]
(A3.3)	[frame 107, time = 0:00:08, type = mp3 audio]
(A3.4)	[frame 108, time = 0:00:09, type = mp3 audio]
(A4.0) [packet 60]	
(A4.1)	[continuation of frame 108]
(A4.2)	[frame 109, time = 0:00:10, type = mp3 audio]
(A4.3)	[Resynchronize command]
(A4.4)	[Padding, if necessary]

-continued

Packet Sequence A	
(A5.0) [packet 61]	
(A5.1)	[frame 1, time = 0:00:07, type = mp3 audio]
(A5.2)	[frame 2, time = 0:00:08, type = mp3 audio]
(A5.3)	[frame 3, time = 0:00:09, type = mp3 audio]
(A5.4)	[frame 4, time = 0:00:10, type = mp3 audio]
(A6.0) [packet 62]	
(A6.1)	[continuation of frame 4]
(A6.2)	[frame 5, time = 0:00:11, type = mp3 audio]
(A6.3)	[frame 6, time = 0:00:12, type = mp3 audio]
(A6.4)	[frame 7, time = 0:00:13, type = mp3 audio]

Packet Sequence A comprises a sequence of six packets, identified by packet **57** through packet **62**, that the audio information channel device **23** multi-casts in respective messages to the members of a synchrony group **20**. It will be appreciated that the series of messages that the audio information channel device **23** may multi-cast to the synchrony group **20** may include a messages prior to the packet **57**, and may also include messages after packet **62**. Each packet comprises a packet header, which is symbolized by lines (A1.0), (A2.0), . . . (A6.0) in Packet Sequence A, and will generally also include information associated with at least a portion of a frame. In the packets represented in Packet Sequence A, each packet includes information associated with a plurality of frames. Depending on the lengths of the packets, each packet may contain information associated with a portion of a frame, an entire frame, or multiple frames. In the illustration represented by Packet Sequence A, it is assumed that each packet may contain information associated with multiple frames. In addition, it is assumed that a packet does not necessarily contain information associated with an integral number of frames; in that case, a packet may contain information associated with a portion of a frame, and the next packet will contain the information associated with the rest of a frame.

The frames and associated header playback timing information contained in the various packets are symbolized by lines (A1.1), (A1.2), . . . (A1.4), (A2.1), . . . (A6.4) of Packet Sequence A. Thus, for example, line (A1.2) of packet **57** represents the one-hundredth frame, that is, frame **51(100)** (reference FIG. **4**), of the track whose audio information is being transmitted in the sequence of packets that includes packet **57**. The frame **51(100)** is to be played at an illustrative time, according to the audio information channel device's digital to analog converter clock, of "time=0:00:01," and the frame is encoded and/or compressed using the well-known MP3 encoding and compression methodology. In that case, the legend "time=0:00:01" represents the time stamp that would be included in field **60** (FIG. **4**) of the header associated with the frame **50(100)** as multi-cast by the audio information channel device for the synchrony group. It will be appreciated that the playback time and encoding/compression methodology will be referred in the header **55(100)** that is associated with the frame **51(100)**. It will also be appreciated that the header may also contain additional information as described above.

Similarly, line (A1.3) of packet **57** represents the one-hundred and first frame, that is, frame **51(101)**, of the track whose audio information is being transmitted in the sequence of packets that includes packet **57**. The frame **51(101)** is to be played at an illustrative time, according to the audio information channel device's digital to analog

converter clock, of “0:00:02,” and the frame is also encoded and/or compressed using the MP3 encoding and compression methodology. Line (A1.4) of packet 57 represents similar information, although it will be appreciated that, depending on the length of packet 57, the line may not represent the information for an entire frame 51(102) and/or its associated header. If the length of packet 57 is not sufficient to accommodate the information for the entire frame 51(102) and/or associated header, the information will continue in packet 58, as represented by line (A2.1) in Packet Sequence A. Similarly, if the length of packet 56 was not sufficient to contain the information for an entire frame 51(99) preceding frame 51(100), packet 57 (lines (A1.0) through 1.4) may contain any information from frame 51(99) that packet 56 was unable to accommodate.

As noted above, when the master device 21 or a slave device 22(g) in the synchrony group 20 receives the packet 57, its respective network communications manager 40 will update the time stamps associated with the various frames 51(f) as described above before buffering the respective frames in the respective audio information buffer 31.

Packets 58 and 59 contain information that is organized along the lines described above in connection with packet 57.

Packet 60 also contains, as represented by lines (A4.1) and (A4.2), information that is organized along the lines of the information represented by lines (Ax.1) and (Ax.2) (“x” equals an integer) described above in connection with packets 57 through 59. On the other hand, packet 60 contains a resynchronize command, as represented by line (A4.3). Packet 60 also may contain padding, as represented by line 4.4, following the resynchronize command. As noted above, the master device 21 of a synchrony group 20 will enable the audio information channel device 23 that is providing audio information to the synchrony group 20 to multi-cast a message containing the resynchronize command when it receives notification from the user interface module 13 that the user wishes to cancel playback of a track that is currently being played. In the example depicted in Packet Sequence A, as will be described below, the audio information channel device 23 receives notification from the master device 21 that the user wishes to cancel playback of a track at a time corresponding to “time=0:00:07” according to its digital to analog converter clock 34, and, in line (A4.3) of packet 60 it will provide the resynchronize command, followed by padding, if necessary.

As will be apparent from examining lines (A3.1) through (A3.4) of packet 59 and lines (A4.1) and (A4.2) of packet 60, although the audio information channel device 23 has received the notification from the synchrony group’s master device 21 to multi-cast the resynchronize command at a time corresponding to “time=0:00:07” according to the clock time indicated by its digital to analog converter clock 34, it (that is, the audio information channel device 23) has already multi-cast messages containing frames that are to be played at that time and subsequently. That is, the audio information channel device 23 has, multi-cast in packet 59, frames 51(106) through 51(108) that contain time stamps “time=0:00:07,” “time=0:00:08” and “time=0:00:09,” respectively, and, in packet 60, in addition to the continuation of frame 51(108), frame 51(109) that contains time stamp “time=0:00:10.” (It will be appreciated that the times indicated by the illustrative time stamps are for illustration purposes only, and that in an actual embodiment the time stamps may have different values and differentials.)

As noted above, the audio information channel device 23 multi-casts a message containing a packet that, in turn,

contains the resynchronize command when it receives the notification from the master device 21 to do so. In the example depicted in Packet Sequence A, the packet will be multi-cast when the audio information channel device’s digital to analog converter clock time corresponds to “0:00:07.” Subsequently, two things happen. In one, aspect, when the master device 21 and slave devices 22(g) receive the packet that contains the resynchronize command, they will stop playing the audio program that they are playing.

In addition, the audio information channel device 23 will begin transmitting frames containing audio information for the next track, including therewith time stamps immediately following the digital to analog converter clock time at which the packet including the resynchronize command was transmitted. Accordingly, and with further reference to Packet Sequence A, the audio information channel device 23 will multi-cast a message containing packet 61. As indicated above, packet 61 contains, as represented in lines (A5.1) through (A5.3), frames 51(1) through 51(3), which are the first three frames of the next track of the audio program that is to be played. It is also compressed and encoded using the MP3 encoding and compression scheme, and it is accompanied by time stamps “time=0:00:07,” “time=0:00:08” and “time=0:00:10.” As noted above, the time stamp “time=0:00:07” corresponds to the clock time at which the audio information channel device 23 multi-casts the resynchronize command, and, when the master device 21 and slave devices 22(g) receive these frames, they would be expected to begin playing them very shortly, if not immediately after the audio information channel device 23 multi-casts the message containing the packet that, in turn, contains the resynchronize command. Packet 61 also includes at least a portion of the next frame, that is, frame 51(4), for that track. In addition, Packet Sequence A depicted above further includes a subsequent packet, namely, packet 62, that contains any necessary continuation of frame 51(4), as well as three subsequent frames. If any additional packets are required for the track, as well as for subsequent tracks, they can be multi-cast in a similar manner.

As further noted above, the resynchronize command can also be used to cancel playing of one or more tracks for which playback has begun. This will be illustrated in connection with Packet Sequence B:

Packet Sequence B	
(B1:0) [packet 157]	
(B1.1)	[continuation of frame 99]
(B1.2)	[frame 100, time = 0:00:01, type = mp3 audio]
(B1.3)	[frame 101, time = 0:00:02, type = mp3 audio]
(B1.4)	[frame 102, time = 0:00:03, type = mp3 audio]
(B2.0) [packet 158]	
(B2.1)	[continuation of frame 102]
(B2.2)	[frame 103, time = 0:00:04, type = mp3 audio]
(B2.3)	[frame 104, time = 0:00:05, type = mp3 audio]
(B2.4)	[frame 105, time = 0:00:06, type = mp3 audio]
(B3.0) [packet 159]	
(B3.1)	[continuation of frame 105]
(B3.2)	[frame 106, time = 0:00:07, type = mp3 audio]
(B3.3)	[track boundary notification]
(B3.4)	[Padding, if necessary]
(B4.0) [packet 160]	
(B4.1)	[frame 1, time = 0:00:08, type = mp3 audio]
(B4.2)	[frame 2, time = 0:00:09, type = mp3 audio]
(B4.3)	[frame 3, time = 0:00:10, type = mp3 audio]

-continued

Packet Sequence B	
(B5.0) [packet 161]	
(B5.1)	[continuation of frame 3]
(B5.2)	[frame 4, time = 0:00:11, type = mp3 audio]
(B5.3)	[Resynchronize, after packet 159]
(B5.4)	[Padding, if necessary]
(B6.0) [packet 162]	
(B6.1)	[frame 1, time = 0:00:08, type = mp3 audio]
(B6.2)	[frame 2, time = 0:00:09, type = mp3 audio]
(B6.3)	[frame 3, time = 0:00:10, type = mp3 audio]
(B6.4)	[frame 4, time = 0:00:11, type = mp3 audio]
(B7.0) [packet 163]	
(B7.1)	[continuation of frame 4]
(B7.2)	[frame 5, time = 0:00:12, type = mp3 audio]
(B7.3)	[frame 6, time = 0:00:13, type = mp3 audio]
(B7.4)	[frame 7, time = 0:00:14, type = mp3 audio]

Packet Sequence B comprises a series of seven packets, identified by packet **157** through **163**, that the audio information channel device **23** multi-casts to the members of a synchrony group **20**. As with Packet Sequence A, it will be appreciated that the series of packets that the audio information channel device **23** may multi-cast to the synchrony group **20** may include packets prior to the packet **157**, and may also include packets after packet **162**. Each packet comprises a packet header, which is symbolized by lines (B1.0), (B2.0), . . . (B7.0) in Packet Sequence B. As in Packet Sequence A, each packet will also generally include information associated with at least a portion of a frame **51(f)** along with its associated frame **55(f)**. As in the packets represented in Packet Sequence A, each packet includes information associated with a plurality of frames. Depending on the lengths of the packets, each packet may contain information associated with a portion of a frame, an entire frame, or multiple frames. Further, as with Packet Sequence A, it is assumed that each packet may contain information associated with multiple frames. In addition, it is assumed that a packet does not necessarily contain information associated with an integral number of frames; in that case, a packet may contain information associated with a portion of a frame, and the next packet will contain the information associated with the rest of a frame.

The structures of the packets represented by Packet Sequence B are similar to those described above in connection with Packet Sequence A, and will not be repeated here. Generally, Packet Sequence B illustratively contains a sequence of packets that represent at least portions of three tracks that may have been selected from, for example, a play list. In particular, packets **157** through **159** represent frames from a portion of one track, packets **160** and **161** represent frames from a second track and packets **162** and **163** represent frames from a third track. The play list indicated that the first, second and third tracks were to be played in that order. With particular reference to Packet Sequence B, it should be noted that line (B3.3) indicates that packet **159** includes an indication that that packet contains the last frame for the track, and line (B3.4) provides for padding to the end of the packet. The first frame of the next track begins in packet **160**.

In connection with the use of the resynchronize command to cancel playback of a track, at least a portion of which the audio information channel device **23** has multi-cast to the members of the synchrony group, packet **161**, in line (B5.3) represents a resynchronize command that indicates that

resynchronization is to occur after packet **159**, that is, immediately after the packet that contains the last frame of the first of the three tracks represented by the packets in Packet Sequence B. It should be noted that the resynchronize command is in the packet **161**, while the resynchronization is to occur at packet **160**, that is, the synchrony group is to not play the track starting with packet **160**, but instead is to begin playing the track frames for which begin with the next packet, that is, packet **162**. As with Packet Sequence A, in Packet Sequence B the audio information channel device **23**, in packet **162** and **163**, multi-casts frames whose time stamps indicate that they are to be played when the frames that were multi-cast in packets **160** and **161** were to be played. By use of the resynchronize command and specifying a packet in this manner, the audio information channel device can cancel playback of a track for which playback has not yet begun.

It will be appreciated that the resynchronize command is generally not necessary for cancelling play back of a track that the audio information channel device **23** has not started multi-casting to the synchrony group **20**, since the audio information channel device **23** itself can re-order the play list to accommodate the cancellation.

The invention provides a number of advantages. In particular, the invention provides a network audio system in which a number of devices share information can reproduce audio information synchronously, notwithstanding the fact that packets, which may contain digital audio information, transmitted over the network to the various zone players connected thereto may have differing delays and the zone players operate with independent clocks. Moreover, although the invention has been described in connection with audio information, it will be appreciated that the invention will find utility in connection with any type of isochronous information for which synchrony among devices is desired. The system is such that synchrony groups are created and destroyed dynamically, and in such a manner as to avoid requiring a dedicated device as the master device.

It will be appreciated that a number of changes and modifications may be made to the network audio system **10** as described above. For example, although the invention has been described as providing that the audio information channel device **23** provides digital audio information to the members synchrony group **20** that has been encoded using particular types of encoding and compression methodologies, it will be appreciated that the audio information channel device **23** can provide digital audio information to various members of the synchrony group **20** that have been encoded and compressed using different types of encoding and compression methodologies, and, moreover, for which different sampling rates have been used. For example, the audio information channel device **23** may provide digital audio information to the master device **21** and slave devices **22(1)** through **22(g₁)** using the MP3 methodology at a specified sampling rate, the digital audio information for the same program to slave devices **22(g₁+1)** through **22(g₂)** using the WAV methodology at one specified sampling rate, and to slave devices **22(g₂+1)** through **22(G)** using the WAV methodology at another specified sampling rate. In that case, the audio information channel device **23** can specify the particular encoding and compression methodology that has been used in the encoding type field **57** associated with each frame and the sampling rate in the sampling rate field **58**. Moreover, since the encoding and compression type and sampling rate are specified for each frame, the encoding and compression type and sampling rate can be changed from frame to frame. The audio information channel device **23**

may use different multi-cast addresses for the different encoding and compression types and sampling rates, but it will be appreciated that that would not be required.

It will be appreciated that two advantages of providing that the encoding and compression methodology and the sampling rate is provided on a frame-by-frame basis, instead of on, for example, a track-by-track basis, is that that would facilitate a slave device joining the synchrony group **20** at a frame mid-track, without requiring, for example, the master device **21** or the audio information channel device **23** to notify it of the encoding and compression methodology or the sampling rate.

Another modification is that, instead of the network communications manager **40** of a member of a synchrony group **20** generating the updated time stamp T_F^u for a digital audio information frame by adding the time differential value ΔT to the time stamp T_F associated with a frame, the network communications manager **40** may instead generate the updated time stamp T_F^u by subtracting the differential time value ΔT from the member's current time T_S as indicated by the member's digital to analog converter clock **34** at the time at which the digital audio information is received. It will be appreciated, however, that there may be variable time delays in processing of messages by the slave device's network communications manager **40**, and so it may be preferable to generate the time differential value ΔT using the time stamp T_F provided by the audio information channel device **23**.

In addition, instead of the network communications manager **40** of a member of a synchrony group generating an updated time stamp to reflect the difference between the times indicated by the member's digital to analog converter clock and the audio information channel device's digital to analog converter clock, the network communications manager **40** can generate the time differential value ΔT and provide it to the member's playback scheduler **32**. In that case, the member's network communications manager **40** can store each digital audio information frame along with the time stamp T_F as received from the master device in the audio information buffer **21**. The playback scheduler **32** can utilize the time differential value ΔT , and the time stamps T_F associated with the digital audio information frames, to determine when the respective digital audio information frames are to be played. In determining when a digital audio information frame is to be played, the playback scheduler can add the time differential value to the time stamp T_F associated with the digital audio frame, and enable the digital audio frame to be coupled to the digital to analog converter **33** when the time indicated by the sum corresponds to the current time as indicated by the slave device's digital to analog converter clock **34**. Alternatively, when the member's digital to analog converter clock **34** updates its current time T_S , the playback scheduler can generate an updated current time T_S^u by subtracting the differential time value ΔT from the current time T_S , and using the updated current time T_S^u to determine when to play a digital audio information frame.

As described above, the members of a synchrony group **20** periodically obtain the audio information channel device's current time value and uses the current time value that it receives from the audio information channel device to periodically update the time differential value ΔT that it uses in updating the time stamps associated with the various frames. It will be appreciated that, if the digital to analog converter clock(s) associated with the member(s) of a synchrony group **20** are ensured to have the same rate as the digital to analog converter clock, a member need only obtain

the current time value from the audio information channel device once, at the beginning of playback.

As another alternative, if the zone players are provided with digital to analog converter clock **34** whose time and rate can be set by an element such as the network communications manager **40**, when a zone player **11(n)** is operating as a member of a synchrony group **20**, its network communications manager **40** can use the various types of timing information that it receives from the audio information channel device **23**, including the current time information and the playback timing information indicated by the time stamps that are associated with the various frames **51(f)** comprising the audio and playback timing information that it receives, to adjust the synchrony group member's digital to analog converter clock's time value and/or the clock rate that it uses for playback. If the clock's time value is to be adjusted, when the synchrony group member's network communications manager **40** initially receives the current time information from the audio information channel device **23** for the synchrony group **20**, the network communications manager **40** can set the synchrony group member's digital to analog converter clock **34** to the current time value as indicated by the audio information channel device's current time information. The network communications manager **40** can set the clock **34** to the current time value indicated by the audio information channel device's current time information once, or periodically as it receives the current time information.

Alternatively or in addition, the synchrony group member's network communications manager **40** can use one or both of the current time information and/or the playback timing information in the time stamps associated with the respective frames **51(f)** to adjust the clock rate of the clock **34** that it uses for playback. For example, when the synchrony group member's network communications manager **40** receives a frame **51(f_x)** having a time stamp having a time value T_{f_x} , it can generate the updated time value $T_{f_x}^u = T_{f_x} + \Delta T$ as described above, and store the frame with the time stamp with the updated time value in the audio information buffer **30**. In addition, since both the number of samples in a frame and the sampling rate, which determines the rate at which the frame is to be played, are known to the network communications manager **40**, it can use that information, along with the updated time value $T_{f_x}^u$ that is to be used for frame **51(f_x)** to generate an expected updated time value $T_{f_{x+1}}^E$ that is expected for the updated time stamp of the next frame **51(f_{x+1})**. After the synchrony group member's network communications manager **40** receives the next frame **51(f_{x+1})**, it can generate the updated time value $T_{f_{x+1}}^u$ and compare that value to the expected updated time value $T_{f_{x+1}}^E$. If the two time values do not correspond, or if the difference between them is above a selected threshold level, the clock that is used by the audio information channel device **23** to generate the time stamps is advancing at a different rate than the synchrony group member's digital to analog converter clock **34**, and so the network communications manager **40** can adjust the rate of the digital to analog converter clock **34** to approach that of the clock used by the audio information channel device **23** so that the differential time value ΔT is constant. On the other hand, if the two time values do correspond, then the time differential value ΔT is constant, or the difference is below a threshold level, and the network communications manager **40** need not change the clock rate of the digital to analog converter clock **34**. It will be appreciated that, if the clock rate is to be adjusted, the rate adjustment can be fixed, or it can vary based on, for

example, the difference between the updated time value $T_{f_{x+1}}^U$ and the expected updated time value $T_{f_{x+1}}^E$.

It will also be appreciated that, if no rate adjustment is performed for one frame $51(f_{x+1})$, the synchrony group member's network communications manager **40** can generate an expected updated time value $T_{f_{x+2}}^E$ that is expected for the updated time stamp of the next frame $51(f_{x+2})$ using the updated time value $T_{f_x}^U$ determined for frame $51(f_x)$, along with the number of samples in a frame and the sampling rate, and compare the expected updated time value $T_{f_{x+2}}^E$ to the updated time value $T_{f_{x+2}}^U$ that it generates when it receives frame $51(f_{x+2})$. At that point, if the network communications manager **41** determines that two time values do not correspond, or if the difference between them is above a selected threshold level, it can adjust the rate of the digital to analog converter clock **34**. Similar operations can be performed if no rate adjustment is performed for several successive frames $51(f_{x+1})$, $51(f_{x+2})$, This will accommodate the possibility that the rate differential between the clock **34** and the clock used by the audio information channel device **23** in generating the time stamps have rates that differ by an amount sufficiently small that it cannot be detected using time stamps of two or more successive frames.

Instead or in addition to adjusting the clock rate as described above, the synchrony group member's network communications manager **40** can perform similar operations in connection with adjusting the clock rate in connection with the current time information that it receives from the audio information channel device **23**.

Furthermore, although the network audio system **10** has been described such that the master device **21** of a synchrony group **20** can, in response to control information provided thereto by a user through the user interface module **13**, provide a notification to a zone player $11(n)$ that it is to become a member of its synchrony group **20** as a slave device $22(g)$, it will be appreciated that the user interface module **13** can provide the notification directly to the zone player $11(n)$ that is to become a member of the synchrony group **20**. In that case, the zone player $11(n)$ can notify the master device **21** that it is to become a slave device $22(g)$ in the synchrony group **20**, after which the master device **21** can provide information regarding the synchrony group **20**, including the multi-cast and unicast addresses of the audio information channel device and other information as described above.

Similarly, although the network audio system **10** has been described such that the master device **21** of a synchrony group **20** can, in response to control information provided thereto by a user through the user interface module **13**, provide a command to a slave device $22(g)$ to enable the slave device $22(g)$ to adjust its volume, it will be appreciated that the user interface module **13** can provide control information directly to the slave device $22(g)$ to enable the slave device $22(g)$ to adjust its volume.

In addition, although the network audio system **10** has been described such that each frames $51(f)$ is associated with a frame sequence number (reference field **56**, FIG. **4**), it will be appreciated that, if the packets described above in connection with Packet Sequence A and Packet Sequence B are provided with packet sequence numbers, the frame sequence numbers need not be provided, since the packet sequence numbers can suffice for defining the frame sequencing.

Furthermore, although the network audio system **10** has been described such that the zone players $11(n)$ are provided with an audio amplifier **35** for amplifying the analog signal provided by the respective digital to analog converters **33**, it will be appreciated that a zone player may be provided that

does not itself include an audio amplifier. In that case, the analog signal may be coupled to an external amplifier for amplification as necessary before being provided to the audio reproduction device(s) $15(n)(r)$. It will be appreciated that a single zone player $11(n)$ may be provided with multiple audio amplifiers and audio reproduction device interfaces, and, if necessary, multiple digital to analog converters **33**, to provide audio programs for corresponding numbers of synchrony groups.

Similarly, although the zone players $11(n)$ have been described such that they may be connected to one or more audio information sources, it will be appreciated that an audio information source may form part of and be integrated into a zone player $11(n)$. For example, a zone player may include a compact disk player, cassette tape player, broadcast radio receiver, or the like, that has been integrated into it. In addition, as noted above, an individual zone player $11(n)$ may be connected to multiple audio information sources and may contemporaneously operate as the audio information channel device **23** for multiple synchrony groups.

In addition, although FIG. **1** shows the network audio system **10** as including one user interface module **13**, it will be appreciated that the system **10** may include a plurality of user interface modules. Each user interface module be useful for controlling all of the zone players as described above, or alternatively one or more of the user interface modules may be useful for controlling selected subsets of the zone players.

Moreover, it will be appreciated that, although the invention has been described in connection with audio information, it will be appreciated that the invention will find utility in connection with any type of information for which synchrony among devices connected to a network is desired.

As noted above, while a zone player $11(n)$ is operating as audio information channel device **23** for a synchrony group **20**, when the zone player $11(n)$'s audio information source interface **30** or network communications manager **40** stores digital audio information frames based on audio information from an audio information source $14(n)(s)$ in the audio information buffer **31**, it will provide time stamps for the respective frames to schedule them for playback after some time delay after they have been buffered in the audio information buffer **31**. The delay is provided so that, for other zone players $11(n')$, $11(n'')$, . . . that are operating as members of a synchrony group, there will be sufficient time for the audio and playback timing information to be transferred over the network **12** to those other zone players $11(n')$, $11(n'')$, . . . so that it can be processed and played by them at the appropriate time as described above. The time period that is selected for the time delay may be fixed or variable, and in either case may be based on a number of factors. If the time period selected for the time delay is fixed, it may be based on, for example, factors such as an estimate of the maximum latency in the network **12**, the estimated maximum loading of the various components comprising the zone players $11(n)$, and other estimates as will be appreciated by those skilled in the art.

The time delay may be the same for audio information from all types of audio information sources, and may be constant over the entire period that the synchrony group **20** is playing an audio work. Alternatively, different time delays may be utilized based on various criteria. For example, if the audio information is to be played independently of information associated with other types of media, the time delay may be selected to be relatively long, on the order of a significant fraction of a second, or longer. On the other hand, if the audio information is to be played contemporaneously

with, for example, video information, which may be supplied by, for example, a video disk, video tape cassette, over cable, satellite, or broadcast television, which may not be buffered or which may be displayed independently of the network audio system 10, it may be undesirable to provide for such a lengthy delay, since the time delay of the audio playback, in relation to the video display, may be noticeable. In that case, the zone player 11(*n*) may provide for a much shorter time delay. In one embodiment, the time delay provided for audio information to be played concurrently with video information is selected to be generally on the order of fifty milliseconds, which would barely, if at all, be perceptible to someone viewing the video. Other desirable time delays for information from other types of sources will be apparent to those skilled in the art.

As yet a further possibility, the zone player 11(*n*), when operating as an audio information channel device 23 for a synchrony group 20, can dynamically determine the time delay based on a number of conditions in the network audio system 10, including, for example, the message transfer latency in network 12, the loading of microprocessors or other components that are used in the various zone players 11(*n'*), 11(*n''*), . . . that may comprise a synchrony group 20, as well as other factors. For example, if the audio information channel device 23 determines that the latency in the network 12 has increased beyond a selected threshold, the audio information channel device 23 can adjust the delay to increase the likelihood that the members of the synchrony group 20 will be able to receive the packets and process the frames so that they will be able to play them at the appropriate times. Similarly, if the audio information channel device 23 is notified that a member of the synchrony group 20 to which it provides audio information requires additional time to receive and process the frames that it transmits, the audio information channel device 23 can adjust the delay accordingly. It will be appreciated that, to reduce or minimize possible discontinuities in the audio playback by the members of the synchrony group, the audio information channel device 23 can, instead of adjusting the time delay during a particular audio track, adjust the time delay between tracks, during silent periods of a track or otherwise as will be appreciated by those skilled in the art. In addition, the audio information channel device 23 can use conventional audio compression methodologies to facilitate a speeding up and/or slowing down of playback of an audio track while it is in the process of providing additional time delay. Generally, the members of the synchrony group 20 can provide notifications to the audio information channel device 23 if they determine that they will need an additional time delay, and the audio information channel device 23 can adjust the time delay in accordance with the notifications from the members of the synchrony group 20.

It will be appreciated that a system in accordance with the invention can be constructed in whole or in part from special purpose hardware or a general purpose computer system, or any combination thereof, any portion of which may be controlled by a suitable program. Any program may in whole or in part comprise part of or be stored on the system in a conventional manner, or it may in whole or in part be provided in to the system over a network or other mechanism for transferring information in a conventional manner. In addition, it will be appreciated that the system may be operated and/or otherwise controlled by means of information provided by an operator using operator input elements (not shown) which may be connected directly to the system

or which may transfer the information to the system over a network or other mechanism for transferring information in a conventional manner.

The foregoing description has been limited to a specific embodiment of this invention. It will be apparent, however, that various variations and modifications may be made to the invention, with the attainment of some or all of the advantages of the invention. It is the object of the appended claims to cover these and such other variations and modifications as come within the true spirit and scope of the invention.

What is claimed is:

1. A method performed by a first zone player, the method comprising:
 - receiving a request to enter into a synchrony group with at least a second zone player that is communicatively coupled to the first zone player via at least one data network;
 - in response to receiving the request to enter into the synchrony group, entering into the synchrony group with the second zone player, wherein, in the synchrony group, the first zone player is configured to:
 - exchange messages with the second zone player that are indicative of a common clock reference for the synchrony group;
 - obtain audio information that is representative of given audio content to be played back by the synchrony group;
 - generate playback timing information associated with the obtained audio information that is indicative of at least a first future time, relative to the common clock reference for the synchrony group, at which the first and second zone players are to initiate synchronous playback of the obtained audio information;
 - transmit the obtained audio information and the playback timing information to the second zone player via the at least one data network; and
 - engage in synchronous playback of the obtained audio information with the second zone player using the playback timing information and the common clock reference for the synchrony group, wherein a local clock time of the first zone player differs from a local clock time of the second zone player.
2. The method of claim 1, wherein the common clock reference for the synchrony group comprises the local clock time of the local clock of the first zone player.
3. The method of claim 1, wherein receiving the request to enter into the synchrony group with at least the second zone player comprises:
 - receiving the request to enter into the synchrony group with at least the second zone player from one or both of (a) a network device that is communicatively coupled to the first zone player via the at least one data network or (b) the second zone player.
4. The method of claim 1, wherein being configured to transmit the obtained audio information and the playback timing information to the second zone player via the at least one data network comprises being configured to:
 - transmit the playback timing information in a separate communication from the obtained audio information.
5. The method of claim 1, wherein being configured to obtain the audio information that is representative of the given audio content comprises being configured to:
 - obtain the audio information that is representative of the given audio content in response to receiving, from a network device that is communicatively coupled to the

first zone player via the at least one data network, an instruction to play back the given audio content in the synchrony group.

6. The method of claim 1,

wherein being configured to obtain the audio information that is representative of the given audio content comprises being configured to obtain a first portion of the audio information that is representative of the given audio content before beginning to engage in synchronous playback of the obtained audio information and obtain a second portion of the audio information that is representative of the given audio content after beginning to engage in synchronous playback of the obtained audio information; and

wherein being configured to transmit the obtained audio information to the second zone player via the at least one data network comprises being configured to transmit a first portion of the obtained audio information to the second zone player via the at least one data network before beginning to engage in synchronous playback of the obtained audio information and transmit a second portion of the obtained audio information to the second zone player via the at least one data network after beginning to engage in synchronous playback of the obtained audio information.

7. The method of claim 1, wherein being configured to transmit the obtained audio information to the second zone player via the at least one data network comprises being configured to:

transmit a series of frames, wherein individual frames include one or more respective portions of the obtained audio information, wherein a first frame in the series of frames includes an indicator of the first future time, and wherein the playback timing information further comprises, for individual subsequent frames in the series of frames, an indicator of a respective future time, relative to the common clock reference for the synchrony group, at which the first and second zone players are to synchronously play back the respective individual subsequent frame.

8. The method of claim 1, wherein, in the synchrony group, the first zone player is further configured to:

receive a request to adjust a volume of the synchrony group; and

in response to receiving the request to adjust the volume of the synchrony group, (a) cause an adjustment of an individual volume of the first zone player and (b) transmit, to the second zone player via the at least one data network, a command to adjust an individual volume of the second zone player.

9. A first zone player comprising:

a network interface that is configured to communicatively couple the first zone player to at least one data network; a clock that is configured to provide a local clock time of the first zone player;

at least one processor;

tangible, non-transitory computer-readable media having instructions stored therein, wherein the instructions, when executed, cause the first zone player to perform functions comprising:

receiving a request to enter into a synchrony group with at least a second zone player that is communicatively coupled to the first zone player via the at least one data network;

in response to receiving the request to enter into the synchrony group, entering into the synchrony group

with the second zone player, wherein, in the synchrony group, the first zone player is configured to:

exchange messages with the second zone player that are indicative of a common clock reference for the synchrony group;

obtain audio information that is representative of given audio content to be played back by the synchrony group;

generate playback timing information associated with the obtained audio information that is indicative of at least a first future time, relative to the common clock reference for the synchrony group, at which the first and second zone players are to initiate synchronous playback of the obtained audio information;

transmit the obtained audio information and the playback timing information to the second zone player via the at least one data network; and

engage in synchronous playback of the obtained audio information with the second zone player using the playback timing information and the common clock reference for the synchrony group, wherein a local clock time of the first zone player differs from a local clock time of the second zone player.

10. The first zone player of claim 9, wherein the common clock reference for the synchrony group comprises the local clock time of the first zone player.

11. The first zone player of claim 9, wherein receiving the request to enter into the synchrony group with at least the second zone player comprises:

receiving the request to enter into the synchrony group with at least the second zone player from one or both of (a) a network device that is communicatively coupled to the first zone player via the at least one data network or (b) the second zone player.

12. The first zone player of claim 9, wherein being configured to transmit the obtained audio information and the playback timing information to the second zone player via the at least one data network comprises being configured to:

transmit the playback timing information in a separate communication from the obtained audio information.

13. The first zone player of claim 9, wherein being configured to obtain the audio information that is representative of the given audio content comprises being configured to:

obtain the audio information that is representative of the given audio content in response to receiving, from a network device that is communicatively coupled to the first zone player via the at least one data network, an instruction to play back the given audio content in the synchrony group.

14. The first zone player of claim 9, wherein being configured to obtain the audio information that is representative of the given audio content comprises being configured to:

obtain a first portion of the audio information that is representative of the given audio content before beginning to engage in synchronous playback of the obtained audio information and obtain a second portion of the audio information that is representative of the given audio content after beginning to engage in synchronous playback of the obtained audio information.

15. The first zone player of claim 9, wherein being configured to transmit the obtained audio information to the second zone player via the at least one data network comprises being configured to:

transmit a first portion of the obtained audio information to the second zone player via the at least one data network before beginning to engage in synchronous playback of the obtained audio information and transmit a second portion of the obtained audio information to the second zone player via the at least one data network after beginning to engage in synchronous playback of the obtained audio information.

16. The first zone player of claim 9, wherein being configured to transmit the obtained audio information to the second zone player via the at least one data network comprises being configured to:

transmit a series of frames, wherein individual frames include one or more respective portions of the obtained audio information.

17. The first zone player of claim 16, wherein a first frame in the series of frames includes an indicator of the first future time.

18. The first zone player of claim 17, wherein the playback timing information further comprises, for individual subsequent frames in the series of frames:

an indicator of a respective future time, relative to the common clock reference for the synchrony group, at which the first and second zone players are to synchronously play back the respective individual subsequent frame.

19. The first zone player of claim 1, wherein, in the synchrony group, the first zone player is further configured to:

receive a request to adjust a volume of the synchrony group; and

in response to receiving the request to adjust the volume of the synchrony group, (a) cause an adjustment of an individual volume of the first zone player and (b) transmit, to the second zone player via the at least one data network, a command to adjust an individual volume of the second zone player.

20. Tangible, non-transitory computer-readable media comprising instructions stored therein, wherein the instructions, when executed cause a first zone player to perform a method comprising:

receiving a request to enter into a synchrony group with at least a second zone player that is communicatively coupled to the first zone player via at least one data network;

in response to receiving the request to enter into the synchrony group, entering into the synchrony group with the second zone player, wherein, in the synchrony group, the first zone player is configured to:

exchange messages with the second zone player that are indicative of a common clock reference for the synchrony group;

obtain audio information that is representative of given audio content to be played back by the synchrony group;

generate playback timing information associated with the obtained audio information that is indicative of at least a first future time, relative to the common clock reference for the synchrony group, at which the first and second zone players are to initiate synchronous playback of the obtained audio information;

transmit the obtained audio information and the playback timing information to the second zone player via the at least one data network; and

engage in synchronous playback of the obtained audio information with the second zone player using the playback timing information and the common clock

reference for the synchrony group, wherein a local clock time of the first zone player differs from a local clock time of the second zone player.

21. The tangible, non-transitory computer-readable media of claim 20, wherein the common clock reference for the synchrony group comprises the local clock time of the local clock of the first zone player.

22. The tangible, non-transitory computer-readable media of claim 20, wherein receiving the request to enter into the synchrony group with at least the second zone player comprises:

receiving the request to enter into the synchrony group with at least the second zone player from one or both of (a) a network device that is communicatively coupled to the first zone player via the at least one data network or (b) the second zone player.

23. The tangible, non-transitory computer-readable media of claim 20, wherein being configured to transmit the obtained audio information and the playback timing information to the second zone player via the at least one data network comprises being configured to:

transmit the playback timing information in a separate communication from the obtained audio information.

24. The tangible, non-transitory computer-readable media of claim 20, wherein being configured to obtain the audio information that is representative of the given audio content comprises being configured to:

obtain the audio information that is representative of the given audio content in response to receiving, from a network device that is communicatively coupled to the first zone player via the at least one data network, an instruction to play back the given audio content in the synchrony group.

25. The tangible, non-transitory computer-readable media of claim 20, wherein being configured to obtain the audio information that is representative of the given audio content comprises being configured to:

obtain a first portion of the audio information that is representative of the given audio content before beginning to engage in synchronous playback of the obtained audio information and obtain a second portion of the audio information that is representative of the given audio content after beginning to engage in synchronous playback of the obtained audio information.

26. The tangible, non-transitory computer-readable media of claim 20, wherein being configured to transmit the obtained audio information to the second zone player via the at least one data network comprises being configured to:

transmit a first portion of the obtained audio information to the second zone player via the at least one data network before beginning to engage in synchronous playback of the obtained audio information and transmit a second portion of the obtained audio information to the second zone player via the at least one data network after beginning to engage in synchronous playback of the obtained audio information.

27. The tangible, non-transitory computer-readable media of claim 20, wherein being configured to transmit the obtained audio information to the second zone player via the at least one data network comprises being configured to:

transmit a series of frames, wherein individual frames include one or more respective portions of the obtained audio information.

28. The tangible, non-transitory computer-readable media of claim 27, wherein a first frame in the series of frames includes an indicator of the first future time.

29. The tangible, non-transitory computer-readable media of claim 28, wherein the playback timing information further comprises, for individual subsequent frames in the series of frames:

an indicator of a respective future time, relative to the 5
common clock reference for the synchrony group, at
which the first and second zone players are to synchro-
nously play back the respective individual subsequent
frame.

30. The tangible, non-transitory computer-readable media 10
of claim 20, wherein, in the synchrony group, the first zone
player is further configured to:

receive a request to adjust a volume of the synchrony
group; and

in response to receiving the request to adjust the volume 15
of the synchrony group, (a) cause an adjustment of an
individual volume of the first zone player and (b)
transmit, to the second zone player via the at least one
data network, a command to adjust an individual vol-
ume of the second zone player. 20

* * * * *