



US00D376751S

United States Patent [19]

[11] **Patent Number:** **Des. 376,751**

Hanson et al.

[45] **Date of Patent:** ****Dec. 24, 1996**

[54] **FLANGED RECEIVER MOUNTING BRACKET**

| | | | | |
|------------|---------|------------|-------|-----------|
| D. 297,410 | 8/1988 | Sachs | | D8/356 |
| D. 337,042 | 7/1993 | Lin et al. | | D8/373 X |
| 5,366,194 | 11/1994 | Finney | | 248/300 X |

[75] Inventors: **Marvin L. Hanson**, Vandalia, Mich.; **Richard McCoy**, Granger, Ind.; **Jon L. Krager**, Cassopolis, Mich.

OTHER PUBLICATIONS

Reese Products, Inc.; Reese 1995 Products, Applications, and Towing Accessories Catalog; pp. 6-7.

[73] Assignee: **Reese Products, Inc.**, Elkhart, Ind.

Primary Examiner—Holly H. Baynham
Attorney, Agent, or Firm—King & Schickli

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **46,644**

The ornamental design for a flanged receiver mounting bracket, as shown and described.

[22] Filed: **Oct. 20, 1995**

DESCRIPTION

[52] **U.S. CL.** **D8/354**; D12/162; D12/223

[58] **Field of Search** D8/349, 354; 248/300, 248/205.1, 200, 187; D12/223, 162; 280/495, 477


FIG. 1 is a perspective view thereof;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|----------|-------|-----------|
| D. 226,808 | 5/1973 | Rollins | | D12/162 |
| D. 232,913 | 9/1974 | Rendessy | | D12/162 X |
| D. 260,758 | 9/1981 | Borugian | | D8/356 X |
| D. 293,416 | 12/1987 | Krueger | | D8/373 |

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7