



US00RE41943E

(19) **United States**
(12) **Reissued Patent**
Held et al.

(10) **Patent Number:** **US RE41,943 E**
(45) **Date of Reissued Patent:** **Nov. 16, 2010**

(54) **GLYPHOSATE-RESISTANT PLANTS**

(75) Inventors: **Bruce Held**, Ames, IA (US); **Herbert Wilson**, Ames, IA (US); **Philip E. Dykema**, Ames, IA (US); **Carol J. Lewnau**, Ames, IA (US); **Janelle C. Eby**, Ames, IA (US)

(73) Assignee: **Mertec, LLC**, West Point, IA (US)

(21) Appl. No.: **12/633,520**

(22) Filed: **Dec. 8, 2009**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **7,045,684**
Issued: **May 16, 2006**
Appl. No.: **10/223,241**
Filed: **Aug. 19, 2002**

(51) **Int. Cl.**
A01H 5/00 (2006.01)
C12N 15/82 (2006.01)

(52) **U.S. Cl.** **800/300; 435/419; 435/468**

(58) **Field of Classification Search** None
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,535,060 A 8/1985 Comai
4,769,061 A 9/1988 Comai
4,940,835 A 7/1990 Shah
5,310,667 A 5/1994 Eichholtz
5,491,288 A 2/1996 Chaubet
5,510,471 A 4/1996 Lebrun
5,554,798 A 9/1996 Lundquist
5,633,448 A 5/1997 Lebrun
RE36,449 E 12/1999 Lebrun
6,040,497 A 3/2000 Spencer
7,626,077 B2 12/2009 Held

FOREIGN PATENT DOCUMENTS

WO WO9506128 A2 3/1996
WO WO9704103 A2 2/1997
WO GB2326163 A 12/1998
WO WO0066748 A1 11/2000

OTHER PUBLICATIONS

Richmond and Somerville 2000, Plant Physiology vol. 124, pp. 495–498.
Klee et al. 1986, Mol. Gen. Genet. 210:437–442.
Benefy et al. 1988 The Plant Cell 2:849–856.
Richmond et al. “The cellulose synthase superfamily” Plant Physiology, vol. 124, pp. 495–498 Oct. 2000.
Ruff et al “Effects of amino acid substitutions on glyphosate tolerance and activity of EPSPS Synthase” Plant Physiology, vol. 96 (Supp. 1) p. 94, 1991.
Ku et al, Jan. 1999, Nature Biotechnology vol. 17, pp. 76–80.
Rose et al., Mar. 2008, The Plant Cell. vol. 20 pp. 543–551.
Green 2009 Weed Science 57:108–117.
Hernandez–Garcia et al. “A soybean (glycine max) poly-ubiquitin promoter gives strong constitutive expression in transgenic soybean” Plant Cell REp (2009) 28:837–849.

Primary Examiner—David H Kruse

(57) **ABSTRACT**

This invention relates to glyphosate-resistant transgenic plants and methods of making the same. In a preferred embodiment, a DNA fragment which comprises an EPSPS 5' regulatory sequence and a glyphosate-resistant EPSPS coding sequence is introduced into regenerable plant cells. The encoded EPSPS has a chloroplast transit peptide. The DNA fragment does not contain a non-EPSPS enhancer. Cells are selected for stable transformation, and the selected cells can be used to regenerate glyphosate-resistant transgenic plants. The DNA fragment used for transformation preferably comprises a modified plant genomic sequence, such as SEQ ID NO: 2, SEQ ID NO:4 or SEQ ID NO: 6. In one embodiment, two DNA fragments of this invention are stably transformed into a plant to confer glyphosate-resistance.

13 Claims, No Drawings

GLYPHOSATE-RESISTANT PLANTS

Matter enclosed in heavy brackets [] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue.

TECHNICAL FIELD

This invention relates to glyphosate-resistant transgenic plants and methods of making the same.

BACKGROUND

Glyphosate is a widely used component in herbicides. Glyphosate inhibits 5-enolpyruvyl-3-phosphoshikimic acid synthase (EPSP synthase, or EPSPS), which is involved in the synthesis of aromatic amino acids in plant cells. Inhibition of EPSPS effectively disrupts protein synthesis and thereby kills the affected plant cells. Because glyphosate is non-selective, it kills both weeds and crop plants. Accordingly, there is a need to produce transgenic crop plants that are resistant to glyphosate.

Recombinant DNA technology has been used to create mutant EPSP synthases that are glyphosate-resistant. These mutant EPSP synthases can be transformed into plants and confer glyphosate-resistance upon the transformed plants. Examples of mutant EPSP synthases and glyphosate-resistant transgenic plants are illustrated in U.S. Pat. Nos. 6,040,497 and 5,554,798, 5,310,667 and WO 00/66748.

Current plant transformation technology employs chimeric expression vectors. These vectors include regulatory sequences, such as enhancers or promoters, that are heterologous to the EPSPS genes. For instance, WO 00/66748 fuses enhancers from CaMV 35S, FMV 35S, rice actin 1, rice GOS2, maize polyubiquitin, or barley plastocyanin genes to a glyphosate-resistant EPSPS coding sequence in order to enhance the expression of the glyphosate-resistant EPSPS in transformed plant cells.

No one has used a complete expression cassette of the EPSP synthase gene isolated from the genome of a donor plant and mutated to give glyphosate resistance. In one embodiment of the present invention, the expression cassette of the EPSP synthase gene consists of a native EPSPS 5' regulator sequence, a coding sequence (with or without introns) encoding a glyphosate-resistant EPSPS which includes a native transit peptide, and a native EPSPS 3' regulatory sequence (such as an EPSPS transcriptional terminator). The fact that such an expression cassette is sufficient to provide glyphosate resistance is surprising. Moreover, the use of the native EPSPS 5' and/or 3' regulatory sequences simplifies the process of constructing expression vectors suitable for plant transformation.

Suitable sources of EPSP synthase genes include dicotyledonous plants, such as *Arabidopsis thaliana*, and monocotyledonous plants, such as *Zea mays*, *Arabidopsis thaliana* has two EPSP synthase genes (epm1 and epm2). The present invention includes use of one or both of mutated epm1 and epm2 to confer resistance to glyphosate. Mutated EPSP synthase genes from *Zea mays* or other plants can also be used for transforming plant cells to make glyphosate-resistant plants.

SUMMARY OF THE INVENTION

In accordance with one aspect of the present invention, a DNA fragment which comprises an EPSPS 5' regulatory

sequence and a glyphosate-resistant EPSPS coding sequence (including a chloroplast transit peptide coding sequence) is introduced into regenerable plant cells. The DNA fragment does not contain a non-EPSPS enhancer. Cells are selected for stable transformation. The selected cells are then used to regenerate glyphosate-resistant, transgenic plants.

In one embodiment, the DNA fragment used for transformation comprises a modified plant genomic sequence. The unmodified plant genomic sequence comprises at least part of an EPSPS gene, and includes an EPSPS 5' regulatory sequence and a glyphosate-sensitive EPSPS coding sequence (including a chloroplast transit peptide coding sequence). The glyphosate-sensitive EPSPS coding sequence is modified to make the encoded EPSPS glyphosate-resistant. The DNA fragment comprising the modified plant genomic sequence is stably transformed into plant cells, from which glyphosate-resistant plants are regenerated.

In a preferred embodiment, the DNA fragment used for transformation comprises SEQ ID NO: 2. In another preferred embodiment, the DNA fragment used for transformation comprises SEQ ID NO: 4. In yet another preferred embodiment, the DNA fragment comprises SEQ ID NO: 6. In a further preferred embodiment, any two sequences selected from SEQ ID. NO: 2, SEQ ID NO: 4, and SEQ ID NO: 6 are used to transform plant cells. In one embodiment, the transgenic plant comprises transformed SEQ ID. NO: 2 and SEQ ID NO: 4.

Other features, objects, and advantages of the present invention are apparent in the detailed description that follows. It should be understood, however, that the detailed description, while indicating preferred embodiments of the invention, are given by way of illustration only, not limitation. Various changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from the detailed description.

DETAILED DESCRIPTION

This invention relates to methods of making glyphosate-resistant plants. In accordance with one aspect of the invention, a DNA fragment is introduced into regenerable, glyphosate-sensitive recipient plant cells. The DNA fragment comprises an EPSPS 5' regulatory sequence, and a coding sequence encoding a glyphosate-resistant EPSPS. The EPSPS 5' regulatory sequence is operably linked to the EPSPS coding sequence. The glyphosate-resistant EPSPS includes a chloroplast transit peptide. The DNA fragment does not contain a non-EPSPS enhancer. The recipient plant cells are selected for glyphosate-resistance and stable transformation. The cells thus selected can be used to regenerate glyphosate-resistant plants. As used herein, a "DNA fragment" may be either linear or circular. Preferably, the DNA fragment used for transformation is a linear DNA fragment. A "coding sequence" encoding an EPSPS refers to a nucleic acid sequence transcription and translation of which produce a functional EPSPS. The boundaries of the coding sequence are generally determined by a translation start codon at its 5' end and a translation stop codon at its 3' end. A coding sequence of EPSPS may be a cDNA, or a plant genomic sequence which consists of all of the exons and introns of an EPSPS gene. An EPSPS gene refers to the plant genomic

sequence which includes the EPSPS 5' regulatory sequence, the EPSPS coding sequence (including the sequence encoding the chloroplast transit peptide), and the EPSPS 3' regulatory sequence (such as an EPSPS transcriptional terminator). A "plant genomic sequence" refers to a nucleotide sequence found in the genome of the plant.

A chloroplast transit peptide functions post-translationally to direct a polypeptide to chloroplast. Either endogenous or heterologous chloroplast peptides can be used in the present invention. As used herein, "heterologous" means derived from a different source, and "endogenous" means derived from the same source. In a preferred embodiment, the endogenous transit peptide encoded by a native EPSPS gene is used.

As used herein, an EPSPS 5' regulatory sequence refers to a nucleotide sequence located upstream (5') to the start codon of the EPSPS coding sequence in an EPSPS gene in a plant or plant cell which has not been subject to genetic engineering. The 5' regulatory sequence generally includes an EPSPS promoter which directs the transcription of the EPSPS gene. Preferably, the EPSPS 5' regulatory sequence comprises one or more EPSPS enhancers operably linked to the promoter. In one embodiment, the 5' regulatory sequence comprises at least 200 bp. Preferably, the 5' regulatory sequence comprises at least 400, 600, 800, 1000, 1,200 or 1,800 bp.

An EPSPS 3' regulatory sequence refers to a nucleotide sequence located downstream (3') to the stop codon of the EPSPS coding sequence in an EPSPS gene in a plant or plant cell which has not been subject to genetic engineering. The 3' regulatory sequence generally includes a transcription terminator which controls the termination of the transcription of the EPSPS gene.

"Operably linked" refers to a juxtaposition of genetic elements, wherein the elements are in a relationship permitting them to operate in the expected manner. For instance, a 5' regulatory sequence is operably linked to a coding sequence if the 5' regulatory sequence functions to initiate transcription of the coding sequence.

Preferably, the DNA fragment used for transformation does not include a non-EPSPS enhancer. As used in the present invention, a "non-EPSPS enhancer" refers to an enhancer which is not used by an EPSPS gene in a plant or plant cell which has not been subject to genetic engineering. Non-EPSPS enhancers include, but are not limited to, enhancers that are associated with CaMV 35S, FMV 35S, rice actin 1, rice GOS2, maize polyubiquitin, or barley plastocyanin genes.

As used herein, a "glyphosate-resistant" cell or plant refers to a cell or plant that can survive or continue to grow in the presence of certain concentrations of glyphosate that typically kill or inhibit the growth of other cells or plants. Growth includes, for instance, photosynthesis, increased rooting, increased height, increased mass, or development of new leaves. In one embodiment, a glyphosate-resistant cell can grow and divide on a culture medium containing 50 mg/l or more glyphosate. Preferably, a glyphosate-resistant cell can grow and divide on a culture medium containing 100 mg/l or more glyphosate, such as 200 mg/l, 300 mg/l or 400 mg/l glyphosate. More preferably, a glyphosate-resistant cell

can grow and divide on a culture medium containing 500 mg/l or more glyphosate, such as 600 mg/l. For purposes of the present invention, the term "glyphosate" includes any herbicidally effective form of N-phosphonomethylglycine (including any salt thereof) and other forms which result in the production of the glyphosate anion in plants.

Regenerable glyphosate-resistant plant cells may be used to regenerate glyphosate-resistant plants. In one embodiment, the glyphosate-resistant plant thus regenerated can survive or continue to grow after being sprayed with glyphosate at a rate of 25 g/ha (grams per hectare) or more. Preferably, the glyphosate-resistant plant thus regenerated can survive or continue to grow after being sprayed with glyphosate at a rate of 50 g/ha or more, such as 100 g/ha, 200 g/ha, 400 g/ha, or 800 g/ha. More preferably, the glyphosate-resistant plant thus regenerated can survive or continue to grow after being sprayed with glyphosate at a rate of 1000 g/ha or more, such as 2000 g/ha and 3000 g/ha. The spray may preferably be carried out at or after the growth stage of v2, such as v3, v4, v5 or later stages. In another embodiment, the regenerated glyphosate-resistant plant can tolerate the spray of glyphosate at between 0.1 M and 0.4 M.

As used herein, a "glyphosate-resistant" EPSPS refers to an EPSPS the expression of which in a plant cell confers glyphosate resistance upon the plant cell. An EPSPS is "glyphosate-sensitive" if it does not confer glyphosate-resistance when being expressed in plant cells.

A variety of EPSPS mutations have been known to be glyphosate-resistant and capable of conferring glyphosate resistance upon transformed plants. For instance, EPSPS of *Zea mays* (GenBank Accession No. X63374) can be mutated at amino acid residues 102 (substitution of He for Thr) and 106 (substitution of Ser for Pro). EPSPS encoded by *epm1* gene of *Arabidopsis thaliana* can be mutated at amino acid residues 179 (substitution of He for Thr) and 183 (substitution of Ser for Pro). EPSPS encoded by *epm2* gene of *Arabidopsis thaliana* can be mutated at amino acid residues 177 (substitution of He for Thr) and 182 (substitution of Ser for Pro). These mutated EPSPSs are glyphosate-resistant and capable of conferring glyphosate resistance upon transformed plants. Other mutated or modified EPSPSs, such as those described in U.S. Pat. Nos. 5,310, 667, 5,866,775, 6,225,114, and 6,248,876, or natural EPSPS variants showing glyphosate-resistance, can be used in the present invention. In addition, bacteria-derived, glyphosate-resistant EPSPSs, after fusion with a chloroplast transit peptide, can also be used.

The DNA fragment comprising the EPSPS 5' regulatory sequence and the glyphosate-resistant EPSPS coding sequence can be stably transformed into a regenerable plant cell. As used herein, stable transformation refers to integration of the DNA fragment into the genome of the transformed plant cell.

In one embodiment, the EPSPS 5' regulatory sequence in the DNA fragment used for transformation comprises an EPSPS enhancer and an EPSPS promoter. In another embodiment, the DNA fragment used for transformation further comprises an EPSPS 3' regulatory sequence, such as an EPSPS transcriptional terminator, which is operably linked to the coding sequence encoding the glyphosate-resistant EPSPS.

5

In yet another embodiment, the DNA fragment used for transformation comprises a modified plant genomic sequence that encodes a glyphosate-resistant EPSPS. Without modification, the plant genomic sequence encodes a glyphosate-sensitive EPSPS. Modifications that are capable of converting a glyphosate-sensitive EPSPS to a glyphosate-resistant EPSPS are known in the art.

In a preferred embodiment, the DNA fragment used for transformation is modified from a plant genomic sequence. Before modification, the plant genomic sequence comprises an EPSPS regulatory sequence, a coding sequence encoding a glyphosate-sensitive EPSPS which includes a chloroplast transit peptide, and preferably an EPSPS 3' regulatory sequence, such as an EPSPS transcriptional terminator. The genomic sequence may be obtained by fragmenting the genome of a plant of interest, or isolated from bacterial artificial chromosome clones. Other methods for obtaining genomic sequences can also be used, such as PCR or DNA synthesis.

The EPSPS-coding sequence in this plant genomic sequence is then subject to nucleotide modification(s) to render the encoded EPSPS glyphosate resistant. Suitable modifications for this purpose, such as nucleotide substitutions, are well known in the art. The DNA fragment comprising the genomic sequence thus modified can be stably transformed into glyphosate-sensitive recipient plant cells. These transformed plant cells are selected for glyphosate resistance and then used to regenerate glyphosate-resistant plants.

The recipient plant cells are regenerable. They can be derived from immature embryos or meristematic tissues which contain cells that have not yet terminally differentiated. Juvenile leaf basal regions, immature tassels and gametic cells can be used to provide regenerable recipient cells for *Zea mays*. The preferred source of recipient cells for soybean includes the immature cotyledon.

In another preferred embodiment, two or more DNA fragments can be stably transformed into a recipient plant cell. Each of these DNA fragments includes an EPSPS 5' regulatory sequence, a coding sequence encoding a glyphosate-resistant EPSPS which contains a chloroplast transit peptide, and preferably an EPSPS 3' regulatory sequence (such as an EPSPS transcriptional terminator). These DNA fragments can be modified plant genomic sequences. They can be derived from the same or different plant species. They can be derived from the same EPSPS gene, or from different EPSPS genes of the same plant species, such as *emp1* and *emp2* of *Arabidopsis thaliana*.

Transformation of plant cells can be carried out using various methods. These methods include, but are not limited to, *Agrobacterium tumefaciens* mediated DNA transfer, PEG or liposome mediated DNA transfer, electroporation, microinjection, microprojectile or particle bombardment, receptor-mediated DNA transfer, and viral or other vector mediated DNA transfer. Preferably, transformation is carried out using aerosol beam injection as described in U.S. patent application Ser. No. 09/450,226, which is incorporated herein by reference.

Selection for stably transformed plant cells can be performed using methods as appreciated by one of ordinary skill in the art. For instance, the transformed cells can be

6

grown and selected on media containing glyphosate. Preferably, the introduced DNA fragment is stably transformed and integrated into a chromosome of the transformed plant cell. A variety of assays can be used to confirm stable transformation. Suitable assays include molecular biological assays, such as Southern and Northern Blotting and PCR, or biochemical assays, such as ELISA and Western Blot. In addition, plant part assays, such as leaf and root assays, or analysis of the phenotype of the whole regenerated plant, can be used to confirm stable transformation.

Plants can be regenerated from the selected, stably transformed cells. Progeny can be recovered from the regenerated plants and tested for glyphosate resistance. Seeds or other parts of the regenerated transgenic plants can also be obtained. In one embodiment, glyphosate-resistant plants are made by crossing.

Both monocotyledonous and dicotyledonous plants can be transformed using the methods of the present invention. The glyphosate-resistant EPSPS coding sequence can be derived from either monocotyledonous or dicotyledonous plants. The representative monocotyledonous and dicotyledonous plants used in the present invention include, but are not limited to, *Oryza sativa*, *Zea mays*, *Hordeum vulgare*, *Triticum aestivum*, *Avena sativa*, turf grasses including species of the genera *Poa*, *Festuca*, *Lolium*, *Zoysia*, and *Cynodon* among others, *Glycine max*, *Gossypium hirsutum*, *Lycopersicon esculentum*, *Solanum tuberosum*, *Phaseolus* species, *Beta vulgaris*, and *Brassica* species.

Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. Generally, the nomenclature used herein and the laboratory procedures in cell culture and molecular genetics described herein are those well known and commonly employed in the art. Standard techniques can be used for recombinant nucleic acid methods, polynucleotide synthesis, plant cell culture, cell culture, tissue culture, and plant transformation and regeneration. Generally, enzymatic reactions and purification and/or isolation steps are performed according to the manufacturers' specifications. The techniques and procedures are generally performed according to conventional methodology disclosed, for example, in *Molecular Cloning A Laboratory Manual*, 2d ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989), and *Current Protocols in Molecular Biology* (John Wiley & Sons, Baltimore, Md., 1989).

It should be understood that the above-described embodiments and the following examples are given by way of illustration, not limitation. Various changes and modifications within the spirit and scope of the present invention will become apparent to those skilled in the art from the present description.

EXAMPLE 1

Preparation and Mutation of *Arabidopsis* Genomic Fragments Containing EPSPS Genes

Two bacterial artificial chromosome (BAC) clones, F27K7 and F4L23, were obtained from the *Arabidopsis* Biological Resource Center, DNA Stock Center, at the Ohio State University. F27K7 and F4L23 contain the EPSPS

genes found on chromosome 1 and 2 of *Arabidopsis thaliana*, respectively. The F27K7 clone was digested using Sac II and Bam HI restriction enzymes to produce a 4.7 kb fragment, the sequence of which is shown as SEQ ID NO: 1. The 4.7 kb fragment comprises the complete EPSPS gene (epm1) found on chromosome which includes an EPSPS 5' regulatory sequence (the sequence before nucleotide residue 1290), an EPSPS coding sequence (from nucleotide residue 1290 to nucleotide residue 3729), and an EPSPS 3', regulatory sequence (the sequence after nucleotide residue 3729). The EPSPS coding sequence also encodes a chloroplast transit peptide (from nucleotide residue 1290 to nucleotide residue 1612). The sequence encoding this chloroplast transit peptide can be predicted using the computer program PSORT maintained on the public accessible GenomeNet at Kyoto University, Japan.

The 4.7 kb fragment was cloned into a pbluescript II vector (Stratagene), and two nucleotide substitutions were introduced into the EPSPS coding sequence using QuikChange® Site-Directed Mutagenesis Kit (Stratagene) according to the instructions of the manufacturer. The two nucleotide substitutions are a cytosine to thymine substitution at nucleotide 2007 and a cytosine to thymine substitution at nucleotide 2018. The mutated sequence is shown as SEQ ID NO: 2. The mutated sequence encodes a glyphosate-resistant EPSPS which has, as compared to the EPSPS encoded by SEQ ID NO: 1, a Thr to Ile mutation at amino acid 179 and a Pro to Ser mutation at amino acid 183. The amino acid sequence of the glyphosate-resistant EPSPS is shown as SEQ ID NO: 7. The pbluescript II vector containing SEQ ID NO: 2 is referred to as epm1 vector.

The BAC F4L23 clone was digested using Eco RI restriction enzyme to produce a 5.2 kb fragment, the sequence of which is shown as SEQ ID NO: 3. The 5.2 kb fragment comprises the complete EPSPS gene (epm2) from chromosome 2, which includes an EPSPS 5' regulatory sequence (the sequence before nucleotide 1515), and EPSPS coding sequence (from nucleotide 1515 to nucleotide 3872), and an EPSPS 3' regulatory sequence (the sequence after nucleotide 3872). The EPSPS coding sequence also encodes a chloroplast transit peptide (from nucleotide 1515 to nucleotide 1665). The sequence encoding this chloroplast transit peptide can be predicted using the computer program PSORT maintained on the public accessible GenomeNet at Kyoto University, Japan.

The 5.2 kb fragment was cloned into a pbluescript II vector, and then subject to site-directed mutagenesis using QuikChange® Site-Directed Mutagenesis Kit (Stratagene). SEQ ID NO: 4 shows the mutated sequence which has two nucleotide substitutions in the EPSPS coding sequence as compared to SEQ ID NO: 3. The two substitutions are a cytosine to thymine substitution at nucleotide 2134 and a cytosine to thymine substitution at nucleotide 2145. The mutated sequence encodes a glyphosate-resistant EPSPS which has, as compared to the EPSPS encoded by SEQ ID NO: 3, a Thr to Ile mutation at amino acid 178 and a Pro to Ser mutation at amino acid 182. The amino acid sequence of the (*putative*) glyphosate-resistant EPSPS is shown as SEQ ID: 8. The pbluescript II vector containing SEQ ID NO: 4 is referred to as epm2 vector.

EXAMPLE 2

Transformation of Soybean

The Bam HI/Sac II fragment (SEQ ID NO: 2) of epm1 vector and the Eco RI fragment (SEQ ID NO: 4) of epm2

vector were used to transform soybean embryogenic callus using an aerosol beam injector as described in U.S. patent application Ser. No. 09/450,226, which is incorporated herein by reference. These fragments comprised mutant epm1 and mutant epm2 which encode (*putative*) glyphosate-resistant EPSPSs. These fragments were used either alone or, preferably, together.

The transformed tissue [was] is selected for glyphosate resistance using the method described below. First, the beamed embryogenic callus [was] is maintained for one month on B1-30 3Co5My0.01PA medium. Table 1 shows the composition of B1-30 3Co5My0.01PA medium.

TABLE 1

| Ingredients in 1 liter B1-30 3Co5My0.10PA Medium (pH 5.8) | |
|---|---------|
| MS Salts* | 4.43 g |
| NaEDTA | 37.3 mg |
| 2,4 dichlorophenoxyacetic acid | 30 mg |
| Phytagar | 8 g |
| Coconut water | 30 ml |
| Myo-inositol | 5 g |
| Phytic acid | 10 mg |

*Sigma Plant Culture catalogue, reference M5519

The tissue [was] is then transferred to the same medium but now containing 300 mg/l glyphosate. After a number of passages (up to 5 passages, each passage may last for about a month) on this latter medium, resistant clonal material may be identified. After an optional further few passages on B1-30 3Co5My0.01PA medium but containing 500 mg/l glyphosate, the growing tissue [was] is transferred to a regeneration media as described in U.S. patent Ser. No. 09/450,226. Regenerated plants [were] are transferred to pots in a greenhouse. These plants and their progenies [were] are sprayed with glyphosate at commercial rates, and complete resistance to glyphosate [was] is expected to be observed. Progenies [segregated] are expected to segregate 3:1 for glyphosate resistance as would be expected for Mendelian inheritance of a transgene.

Preferably, both mutant epm1 (such as SEQ ID NO: 2) and mutant epm2 (such as SEQ ID NO: 4) are stably transformed into a plant cell, from which glyphosate-resistant plants can be regenerated.

EXAMPLE 3

Preparation and Mutation of Corn Genomic Fragments Containing EPSPS Gene

A corn (B 73) BAC library was screened with a probe containing a sequence of a corn EPSPS gene published in Genbank accession number X63374 by Incyte Genomics Inc. Four BAC clones were identified. Southern blot analysis indicated that all four clones contained the same EPSPS gene. One BAC clone was further characterized by nucleotide sequencing which resulted in identification of a 6.0 kb genomic fragment flanked by unique Cla I and Eco RV sites. The sequence of the 6.0 kb fragment was shown as SEQ ID NO: 5. The 6.0 kb fragment includes an EPSPS 5' regulatory sequence (the sequence before nucleotide 1868), an EPSPS coding sequence (from nucleotide 1868 to nucleotide 5146), and an EPSPS 3', regulatory sequence (the sequence after nucleotide 5146). The EPSPS coding sequence also encodes a chloroplast transit peptide (from nucleotide 1868 to nucleotide 2041). The sequence encoding this chloroplast transit peptide can be predicted using the computer program PSORT maintained on the public accessible GenomeNet at Kyoto University, Japan.

The 6.0 kb fragment was cloned into the Cla I and Eco RV sites of a pBluescript vector, and then subject to site directed mutagenesis using QuikChange Site-Directed Mutagenesis Kit (Stratagene). Two mutations were introduced into the EPSPS coding sequence: the first mutation being a cytosine to thymine substitution at nucleotide 2886 and the second mutation being a cytosine to thymine substitution at nucleotide 2897. The mutated sequence is shown as SEQ ID NO: 6. The mutations changed the encoded amino acid residue Thr to Ile at position 164 and Pro to Ser at position 168. This mutated EPSPS amino acid sequence is shown as SEQ ID NO: 9. The mutated EPSPS is glyphosate-resistant. The pBluescript vector comprising SEQ ID NO: 6 is referred to as HCEM.

The beamed embryos were then transferred to DN62A100RR a medium containing 100 mg/l glyphosate. Table 3 lists the composition of DN62A100RR and other media. After two 14-day passages on DN62A100RR, actively growing tissue [was] is transferred to DN62A300RR medium which contains 300 mg/l (Table 3). After two 14-day passages on this medium, tissue was finally transferred to DN62540RR medium which contains 540 mg/l glyphosate (Table 3). Stable transformation allowed continued growth on 540 mg/l glyphosate. Regeneration [was] is carried out as described in U.S. patent application Ser. No. 09/450,226.

TABLE 3

| Ingredients in 1 liter Culture Medium (pH 5.8) | | | | |
|--|-------------|---------------|-------------|-----------|
| | DN62A100R R | DN62ALC180R R | DN62A300R R | DN62540RR |
| N6 Salts* | 3.98 g | 3.98 g | 3.98 g | 3.98 g |
| N6 Vitamins | 1 ml | 1 ml | 1 ml | 1 ml |
| Asparagine | 800 mg | 800 mg | 800 mg | 800 mg |
| Myoinositol | 100 mg | 100 mg | 100 mg | 100 mg |
| Proline | 1400 mg | 1400 mg | 1400 mg | 1400 mg |
| Casamino acids | 100 mg | 100 mg | 100 mg | 100 mg |
| 2,4 dichlorophenoxyacetic acid | 1 mg | 1 mg | 1 mg | 1 mg |
| Sucrose | 20 g | 20 g | 20 g | 20 g |
| Silver nitrate | 10 mg | 10 mg | 10 mg | |
| Glyphosate | 100 mg | 180 mg | 300 mg | 540 mg |
| Cefotaxime | 0 mg | 50 mg | 0 mg | 0 mg |

*Sigma Plant Culture catalogue, reference C1416

EXAMPLE 4

Transformation of Corn

The Cla I and Eco RV fragment (SEQ ID NO: 6) of HCEM was introduced into cultured immature corn embryos using an aerosol beam injector according to U.S. patent application Ser. No. 09/450,226. The Cla I-Eco RV fragment comprised the glyphosate-resistant EPSPS coding sequence.

Selection was carried out as follows: the beamed embryos were allowed to remain on DN62A0S20G medium for 5 days. Table 2 shows the composition of DN62A0S20G medium.

TABLE 2

| Ingredients in 1 liter Culture Medium (pH 5.8) | | |
|--|------------|--------------|
| | DN62A0S20G | DN62A0S20GLC |
| N6 Salts* | 3.98 g | 3.98 g |
| N6 Vitamins | 1 ml | 1 ml |
| Asparagine | 800 mg | 800 mg |
| Myoinositol | 100 g | 100 g |
| Proline | 1400 mg | 1400 mg |
| Casamino acids | 100 mg | 100 mg |
| 2,4 dichlorophenoxyacetic acid | 1 mg | 1 mg |
| Glucose | 20 g | 20 g |
| Silver nitrate | 10 mg | 10 mg |
| Cefotaxime | 0 mg | 50 mg |

*Sigma Plant Culture catalogue, reference C1416

35

Transformation can also be accomplished using Agrobacterium-mediated DNA delivery. In this case, the transformation and regeneration [were] are performed according to the methods as described in U.S. patent application Ser. No. 09/203,679, which is herein incorporated by reference. Briefly, after culturing on DN62A0S20GLC (Table 2) for five days, co-cultivated embryos [were] are transferred to DN62ALC180RR medium which contains 180 mg/l glyphosate (Table 3). After two 14-day passages on this medium, actively growing tissue [was] is transferred to DN62540RR medium containing 540 mg/l glyphosate (Table 3). Stable transformation [allowed] will allow continued growth on 540 mg/l glyphosate. Regeneration [was] is carried out as described in U.S. Ser. No. 09/203,679.

55

Resistance to glyphosate in regenerants [was] is confirmed by spraying them with glyphosate at commercial rates. Seed from the regenerants [segregated] is expected to segregate 3:1 for resistance as would be expected with Mendelian inheritance of a transgene. Seeds from backcrossed individuals [segregated] are expected to segregate 1:1. Corn transformation may also be accomplished by other means including, for example, particle bombardment or electroporation of competent cells.

65

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 9

<210> SEQ ID NO 1

<211> LENGTH: 4706

<212> TYPE: DNA

<213> ORGANISM: *Arabidopsis thaliana*

<400> SEQUENCE: 1

```

ccgcgggtggc ggcttgact caaccgaaa caaaagtgtc gaaagtagcc ggtgatgatg    60
aagaatcacg gcgcttatg agaaaaaac agagctctgg gagattgtct cgctcctgtc    120
gtgttaccgc cacgtggccg gaggagaagc tccttatgaa tgtaggaagt tacgatagta    180
accttcccg cggcgagttt gatcttgccg aggcgtggag actggtgatc gtgaccgtga    240
gcttgatgg gatgattagg acattccata actatggact gccacgtaca ttttagagat    300
cgataatcta tttttgtttt aataggaga aaacaaaaat tgattttttg tttggttttt    360
gttttggtgt ctaaataat gtagatttct tagtttctag tccttcgctt ccaagttcct    420
cgatggctca atgccaattt agtcagataa gattatgctg caactgctag agcgactctc    480
tcctacttca ttttagtcca tactagtcca ttttatctcc aagaaatga ctccgttttg    540
cttcaaaagc caaagatgat tcttttttta atgggcccctc ttgaaaaatg ggtaaaatct    600
tggctctttt acagatagca aacatataca aattatggag aaaacaggat tatattgatg    660
cagcttcggt gtagacagac ttgtagctgt tttcttcatt ttcccattcc tctgctaaat    720
tattaaatcc aacaaaaaca aattttcttc tgttgcttga taaaatctat gtggaatctc    780
tatatctaca cactactgaa gaccaagaag taaacattag tttgcctgat cttcacctac    840
ctcaaacgag aagtagaagt ttttatggtg acttttgtat ttagagaaac aatgggatc    900
cagtttaagt tggtctttt taactttgct aacatagccc tgaaagtgga agacaagaac    960
ttggtttaag aaacctcaag cgattgcat tttgggtcct aagcttgaaa aaagtgttgt    1020
atggaacaaa caaactaaca tatcggaaca agcttgctt tggttttaa gctgatagat    1080
aatggtcgaa ccataaccg tatggcccaa gatgtcatg ttttttaaaa ctccacaaag    1140
ctatatcact aaccacaca ttctgcaga aggttttaga atcacaagc ataactcacc    1200
taccctaaa ccaactccaa tttctctct cctctattaa atctttctca atcatcttc    1260
tttgagtctt ttgccttga atcctgatca tggcgtcttc tctcacttcc aaatccatc    1320
tcggatgcac caaacccgct tcttctctt ttcttccgct ggagctccgt cgtctctct    1380
ctcccgccgt tcagatctct ctccattcac aaaccaggaa gaacttccgt gagttctctg    1440
attcttttca aaatttttag atttgaagc tgtatctagc ttaaagaaga aagatgtgtg    1500
atttgaatct ctagggcagt cgtggggatt gaagaagagt gatctgatgc taaatggtc    1560
tgagattcgt cctgtgaagg ttagggcttc tgtttccacg gcggagaaag cttcgagat    1620
tgtgttcaa cccattagag aaatctggg tctcattaag cttcctggt ccaagtctct    1680
ctctaactga attctgctc tcgctgctc atctgaggta tatataaatg taccacttca    1740
tttctctct ctctgactc cgaattttag ttattaaaga tataaacttt accattttgc    1800
tgtgttata tagggaacta ctgtagtggg caacttgtg aacagtgatg acatcaatta    1860
catgcttgat gcgttgaaga tattgggact taatgtggaa actcacagtg aaaacaatcg    1920
tgctgtagtt gaaggatgtg gcggggatt tccagcttcc attgattcca agagtgatat    1980
cgaactttac ctggcaatg caggaacagc aatgcgtcca cttaccgccg cagttactgc    2040

```

-continued

| | | | | | | |
|-------------|-------------|-------------|------------|-------------|-------------|------|
| tgcagggtg | aacgcaaggt | atattgaagg | agtaaagtct | gaatagtttt | gatttcttaa | 2100 |
| gaatcgatct | tgttttgatg | cttttcaatc | ggtttatctc | agttatgtcc | ttgatgggg | 2160 |
| gcctcggatg | agagagagac | ctatagggga | tttggttgtt | ggtcttaagc | agcttgggtc | 2220 |
| tgatggtgaa | tgtaactctg | gcactaactg | cctcctctgt | cgtgtcaacg | ctaatgggtg | 2280 |
| ccttcctggt | gaaagggtga | gatcttgcaa | atggcatgtg | aatttataac | tttataaaca | 2340 |
| cttcgagcaa | tttgtgttca | tcatagcctt | acttgacaag | atttcatttt | ttttgtttgt | 2400 |
| tgtaaatgta | ttgttctgta | aaacgaattg | ttttttttta | gtagggatta | gttttctctc | 2460 |
| ttgattacc | tttctctgt | atggtttctt | tattgacgca | tcgaacattt | tttgcatttg | 2520 |
| cagggtgaagc | tttctggatc | tattagtagt | cagtacttga | ccgctctgct | catggcagct | 2580 |
| cccttagctc | ttggagagct | cgaaattgaa | attgtcgata | aattgatttc | tgttccgtat | 2640 |
| gttgaatga | cattgaagtt | gatggaactg | tttggggtaa | gtgctgagca | tagtgaagc | 2700 |
| tgggatcgtt | tctttgttaa | gggtgggcaa | aaatacaagt | aagagttatt | attctcttcc | 2760 |
| ttttctgaaa | tcacatacct | tagattgaca | aaataatgac | taatatggga | aatgattcag | 2820 |
| gtcgcgggt | aatgcttacg | tagaagggtga | tgcttctagt | gctagttatt | tctggctgg | 2880 |
| tgctgcatt | accggtgaaa | ctgtcactgt | tgaaggttgt | ggaacgacca | gtttgcaggt | 2940 |
| aatatttga | cactgaatca | tcaaagaggc | tgtaagttt | atagtgaat | tcgtttaggt | 3000 |
| caaagtcca | tctttttaag | gctttgacaa | gttgatgta | acatattcgc | aagaatctaa | 3060 |
| gttcaatttt | tgtagaat | ctctagggag | atgtgaaatt | tgccgaggtt | cttgagaaaa | 3120 |
| tgggatgtaa | agtgtcctgg | acagagaaca | gtgtgactgt | gacagggccg | tctagagatg | 3180 |
| cttttggat | gagacacttg | cgggctattg | atgtcaacat | gaacaaaatg | cctgatgtag | 3240 |
| caatgactct | tgccgtcgtt | gctctctttg | ccgatggctc | aaccaccatt | agagatggta | 3300 |
| agtaaaaagc | tctctcttat | aatataaggt | ttctcaagat | tcatggtcac | ttaattctat | 3360 |
| ttggtcaata | tagtggtctag | ctggagagta | aaggagacgg | aaaggatgat | tgccatttgc | 3420 |
| acagagctta | gaaaagtaaa | attcttcttc | tctctctctc | tttctgttta | cagtgtctcat | 3480 |
| tctaagaaat | tttgcggtat | ttgtgtccag | ctgggagcta | cagtgaaga | aggttcagat | 3540 |
| tattgtgtga | ttactccgcc | gaaaagggtg | aaaccggcag | agattgatac | atatgatgat | 3600 |
| catagaatgg | caatggcatt | ctctcttgca | gcttgtgctg | atgttccaat | caccatcaat | 3660 |
| gaccccggtt | gcaccaggaa | aaccttcccc | gactacttcc | aagtccttga | aagaatcaca | 3720 |
| aagcattaaa | caaaaaaact | ctaaaatctc | cactgttttt | tctctctgatc | caagcttatc | 3780 |
| tgtttcatt | tttctgtct | ctgtaacatt | attagaaagc | aagagttagt | ttgtttgtg | 3840 |
| tgtaacctgaa | ctgagtgaga | tttgagatgc | aatcattgaa | tcggctttgg | tatatcattt | 3900 |
| tactctgttt | ttcagggtgt | ttgttcaggt | tctctctagt | tatcatccac | tccaaacag | 3960 |
| tcccatgatg | tctaactgtt | tggttctaa | aatgaacaga | acaacaata | cactgcgata | 4020 |
| accggtgctt | ggaagtgtg | ttaattgaag | aaacaatggc | aatagctgca | tacttatagt | 4080 |
| tgaggagtg | aaaaatgaga | taagaggaat | gcaaatatgc | aattgcaggt | tctatttttt | 4140 |
| ttttgctgcc | aatgttatta | ccaaaagggc | tacaagtgag | tattctccaa | gcttgatga | 4200 |
| ggttattcag | ggtaataggg | tatcaagtta | gtaataagag | tcagagatac | catgaaagga | 4260 |
| ttccaagtty | tagtaagaac | aactcaaatt | caaagtgaag | ttttgtgagt | tgtgtaattg | 4320 |
| tggtggagtt | ttgcacaaat | gagaagactc | ttatagaaac | agaggggttg | aagaagaagc | 4380 |
| gatatttgcc | catctcactt | gaaaacacta | accggagata | aaccaaatta | attggaacta | 4440 |

-continued

```

ttctcagtta tggtttggtc ctcgtcgttt tgggttagtg ttgttgtag gtggagaatt 4500
ttgcatttgc atttgacaaa cgaagaagaa gaccacaaga gccatttgc attaggcata 4560
atatatgtcc taactcacca acccctcaa aattgccacc aacttcaaat ttctctcctt 4620
taaaccttcc tcaatcatct ttctctgcc ttggaatcct gatcatggcg tegtcttctc 4680
tcacttcgaa atccattctc ggatcc 4706

```

```

<210> SEQ ID NO 2
<211> LENGTH: 4706
<212> TYPE: DNA
<213> ORGANISM: Arabidopsis thaliana
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2007)..(2007)
<223> OTHER INFORMATION: substituting thymine for cytosine at position
2007 as compared to SEQ ID NO: 1
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2018)..(2018)
<223> OTHER INFORMATION: substituting thymine for cytosine at position
2018 as compared to SEQ ID NO: 1

```

```

<400> SEQUENCE: 2

```

```

ccgcggtggc ggcttgact caaccgaaa caaaagtgc gaaagtagcc ggtgatgatg 60
aagaatcacg gcgcttatg agaaaaatac agagctctgg gagattgtct cgtcctgtc 120
gtgttaccgc cacgtggccg gaggagaagc tccttatgaa ttaggaagt tacgatagta 180
accttcccg cggcgagttt gatcttgcg aggcgtggag actggtgatc gtgaccgtga 240
gcttgtagg gatgattag acattccata actatggact gccacgtaca ttttagagat 300
cgataatcta tttttgtttt aaataggaga aaacaaaaat tgattttttg tttggttttt 360
gttttggtgt ctaaataat gtagatttct tagtttctag tccttcgctt ccaagttcct 420
cgatggctca atgccaattt agtcagataa gattatgctg caactgctag agcgactctc 480
tcctacttca ttttagtcca tactagtcca ttttatctcc aagaaaatga ctcggtttg 540
cttcaaaact caaagatgat tcttttttta atgggcccctc ttgaaaaatg ggtaaaatct 600
tggctctttt acagatagca aacatataca aattatggag aaaacaggat tatattgatg 660
cagcttcgct gtagacagac ttgtagctgt tttcttcatt tcccattcc tctgctaaat 720
tattaaatcc aacaaaaaca aattttcttc tgttgcttga taaaatctat gtggaatata 780
tatatctaca cactactgaa gaccaagaag taaacattag tttgctgat cttcacctac 840
ctcaaacgag aagtagaagt ttttatgggt acttttgtat ttagagaaac aatgggattc 900
cagtttaagt tggctctttt taactttgct aacatagcc tgaaagtgga agacaagaac 960
ttggtttaag aaacctcaag cgattgcgat tttgggtcct aagcttgaaa aaagtgttgt 1020
atggaacaaa caaactaaca tatcggaaca agcttgctt tggttttaaa gctgatagat 1080
aatggtcgaa ccataaccgg tatggcccaa gatgttcctg ttttttaaaa ctcaccaaag 1140
ctatatact aaccacaca ttcttcgaga aggttttaga atcacaagc ataactcacc 1200
taccctaaa ccaactocaa tttctctct cctctattaa atctttctca atcatcttc 1260
tttgagtctt ttgccttggg atcctgatca tggcgtcttc tctcacttcc aaatccattc 1320
tcggatgcac caaacccgct tcttctctt ttcttccgct ggagctccgt cgtctctctt 1380
ctcccgccgt tcagatatct ctccattcac aaaccaggaa gaacttccgt gagttctctg 1440
attcttttca aaatttttag atttgaagcc tgtatctagc ttaaagaaga aagatgtgtg 1500
attdaatct ctagggcagt cgtggggatt gaagaagagt gatctgatgc taaatggttc 1560

```

-continued

| | |
|--|------|
| tgagattcgt cctgtgaagg ttagggcttc tgtttccacg gcgagaaaag cttcggagat | 1620 |
| tgtgcttcaa cccattagag aaatctcggg tctcattaag cttcctggct ccaagtctct | 1680 |
| ctctaatega attctgcttc tcgctgctct atctgaggta tataaaaatg tatcacttca | 1740 |
| tttcttcctt ctctgtactc cgaatttaga ttattaaaga tataaacttt accattttgc | 1800 |
| tgtgcttata tagggaacta ctgtagtgga caacttggtg aacagtgatg acatcaatta | 1860 |
| catgcttgat gcgttgaaga tattgggact taatgtggaa actcacagtg aaaacaatcg | 1920 |
| tgctgtagtt gaaggatgtg gcggggattt tccagcttc attgattcca agagtgatat | 1980 |
| cgaactttac ctcgcaatg caggaatagc aatgcgttca cttaccgccg cagttactgc | 2040 |
| tgcaagtggc aacgcaaggt atattgaagg agtaaatgct gaatagtttt gatttcttaa | 2100 |
| gaatcgatct tgttttgatg cttttcaatc ggtttatttc agttatgtcc ttgatggggt | 2160 |
| gcctcggatg agagagagac ctatagggga tttggttggt ggtcttaagc agcttgggtc | 2220 |
| tgatgttgaa tgtactcttg gcactaacg cctcctggt cgtgtcaacg ctaatgggtg | 2280 |
| cctcctggt gaaaaggtga gatctgcaa atggcatgtg aattataac tttataaaca | 2340 |
| cttgacgcaa tttgtgttca tcatagcctt acttgacaag attcatttt tttgtttgt | 2400 |
| tgcaatgta ttgttctga aaaagaaatg tttttttta gtagggatta gttttctctc | 2460 |
| ttgattacce ttttcttgt atggtttctt tattgacgca tcgaacattt ttgcatgtg | 2520 |
| caggtgaagc tttctggatc tattagtagt cagtacttga ccgctctgct catggcagct | 2580 |
| cccttagctc ttggagacgt cgaatgtgaa attgtcgata aattgatttc tgttccgtat | 2640 |
| ggtgaaatga cattgaagtt gatggaacgt tttggggtaa gtgctgagca tagtgaagc | 2700 |
| tgggatcgtt tctttgttaa ggggtgggcaa aaatacaagt aagagttatt attctcttc | 2760 |
| ttttctgaaa tcacatacct tagattgaca aaataatgac taatatggga aatgattcag | 2820 |
| gtcgcggggt aatgcttacg tagaaggtga tgcttctagt gctagttatt tctggctgg | 2880 |
| tgctgccatt accggtgaaa ctgtcactgt tgaaggtgtg ggaacgacca gtttgacggt | 2940 |
| aatatttgta cactgaatca tcaaagagc tgtaagttt atagtgaat tcttttaggt | 3000 |
| caaaagttca tctttttaag gctttgacaa gttgtatgta acatattgc aagaatctaa | 3060 |
| gttcaatttt tgtgatgaat ctctagggag atgtgaaatt tgccgaggtt cttgagaaaa | 3120 |
| tgggatgtaa agtgtcctgg acagagaaca gtgtgactgt gacagggccg tctagagatg | 3180 |
| cttttggaat gagacacttg cgggctattg atgtcaacat gaacaaaatg cctgatgtag | 3240 |
| caatgactct tgccgtcgtt gctctcttg cogatggtcc aaccaccatt agagatggta | 3300 |
| agtaaaaagc tctctcttat aatataaggt ttctcaagat tcatggtcac ttaattctat | 3360 |
| ttgtcaata tagtggctag ctggagagta aaggagacgg aaaggatgat tgccatttgc | 3420 |
| acagagctta gaaaagtaaa attctctctc tctctctctc tttctgttca cagtgtctcat | 3480 |
| tctaagaaat tttgcgggat ttgtgtccag ctgggageta cagtggaaga aggttcagat | 3540 |
| tattgtgtga ttactccgcc gaaaaaggtg aaaccggcag agattgatac atatgatgat | 3600 |
| catagaatgg caatggcatt ctctcttgca gcttgtgctg atgttccaat caccatcaat | 3660 |
| gaccccggtt gcaccaggaa aaccttccc gactacttcc aagtccttga aagaatcaca | 3720 |
| aagcattaaa caaaaaact ctaaaatctc cactgttttt tctctgac caagcttacc | 3780 |
| tgtttccatt tttctgtct ctgtaacatt attagaaagc aagagtagtg tttgtttgtg | 3840 |
| tgtacctgaa ctgagtgaga tttgagatgc aatcattgaa tccgctttgg tatatcattt | 3900 |
| tactctgttt ttcaggggtg ttgttcaggt tctctctagt tatcatccac tccaaacagg | 3960 |

-continued

```

tcccattgatg tctaactgtt tggttctaag aatgaacaga acaacaata cactgcgata 4020
accgggtgctt ggaagtgtg ttaattgaag aaacaatggc aatagctgca tacttatagt 4080
tgcaggagtg aaaaatgaga taagaggaat gcaaatatgc aattgcaggt tctattttt 4140
ttttgctgcc aatgttatta ccaaaagggc tacaagtgag tattctccaa gcttggatga 4200
ggttattcag ggtaataggg tatcaagta gtaataagag tcagagatac catgaaagga 4260
ttccaagttg tagtaagaac aactcaaatt caaagtgaag ttttgtgagt tgtgtaattg 4320
tgttggagtt ttgcacaaat gagaagactc ttatagaaac agaggggttg aagaagaagc 4380
gatatttgcc catctcactt gaaaacacta accggagata aaccaaatta attggaacta 4440
ttctcagtta tggtttggtc ctctctgtt tgggttagtg ttgttggtag gttgagaatt 4500
ttgcatttgc atttgacaaa cgaagaagaa gaccacaaga gccatttga attaggcata 4560
atatatgtcc taactcacca accccctcaa aattgccacc aacttcaaat ttctctcct 4620
taaacctttc tcaatcatct ttctctgtcc ttggaatcct gatcatggcg tctctttctc 4680
tcacttcgaa atccattctc ggatcc 4706

```

```

<210> SEQ ID NO 3
<211> LENGTH: 5193
<212> TYPE: DNA
<213> ORGANISM: Arabidopsis thaliana

```

```

<400> SEQUENCE: 3

```

```

ctgtctagaa tctttccatt tttgcttaca aatatggcac aaccggaat tcccttactt 60
atztatggaa aaacaaaagt gtcattgttt atatatttg gtccttttt atgtttgtag 120
ggctatcact accaatccac aatggaagat tcacaaccgt gtacatcacg taacctagat 180
catgccgaaa actccacagc aagcattcct cttaaactca tcttcgaaat actatcgagg 240
ctttcgagca aatttatcat cagattccga tccgtgtcga tctgtgacg ctctatcacc 300
gatagtaaag atttcgtcga cgcctttctg aatcctcttt tttcaatgaa gactcttttt 360
ttagtcctgt ttatggaata atacttatgt tttaacgtaa tgaatcttta tatctatttg 420
tatttttcag ttacactttt gtttggagct tttgttttca aagaacttct caagttttct 480
ttccttttt tcttcttgta gtttgctctg ctctgttggtg aatacactac attaatgag 540
ggcaacttgc atttatgatg tctcccgct gaaagagcat tgacctctct tttattcaaa 600
acatcacata acagagagtc tgtgaggttt gggacatcgc attctcaaat ctcaatataa 660
gtggttttgg tcgaatgcta gaaaagggtg acttgtatgt tgtgtcgcg ctagtgttcg 720
tacatacagt ttatgatcta acgtatctat aacatattat taatagatat tattttgttt 780
taattttgca cattgtttat aaattaagtg caaaaatttt tagctccaag agatgcctct 840
tgctaatcaa taaaattgaa cgcatttaat aaaattgtaa gagcaaacct gcactgatac 900
gtagaataaa tttgttgctt ttgccttcac gacaccatta cctatagtta atactcaaaa 960
agaaatagca gattcaacat acaacgtgca agaccacaaa acaaatgact cgtaatctcc 1020
agagaatcat aattcataac atgggagatt gtccacaaaa aacataaatt cctttctatg 1080
tctttttgtt agaaaaccca tttcttaagg cccaacaaaa aacataatcc cctttctatg 1140
ctttttgtta gaaaccccat ttatctttct tgaggcccaa tttgaaaacc cacattttct 1200
ttcacctaac ccaccaaagc ctttgccat gttgacgtga acaccaaact aacacgtgac 1260
atactgccag tggttatgat aaatgctcat accataccag agtcatagag tttttgggtg 1320
gtgaaagatt tgacggatgc cttcttttca tttctacca actccctcca aaccaacaaa 1380

```

-continued

| | |
|--|------|
| aagtgtttat attagcaaaag cgcgcaaaagt gtaaacgaaa gtttataaat ttcattttctg | 1440 |
| tgatcttacg taattggagg aagatcaaaa ttttcaatcc ccattcttcg attgcttcaa | 1500 |
| ttgaagtttc tccgatggcg caagttagca gaatctgcaa tgggtgagcag aacctatctc | 1560 |
| ttatctccaa tctctcgaaa tccagtcaac gcaaatctcc cttatcgggt tctctgaaga | 1620 |
| cgcagcagca tccacgagct tatccgattt cgtcgtcgtg gggattgaag aagagtggga | 1680 |
| tgacgttaat tggctctgag cttcgtcctc ttaaggteat gtcttctggt tccacggcgg | 1740 |
| agaaagcgtc ggagattgta cttcaaccca ttagagaaat ctccggctctt attaagcttc | 1800 |
| ctggctccaa gtctctatca aatcggatcc tgcttctcgc tgctctgtct gaggtatata | 1860 |
| tcacttcggt tgcctctctc ctgtaatctg aacttagatt ataagattg atactttacc | 1920 |
| atthtctgtt ggttttatag ggaacaactg tagtggacaa cttgttgaat agcgtatgaca | 1980 |
| tcaattacat gcttgatgag ttgaagagat tgggacttaa tgtggaaact gacagtgaaa | 2040 |
| ataatcgtgc ttagattgaa ggatgtggcg ggatattccc agcttccata gattcaaaga | 2100 |
| gtgatatcga actttacctc ggtaatgcag gaacagcaat gcgtccactt accgctgcgg | 2160 |
| tcactgctgc aggtggaaaac gcaaggtaga ttgaaggagt tgatgcttct tggatattga | 2220 |
| tgtttaagga atggagcttt tgttgatgct ttatgatcca tttattccag ttatgtgctt | 2280 |
| gatgggggtc ctcgatgag agaaagacct ataggggatt tgggtgttgg tcttaagcag | 2340 |
| cttgggtcgt atgttgaatg tactcttggg actaactgcc ctctgttcg tgcacacgct | 2400 |
| aatgggtggc tccccggtg aaaggttaga tcttgcaaat ggcatgtgaa tatgtaatct | 2460 |
| cgttccttac tctatgaaca cttgcagaaa tgtgtgttca tcatagcctt agcttgacaa | 2520 |
| gatttcagtt ttaaatctac tctcaacgga tggatcctaa aatagaatcg gatttgggta | 2580 |
| ttggttttcg tctctgatta cgttttctg tgtatgattt cttgattaac aattaggaga | 2640 |
| catgttatgc atttgcaggt gaagctttct ggatcaatta gtagtcagta cttgactgct | 2700 |
| ctgctcatgt ctgctccctt agctcttggg gacgtcagga ttgagattgt cgataaatta | 2760 |
| atthtctgtc catatgttga aatgacattg aagttgatgg aacgtttcgg ggttagtgctc | 2820 |
| gagcatagtg atagctggga tctgtttctt gtcaagggcg ggcacaaaata caagtaggag | 2880 |
| ttattctttt cttccttttc tgaatcaca tcccttagct tgacaatata atgactaaaa | 2940 |
| ggtgaatgat tcaggctccc gggtaatgag tatgtagaag gtgatgcttc tagtgctagt | 3000 |
| tatttcttgg ctggtgctgc cattaccggt gaaactgtca cagtcaagg ttgtggaact | 3060 |
| accagcttgc aggtaatatt tgtacactga atcatcgacg aggctgttaa gtttatagtg | 3120 |
| aaattcgtct aggtcaaaagt tccatctttt gacaagttgt atataacata ttcgcaagaa | 3180 |
| tctaagctca atthtttgta tgaatctcta gggagatgta aaattcgcg aggtccttga | 3240 |
| gaaaatggga tgtaaagtgt cctggacaga gaacagtggt actgtgacag gaccacctag | 3300 |
| agatgctttt ggaatgagac acttgcgggc tattgatgct aacatgaaca aaatgcctga | 3360 |
| tgtagccatg accttgcgc tctgtgctct ctttgcctgac ggtccaaaca ccattagaga | 3420 |
| tggtaagtaa aaagctctct cttataatta aggtttctca atattcatga tcaactaatt | 3480 |
| ctgtttgggt aatatagtggt cttagctggag agtaagggag acagaaagga tgattgccat | 3540 |
| ttgcacagag cttagaaaag taagagatgc ttatctctct ctttctgtct cttgacagtg | 3600 |
| ctcattctaa gtaattagct cataaatttt gtgtgtttgt gttcagctgg gagctacagt | 3660 |
| ggaagaaggt tcagattatt gtgtgataac tccgcccaca aaggtgaaaa cggcagagat | 3720 |
| tgatacatat gatgatcata gaatggcaat ggcattctct cttgcagctt gtgctgatgt | 3780 |

-continued

| | |
|--|------|
| tccaatcacc atcaacgac ctggttcac caggaaaacc tccccgact acttccaagt | 3840 |
| acttgaaaga atcacaaagc actaacaat aaactctgtt tttctctcg atccaagctt | 3900 |
| atctgtttcc atttttcttg tctctgtaat attattagaa accgagagtg tttgtttgcg | 3960 |
| tgtaactgaa ctgagcaggt tttgagatgc aatcatttga gttcagattga gagaaatgaa | 4020 |
| tgtgtagaga tttcctttta tcttgatgga aagaaattga gtttccttc ttctctttt | 4080 |
| ttccaatc ctaggctgc gactegaata tataaagaca gcagccacga tcgtctctt | 4140 |
| tgatcactta ttagagacaa taatgttggg aagacatggt tcctctagtt tggattttaa | 4200 |
| aagacatcgt tcttgtttgg aattgctgcc acacgatgta gtagagctca tcctcgagag | 4260 |
| acacagttga tcggctacga gaacaatatt atagatgaag ctcaaaggag gagaatagtg | 4320 |
| ttgttggggc cgtcatcgta attagcaaac taactgtgag tccccgcaa agaccattta | 4380 |
| tgcccacgt aaaacgacgc cgtttaaatc tgagtcaaag cccatttctg gccacgtcc | 4440 |
| taacacagtc gtttctctcc gactagtaaa ctaaaatccc ggaaattctc atccgcatga | 4500 |
| gctccggtga aaaatggaga ccaagagaaa gtaagcagga gcctctctgc tctgcaatct | 4560 |
| gagacatcga aagaccgaaa atccttcaac aggtaacatt tcaattctgc cttgcctag | 4620 |
| aaagaagctc gtgtttgttt ttgggtttta gctaagaatt ttagggaaaa gcttgaaca | 4680 |
| aatttggctc tcttatcaat tgcatttgtt ttggagttat gattctgtgt ggaatcgaat | 4740 |
| caaaattatc aatctgaaag tgacaataat cccttgtttg tcttttctgt tttttattg | 4800 |
| agttcggttt acatggttcc gaacttttca attgattttt gggtttcggg ttgcattgga | 4860 |
| attaataaag ttttgagaag agaaaagaaa aaaaggcagc cacgcgaggc gtttttagag | 4920 |
| agggcgcagc gtggttcaaa ataggcgttt tgggtgggta gaaccacag aaattggatt | 4980 |
| cacgcgcaa acgcaagatg ggcgagagtg ggtatgaaat ggtaagatcg gtgagaatgg | 5040 |
| ggtatgacat ggaggctctt gattggctaa taaactcaaa atagtagaca tatagctcct | 5100 |
| cccttctcc tctcataata atagtagtta ttattactta gtcttatatg cgaagaaaca | 5160 |
| atgaatgaaa aaaccttact tgggtcggaa ttc | 5193 |

<210> SEQ ID NO 4

<211> LENGTH: 5193

<212> TYPE: DNA

<213> ORGANISM: Arabidopsis thaliana

<220> FEATURE:

<221> NAME/KEY: misc_feature

<222> LOCATION: (2134)..(2134)

<223> OTHER INFORMATION: substituting thymine for cytosine at position 2134 as compared to SEQ ID NO: 3

<220> FEATURE:

<221> NAME/KEY: misc_feature

<222> LOCATION: (2145)..(2145)

<223> OTHER INFORMATION: substituting thymine for cytosine at position 2145 as compared to SEQ ID NO: 3

<400> SEQUENCE: 4

| | |
|---|-----|
| ctgtctagaa tctttccatt tttgcttaca aatatggcac aaccggaat tcccttactt | 60 |
| atztatggaa aaacaaaagt gtcattgtgt atatatattg tccccctttt atgtttgtag | 120 |
| ggctatcact accaatccac aatggaagat tcacaaccgt gtacatcacg taacctagat | 180 |
| catgccgaaa actccacagc aagcattcct cttaactca tcttcgaaat actatcgagg | 240 |
| ctttcgacga aatttatcat cagattccga tccgtgtcga tgctgtgacg ctctatcatc | 300 |
| gatagtaaag atttcgtcga cgcctttctg aatcctcttt tttcaatgaa gactcttttt | 360 |
| ttagtccgct ttatggaata atacttatgt tttaacgtaa tgaatcttta tatctattg | 420 |

-continued

| | |
|--|------|
| tatTTTTcag ttacactttt gtttgGacgt tttgttttca aagaacttct caagttttct | 480 |
| tttccTTTT tttcttGta gtttgccctg ctcgttggtg aatacactac attaatGag | 540 |
| ggcacttgcg attatgatgt tctcccgcgt gaaagagcat tgacctctct tttattcaaa | 600 |
| acatcacata acagagagtc tgtgaggttt gggacatcgc attctcaaat ctcaatataa | 660 |
| gtggTTTTgg tGaatgcta gaaaagggtg acttgatgt tgtgtcgcg ctagtgttcg | 720 |
| tacatacagt ttatgatcta acgtatctat aacatattat taatagatat tttttgttt | 780 |
| taatTTTtga cattgtttat aaattaagtG caaaaatttt tagctccaag agatcgcctt | 840 |
| tGctaatcaa taaaattgaa cgcatttaaat aaaattgtaa gagcaaacTc gactgatac | 900 |
| gtagaataaa tttgttgctt ttgccttcac gacaccatta cctatagtta atactccaaa | 960 |
| agaaatagca gattcaacat acaacgtgca agaccaaaa acaaatgact cgtaatctcc | 1020 |
| agagaatcat aattcataac atgggagatt gtccacaaaa aacataaatt ccctttcatg | 1080 |
| tctTTTTgtt agaaaaccca tttcttaagg cccaacaaaa aacataatcc cctttcatgt | 1140 |
| ctTTTTgtta gaaaccccat ttatctttct tgaggcccaa tttgaaaacc cacatTTtct | 1200 |
| ttcacetaac ccaccaaagc ctttgcaecat gttgacgtga acaccaaact aacacgtgtc | 1260 |
| atactgccag tggttatgat aaatgctcat accataccag agtcatagag tttttggttG | 1320 |
| gtgaaagatt tgacggatgc cttcttctca tttctcacca actccctcca aaccaacaa | 1380 |
| aagtgtttat attagcaaag ccgccaagt gtaaacgaaa gtttataaat ttcatttctg | 1440 |
| tgatcttaeg taattggagg aagatcaaaa ttttcaatcc ccattcttcg attgcttcaa | 1500 |
| ttgaagtttc tccgatggcg caagttagca gaatctgcaa tgggtgtcag aacctatctc | 1560 |
| ttatctccaa tctctcgaaa tccagtcaac gcaaatctcc cttatcggtt tctctgaaga | 1620 |
| cgcagcagca tccacagact tatccgattt cgtcgtcgtg gggattgaag aagagtggga | 1680 |
| tgacgttaat tggctctgag cttctctctc ttaaggtcat gtcttctgtt tccacggcgg | 1740 |
| agaaagcgtc ggagattgta cttcaaccca ttagagaaat ctccggtctt attaagcttc | 1800 |
| ctggctccaa gtctctatca aatcggatcc tgcttctcgc tgctctgtct gaggtatata | 1860 |
| tcacttctgt tctctctctc ctgtaatctg aacttagatt ataaagattg atactttacc | 1920 |
| atTTTgtgt ggTTTTatag ggaacaactg tagtgGacaa cttgttgaat agcGatgaca | 1980 |
| tcaattacat gcttgatcgc ttgaagagat tgggacttaa tgtggaaact gacagtGaaa | 2040 |
| ataatcgtgc tGtagtgaa ggatgtggcg ggatattccc agcttccata gattcaaaGa | 2100 |
| gtgatatcga actttacctc ggtaatgcag gaatagcaat gcgttcactt accgctgcgg | 2160 |
| tcactgctgc aggtgGaaac gcaaggtaga ttgaaggagt tgatgcttct tggTatttga | 2220 |
| tgtttaagga atggagcttt tGttgatgct ttatgatcca tttattccag ttatgtgctt | 2280 |
| gatgggggtgc ctcGatagag agaaagacct ataggggatt tggttgttgg tcttaagcag | 2340 |
| cttgggtcgt atgTTaatg tactcttGga actaactgcc ctctgttcg tGtcaacGct | 2400 |
| aatggTggcc tccccgtgg aaaggTtaga tcttgcaaat ggcattgtGaa tatGtaatct | 2460 |
| cgttcccttac tctatgaaca cttgcagaaa tGtGtGttca tcatagcctt agcttgacaa | 2520 |
| gatttcagtt tTaatctac tctcaacgga tggatcctaa aatagaatcG gatttggTga | 2580 |
| ttggTTTTcg tctctgatta ccgtttctGt tGtatgattt cttgattaac aataggGaga | 2640 |
| catgttatgc atttgcaggT gaagctttct ggatcaatta gtagtcagta cttgactgct | 2700 |
| ctgctcatgt ctgctccctt agctcttGga gacgtcGaga ttgagattgt cGataaatta | 2760 |
| atTTctgttc catatgttga aatgaactg aagttgatgg aacgtttcgg ggttagtGtc | 2820 |

-continued

| | |
|--|------|
| gagcatagtg atagctggga tcgtttcttt gtcaagggcg ggcaaaaata caagtaggag | 2880 |
| ttattctttt cttccttttc tgaaatcaca tcccttagct tgacaatata atgactaaaa | 2940 |
| ggtgaatgat tcaggctccc gggtaatgcg tatgtagaag gtgatgcttc tagtgctagt | 3000 |
| tatttcttgg ctgggtctgc cattaccggg gaaactgtca cagtcgaagg ttgtggaact | 3060 |
| accagcttgc aggtaatatt tgtacactga atcatcgacg aggctgttaa gtttatagtg | 3120 |
| aaatcgtctc aggtcaaaagt ttcattcttt gacaagttgt atataacata ttcgcaagaa | 3180 |
| tctaagctca atttttgtga tgaatctcta gggagatgta aaattcgccg aggtccttga | 3240 |
| gaaaatggga tgtaaagtgt cctggacaga gaacagtggt actgtgacag gaccacctag | 3300 |
| agatgctttt ggaatgagac acttgcgggc tattgatgtc aacatgaaca aaatgctga | 3360 |
| tgtagccatg acccttgcgg tcggtgctct ctttgcctgac ggtccaacca ccattagaga | 3420 |
| tggtaaagta aaagctctct cttataatta aggtttctca atattcatga tcacttaatt | 3480 |
| ctgtttgggt aatatagtgg ctagctggag agtaaaggag acagaaagga tgattgccat | 3540 |
| ttgcacagag cttagaaaag taagagattc ttatctctct ctttctgtct cttgacagtg | 3600 |
| ctcattctaa gtaattagct cataaatttt gtgtgtttgt gttcagctgg gagctacagt | 3660 |
| ggaagaaggt tcagattatt gtgtgataac tccgccccaa aaggtgaaaa cggcagagat | 3720 |
| tgatacatat gatgatcata gaatggcaat ggcattctct cttgcagctt gtgctgatgt | 3780 |
| tccaatcacc atcaacgate ctgggtgcac caggaaaacc tccccgact acttccaagt | 3840 |
| acttgaagaa atcacaaagc actaaacaat aaactctggt ttttctctcg atccaagctt | 3900 |
| atctgtttcc atttttcttg tctctgtaat attattagaa accgagagtg tttgtttcgg | 3960 |
| tgtaactgaa ctgagcaggt tttgagatgc aatcatttga gttcgattga gagaaatgaa | 4020 |
| tggtgagaga tttcctttta tcttgatgga aagaaattga gttttccttc ttctcttttt | 4080 |
| tttccaattc ctaggctcgc gactcgaata tataaagaca gcagccacga tcgtctcttt | 4140 |
| tgatcactta ttagagacaa taatgttggg aagacatggt tcctctagtt tggattgaa | 4200 |
| aagacatcgt tcttgtttgg aattgctgcc acacgatgta gtagagctca tcctcgagag | 4260 |
| acacagttga tcggtcacga gaacaatatt atagatgaag ctcaaaggag gagaatagtg | 4320 |
| ttgttggggc cgtcatcgta attagcaaac taactgtgag ttcccgtaa agaccattta | 4380 |
| tggcccacgt aaaacgacgc cgtttaaatc tgagtcaaag ccattttgtg gcccacgtcc | 4440 |
| taacacagtc gtttctctcc gactagtaaa ctaaaatccc ggaaattctc atccgcatga | 4500 |
| gctccggtga aaaatggaga ccaagagaaa gtaagcagga gcctctcgtc tctgcaatct | 4560 |
| gagacatcga aagaccgaaa atccttcaac aggtaacatt tcaatttgc cttgcctag | 4620 |
| aaagaagctc gtgtttgttt ttgggtttta gctaagaatt ttagggaaaa gcttgaaca | 4680 |
| aatttggctc tcttatcaat tgcatttgtt ttggagtat gattctgtgt ggaatcgaat | 4740 |
| caaaattate aatctgaaag tgacaataat cccttgtttg tcttttgtgt tttttattg | 4800 |
| agttcggttt acatggttcc gaacttttca attgattttt gggtttcggg ttgcattgga | 4860 |
| attaataagg ttttgagaag agaaaagaaa aaaaggcacg cacgcgaggc gtttttagag | 4920 |
| aggggcgagt gtggttcaaa ataggcgttt tgggtgggta gaaccacag aaattggatt | 4980 |
| cacgcgcccc acgcaagatg ggcgagagtg ggtatgaaat ggtaaagatcg gtgagaatgg | 5040 |
| gggatgacat ggaggctctc gattggctaa taaactcaaa atagtagaca tatagctcct | 5100 |
| cccttctccc tctcataata atagtagtta ttattactta gtcttatatg cgaagaaca | 5160 |
| atgaatgaaa aaaccttact tgggtcggaa ttc | 5193 |

-continued

```

<210> SEQ ID NO 5
<211> LENGTH: 6010
<212> TYPE: DNA
<213> ORGANISM: Zea mays

<400> SEQUENCE: 5
atcgattgca accttcaaat tctcttcgat cttccttcca aattcatcta atatttcatc   60
ctcggcaagg aaatcttcta acgtgtaaac ttcactggga tccaactcga aaggatcaaa   120
ctctccctct ggttcgtttg acattgtgga tggagtgact aacctgctaa caccctgcaa   180
caatttatac aggagcatat cctcatgcac acgcaaaact gatggtgtcc acaagacacg   240
cacaggacac gcacaggaca cgcaaacagt ttcagactca tgcacacgca catcagtttc   300
agactcaggc acacgcacat caaatcacct tcgcttctcg atgagtcgca gccgcacgt   360
acaatggcga ttttaccgac gataaggcat gggagcacga gccgtcgccg tcgccttgcg   420
agacgacggg agcgatctct cccttcatth aatctcttcc acgtcagggt attttgcgta   480
gatggcagta tacagacggc aaagttaatg ccgttgtaca tgccttaga ctcttccgtc   540
accaactcac ttagatthttt acaacggaac ataaggttcg cttgcagact tacatataag   600
gtatagttgc ataataatcg ccttatgctg tacattgcga caccctgaaa tattcgatga   660
aatattagta cacaatatta aataagaacg aacaatacat atattatcat tgatcttagt   720
atctcctttt gctcctcgta gaacaattct gtgtaaaata tgcgtaaaat tcgaggacca   780
aaacattggc tagaaaaata cctaaaatca gttttgcaat tgtttctgat tttcctcata   840
ttttcttgct tataaagttt tccaaaagta ccattttgga tgaaaaaacg gaaaacaacg   900
ctggtctact tgtaaatthg gtagtgcacat ttgggaccgt ctagacacga cctaaaaata   960
gtagtctaaa acatagtctg acacgatgcc ttaaaaatag acgacaaaagc acaacacgat  1020
tagatgtgtc gtgttttgac cgacacgaca caaagtaagg cacgatttaa aaccaataa  1080
ataatthttt aatggttatt ttatgttcca ataathttca tctcttcaaa aaaatgttat  1140
agaaatcatt gatacttagt tgaatcctt aacacaatat atatataat ataatataat  1200
atatataca atthtaagtc actttgctag acatagtaat ataththaaa taththctct  1260
ttcttgata thththaaat acacatcagt ththtatgt gtctgtcttg aaccgacacg  1320
atataatcat cggttcgcg tacttctaga tcatgatgtt ctaggttht aatattaaga  1380
gacggtctat attaactcaa aactatthcg tgaaaggcta actcgaaaaa aaaatgaatg  1440
taatcagcgc ccgtcctgga ttcgagatc taacgtthca ttcgtgtcca gtgtgcacac  1500
ttgtgaaaaa ggaagacgaa gaaaaaac aacaactaac tccggccgcg cggatgcgcc  1560
cacctacttc cccctcgccc ctctcatggt ctctctcgcg cccagatctg ctactagacg  1620
gcaccgctgc agcgcgctgt gtcgcggggg ttggtggcag gcacgcgagag cttgccgttc  1680
ctctctctca gttgtcaggt cctaggtcca cctcacccgc tcccagcccg cttctatttc  1740
ttctccccg acccctgca ggtggcagtc cagtccacgc caccaaccgc gaggcgaacc  1800
aaaccaacc actctccca acccgcgcg cccaggccgc ccgccctacc aaccatcggc  1860
gtcggcaatg gcggccatgg cgaccaaggc gcgcgcgggc accgtgtcgc tggacctcgc  1920
cgcgcgctgc cgcgcacc accgcgcgag ctgcgcgcgc ccgccgcgc gccccgcgct  1980
ccgcgggctg cgggcgcctg ggcgcgcgt gatcgcgcgc ccgcgcgcgc cggcagcggc  2040
ggcggcgggt caggcgggtg ccgaggagat cgtgctgcag cccatcaagg agatctccgg  2100
cacgctcaag ctgccgggtt ccaagtgcct ttccaaccg atctctctgc tcgccgcct  2160

```

-continued

| | |
|---|------|
| gtccgaggtg agcgattttg gtgcttgctg cgctgcctcg tctcactgct acctaaatgt | 2220 |
| tttgccctgtc gaataccatg gattctcggg gtaatccatc tcacgatcag atgcaccgca | 2280 |
| tgtcgcatgc cttagctctct ctaattttgct tagtagtttg tatacggatt aatattgata | 2340 |
| aatcgggtacc gcaaaaagcta ggtgtaaata aacactagaa aattggatgt tcccctatcg | 2400 |
| gcctgtactc ggctactcgt tcttgtgatg gcatgctgtc tcttcttggg gtttggtgaa | 2460 |
| caaccttatg aaatttgggc gcaaaagaact cgccctcaag ggttgatcct atgccatcgt | 2520 |
| catgataaac agtggagcac ggacgatcct ttacgttggg ttaacaaaac tttgtcagaa | 2580 |
| aactagcatc attaacttct taatgacgat ttcacaacaa aaaaaggtaa cctcgtact | 2640 |
| aaataacaaa aatacttggg gcttattaat tatatgtttt ttaatctttg atcaggggac | 2700 |
| aacagtggtt gataacctgt tgaacagtga ggatgtccac tacatgctcg gggccttgag | 2760 |
| gactcttggg ctctctgctg aagcggacaa agctgccaaa agagctgtag ttgttggctg | 2820 |
| tggtgaaaag ttcccagttg aggattctaa agaggaagtg cagctcttct tggggaatgc | 2880 |
| tggaaactgca atgcccattg tgacagcagc tgttactgct gctgggtgaa atgcaacgta | 2940 |
| tgtttctctc ttttctctct acaactactg ctggagttag tatgaaacc atgggtatgt | 3000 |
| ctagtggctt atgggtatatt ggtttttgaa cttcagttac gtgcttgatg gagtaccaag | 3060 |
| aatgagggag agaccattg gcgacttggg tgcggattg aagcagcttg gtgcagatgt | 3120 |
| tgattgtttc cttggcactg actgcccacc tgttcgtgtc aatggaatcg gagggctacc | 3180 |
| tggtggcaag gtttagtact aagggccaca tgttacattc ttctgtaaat ggtacaacta | 3240 |
| ttgtcgagct tttgcatttg taaggaaagc attgattgat ctgaatttga tgctacacca | 3300 |
| caaaatatcc tacaaatggt catccctaac tagcaacaaa tgaagtaata cttggcatgt | 3360 |
| gtttatcaaa ttaatttcca tcttctgggg cattgcctgt tttctagtct aatagcattt | 3420 |
| gtttttagca ttaattagct cttacaattg ttatgttcta caggccaagc tgtctggctc | 3480 |
| catcagcagt cagtacttga gtgccttgcg gatggctgct cctttggctc ttggggatgt | 3540 |
| ggagattgaa atcattgata aattaatctc cattccctac gtcgaaatga cattgagatt | 3600 |
| gatggagcgt tttgggtgta aagcagagca ttctgatagc tgggacagat tctacattaa | 3660 |
| gggaggtcaa aaatacaagt aagctctgta atgtatttca ctactttgat gccaatgttt | 3720 |
| cagttttcag ttttccaaac agtcgcatca atatttgaat agatgcactg tagaaaaaaa | 3780 |
| atcattgcag ggaaaaacta gtactgagta ttttgactgt aaattatttt accagtcgga | 3840 |
| atatagtcag tctattggag tcaagagcgt gaaccgaaat agccagttaa ttatcccatt | 3900 |
| atacagagga caaccatgta tactattgaa acttggttta taagagaatc taggtagctg | 3960 |
| gactcgtagc tgcttggcat ggataocttc ttatctttag gaaaagacac ttgatttttt | 4020 |
| ttttctgtgg ccctctatga tgtgtgaacc tgccttctca ttgctttaga aggatatatc | 4080 |
| tatgtcgtaa tgcaacatgc ttcccttagc catttgactt gaaatcagtt tcataagttc | 4140 |
| gttagtgggt ccctaacaag aacctgtttt ttctttgcaa tcaacaggtc ccctaanaat | 4200 |
| gcctatgttg aaggtgatgc ctcaagcgca agctatttct tggctgggtc tgcaattact | 4260 |
| ggagggactg tgactgtgga aggttgtggc accaccagtt tgcaggtaaa gatttcttgg | 4320 |
| ctgggtctac aataactgct tttgtctttt tggtttcagc attgttctca gagtactaa | 4380 |
| ataacattat catctgcaaa tgtcaaatag acatacttag gtgaattcat gtaaccgttt | 4440 |
| ccttacaanaa ttgctgaaac ctcaggggtg tgtgaagttt gctgaggtac tggagatgat | 4500 |
| gggagcgaag gttacatgga ccgagactag cgtaactgtt actggcccac cgcgggagcc | 4560 |

-continued

```

atttgggagg aaacacctca aggcgattga tgtcaacatg aacaagatgc ctgatgtcgc 4620
catgactcct gctgtggttg ccctctttgc cgatggcccg acagccatca gagacggtaa 4680
aacattctca gccctacaac catgcctcct ctacatcact acttgacaag actaaaaact 4740
attggctcgt tggcagtggc ttcctggaga gtaaaggaga cagagaggat ggttgcgatc 4800
cggacggagc taaccaaggt aaggctacat acttcacatg tctcacgtcg tctttccata 4860
gctcgtgcgc tcttagcggc ttgcctgcgg tcgctccatc cteggttgct gtctgtgttt 4920
tccacagctg ggagcatctg ttgaggaagg gccggactac tgcacatca cgcgccgga 4980
gaagctgaac gtgacggcga tcgacacgta cgacgaccac aggatggcca tggccttctc 5040
ccttgccgcg tgtgcccagg tccccgtgac catccgggac cctgggtgca cccggaagac 5100
cttccccgac tacttctgat tgctgagcac tttcgtcaag aattaataaa gcgtgcgata 5160
ctaccacgca gcttgattga agtgataggc ttgtgctgag gaaatacatt tctttgttc 5220
tgttttttct ctttcacggg attaagtttt gagtctgtaa cgttagtgtt ttgtagcaag 5280
ttctatttc ggatcttaag tttgtgcact gtaagccaaa tttcattca agagtggttc 5340
gttgaataa taagaataat aaattacgtt tcagtggctg tcaagcctgc tgctacgttt 5400
taggagatgg cattagacat tcatcatcaa caacaataaa accttttagc ctcaaaacat 5460
aatagtgaag ttatttttta gtcctaaaca agttgcatta ggatatagtt aaaacacaaa 5520
agaagctaaa gttagggttt agacatgtgg atattgtttt ccatgtatag tatgttcttt 5580
ctttgagtct cattaacta cctctacaca taccaacttt agtttttttt ctacctcttc 5640
atgttactat ggtgccttct tatcccactg agcattggta tatttagagg tttttgttga 5700
acatgcctaa atcatctcaa tcaacgatgg acaatctttt cttecgattga gctgaggtag 5760
gtcatctaca ggataggacc ttgagaatat gtgtccgcca atagctaacc ctctactaat 5820
tttttcaatc aagcaaccta ttggcttgac ttaattcgt accggcttct actacttcta 5880
cagtattttg tctctataaa ttgcagctac aacagtcaga acggctggct ttaaaatcaa 5940
atggcctaag gatcattgaa aggcacttta gcaatgtcta aaattattac cttctctaga 6000
cgttgatatac 6010

```

```

<210> SEQ ID NO 6
<211> LENGTH: 6010
<212> TYPE: DNA
<213> ORGANISM: Zea mays
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2886)..(2886)
<223> OTHER INFORMATION: substituting thymine for cytosine at position
2886 as compared to SEQ ID NO: 5
<220> FEATURE:
<221> NAME/KEY: misc_feature
<222> LOCATION: (2897)..(2897)
<223> OTHER INFORMATION: substituting thymine for cytosine at position
2897 as compared to SEQ ID NO: 5
<400> SEQUENCE: 6

```

```

atcgattgca accttcaaat tctcttcgat cttccttcca aatcatcta atatttcatc 60
ctcggcaagg aatcttctca acgtgtaaac ttcactggga tccaactoga aaggatcaaa 120
ctctccctct ggttcgtttg acattgtgga tggagtgact aacctgctaa cacctgcaa 180
caatttatac aggagcatat cctcatgcac acgcaaaact gatggtgtcc acaagacacg 240
cacaggacac gcacaggaca cgcaaacagt ttcagactca tgcacacgca catcagtttc 300
agactcaggc acacgcacat caaatcacct tcgcttctgc atgagtcgca gccgcacgt 360

```

-continued

| | | | | | | |
|------------|------------|-------------|------------|-------------|-------------|------|
| acaatggcga | ttttaccgac | gataaggcat | gggagcacga | gccgtcgccg | tcgccttgcg | 420 |
| agacgacggg | agcgatctct | cccttcattt | aatctcttcc | acgtcagggt | atthtgctga | 480 |
| gatggcagta | tacagacggc | aaagttaatg | ccgttgtaga | tgcccttaga | ctcttcgctc | 540 |
| accaactcac | ttagatthtt | acaacggaac | ataaggttcg | cttgacagct | tacatataag | 600 |
| gtatagttgc | ataataatcg | ccttatgctg | tacattgtag | cacccgtaaa | tattcgatga | 660 |
| aatattagta | cacaatatta | aataagaacg | aacaatacat | atattatcat | tgatcttagt | 720 |
| atctcctttt | gctcctcgta | gaacaattct | gtgtaaatga | tgcgtaaaat | tcgaggacca | 780 |
| aaacattggc | tagaaaaata | cctaaaaatc | gttttgcaat | tgthttctgat | tttctcata | 840 |
| ttttcttgct | tataaagttt | tccaaaagta | ccattttgga | tgaaaaaacg | gaaaacaacg | 900 |
| ctggtctact | tgtaaatthg | gtagttagat | ttgggaccgt | ctagacacga | cctaaaaata | 960 |
| gtagtctaaa | acatagttct | acacgatgcc | ttaaaaatag | acgacaaagc | acaacacgat | 1020 |
| tagatgtgtc | gtgthttgac | cgacacgaca | caaagtaagg | cacgatttaa | aaccaataaa | 1080 |
| ataatthttt | aatggttatt | ttatgttcca | ataatthttc | tctcttcaaa | aaaatgttat | 1140 |
| agaaatcatt | gatacttagt | tgaatctct | aacacaatat | atatatata | attaatata | 1200 |
| atatataatc | atthtttagc | actthtgtag | acatagtaat | atathttaaa | tathttctct | 1260 |
| ttcttgata | ttthtaaat | acacatcagt | ttthtatgt | gtcgtgcttg | aaccgacacg | 1320 |
| atataatcat | cggttcgccg | tacttctaga | tcatgatggt | cctaggttht | aatattaaga | 1380 |
| gacgtctat | attaactcaa | aactatthcg | tgaaaggcta | actcgaaaaa | aaaatgaatg | 1440 |
| taatcacggc | ccgtcctgga | ttcgagattc | taacgtttca | ttcgtgtcca | gtgtgcacac | 1500 |
| ttgtgaaaa | ggaagacgaa | gaaaaaac | aacaactaac | tccggcccg | cgatgcgcc | 1560 |
| caactacttc | cccctcgccc | ctctcatggt | ctctctcgcg | cccagatctg | ctactagacg | 1620 |
| gcaccgctgc | agcgcgtcgt | gtcgcggggg | ttggtggcag | gcagcgagag | cttgccgttc | 1680 |
| ctctctctca | gttgtcaggt | cctaggtcca | cctcaccggc | tcccagcccg | cttctatttc | 1740 |
| ttctcctccc | accccgtagc | ggtggcagtc | cagtcacgc | caccaaccgc | gaggcgaacc | 1800 |
| aaaccaacc | actctcccca | accccgccg | cccaggccgc | ccgccctacc | aaccatcggc | 1860 |
| gtcggcaatg | gcggccatgg | cgaccaaggc | cgccgcgggc | accgtgtcgc | tggaacctcg | 1920 |
| cgcgccgtcg | cgcgccacc | accgcccag | ctcggcgcgc | ccgccgcc | gcccccgcgt | 1980 |
| ccgcccgtcg | cgggcgcctg | ggcgcgcgt | gatcgcgcg | ccgccggcgg | cggcagcggc | 2040 |
| ggcggcgggt | caggcgggtg | ccgaggagat | cgtgctgcag | ccatcaagg | agatctccg | 2100 |
| caccgtcaag | ctgcccgggt | ccaagtcgt | ttccaaccgg | atctctctgc | tcgccgccct | 2160 |
| gtccgaggtg | agcattthtg | gtgcttgctg | cgtgcctctg | tctcactgct | acctaaatgt | 2220 |
| ttgcccgtgc | gaataccatg | gattctcgtg | gtaatccatc | tcacgatcag | atgcaccgca | 2280 |
| tgtagcagtc | ctagctctct | ctaathttgc | tagtagthtg | tatacggatt | aatattgata | 2340 |
| aatcggtagc | gcaaaagcta | ggtgtaaatg | aactagtaga | aattggatgt | tcccctatcg | 2400 |
| gcctgtactc | ggctactcgt | tcttgtagtg | gcctgctgct | tcttctgggt | gthttgtaga | 2460 |
| caaccttatg | aaathttggc | gcaaaagaact | cgccctcaag | ggttgatctt | atgccatcgt | 2520 |
| catgataaac | agtgagtagc | ggacgatcct | ttacgttggt | tttaacaaac | ttgtcagaa | 2580 |
| aactagcatc | attaacttct | taatgacgat | ttcacaacaa | aaaaggtaga | cctcgcctact | 2640 |
| aacataacaa | aaactgtgtt | gcttattaat | tatatgthtt | ttaatctthg | atcaggggac | 2700 |
| aacagtggtt | gataacctgt | tgaacagtga | ggatgtccac | tacatgctcg | gggcccgtgag | 2760 |

-continued

| | | | | | | |
|-------------|-------------|------------|-------------|-------------|-------------|------|
| gactcttggg | ctctctgtcg | aagcggacaa | agctgccaaa | agagctgtag | ttgttggtg | 2820 |
| tggtgaaaag | ttcccagttg | aggattctaa | agaggaagtg | cagctcttct | tggggaatgc | 2880 |
| tggaaattgca | atgcggatcat | tgacagcagc | tgttactgct | gctggtgga | atgcaacgta | 2940 |
| tgtttctctct | ctttctctct | acaatacttg | ctggagttag | tatgaaaccc | atgggtatgt | 3000 |
| ctagtggctt | atgggtgatt | ggtttttgaa | cttcagttac | gtgcttgatg | gagtaccaag | 3060 |
| aatgagggag | agacccattg | gcgacttggt | tgteggattg | aagcagcttg | gtgcagatgt | 3120 |
| tgattgtttc | cttggcactg | actgcccacc | tgttcgtgtc | aatggaatcg | gagggctacc | 3180 |
| tggtggcaag | gtagctact | aagggccaca | tgttacattc | ttctgtaaat | ggtacaacta | 3240 |
| ttgtcgagct | tttgcatttg | taaggaaagc | attgattgat | ctgaatttga | tgctacacca | 3300 |
| caaaatatcc | tacaataggt | catccctaac | tagcaaacaa | tgaagtaata | cttggcatgt | 3360 |
| gtttatcaaa | ttaatttcca | tcttctgggg | cattgcctgt | tttctagtct | aatagcattt | 3420 |
| gtttttagca | ttaattagct | cttacaattg | ttatgttcta | caggtcaagc | tgtctggctc | 3480 |
| catcagcagt | cagtacttga | gtgccttgct | gatggctgct | cctttggctc | ttggggatgt | 3540 |
| ggagattgaa | atcattgata | aattaatctc | cattccctac | gtcgaaatga | cattgagatt | 3600 |
| gatggagcgt | tttgggtgta | aagcagagca | ttctgatagc | tgggacagat | tctacattaa | 3660 |
| gggaggtcaa | aaatacaagt | aagctctgta | atgtatttca | ctactttgat | gccaatgttt | 3720 |
| cagttttcag | ttttccaaac | agtcgcatca | atatttgaat | agatgcaactg | tagaaaaaaaa | 3780 |
| atcattgcag | ggaaaaacta | gtactgagta | ttttgactgt | aaattatttt | accagtcgga | 3840 |
| atatagtcag | tctattggag | tcaagagcgt | gaaccgaaat | agccagttaa | ttatcccatt | 3900 |
| atacagagga | caaccatgta | tactattgaa | acttggttta | taagagaatc | taggtagctg | 3960 |
| gactcgtagc | tgcttggcat | ggataccttc | ttatcttttag | gaaaagacac | ttgatttttt | 4020 |
| ttttctgtgg | ccctctatga | tgtgtgaacc | tgcttctcta | ttgctttaga | aggatatatc | 4080 |
| tatgtcgtta | tgcaacatgc | ttcccttagc | catttgtact | gaaatcagtt | tcataagttc | 4140 |
| gtagtggtt | ccctaaacga | aacctgttt | ttctttgcaa | tcaacaggtc | ccctaaaaat | 4200 |
| gcctatgttg | aaggtgatgc | ctcaagcgca | agctatttct | tggctgggtg | tgcaattact | 4260 |
| ggagggactg | tgactgtgga | aggttgtggc | accaccagtt | tgcaagtaaa | gatttcttgg | 4320 |
| ctggtgctac | aataactgct | tttgtctttt | tggtttcagc | attgttctca | gagtcaactaa | 4380 |
| ataacattat | catctgcaaa | tgtcaaatag | acatacttag | gtgaattcat | gtaaccgttt | 4440 |
| ccttacaat | ttgctgaaac | ctcaggggta | tgtgaagtgt | gctgaggtac | tggagatgat | 4500 |
| gggagcgaag | gttacatgga | ccgagactag | cgtaactggt | actggcccac | cgcgggagcc | 4560 |
| atttgggagg | aaacacctca | aggcgattga | tgtcaacatg | aacaagatgc | ctgatgtcgc | 4620 |
| catgactcct | gctgtggttg | ccctctttgc | cgatggcccg | acagccatca | gagacggtaa | 4680 |
| aacattctca | gcctacaac | catgcctctt | ctacatcact | acttgacaag | actaaaaact | 4740 |
| attggctcgt | tggcagtggc | ttcctggaga | gtaaaggaga | ccgagaggat | ggttgcgac | 4800 |
| cggacggagc | taaccaaggt | aaggctacat | acttcacatg | tctcacgtcg | tctttccata | 4860 |
| gctcgtgccc | tcttagcggc | ttgcctgcgg | tcgctccatc | ctcggttgct | gtctgtgttt | 4920 |
| tccacagctg | ggagcatctg | ttgaggaagg | gocggactac | tgcatcatca | cgcgcgggga | 4980 |
| gaagctgaac | gtgacggcga | tcgacacgta | cgacgaccac | aggatggcca | tggccttctc | 5040 |
| ccttgccgcc | tgtgccgagg | tccccgtgac | catccgggac | cctgggtgca | cccgggaagac | 5100 |
| cttccccgac | tacttcgatg | tgctgagcac | tttctgcaag | aattaataaa | gcgtgcgata | 5160 |

-continued

```

ctaccacgca gcttgattga agtगतagggc ttgtgctgag gaaatacatt tcttttgttc 5220
tgttttttct ctttcacggg attaagtttt gagtctgtaa cgtagttgt ttgtagcaag 5280
tttctatttc ggatcttaag tttgtgact gtaagccaaa tttcatttca agagtggttc 5340
gttgaataa taagaataat aaattacgtt tcagtggctg tcaagcctgc tgctacgttt 5400
taggagatgg cattagacat tcatcatcaa caacaataaa accttttagc ctcaacaat 5460
aatagtgaag ttatttttta gtcctaaaca agttgcatta ggatatagtt aaaacacaaa 5520
agaagctaaa gttaggggtt agacatgtgg atattgtttt ccatgtatag tatgttcttt 5580
ctttgagtct catttaacta cctctacaca taccaacttt agtttttttt ctacctctc 5640
atgttactat ggtgccttct tatcccactg agcattggta tatttagagg tttttgttga 5700
acatgcctaa atcatctcaa tcaacgatgg acaatctttt cttcgattga gctgaggtag 5760
gtcatctaca ggataggacc ttgagaatat gtgtccgcca atagctaacc ctctaact 5820
tttttcaatc aagcaaccta ttggcttgac tttaatctgt accggcttct actacttcta 5880
cagtattttg tctctataaa ttgcagctac aacagtcaga acggctggct ttaaaatcaa 5940
atggcctaag gatcattgaa aggcactta gcaatgtcta aaattattac cttctctaga 6000
cgttgatatc 6010

```

<210> SEQ ID NO 7

<211> LENGTH: 521

<212> TYPE: PRT

<213> ORGANISM: Arabidopsis thaliana

<400> SEQUENCE: 7

```

Met Ala Ser Ser Leu Thr Ser Lys Ser Ile Leu Gly Cys Thr Lys Pro
1          5          10          15
Ala Ser Ser Ser Phe Leu Pro Ser Glu Leu Arg Arg Leu Ser Ser Pro
20          25          30
Ala Val Gln Ile Ser Leu His Ser Gln Thr Arg Lys Asn Phe Arg Gln
35          40          45
Ser Trp Gly Leu Lys Lys Ser Asp Leu Met Leu Asn Gly Ser Glu Ile
50          55          60
Arg Pro Val Lys Val Arg Ala Ser Val Ser Thr Ala Glu Lys Ala Ser
65          70          75          80
Glu Ile Val Leu Gln Pro Ile Arg Glu Ile Ser Gly Leu Ile Lys Leu
85          90          95
Pro Gly Ser Lys Ser Leu Ser Asn Arg Ile Leu Leu Leu Ala Ala Leu
100         105         110
Ser Glu Gly Thr Thr Val Val Asp Asn Leu Leu Asn Ser Asp Asp Ile
115        120        125
Asn Tyr Met Leu Asp Ala Leu Lys Ile Leu Gly Leu Asn Val Glu Thr
130        135        140
His Ser Glu Asn Asn Arg Ala Val Val Glu Gly Cys Gly Gly Val Phe
145        150        155        160
Pro Ala Ser Ile Asp Ser Lys Ser Asp Ile Glu Leu Tyr Leu Gly Asn
165        170        175
Ala Gly Ile Ala Met Arg Ser Leu Thr Ala Ala Val Thr Ala Ala Gly
180        185        190
Gly Asn Ala Ser Tyr Val Leu Asp Gly Val Pro Arg Met Arg Glu Arg
195        200        205
Pro Ile Gly Asp Leu Val Val Gly Leu Lys Gln Leu Gly Ala Asp Val
210        215        220

```

-continued

Glu Cys Thr Leu Gly Thr Asn Cys Pro Pro Val Arg Val Asn Ala Asn
 225 230 235 240
 Gly Gly Leu Pro Gly Gly Lys Val Lys Leu Ser Gly Ser Ile Ser Ser
 245 250 255
 Gln Tyr Leu Thr Ala Leu Leu Met Ala Ala Pro Leu Ala Leu Gly Asp
 260 265 270
 Val Glu Ile Glu Ile Val Asp Lys Leu Ile Ser Val Pro Tyr Val Glu
 275 280 285
 Met Thr Leu Lys Leu Met Glu Arg Phe Gly Val Ser Ala Glu His Ser
 290 295 300
 Glu Ser Trp Asp Arg Phe Phe Val Lys Gly Gly Gln Lys Tyr Lys Ser
 305 310 315 320
 Pro Gly Asn Ala Tyr Val Glu Gly Asp Ala Ser Ser Ala Ser Tyr Phe
 325 330 335
 Leu Ala Gly Ala Ala Ile Thr Gly Glu Thr Val Thr Val Glu Gly Cys
 340 345 350
 Gly Thr Thr Ser Leu Gln Gly Asp Val Lys Phe Ala Glu Val Leu Glu
 355 360 365
 Lys Met Gly Cys Lys Val Ser Trp Thr Glu Asn Ser Val Thr Val Thr
 370 375 380
 Gly Pro Ser Arg Asp Ala Phe Gly Met Arg His Leu Arg Ala Ile Asp
 385 390 395 400
 Val Asn Met Asn Lys Met Pro Asp Val Ala Met Thr Leu Ala Val Val
 405 410 415
 Ala Leu Phe Ala Asp Gly Pro Thr Thr Ile Arg Asp Val Ala Ser Trp
 420 425 430
 Arg Val Lys Glu Thr Glu Arg Met Ile Ala Ile Cys Thr Glu Leu Arg
 435 440 445
 Lys Leu Gly Ala Thr Val Glu Glu Gly Ser Asp Tyr Cys Val Ile Thr
 450 455 460
 Pro Pro Lys Lys Val Lys Pro Ala Glu Ile Asp Thr Tyr Asp Asp His
 465 470 475 480
 Arg Met Ala Met Ala Phe Ser Leu Ala Ala Cys Ala Asp Val Pro Ile
 485 490 495
 Thr Ile Asn Asp Pro Gly Cys Thr Arg Lys Thr Phe Pro Asp Tyr Phe
 500 505 510
 Gln Val Leu Glu Arg Ile Thr Lys His
 515 520

<210> SEQ ID NO 8

<211> LENGTH: 520

<212> TYPE: PRT

<213> ORGANISM: Arabidopsis thaliana

<400> SEQUENCE: 8

Met Ala Gln Val Ser Arg Ile Cys Asn Gly Val Gln Asn Pro Ser Leu
 1 5 10 15
 Ile Ser Asn Leu Ser Lys Ser Ser Gln Arg Lys Ser Pro Leu Ser Val
 20 25 30
 Ser Leu Lys Thr Gln Gln His Pro Arg Ala Tyr Pro Ile Ser Ser Ser
 35 40 45
 Trp Gly Leu Lys Lys Ser Gly Met Thr Leu Ile Gly Ser Glu Leu Arg
 50 55 60
 Pro Leu Lys Val Met Ser Ser Val Ser Thr Ala Glu Lys Ala Ser Glu
 65 70 75 80

-continued

Ile Val Leu Gln Pro Ile Arg Glu Ile Ser Gly Leu Ile Lys Leu Pro
 85 90 95

Gly Ser Lys Ser Leu Ser Asn Arg Ile Leu Leu Leu Ala Ala Leu Ser
 100 105 110

Glu Gly Thr Thr Val Val Asp Asn Leu Leu Asn Ser Asp Asp Ile Asn
 115 120 125

Tyr Met Leu Asp Ala Leu Lys Arg Leu Gly Leu Asn Val Glu Thr Asp
 130 135 140

Ser Glu Asn Asn Arg Ala Val Val Glu Gly Cys Gly Gly Ile Phe Pro
 145 150 155 160

Ala Ser Ile Asp Ser Lys Ser Asp Ile Glu Leu Tyr Leu Gly Asn Ala
 165 170 175

Gly Ile Ala Met Arg Ser Leu Thr Ala Ala Val Thr Ala Ala Gly Gly
 180 185 190

Asn Ala Ser Tyr Val Leu Asp Gly Val Pro Arg Met Arg Glu Arg Pro
 195 200 205

Ile Gly Asp Leu Val Val Gly Leu Lys Gln Leu Gly Ala Asp Val Glu
 210 215 220

Cys Thr Leu Gly Thr Asn Cys Pro Pro Val Arg Val Asn Ala Asn Gly
 225 230 235 240

Gly Leu Pro Gly Gly Lys Val Lys Leu Ser Gly Ser Ile Ser Ser Gln
 245 250 255

Tyr Leu Thr Ala Leu Leu Met Ser Ala Pro Leu Ala Leu Gly Asp Val
 260 265 270

Glu Ile Glu Ile Val Asp Lys Leu Ile Ser Val Pro Tyr Val Glu Met
 275 280 285

Thr Leu Lys Leu Met Glu Arg Phe Gly Val Ser Val Glu His Ser Asp
 290 295 300

Ser Trp Asp Arg Phe Phe Val Lys Gly Gly Gln Lys Tyr Lys Ser Pro
 305 310 315 320

Gly Asn Ala Tyr Val Glu Gly Asp Ala Ser Ser Ala Ser Tyr Phe Leu
 325 330 335

Ala Gly Ala Ala Ile Thr Gly Glu Thr Val Thr Val Glu Gly Cys Gly
 340 345 350

Thr Thr Ser Leu Gln Gly Asp Val Lys Phe Ala Glu Val Leu Glu Lys
 355 360 365

Met Gly Cys Lys Val Ser Trp Thr Glu Asn Ser Val Thr Val Thr Gly
 370 375 380

Pro Pro Arg Asp Ala Phe Gly Met Arg His Leu Arg Ala Ile Asp Val
 385 390 395 400

Asn Met Asn Lys Met Pro Asp Val Ala Met Thr Leu Ala Val Val Ala
 405 410 415

Leu Phe Ala Asp Gly Pro Thr Thr Ile Arg Asp Val Ala Ser Trp Arg
 420 425 430

Val Lys Glu Thr Glu Arg Met Ile Ala Ile Cys Thr Glu Leu Arg Lys
 435 440 445

Leu Gly Ala Thr Val Glu Glu Gly Ser Asp Tyr Cys Val Ile Thr Pro
 450 455 460

Pro Lys Lys Val Lys Thr Ala Glu Ile Asp Thr Tyr Asp Asp His Arg
 465 470 475 480

Met Ala Met Ala Phe Ser Leu Ala Ala Cys Ala Asp Val Pro Ile Thr
 485 490 495

-continued

```

Ile Asn Asp Pro Gly Cys Thr Arg Lys Thr Phe Pro Asp Tyr Phe Gln
      500                               505           510

Val Leu Glu Arg Ile Thr Lys His
      515                               520

<210> SEQ ID NO 9
<211> LENGTH: 506
<212> TYPE: PRT
<213> ORGANISM: Zea mays

<400> SEQUENCE: 9

Met Ala Ala Met Ala Thr Lys Ala Ala Ala Gly Thr Val Ser Leu Asp
 1      5      10      15

Leu Ala Ala Pro Ser Arg Arg His His Arg Pro Ser Ser Ala Arg Pro
 20     25     30

Pro Ala Arg Pro Ala Val Arg Gly Leu Arg Ala Pro Gly Arg Arg Val
 35     40     45

Ile Ala Ala Pro Pro Ala Ala Ala Ala Ala Ala Val Gln Ala Gly
 50     55     60

Ala Glu Glu Ile Val Leu Gln Pro Ile Lys Glu Ile Ser Gly Thr Val
 65     70     75     80

Lys Leu Pro Gly Ser Lys Ser Leu Ser Asn Arg Ile Leu Leu Leu Ala
 85     90     95

Ala Leu Ser Glu Gly Thr Thr Val Val Asp Asn Leu Leu Asn Ser Glu
100    105    110

Asp Val His Tyr Met Leu Gly Ala Leu Arg Thr Leu Gly Leu Ser Val
115    120    125

Glu Ala Asp Lys Ala Ala Lys Arg Ala Val Val Val Gly Cys Gly Gly
130    135    140

Lys Phe Pro Val Glu Asp Ser Lys Glu Glu Val Gln Leu Phe Leu Gly
145    150    155    160

Asn Ala Gly Ile Ala Met Arg Ser Leu Thr Ala Ala Val Thr Ala Ala
165    170    175

Gly Gly Asn Ala Thr Tyr Val Leu Asp Gly Val Pro Arg Met Arg Glu
180    185    190

Arg Pro Ile Gly Asp Leu Val Val Gly Leu Lys Gln Leu Gly Ala Asp
195    200    205

Val Asp Cys Phe Leu Gly Thr Asp Cys Pro Pro Val Arg Val Asn Gly
210    215    220

Ile Gly Gly Leu Pro Gly Gly Lys Val Lys Leu Ser Gly Ser Ile Ser
225    230    235    240

Ser Gln Tyr Leu Ser Ala Leu Leu Met Ala Ala Pro Leu Ala Leu Gly
245    250    255

Asp Val Glu Ile Glu Ile Ile Asp Lys Leu Ile Ser Ile Pro Tyr Val
260    265    270

Glu Met Thr Leu Arg Leu Met Glu Arg Phe Gly Val Lys Ala Glu His
275    280    285

Ser Asp Ser Trp Asp Arg Phe Tyr Ile Lys Gly Gly Gln Lys Tyr Lys
290    295    300

Ser Pro Lys Asn Ala Tyr Val Glu Gly Asp Ala Ser Ser Ala Ser Tyr
305    310    315    320

Phe Leu Ala Gly Ala Ala Ile Thr Gly Gly Thr Val Thr Val Glu Gly
325    330    335

Cys Gly Thr Thr Ser Leu Gln Gly Asp Val Lys Phe Ala Glu Val Leu
340    345    350

```

-continued

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Glu | Met | Met | Gly | Ala | Lys | Val | Thr | Trp | Thr | Glu | Thr | Ser | Val | Thr | Val |
| | 355 | | | | | | 360 | | | | | 365 | | | |
| Thr | Gly | Pro | Pro | Arg | Glu | Pro | Phe | Gly | Arg | Lys | His | Leu | Lys | Ala | Ile |
| | 370 | | | | | 375 | | | | | 380 | | | | |
| Asp | Val | Asn | Met | Asn | Lys | Met | Pro | Asp | Val | Ala | Met | Thr | Leu | Ala | Val |
| 385 | | | | | 390 | | | | | 395 | | | | 400 | |
| Val | Ala | Leu | Phe | Ala | Asp | Gly | Pro | Thr | Ala | Ile | Arg | Asp | Val | Ala | Ser |
| | | | 405 | | | | | | 410 | | | | | 415 | |
| Trp | Arg | Val | Lys | Glu | Thr | Glu | Arg | Met | Val | Ala | Ile | Arg | Thr | Glu | Leu |
| | | | 420 | | | | | 425 | | | | | 430 | | |
| Thr | Lys | Leu | Gly | Ala | Ser | Val | Glu | Glu | Gly | Pro | Asp | Tyr | Cys | Ile | Ile |
| | 435 | | | | | | 440 | | | | | 445 | | | |
| Thr | Pro | Pro | Glu | Lys | Leu | Asn | Val | Thr | Ala | Ile | Asp | Thr | Tyr | Asp | Asp |
| | 450 | | | | | 455 | | | | | 460 | | | | |
| His | Arg | Met | Ala | Met | Ala | Phe | Ser | Leu | Ala | Ala | Cys | Ala | Glu | Val | Pro |
| 465 | | | | | 470 | | | | | 475 | | | | | 480 |
| Val | Thr | Ile | Arg | Asp | Pro | Gly | Cys | Thr | Arg | Lys | Thr | Phe | Pro | Asp | Tyr |
| | | | | 485 | | | | | 490 | | | | | 495 | |
| Phe | Asp | Val | Leu | Ser | Thr | Phe | Val | Lys | Asn | | | | | | |
| | | 500 | | | | | | 505 | | | | | | | |

What is claimed is:

1. A method of making a glyphosate-resistant plant cell, comprising:

- (a) introducing a first DNA fragment into a plurality of regenerable plant cells, the first DNA fragment comprising a sequence selected from the group consisting of SEQ ID NO: 2, SEQ ID NO: 4 and SEQ ID NO: 6; and
- (b) selecting from said regenerable plant cells a glyphosate-resistant plant cell which is stably transformed with the first DNA fragment.

2. The method according to claim 1, further comprising introducing a second DNA fragment with the first DNA fragment into said regenerable plant cells, wherein the second DNA fragment comprises a sequence selected from the group consisting of SEQ ID NO: 1, SEQ ID NO: 4 and SEQ ID NO: 6, and the sequence of the first DNA fragment is different from the sequence of the second DNA fragment.

3. The method according to claim 2, wherein the first DNA fragment comprises SEQ ID NO: 2, and the second DNA fragment comprises SEQ ID NO: 4.

4. A glyphosate-resistant plant cell made according to the method of claim 3, which is stably transformed with said first DNA fragment and said second DNA fragment.

5. A plant regenerated from the glyphosate-resistant plant cell of claim 4.

6. A regenerable, glyphosate-resistant plant cell comprising an introduced, chromosomally integrated DNA sequence which comprises a sequence selected from the group consisting of SEQ ID NO: 2, SEQ ID NO: 4 and SEQ ID NO: 6.

7. The glyphosate-resistant plant cell according to claim 6, comprising another introduced, chromosomally integrated DNA sequence, wherein said another introduced, integrated DNA sequence comprises a sequence selected from the group consisting of SEQ ID NO: 2, SEQ ID NO: 4 and SEQ ID NO: 6.

8. The glyphosate-resistant plant cell according to claim 6, wherein the introduced, chromosomally integrated DNA sequence comprises SEQ ID NO: 2, and wherein the plant cell comprises another introduced, chromosomally integrated DNA sequence which comprises SEQ ID NO: 4.

9. A plant regenerated from the glyphosate-resistant plant cell of claim 6.

10. A plant regenerated from the glyphosate-resistant plant cell of claim 8.

11. An isolated polynucleotide comprising the sequence depicted in SEQ ID NO: 2.

12. An isolated polynucleotide comprising the sequence depicted in SEQ ID NO: 4.

13. An isolated polynucleotide comprising the sequence depicted in SEQ ID NO: 6.

* * * * *