



US00D701628S

(12) **United States Design Patent**
Steedly

(10) **Patent No.:** **US D701,628 S**

(45) **Date of Patent:** **** Mar. 25, 2014**

(54) **LED ILLUMINATION UNIT**

(75) Inventor: **James Steedly**, Menifee, CA (US)

(73) Assignee: **Maxlite, Inc.**, West Caldwell, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/414,708**

(22) Filed: **Mar. 2, 2012**

(51) **LOC (10) CL.** **26-04**

(52) **U.S. Cl.**
USPC **D26/2**

(58) **Field of Classification Search**
USPC D26/1-4; 313/313, 315, 316, 317, 318,
313/493; 315/52, 53, 56, 57, 58
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,787,999 B2	9/2004	Stimac et al.	
D497,439 S	10/2004	Shaw et al.	
6,874,911 B2	4/2005	Yoneda	
7,175,306 B2	2/2007	Pan	
D539,935 S	4/2007	Mama	
D566,323 S	4/2008	Piepgas et al.	
7,458,706 B1	12/2008	Liu et al.	
7,482,632 B2	1/2009	Lu et al.	
7,607,802 B2	10/2009	Kang et al.	
7,663,229 B2	2/2010	Lu et al.	
7,690,801 B2	4/2010	Amphlett	
7,701,055 B2	4/2010	Wu et al.	
7,703,951 B2	4/2010	Piepgas et al.	
7,766,518 B2	8/2010	Piepgas et al.	
D625,030 S *	10/2010	Yamamoto et al.	D26/2
D627,492 S *	11/2010	Yamamoto et al.	D26/2
D628,317 S *	11/2010	Yamamoto et al.	D26/2
D628,722 S *	12/2010	Yamamoto et al.	D26/2

D631,573 S *	1/2011	Yamamoto et al.	D26/2
7,866,850 B2	1/2011	Alexander et al.	
7,874,702 B2	1/2011	Shuai et al.	
D685,505 S *	7/2013	Yamamoto et al.	D26/2
2009/0103296 A1	4/2009	Harbers et al.	
2010/0226139 A1	9/2010	Lynch et al.	

OTHER PUBLICATIONS

Transcend—Solid State Lighting, Puck Style LED available at www.molex.com, May 22, 2009.

* cited by examiner

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Vedder Price P.C.

(57) **CLAIM**

The ornamental design of the LED illumination unit, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a LED illumination unit;

FIG. 2 is a rear perspective view of the LED illumination unit of FIG. 1;

FIG. 3 is a front view of the LED illumination unit of FIG. 1;

FIG. 4 is a rear view of the LED illumination unit of FIG. 1;

FIG. 5 is first side view of the LED illumination unit of FIG. 1;


FIG. 6 is a second side view of the LED illumination unit of FIG. 1;

FIG. 7 is a top view of the LED illumination unit of FIG. 1; and,

FIG. 8 is a bottom view of the LED illumination unit of FIG. 1.

The broken line portions of the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8