

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
1 November 2007 (01.11.2007)

PCT

(10) International Publication Number  
**WO 2007/124012 A1**


- (51) International Patent Classification:  
A61F 7/02 (2006.01)
- (21) International Application Number:  
PCT/US2007/009599
- (22) International Filing Date: 20 April 2007 (20.04.2007)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/793,680 20 April 2006 (20.04.2006) US
- (71) Applicant (for all designated States except US): **UNIVERSITY OF PITTSBURGH** [US/US]; 200 Gardner Steel Conference Center, Thackeray & O'Hara Streets, Pittsburgh, PA 15206 (US).
- (72) Inventor: **NOFZINGER, Eric, A.**; 4485 Middle Road, Allison Park, PA 15101 (US).
- (74) Agent: **OBERDICK, David, G.**; Meyer, Unkovic & Scott LLP, 1300 Oliver Building, 535 Smithfield Street, Pittsburgh, PA 15222 (US).

- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:  
— with international search report

[Continued on next page]

(54) Title: METHOD AND APPARATUS OF NONINVASIVE, REGIONAL BRAIN THERMAL STIMULI FOR THE TREATMENT OF NEUROLOGICAL DISORDERS



(57) Abstract: A method and device for treating neurological disorders involving the application of noninvasive, regional brain thermal stimulation to a region of a patient's head associated with a subject neurological disorder. The brain thermal stimulation method and device alters the brain function in the region of the brain underlying the region of the patient's head to which the brain cooling is applied. The method can also include the steps of adjusting the temperature and timing of the thermal stimulation process to optimize the impact on the subject disorder. The brain thermal stimulation device is comprised of a localized means for cooling or warming a desired region of a patient's brain.

WO 2007/124012 A1



- 
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

***Method and Apparatus of Noninvasive, Regional Brain Thermal Stimuli for the Treatment of Neurological Disorders***

5 FIELD OF THE INVENTION

This invention relates generally to a method and apparatus for delivering thermal stimuli to the brain and more particularly relates to a method and apparatus for noninvasive, regional brain thermal stimuli, either through cooling or  
10 warming, to treat neurological disorders.

BACKGROUND OF THE INVENTION

The present invention provides a novel method and apparatus for non-invasive regional brain thermal stimulation for treating neurological disorders. In particular, the present invention  
15 has novel applications for neuropsychiatric disorders in which there are alterations in whole brain metabolism. Such disorders, include, by way of example but not limitation, insomnia, sleep apnea syndrome and depression. More broadly, however, the present invention is effective in any neurological  
20 disorder in which an alteration in metabolism in a localized area may be beneficial.

One such brain disorder that illustrates the benefits of the present invention is insomnia. A recent NIH State-of-the-Science Conference "Manifestations and Management of Chronic  
25 Insomnia in Adults", noted that "insomnia is the most common

sleep complaint across all stages of adulthood, and for millions of people, the problem is chronic." Many health and lifestyle factors can contribute to insomnia including stress, depression, medical illnesses, pain, medications, or specific sleeping disorders. The panel concluded that "there is great need for additional research to better define the nature of chronic insomnia." While recognizing evidence from both psychological and physiological models in the etiology of insomnia, the conference encouraged more research by concluding that "the neural mechanisms underlying chronic insomnia are poorly understood..." and that "... studies aiming to identify neural mechanisms should use animal models and in vivo neural imaging approaches in people with insomnia and in individuals with normal sleep."

Existing treatments of neurological and/or sleeping disorders, including insomnia, include the use of over the counter or prescription drugs and/or behavioral treatments. Prescription drugs are known to aid patients suffering from sleeping disorders, however, these drugs can be quite expensive and potentially addicting. Some medications even become less effective as use continues. Additionally, the prescriptions can have unwanted and harmful side effects.

Other techniques to treat sleeping disorders include a variety of behavioral measures including stimulus control

therapy, sleep restriction therapy, relaxation training,  
cognitive therapy, and sleep hygiene education. While these  
measures have moderate effectiveness, they are costly, require  
significant time to implement and require highly trained  
5 clinicians to implement.

The present invention addresses these issues and those  
relating to other neurological disorders through using a novel  
method and apparatus for non-invasive and localized or regional  
thermal stimuli to the brain that helps treat neurological or  
10 neuropsychiatric disorders. In the case of sleeping disorders  
or depression, again as an example but not as a limitation on  
the full scope of the present invention, the restoration of  
function in the cerebral cortex plays a significant role in  
sleep. At the molecular and neuronal levels, hypothesized  
15 functions of sleep include the restoration of brain energy  
metabolism through the replenishment of brain glycogen stores  
that are depleted during wakefulness and the downscaling of  
synapses that have been potentiated during waking brain  
function. A homeostatic sleep drive, or pressure for sleep, is  
20 known to build throughout the waking hours and then is  
discharged during sleep. At the electroencephalographic (EEG)  
level, this is measured by EEG spectral power in the delta (0.5-  
4Hz) frequency band.

These sleep-related processes have some regional specificity for the prefrontal cortex. Slow wave sleep rhythms have both thalamic and cortical components. An anterior dominance of EEG spectral power in the delta EEG spectral power range has been reported. A frontal predominance for the increase in delta power following sleep loss has been also reported. This region of the cortex also plays a prominent role in waking executive functions which are preferentially impaired following sleep deprivation. These sleep deprivation induced cognitive impairments have been related to declines in frontal metabolism after sleep loss. While cerebral metabolism declines globally from waking to NREM sleep, these declines are most pronounced in heteromodal association cortex, including the prefrontal cortex.

Insomnia is associated with global cerebral hypermetabolism. Nofzinger et al. (Am J Psychiatry, 2004) assessed regional cerebral glucose metabolism during both waking and NREM sleep in insomnia patients and healthy subjects using [18F] fluoro-2-deoxy-D-glucose positron emission tomography (PET). Insomnia patients show increased global cerebral glucose metabolism during sleep and wakefulness; and a smaller decline in relative metabolism from wakefulness to sleep in wake-promoting regions of the brain. In a comparison between insomnia and depressed patients, insomnia patients demonstrated

increased waking relative metabolism in the prefrontal cortex. Finally, recent research has shown that the amount of wakefulness after sleep onset, or WASO, in insomnia patients correlates with increasing metabolism in the prefrontal cortex  
5 during NREM sleep.

The relationship between body temperature and quality of sleep generally have been described in connection with prior research in the field of sleep medicine. Heat loss, via selective vasodilatation of distal skin regions (measured by the  
10 distal minus proximal skin temperature gradient (DPG), seems to be a crucial process for the circadian regulation of core body temperature (CBT) and sleepiness (Aschoff 1956; Krauchi and Wirz-Justice 1994, 2002; Krauchi et al. 1998, 2000). Increased DPG before lights off has been noted to promote a rapid onset of  
15 sleep, suggesting a link between thermoregulatory and arousal (sleepiness) systems (Krauchi et al. 1999, 2000). Hot environments impair the sleep process including falling asleep and maintaining sleep as well as generating slow wave sleep as the increased ambient temperature interferes with the normal  
20 declines in core body temperature associated with the sleep onset process. Finally, rapid and intense temperature drops around the sleep onset or sleeping periods are expected to have an arousing effect (Horne and Reyner 1999; Hayashi et al. 2003). In contrast, the present invention minimizes such adverse

effects from temperature changes through application of a less intense hypothermic stimulus over a prolonged period of time to a localized surface of the scalp. More specifically, the present invention utilizes the application of a noninvasive, regional thermal stimulus, either through warming or cooling, to the scalp of the head to adjust metabolism in the cerebral cortex underlying the stimulus and, thereby, provide treatment for neurological disorders.

Existing technologies for brain cooling involve either whole body cooling or whole brain cooling. Most commonly employed is whole body cooling. Less commonly applied is whole brain cooling, which includes some invasive techniques. Of the below-listed devices, none have been used for the treatment of neuropsychiatric or neurological disorders such as sleeping disorders including insomnia.

For example, regulation of overall body temperature in an attempt to aid patients in falling asleep is disclosed in U.S. Patent No. 5,441,476 to Kitado et al. Prior to the present invention, however, generalized temperature regulation has not proven efficacious in the field of sleep medicine. Adverse effects of entire body cooling include: (i) infections; (ii) coagulopathy; (iii) cardiac arrhythmias; (iv) arterial hypotension; and (v) shivering (leading to anesthesia).



Also known in the art, is the cooling of a particular organ for surgical purposes as demonstrated in U.S. Patent No.

6,979,345 B2 to Werneth. In this reference, a device performs hypothermia to a patient or a particular organ of a patient,

5 while administering a medication to a blood vessel.

Additionally, U.S. Patent Nos. 5,957,963, 6,149,667, 6,231,595

B1 and 6,818,011 B2 all to Dobak, III, disclose a method and

apparatus for performing hypothermia of an entire selected organ without significant effect on surrounding organs or other

10 tissues. The cooling protects the tissue from injury caused by anoxia or trauma. An advantage of these inventions is that they reduce the need for whole body cooling, but they do not address the noninvasive, regionalized thermal stimulation method of the present invention.

15 Brain cooling devices are also available which reduce the risk of secondary brain injury after initial brain injury to a patient. For example, see U.S. Patent No. 6,929,656 B1 to Lennox, which teaches an apparatus and method for reducing secondary brain injury. Unlike the present invention, though,

20 this apparatus includes an invasive brain cooling probe and a control console. The brain cooling probe cools the brain to prevent secondary injury by cooling the cerebrospinal fluid within one or more brain ventricles.

Further, U.S. Patent No. 6,986,783 B2 to Gunn et al. teaches a method for preventing or reducing the development of delayed brain damage in a patient, comprising the steps of applying generalized cooling headwear to the patient's head, 5 thermostatically controlling the coolant temperature within a predetermined range to maintain the brain at a temperature below normal for an extended period of time sufficient to prevent the death of neurons, glial or other cells that would otherwise die as a consequence of direct injury to the brain or other injury 10 to the patient likely to cause injury to the brain. Unlike the present invention, this method is designed to produce whole brain cooling using temperature changes that, in the case of treatment for sleep disorders, are too severe to allow sleep to occur or be maintained. The present invention differs from this 15 prior art in that it uses the localized or regional application of a hypothermic stimulus that, in one embodiment, is in a range that can be used for the induction and maintenance of sleep.

The related art also teaches cooling blood flowing to the brain. For example, U.S. Patent No. 6,682,552 B2 to Ramsden et 20 al. discloses a device and system for use in a pre-hospital setting to cool the brain after an injury. The cooling effect of this invention is specifically geared towards cooling the blood flowing through the carotid artery to the brain. Likewise, U.S. Patent No. 5,916,242 to Schwartz discloses a neck

encircling apparatus for brain cooling in firm contact with the soft tissue of the neck, and particularly in thermal contact with the carotid arteries traversing the neck. Distinct from the present invention, neither of these devices allows for regional or localized brain cooling at temperature ranges that may permit sleep and its beneficial results for treatment of certain brain disorders.

Devices for brain cooling of an infant are also known, as shown in U.S. Patent No. 6,312,453 B1 to Stefanile et al. This device is used where the infant has suffered hypoxic shock.

U.S. Patent No. 5,261,399 to Klatz et al. teaches a brain cooling device and method for brain cooling. The device is a helmet for positioning on the head of the patient. The cooling is intended to prevent ischemic and anomic injuries whereby the patient survives neurologically intact. Another example is demonstrated in U.S. Patent No. 7,008,445 B2 to Lennox, which teaches a cooling helmet. In both of these disclosures, generalized cooling of the brain occurs by a helmet that encompasses the entirety of a head region, while the present invention, again, focuses on localized or regional cooling or warming of the brain.

Similarly, U.S. Patent No. 6,126,680 to Wass which discloses a method and apparatus for generalized convective cooling of a brain in which cooled air is passed over the

entirety of a patient's head resulting in convective cooling of the patient's brain.

More generally, while direct application of a thermal stimulus to the cerebral cortex is not feasible in human clinical trials, general research on brain cooling has shown that the application of a cooling stimulus to the scalp decreases brain temperature in the underlying cortex in both animals and humans. For example, in a study of pigs, even a mild surface cooling of 15 degrees Celsius was associated with cooling of the scalp and superficial brain to 35 degrees Celsius. Iwata et al Pediatric Int. 2003. In this study, there was a notable differential effect of surface cooling on superficial vs. deep brain tissue, with superficial brain tissue cooled to a greater degree than deep brain tissue. The change in underlying brain temperature was achieved in 30-75 minutes. In a human study, (Wang et al. 2004) researchers were able to decrease surface brain temperatures by an average of 1.84 degrees Celsius within 1 hour of subjects wearing a whole head cooling helmet. Systemic hypothermia (< 36 degrees Celsius) did not occur until 6.67 hours after application of the cooling stimulus. Biomedical engineering models (Diao et al. 2003) also suggest that rapid cooling (within 26 minutes) of the brain gray matter can be achieved by selective head cooling on the surface. While the purpose of this research focused on techniques for

generalized brain cooling, the present invention specifically utilizes non-invasive and regionalized thermal stimulation, including brain cooling for the purposes of reducing brain metabolism in a specific brain region and not others, and  
5 thereby provides treatment for neurological disorders.

Prior to the present invention, generalized brain cooling has been known only to protect the brain against damage caused by loss of blood flow or loss of oxygen to brain tissue in several clinical circumstances such as head trauma, stroke and  
10 protection against neuronal insult during cardiopulmonary surgery. Preclinical studies have shown neuroprotective beneficial effects of brain cooling in several domains. These include: metabolism (1970); pH (1992); neurotransmitter levels (1982); free fatty acids (1989); blood-brain barrier (1990);  
15 edema (1987); glucose metabolism (1987); cerebral blood flow (1954); free radical activation (1994); lipid peroxidation (1994); calcium accumulation (1992); protein synthesis (1991); protein kinase-C activity (1991); leukocyte accumulation (1991); platelet function (1987); NMDA neurotoxicity (1991); growth  
20 factors (1994); cytoskeletal proteins (1993); calcium-dependent protein phosphorylation (1990); warm shock protein (1992); immediate early genes (1996); NOS activity (1999); and MMP expression (2003).

Further, the benefit of mild (30 degrees Celsius-34 degrees Celsius) hypothermia in global and focal ischemia has been recognized. Therapeutic hypothermia to improve neurological outcome after global and focal ischemic events affecting the  
5 brain has also shown beneficial results in controlled animal and human studies. However, no practical device for or method of treatment of neurological disorders has resulted from these studies.

The present invention provides a method of noninvasive,  
10 regional brain thermal stimulation to aid in the treatment of neurological or neuropsychiatric disorders that has not been utilized in the prior art. In fact, nothing in the related art patents discloses or suggests any teaching regarding the treatment of neurological disorders, such as sleeping disorders,  
15 via brain cooling or warming. The related art further does not provide an apparatus for regional brain thermal adjustment to treat neurological disorders, such as sleeping disorders or depression.

#### SUMMARY OF THE INVENTION

20 The present invention provides the advantages of delivering regionally selective brain cooling or warming in a noninvasive manner that alters cerebral metabolism in a regionally localized manner, and, thereby, treats neurological disorders that are

characterized by regionally specific alterations in brain function.

Another advantage and purpose of the present invention is the delivery of thermal stimuli, either hypothermal, i.e., cooling or hyper-thermal, i.e., warming, to a more regionally select area of the cortex that allows for a more specific delivery of treatment to regions of the cortex that are known to have abnormal metabolism in specific neuropsychiatric disorders. No devices, aside from the regional brain thermal stimuli device of the present invention, currently exist for the treatment of neuropsychiatric disorders such as, for example, insomnia, depression, or sleep apnea, along with others. Regionally selective cooling reduces the adverse effects of whole body cooling such as: infections; coagulopathy; cardiac arrhythmia; arterial hypotension; and shivering (leading to anesthesia).

An object of the present invention is to treat neurological disorders by focusing on the pathophysiology underlying those disorders.

By way of example, but not limitation, insomnia is one of the potentially numerous, neurological disorders that has been identified to have regionally specific alterations in cerebral metabolism. In the context of treating insomnia, an object of the present invention is to provide frontal hypothermic regional cerebral thermal therapy (RCTT) that decreases metabolism in the

prefrontal cortex at an optimal time. In this same content, yet another object of the present invention is to provide frontal hypothermic RCTT that positively impacts clinical outcomes by (i) decreasing cognitive arousal, (ii) accelerating the normal drop in core body temperature, (iii) differentially reducing frontal scalp temperature in relation to occipital temperature, (iv) reducing the latency to sleep or increasing sleep quantity when measured either subjectively or objectively by polysomnography, and/or (v) increasing subjective sleepiness. Again, this is only one example of a variety of regions of the brain that the present invention might target, and other configurations could be developed for regionally altering temperature in other areas.

More broadly, the present invention includes a method and device that provides regional brain cooling or warming for treatment of neurological disorders and that accomplishes desired clinical outcomes. Specifically, what is provided is a method and device for treating neurological or neuropsychiatric disorders, comprising the steps of applying a regional brain thermal stimuli device to a patient that cools or warms the scalp and skull and portions of the underlying brain of said patient. This cooling or warming alters the temperature of a cortical surface inside of the skull. In the embodiment of the invention having application in the treatment of insomnia, for



example, the method comprises applying cooling to the forehead and temporal region of the skull, scalp or head of a patient. In this embodiment, the regional brain cooling device can optionally be combined with a sleep apnea device. The general  
5 method further includes utilizing optimal cooling times and temperatures as needed to address specified neurological disorders. For example, but not by way of limitation, in the case of insomnia and sleep disorders, the regional brain cooling device can be applied prior to, during, and/or prior to and  
10 during sleep. Also in an embodiment of the invention having application in the treatment of insomnia and sleep disorders, cooling is generally in the range of about 0 degrees Celsius to 37 degrees Celsius. Such temperature ranges for cooling can be varied, though, depending on the response of the patient and the  
15 desired clinical results. In an embodiment of the invention having application across the time periods of both pre-sleep and sleep, the present invention can provide a programmable feature may alter the temperature setpoint at specific times of waking and sleep to optimize the entry into sleep and the maintenance  
20 of sleep. The method can, optionally, further comprise the step of monitoring the patient during treatment and/or the cooling process so that temperature adjustments can be made to correspond with the specific state of wakefulness or sleep that the patient is in.

Also, specifically provided is a device for regional brain thermal stimulation for the treatment of neurological disorders, comprising a cover or shield having a shape that corresponds to the underlying brain region that is targeted for modifying cerebral temperature and metabolism; a cooling or warming element or material for brain cooling or warming located within said cover or shield; and a means for application of said regional brain cooling or warming device to a patient. The device can be comprised of a comfortable material that can be adjustable to fit a plurality of patients. The apparatus provides thermal stimulation by any method that cools or warms and serves the functional goal of noninvasive, localized temperature control for the treatment of neurological disorders, including, but not limited to: circulating coolant or warmed fluids including liquids and gasses, non-circulating materials or compounds that either apply cooling or heating or remove cold or warm including cold packs and chemical cooling or warming, and thermoelectric cooling or warming.

#### BRIEF DESCRIPTION OF THE FIGURES

Figure 1 displays a front view of one embodiment of the non-invasive regional brain thermal stimuli device on the head of a patient.

Figure 2 shows a side view of one embodiment of the non-invasive, regional brain thermal stimuli device with an ear attachment on the head of a patient.

Figure 3 illustrates a side view of one embodiment the non-invasive, regional brain thermal stimuli device with a strap attachment on the head of a patient.

Figure 4 shows a prospective view of one embodiment of the non-invasive, regional brain thermal stimuli device with an ear attachment, on the head of a patient.

Figure 5 shows a side view of another embodiment of the non-invasive, regional brain thermal stimuli device with a chin strap.

Figure 6 illustrates a top view of another embodiment of the non-invasive, regional brain thermal stimuli device.

#### 15 DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The invention will now be described in detail in relation to a preferred embodiments and implementation thereof which is exemplary in nature and descriptively specific as disclosed. It must be understood that no limitation of the scope of the invention is thereby intended. The invention encompasses such alterations and further modifications in the illustrated method and apparatus, and such further applications of the principles of the invention illustrated herein, as would normally occur to persons skilled in the art to which the invention relates.

The present invention is based upon the principle that cooling or warming the scalp over certain regions of brain both triggers and maintains the physiological processes impacted by neurological disorders. For example, but not by way of  
5 limitation, cooling the prefrontal cortex of the brain can help treat the physiological processes that lead to sleep onset and sleep maintenance and thereby assist in the treatment of sleep disorders. In this example, the mechanism by which this occurs may include any or some combination of the following: 1) a  
10 reduction in metabolism in the prefrontal cortex that is necessary for the onset and maintenance of sleep; 2) a triggering of the normative drop in core body temperature that occurs as part of the sleep onset process; 3) a reduction in cognitive arousal that is mediated by increased metabolic  
15 activity in the prefrontal cortex in insomnia patients.

The method and device of this embodiment of the present invention more generally involves the application of a noninvasive, regionalized thermic stimulus to a patient's head in order to impact and adjust brain metabolism and thereby  
20 obtain the clinical benefits of treating neurological disorders.

Again, by way of example, the brain cooling method and device of the present invention obtains these benefits by decreasing hypermetabolism associated with such disorders. The brain cooling method and device of the present invention also

reduces the cognitive hyperarousal that prevents the natural entry into sleep in insomnia patients and facilitates the changes in thermoregulation associated with sleep onset. In the case of a hyper-thermic stimulus of the present invention, or  
5 non-invasive, regionalized brain warming, therapeutic benefits can be achieved where an increase to the metabolism to a localized area of a patient's brain is desired.

In general, the regional brain thermal stimuli method and device of the present invention cools or warms the scalp or  
10 skull of a patient and, in turn, cools or warms the temperature of the brain inside the skull of the patient where the invention is applied. As used in this application, the terms "regional" and "regionalized" refer to such an application of the present invention in a specific or localized area or region of the  
15 brain; and "thermal stimuli" and related variations of this phrase refer to hypothermal stimuli or cooling as well as hyper-thermal stimuli or warming. The application of a noninvasive, regionalized thermal stimulus to the scalp is associated with adjustments, i.e., reductions or increases in metabolism in the  
20 underlying cortex and such an intervention facilitates treatment of patients with neurological disorders. Again by way of example in an embodiment of the invention applying brain cooling, the invention can also facilitate sleep onset and improve sleep quality.

To help illustrate and describe the present invention, the following discussion focuses, first, on the general method of the invention and then on the general device of the present invention as they relate to brain cooling. A particular  
5 embodiment of the present invention having application to the treatment of sleep disorders such as insomnia through brain cooling is then described as one example of, but not a limitation on, the invention. Other embodiments may employ brain cooling for other regions of the brain and associated  
10 disorders, as well as brain warming for purposes of brain disorder treatment.

The method of the present invention involving a hypothermal stimuli or brain cooling generally involves the application of noninvasive, regionalized cooling to the brain, during an  
15 optimal time and at optimal temperatures, to change brain metabolism/activity in a regionally specific manner to treat brain disorders and, in particular, that is specific to each disorder based on known regional abnormalities in brain metabolism/activity found in the scientific literature for the  
20 disorder.

More specifically, the method of regional brain cooling of the present invention comprises the steps of noninvasive, regional cooling of the brain at a localized area of the brain where thermal stimulation will provide therapeutic benefits,

application of such cooling at an optimal time based upon the disorder being treated and application of an optimal temperature reduction based upon the characteristics of the same disorder. The noninvasive, regional brain cooling step generally involves  
5 the use of the device of the present invention. The method of the present invention can further include the step of monitoring patient response to the cooling process and make corresponding adjustments to the timing and/or temperature of the cooling process.

10 Optimal timing for application of the regional thermal stimulation method of the present invention depends upon the nature of the neurological or brain disorder being treated. Optimal cooling temperatures similarly depend upon the nature of the subject disorder. The cooling method of the present  
15 invention can alternatively produce cooling cycles during use, that is, cooling can be on for a set period or periods of time and off for a set period or periods of time. The cycles are dependant on a particular patient's response to the treatments. Different cooling temperatures can also be used during treatment  
20 periods.

The thermal stimulation method of the present invention can also include the step of patient monitoring. Patients can be monitored in several ways. For example, during the application of the regionalized cooling method in a sleep laboratory

setting, patients can be monitored for the presence or absence of sleep, as well as the depth of sleep as assessed by the presence of slow waves using polysomnography. Temperature probes on the surface of the scalp underneath the cooling device  
5 can monitor the temperature of the cooling and, in an alternative embodiment can provide programmed feedback to the regional brain cooling device to allow for desired temperature adjustments. This monitoring process step can also take place by any means, including electronic, known to those skilled in  
10 the art that help accomplish the functional goal of noninvasive, regionalized brain cooling for the purpose of treating neurological disorders.

The method of the present invention is used to treat disorders of the brain in which regional changes in brain  
15 activity may be beneficial. There exists a broad range of brain disorders in the fields of neurology and psychiatry, including sleep disorders associated with these neurological and psychiatric disorders, in which a change in brain activity, through regionalized brain cooling is beneficial.

20 For certain of these disorders, the indication is the treatment of the sleep disturbances associated with the disorders, which in turn, benefit the general condition itself. For example, in depressed patients, metabolism in the prefrontal cortex does not decline from waking to NREM sleep to the same



degree as it does in healthy subjects. This abnormality in changes in regional brain metabolism across the wake/sleep period is important in either the causes of depression or in the maintenance of depression and especially in the sleep complaints often reported by these patients. Similar changes in the prefrontal cortex across the wake/sleep periods have been noted in healthy aging, and are presumed to be present in other neuropsychiatric disorders in which there is a disturbance in the ability to either fall asleep or to stay asleep during the night. Examples of such disorders include post-traumatic stress disorders, anxiety disorders and sleep disorders associated with aging and the dementias. The present invention also applies to treat these disorders by allowing for optimal regionalized placement, optimal cooling temperatures and optimal timing of cooling treatments that are appropriate for the disorder.

For other patients, the present invention can be applied during waking hours in connection with other neurological disorders. As an example, a neurological disorder characterized by parietal lobe metabolic abnormalities may be effectively treated by application of localized parietal scalp cooling for one hour three times per day during waking hours.

Referring to figures 1-6, the noninvasive, regional brain cooling device of the present invention is comprised of a localized or regionalized item of headgear for discrete regions

of the brain. The figures show configurations related to the current embodiment for cooling the frontal lobe of the brain in insomnia patients (see Figures 1-4) or a larger head covering (see Figures 5 and 6) that is positioned on the head of a patient. These same designs may also be used for treatment involving brain warming.

Referring to device to Figures 1-4, the thickness of cover **11** of this embodiment of device **10** can vary, and differing ranges of thickness are possible. By way of example, but not limitation, in respect to the embodiment of the present invention addressing insomnia as a neurological disorder, the preferable thickness of the device is about 0.1 inches thick to 2 inches thick and more preferably between about 0.2 inches thick and 0.5 inches thick. For other neurological disorders, thickness, again, may vary.

For embodiments of the invention as depicted in Figures 5 and 6, thickness of cover **21** in device **20** can also vary.

Various attachment means known to those skilled in the art can be used to attach the regional brain cooling device of the embodiments depicted in Figures 1-6 to a head or skull of a patient. For example and not by limitation, attachment can occur by placing straps around the ears of a patient, using one or two straps **22** which fit around the back of the head or skull of the patient, utilizing a chin strap **23**, and/or using an

adhesive to attach the device to the scalp of the patient or any other method of providing a wearable device. The adhesive can optionally be conductive to facilitate the cooling process.

Alternatively, where the surface area of the device is  
5 sufficiently large, the device can be constructed of a stretchable cap that secures to the head or skull of a patient.

The device of the present invention is adjustable so that it can fit a plurality of different head sizes and in turn fit a plurality of patients. The apparatus accomplishes this  
10 adjustment means by any way known in the art that serves the functional goal of localized temperature control, including but not limited to snaps, Velcro or elastic.

The device of the present invention is generally placed over those regions or localized areas of the brain where cooling  
15 is desired. For example, but not by way of limitation, in an embodiment of the invention where insomnia is addressed as a neurological disorder, the device is placed on the frontal area or more particularly placed over the forehead and temporal region of the patient's skull, as shown in Figures 1-4. Such  
20 placement corresponds to those areas of the brain that have high levels of metabolism during sleep, i.e., the frontal and temporal cortex. For other disorders, the device of the present invention can have different sizes and/or placement on the skull of a patient.

In connection with the embodiment of the invention having application to treatment of insomnia and sleep disorders, modifications to the regional brain cooling device can be made to allow it to be used in conjunction with headgear associated with the administration of positive airway pressure treatment for sleep apnea or other sleep apnea devices, such as devices that produce a "puff" instead of constant positive pressure. These devices commonly consist of a soft plastic hollow mask that fits over the nose and/or nose and mouth of the patient. The devices also can have associated head straps attaching the masks firmly to the face of a patient and keeping the tubing that channels the air from the pressurizing machine to the mask in place.

There are a variety of configurations of headgear for holding the sleep apnea devices and/or masks in place over the oral or nasal airway passages. By way of example, but not limitation, combined sleep apnea devices and cooling headgear may consist of a variety of configurations to allow for both the holding of the mask in place as well as for the cooling of the frontal and temporal regions of the brain. In these cases, the cooling head device is configured on the inside of the headgear that holds the mask in place so that the straps for the mask keep in place both the face mask as well as the cooling device on the forehead. The straps are configured around the cooling

device in such a way as to hold both the airway mask and the cooling device in place yet do not impede the circulation of fluids or gases, if any, through the cooling device.

The noninvasive, regional brain cooling of the present invention can occur using any cooling method that also serves the functional goal of localized temperature control for the treatment of neurological disorders. By way of example, but not limitation, one method of cooling is by pumping or flowing cooling fluids through the brain cooling device or optionally through a plurality of channels within the device. The terms "fluid" or "fluids" as used herein can describe a fluid, slurry or a gas or some combination thereof. By way of further example, but not limitation, where circulated cooling fluids are used, such cooling fluids can be circulated by a pump or other means through a circulation system that includes a cooling chamber, insulated tubes (about 5-20 mm in diameter) that run from the chamber to the device, tube connectors on the device that allow for the connection of the tubes to the channels of the device and channels in the device (about 1-20 mm in diameter) that overlies the inner layer that is in contact with the scalp. Temperature probes on the surface of the scalp can provide feedback to the cooling chamber to adjust the temperature of the cooling fluids up or down to achieve the desired cooling temperature on the scalp. The cooling chamber

may be any one of several commercially available units that allow for the cooling of fluids and pumps that circulate these fluids from the chamber to the device. The cooling chamber and pumps can be programmable to provide a range of temperatures and durations of cooling to achieve maximal cooling. The pumps also  
5 can be programmable to provide a variation to pressures of the fluids to achieve maximal cooling.

For the purposes of sleeping with the device in place, the walls of the channels for circulating the fluid are both  
10 flexible to allow for increased comfort and deformability to the contours of individual heads, yet have sufficient internal rigidity to resist compression of the channels due to the weight of a head on a pillow. The internal walls of the chamber also direct the flow of fluids evenly across the entire device to  
15 provide an even distribution of cooling over the entire surface of the device.

Another method of cooling includes passing a cooled fluid directly over the skull or scalp of a patient. Yet another method of cooling is a chemical reaction that occurs instantly  
20 between two chemicals when mixed together produces cooling. A cold pack provides an example of such a chemical reaction, but other similar reactive cooling methods can also be employed. Still another method of cooling is thermoelectric cooling based

on the Peltier Effect, by which DC current is applied across two dissimilar materials causing a temperature differential.

In one embodiment of the present invention, the device consists of device having three layers. The interior layer of the apparatus fits directly on the scalp surface and is made of a material that allows for maximal comfort and that has good thermal conductive properties. The material is preferably a synthetic or the like, although other materials can be used. The middle layer optionally comprises a series of channels for circulating a fluid. The fluids may consist of a variety of elements typically used for cooling, for example, air, water, coolant or similar fluid. This middle layer can also consist of electrical refrigerant elements that produce cooling. The outer or inner layer can also house the fluid and/or channels. Further, the channels can be eliminated from the middle layer and the fluid directly flowed or pumped into and through the middle layer.

In this embodiment, the middle coolant layer is preferably designed to have varying temperatures that may differ for each individual patient according to their neurological disorder and clinical response. For example, but not as a limitation, the preferred cooling temperature in an embodiment of the invention having application to insomnia and sleep disorders ranges from about freezing (0 degrees Celsius) to just about above body

temperature (about 37 degrees Celsius). Also in such an embodiment, the preferred temperature range can vary during the time of application of the device prior to sleep and throughout the sleeping period. Different behavioral states, such as  
5 waking, NREM and REM sleep, can require different temperatures in order to have maximal benefit, yet maintaining adverse events low and comfort high.

By way of example, but not limitation, an embodiment of the cooling method and device of the present invention is now  
10 described as applied to the treatment of insomnia or sleep disorders. In this embodiment, regionalized cooling preferably occurs on the frontal area of a patient's skull. Application of a cooling stimulus to the surface of the scalp decreases temperature and subsequent metabolism in the prefrontal cortex.  
15 In this content, this cooling stimulus also decreases cognitive arousal, facilitates core body temperature declines associated with sleep onset, increases depth and quality of sleep, reduces sleep onset and provides neuroprotection during sleep in sleeping disorder patients. All of these effects are associated  
20 with an improved quality of sleep and a sense of more restorative sleep.

In the embodiments of the method of this invention applicable to treatment of sleep disorders, the periods of application of cooling that are most important to help



facilitate and maintain sleep include the pre-sleep period and the sleep period itself. Normal sleep is associated with a pre-sleep decline in core body temperature, a sensation of sleepiness, and a gradual loss of consciousness and a decline in cerebral metabolism overall. Regionally, this decline is notable in the prefrontal cortex. Early sleep is associated with large amounts of slow wave sleep as measured by the amounts of EEG waves that are large in amplitude and low in frequency.

Brain cooling is most appropriate at distinct times across a 24-hour day. Brain and body temperature have distinct 24-hour rhythms. The time of application of regional brain cooling is an important variable in terms of having the desired effect. For example, whole body temperature declines around the time of sleep onset. Augmentation of brain cooling over this time may aid in the transition from wake to sleep. Brain metabolism also declines across the sleep period with some increases in REM sleep.

The brain cooling device can optionally be applied, therefore, depending upon the needs of the patient, (i) only during the pre-sleep period, (ii) only during the sleep period, or (iii) both during the pre-sleep period and during the sleep period in severe cases. Further, the temperature ranges to facilitate sleep onset or to maintain sleep may differ so that

programmable features for the application of different temperatures during these two periods are important.

For some patients, cooling may only be necessary in the pre-sleep period. This cooling provides the benefits of  
5 reducing core body temperature, reducing metabolic activity in the prefrontal cortex, and reducing cognitive arousal, any of which may shorten sleep latency. Once any of these listed effects occur, sleep may proceed naturally throughout the night and further cooling during sleep may not be necessary. In a  
10 preferred embodiment of the method of this invention where pre-sleep cooling is used for the treatment of insomnia or sleep disorders, the patient places the regional brain cooling device on their head within about 10 minutes to 4 hours, and preferably within about 30 minutes to an hour, of their anticipated bedtime  
15 and removes it prior to their bedtime. Variations on these time frames can also be used, though, and are within the scope of this embodiment of the invention.

For other patients, cooling may be used both prior to sleep onset and throughout the sleeping period. Such patients may  
20 have difficulty maintaining sleep because of their inability to have declines in whole brain metabolism, or in frontal metabolism and/or their inability to generate the slow wave sleep or to reduce cognitive activity associated with worries and daily preoccupations. For such patients, an extended period

of cooling provides one or more of the following benefits: reduction of core body temperature, reduction of metabolic activity in the prefrontal cortex, reduction of cognitive arousal, shortening of sleep latency, increasing slow wave sleep, decreasing arousals during sleep and increasing total sleep time. In a preferred embodiment of the method of this invention relating to both pre-sleep and sleep brain cooling for treatment of insomnia and sleep disorders, the patient places the device on their head within about 10 minutes to 4 hours, and preferably within about 30 minutes to an hour, of their anticipated bedtime and continues to wear it throughout the night of sleep. While a cooler stimulus may be necessary to facilitate sleep onset (say 0 to 30 degrees Celsius), a slightly warmer temperature may be sufficient to maintain sleep (about 15 to 30 degrees Celsius), but not be too cool as to arouse a patient from sleep. Again, other time frames of application of cooling can also be used and are within the scope of this embodiment of the invention. To increase comfort, the temperature can optionally be modulated in the cooling method of the present invention from body temperature to the desired temperature range over time.

The cooling method of the present invention can also be used solely during sleep without any pre-sleep cooling.

Further, the device may be used in the middle of the night, after a patient awakens from sleep. Patients with insomnia often describe waking in the middle of the night and having difficulty returning to sleep. At these times, the device may  
5 be applied in the middle of the night to facilitate their return to sleep.

A further feature of the device allows patients to have control over the temperature settings of the device. In this application, a control box is placed next to the bed of the  
10 patient for easy access while the patient is lying in bed. The control box is connected electrically to the thermostat of the cooling chamber and allows the patient or other users immediate access to control the temperature of the device while they are wearing it. Patients with insomnia often feel a lack of control  
15 over their ability to sleep and allowing them to have control over the temperature configuration allows for them to have immediate feedback over the temperature range of the device so they can maximize its comfort and therapeutic efficacy over repeated practice. In this manner, the temperature range is  
20 individualized for each subject to maximize comfort, minimize adverse events and maximize efficacy.

In the embodiments of the method of the present invention relating to treatment of insomnia and sleep disorders, the regional brain cooling device can operate to cool the entire

time it is in contact with the patient's scalp. However, different cooling cycles and different cooling temperatures can optionally be used during pre-sleep and sleep periods. For example, different cooling temperatures can be used for NREM and  
5 for REM sleep - based upon the different degrees of internal body temperature regulation during these periods.

For purposes of treating insomnia and sleep disorders, the preferred cooling temperature for the regionalized cooling method of the present invention is between about 5 degrees  
10 Celsius to 37 degrees Celsius and preferably between about 10 degrees Celsius to 30 degrees Celsius. Other cooling temperatures can also be used, though, and are within the scope of this invention. In choosing a particular temperature, several factors should be considered. First, too cool of a  
15 temperature or stimulus has an arousing effect and interferes with the patient's sleep. Additionally, too cool of a stimulus (e.g. 0 degrees Celsius) damages scalp tissue and can produce systemic effects related to whole body cooling. Second, too  
20 warm of a stimulus is not sufficient to have significant effects on reducing metabolism in the underlying cortex and thus the patient's neurological or neuropsychiatric disorders are not effectively treated. A temperature of between about 10 degrees Celsius to 28 degrees Celsius, as an example, provides a mild, comfortable cooling that does not have any systemic effects, yet

still is cool enough to produce metabolic declines in the superficial cortex in close proximity to the stimulus. At this temperature, surface, but not deep, brain tissue shows modest declines in temperature. This temperature of about 10 degrees  
5 Celsius and 28 degrees Celsius also is not associated with any adverse effects to the scalp.

The timing of the application of the cooling step in the method of the present invention also has several determinants. First, the cooling stimulus should be applied long enough so  
10 that brain cooling occurs at both the scalp and the cortex of the brain underneath the location of application. The range of this application is generally between about 20 and 150 minutes and preferably between about 30 to 60 minutes and may vary outside of these ranges according to the individual patient.  
15 For some patients, application may only need to be continued in the time prior to sleep onset in order to facilitate sleep. For other patients, application may be necessary not only prior to sleep but also during sleep.

Where regional brain cooling is applied during sleep,  
20 application of the cooling step is desirable during the first NREM sleep cycle, which generally occurs during the first 30 to 70 minutes of sleep. Other patients may require continued cooling throughout the entire period of sleep in order to

decrease brain activity and facilitate sleep for this entire period.

I claim:

1. A method of brain thermal stimulation for treating a neurological disorder, comprising the application of noninvasive, regional brain thermal stimuli to a region of a patient's head associated with the subject neurological disorder.
2. The method of claim 1, wherein said brain thermal stimulation alters the brain function in the region of the brain underlying the region of the patient's head to which said brain thermal stimuli is applied.
3. The method of claim 2, wherein said brain thermal stimulation alters the temperature of the cortical surface of said brain region.
4. The method of claim 1, further comprising the step of monitoring said patient's physiological characteristics selected from the group consisting of body temperature and level of sleep.
5. The method of claim 4, further comprising the step of adjusting the temperature of said brain thermal stimuli based upon the results of said monitoring.
6. The method of claim 4, further comprising the step of adjusting the timing of said brain thermal stimulation based upon the results of said monitoring.



7. The method of claim 1, further comprising the step of combining said regional brain thermal stimulation with a method for controlling sleep apnea.

8. The method of claim 1, further comprising the step of  
5 providing thermal stimulation in an optimal temperature range depending upon the subject neurological disorder.

9. The method of claim 1 or 8, further comprising the step of providing thermal stimulation at an optimal time during the day depending upon the subject neurological disorder.

10 10. The method of claim 1, wherein said brain thermal stimulation is provided by a method of thermal adjustment selected from the group consisting of circulating coolant or warmed fluids, non-circulating cooling or warming compounds and thermoelectric cooling or warming.

15 11. A method of treating neurological disorders, comprising the steps of:

identifying the region of a patient's brain that is altered in connection with said neurological disorder;

20 identifying an optimal thermal stimulation time and temperature for altering brain function in said region; and

applying a noninvasive, regional brain thermal stimuli to the regional area of a patient's head over said brain region at said optimal time and temperature to alter brain function in said region.

12. The method of claim 11, wherein said brain thermal stimulation alters the brain function in the region of the brain underlying the region of the patient's head to which said brain thermal stimuli is applied.

5 13. The method of claim 12, wherein said brain thermal stimulation alters the temperature of the cortical surface of said brain region.

14. The method of claim 11, further comprising the step of monitoring said patient's body temperature during said cooling.

10 15. The method of claim 11, further comprising the step of monitoring said patient's physiological characteristics selected from the group consisting of body temperature and level of sleep.

15 16. The method of claim 15, further comprising the step of adjusting the temperature of said brain thermal stimulation based upon the results of said monitoring.

17. The method of claim 15, further comprising the step of adjusting the timing of said brain thermal stimulation based upon the results of said monitoring.

20 18. The method of claim 11, further comprising the step of combining said regional brain thermal stimulation with a method for controlling sleep apnea.

19. The method of claim 11, wherein said brain thermal stimulation is provided by a method of thermal adjustment

selected from the group consisting of circulating coolant or warmed fluids, non-circulating cooling or warming compounds and thermoelectric cooling or warming.

20. A device for noninvasive, regional brain thermal  
5 stimulation consisting of a means of delivering a brain thermal stimuli means to a specific region of a patient's head that is selected from the group consisting of circulating coolant or warmed fluids, non-circulating cooling or warming compounds and thermoelectric cooling or warming.

10 21. The device of claim 20, wherein said brain thermal stimulation means alters the brain function in the region of the brain underlying the region of the patient's head to which said brain thermal stimulation means is applied.

15 22. The device of claim 21 wherein said brain stimulation means alters the temperature of the cortical surface of said brain region.

20 23. The device of claim 20, further comprising a means of monitoring said patient's physiological characteristics selected from the group consisting of body temperature and level of sleep.

24. The device of claim 23, further comprising the means of adjusting the temperature of said brain thermal stimulation based upon the results of said monitoring.

25. The device of claim 23, further comprising the means of adjusting the timing of said brain thermal stimulation based upon the results of said monitoring.

26. The device of claim 20, further comprising a means for  
5 controlling sleep apnea.

27. The device of claim 20, further comprising a means of adjusting the temperature of said thermal stimulation means.

28. The device of claim 20 or 27, further comprising a means of adjusting the timing of the application of said thermal  
10 stimulation means.

29. The device of claim 20, wherein said brain thermal stimulation means is comprised of a head covering shaped to conform to the region of a patient's head where brain thermal stimulation is desired.

15 30. The device of claim 20, wherein said brain thermal stimulation means is comprised of a head covering having an interior layer, a middle layer and an outer layer;

wherein said middle layer comprises a series of channels for circulating a fluid; and

20 wherein said internal layer is comprised of a material having high thermal conductive properties.

31. The device of claim 30, wherein said fluid is selected from the group consisting of gas, water, coolant and refrigerant.

32. The device of claim 30, wherein said middle layer further comprises electrical refrigerant elements for producing a cooling or warming effect.

33. The device of claims 29 or 30, wherein said head  
5 covering is adjustable to fit a plurality of patients.

34. The device of claim 30, further comprising a pump to circulate said fluid.

35. The device of claim 20, further comprising a user temperature control device.




FIG. 1




FIG. 2




FIG. 3






FIG. 4




FIG. 5




FIG. 6

INTERNATIONAL SEARCH REPORT

International application No  
PCT/US2007/009599

<b>A. CLASSIFICATION OF SUBJECT MATTER</b> INV. A61F7/02  According to International Patent Classification (IPC) or to both national classification and IPC		
<b>B. FIELDS SEARCHED</b> Minimum documentation searched (classification system followed by classification symbols) A61F  Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data		
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 720 773 A (LOPEZ-CLAROS MARCELO ENRIQUE [US]) 24 February 1998 (1998-02-24) column 5, line 15 - line 50	20-22, 27-31, 33-35
Y	column 7, line 7 - column 8, line 6; figure 1	23-25, 28, 32
X	GB 461 294 A (HARRY RYNER) 15 February 1937 (1937-02-15) page 1, left-hand column, line 5 - page 1, right-hand column, line 55	20-22, 29
X	GB 460 200 A (HARRY RYNER) 22 January 1937 (1937-01-22) page 1, left-hand column, line 5 - page 1, right-hand column, line 35	20-22, 29
-/--		
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
* Special categories of cited documents : *A* document defining the general state of the art which is not considered to be of particular relevance *E* earlier document but published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* document referring to an oral disclosure, use, exhibition or other means *P* document published prior to the international filing date but later than the priority date claimed *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&* document member of the same patent family		
Date of the actual completion of the international search  13 September 2007		Date of mailing of the international search report  21/09/2007
Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer  MAYER-MARTENSON, E

INTERNATIONAL SEARCH REPORT

International application No  
PCT/US2007/009599

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 02/05736 A (MEDTRONIC INC [US]) 24 January 2002 (2002-01-24) page 3, line 4 - line 9	23-25
Y	US 3 895 638 A (ITO TADA0) 22 July 1975 (1975-07-22)	28
A	column 5, line 7 - line 62; figures 1,5	25,27,35
Y	US 2004/010178 A1 (BUCKNER LYNN A [US]) 15 January 2004 (2004-01-15) paragraphs [0002], [0009]	32

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US2007/009599

## Box II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1.  Claims Nos.: 1-19  
because they relate to subject matter not required to be searched by this Authority, namely:  
Rule 39.1(iv) PCT - Method for treatment of the human or animal body by therapy
2.  Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3.  Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box III Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1.  As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.  As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.  As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4.  No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

### Remark on Protest

- The additional search fees were accompanied by the applicant's protest.
- No protest accompanied the payment of additional search fees.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No PCT/US2007/009599
---

Patent document cited in search report	A	Publication date	Patent family member(s)	Publication date
US 5720773	A	24-02-1998	US 5643336 A	01-07-1997
GB 461294	A	15-02-1937	NONE	
GB 460200	A	22-01-1937	NONE	
WO 0205736	A	24-01-2002	AU 7689501 A CA 2415878 A1 EP 1301153 A2	30-01-2002 24-01-2002 16-04-2003
US 3895638	A	22-07-1975	DE 2409710 A1 FR 2219773 A1 JP 49113484 A	19-09-1974 27-09-1974 29-10-1974
US 2004010178	A1	15-01-2004	NONE	