

(19) AUSTRALIAN PATENT OFFICE

(54) Title
Management of files in a personal communication device

(51)⁶ International Patent Classification(s)
G06F 3/048 (2006.01) 20060101AFI2007080
G06F 3/048 9BHEP
PCT/US2006/034111

(21) Application No: 2006284665 (22) Application Date: 2006 .08 .30

(87) WIPO No: W007/027949

(30) Priority Data

(31) Number	(32) Date	(33) Country
60/714,537	2005 .09 .02	US

(43) Publication Date : 2007 .03 .08

(71) Applicant(s)
Apple Inc.

(72) Inventor(s)
Wysocki, Chris

(74) Agent/Attorney
Freehills Patent & Trade Mark Attorneys, Level 38 MLC Centre Martin Place, Sydney, NSW, 2000

(56) Related Art
WO 2004/004338A
EP1548740A2
WO 2002/025935A
US 2004/0078416A1
US 2003/0076301A1
US 6248946B1

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
8 March 2007 (08.03.2007)

PCT

(10) International Publication Number
WO 2007/027949 A3

(51) International Patent Classification:
G06F 3/048 (2006.01)

(21) International Application Number:
PCT/US2006/034111

(22) International Filing Date: 30 August 2006 (30.08.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/714,537 2 September 2005 (02.09.2005) US

(71) Applicant (for all designated States except US): **APPLE COMPUTER, INC.** [US/US]; 1 Infinite Loop, Cupertino, CA 95014 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **WYSOCKI, Chris** [US/US], 17610 Foster Road, Los Gatos, California 95030 (US).

(74) Agents: **FERRAZANO, Michael J.** et al.; **BEYER WEAVER & THOMAS, P.** Box 70250, Oakland, ca 94612-0250 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GL, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

— with international search report

— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

[Continued on next page]

(54) Title: MANAGEMENT OF FILES IN A PERSONAL COMMUNICATION DEVICE



(57) Abstract: Assisting a user interacting with a portable wireless communication device by providing a user interface for the portable wireless communication device that includes including a plurality of linked display screens and a plurality of physical keys. One of the linked display screens is displayed as a current display screen and a key press corresponding to a selected physical key is received. A resulting action is displayed on a next display screen based upon the current displayed screen and a most recently displayed previous display screen.



(88) Date of publication of the international search report:
9 August 2007

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

MANAGEMENT OF FILES IN A PERSONAL COMMUNICATION DEVICE

5

BACKGROUND OF THE INVENTION

FIELD OF INVENTION

[0001] This invention relates generally to portable communication devices both
10 wired and wireless in nature. More specifically, the invention describes a graphical
user interface for use in a portable wireless communication device suitable for
assisting a user in retrieving and accessing files stored therein.

DESCRIPTION OF RELATED ART

[0002] Recent developments in consumer electronics have included the
15 introduction of portable communication devices such as cell phones, Personal Digital
Assistants (PDAs), MP3 players, minidisk players, and the like. For example, in the
case of an MP3 player, a number of digitized audio files in the form of MP3 files are
stored in a storage medium included in the MP3 player. In the case of MP3 files, for
example, a user of the MP3 player must be able to peruse and select a particular file,
20 or files, based upon such characteristics as music genre, author, album, or whatever
grouping of MP3 files is present in the MP3 player. In other examples, cell phones
and PDAs have been upgraded to include both still picture and video capture
functions as well as acting as a repository of personal information (such as phone
numbers, addresses) which require new and more efficient methods of locating and
25 retrieving sought out information and/or files.

2006284665 18 Mar 2010

[0003] It would be desirable to provide a user interface that provides for a user friendly and efficient retrieval of stored data in a portable communication device such as a cell phone, multimedia player, and the like.

[0004] Reference to any prior art in the specification is not, and should not be taken as, an acknowledgment or any form of suggestion that this prior art forms part of the common general knowledge in Australia or any other jurisdiction or that this prior art could reasonably be expected to be ascertained, understood and regarded as relevant by a person skilled in the art.

SUMMARY OF THE INVENTION

[0005] The invention described herein pertains to a user interface that provides for a user friendly and efficient retrieval of stored multimedia asset files. In one embodiment, a method of assisting a user interacting with a portable wireless communication device is described. The method includes at least the operations of: providing a user interface for the portable wireless communication device, the user interface including a plurality of linked display screens and a plurality of physical keys; displaying one of the linked display screens as a current display screen; receiving a key press corresponding to a selected physical key; displaying a resulting action on a next display screen based upon the current displayed screen and a most recently displayed previous display screen; determining a duration of time of the pressing of the selected physical key; and if the duration of time is greater than a predetermined amount of time, then applying an acceleration adjustment to the resulting action based on the duration of time, wherein the resulting action includes displaying a position indicator that is adjusted with the accelerated adjustment to move the position indicator at a greater rate.

In a second embodiment, the present invention provides a cell phone having a display screen arranged to display a plurality of selectable items and a plurality of physical keys, the cell phone implementing a method of assisting a user in interacting with the selectable items, the method comprising: displaying the selectable items on the display screen; receiving a key press corresponding to a selected physical key; determining a duration of time of the pressing of the selected physical key;

2006284665 18 Mar 2010

displaying a resulting action on the display screen based upon the received key press; and, if the duration of time is greater than a predetermined amount of time, then applying an acceleration adjustment to the resulting action based on the duration of time, wherein the resulting action includes displaying a position indicator that is adjusted with the acceleration adjustment to move the position indicator at a greater rate.

[0006] Also described herein is a method of assisting a user in interacting with the selectable items displayed on a cell phone is described. The method includes at least the operations of: displaying the selectable items on the display screen; receiving a key press corresponding to a selected physical key; determining a duration of time of the pressing of the selected physical key; displaying a resulting action on the display screen based upon the received key press; and, if the duration of time is greater than a predetermined amount of time, then applying an acceleration adjustment to the resulting action based on the duration of time.

[0007] Also described herein is a method of assisting user interaction with a personal portable wireless device by way of a hierarchically ordered user interface that includes displaying a first order user interface having a first list of user selectable items each of which points to at least one of a second list of user selectable items displayed on a corresponding second order user interface, receiving a user selection of one of the user selectable items from the first list, and automatically transitioning to and displaying the second order user interface based upon the selected one of the user selectable items from the first list, wherein each of the user selectable items in the second list points back to the corresponding one of the user selectable items in the first list and points forward to at least one of a user selectable items in a third list displayed on a corresponding third order user interface, and wherein each of the user selectable items in the second list are different from the first list of user selectable items.

[0008] These and other features of the present invention will be described in more detail below in the detailed description of the invention and in conjunction with the following figures.

2006284665 18 Mar 2010

BRIEF DESCRIPTION OF THE DRAWINGS

[0009] The invention will be better understood by reference to the following description taken in conjunction with the accompanying drawings.

[0010] Fig. 1 shows an exemplary portable multimedia device in accordance with an embodiment of the invention.

[0011] Fig. 2 illustrates a hierarchically ordered menu corresponding to stored media assets in accordance with an embodiment of the invention.

[0012] Fig. 3 shows a flowchart illustrating a particular process for selecting a particular one of a group of stored media assets in accordance with an embodiment of the invention.

[0013] Fig. 4 shows a state diagram of a user interface suitable for providing user
5 provided input for an exemplary MP3 player (along the lines of the player shown in Fig. 1) in accordance with an embodiment of the invention.

[0014] Figs. 5A – 5E illustrate various exemplary user interfaces consistent with selection and play of a media asset in accordance with an embodiment of the invention.

10 [0015] Fig. 6 is a cell phone as an exemplary wireless communication device in accordance with the invention.

[0016] Figs. 7 and 8 is a flow diagram of synchronization processing according to one embodiment of the invention.

[0017] Figs. 9A - 9C show a main menu screen each being associated with a
15 particular operational state (i.e., stopped in Fig. 9A, playing in Fig. 9B, or stopped in Fig. 9C) of the personal communication device.

[0018] Fig. 10 shows a particular example of a playlists screen in accordance with an embodiment of the invention.

[0019] Fig. 11 shows a particular example of a playlist screen in accordance with
20 an embodiment of the invention.

[0020] Fig. 12 shows a particular example of an artists screen in accordance with an embodiment of the invention.

[0021] Fig. 13 shows a particular example of an albums screen in accordance with an embodiment of the invention.

[0022] Fig. 14 shows a particular example of a songs screen in accordance with an embodiment of the invention.

[0023] Figs. 15 - 20 shows a particular example of a now playing screen in accordance with an embodiment of the invention.

5 [0024] Fig. 21 shows a contextual menu in accordance with an embodiment of the invention.

[0025] Fig. 22 shows an about screen in accordance with an embodiment of the invention.

10 [0026] Fig. 23 shows a legal screen in accordance with an embodiment of the invention.

[0027] Figs. 24 and 25 shows a delete menu screen in accordance with an embodiment of the invention.

[0028] Fig. 26 shows a delete albums screen in accordance with an embodiment of the invention.

15 [0029] Fig. 27 shows a delete songs screen in accordance with an embodiment of the invention.

[0030] Fig. 28 illustrates a flowchart detailing a process describing an accelerated resulting action in accordance with an embodiment of the invention.

20 [0031] Figs. 29A, B - 30 shows exemplary screen flows in accordance with an embodiment of the invention.

[0032] Figs. 31 - 63 show operational tables for each of the above described menu screens for list items, soft keys, and hard keys in accordance with an embodiment of the invention.

- [0033] Fig. 31 is a list item operational table for the main menu screen in accordance with an embodiment of the invention.
- [0034] Fig. 32 is a soft key operational table for the main menu screen in accordance with an embodiment of the invention.
- 5 [0035] Fig. 33 is a hard key operational table for the main menu screen in accordance with an embodiment of the invention.
- [0036] Fig. 34 is a list item operational table for the playlist screen in accordance with an embodiment of the invention.
- [0037] Fig. 35 is a soft key operational table for the playlist screen in accordance with an embodiment of the invention.
- 10 [0038] Fig. 36 is a hard key operational table for the playlist screen in accordance with an embodiment of the invention.
- [0039] Fig. 37 is a list item operational table for the playlists screen in accordance with an embodiment of the invention.
- 15 [0040] Fig. 38 is a soft key operational table for the playlists screen in accordance with an embodiment of the invention.
- [0041] Fig. 39 is a hard key operational table for the playlists screen in accordance with an embodiment of the invention.
- [0042] Fig. 40 is a list item operational table for the artists screen in accordance with an embodiment of the invention.
- 20 [0043] Fig. 41 is a soft key operational table for the artists screen in accordance with an embodiment of the invention.

[0044] Fig. 42 is a hard key operational table for the artists screen in accordance with an embodiment of the invention.

[0045] Fig. 43 is a list item operational table for the albums screen in accordance with an embodiment of the invention.

5 [0046] Fig. 44 is a soft key operational table for the albums screen in accordance with an embodiment of the invention.

[0047] Fig. 45 is a hard key operational table for the albums screen in accordance with an embodiment of the invention.

[0048] Fig. 46 is a list item operational table for the songs screen in accordance
10 with an embodiment of the invention.

[0049] Fig. 47 is a soft key operational table for the songs screen in accordance with an embodiment of the invention.

[0050] Fig. 48 is a hard key operational table for the songs screen in accordance with an embodiment of the invention.

15 [0051] Fig. 49 is a repeat indicator and shuffle indicator operational table for the now playing screen in accordance with an embodiment of the invention.

[0052] Fig. 50 is a soft key operational table for the now playing screen in accordance with an embodiment of the invention.

[0053] Figs. 51A-51D shows operational tables for the now playing screen in
20 accordance with an embodiment of the invention.

[0054] Fig. 52 is a list item operational table for the contextual menu screen in accordance with an embodiment of the invention.

- [0055] Fig. 53 is a soft key operational table for the contextual menu screen in accordance with an embodiment of the invention.
- [0056] Fig. 54 is a hard key operational table for the contextual menu screen in accordance with an embodiment of the invention.
- 5 [0057] Fig. 55 is a list item operational table for the about screen in accordance with an embodiment of the invention.
- [0058] Fig. 56 is a soft key operational table for the about screen in accordance with an embodiment of the invention.
- [0059] Fig. 57 is a hard key operational table for the about screen in accordance
10 with an embodiment of the invention.
- [0060] Fig. 58 is a soft key operational table for the legal screen in accordance with an embodiment of the invention.
- [0061] Fig. 59 is a hard key operational table for the legal screen in accordance with an embodiment of the invention.
- 15 [0062] Fig. 60 is a list item operational table for the delete menu screen in accordance with an embodiment of the invention.
- [0063] Fig. 61 is a soft key operational table for the delete menu screen in accordance with an embodiment of the invention.
- [0064] Fig. 62 is a hard key operational table for the delete menu screen in
20 accordance with an embodiment of the invention.
- [0065] Fig. 63 is a list item operational table for the delete artists screen in accordance with an embodiment of the invention.

[0066] Fig. 64 is a soft key operational table for the delete artists screen in accordance with an embodiment of the invention.

[0067] Figs. 65A and 65B show hard key operational tables for the delete artists screen in accordance with an embodiment of the invention.

5 [0068] Fig. 66 is a list item operational table for the delete albums screen in accordance with an embodiment of the invention.

[0069] Fig. 67 is a soft key operational table for the delete albums screen in accordance with an embodiment of the invention.

[0070] Fig. 68 is a hard key operational table for the delete albums screen in
10 accordance with an embodiment of the invention.

[0071] Fig. 69 is a list item operational table for the delete songs screen in accordance with an embodiment of the invention.

[0072] Fig. 70 is a soft key operational table for the delete songs screen in accordance with an embodiment of the invention.

15 **DETAILED DESCRIPTION OF SELECTED EMBODIMENTS**

[0073] Reference will now be made in detail to a preferred embodiment of the invention. An example of the preferred embodiment is illustrated in the accompanying drawings. While the invention will be described in conjunction with a preferred embodiment, it will be understood that it is not intended to limit the
20 invention to one preferred embodiment. To the contrary, it is intended to cover alternatives, modifications, and equivalents as may be included within the spirit and scope of the invention as defined by the appended claims.

- [0074] With the rapid advancement in the ability to store data, personal communication devices, such as MP3 players, cell phones, PDAs, and the like, can accommodate hundreds or even thousands of such data files making the task of selecting, grouping, or retrieving a particular file, or files, a daunting task indeed.
- 5 Therefore the invention described herein is well suited for providing a user friendly user interface which provides efficient retrieval of data files for use by a portable communication device. Portable communication devices include wireless communication devices as well those communication devices tethered by way of a data link (such as a cable) to a server or other such device.
- 10 [0075] In the described embodiment, the personal communication device takes the form of a pocket size wireless communication device, such as a cell phone having a display screen suitable for displaying a graphical user interface (GUI) as well as a number of input sensors (such as buttons, dials, wheels, etc.) arranged to receive user supplied input events. Such user supplied inputs can include user supplied commands
- 15 directed at retrieving specific files, such as digital media, such as audio files, image files, or video files.
- [0076] In one embodiment, a hierarchically ordered graphical user interface are provided that facilitates a user file selection procedure. In this particular embodiment, a first order (sometimes referred to as a home interface) provides a highest order of
- 20 user selectable items each of which, when selected, results in an automatic transition to a lower order user interface associated with the selected item. In one of the described embodiments, the lower order interface includes other user selectable items associated with the previously selected item from the higher order user interface. In this way, a user can automatically transition from a higher order interface to a lower

order interface (and vice versa) by, in some cases, a direct transition. In other cases, the user can transition from the higher order user interface to the lower order user interface (and vice versa) in a stepwise fashion whereby each intervening interface is displayed having any number of user selectable input items each directly associated with the previously selected input item.

[0077] In a particular embodiment, the portable multimedia device is a pocket sized, multimedia device (personal digital assistant, personal MP3 player/recorder, and the like) having a display screen arranged to display the various user interfaces and a corresponding user input device. The user input device is typically a manually operated switch, button, dial, wheel, or other such contrivances. Accordingly, the invention will now be described in terms a portable multimedia device (capable of storing a number of multimedia assets. For example, in the case of the multimedia device being a multimedia asset player, the multimedia assets can include audio files, image files or video files, as well as any other appropriately formatted data files.

[0078] Accordingly, Fig. 1 shows an exemplary portable multimedia device, or media player, 100 in accordance with an embodiment of the invention. The media player 100 includes a processor 102 that pertains to a microprocessor or controller for controlling the overall operation of the media player 100. The media player 100 stores media data pertaining to media assets in a file system 104. The file system 104 is, typically, a storage disk or a plurality of disks. Alternatively, the file system 104 can be re-writable non-volatile memory, such as FLASH memory. The file system 104 typically provides high capacity storage capability for the media player 100. However, since the access time to the file system 104 is relatively slow, the media player 100 can also include a cache 106. The cache 106 is, for example, Random-

Access Memory (RAM) provided by semiconductor memory. The relative access time to the cache 106 is substantially shorter than for the file system 104. However, the cache 106 does not have the large storage capacity of the file system 104. Further, the file system 104, when active, consumes more power than does the cache 106. The media player 100 also includes a RAM 120 and a Read-Only Memory (ROM) 122. The ROM 122 can store programs, utilities or processes to be executed in a non-volatile manner. The RAM 120 provides volatile data storage, such as for the cache 106.

[0079] The media player 100 also includes a user input device 108 that allows a user of the media player 100 to interact with the media player 100. For example, the user input device 108 can take a variety of forms, such as a button, keypad, dial, wheel, etc. Still further, the media player 100 includes a display 110 (screen display) that can be controlled by the processor 102 to display information to the user. A data bus 116 can facilitate data transfer between at least the file system 104, the cache 106, the processor 102, and the CODEC 112. The media player 100 also includes a bus interface 116 that couples to a data link 118. The data link 118 allows the media player 100 to couple to a host computer.

[0080] In one embodiment, the media player 100 serves to store a plurality of media assets (e.g., songs) in the file system 104. When a user desires to have the media player play a particular media item, a list of available media assets is displayed on the display 110. Then, using the user input device 108, a user can select one of the available media assets. The processor 102, upon receiving a selection of a particular media item, supplies the media data (e.g., audio file) for the particular media item to a coder/decoder (CODEC) 112. The CODEC 112 then produces analog output signals

for a speaker 114. The speaker 114 can be a speaker internal to the media player 100 or external to the media player 100. For example, headphones or earphones that connect to the media player 100 would be considered an external speaker.

[0081] For example, in a particular embodiment, the available media assets are arranged in a hierarchical manner based upon a selected number and type of groupings appropriate to the available media assets. For example, in the case where the media player 100 is a music player, the available media assets take the form of audio files (each of which corresponds to a digitally encoded song or other audio rendition) stored at least in part in the file system 104. The available media assets (or in this case, songs) can be grouped in any manner deemed appropriate. In one arrangement, the songs can be arranged hierarchically as a list of music genres at a first level, a list of artists associated with each genre at a second level, a list of albums for each artist listed in the second level at a third level, a list of songs for each album listed in the third level at a fourth level, and so on.

[0082] Accordingly, Fig 2 illustrates an hierarchically ordered menu 200 used to navigate through those stored media assets of interest to a user in accordance with an embodiment of the invention. It should be noted that in the described embodiment, the menu 200 is navigated by the user scrolling vertically within a particular level in order to peruse and eventually select a particular item located within that level. Once selected, the menu 200 is automatically transitioned in a horizontal manner to a lower order interface associated with the selected item. For example, at a first level, a list of music genres 202 (ROCK, JAZZ, HIP HOP) corresponding to the available audio files is displayed. In order to select a particular music genre, a user scrolls “vertically down” the list 202 (usually accompanied by a pointer such as an arrow or by

highlighting the adjacent item) until a desired input item is reached. Upon selecting a particular music genre (ROCK, for example), an automatic horizontal traversal 203 to a lower order interface 204 that includes a display of a list of ROCK artists 204a corresponding to the selected ROCK genre. Again after scrolling in a vertical

5 direction in the ROCK artists list 204a, a user selects a particular one of the listed ROCK artists included in the list 204a resulting in another automatic horizontal traversal 205 to a lower order interface 206 denoting an album 206a (from a list of albums 206, if appropriate) associated with the selected artist. This procedure is continued until a particular song 208a from a list of songs 208 (included in the

10 selected album) is selected. Once selected, the song 208a is then ready to be played as described at a play song interface 210 that can in some cases include information related to the selected song 208a.

[0083] Fig. 3 shows a flowchart 300 illustrating a particular process 300 for selecting a particular one of a group of stored media assets in accordance with an

15 embodiment of the invention. Accordingly, at 302, a first order user interface is displayed having a list of first order user selectable items. In the example of Fig. 2, the first order user interface is the list of genres 202 whereas the first order user selectable items correspond to the various genres listed. Next, at 304, at least one of the user selectable items are selected. Subsequently, at 306, an automatic transition to

20 and substantially simultaneous display of a lower order user interface corresponding to the selected item. At 308, a determination is made whether or not there are additional order user interfaces based upon the latest selected item. For example, from Fig. 2 above, selection of the Rock genre from the list 202 initiates the automatic transition to the lower order user interface and substantially simultaneous

display of the list of ROCK artists 204a. This process continues until a lowest order interface (i.e., the Play Song display 210) is reached at which point the selection process ends and the selected multimedia asset is played.

[0084] Fig. 4 shows a state diagram 400 of a user interface suitable for providing
5 user provided input for an exemplary media player (along the lines of the player 100) in accordance with an embodiment of the invention. It should be noted that for sake of simplicity, only a single selection path is shown corresponding to a single selection item (i.e., Artists). Accordingly, a home interface 402 provides a list that includes a PLAYLIST item 404, an ARTISTS item 406, and a SONGS item 408 each of which
10 is selectable by a user. It should be noted that each item is associated with a particular grouping of the multimedia assets (which in this example are audio files) stored at least in the file system 104. For example, the PLAYLIST item 404 is associated with a number of customizable playlists (i.e., a compendium of artists, songs, albums, etc. in any order and grouping as deemed appropriate) whereas the ARTISTS item 406 is
15 associated with particular artists whose songs are stored in the file system 104 and so on.

[0085] Therefore, once a user selects either the PLAYLIST item 404, the ARTISTS item 406, or the SONGS item 408, an automatic transition to a lower order user interface occurs corresponding to the selected item. For example, if the user
20 selects the ARTISTS item 406, an automatic transition 410 to the ARTISTS user interface 412 occurs where an ALL item 414 (associated with all artists) and a list of specific artists 416 are concurrently displayed. It should be noted that, although not shown, if the user had selected a particular song from the list of songs associated with the SONGS item 408, then the display would automatically transition directly to a

now playing interface (not shown) indicating that the selected song is playing (or is prepared to be played) along with any other data or information deemed appropriate.

[0086] Once in the ARTISTS user interface 412, the user has the option of selecting a particular artist by selecting a desired artist from the list of specific artists 416 or selecting all artists by invoking the ALL item 414. For example, if the user selects all artists by invoking the ALL item 414, an automatic transition to a lower order ALBUMS interface 418 occurs where an ALL item 420 corresponding to all songs of all artists and a list of specific albums for all artists 422 are concurrently displayed. If, for example, the user selected a specific album from the list of specific albums 422, then an automatic transition to a still lower order interface ALL SONGS 424 occurs that displays a list of all songs of the selected album 426. At this point, when the user selects a particular song, an automatic transition to a now playing interface 428 occurs having a song information display 430 consistent with the selected song.

[0087] If, on the other hand, had the user had invoked the ALL item 420 in the ALBUMS interface 418, then songs interface 424 would display a list of all songs 432 of all the artists. At this point, the user could select a particular song from the list of all songs 432 resulting in an automatic transition to the now playing interface 428 having a song information display 434 consistent with the selected song.

[0088] A similar procedure can be followed in the case where instead of invoking the ALL item 414, the user had selected a particular artist from the list of artists 416. In this case, the act of selecting a particular artist initiates an automatic transition to a selected artist interface 436 that includes an ALL item 438 that points to all songs of the selected artist stored in the media player and a list of all albums of the selected

artist 440 that are stored in the media player. Selecting one of the albums from the list of albums 440 results in an automatic transition to the songs interface 424 that includes a list of all songs associated with the selected album 442. On the other hand, invoking the ALL item 438 results in an automatic transition to the songs interface 5 424 having a list of all songs of the selected artist 444. Once in the songs interface 424, the user is free to select any song listed resulting in an automatic transition to the now playing interface 428. For example, selecting one of the songs listed in list of all songs of selected artist 444 or from the list of all songs of selected album 442 results in an automatic transition to the now playing interface 428 simultaneously with the display of song information displays 446 and 448, respectively. 10

[0089] It should be noted that the procedure described above is pathwise bi-directional in that the user can go in either direction along a selected path. It should be further noted, that in some embodiments, it is desirable to directly transition from the now playing interface 428 to the home interface 402 (and vice-versa) without displaying any of the intervening interfaces. 15

[0090] Figs. 5A – 5E illustrate various exemplary user interfaces consistent with selection and play of a media asset in accordance with an embodiment of the invention. One should note that the various user interfaces illustrated in Figs. 5A – 5E correspond to particular embodiments of the HOME interface 402, the ARTISTS 20 interface 412, the ALBUMS interface 418, the SONGS interface 424, and the NOW PLAYING interface 428 described above. Accordingly, it should be further noted that each of the interfaces described are incorporated into a representative media player 500 having a display 502 and a user input device 504 that includes a central button 506, a selector wheel 508, and selectors 510 – 516. It is well to note that in

this particular embodiment, the selectors 510 – 516 are a back up one level 510, a rewind 512, a play/pause 514, and a fast forward 516. Accordingly, Fig. 5A shows a particular implementation of the HOME interface 402 displayed on the display 502. In order to select the ARTISTS item 406, the user rotates selector wheel 508 in either a clockwise or counterclockwise direction (or any appropriate combination thereof) until the ARTISTS item 406 is rendered selectable (as noted by a semi-transparent highlight bar 518). Once the desired item is highlighted, the user selects the highlighted item by invoking a selection protocol by, for example, pressing the central button 506. Once selected, the HOME interface 402 immediately transitions to the ARTISTS interface 412 as shown in Fig. 5B. As with the selection in the HOME interface 402 of the ARTISTS item 406, a particular artist (or all artists) is selected by manipulating any of the user input devices 504 (such as the selector wheel 508) in combination with an appropriate selection event which can include pressing the central button 506. In this way, the user is provided the capability of navigating the user input menu in any manner that the user deems to be most convenient and efficient. It should be noted that a stack indicator bar 520 indicates the relative position of the selected item in relation to the stack of items associated with the particular selected group. Accordingly, Figs. 5C – 5E show various exemplary user interfaces consistent with the described embodiment of the invention.

[0091] In yet other embodiments, the personal communication device takes the form of a wireless communication device such as a cell phone, PDA, or other such device. One example of a personal communication device is a cell phone 600 illustrated in Fig. 6. The cell phone 600 includes a display 602 suitable for displaying any of a number of icons (not shown) useful for providing information to a user, a

number of input keys 604 (which in this case represent telephonic input characters useful for telephone dialing, text messaging, etc.) and a navigation tool 606 that provides a user the ability to navigate amongst the displayed icons. For example, a user can use the navigation tool 606 to search for and display previously dialed
5 telephone numbers. In the described embodiment, the navigation tool 606 includes any of a number of navigation input devices such as an up-pointer 608, a down pointer 610, a right pointer 612, and a left pointer 614 each of which provides a corresponding navigation instruction to the cell phone 600 that translates into a particular observable action on the display 602. A selector 616 provides for a user to
10 select a designated (e.g., highlighted) icon.

[0092] When used as a cell phone, any number of useful personal data files can be loaded into a memory device (not shown) incorporated into the cell phone 600 for later retrieval and access by a user. It should be noted, however, that other embodiments, the wireless communication device can be used as a multimedia player
15 in much the same manner described above. However, in particularly useful embodiments, the wireless communication device can provide the functionality of the cell phone as well as provide for the storage and playback of multimedia asset files, such as AAC or MP3 files. In this case, the cell phone/multimedia player wirelessly synchronizes with a remote server. In some cases, the cell phone/multimedia player
20 600 will periodically wirelessly synchronize to a host computer (e.g., personal computer) as shown in Figs. 7 and 8 that show a flow diagram of synchronization processing 700 according to one embodiment of the invention. The synchronization processing 700 is, for example, performed by a host computer that connects to the wireless communication device over a wired or wireless data link. The media device

synchronization processing 700 is performed by a media device that interacts with a host computer over a network. For example, the media device can pertain to the media player 100 illustrated in Fig. 1.

[0093] As shown in Fig. 7, the media device synchronization processing 700 is generally operative on the media device when the media device is powered-on. Initially, a decision 702 determines whether the media device has just been coupled to the host computer. When the media device is a wireless communication device, the wireless communication device can couple to the host computer via a wireless network. When the decision 702 determines that the media device has not just been coupled to host computer, then the media device is operated 704 as a media player. In such a mode, the media device operates to browse, search or play media items for its user. The media items can be audio items (e.g., songs). Following the operation 704, the media device synchronization processing 700 returns to repeat the decision 702 and subsequent operations.

[0094] On the other hand, when the decision 702 determines that the media device has just been coupled to the host computer, then the media device is placed in a hard disk mode 706. In the hard disk mode, the media device acts as an external hard drive to the host computer. A decision 708 then determines whether the host computer has requested media and or programmable button attributes for the media items residing on the media device. When the decision 708 determines that the host computer is not requesting media and or programmable button attributes, the media device can, but need not, perform other hard drive operations for non-synchronization purposes (not shown). When the decision 708 determines that the host computer is requesting media and or programmable button attributes (i.e., such as through a read

operation), then the media and or programmable button attributes of the media items stored on the media device are retrieved 710. After the media and or programmable button attributes are retrieved 710, the media attributes are forwarded 712 to the host computer.

- 5 [0095] Referring now to Fig. 8, a decision 714 determines whether new and or media file attributes have been received at the media device from the host computer. In other words, in an effort to synchronize the media content and or media attributes residing on the media device with the media content residing at the host computer, the media device will often receive media content from the host computer. Hence, the
- 10 decision 714 determines whether new media items have been or are presently being received. When the decision 714 determines that such new media items have not been received, then the media device synchronization processing 700 can await such new media items. While waiting for new media items, the media device can, but need not, perform other hard drive operations for non-synchronization purposes (not
- 15 shown). More generally, other hard disk operations can occur concurrently with synchronization operations. On the other hand, when the decision 714 determines that new media items have been received from the host computer, then the new media items and their associated media attributes are stored 716 to the media device. In one embodiment, the new media items are stored to files in the media device, and the
- 20 associated media attributes pertaining to the media items are stored in a media database residing on the media device. Additionally, any unneeded media items and their associated media attributes and or programmable button attributes can be removed 718 from the media device. Hence, in this embodiment, by synchronizing the media content residing on the media device with that on the host computer, new

media items are not only stored to the media device, but unneeded (e.g., old) media items and their associated media attributes are also removed from the media device.

[0096] Following the operation 718, a decision 720 determines whether a play list update has been received. When the decision 720 determines that a play list update has not been received, then the media device synchronization processing 700 can await such a play list update. Alternatively, when the decision 720 determines that a play list update has been received, then an updated play list for the media device is produced 722. The play list update could be the updated play list or could be instructions to update an existing play list. The updated play list is then stored 722 to the media device.

[0097] In effect, one or more play lists at the host computer can be synchronized with the media device and thus made available to the media device. A play list identifies particular media items that are to be played in a sequence. Internally, the play list can be represented in the media database as a data structure that points to files of the appropriate media items residing on the storage device within the media device. Hence, for a given play list, the pointers to the files of the appropriate media items on the media device can differ from the pointers to the files for the same media items on the host computer, thus the need to update the pointers if a particular play list is moved between the host computer and the media device.

[0098] Once the wireless communication device (e.g., cell phone 600) is properly synchronized, a user has the option of selecting any of a number of audio files stored therein. In order to facilitate this selection process, a hierarchically ordered graphical user interface can be presented on a display (e.g., the display 602) having, in one embodiment, a form illustrated in Figs. 9 - 27. It should be noted that for the

remainder of this discussion, the wireless communication device is assumed to have a number of audio (i.e., music and song) files stored therein. In this way, the wireless communication device can be a cell phone/media player combination device, or any other device arranged in a like manner.

5 [0099] Accordingly, Figs. 9A - 9C show a main menu screen 900, 904 and 906, respectively, each being associated with a particular operational state (i.e., stopped in Fig. 9A, playing in Fig. 9B, or paused in Fig. 9C) of a wireless communication device. In general, the main menu screen is the home screen of a graphical user interface from which a user can view, at least, a master playlist, a list of artists, a list
10 of albums, and a list of songs in a library of audio files stored in the wireless communication device. The main menu screens can also enable the user to request operations. For example, the main menu screen 902 includes a "shuffle songs" item in the graphical user interface, which if selected causes a shuffle operation. As another example, the main menu screens 904 and 906 include a "Now Playing" item
15 in the graphical user interface, which, if selected, causes display of media attribute information for a media item being played. In addition to the above list of stored data, the various screens provide one or more soft key functions. The soft key functions can include an EXIT icon, a play icon, and a pause icon depending upon the corresponding operational state of the personal communication device.

20 [00100] Fig. 10 shows a particular example of a playlists screen 1000 in accordance with an embodiment of the invention. In the example shown in Fig. 10, the playlists screen 1000 displays the names of all the playlists that have been added to the wireless communication device including and starting with a master playlist 1002, that includes all the tracks stored in the wireless communication device. From

the playlists screen 1000, the user can view the tracks in a playlist or start playing the first track in a playlist.

[00101] Fig. 11 shows a particular example of a playlist screen 1100 in accordance with an embodiment of the invention. The playlist screen displays the names of the tracks in the current playlist in the order in which they will be played. The user can
5 arrange the order of the tracks in the playlist as desired.

[00102] Fig. 12 shows a particular example of an artists screen 1200 in accordance with an embodiment of the invention. The artists screen 1200 displays a list of all the artists stored in the wireless communication device in any appropriate order, such as
10 alphabetical. From the artists screen 1200, the user can view all the albums by an artist or start playing all the tracks by an artist.

[00103] Fig. 13 shows a particular example of an albums screen 1300 in accordance with an embodiment of the invention. The albums screen 1300 displays a list of the albums stored in the wireless communication device in any appropriate
15 order, such as alphabetical or order set by user, or order added to the device. When entered from the main menu screen 900, all the albums stored in the wireless communication device are displayed in an all albums screen 1302. When entered from the artists screen 1200, the albums for the selected artist are displayed in a particular albums screen 1304. From the albums screen 1300, the user can view all
20 the tracks in an album or start playing all the tracks in an album.

[00104] Fig. 14 shows a particular example of a songs screen 1400 in accordance with an embodiment of the invention. The songs screen 1400 displays a list of track names in any appropriate order, such as alphabetical, or order set by user, or order added to the device. When entered from the main menu screen 900, all the tracks in

the library are displayed in an all songs screen 1402. When entered from the albums screen 1300, the tracks for the selected album are displayed in a particular songs screen 1404.

[00105] Figs. 15 - 20 shows a particular example of a now playing screen in accordance with an embodiment of the invention. As shown in Fig. 15, in general, the now playing screen displays metadata information for the track that is currently playing, along with playback progress information, and in particular displays an index 1502 of the current track in play order, and the total number 1504 of tracks in the play order. The metadata information includes artist, album, track name and any available album artwork image 1506. In the described embodiment, the track name scrolls horizontally if it is wider than the width of the screen. In addition, the repeat and shuffle settings for the current playlist are indicated by icons in the upper right corner (1508). In the described embodiment, the now playing screen has five modes each having a particular display screen: progress mode (progress mode screen 1600 in Fig. 16), artwork mode (artwork mode screen 1700 in Fig. 17), position mode (position mode screen 1800 in Fig. 18), rating mode (rating mode screen 1900 in Fig. 19), and volume mode (volume mode screen 2000 in Fig. 20).

[00106] Referring to Fig. 16, in progress mode, the progress mode screen 1600 displays a progress bar 1602 with an elapsed time and a remaining time for the current track. In artwork mode (Fig. 17), the artwork mode screen 1700 a full screen album artwork image 1702 is displayed if artwork is available for the current track. In position mode (Fig. 18), the position mode screen 1800 (with or without artwork) displays a progress bar 1802 with a position indicator 1804 and allows the user to adjust the playback position with the current track. In rating mode (Fig. 19), the

rating mode screen 1900 (with or without artwork) displays a user rating 1902 for the current track and may allow the user to adjust the rating. In volume mode (Fig. 20), the volume mode screen 2000 (with or without artwork) displays a current volume level 2002 of the player and allows the user to adjust the volume level.

5 [00107] Fig. 21 shows a contextual menu screen 2100 in accordance with an embodiment of the invention. The contextual menu screen 2100 is a screen that can be accessed via a soft key to display infrequently used preferences, settings or information.

[00108] Fig. 22 shows an about screen 2200 in accordance with an embodiment of
10 the invention. The about screen 2200 displays statistical information that includes the total number of tracks in the library, the maximum number of tracks supported by the wireless communication device, the capacity of internal memory (such as a flash memory card), the available space in the internal memory, and the current version of a software application used on the wireless communication device.

15 [00109] Fig. 23 shows a legal screen 2300 in accordance with an embodiment of the invention. The legal screen 2300 displays copyright and other legal information pertinent to the wireless communication device and any application thereon.

[00110] Fig. 24 shows a delete menu screen 2400 in accordance with an embodiment of the invention. The delete menu screen 2400 is displayed in what is
20 referred to in the delete-on-download mode. It allows the user to delete one or more tracks from the wireless communication device in order to free-up space on the internal memory for over the air downloaded content. The delete menu screen 2400 also indicates an amount of space needed.

[00111] Fig. 25 shows a delete artists screen 2500 in accordance with an embodiment of the invention. The delete artists screen 2500 displays a list of all the artists stored in the wireless communication device and allows the user to view the albums for an artist or to delete all of the tracks for an artist on the wireless
5 communication device. The delete artists screen 2500 also indicates an amount of space needed.

[00112] Fig. 26 shows delete albums screens 2600 in accordance with an embodiment of the invention. The delete albums screens 2600 displays a list of all the albums stored in the device and allows the user to view all the tracks in an album
10 or to delete all the tracks in an album. When entered from the delete menu screen 2400, all the albums in the wireless communication device are displayed (2602). When entered from the delete artists screen 2500, the albums for the selected artist are displayed (2604).

[00113] Fig. 27 shows delete songs screens 2700 in accordance with an embodiment of the invention. The delete songs screens 2700 display the name and
15 size of a list of tracks and allows the user to delete one or more songs from the library. When entered from the delete menu screen 2400, all the tracks are displayed (2702). Alternatively, when entered from the delete albums screen 2600, the tracks for the selected album are displayed (2704).

20 [00114] It should be noted that each of the display screens described herein provides a number of user activated icons whose functions are determined by the particular screen being displayed. For example, referring to Fig. 9A, in the stopped mode and the paused mode, the user activated icons include an exit icon, a soft key icon, and a play icon, whereas in the playing mode, the play icon is replaced with a

pause icon. In addition, an acceleration feature whereby during a period of time in which a particular user input button, or key, having the acceleration feature is held down, the observed resulting action (such as moving a playback position forward, for example) can be accelerated in a predetermined manner. Using the example of

5 moving the playback position, providing what is referred to as a long press input (i.e., holding a key down for a length of time greater than a predetermined threshold) to a forward hard key results in moving the playback position forward starting in predetermined time intervals increments (such as 5 seconds) and accelerating in larger time interval increments while the playback position key is being held down. In some

10 embodiments, after a period of time, the mode switches to another mode (to progress mode, for example).

[00115] Fig. 28 illustrates a flowchart detailing a process 2800 describing an accelerated resulting action in accordance with an embodiment of the invention. The process 2800 begins at 2802 by determining if a key press has occurred. When a key

15 press has occurred, then at 2804, a corresponding resulting action is initiated while at 2806 the key press time is incremented (such as 5 seconds). At 2808, the total key press time (i.e., the total length of time that the key in question has been held down) is compared to a pre-determined threshold length of time. If the total length of key press time is less than the pre-determined threshold, then a determination is made at 2810 if

20 the key press is still ongoing. If the key press is still ongoing, then control is passed back to 2806 where the key press time is incremented, otherwise, the process 2800 stops. On the other hand, if at 2808 it had been determined that the total key press time is greater than the pre-determined threshold length of time, then at 2812, an acceleration factor is applied to the resulting action where the applied acceleration

depends upon the total key press time. The acceleration behavior that occurs while a key is held down also takes into account the relation of the current playback position to the beginning and end of the track. More specifically, as the playback position approaches the end of the track when fast-forwarding or the beginning of the track when rewinding, the rate of acceleration automatically decreases so as to allow for more precise positioning and to avoid overshooting the end or beginning of the track. In some embodiments, after a period of time, the mode switches to another mode (to progress mode, for example).

[00116] Figs. 29A, B - 30 shows exemplary screen flows in accordance with an embodiment of the invention. Figs. 29A,B shows an exemplary main menu screen flows whereas Fig. 30 shows a contextual menu flow.

[00117] Figs. 31 - 63 show operational tables for each of the above described menu screens for list items, soft keys, and hard keys in accordance with an embodiment of the invention.

15 [00118] Fig. 31 is a list item operational table for the main menu screen in accordance with an embodiment of the invention.

[00119] Fig. 32 is a soft key operational table for the main menu screen in accordance with an embodiment of the invention.

[00120] Fig. 33 is a hard key operational table for the main menu screen in accordance with an embodiment of the invention.

[00121] Fig. 34 is a list item operational table for the playlist screen in accordance with an embodiment of the invention.

[00122] Fig. 35 is a soft key operational table for the playlist screen in accordance with an embodiment of the invention.

[00123] Fig. 36 is a hard key operational table for the playlist screen in accordance with an embodiment of the invention.

5 [00124] Fig. 37 is a list item operational table for the playlists screen in accordance with an embodiment of the invention.

[00125] Fig. 38 is a soft key operational table for the playlists screen in accordance with an embodiment of the invention.

[00126] Fig. 39 is a hard key operational table for the playlists screen in
10 accordance with an embodiment of the invention.

[00127] Fig. 40 is a list item operational table for the artists screen in accordance with an embodiment of the invention.

[00128] Fig. 41 is a soft key operational table for the artists screen in accordance with an embodiment of the invention.

15 [00129] Fig. 42 is a hard key operational table for the artists screen in accordance with an embodiment of the invention.

[00130] Fig. 43 is a list item operational table for the albums screen in accordance with an embodiment of the invention.

[00131] Fig. 44 is a soft key operational table for the albums screen in accordance
20 with an embodiment of the invention.

[00132] Fig. 45 is a hard key operational table for the albums screen in accordance with an embodiment of the invention.

- [00133] Fig. 46 is a list item operational table for the songs screen in accordance with an embodiment of the invention.
- [00134] Fig. 47 is a soft key operational table for the songs screen in accordance with an embodiment of the invention.
- 5 [00135] Fig. 48 is a hard key operational table for the songs screen in accordance with an embodiment of the invention.
- [00136] Fig. 49 is a repeat indicator and shuffle indicator operational table for the now playing screen in accordance with an embodiment of the invention.
- [00137] Fig. 50 is a soft key operational table for the now playing screen in
10 accordance with an embodiment of the invention.
- [00138] Fig. 51A - 51D are hard key operational tables for the now playing screen in accordance with an embodiment of the invention.
- [00139] Fig. 52 is a list item operational table for the contextual menu screen in accordance with an embodiment of the invention.
- 15 [00140] Fig. 53 is a soft key operational table for the contextual menu screen in accordance with an embodiment of the invention.
- [00141] Fig. 54 is a hard key operational table for the contextual menu screen in accordance with an embodiment of the invention.
- [00142] Fig. 55 is a list item operational table for the about screen in accordance
20 with an embodiment of the invention.
- [00143] Fig. 56 is a soft key operational table for the about screen in accordance with an embodiment of the invention.

[00144] Fig. 57 is a hard key operational table for the about screen in accordance with an embodiment of the invention.

[00145] Fig. 58 is a soft key operational table for the legal screen in accordance with an embodiment of the invention.

5 [00146] Fig. 59 is a hard key operational table for the legal screen in accordance with an embodiment of the invention.

[00147] Fig. 60 is a list item operational table for the delete menu screen in accordance with an embodiment of the invention.

[00148] Fig. 61 is a soft key operational table for the delete menu screen in
10 accordance with an embodiment of the invention.

[00149] Fig. 62 is a hard key operational table for the delete menu screen in accordance with an embodiment of the invention.

[00150] Fig. 63 is a list item operational table for the delete artists screen in accordance with an embodiment of the invention.

15 [00151] Fig. 64 is a soft key operational table for the delete artists screen in accordance with an embodiment of the invention.

[00152] Fig. 65 is a hard key operational table for the delete artists screen in accordance with an embodiment of the invention.

[00153] Fig. 66 is a list item operational table for the delete albums screen in
20 accordance with an embodiment of the invention.

[00154] Fig. 67 is a soft key operational table for the delete albums screen in accordance with an embodiment of the invention.

[00155] Fig. 68 is a hard key operational table for the delete albums screen in accordance with an embodiment of the invention.

[00156] Fig. 69 is a list item operational table for the delete songs screen in accordance with an embodiment of the invention.

5 [00157] Fig. 70 is a soft key operational table for the delete songs screen in accordance with an embodiment of the invention.

[00158] While this invention has been described in terms of a preferred embodiment, there are alterations, permutations, and equivalents that fall within the scope of this invention. It should also be noted that there are many alternative ways
10 of implementing both the process and apparatus of the present invention. It is therefore intended that the invention be interpreted as including all such alterations, permutations, and equivalents as fall within the true spirit and scope of the present invention.

15 *What is claimed is:*

2006284665 18 Mar 2010

CLAIMS

1. A method of assisting a user interacting with a portable wireless communication device, comprising:
 - providing a user interface for the portable wireless communication device, the user interface including a plurality of linked display screens and a plurality of physical keys;
 - displaying one of the linked display screens as a current display screen;
 - receiving a key press corresponding to a selected physical key;
 - displaying a resulting action on a next display screen based upon the current displayed screen and a most recently displayed previous display screen;
 - determining a duration of time of the pressing of the selected physical key;
 - and
 - if the duration of time is greater than a predetermined amount of time, then applying an acceleration adjustment to the resulting action based on the duration of time,
 - wherein the resulting action includes displaying a position indicator that is adjusted with the accelerated adjustment to move the position indicator at a greater rate.
2. (Cancelled)
2. A method as recited in claim 1, further comprising: displaying a plurality of selectable icons on the current display screen.
3. A method as recited in claim 2, wherein the plurality of physical keys includes a plurality of navigation keys arranged to provide a navigation signal used to navigate amongst the currently displayed icons.
4. A method as recited in claim 3, wherein the plurality of physical keys includes a plurality of keypad keys arranged to provide a keypad input signal.

2006284665 18 Mar 2010

5. A method as recited in claim 4, wherein the personal portable wireless communication device is selected from a group that includes a cell phone, a personal digital assistant (PDA), and a digital multimedia player.
6. A method as recited in claim 5, wherein the personal portable wireless communication device is a cell phone, the cell phone includes a memory device, and the keypad input signals are suitable for initiating a communication session by the cell phone.
7. A method as recited in claim 6, further comprising: receiving a key press at a particular keypad arranged to initiate a digital data file download operation;
downloading the digital data file in response to the digital data file download key press; and
storing the digital data file in the memory device.
8. A method as recited in claim 7, wherein the digital data file is a digital audio file.
9. A method as recited in claim 8, wherein the downloaded digital audio file is incorporated into a library of digital audio files stored in the memory device.
10. A method as recited in claim 9, wherein the plurality of linked display screens includes a main menu screen that is a home screen of the graphical user interface from which a user can view and interact with, at least, a selectable master playlist item, a selectable list of artist items, a selectable list of all album items, and a selectable list of song items corresponding to the digital audio files stored in the memory device.
11. A method as recited in claim 10, further comprising:
receiving a user selection of the master playlist screen item; and
displaying a playlists screen that lists selectable items corresponding to the names of all the playlists that have been stored in the cell phone.
12. A method as recited in claim 11, further comprising:
receiving a user selection of one of the items of the playlist screen

2006284665 18 Mar 2010

corresponding to a selected playlist; and

displaying a playlist screen corresponding to the selected playlist that includes a list of selectable items corresponding to the names of the songs in the current playlist in the order in which they will be played.

14-25. (Canceled)

13. A cell phone having a display screen arranged to display a plurality of selectable items and a plurality of physical keys, the cell phone implementing a method of assisting a user in interacting with the selectable items, the method comprising:

displaying the selectable items on the display screen;

receiving a key press corresponding to a selected physical key;

determining a duration of time of the pressing of the selected physical key;

displaying a resulting action on the display screen based upon the received key

press;

and, if the duration of time is greater than a predetermined amount of time, then applying an acceleration adjustment to the resulting action based on the duration of time,

wherein the resulting action includes displaying a position indicator that is adjusted with the acceleration adjustment to move the position indicator at a greater rate.

14. A method as recited in claim 13, further comprising:

displaying a plurality of selectable icons on the current display screen.

15. A method as recited in claim 14, wherein the plurality of physical keys includes a plurality of navigation keys arranged to provide a navigation signal used to navigate amongst the currently displayed icons.

16. A method as recited in claim 15, wherein the plurality of physical keys includes a plurality of keypad keys arranged to provide a keypad input signal.

30-31. (Canceled)

2006284665 18 Mar 2010

17. A method as recited in claim 1, wherein the position indicator pertains to a playback position.
18. A method as recited in claim 1, wherein the position indicator pertains to a volume level.
19. A method as recited in claim 1, wherein the resulting action is fast-forwarding a playback position with respect to a selected song, the method further comprising:
decreasing the applied acceleration adjustment if the playback position approaches an end of the song.
20. A method as recited in claim 1, wherein if the duration of time is greater than a second predetermined amount of time, a mode of the resulting action switches to a different mode.




Fig. 1




Fig. 2




Fig. 3




Fig. 4

400




Fig. 5A




Fig. 5B




Fig. 5C




Fig. 5D




Fig. 5E




FIG. 6




FIG. 7




FIG. 8

Main Menu Screen




Fig. 9A




Fig. 9B




Fig. 9C




Fig. 10




Fig. 11




Fig. 12




Fig. 13





Fig. 14

1402



1500

Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21

2200

About	
iTunes	
Songs	25 / 25
Capacity	128 MB
Available	2.8 MB
Version	1.0
Back	

Fig. 22




Fig. 23



Fig. 24




Fig. 25




Fig. 26

2702			
All Songs		Kind of Blue	
Space needed: 5 MB		Space needed: 5 MB	
All Because of You	3.6 MB	So What	8.9 MB
All Blues	10.9 MB	Blue In Green	5.4 MB
Ballad of a Thin M...	5.9 MB	All Blues	10.9 MB
Blue In Green	5.4 MB	Flamenco Sketches	8.9 MB
City of Blinding Li...	5.6 MB	Flamenco Sketches (R...	9 MB
Crumbs from Your ...	4.9 MB		
Back	Delete	Back	Delete
		2704	

2700

Fig. 27




Fig. 28




Fig. 29A




Fig. 29B





Fig. 30


Text	Action	Behavior
Playlist	select	Displays the Playlist screen Visible only if no playlists (other than the master playlist) are present on the handset.
Playlists	select	Displays the Playlists screen. Visible only if one or more playlists (other than the master playlist) are present on the handset.
Artists	select	Displays the Artists screen. with all the artists in the library.
Albums	select	Displays the Albums screen with all the albums in the library.
Songs	select	Displays the Songs screen with all the tracks in the library.
Shuffle Songs	select	Selects all the tracks in the master playlist, shuffles the order of the tracks, starts playback of the first track, and displays the Now Playing screen.
Now Playing	select	Displays the Now Playing screen. Visible only if a track is playing or paused.

Fig. 31

Soft Keys**Player State: Stopped**

Key	Label	Behavior
Left	Exit	Exits the application.
Center		Displays the context-sensitive menu (Error! Reference source not found.).
Right	Play	Selects all the tracks in the master playlist, shuffling the order of the tracks if Shuffle Songs is highlighted, starts playback of the first track, and displays the Now Playing screen (Error! Reference source not found.).

Player State: Playing

Key	Label	Behavior
Left	Exit	Exits the application.
Center		Displays the context-sensitive menu (Error! Reference source not found.).
Right	Pause	Pauses playback of the current track.

Player State: Paused


Key	Label	Behavior
Left	Exit	Exits the application.
Center		Displays the context-sensitive menu.
Right	Play	Resumes playback of the current track, if Shuffle Songs is not highlighted; otherwise shuffles the order of the tracks in the master playlist, starts playback of the first track, and displays the Now Playing screen.

FIG. 32

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	<i>none</i>	<i>none</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	<i>none</i>	<i>none</i>
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys


Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 33

Text	Action	Behavior
<i>device name</i>	select	Selects the master playlist, which includes all the tracks in the library, and displays the Playlist screen .l
<i>playlist name</i>	select	Selects the highlighted playlist and displays the Playlist screen .

FIG. 34

Soft Keys**Player State: Paused/Stopped**

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Play	Selects all the tracks in the highlighted playlist, starts playback of the first track in the playlist, and displays the Now Playing screen .

Player State: Playing


Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Pause	Pauses playback of the current track.

FIG. 35

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	<i>n/a</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	Highlights the first list item that matches the letter on the key, in the standard multi-tap order.	Highlights the first list item that matches the number of the key.
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.


FIG. 36

List Items

Text	Action	Behavior
<i>track name</i>	select	Selects all the tracks in the playlist, starts playback of the highlighted track, and displays the Now Playing screen.

FIG. 37

Soft Keys**Player State: Paused/Stopped**

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Play	Selects all the tracks in the playlist, starts playback of the highlighted track, and displays the Now Playing screen..

Player State: Playing


Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Pause	Pauses playback of the current track.

FIG. 38

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	n/a
→	Selects the highlighted list item.	n/a
Select	Selects the highlighted list item.	n/a

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	none	none
*	none	none
#	none	none

Side Keys


Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 39

Text	Action	Behavior
All	select	Selects all the artists and displays the Albums screen with all the albums by all the artists.
<i>artist name</i>	select	Selects the highlighted artist and displays the Albums screen with all the albums by the selected artist.

FIG. 40

Soft Keys**Player State: Paused/Stopped**

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Play	Selects the highlighted artist, starts playback of the first track by the selected artist, and displays the Now Playing screen.

Player State: Playing


Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Pause	Pauses playback of the current track.

FIG. 41

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	<i>n/a</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	Highlights the first list item that matches the letter on the key, in the standard multi-tap order.	Highlights the first list item that matches the number of the key.
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys


Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 42

Text	Action	Behavior
All	select	Selects all the albums and displays the Songs screen with all the tracks in all the albums.
<i>album name</i>	select	Selects the highlighted album and displays the Songs screen with all the tracks in the selected album.

FIG. 43

Soft Keys**Player State: Paused/Stopped**

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Play	Selects the highlighted album, starts playback of the first track in the selected album, and displays the Now Playing screen.

Player State: Playing


Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Pause	Pauses playback of the current track.

FIG. 44

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	<i>n/a</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	Highlights the first list item that matches the letter on the key, in the standard multi-tap order.	Highlights the first list item that matches the number of the key.
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.


FIG. 45

List Items

Text	Action	Behavior
<i>track name</i>	select	Displays the Now Playing screen and starts playback of the tracks in the list, starting with the selected track.

FIG. 46

Soft Keys**Player State: Paused/Stopped**

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Play	Displays the Now Playing screen and starts playback of the tracks in the list, starting with the selected track.

Player State: Playing


Key	Label	Behavior
Left	Back	Displays the previous screen.
Center		Displays the context-sensitive menu.
Right	Pause	Pauses playback of the current track.

FIG. 47

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	n/a
→	Selects the highlighted list item.	n/a
Select	Selects the highlighted list item.	n/a

Keypad Keys

Mode: All Songs

Key	Short Press Behavior	Long Press Behavior
0..9	Highlights the first list item that matches the letter on the key, in the standard multi-tap order.	Highlights the first list item that matches the number of the key.
*	none	none
#	none	none

Mode: Songs for Album

Key	Short Press Behavior	Long Press Behavior
0..9	none	none
*	none	none
#	none	none

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 48

Repeat Indicator


Setting	Icon
Off	none
One	↺↻
All	↺↻

Shuffle Indicator

Setting	Icon
Off	none
Songs or Albums	↻

FIG. 49

Soft Keys**Player State: Playing**

Key	Label	Behavior
Left	Back	Displays the previous screen if in progress mode, or switches to progress mode if in artwork, position, rating or volume mode.
Center		Displays the Contextual Menu screen.
Right	Pause	Pauses playback of the current track.

Player State: Paused


Key	Label	Behavior
Left	Back	Displays the previous screen if in progress mode, or switches to progress mode if in artwork, position, rating or volume mode.
Center		Displays the Contextual Menu screen.
Right	Play	Resumes playback of the current track.

FIG. 50

Navigation Keys

Screen Mode: Progress

Key	Short Press Behavior	Long Press Behavior
↑	Increases the volume level of the player and switches to volume mode.	n/a
↓	Decreases the volume level of the player and switches to volume mode.	n/a
←	Moves the playback position to the beginning of the current track, or goes to the previous track in the play order if the playback position is within the first 5 seconds of the track, or goes back to the Main Menu screen if the current track is the first track in the play order and the repeat setting is Off.	Moves the playback position backward, starting in 5-second increments and accelerating in larger increments while the key is held.
→	Goes to the next track in the play order, or goes back to the Main Menu screen if the current track is the last track in the play order and the repeat setting is Off.	Moves the playback position forward, starting in 5-second increments and accelerating in larger increments while the key is held.
Select	Switches to artwork mode if album artwork is available for the current track, otherwise switches to position mode.	n/a

FIG. 51A

REPLACEMENT SHEET

Screen Mode: Artwork		
Key	Short Press Behavior	Long Press Behavior
↑	Increases the volume level of the player and switches to volume mode.	n/a
↓	Decreases the volume level of the player and switches to volume mode.	n/a
←	Moves the playback position to the beginning of the current track and switches to progress mode, or goes to the previous track in the play order if the playback position is within the first 5 seconds of the track and switches to progress mode, or goes back to the Main Menu screen if the current track is the first track in the play order and the repeat setting is Off.	Moves the playback position backward, starting in 5-second increments and accelerating in larger increments while the key is held, and switches to progress mode.
→	Goes to the next track in the play order and switches to progress mode, or goes back to the Main Menu screen if the current track is the last track in the play order and the repeat setting is Off.	Moves the playback position forward, starting in 5-second increments and accelerating in larger increments while the key is held, and switches to progress mode.
Select	Switches to position mode.	n/a

Screen Mode: Position

Key	Short Press Behavior	Long Press Behavior
↑	Increases the volume level of the player and switches to volume mode.	n/a
↓	Decreases the volume level of the player and switches to volume mode.	n/a
←	Moves the playback position backward by 5 seconds.	Moves the playback position backward, starting in 5-second increments and accelerating in larger increments while the key is held.
→	Moves the playback position forward by 5 seconds.	Moves the playback position forward, starting in 5-second increments and accelerating in larger increments while the key is held.
Select	Switches to rating mode.	n/a

FIG. 51B

REPLACEMENT SHEET

Screen Mode: Rating		
Key	Short Press Behavior	Long Press Behavior
↑	Increases the volume level of the player and switches to volume mode.	n/a
↓	Decreases the volume level of the player and switches to volume mode.	n/a
←	Decreases the user rating for the current track.	Auto-repeats.
→	Increases the user rating for the current track.	Auto-repeats.
Select	Switches to progress mode.	n/a

FIG. 51C

REPLACEMENT SHEET

Screen Mode: Volume		
Key	Short Press Behavior	Long Press Behavior
↑	Increases the volume level of the player.	Auto-repeats.
↓	Decreases the volume level of the player.	Auto-repeats.
←	Moves the playback position to the beginning of the current track and switches to progress mode, or goes to the previous track in the play order if the playback position is within the first 5 seconds of the track and switches to progress mode, or goes back to the Main Menu screen if the current track is the first track in the play order and the repeat setting is Off.	Moves the playback position backward, starting in 5-second increments and accelerating in larger increments while the key is held, and switches to progress mode.
→	Goes to the next track in the play order and switches to progress mode, or goes back to the Main Menu screen if the current track is the last track in the play order and the repeat setting is Off.	Moves the playback position forward, starting in 5-second increments and accelerating in larger increments while the key is held, and switches to progress mode.
Select	Switches to progress mode.	n/a

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	none	none
*	none	none
#	none	none

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Increases the volume level of the player and switches to volume mode.	Auto-repeats.
Scroll Down	Decreases the volume level of the player and switches to volume mode.	Auto-repeats.

FIG. 51D

Text	Action	Behavior
Hide	highlight	Sets the right soft key label to Select.
	select	Puts the iTunes Mobile application in background mode and starts the idle application, so that metadata and progress information for the current track is displayed in the idle screen. Visible only if a track is playing or paused.
Now Playing	highlight	Sets the right soft key label to Select.
	select	Goes to the Now Playing screen. Visible only if a track is playing or paused.
Shuffle	highlight	Sets the right soft key label to Change.
	select	Cycles the shuffle setting among Off, Songs and Albums.
Repeat	highlight	Sets the right soft key label to Change.
	select	Cycles the repeat setting among Off, One and All.
About	highlight	Sets the right soft key label to Select.
	select	Displays the About screen.
Legal	highlight	Sets the right soft key label to Select.
	select	Displays the Legal screen.

FIG. 52

Soft Keys**"Hide", "Now Playing", "About" or "Legal" Highlighted**

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	Select	Selects the highlighted list item.

"Shuffle" or "Repeat" Highlighted

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	Change	Cycles the highlighted setting among its values.

FIG. 53

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	<i>n/a</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	<i>none</i>	<i>none</i>
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 54

Label	Value
Songs	The total number of tracks in the library and the maximum number of tracks supported by the device.
Capacity	The capacity of the flash memory card, formatted in MB or KB as appropriate.
Available	The available space on the flash memory card, formatted in MB or KB as appropriate.
Version	The version of the iTunes Mobile application.

FIG. 55

Soft Keys

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	<i>none</i>	<i>none</i>

FIG. 56

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Scrolls the list up by one page.	Auto-repeats.
↓	Scrolls the list down by one page.	Auto-repeats.
←	Displays the previous screen.	n/a
→	none	none
Select	none	none

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	none	none
*	none	none
#	none	none

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	none	none
Scroll Down	none	none

FIG. 57

Soft Keys

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	<i>none</i>	<i>none</i>

FIG. 58

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Scrolls the list up by one page.	Auto-repeats.
↓	Scrolls the list down by one page.	Auto-repeats.
←	Displays the previous screen.	n/a
→	none	none
Select	none	none

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	none	none
*	none	none
#	none	none

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Scrolls the list up by one page.	Auto-repeats.
Scroll Down	Scrolls the list down by one page.	Auto-repeats.

FIG. 59

Text	Action	Behavior
Artists	select	Selects all the artists in the library and displays the Delete Artists screen.
Albums	select	Selects all the albums in the library and displays the Delete Albums screen.
Songs	select	Selects all the songs in the library and displays the Delete Songs screen.

FIG. 60

Soft Keys

Key	Label	Behavior
Left	Back	Exits the application.
Center	<i>none</i>	<i>none</i>
Right	Select	Selects the highlighted list item.

FIG. 61

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	<i>n/a</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	<i>none</i>	<i>none</i>
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 62

Text	Action	Behavior
All	highlight	Sets the right soft key label to Select.
	select	Selects all the artists and displays the Delete Albums screen with all the albums by all the artists.
<i>artist name</i>	highlight	Sets the right soft key label to Delete.
	select	Selects the highlighted artist and displays the Delete Albums screen with all the albums by the selected artist.

FIG. 63

Soft Keys

"All" Highlighted

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	Select	Selects the highlighted list item.

Artist Name Highlighted

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	Delete	Displays the confirm dialog with the name of the highlighted artist. If "Yes" is selected, deletes all the tracks by the artist from the library and displays the deleted transient for 2 seconds.

FIG. 64

REPLACEMENT SHEET

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	<i>n/a</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	Highlights the first list item that matches the letter on the key, in the standard multi-tap order.	Highlights the first list item that matches the number of the key.
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 65A

REPLACEMENT SHEET

Text	Action	Behavior
All	highlight	Sets the right soft key label to Select.
	select	Selects all the albums and displays the Deletes Songs screen with all the tracks in all the albums.
album name	highlight	Sets the right soft key label to Delete.
	select	Selects the highlighted album and displays the Delete Songs screen with the tracks in the selected album.

FIG. 65B

Soft Keys**"All" Highlighted**

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	Select	Selects the highlighted list item.

Artist Name Highlighted

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	Delete	Displays the confirm dialog with the name of the highlighted album. If "Yes" is selected, deletes all the tracks in the album from the library and displays the deleted transient for 2 seconds.

FIG. 66

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	n/a
→	Selects the highlighted list item.	n/a
Select	Selects the highlighted list item.	n/a

Keypad Keys

Key	Short Press Behavior	Long Press Behavior
0..9	Highlights the first list item that matches the letter on the key, in the standard multi-tap order.	Highlights the first list item that matches the number of the key.
*	none	none
#	none	none

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 67

Text	Action	Behavior
<i>track name</i>	highlight	Stops any track that is currently playing and starts playing the highlighted track after a 750 ms delay.
	select	Displays the confirm dialog with the name of the highlighted song. If "Yes" is selected, deletes the track for the song from the library and displays the deleted transient for 2 seconds.

FIG. 68

Soft Keys

Key	Label	Behavior
Left	Back	Displays the previous screen.
Center	<i>none</i>	<i>none</i>
Right	Delete	Displays the confirm dialog with the name of the highlighted song. If "Yes" is selected, deletes the track for the song from the library and displays the deleted transient for 2 seconds.

FIG. 69

Navigation Keys

Key	Short Press Behavior	Long Press Behavior
↑	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Auto-repeats.
↓	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Auto-repeats.
←	Displays the previous screen.	<i>n/a</i>
→	Selects the highlighted list item.	<i>n/a</i>
Select	Selects the highlighted list item.	<i>n/a</i>

Keypad Keys

Mode: All Songs

Key	Short Press Behavior	Long Press Behavior
0..9	Highlights the first list item that matches the letter on the key, in the standard multi-tap order.	Highlights the first list item that matches the number of the key.
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Mode: Songs for Album

Key	Short Press Behavior	Long Press Behavior
0..9	<i>none</i>	<i>none</i>
*	<i>none</i>	<i>none</i>
#	<i>none</i>	<i>none</i>

Side Keys

Key	Short Press Behavior	Long Press Behavior
Scroll Up	Highlights the list item above the currently highlighted item, or the last item if the first item is highlighted.	Scrolls the list up by one page.
Scroll Down	Highlights the list item below the currently highlighted item, or the first list item if the last item is highlighted.	Scrolls the list down by one page.

FIG. 70