



US00D343045S

# United States Patent [19]

[11] Patent Number: Des. 343,045

Bailey

[45] Date of Patent: \*\* Jan. 11, 1994

- [54] PERIPHERY OF A SHOE SOLE
- [75] Inventor: Catherine M. Bailey, Portland, Oreg.
- [73] Assignee: Nike, Inc., Beaverton, Oreg.
- [\*\*] Term: 14 Years
- [21] Appl. No.: 878,313
- [22] Filed: May 5, 1992
- [52] U.S. Cl. .... D2/977
- [58] Field of Search ..... D2/264, 265, 308-314, 317-323; 36/25 R, 32 R, 43-45, 83, 84, 89, 100-107, 112-114, 132, 136

[56] References Cited

U.S. PATENT DOCUMENTS

|            |         |               |       |        |
|------------|---------|---------------|-------|--------|
| D. 261,446 | 10/1981 | Schmohl       | ..... | D2/309 |
| D. 296,152 | 6/1988  | Selbiger      | ..... | D2/320 |
| D. 297,682 | 9/1988  | Le            | ..... | D2/320 |
| D. 312,917 | 12/1990 | Hatfield      | ..... | D2/314 |
| D. 324,131 | 2/1992  | Lucas         | ..... | D2/314 |
| D. 325,289 | 4/1992  | Aveni         | ..... | D2/314 |
| D. 325,667 | 4/1992  | Smith, III    | ..... | D2/320 |
| D. 327,165 | 6/1992  | Hatfield      | ..... | D2/320 |
| D. 330,802 | 11/1992 | Edmund et al. | ..... | D2/321 |

OTHER PUBLICATIONS

- Nike Fall 1990 Footwear Catalog, p. 4.
- Nike Fall 1992 Footwear Catalog, p. 112.
- Nike Spring 1992 Footwear Catalog, pp. 44, 74.
- Nike Spring 1993 Footwear Catalog, pp. 88, 90, 94, 96.


Primary Examiner—Louis S. Zarfes  
Attorney, Agent, or Firm—Banner, Birch, McKie et al.


[57] CLAIM

The ornamental design for the periphery of a shoe sole, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of one side of a periphery of a shoe sole showing my new design;  
 FIG. 2 is a side elevational view of the other side of the periphery of a shoe sole shown in FIG. 1;  
 FIG. 3 is a front elevational view of the side of the periphery of a shoe sole shown in FIG. 1;  
 FIG. 4 is a rear elevational view of the side of the periphery of a shoe sole shown in FIG. 1;  
 FIG. 5 is a cross-sectional view taken generally along the line 5—5 in FIG. 2;  
 FIG. 6 is a cross section taken generally along the line 6—6 in FIG. 2;  
 FIG. 7 is a cross section taken generally along the line 7—7 in FIG. 2;  
 FIG. 8 is a cross section taken generally along the line 8—8 in FIG. 2; and,  
 FIG. 9 is a cross section taken generally along the line 9—9 in FIG. 2.  
 The broken line showing of a shoe upper and a shoe sole bottom are for environmental purposes only and form no part of the claimed design.









FIG. 2

**FIG. 4**



**FIG. 3**




FIG. 5




FIG. 6



FIG. 7



FIG. 8



FIG. 9

