



(86) Date de dépôt PCT/PCT Filing Date: 2006/10/06  
 (87) Date publication PCT/PCT Publication Date: 2007/04/19  
 (45) Date de délivrance/Issue Date: 2013/01/29  
 (85) Entrée phase nationale/National Entry: 2008/04/07  
 (86) N° demande PCT/PCT Application No.: DE 2006/001758  
 (87) N° publication PCT/PCT Publication No.: 2007/041992  
 (30) Priorité/Priority: 2005/10/07 (DE10 2005 048 460.3)

(51) Cl.Int./Int.Cl. *C02F 1/50* (2006.01),  
*A01K 61/00* (2006.01), *A01N 1/00* (2006.01),  
*C02F 1/66* (2006.01), *C02F 1/72* (2006.01)  
 (72) Inventeur/Inventor:  
 WILLUWEIT, THOMAS, DE  
 (73) Propriétaire/Owner:  
 SOELL GMBH, DE  
 (74) Agent: FETHERSTONHAUGH & CO.

(54) Titre : COMPOSITION POUR DETRUIRE DES ALGUES FILAMENTEUSES  
 (54) Title: COMPOSITION FOR DESTROYING THREAD ALGAE

(57) **Abrégé/Abstract:**

A composition containing alkali carbonate peroxyhydrates and alkali hydrogen carbonates is claimed in which the alkali carbonate peroxyhydrates are contained in a quantity of more than 0 up to 85 % weight relative to the total amount of the composition and that is suitable for combating thread algae and germs and parasites in water and in bodies of water. The composition, in contrast to alkali carbonate peroxyhydrates as a pure substance, can be stored and transported well and has no longer an oxidizing effect.

- 7 -

Abstract

5 A composition containing alkali carbonate peroxyhydrates and alkali hydrogen carbonates is claimed in which the alkali carbonate peroxyhydrates are contained in a quantity of more than 0 up to 85 % weight relative to the total amount of the composition and that is suitable for combating thread algae and germs and parasites in water and in bodies of water. The composition, in contrast to alkali carbonate peroxyhydrates as a pure substance, can be stored and transported well and has no longer an oxidizing effect.

PCT/DE2006/001758  
Söll GmbH

### Composition for Destroying Thread Algae

5 The present invention relates to a composition containing alkali carbonate peroxyhydrates and alkali hydrogen carbonates as well as the use of this composition for combating thread algae, germs and parasites in waters and sediments and on surfaces, and the use of alkali hydrogen carbonates for stabilizing alkali carbonate peroxyhydrates.

10 In aquariums as well as garden ponds thread algae are a type of algae that often turns into a plague. With regard to classification, the thread algae belong to lower plants and are assigned to the class of green algae (*Chlorophyta*). A majority of known green algae species is indigenous to freshwater. Species of the genera *Ulothrix*, *Spirogyra*, and *Cladophora* present regularly a great problem for many garden pond owners in the spring and summer when these algae species as a result of mass multiplication form a carpet of algae that can only be removed with difficulty from the  
15 water.

Thread algae colonize generally also directly on surfaces and walls as well as on loose sediment and rocks as well as on technical devices such as filters, pumps, pipes, aeration devices etc. so that impairments are also caused thereon.

20 The causes for algae growth are often a surplus of nutrients and light. In the prior art it is known as a measure for combating this to add fast-growing plants to the aquarium or the garden pond in order to take away the nutrient source from the thread algae. However, until such a measure shows an effect, several weeks can pass and an algae-free aquarium or garden pond is not obtained. As  
25 a further fast reducing measure a change of the water is recommended. This measure is also in many cases not practicable. The same holds true for reducing the light; this is possible for aquariums but not for a garden pond.

30 An ecologically innocuous agent for destroying thread algae is sodium carbonate peroxyhydrate, also known as sodium percarbonate. Further fast acting and effective agents are chemical algicides that contain active ingredients such as terbutryn, monolinuron, zinc and copper salts. None of the known preparations has a selective effect on thread algae. By using such algicides, at the same time the water quality is worsened and the growth of plants reduced so that in some cases plants can be completely killed off.

27817-15

- 2 -

5 A disadvantage of sodium carbonate peroxyhydrate is its minimal stability, its sensitivity relative to water and heat. Upon extended or improper storage, the substances can decompose so that they can no longer develop their actual action. Because of the minimal stability and the oxidizing effect the substance is subject to transport, storage, and commercial regulations.

10 As a whole, alkali carbonate peroxyhydrates are ecologically well tolerated substances that can be employed advantageously in water processing and also for combating pathogenic germs in aquaculture, in aquarium water and garden ponds etc. It is disadvantageous that, as a result of their hazard potential, they can be transported and stored only under strict safety regulations and that commercial trade is limited.

15 European patent application EP 0 968 136 discloses the use of alkali percarbonate peroxyhydrates in fish farming. This document discloses the use of these substances for oxygen-delivering, neutralizing, and degerming processing of waters in freshwater as well as saltwater installations, natural bodies of water etc. According to this document, the alkali carbonate peroxyhydrates provide in particular a degerming action.

20 The present invention thus has the goal to provide a composition that enables safe transport and long-term storage without having the oxidizing risk potential of alkali carbonate peroxyhydrates.

25 In one aspect, the present invention provides a composition containing alkali carbonate peroxyhydrates and alkali carbonates and/or hydrogen carbonates, that is characterized in that the alkali carbonate peroxyhydrate is contained in an amount of more than 0 up to 85 % by weight relative to the total amount of the composition.

27817-15

2a

According to another aspect of the present invention, there is provided composition comprising a mixture of alkali carbonate peroxyhydrates and alkali hydrogen carbonates, wherein the alkali carbonate peroxyhydrates are contained in a quantity of 45 to 85 % by weight relative to the total amount of the composition, and wherein the  
5 alkali hydrogen carbonates and the alkali carbonate peroxyhydrates are present in a quantitative ratio of 15:85 to 55:45.

By addition of alkali carbonates and/or hydrogen carbonate it is possible to stabilize the alkali carbonate peroxyhydrates so that the substance can be transported well and can also be stored well. The addition of alkali carbonates and/or hydrogen  
10 carbonates has the advantage that this component does not impair the use of peroxyhydrates for processing water but instead even has a positive effect on the water. The carbonates or hydrogen carbonates act as stabilizers for the peroxo compounds and compensate thus their oxidizing effect.

As alkali carbonate peroxyhydrates, lithium, sodium, potassium and/or rubidium  
15 compounds can be

27817-15

- 3 -

used wherein sodium carbonate peroxyhydrate is preferred. When using the composition according to the invention as an additive in bodies of water such as aquariums and garden ponds, minimal quantities of the potassium compound may be contained; however, these quantities should be not be too high because large quantities of potassium can be poisonous to fish.

5

In the composition according to the invention, the alkali carbonate peroxyhydrate can be contained in a quantity of up to 85 % by weight. Preferred compositions contain these substances in a quantity of 45 to 85 % by weight, in particular 74 to 82 % by weight.

10

As a further substance the composition according to the invention contains alkali hydrogen carbonate wherein in regard to these compounds the sodium compounds are also preferably used. The hydrogen carbonates have the advantage that they exhibit a milder pH value than carbonates and mixed with the alkali carbonate peroxyhydrate provide directly a buffer system that has a positive effect on the water to be processed.

15

Inasmuch as the composition according to the invention is used as an agent for processing water, further components can be also added that have a positive effect on the water quality. For example, components can be contained that have a microbiological effect. Examples for substances that can be added as supplements are earth alkali compounds such as calcium salts, chelating agents, alginates, microbiological cultures etc.

20

When destroying thread algae or when microbiologically decomposing the cell substance, nitrates and phosphates are released that can serve as nutrients for growth of new thread algae. In order to keep the quantity of nutrients being generated minimal, it has been found to be advantageous to add to the composition according to the invention earth alkali compounds, in particular earth alkali peroxides, preferably  $\text{CaO}_2$ . The additives can be contained in the composition according to the invention in quantities of up to 10 % by weight, preferably up to 5 % by weight and in particular up to 2.5 % by weight.

25

30

As further components, the mixture according to the invention can contain microorganisms. The microorganisms can be selected from autotrophic and heterotrophic microorganisms, in particular chemolithoautotrophic nitrifying microorganisms such as ammonia oxidizing microorganisms and nitrite-oxidizing microorganisms, heterotrophic nitrifying microorganisms such as fungi of the genera *Aspergillus*, *Penicillium*, and *Cephalosporium*, algae, *Arthrobacter sp.*, *Alcaligenes sp.*, *Nocardia sp.*, *Bacillus azotoformans*, *Sporosarcina psychrophila*, *Pseudomonas* and any mixture of

27817-15

- 4 -

the aforementioned heterotrophic denitrifying microorganisms such as *Paracoccus sp.* and *Pseudomonas sp.* and any mixture of the above.

5 The microorganisms can be contained in a quantity of 0.5 to 4 % by weight relative to the total composition.

10 In one aspect, the composition according to the invention is characterized in particular in that it inhibits growth of thread algae, i.e., destroys the thread algae. This means that the thread algae are lysed and die off. A further aspect of the present invention is accordingly the use of the composition according to the invention of alkali carbonate peroxyhydrate and alkali carbonate and/or hydrogen carbonate for destroying thread algae.

15 The addition of alkali hydrogen carbonates to alkali percarbonate peroxyhydrates can significantly improve the stability of these peroxy compounds. A further aspect of the present invention is therefore the use of alkali hydrogen carbonates for stabilizing alkali percarbonate peroxyhydrates. The two components are preferably present in a ratio of alkali hydrogen carbonate to alkali percarbonate peroxyhydrate in a ratio of 15 : 85 to 35 : 65. This quantitative ratio should be maintained also in mixtures with additional components.

20 A further aspect of the present invention concerns the use of the composition for combating pathogenic germs and parasites in aquaculture, artificially installed ponds, such as garden ponds, and natural ponds, lakes, and aquariums.

25 Another aspect of the present invention concerns the use of the composition for processing water, bodies of water, and sediments.

#### Examples

30 Test of the Oxidizing Effect of a Mixture of Alkali Carbonate Peroxyhydrate And  $\text{NaHCO}_3$ .

The test procedures for determining the oxidizing effect of substances are provided in EU regulation 67/540, part 2. The oxidizing effect of substances may not surpass at most that of  $\text{Ba}(\text{NO}_3)_2$  : cellulose = 7 : 3.

- 5 -

1. A mixture of sodium carbonate peroxyhydrate and  $\text{NaHCO}_3$  with 80 % by weight sodium carbonate peroxyhydrate and 20 %  $\text{NaHCO}_3$  on cellulose in a ratio of 7 : 3 was tested. As sodium carbonate peroxyhydrate commercial-grade qualities were tested. The particle size of the components in the mixture was  $< 125 \mu\text{m}$ .

5

#### Results

	Comparative sample	Sample according to the invention
A.	2.6 mm/s $\pm$ 0.2 mm/s	1.4 mm/s $\pm$ 0.1 mm/s
B.	2.9 mm/s $\pm$ 0.2 mm/s	1.0 mm/s $\pm$ 0.1 mm/s

10

2. A mixture of sodium carbonate peroxyhydrate and  $\text{NaHCO}_3$  in the composition as in Example 1 was tested with regard to different proportions of cellulose of 1 : 9 to 9 : 1. The highest value of the measured oxidizing effect was 1.1 mm/s 0.1 mm/s.

15

The results show that already with a minimal addition of  $\text{NaHCO}_3$  the oxidizing effect of sodium carbonate peroxyhydrate can be lowered such that it is no longer considered a hazardous material according to EU regulations.

#### Use in Water Treatment

20

In a pond on a golf course the existing thread algae mass multiplication was eliminated within 24 hrs. by adding a mixture of 80 % sodium carbonate peroxyhydrate and 20 % sodium bicarbonate. After removal of the died-off algae biomass, the body of water was free of thread algae.

27817-15

6

CLAIMS:

1. Composition comprising a mixture of alkali carbonate peroxyhydrates and alkali hydrogen carbonates, wherein the alkali carbonate peroxyhydrates are contained in a quantity of 45 to 85 % by weight relative to the total amount of the composition,  
5 and wherein the alkali hydrogen carbonates and the alkali carbonate peroxyhydrates are present in a quantitative weight ratio of 15:85 to 55:45.
2. Composition according to claim 1, wherein the alkali carbonate peroxyhydrate is  $\text{Na}_2\text{CO}_3$  and  $x\text{H}_2\text{O}_2$ .
3. Composition according to claim 1, wherein the alkali carbonate  
10 peroxyhydrate is  $2 \text{Na}_2\text{CO}_3 \cdot 3 \text{H}_2\text{O}_2$ .
4. Composition according to claim 1, wherein the alkali carbonate peroxyhydrate is a mixture of  $\text{Na}_2\text{CO}_3$  and  $\text{H}_2\text{O}_2$ .
5. Composition according to any one of claims 1 to 4, wherein the alkali carbonate peroxyhydrate is contained in a quantity of 74 to 82 % by weight relative to  
15 the total amount of the composition.
6. Composition according to any one of claims 1 to 5, wherein the total amount contains 1-10 % by weight of earth alkali peroxides.
7. Composition according to any one of claims 1 to 6, wherein the composition contains 0.5 to 4 % microorganisms.
- 20 8. Use of the composition as defined in any one of claims 1 to 7 for combating pathogenic germs or parasites in aquaculture, ponds, or aquariums.
9. Use of the composition as defined in any one of claims 1 to 7 for destroying thread algae.
10. Use of the composition as defined in any one of claims 1 to 7 for water  
25 purification.

27817-15

7

11. Use of the composition as defined in any one of claims 1 to 7 for processing natural or artificial bodies of water, or sediments.