

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
9 August 2007 (09.08.2007)

PCT

(10) International Publication Number
WO 2007/089155 A1

(51) International Patent Classification:

G01N 1/31 (2006.01) G01N 35/00 (2006.01)
G01N 33/48 (2006.01) G02B 21/34 (2006.01)
G01N 21/86 (2006.01) G02B 21/36 (2006.01)

(21) International Application Number:

PCT/NO2007/000031

(22) International Filing Date: 31 January 2007 (31.01.2007)

(25) Filing Language:

Norwegian

(26) Publication Language:

English

(30) Priority Data:

20060555 2 February 2006 (02.02.2006) NO

(71) Applicants and

(72) Inventors: LJUNGMANN, Øystein [NO/NO]; Elgfaret 15, N-1404 Ski (NO). LJUNGMANN, Torstein [NO/NO]; Ullevålsv. 16B, N-0171 Oslo (NO).

(74) Agent: TANDBERGS PATENTKONTOR AS; Boks 7085, N-0306 Oslo (NO).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: AN APPARATUS FOR EXECUTION OF TREATMENT OPERATIONS IN CONNECTION WITH COLOURING OF TISSUE SPECIMENS ON OBJECT GLASSES



(57) Abstract: An apparatus for automatic execution of different treatment operations in connection with staining of tissue specimens on microscope slides, wherein the apparatus (1) comprises a loading station (2) for microscope slides (7) with tissue specimens, a number of reagent stations (3) for staining of the tissue specimens on supplied microscope slides, a conveyor (5) for transfer of microscope slides (7) between the stations (3) in accordance with a staining program, an unloading station (10) for treated microscope slides, and a control unit (19) for controlling the treatment operations in accordance with a data program. The apparatus comprise a photo station (25) with a digital camera (26) for automatic photographing with a background light source of the finished treated tissue specimens on supplied microscope slides (7). The camera is connected to the control unit (19) of the apparatus and the control unit is arranged to store the picture of each individual tissue specimen and information which is located on the relevant microscopic slide (7) and preferably also information about the staining program and status of reagents at

the reagent stations (3) for automatic transmission of the information to a place for result analysis.

An apparatus for execution of treatment operations in connection
with colouring of tissue specimens on object glasses

5

The invention relates to an apparatus for automatic execution of different treatment operations in connection with staining of tissue specimens on microscope slides, wherein the apparatus comprises a loading station for microscope slides with tissue specimens, a number of reagent stations for staining of the tissue specimens on
10 supplied microscope slides, a conveyor for transfer of microscope slides between the stations in accordance with a staining program, an unloading station for treated microscope slides, and a control unit for controlling the treatment operations in accordance with a data program.

An apparatus of the above-mentioned type is shown and described in
15 Norwegian patent application No. 2004 5622. With such an apparatus many different treatment operations can be executed, such as initial fixing of paraffin casted tissue specimens on microscope slides, staining of tissue specimens on microscope slides, mounting of cover glasses on the stained tissue specimens microscope slides, and drying of stained tissue specimens microscope slides after application of glue and
20 mounting of cover glasses, in accordance with a selected programmed running process.

After the current treatment operations of the said type have been executed, the microscope slides are according to usual practice today subjected to manual microscoping. This treatment comprises also manual loading of photo equipment for taking pictures of the tissue specimens with a view to result analysis (so-called "screening").
25 By the manual microscoping, it must be waited 24 hours after the application of the cover glasses so that the specimens no longer liberate much dissolvent gasses. Additionally that the manual handling is comparatively time consuming it may also be exposed to human error, e.g. due to erroneous registration or mixed up patient data.

A main object of the invention is to provide an apparatus of the current type,
30 which is able to store all information about each specimen without any source of error, in such a way that a 100 % quality assurance of the specimen results is obtained.

An additional object of the invention is to provide an apparatus, which makes it possible, that the specimens can be studied essential faster than with manual microscoping, which means an essential labour saving for a user.

35 The above-mentioned objects are achieved by means of an apparatus of the introductorily stated type, which, according to the invention, is characterised in that the apparatus comprise a photo station with a digital camera for automatic photographing with a background light source of the finished treated tissue specimens on supplied microscope slides, the camera is connected to the control unit of the

apparatus and the control unit is arranged to store the picture of each individual tissue specimen and information which is located on the relevant microscopic slide and preferably also information about the staining program and status of reagents at the reagent stations for automatic transmission of the information to a place for result analysis.

Preferable embodiments are stated in the dependent claims.

The invention will now be further described by means of an exemplary embodiment with reference to the drawings, wherein

Fig. 1 shows a schematic side view of an apparatus according to the invention, and

Fig. 2 shows a plan view of a carrier device for microscope slides for use in the apparatus shown in Fig. 1.

In Fig. 1 it is shown an apparatus corresponding to the apparatus which is shown and described in the previously mentioned Norwegian patent application No 2004 5622 which additionally is provided with a photo station according to the present invention. In the following a brief description of the structure of the apparatus shall be given. For a further description of the apparatus and its manner of operation, reference is made to the said patent application.

The apparatus 1 shown in the drawing comprises three levels I, II and III, having units for execution of the relevant treatment operations.

The first level I includes a loading and preheating station 2 for microscope slides, a number of reagent stations 3 consisting of vessels 4 with reagents for staining of tissue specimens on microscope slides, and a conveyor 5 for transfer of carriers/holding devices 6 with microscope slides 7, (see Fig. 2) from vessel to vessel in accordance with a selected staining/data program.

The second level II includes a station 8 for application of cover glasses (not shown) on the stained microscope slides, a succeeding drying station 9 and a storing/unloading station 10 for the ready-treated microscope slides. In the illustrated embodiment, the second level II is located above the first level I, and a hoist or lifting means 11 is provided for transfer of carriers 6 with stained microscope slides from the first level to the cover glass applying station 8 on the second level. A horizontal transport means 12 is provided for transfer of carriers 6 with microscope slides 7 through the cover glass applying station 8 and the drying station 9 to the unloading station 10.

The third level III, which is located below the first level I, includes an assembly 13 of a number of storage tanks 14 for the relevant reagent liquids, wherein the tanks are connected to the appurtenant vessel 4 at the reagent stations 3 via connecting lines (not shown) on which there are arranged pumps 15 for the supply of liquid to the vessels, and moreover filters 16 for filtering of the liquids.

The apparatus is also shown to include a filter/blower unit 17 for ventilation of the apparatus. This unit is in communication with a vent inlet 18 at the top of the apparatus, and thereby provides for transport and blowout of venting air through the apparatus. In this manner, the whole apparatus is ventilated, so that i.a. dangerous fumes from the reagent stations are removed in a justifiable manner.

The apparatus also includes an electronic control unit which is symbolically shown as a block 19, and which takes care of controlling the treatment operation of the apparatus in accordance with a data program. Further, the apparatus comprises a control panel (not shown) for operation and working of the apparatus. This panel includes a number of touch or contact keys (control keys and working keys), and also a display giving information about the status etc. of the apparatus during the operation.

The means 11 for gripping and transfer of carriers is only schematically shown in Fig. 1, and consists of a hoist for lifting of the carriers in the dedicated transfer area 20 to the second level II. As an alternative to such a lifting means, the transfer means may be arranged at the second level and arranged to fetch carriers 6 from the area 20 to the second level.

The station 8 for application of cover glasses on the stained microscope slides is also only schematically shown in Fig. 1. This station includes a number of elements, more specifically a cover glass magazine with a dispenser function, a glue pump, a glue dispenser and a unit for mounting of cover glasses on the supplied microscope slides with stained tissue specimens. Further, the station contains a detection unit for detection of microscope slides arriving at the station in the different supplied carriers. The cover glass magazine advantageously may be constructed for delivering cover glasses laterally from the bottom of the magazine. For a further description of such a station reference may e.g. be made to the international patent application No. PCT/NO99/00396 (WO 00/37986).

For a further description of the carrier device/carrier 6 reference is made to the previously mentioned Norwegian patent application and also the Norwegian patent application 2004 5625.

In accordance with the invention the above-described apparatus is provided with a photo station 25 on which it is arranged a digital camera for automatic photographing with a background light source of the finished treated and sealed tissue specimens on the supplied microscope slides 7. The camera is in a known way connected to the control unit 19 of the apparatus and the control unit is arranged to store the picture of each individual tissue specimen and information which is located on the relevant microscope slide and possibly also information about the current staining program and status of reagents at the reagents stations 3 for automatic transmission of the information to a place for result analysis.

As shown, the photo station 25 is arranged after the station 8 for application of cover glasses on the tissue specimens on the microscope slides, wherein the applying station is arranged to receive successive carriers 6 that are taking up a number of microscope slides 7 located side by side in a common plane as shown in Fig. 2. As shown, the carrier 6 in Fig. 2 is dimensioned to take up ten microscope slides.

The digital camera 26 may possibly be mounted on a microscope for making enlarged photos of the tissue specimens, or the camera may be of a type, which is especially suitable for this purpose.

The camera and the carriers 6 with the microscope slides 7 are arranged to carry out a mutual movement for location of the camera over successive microscope slides or over successive parts of a microscope slide. Thus, the camera unit may be moved over a microscope slide for taking the necessary number of pictures, or the microscope slide may be moved under the camera unit for taking the necessary number of pictures, or a combination of movements of the camera unit and the current microscope slide may be used. Generally, the camera then will be mounted on a step-by-step movable unit.

In a suitable embodiment, the movable unit may be arranged to be moved laterally in a y-direction only. In a further embodiment the apparatus comprises a transport belt for step by step movement in a x-direction of groups of microscope slides which are located side by side (in the y-direction) on the transport belt. In a supposition that it in this embodiment is needed four pictures of each microscope slide, firstly the identification field on the microscope slides in the current group will be photographed, after which the transport belt is moved approx. $\frac{1}{4}$ of the length of the microscope slide, and the camera unit is moved back for executing the same operation until the whole microscope slide and all microscope slides of the group are photographed. Then the software of the apparatus will put together the four pictures of each microscope slide tissue specimen and the identification - or information field.

The picture or pictures of the tissue specimen on microscope slides, all information on the belonging label on the microscope slide and also information about which staining program this microscope slide has gone through and status of the reagents can automatically be stored in the microprocessor which is included in the control unit of the apparatus, or possibly in a connected server. Thus, this information can automatically be loaded and without unnecessary time delay to the place where the result analysis (the screening) is carried out. Thus, the specimen can be analysed on a display by a pathologist. The pathologist may e.g. be localized in another building or another place in the world, and the picture information can be transmitted via e.g. the Internet. By possible problems with the reading etc., a local pathologist may in any case receive the tissue specimen slide for an ordinary screening under microscope. Today it also exists software which helps the pathologists by localizing "problem

areas” in a tissue specimen and which may present a preliminary diagnosis. It is likely that this technology will be considerably better and faster in the future.

A photo station of the above-mentioned type can be used on conventional staining machines and on so called immune staining machines where a cover glass or a
5 film is placed on the tissue specimen slide so that a picture can be taken.

P a t e n t c l a i m s

5 1. An apparatus for automatic execution of different treatment operations in connection with staining of tissue specimens on microscope slides, wherein the apparatus (1) comprises a loading station (2) for microscope slides (7) with tissue specimens, a number of reagent stations (3) for staining of the tissue specimens on supplied microscope slides, a conveyor (5) for transfer of microscope slides (7)
10 between the stations (3) in accordance with a staining program, an unloading station (10) for treated microscope slides, and a control unit (19) for controlling the treatment operations in accordance with a data program, **characterised in** that the apparatus comprise a photo station (25) with a digital camera (26) for automatic photographing with a background light source of the finished treated tissue specimens on supplied
15 microscope slides (7), the camera is connected to the control unit (19) of the apparatus and the control unit is arranged to store the picture of each individual tissue specimen and information which is located on the relevant microscopic slide (7) and preferably also information about the staining program and status of reagents at the reagent stations (3) for automatic transmission of the information to a place for result analysis.

20 2. An apparatus according to claim 1, **characterised in** that the photo station (25) is arranged after a station (8) for application of cover glasses on the stained tissue specimens on the microscope slides (7), wherein the applying station is arranged to receive successive carriers (6) with a number of laying microscope slides (7) located side by side, and wherein the camera (26) and the microscope slides (7) are arranged to
25 carry out a mutual movement for location of the camera (26) over successive microscope slides.

 3. An apparatus according to claim 1 or 2, **characterised in** that the camera (26) is mounted on a microscope for taking enlarged pictures of the tissue specimens.

 4. An apparatus according to claim 2 or 3, **characterised in** that the camera
30 (26) is mounted on a step by step movable unit (27) for positioning of the camera over successive microscope slides (7), or over successive parts of a microscope slide.

 5. An apparatus according to claim 4, **characterised in** that the movable unit (27) is arranged to be moved laterally in a y-direction only.

 6. An apparatus according to claim 4 or 5, **characterised in** that the apparatus
35 (1) comprises a transport belt (12) for step by step movement in a x-direction of groups of microscope slides (7) which are located side by side on the transport belt (12).

1/1




FIG. 1




FIG. 2

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NO2007/000031

A. CLASSIFICATION OF SUBJECT MATTER

IPC: see extra sheet

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC: G01N, G02B, G03B, B01L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-INTERNAL, WPI DATA, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 0062035 A1 (CULTERRA LLC), 19 October 2000 (19.10.2000), page 17, line 23 - page 18, line 16; page 29, line 7 - line 31 ---	1-6
X	WO 2004059441 A2 (DAKOCYTOMATION DENMARK A/S), 15 July 2004 (15.07.2004), page 1, line 1 - page 5, line 22; page 7, line 4 - line 15; page 9, line 18 - line 20, page 11, line 20 - line 23; page 12, line 33 - page 13, line 12; page 17, line 22 - page 18, line 9 --	1-6
A	US 20040002163 A1 (KURT REINHARDT ET AL), 1 January 2004 (01.01.2004), [0007] --	1-6

☒ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

23 April 2007

Date of mailing of the international search report

25 -04- 2007

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Sture Elnäs/MN

Telephone No. +46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NO2007/000031

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,A	WO 2006068500 A1 (LJUNGMANN, OYSTEIN), 29 June 2006 (29.06.2006), abstract -- -----	1-6

INTERNATIONAL SEARCH REPORT

International application No.
PCT/NO2007/000031

International patent classification (IPC)

G01N 1/31 (2006.01)

G01N 33/48 (2006.01)

G01N 21/86 (2006.01)

G01N 35/00 (2006.01)

G02B 21/34 (2006.01)

G02B 21/36 (2006.01)

Download your patent documents at www.prv.se

The cited patent documents can be downloaded at www.prv.se by following the links:

- In English/Searches and advisory services/Cited documents (service in English) or
- e-tjänster/anförda dokument (service in Swedish).

Use the application number as username.

The password is **ZAAXWAXJKB**.

Paper copies can be ordered at a cost of 50 SEK per copy from PRV InterPat (telephone number 08-782 28 85).

Cited literature, if any, will be enclosed in paper form.

INTERNATIONAL SEARCH REPORT

Information on patent family members

31/03/2007

International application No.

PCT/NO2007/000031

WO	0062035	A1	19/10/2000	AU	4212600	A	14/11/2000
				CA	2369008	A	19/10/2000
				EP	1171760	A,B	16/01/2002
				US	6387653	B	14/05/2002
				US	20030022271	A	30/01/2003

WO	2004059441	A2	15/07/2004	AU	2003287895	A	14/07/2004
				AU	2003287924	A	14/07/2004
				AU	2003297369	A	22/07/2004
				AU	2003299740	A	22/07/2004
				AU	2003299798	A	22/07/2004
				AU	2003300291	A	00/00/0000
				AU	2003301103	A	22/07/2004
				AU	2003303390	A	22/07/2004
				AU	2003303444	A	22/07/2004
				CA	2507960	A	15/07/2004
				CA	2507995	A	08/07/2004
				CA	2508000	A	15/07/2004
				CA	2508001	A	15/07/2004
				CA	2508070	A	15/07/2004
				CA	2508113	A	15/07/2004
				CA	2508323	A	08/07/2004
				CA	2508370	A	15/07/2004
				CA	2511032	A	15/07/2004
				CN	1726275	A	25/01/2006
				CN	1726386	A	25/01/2006
				EP	1572979	A	14/09/2005
				EP	1573297	A	14/09/2005
				EP	1573298	A	14/09/2005
				EP	1573311	A	14/09/2005
				EP	1573312	A	14/09/2005
				EP	1573408	A	14/09/2005
				EP	1576376	A	21/09/2005
				EP	1579190	A	28/09/2005
				EP	1579194	A	28/09/2005
				US	20040266015	A	30/12/2004
				US	20050064535	A	24/03/2005
				US	20060045806	A	02/03/2006
				US	20060046298	A	02/03/2006
				US	20060063265	A	23/03/2006
				US	20060085140	A	20/04/2006
				US	20060088928	A	27/04/2006
				US	20060088940	A	27/04/2006
				US	20060172426	A	03/08/2006
				WO	2004057307	A	08/07/2004
				WO	2004057308	A	08/07/2004
				WO	2004058404	A	15/07/2004
				WO	2004058950	A	15/07/2004
				WO	2004059284	A	15/07/2004
				WO	2004059287	A	15/07/2004
				WO	2004059288	A	15/07/2004
				WO	2004059297	A	15/07/2004

INTERNATIONAL SEARCH REPORT
Information on patent family members

31/03/2007

International application No.
PCT/NO2007/000031

US	20040002163	A1	01/01/2004	AU	2003224987	A	03/11/2003
				CA	2482441	A	30/10/2003
				EP	1494808	A	12/01/2005
				JP	2005527811	T	15/09/2005
				US	20050250211	A	10/11/2005
				WO	03089140	A	30/10/2003
				US	20050186114	A	25/08/2005
WO	2006068500	A1	29/06/2006	NO	321927	B	24/07/2006
				NO	20045622	D	00/00/0000