



US00D471347S

(12) **United States Design Patent** (10) **Patent No.:** **US D471,347 S**  
**Haas et al.** (45) **Date of Patent:** **\*\* Mar. 11, 2003**

(54) **FOOTWEAR SOLE**

(75) Inventors: **Susan A. Haas**, Grand Rapids, MI  
(US); **Tuan N. Le**, Portland, OR (US)

(73) Assignee: **Wolverine World Wide, Inc.**,  
Rockford, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/159,314**

(22) Filed: **Apr. 18, 2002**

(51) **LOC (7) Cl.** ..... **02-04**

(52) **U.S. Cl.** ..... **D2/953; D2/956; D2/957;**  
**D2/960**

(58) **Field of Search** ..... **D2/897, 902, 908,**  
**D2/909, 914, 946-948, 951-962, 967, 972,**  
**977; 36/7.3, 7.5, 14, 25 R, 32 R, 3 B, 59 R**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |   |         |                 |        |
|------------|---|---------|-----------------|--------|
| D241,688 S | * | 10/1976 | Johnson         |        |
| D259,595 S | * | 6/1981  | Famolare, Jr.   | D2/955 |
| D301,934 S | * | 7/1989  | Simonin         | D2/900 |
| D383,594 S | * | 9/1997  | Elliott         | D2/954 |
| D389,994 S | * | 2/1998  | Sessa           | D2/953 |
| D390,348 S | * | 2/1998  | Meyer et al.    | D2/957 |
| D410,965 S | * | 6/1999  | Schuette et al. | D2/957 |
| D413,712 S | * | 9/1999  | Doxey           | D2/947 |
| D421,832 S | * | 3/2000  | Loveder         | D2/957 |
| D433,213 S | * | 11/2000 | Schuette et al. | D2/957 |

|            |   |        |             |        |
|------------|---|--------|-------------|--------|
| D440,746 S | * | 4/2001 | Matis       | D2/956 |
| D459,063 S | * | 6/2002 | Nason       | D2/953 |
| D459,064 S | * | 6/2002 | McClaskie   | D2/957 |
| D461,298 S | * | 8/2002 | Urie et al. | D2/955 |

\* cited by examiner

*Primary Examiner*—Celia Murphy

(74) *Attorney, Agent, or Firm*—Warner Norcross & Judd  
LLP

(57) **CLAIM**

The ornamental design for footwear sole, as shown and  
described.

**DESCRIPTION**

FIG. 1 is a perspective view of the shoe sole embodying our  
new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a front elevational view thereof;

FIG. 6 is a rear elevational view thereof; and,


FIG. 7 is a cross-sectional view taken along line 7—7 of  
FIG. 2;

FIG. 8 is a cross-sectional view taken along line 8—8 of  
FIG. 2; and,

FIG. 9 is a cross-sectional view taken along line 9—9 of  
FIG. 2.

The broken lines in FIGS. 7—9 illustrate the portions of the  
sole that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**






Fig. 1






Fig. 2



**Fig. 3**



**Fig. 4**




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9