

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
7 July 2005 (07.07.2005)


PCT

(10) International Publication Number
WO 2005/060772 A1

- (51) International Patent Classification⁷: **A41B 9/00**,
A41D 13/12, A61F 5/24, 5/449
- (21) International Application Number:
PCT/DK2004/000902
- (22) International Filing Date:
22 December 2004 (22.12.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
PA 2003 01909 22 December 2003 (22.12.2003) DK
- (71) Applicant (for all designated States except US): **COLO-PLAST A/S** [DK/DK]; Høltedam 1, DK-3050 Humlebæk (DK).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **EHMSEN, Lena** [DK/DK]; Furesø Parkvej 20, DK-2830 Virum (DK).
OLSEN, Eskil, Højland [DK/DK]; Langebjergvej 267C, DK-3050 Humlebaek (DK).
- (74) Agent: **ZACCO DENMARK A/S**; Hans Bekkevolds Allé 7, DK-2900 Hellerup (DK).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:
— with international search report

[Continued on next page]

(54) Title: SUPPORT GARMENT



(57) Abstract: A support garment comprising an elastically extensible body part for exerting an overall pressure on the abdominal region of a patient and a crotch part, which parts are interconnected at the front and the back of the garment, the edges of those portions of the two parts which are interconnected at the back of the garment being curved in flat condition and the radii of curvature of opposed parts of the edges being related so that the radius of curvature of the curved edge of the crotch part is smaller than the radius of curvature of the curved edge of the body part provides a support garment for patients with hernia requiring support in the abdominal area which is more comfortable to use and which can be mass produced.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Support garment

This invention relates to a support garment, especially a hernia support garment in the form of underpants.

5

A hernia is a protrusion of an organ or tissue through an abnormal opening in the body. Most hernias occur when a part of intestine slips through a weakness in the abdominal wall, creating a bulge that you can see and feel. Hernias can develop around the navel, in the groin, or any place where you may have had a surgical incision.

10

In case of hernias with a large opening and a relatively small sac, support belts or bandages may be helpful in holding back the protrusion of selected hernias when surgery is not possible or delayed.

15

Hernias in connection with stomas also often cause a problem. When a stoma is made at the surface of the abdomen the intestine must pass through the muscles of the abdominal wall, thus a potential site of weakness is immediately created. Stoma hernias may make it difficult to attach a bag properly and sometimes their sheer size is an embarrassment as they can be seen beneath the clothes.

20

US 4612674 describes underwear having an elongated depression extending on the center line of a rear piece and conforming to the gluteal cleft between the buttocks of the wearer. Accordingly, the underwear, when worn, snugly fits to the curves of the buttocks and the gluteal cleft.

25

DK patent no. 174536 describes an ostomy support garment in the shape of pants, made out of a compression bandage comprising an abdominal reinforcement, a hole allowing the stoma to pass through the pants as well as

30

a hole in the crotch. The ostomy support garment is custom made for each patient using an extensive measuring and adaptation procedure.

5 However, the overall pressure of a support garment of this type may create discomfort, especially in the crotch region e.g. when sitting. Furthermore, the hole in the crotch requires the use of a further pair of pants.

10 It is an object of this invention to provide a support garment for patients with hernia requiring support in the abdominal area which is more comfortable to use than prior art support garments.

15 A further object of this invention is to provide a support garment for patients with hernia requiring support in the abdominal area and having a crotch part made from a comfortable material.

It is yet another object of this invention to provide a comfortable support garment for patients with hernia requiring support in the abdominal area and which can be mass produced.

20 Summary of the invention

The support garment of the invention comprises an elastically extensible body part for exerting an overall pressure on the abdominal region of a patient and a crotch part, which parts are interconnected at the front and the back of the garment, the edges of those portions of the two parts which are interconnected at the back of the garment being curved in flat condition and the radii of curvature of opposed parts of the edges being related so that the radius of curvature of the curved edge of the crotch part is smaller than the radius of curvature of the curved edge of the body part.

30 It is preferred that the curved edge of the crotch part is essentially convex.

The invention is based on the discovery that by joining the body support part and the crotch part at the back of the garment in the manner defined above, a bulge or pouching is created on the back of the garment and that this bulge or pouching makes more room in the crotch zone on the back of the garment, which consequently becomes more comfortable to use than a garment comprising a closely fitting crotch part. Furthermore, the support garment of the invention may be mass produced reducing the costs as compared to custom made products.

10 The radii of curvature of the edges may vary along the length of the edges, the variations normally being symmetrically distributed in relation to a vertical centerline of the garment thereby enabling a better fit to the user's anatomy.

15 In a preferred embodiment of the invention the radius of curvature of the edge on the crotch part is 10-15 mm smaller than the radius of the curvature of the edge on the body part within the parts of the edges showing the largest difference.

20 The parts of the edges of the body part and the crotch part to be gathered preferably have a circular shape in flat condition.

It should be understood that the edges of the body part and the crotch part may have any desired curved shape in flat condition.

25 The term 'curved shape' as used herein means that the shape deviates from straight line in a smooth, continuous fashion.

30 The elastically extensible body part of the invention serves to exert a uniform pressure on the abdominal body region of a patient and thus to suppress a hernia. The pressure exerted should preferably be within the range 15-50 mm Hg (20 - 67 hPa).

The body part is preferably prepared from a knitted material comprising one or more elastic yarns such as elastan yarns. A particularly suitable knitted material comprises between 16 and 60 % and more specifically between 30
5 and 50% elastan yarn. More preferably it is made from a knitted tubular material so as to avoid uncomfortable seams such as side seams.

The body support part may be provided with a hole for a stoma and the edge of the hole may be stabilized as described in International patent application
10 WO 2004/0069117.

The crotch part of the garment of the invention can be made from any flexible material having a good feel.

15 The crotch part may have a hole or be open at its lowermost end thus allowing the patient to use a toilet without having to remove the support garment. It may also be provided with a means for closing said hole or opening. Examples of such closing means are Velcro® closure, buttons and corresponding button holes, hooks and eyes, etc.

20

The interconnection between the body part and the crotch part is preferably in the form of seams, welding, etc., as appropriate depending on the materials

25 Brief description of the drawings

The invention will now be described in further detail with reference to the drawings in which,

Figure 1 shows a front view of a preferred embodiment of a support garment
30 according to the invention,

Figure 2 shows a back-side view of the embodiment of a support garment shown in figure 1,

Figure 3 shows schematically an exploded view of another embodiment of a support garment of according to the invention,

Figure 4 shows schematically an exploded view of a body part and a crotch part of a further embodiment of a support garment according to the invention, and

Figure 5 illustrates a vertical cross-sectional view the back of a support garment according to the invention along the line I-I in Figure 2.

Detailed description

Figure 1 illustrates a front view of a support garment of the invention having a body part 1, a crotch part 2, a waistband 3 attached to the body part 1 and an edging 4 around leg holes 5. The body part 1 has seams 6 for providing an optimum fit to a human body. The crotch part 2 extends from a connection 11 between the body part 1 and the crotch part 2 on the front of the support garment to a connection 10 between the same parts on the back of the support garment. The crotch part 2 is partly covered by a soft material 7, preferably the same material as used in the crotch part 2, and connected in such a way to the body part 1 and the crotch part 2 as to form a passage or fly from the inside of the support garment to the outside of the support garment, in order to make it possible for males to urinate without removing the support garment. The waistband 3 is made out of an elastic material with an inner lining containing anti-slip means, e.g. in the form of a silicon pattern or by use of yarn which has rubber-like qualities, so as to increase the friction to the skin and thus the waistband assists in holding the garment in place. It is also possible to exclude the waistband e.g. by including anti-slip

means on the inside of the body part 1. A hole 8 in the body part 1 serves to allow a stoma to pass through the garment. An edging 9 is placed around the hole to stabilise the same. The connection between the body part 1 and the crotch part 2 on the back of the support garment is shown with a broken line
5 10.

Figure 2 illustrates the back of the support garment of Figure 1, having a body part 20, a crotch part 21 a waistband 22 attached to the body part 20 and an edging 23 around leg holes 25. The body part 20 and the crotch part
10 are sewn together. The edge of the crotch part 21, which is attached to the edge of the body part 20 along a seam 24 is curved, and the radius of curvature of the crotch part 21 is smaller than the radius of curvature of the adjoining curved edge on the body part 20. Hence, the crotch part 21 puffs out as compared to the body part 20, and the bottom of the support garment
15 becomes baggy, as appears from the cross-sectional view shown in Figure 5.

Figure 3 illustrates schematically an exploded view of the back-side of a body part 30 in a flat condition and a crotch part 31 in a flat condition before assembly. The body part 30 comprises a curved edge 33, which is to be
20 connected to a curved edge 32 of the crotch part 31. The radius of the curvature of opposed parts of the edges are related so that the radius of curvature of the crotch part 31 is smaller than the radius of the curvature of the body part 30, and the length of the curved edges on the body part and the crotch part is essentially the same.

25

Figure 4 illustrates schematically an exploded view of the back-side of a body part 40 in a flat condition and a crotch part 41 of a further embodiment of the invention in a flat condition before assembly. The body part 40 comprises a curved edge 42, which is to be connected to a curved edge 43 of the crotch
30 part 41. When connected, the connection between the body part 40 and the crotch part 41 is located at a higher level on the support garment compared

to the parts shown in figure 3. The curves have a circular shape. The radii of curvature of opposed parts of the edges are related so that the radius of curvature of the crotch part 41 is smaller than the radius of curvature of the body part 41.

5

In Figure 5, which illustrates a vertical cross-sectional view along the line I-I of the back of the support garment shown in Figure 2a, a body part 20 is attached to a crotch part 21 by means of a seam 24. Other ways of attaching the two parts together are possible as well. As a result of the fact that radius of curvature of the edge of the crotch part 21 is smaller than the radius of curvature of the edge of the body part 20, a pouch or a bagging 26 is formed in the lower part of the support garment.

10

Claims

1. Support garment comprising an elastically extensible body part (1, 20, 30, 40, 50) for exerting an overall pressure on the abdominal region of a patient
5 and a crotch part (2, 21, 31, 41, 51), which parts are interconnected at the front (11) and the back (10, 24) of the garment, the edges of those portions of the two parts which are interconnected at the back of the garment being curved in flat condition and the radii of curvature of opposed parts of the edges being related so that the radius of curvature of the curved edge (33,
10 43) of the crotch part (2, 21, 31, 41, 51) is smaller than the radius of curvature of the curved edge (32, 42) of the body part (1, 20, 30, 40, 50).
2. Support garment according to claim 1 wherein the radius of curvature of the curved edge of the crotch part (2, 21, 31, 41, 51) is 10-15 mm smaller
15 than the radius of curvature of the curved edge of the body part (1, 20, 30, 40, 50).
3. Support garment according to claim 1 or 2, wherein the curved edge (33, 43) of the crotch part (2, 21, 31, 41, 51) is convex.
20
4. Support garment according to claim 1 wherein the overall pressure on the abdominal region is 15-50 mmHg (20 - 67 hPa).
5. Support garment according to any one of the preceding claims wherein the
25 body part (1, 20, 30, 40, 50) is made from a knitted material.
6. Support garment according to claim 5 wherein the body part (1, 20, 30, 40, 50) is made from a knitted tubular material.

7. Support garment according to any one of the preceding claims wherein the body part (1, 20, 30, 40, 50) is made out of a material comprising one or more elastic yarns.

5 8. Support garment according to claim 7 wherein the elastic yarn is preferably elastan yarns.

9. Support garment according to claim 8 wherein the material of the body part (1, 20, 30, 40, 50) comprises between 16 and 60 % of weight elastan yarn.



10

10. Support garment according to claim 9 wherein the material of the body part (1, 20, 30, 40, 50) comprises between 30 and 50 % of weight elastan yarn.


15 11. Support garment according to any one of the preceding claims wherein the crotch part (2, 21, 31, 41, 51) is made from a material having a good feel.

12. Support garment according to any one of the preceding claims further comprising a hole (8) for a stoma.


1/4



2/4



3/4



4/4




Fig.5

INTERNATIONAL SEARCH REPORT

Intern Application No
PCT/DK2004/000902

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A41B9/00 A41D13/12 A61F5/24 A61F5/449

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A41B A41D A61F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 612 674 A (HASHIMOTO KENJI) 23 September 1986 (1986-09-23) cited in the application column 1, line 21 column 1, line 51 - column 2, line 6 column 3, line 3 - line 31; figure 4 -----	1,3,5,7, 8
A	US 4 671 264 A (FRANGI GIAMPIETRO V) 9 June 1987 (1987-06-09) column 1, line 12 - line 17 column 1, line 38 - line 39; claim 1 -----	1
A	GB 410 789 A (HENRY BEACROFT) 22 May 1934 (1934-05-22) page 3, line 85 - line 101 page 3, line 110 - line 115 ----- -/-	1,5,7

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

30 March 2005

Date of mailing of the international search report

06/04/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Monné, E

SUBSTITUTE SHEET (RULE 26)

Internl I Application No
PCT/DK2004/000902

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4 173 976 A (BLOOMQUIST LYNN M H ET AL) 13 November 1979 (1979-11-13) column 2, line 64 - column 3, line 6 -----	1, 3, 5
A	US 4 957 105 A (KURTH PAUL A) 18 September 1990 (1990-09-18) column 10, line 23 - line 34 column 10, line 41 - line 44 -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern Application No
PCT/DK2004/000902

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 4612674	A	23-09-1986	JP 56069602 U	09-06-1981
			AU 537307 B2	14-06-1984
			AU 6480280 A	22-05-1981
			DE 3068897 D1	13-09-1984
			DK 287381 A ,B,	29-06-1981
			EP 0028505 A1	13-05-1981
			ES 269830 U	01-07-1983
			WO 8101233 A1	14-05-1981
US 4671264	A	09-06-1987	IT 1181417 B	30-09-1987
			AT 31016 T	15-12-1987
			DE 3467699 D1	07-01-1988
			EP 0117441 A1	05-09-1984
			ES 8500734 A1	01-02-1985
GB 410789	A	22-05-1934	NONE	
US 4173976	A	13-11-1979	NONE	
US 4957105	A	18-09-1990	NONE	