



US00D746252S

(12) **United States Design Patent**
Reimer et al.

(10) **Patent No.:** **US D746,252 S**

(45) **Date of Patent:** **** *Dec. 29, 2015**

- (54) **WIRELESS TRANSMITTER**
- (71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)
- (72) Inventors: **Michael Earl Reimer**, Batavia, NY (US); **James Bruce Thornton**, Webster, NY (US); **Robert Edwin Walters**, Webster, NY (US)
- (73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **14 Years**
- (21) Appl. No.: **29/514,532**
- (22) Filed: **Jan. 13, 2015**

Related U.S. Application Data

- (62) Division of application No. 29/426,361, filed on Jul. 3, 2012, now Pat. No. Des. 723,504.
- (51) **LOC (10) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/155**
- (58) **Field of Classification Search**
USPC D14/155, 383, 159, 167, 154, 168, 188, D14/496, 165, 158, 137; 455/350, 351, 353; D10/104.1, 78, 106.1-106.7; D9/414, D9/424
CPC H04B 1/04; H04L 27/29; G08C 17/00; H02J 7/0052; H02J 5/005; H03K 5/003
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- D229,085 S * 11/1973 Lutenegeger D10/38
- D273,786 S * 5/1984 Owerko D14/155
- D297,128 S 8/1988 Guscott et al.

- D303,638 S 9/1989 Andrews et al.
- D309,890 S * 8/1990 Cheng D13/168
- D313,362 S * 1/1991 Reich et al. D10/106.1
- D504,442 S * 4/2005 Kim D14/203.7
- D525,198 S * 7/2006 Ikeda et al. D13/123
- D539,305 S * 3/2007 Kim et al. D14/203.7
- D541,272 S 4/2007 Wang
- D555,528 S 11/2007 Viscaino
- D556,199 S 11/2007 Song
- D561,198 S 2/2008 Zhang
- D563,334 S * 3/2008 Wang D14/125
- D566,710 S 4/2008 Chun et al.
- D589,914 S 4/2009 Wang et al.
- D604,254 S 11/2009 Lanfeear et al.

(Continued)

OTHER PUBLICATIONS

“Double-Button Necklace Pendant Transmitter”. inovonics.com. Web. Oct. 19, 2013.*

Primary Examiner — Robert M Spear
Assistant Examiner — Kendra L Hamilton
(74) *Attorney, Agent, or Firm* — Michael Best & Friedrich LLP


(57) **CLAIM**
What is claimed is the ornamental design for a wireless transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a bottom right perspective view of the wireless transmitter;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The portions of the Figures shown in broken lines disclose environmental structure and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D609,701 S	2/2010	Hou		D699,614 S	2/2014	Ke	
D641,019 S	7/2011	Chen et al.		D699,615 S	2/2014	Ke	
D647,920 S	11/2011	Luo		D699,616 S	2/2014	Ke	
D661,211 S *	6/2012	Hou D10/104.1	D708,977 S	7/2014	Corso et al.	
D663,319 S	7/2012	Chen et al.		D709,854 S	7/2014	Pan	
D680,458 S	4/2013	Corso et al.		D723,504 S *	3/2015	Reimer et al. D14/155
D681,034 S	4/2013	Chen		D726,179 S *	4/2015	Orthey D14/358
				D727,901 S *	4/2015	Nishimura et al. D14/383
				D730,311 S *	5/2015	Reimer et al. D14/155
				2006/0238529 A1	10/2006	Lavelle et al.	

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7