



US00PP29730P2

(12) **United States Plant Patent**
Kibbe et al.

(10) **Patent No.:** **US PP29,730 P2**

(45) **Date of Patent:** **Oct. 9, 2018**

(54) **STRAWBERRY PLANT VARIETY NAMED**
‘DRISSTRAWFIFTYONE’

(50) Latin Name: *Fragaria x ananassa*
Varietal Denomination: **DrisStrawFiftyOne**

(71) Applicant: **Driscoll’s, Inc.**, Watsonville, CA (US)

(72) Inventors: **Esther Kibbe**, Alden, NY (US); **Philip J. Stewart**, Watsonville, CA (US)

(73) Assignee: **Driscoll’s, Inc.**, Watsonville, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **15/731,545**

(22) Filed: **Jun. 26, 2017**

(51) **Int. Cl.**
A01H 5/08 (2018.01)

(52) **U.S. Cl.**
USPC **Plt./208**

(58) **Field of Classification Search**
USPC Plt./156, 208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP1,745 P 8/1958 Lang
PP3,981 P 11/1976 Bringhurst et al.
PP4,487 P 11/1979 Bringhurst et al.
PP4,538 P 5/1980 Bringhurst et al.
PP5,262 P 7/1984 Voth et al.
PP5,265 P 7/1984 Voth et al.
PP5,266 P 7/1984 Bringhurst et al.
PP5,300 P 10/1984 Johnson, Jr.
PP5,480 P 5/1985 Nakagawa
PP5,840 P 12/1986 Johnson, Jr. et al.
PP6,191 P 5/1988 Johnson, Jr. et al.
PP6,231 P 7/1988 Johnson, Jr. et al.
PP6,578 P 1/1989 Voth et al.
PP6,579 P 1/1989 Bringhurst et al.
PP7,024 P 9/1989 Johnson, Jr. et al.
PP7,172 P 2/1990 Voth et al.
PP7,522 P 5/1991 Johnson, Jr. et al.
PP7,614 P 8/1991 Bringhurst et al.
PP7,615 P 8/1991 Bringhurst et al.
PP8,086 P 1/1993 Nelson et al.
PP8,205 P 4/1993 Nelson et al.
PP8,649 P 3/1994 Sjulín et al.
PP8,661 P 3/1994 Bringhurst et al.
PP8,708 P 5/1994 Voth et al.
PP8,745 P 5/1994 Sjulín et al.
PP9,130 P 5/1995 Sjulín et al.
PP9,909 P 6/1997 Ackerman et al.
PP10,221 P 2/1998 Sjulín et al.
PP10,534 P 8/1998 Sjulín et al.
PP10,642 P 10/1998 Amorao et al.
PP11,035 P 8/1999 Mowrey et al.
PP11,277 P 3/2000 Gilford et al.
PP11,279 P 3/2000 Gilford et al.
PP11,522 P 9/2000 Amorao et al.
PP11,548 P 10/2000 Amorao et al.
PP11,554 P 10/2000 Sjulín et al.
PP11,639 P 11/2000 Mowrey et al.
PP12,186 P2 11/2001 Gilford et al.

PP12,436 P2 3/2002 Amorao et al.
PP12,577 P2 4/2002 Amorao et al.
PP12,817 P2 7/2002 Gilford et al.
PP12,889 P2 8/2002 Lamb et al.
PP12,899 P2 9/2002 Mowrey et al.
PP13,386 P2 12/2002 Mowrey et al.
PP13,469 P3 1/2003 Larson et al.
PP14,005 P3 7/2003 Amorao et al.
PP14,062 P3 8/2003 Amorao et al.
PP14,109 P3 8/2003 Gilford et al.
PP14,771 P3 5/2004 Amorao et al.
PP15,145 P2 9/2004 Mowrey et al.
PP15,308 P2 11/2004 Sjulín et al.
PP15,375 P2 11/2004 Mowrey et al.
PP15,435 P2 12/2004 Sjulín et al.
PP15,596 P2 3/2005 Amorao et al.
PP15,731 P2 4/2005 Amorao et al.
PP15,752 P2 5/2005 Gilford et al.
PP16,070 P2 10/2005 Gilford et al.
PP16,238 P2 2/2006 Amorao et al.
PP16,241 P2 2/2006 Mowrey et al.
PP16,298 P2 2/2006 Gilford et al.
PP16,299 P2 2/2006 Gilford et al.
PP16,475 P2 4/2006 Gilford et al.
PP16,558 P3 5/2006 López
PP18,000 P2 9/2007 Meulenbroek
PP18,040 P3 9/2007 Mowrey et al.
PP18,041 P3 9/2007 Gilford
PP18,458 P2 1/2008 Ferguson et al.
PP18,575 P3 3/2008 Amorao et al.
PP18,878 P2 6/2008 Mowrey et al.
PP19,240 P2 9/2008 Gilford et al.
PP19,673 P3 2/2009 Ferguson et al.
PP19,767 P2 2/2009 Shaw et al.
PP20,248 P3 9/2009 Rogers et al.
PP20,701 P2 2/2010 Gilford et al.
PP20,731 P2 2/2010 Mowrey et al.
PP20,733 P2 2/2010 Mowrey et al.
PP20,735 P2 2/2010 Ferguson
PP20,775 P2 2/2010 Mowrey et al.
PP20,922 P2 4/2010 Gilford et al.
PP21,538 P2 11/2010 Gilford et al.
PP21,559 P2 12/2010 Ferguson et al.
PP21,762 P2 3/2011 Stewart et al.
PP22,040 P3 7/2011 Stewart et al.
PP22,218 P2 11/2011 Ferguson
PP22,247 P2 11/2011 Ferguson
PP23,107 P2 10/2012 Ferguson et al.
PP23,148 P2 10/2012 Gilford et al.
PP23,377 P2 2/2013 Ferguson et al.

(Continued)

OTHER PUBLICATIONS

Unpublished U.S. Appl. No. 14/999,062, filed Mar. 25, 2016, titled “Strawberry Plant Named ‘Drisstrawfifty’”.

(Continued)

Primary Examiner — Susan McCormick Ewoldt
Assistant Examiner — Karren M Redden
(74) *Attorney, Agent, or Firm* — Morrison & Foerster LLP

(57) **ABSTRACT**

A new and distinct variety of strawberry plant named ‘DrisStrawFiftyOne’ particularly characterized by its high yield, rain tolerance, and large fruit size with better flavor than its parents, is disclosed.

3 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

PP23,378	P2	2/2013	Pullen et al.
PP23,382	P2	2/2013	Ferguson et al.
PP23,383	P2	2/2013	Ferguson et al.
PP23,400	P2	2/2013	Ferguson et al.
PP23,401	P2	2/2013	Pullen et al.
PP23,459	P2	3/2013	Stewart et al.
PP23,506	P3	4/2013	Ferguson et al.
PP23,517	P3	4/2013	Ferguson et al.
PP24,096	P3	12/2013	Fear et al.
PP24,317	P3	3/2014	Ferguson et al.
PP24,333	P3	3/2014	Vitten et al.
PP24,395	P3	4/2014	Vitten et al.
PP24,533	P3	6/2014	Ferguson et al.
PP24,745	P2	8/2014	Vitten et al.
PP25,408	P3	4/2015	Vitten et al.
PP25,437	P3	4/2015	Vitten et al.
PP25,698	P3	7/2015	Ferguson et al.
PP25,699	P3	7/2015	Stewart et al.
PP25,747	P3	7/2015	Kibbe et al.
PP25,866	P3	9/2015	Ferguson et al.
PP26,800	P3	6/2016	Stewart et al.
PP26,801	P3	6/2016	Stewart et al.
PP26,802	P3	6/2016	Rodriguez Alcazar et al.

PP27,442	P2	12/2016	Kibbe et al.
PP27,645	P3	2/2017	Vitten et al.
PP27,682	P3	2/2017	Kibbe et al.
PP27,711	P3	2/2017	Vitten et al.
PP27,813	P3	3/2017	Ferguson et al.
2003/0079263	P1	4/2003	Gilford et al.
2013/0276182	P1	10/2013	Fear et al.

OTHER PUBLICATIONS

Unpublished U.S. Appl. No. 15/731,415, filed Jun. 6, 2017, titled "Strawberry Plant Variety Named 'Drisstrawfiftythree'".

Unpublished U.S. Appl. No. 15/731,421, filed Jun. 6, 2017, titled "Strawberry Plant Variety Named 'Drisstrawfiftyseven'".

Unpublished U.S. Appl. No. 15/731,542, filed Jun. 26, 2017, titled "Strawberry Plant Variety Named 'Drisstrawfiftytwo'".

Unpublished U.S. Appl. No. 15/731,546, filed Jun. 26, 2017, titled "Strawberry Plant Variety Named 'Drisstrawfiftysix'".

Unpublished U.S. Appl. No. 15/731,559, filed Jun. 27, 2017, titled "Strawberry Plant Variety Named 'Drisstrawfiftyfour'".

Unpublished U.S. Appl. No. 15/731,560, filed Jun. 27, 2017, titled "Strawberry Plant Variety Named 'Drisstrawfiftyfive'".

**STRAWBERRY PLANT VARIETY NAMED
'DRISSTRAWFIFTYONE'**

Latin name: Botanical classification: *Fragaria x anan-*
assa.

Varietal denomination: The varietal denomination of the
claimed variety of strawberry plant is 'DrisStrawFiftyOne'.

BACKGROUND OF THE INVENTION

Cultivated strawberry is a hybrid species of the genus
Fragaria that is grown worldwide for its fruit. Modern
strawberry was first bred in Brittany, France, in the 18th
century by crossing *Fragaria virginiana* with *Fragaria*
chiloensis. Strawberry fruit is an aggregate accessory fruit,
with the fleshy part of the fruit being derived from the
receptacle that holds the ovaries.

Strawberry varieties vary widely in color, size, shape,
flavor, season of ripening, degree of fertility, and suscepti-
bility to disease. Certain varieties vary in foliage, and some
vary in the relative development of their reproductive
organs. Typically, strawberry flowers appear hermaphroditic
in structure, but function as either male or female. Generally,
commercial production of strawberry plants involves propa-
gation from runners and distribution as either plugs or bare
root plants. Cultivation is either perennial or annual plasti-
culture. During the off season, strawberries can also be
produced in greenhouses.

Strawberry fruit is widely appreciated for its characteristic
bright red color, aroma, juicy texture, and sweetness. Straw-
berry fruit is a popular fruit that is generally consumed either
fresh or in prepared foods, such as preserves and baked
goods.

Strawberry is an important and valuable fruit crop.
Accordingly, there is a need for new varieties of strawberry
plants. In particular, there is a need for improved varieties of
strawberry plant that are stable, high yielding, and agro-
nomically sound.

SUMMARY OF THE INVENTION

In order to meet these needs, the present invention is
directed to an improved variety of strawberry plant. In
particular, the invention relates to a new and distinct variety
of strawberry plant (*Fragaria x ananassa*), which has been
denominated as 'DrisStrawFiftyOne'.

Strawberry plant variety 'DrisStrawFiftyOne' was discov-
ered in Hillsborough County, Fla. in February of 2012 and
originated from a cross between the proprietary female
parent '166T218' (unpatented) and the proprietary male
parent 'DrisStrawForty' (U.S. Plant Pat. No. 25,747). A
single plant was selected and asexually propagated via
stolons in Shasta County, Calif. in 2012.

'DrisStrawFiftyOne' was subsequently asexually propa-
gated via stolons, and underwent further testing at a farm in
Huelva, Spain for two years (2015 to 2016). The present
invention has been found to be stable and reproduce true to
type through successive asexual propagations via stolons
and tissue culture.

'DrisStrawFiftyOne' exhibits the following distinguishing
characteristics when grown under normal horticultural prac-
tices in Huelva, Spain:

1. Large, vivid reddish orange, sweet fruit that is uniform;
2. Flat globose plant habit;
3. Early harvest maturity; and
4. Moderate rain tolerance.

'DrisStrawFiftyOne' was selected for its high yield, rain
tolerance, large fruit size, and good fruit flavor.

DESCRIPTION OF THE DRAWINGS

This new strawberry plant is illustrated by the accompa-
nying photographs which show fruit of the plant, as well as
the flowers and leaves. The colors shown are as true as can
be reasonably obtained by conventional photographic pro-
cedures. The photographs are of plants that are eight months
old.

FIG. 1 illustrates whole fruit of variety 'DrisStrawFifty-
One'.

FIG. 2 illustrates longitudinal cross-sections of fruit of
variety 'DrisStrawFiftyOne'.

FIG. 3A shows the lower surface of a leaf of variety
'DrisStrawFiftyOne' with three leaflets.

FIG. 3B shows the upper surface of a leaf of variety
'DrisStrawFiftyOne' with three leaflets.

DESCRIPTION OF THE NEW VARIETY

The following detailed descriptions set forth the distinc-
tive characteristics of 'DrisStrawFiftyOne'. The data which
define these characteristics is based on observations taken in
Huelva, Spain from 2015 to 2016. This description is in
accordance with UPOV terminology. Color designations,
color descriptions, and other phenotypical descriptions may
deviate from the stated values and descriptions depending
upon variation in environmental, seasonal, climatic, and
cultural conditions. 'DrisStrawFiftyOne' has not been
observed under all possible environmental conditions. The
botanical description of 'DrisStrawFiftyOne' was taken
from eight month old plants. The indicated values represent
averages calculated from measurements of several plants.
Color references are primarily to The R.H.S. Colour Chart of
The Royal Horticultural Society of London (R.H.S.) (2007
edition). Descriptive terminology follows the *Plant Identifi-*
cation Terminology, An Illustrated Glossary, 2nd edition by
James G. Harris and Melinda Woolf Harris, unless where
otherwise defined.

**DETAILED BOTANICAL DESCRIPTION OF
THE PLANT**

Classification:

Species.—*Fragaria x ananassa*.

Common name.—Strawberry.

Denomination.—'DrisStrawFiftyOne'.

Parentage:

Female parent.—The proprietary variety '166T218'
(unpatented).

Male parent.—The proprietary variety 'DrisStraw-
Forty' (U.S. Plant Pat. No. 25,747).

Plant:

Height.—12.75 cm.

Diameter.—31.27 cm.

Number of crowns/plant.—2.7.

Habit.—Flat globose.

Terminal leaflets:

Length.—6.4 cm.

Width.—6.5 cm.

Length/width ratio.—1.0.

Number of teeth/terminal leaflet.—23.7.

Shape of teeth.—Rounded — crenate.

3

Color.—Upper surface: RHS N137A (Moderate olive green). Lower surface: RHS N138C (Moderate yellow-green).
Shape in cross section.—Slightly concave.
Number of leaflets.—Three only.
Shape.—Obicular.
Base shape.—Acute.
Apex descriptor.—Rounded.
Margin.—Crenate.
Margin profile.—Revolvate (Margins rolled backwards).
Variation.—Absent.

Petiole:
Length.—10.8 cm.
Diameter.—3.0 mm.
Pose of hairs.—Upwards.
Color.—RHS 144B (Strong yellow-green).
Bract frequency (number present on each petiole).—0.

Petiolule:
Length.—6.4 mm.
Diameter.—2.0 mm.
Color.—RHS 144C (Strong yellow-green).

Stipule:
Length.—3.2 cm.
Width.—8.5 mm.
Stipule anthocyanin coloration.—Absent.

Stolon:
Average number of daughter plants per square foot.—2.32.
Anthocyanin coloration.—Present.
Diameter at bract.—4.55 mm.

Inflorescence:
Position relative to foliage.—Above.
Flower diameter.—34.8 mm.
Petals.—Shape: Obicular. Apex: Rounded. Base: Concavo-convex. Margin: Entire. Spacing: Touching. Length: 14.3 mm. Width: 14.5 mm. Length/width ratio: 1.0. Petal number per flower: 6.9. Color (upper surface): RHS 155C (Greenish white).
Calyx.—Diameter: 40 mm. Insertion of calyx: Level. Pose of calyx segments: Spreading — outwards.
Sepal.—Shape: Elliptical. Apex: Convex. Margin: Entire. Length: 18.5 mm. Width: 9.2 mm. Sepal number: 13.3.
Receptacle color.—RHS 6B (Brilliant greenish yellow).
Stamen.—Present. Anther color: RHS 17B (Vivid yellow).
Pedicel.—Attitude of hairs: Downwards.

4

Fruiting truss:
Length.—25.2 cm.
Diameter at base of truss.—2.6 mm.
Number of berries per fruiting truss.—2.5.
Attitude at first picking.—Prostrate.
Color at base of truss.—RHS 145B (Light yellow-green).

Fruit:
Length.—53.3 mm.
Width.—36.7 mm.
Length/width ratio.—1.5.
Fruit hollow length.—23.4 mm.
Fruit hollow width.—6.2 mm.
Fruit hollow length/width ratio.—3.8.
Fruit weight.—34.7 g.
Predominant fruit shape.—Conical.
Fruit skin color.—RHS 44B (Vivid reddish orange).
Achenes.—Insertion of achenes: Below surface. Coloration (sunward side of berry): RHS 179B (Moderate red). Coloration (shaded side of berry): RHS N144B (Strong yellow).
Color of flesh (excluding core).—RHS 30D (Strong orange).
Color of core.—RHS 32D (Strong yellowish pink).
Distribution of flesh color.—Only marginal.
Type of bearing.—Not everbearing — not remontant.
Harvest interval.—Late November to late March.
Harvest maturity (beginning of fruit ripening when 50% of plants have ripe fruit).—Early.
Production.—400 grams/plant to 900 grams/plant.

COMPARISON WITH PARENTAL VARIETIES

When 'DrisStrawFiftyOne' is compared to the female parent '166T218' (unpatented), 'DrisStrawFiftyOne' produces plants with a more vigorous plant habit, produces larger fruit, and has higher yields than '166T218'.

When 'DrisStrawFiftyOne' is compared to the male parent 'DrisStrawForty' (U.S. Plant Pat. No. 25,747), 'DrisStrawFiftyOne' produces plants that are less rain tolerant, and produces fruit that are larger and more uniform than 'DrisStrawForty'. Additionally, plants of 'DrisStrawFiftyOne' produce plants with a flat globose plant habit and produce fruit with a vivid reddish orange color, while 'DrisStrawForty' produce plants with a flat-spreading plant habit and produce fruit with a dark red color. Moreover, 'DrisStrawFiftyOne' reaches harvest maturity early in the season, while 'DrisStrawForty' reaches harvest maturity at mid-season.

We claim:

1. A new and distinct variety of strawberry plant named 'DrisStrawFiftyOne' as shown and described herein.

* * * * *




FIG. 1




FIG. 2




FIG. 3B

FIG. 3A