



US00D624881S

(12) **United States Design Patent**
Altonen et al.

(10) **Patent No.:** **US D624,881 S**
(45) **Date of Patent:** **** Oct. 5, 2010**

(54) **LIGHTING CONTROL KEYPAD**

(75) Inventors: **Gregory Altonen**, Easton, PA (US);
Elliot G. Jacoby, Glenside, PA (US);
Noel Mayo, Philadelphia, PA (US); **Joel S. Spira**, Coopersburg, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**,
Coopersburg, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/333,882**

(22) Filed: **Mar. 17, 2009**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.** **D13/171**

(58) **Field of Classification Search** D13/162,
D13/164, 170, 171; 174/66; 200/530, 531,
200/536, 252, 293, 333, 335, 329; 338/128,
338/176; D8/353; 307/116, 125, 139
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,693,129 A 9/1972 Shimizu

(Continued)

FOREIGN PATENT DOCUMENTS

EM 000249248-0003 1/2005

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/333,885, filed Mar. 17, 2009, Altonen et al.

(Continued)

Primary Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for a lighting control keypad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting control keypad according to a first embodiment of our new design.

FIG. 2 is a front view thereof.

FIG. 3 is a left side view thereof.

FIG. 4 is a right side view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a perspective view of a lighting control keypad according to a second embodiment of our new design.

FIG. 8 is a front view thereof.

FIG. 9 is a left side view thereof.

FIG. 10 is a right side view thereof.

FIG. 11 is a top view thereof.

FIG. 12 is a bottom view thereof.

FIG. 13 is a perspective view of a lighting control keypad according to a third embodiment of our new design.

FIG. 14 is a front view thereof.

FIG. 15 is a left side view thereof.

FIG. 16 is a right side view thereof.

FIG. 17 is a top view thereof.

FIG. 18 is a bottom view thereof.

FIG. 19 is a perspective view of a lighting control keypad according to a fourth embodiment of our new design.

FIG. 20 is a front view thereof.

FIG. 21 is a left side view thereof.


FIG. 22 is a right side view thereof.

FIG. 23 is a top view thereof; and,

FIG. 24 is a bottom view thereof.

The rear views form no part of the design and are omitted.

1 Claim, 16 Drawing Sheets



US D624,881 S

Page 2

U.S. PATENT DOCUMENTS

4,196,406	A	4/1980	Salem
4,246,494	A	1/1981	Foreman et al.
4,559,515	A	12/1985	Takezawa
4,947,054	A	8/1990	Flowers et al.
5,118,910	A	6/1992	Duhon et al.
5,196,782	A	3/1993	D'Aleo et al.
5,338,910	A	8/1994	Tsai
D380,451	S	7/1997	Krajci et al.
5,825,279	A	10/1998	Yagi
D453,742	S	2/2002	Butler et al.
6,963,040	B1	11/2005	Urman
D563,901	S	3/2008	Mayo et al.
D566,658	S	4/2008	Mayo et al.
D570,299	S	6/2008	Jacoby et al.

D572,202	S	7/2008	Jacoby et al.
D572,208	S	7/2008	Mayo et al.
D572,667	S	7/2008	Mayo et al.

FOREIGN PATENT DOCUMENTS

EM	000249248-0004	1/2005
EM	000249248-0005	1/2005

OTHER PUBLICATIONS

Lutron Electronics Co., Inc., Verti Dimmer Sell Sheet, May 2008, 2 pages.
Lutron Electronics Co., Inc., Verti Dimmer Installation Instructions, Dec. 2007, 4 pages.
Inncom, Glass Series Switches GS-700 Family Manual, Nov. 2008, 2 pages.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24