



US 20050182248A1

(19) **United States**

(12) **Patent Application Publication** (10) **Pub. No.: US 2005/0182248 A1**
Donoho et al. (43) **Pub. Date:** **Aug. 18, 2005**

(54) **NOVEL HUMAN ATPASE PROTEINS AND
POLYNUCLEOTIDES ENCODING THE
SAME**

(76) Inventors: **Gregory Donoho**, The Woodlands, TX (US); **C. Alexander Turner JR.**, The Woodlands, TX (US); **Erin Hilbun**, Spring, TX (US); **Michael C. Nehls**, Stockdorf (DE); **Glenn Friedrich**, Houston, TX (US); **Brian Zambrowicz**, The Woodlands, TX (US); **Arthur T. Sands**, The woodlands, TX (US)

Correspondence Address:

Lance K. Ishimoto

LEXICON GENETICS INCORPORATED
8800 Technology Forest Place
The Woodlands, TX 77381 (US)

(21) Appl. No.: **11/028,484**

(22) Filed: **Jan. 3, 2005**

Related U.S. Application Data

- (63) Continuation of application No. 10/231,354, filed on Aug. 28, 2002, now Pat. No. 6,900,046, which is a continuation of application No. 09/710,092, filed on Nov. 10, 2000, now Pat. No. 6,462,186.
(60) Provisional application No. 60/164,624, filed on Nov. 10, 1999.

Publication Classification

- (51) Int. Cl.⁷ **C07H 21/04**
(52) U.S. Cl. **536/23.2**

ABSTRACT

Novel human polynucleotide and polypeptide sequences are disclosed that can be used in therapeutic, diagnostic, and pharmacogenomic applications.

NOVEL HUMAN ATPASE PROTEINS AND POLYNUCLEOTIDES ENCODING THE SAME

[0001] The present application claims the benefit of U.S. Provisional Application No. 60/164,624 which was filed on Nov. 10, 1999 and is herein incorporated by reference in its entirety.

1. INTRODUCTION

[0002] The present invention relates to the discovery, identification, and characterization of novel human polynucleotides encoding proteins that share sequence similarity with animal ATPase proteins. The invention encompasses the described polynucleotides, host cell expression systems, the encoded proteins, fusion proteins, polypeptides and peptides, antibodies to the encoded proteins and peptides, and genetically engineered animals that either lack or over express the disclosed genes, antagonists and agonists of the proteins, and other compounds that modulate the expression or activity of the proteins encoded by the disclosed genes that can be used for diagnosis, drug screening, clinical trial monitoring and the treatment of diseases and disorders.

2. BACKGROUND OF THE INVENTION

[0003] ATPases are proteins that mediate, facilitate, or "power" a wide variety of chemical processes within the cell. For example, ATPases have been associated with enzymatic, catabolic, and metabolic processes as well as transport mechanisms, blood coagulation, phagocytosis, etc.

3. SUMMARY OF THE INVENTION

[0004] The present invention relates to the discovery, identification, and characterization of nucleotides that encode novel human proteins, and the corresponding amino acid sequences of these proteins. The novel human proteins (NHPs) described for the first time herein share structural similarity with animal ATPases.

[0005] The novel human nucleic acid sequences described herein, encode alternative proteins/open reading frames (ORFs) of 972, 124, 1,056, 208, 1,270, 422, 1,426, and 578 amino acids in length (see SEQ ID NOS: 2, 4, 6, 8, 10, 12, 14, and 16 respectively).

[0006] The invention also encompasses agonists and antagonists of the described NHPs, including small molecules, large molecules, mutant NHPs, or portions thereof that compete with native NHP, peptides, and antibodies, as well as nucleotide sequences that can be used to inhibit the expression of the described NHPs (e.g., antisense and ribozyme molecules, and gene or regulatory sequence replacement constructs) or to enhance the expression of the described NHP genes (e.g., expression constructs that place the described gene under the control of a strong promoter system), and transgenic animals that express a NHP transgene, or "knock-outs" (which can be conditional) that do not express a functional NHP. A knockout ES cell line has been produced that contains a gene trap mutation in the murine ortholog of the described locus.

[0007] Further, the present invention also relates to processes for identifying compounds that modulate, i.e., act as agonists or antagonists, of NHP expression and/or NHP activity that utilize purified preparations of the described NHPs and/or NHP product, or cells expressing the same.

Such compounds can be used as therapeutic agents for the treatment of any of a wide variety of symptoms associated with biological disorders or imbalances.

4. DESCRIPTION OF THE SEQUENCE LISTING AND FIGURES

[0008] The Sequence Listing provides the sequences of the described NHP ORFs that encode the described NHP amino acid sequences. SEQ ID NO:17 describes a NHP ORF as well as flanking 5' and 3' sequences.

5. DETAILED DESCRIPTION OF THE INVENTION

[0009] The NHPs, described for the first time herein, are novel proteins that are expressed in, inter alia, human cell lines, predominantly in human kidney and placenta, as well as human fetal brain, brain, pituitary, cerebellum, spinal cord, thymus, spleen, lymph node, bone marrow, trachea, fetal liver, prostate, testis, thyroid, adrenal gland, salivary gland, stomach, small intestine, colon, uterus, mammary gland, adipose, esophagus, bladder, cervix, rectum, ovary, fetal kidney, fetal lung and gene trapped human cells.

[0010] The present invention encompasses the nucleotides presented in the Sequence Listing, host cells expressing such nucleotides, the expression products of such nucleotides, and: (a) nucleotides that encode mammalian homologs of the described genes, including the specifically described NHPs, and the NHP products; (b) nucleotides that encode one or more portions of the NHPs that correspond to functional domains, and the polypeptide products specified by such nucleotide sequences, including but not limited to the novel regions of any active domain(s); (c) isolated nucleotides that encode mutant versions, engineered or naturally occurring, of the described NHPs in which all or a part of at least one domain is deleted or altered, and the polypeptide products specified by such nucleotide sequences, including but not limited to soluble proteins and peptides in which all or a portion of the signal sequence is deleted; (d) nucleotides that encode chimeric fusion proteins containing all or a portion of a coding region of an NHP, or one of its domains (e.g., a receptor or ligand binding domain, accessory protein/self-association domain, etc.) fused to another peptide or polypeptide; or (e) therapeutic or diagnostic derivatives of the described polynucleotides such as oligonucleotides, antisense polynucleotides, ribozymes, dsRNA, or gene therapy constructs comprising a sequence first disclosed in the Sequence Listing.

[0011] As discussed above, the present invention includes: (a) the human DNA sequences presented in the Sequence Listing (and vectors comprising the same) and additionally contemplates any nucleotide sequence encoding a contiguous NHP open reading frame (ORF) that hybridizes to a complement of a DNA sequence presented in the Sequence Listing under highly stringent conditions, e.g., hybridization to filter-bound DNA in 0.5 M NaHPO₄, 7% sodium dodecyl sulfate (SDS), 1 mM EDTA at 65° C., and washing in 0.1×SSC/0.1% SDS at 68° C. (Ausubel F. M. et al., eds., 1989, Current Protocols in Molecular Biology, Vol. I, Green Publishing Associates, Inc., and John Wiley & sons, Inc., New York, at p. 2.10.3) and encodes a functionally equivalent gene product. Additionally contemplated are any nucleotide sequences that hybridize to the complement of a DNA

sequence that encodes and expresses an amino acid sequence presented in the Sequence Listing under moderately stringent conditions, e.g., washing in 0.2xSSC/0.1% SDS at 42° C. (Ausubel et al., 1989, *supra*), yet still encodes a functionally equivalent NHP product. Functional equivalents of a NHP include naturally occurring NHPs present in other species and mutant NHPs whether naturally occurring or engineered (by site directed mutagenesis, gene shuffling, directed evolution as described in, for example, U.S. Pat. No. 5,837,458). The invention also includes degenerate nucleic acid variants of the disclosed NHP polynucleotide sequences.

[0012] Additionally contemplated are polynucleotides encoding NHP ORFs, or their functional equivalents, encoded by polynucleotide sequences that are about 99, 95, 90, or about 85 percent similar or identical to corresponding regions of the nucleotide sequences of the Sequence Listing (as measured by BLAST sequence comparison analysis using, for example, the GCG sequence analysis package using standard default settings).

[0013] The invention also includes nucleic acid molecules, preferably DNA molecules, that hybridize to, and are therefore the complements of, the described NHP gene nucleotide sequences. Such hybridization conditions may be highly stringent or less highly stringent, as described above. In instances where the nucleic acid molecules are deoxyoligonucleotides ("DNA oligos"), such molecules are generally about 16 to about 100 bases long, or about 20 to about 80, or about 34 to about 45 bases long, or any variation or combination of sizes represented therein that incorporate a contiguous region of sequence first disclosed in the Sequence Listing. Such oligonucleotides can be used in conjunction with the polymerase chain reaction (PCR) to screen libraries, isolate clones, and prepare cloning and sequencing templates, etc.

[0014] Alternatively, such NHP oligonucleotides can be used as hybridization probes for screening libraries, and assessing gene expression patterns (particularly using a micro array or high-throughput "chip" format). Additionally, a series of the described NHP oligonucleotide sequences, or the complements thereof, can be used to represent all or a portion of the described NHP sequences. The oligonucleotides, typically between about 16 to about 40 (or any whole number within the stated range) nucleotides in length can partially overlap each other and/or the NHP sequence may be represented using oligonucleotides that do not overlap. Accordingly, the described NHP polynucleotide sequences shall typically comprise at least about two or three distinct oligonucleotide sequences of at least about 18, and preferably about 25, nucleotides in length that are each first disclosed in the described Sequence Listing. Such oligonucleotide sequences may begin at any nucleotide present within a sequence in the Sequence Listing and proceed in either a sense (5'-to-3') orientation vis-a-vis the described sequence or in an antisense orientation.

[0015] For oligonucleotide probes, highly stringent conditions may refer, e.g., to washing in 6xSSC/0.05% sodium pyrophosphate at 37° C. (for 14-base oligos), 48° C. (for 17-base oligos), 55° C. (for 20-base oligos), and 60° C. (for 23-base oligos). These nucleic acid molecules may encode or act as NHP gene antisense molecules, useful, for example, in NHP gene regulation (for and/or as antisense primers in

amplification reactions of NHP gene nucleic acid sequences). With respect to NHP gene regulation, such techniques can be used to regulate biological functions. Further, such sequences may be used as part of ribozyme and/or triple helix sequences that are also useful for NHP gene regulation.

[0016] Inhibitory antisense or double stranded oligonucleotides can additionally comprise at least one modified base moiety which is selected from the group including but not limited to 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxy-carboxymethyluracil, 5-methoxyuracil, 2-methylthio-N-6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

[0017] The antisense oligonucleotide can also comprise at least one modified sugar moiety selected from the group including but not limited to arabinose, 2-fluoroarabinose, xylulose, and hexose.

[0018] In yet another embodiment, the antisense oligonucleotide will comprise at least one modified phosphate backbone selected from the group consisting of a phosphorothioate, a phosphorodithioate, a phosphoramidothioate, a phosphoramidate, a phosphordiamidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

[0019] In yet another embodiment, the antisense oligonucleotide is an α -anomeric oligonucleotide. An α -anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β -units, the strands run parallel to each other (Gautier et al., 1987, Nucl. Acids Res. 15:6625-6641). The oligonucleotide is a 2'-O-methylribonucleotide (Inoue et al., 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue et al., 1987, FEBS Lett. 215:327-330). Alternatively, double stranded RNA can be used to disrupt the expression and function of a targeted NHP.

[0020] Oligonucleotides of the invention can be synthesized by standard methods known in the art, e.g., by use of an automated DNA synthesizer (such as are commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothioate oligonucleotides can be synthesized by the method of Stein et al. (1988, Nucl. Acids Res. 16:3209), and methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85:7448-7451), etc.

[0021] Low stringency conditions are well known to those of skill in the art, and will vary predictably depending on the specific organisms from which the library and the labeled

sequences are derived. For guidance regarding such conditions see, for example, Sambrook et al., 1989, Molecular Cloning, A Laboratory Manual (and periodic updates thereof), Cold Springs Harbor Press, N.Y.; and Ausubel et al., 1989, Current Protocols in Molecular Biology, Green Publishing Associates and Wiley Interscience, N.Y.

[0022] Alternatively, suitably labeled NHP nucleotide probes can be used to screen a human genomic library using appropriately stringent conditions or by PCR. The identification and characterization of human genomic clones is helpful for identifying polymorphisms (including, but not limited to, nucleotide repeats, microsatellite alleles, single nucleotide polymorphisms, or coding single nucleotide polymorphisms), determining the genomic structure of a given locus/allele, and designing diagnostic tests. For example, sequences derived from regions adjacent to the intron/exon boundaries of the human gene can be used to design primers for use in amplification assays to detect mutations within the exons, introns, splice sites (e.g., splice acceptor and/or donor sites), etc., that can be used in diagnostics and pharmacogenomics.

[0023] Further, a NHP gene homolog can be isolated from nucleic acid from an organism of interest by performing PCR using two degenerate or "wobble" oligonucleotide primer pools designed on the basis of amino acid sequences within the NHP products disclosed herein. The template for the reaction may be total RNA, mRNA, and/or cDNA obtained by reverse transcription of mRNA prepared from human or non-human cell lines or tissue known or suspected to express an allele of a NHP gene. The PCR product can be subcloned and sequenced to ensure that the amplified sequences represent the sequence of the desired NHP gene. The PCR fragment can then be used to isolate a full length cDNA clone by a variety of methods. For example, the amplified fragment can be labeled and used to screen a cDNA library, such as a bacteriophage cDNA library. Alternatively, the labeled fragment can be used to isolate genomic clones via the screening of a genomic library.

[0024] PCR technology can also be used to isolate full length cDNA sequences. For example, RNA can be isolated, following standard procedures, from an appropriate cellular or tissue source (i.e., one known, or suspected, to express a NHP gene). A reverse transcription (RT) reaction can be performed on the RNA using an oligonucleotide primer specific for the most 5' end of the amplified fragment for the priming of first strand synthesis. The resulting RNA/DNA hybrid may then be "tailed" using a standard terminal transferase reaction, the hybrid may be digested with RNase H, and second strand synthesis may then be primed with a complementary primer. Thus, cDNA sequences upstream of the amplified fragment can be isolated. For a review of cloning strategies that can be used, see e.g., Sambrook et al., 1989, *supra*.

[0025] A cDNA encoding a mutant NHP gene can be isolated, for example, by using PCR. In this case, the first cDNA strand may be synthesized by hybridizing an oligo-dT oligonucleotide to mRNA isolated from tissue known or suspected to be expressed in an individual putatively carrying a mutant NHP allele, and by extending the new strand with reverse transcriptase. The second strand of the cDNA is then synthesized using an oligonucleotide that hybridizes specifically to the 5' end of the normal gene. Using these two

primers, the product is then amplified via PCR, optionally cloned into a suitable vector, and subjected to DNA sequence analysis through methods well known to those of skill in the art. By comparing the DNA sequence of the mutant NHP allele to that of a corresponding normal NHP allele, the mutation(s) responsible for the loss or alteration of function of the mutant NHP gene product can be ascertained.

[0026] Alternatively, a genomic library can be constructed using DNA obtained from an individual suspected of or known to carry a mutant NHP allele (e.g., a person manifesting a NHP-associated phenotype such as, for example, obesity, high blood pressure, connective tissue disorders, infertility, etc.), or a cDNA library can be constructed using RNA from a tissue known, or suspected, to express a mutant NHP allele. A normal NHP gene, or any suitable fragment thereof, can then be labeled and used as a probe to identify the corresponding mutant NHP allele in such libraries. Clones containing mutant NHP gene sequences can then be purified and subjected to sequence analysis according to methods well-known to those skilled in the art.

[0027] Additionally, an expression library can be constructed utilizing cDNA synthesized from, for example, RNA isolated from a tissue known, or suspected, to express a mutant NHP allele in an individual suspected of or known to carry such a mutant allele. In this manner, gene products made by the putatively mutant tissue can be expressed and screened using standard antibody screening techniques in conjunction with antibodies raised against a normal NHP product, as described below. (For screening techniques, see, for example, Harlow, E. and Lane, eds., 1988, "Antibodies: A Laboratory Manual", Cold Spring Harbor Press, Cold Spring Harbor.)

[0028] Additionally, screening can be accomplished by screening with labeled NHP fusion proteins, such as, for example, alkaline phosphatase-NHP or NHP-alkaline phosphatase fusion proteins. In cases where a NHP mutation results in an expressed gene product with altered function (e.g., as a result of a missense or a frameshift mutation), polyclonal antibodies to a NHP are likely to cross-react with a corresponding mutant NHP gene product. Library clones detected via their reaction with such labeled antibodies can be purified and subjected to sequence analysis according to methods well known in the art.

[0029] The invention also encompasses (a) DNA vectors that contain any of the foregoing NHP coding sequences and/or their complements (i.e., antisense); (b) DNA expression vectors that contain any of the foregoing NHP coding sequences operatively associated with a regulatory element that directs the expression of the coding sequences (for example, baculo virus as described in U.S. Pat. No. 5,869,336 herein incorporated by reference); (c) genetically engineered host cells that contain any of the foregoing NHP coding sequences operatively associated with a regulatory element that directs the expression of the coding sequences in the host cell; and (d) genetically engineered host cells that express an endogenous NHP gene under the control of an exogenously introduced regulatory element (i.e., gene activation). As used herein, regulatory elements include, but are not limited to, inducible and non-inducible promoters, enhancers, operators and other elements known to those skilled in the art that drive and regulate expression. Such

regulatory elements include but are not limited to the human cytomegalovirus (hCMV) immediate early gene, regulatable, viral elements (particularly retroviral LTR promoters), the early or late promoters of SV40 adenovirus, the lac system, the trp system, the TAC system, the TRC system, the major operator and promoter regions of phage lambda, the control regions of fd coat protein, the promoter for 3-phosphoglycerate kinase (PGK), the promoters of acid phosphatase, and the promoters of the yeast α -mating factors.

[0030] The present invention also encompasses antibodies and anti-idiotypic antibodies (including Fab fragments), antagonists and agonists of the NHP, as well as compounds or nucleotide constructs that inhibit expression of a NHP gene (transcription factor inhibitors, antisense and ribozyme molecules, or gene or regulatory sequence replacement constructs), or promote the expression of a NHP (e.g., expression constructs in which NHP coding sequences are operatively associated with expression control elements such as promoters, promoter/enhancers, etc.).

[0031] The NHPs or NHP peptides, NHP fusion proteins, NHP nucleotide sequences, antibodies, antagonists and agonists can be useful for the detection of mutant NHPs or inappropriately expressed NHPs for the diagnosis of disease. The NHP proteins or peptides, NHP fusion proteins, NHP nucleotide sequences, host cell expression systems, antibodies, antagonists, agonists and genetically engineered cells and animals can be used for screening for drugs (or high throughput screening of combinatorial libraries) effective in the treatment of the symptomatic or phenotypic manifestations of perturbing the normal function of NHP in the body. The use of engineered host cells and/or animals may offer an advantage in that such systems allow not only for the identification of compounds that bind to the endogenous receptor for an NHP, but can also identify compounds that trigger NHP-mediated activities or pathways.

[0032] Finally, the NHP products can be used as therapeutics. For example, soluble derivatives such as NHP peptides/domains corresponding the NHPs, NHP fusion protein products (especially NHP-Ig fusion proteins, i.e., fusions of a NHP, or a domain of a NHP, to an IgFc), NHP antibodies and anti-idiotypic antibodies (including Fab fragments), antagonists or agonists (including compounds that modulate or act on downstream targets in a NHP-mediated pathway) can be used to directly treat diseases or disorders. For instance, the administration of an effective amount of soluble NHP, or a NHP-IgFc fusion protein or an anti-idiotypic antibody (or its Fab) that mimics the NHP could activate or effectively antagonize the endogenous NHP receptor. Nucleotide constructs encoding such NHP products can be used to genetically engineer host cells to express such products *in vivo*; these genetically engineered cells function as "bioreactors" in the body delivering a continuous supply of a NHP, a NHP peptide, or a NHP fusion protein to the body. Nucleotide constructs encoding functional NHPs, mutant NHPs, as well as antisense and ribozyme molecules can also be used in "gene therapy" approaches for the modulation of NHP expression. Thus, the invention also encompasses pharmaceutical formulations and methods for treating biological disorders.

[0033] Various aspects of the invention are described in greater detail in the subsections below.

5.1 The NHP Sequences

[0034] The cDNA sequences and the corresponding deduced amino acid sequences of the described NHPs are presented in the Sequence Listing. The NHP nucleotides were obtained from clustered human gene trapped sequences, ESTs and a human placenta cDNA library (Edge Biosystems, Gaithersburg, Md.). The described sequences share structural similarity with calcium transporting ATPases and aminophospholipid transporters.

5.2 NHPs and NHP Polypeptides

[0035] NHPs, polypeptides, peptide fragments, mutated, truncated, or deleted forms of the NHPs, and/or NHP fusion proteins can be prepared for a variety of uses. These uses include, but are not limited to, the generation of antibodies, as reagents in diagnostic assays, for the identification of other cellular gene products related to a NHP, as reagents in assays for screening for compounds that can be as pharmaceutical reagents useful in the therapeutic treatment of mental, biological, or medical disorders and disease. Given the similarity information and expression data, the described NHPs can be targeted (by drugs, oligos, antibodies, etc.) in order to treat disease, or to therapeutically augment the efficacy of therapeutic agents.

[0036] The Sequence Listing discloses the amino acid sequences encoded by the described NHP genes. The NHPs typically display initiator methionines in DNA sequence contexts consistent with a translation initiation site.

[0037] The NHP amino acid sequences of the invention include the amino acid sequence presented in the Sequence Listing as well as analogues and derivatives thereof. Further, corresponding NHP homologues from other species are encompassed by the invention. In fact, any NHP protein encoded by the NHP nucleotide sequences described above are within the scope of the invention, as are any novel polynucleotide sequences encoding all or any novel portion of an amino acid sequence presented in the Sequence Listing. The degenerate nature of the genetic code is well known, and, accordingly, each amino acid presented in the Sequence Listing, is generically representative of the well known nucleic acid "triplet" codon, or in many cases codons, that can encode the amino acid. As such, as contemplated herein, the amino acid sequences presented in the Sequence Listing, when taken together with the genetic code (see, for example, Table 4-1 at page 109 of "Molecular Cell Biology", 1986, J. Darnell et al. eds., Scientific American Books, New York, N.Y., herein incorporated by reference) are generically representative of all the various permutations and combinations of nucleic acid sequences that can encode such amino acid sequences.

[0038] The invention also encompasses proteins that are functionally equivalent to the NHPs encoded by the presently described nucleotide sequences as judged by any of a number of criteria, including, but not limited to, the ability to bind and cleave a substrate of a NHP, or the ability to effect an identical or complementary downstream pathway, or a change in cellular metabolism (e.g., proteolytic activity, ion flux, tyrosine phosphorylation, transport, etc.). Such functionally equivalent NHP proteins include, but are not limited to, additions or substitutions of amino acid residues within the amino acid sequence encoded by the NHP nucleotide sequences described above, but which result in a silent

change, thus producing a functionally equivalent gene product. Amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues involved. For example, nonpolar (hydrophobic) amino acids include alanine, leucine, isoleucine, valine, proline, phenylalanine, tryptophan, and methionine; polar neutral amino acids include glycine, serine, threonine, cysteine, tyrosine, asparagine, and glutamine; positively charged (basic) amino acids include arginine, lysine, and histidine; and negatively charged (acidic) amino acids include aspartic acid and glutamic acid.

[0039] A variety of host-expression vector systems can be used to express the NHP nucleotide sequences of the invention. Where, as in the present instance, the NHP peptide or polypeptide is thought to be membrane protein, the hydrophobic regions of the protein can be excised and the resulting soluble peptide or polypeptide can be recovered from the culture media. Such expression systems also encompass engineered host cells that express a NHP, or functional equivalent, *in situ*. Purification or enrichment of a NHP from such expression systems can be accomplished using appropriate detergents and lipid micelles and methods well known to those skilled in the art. However, such engineered host cells themselves may be used in situations where it is important not only to retain the structural and functional characteristics of the NHP, but to assess biological activity, e.g., in drug screening assays.

[0040] The expression systems that may be used for purposes of the invention include but are not limited to microorganisms such as bacteria (e.g., *E. coli*, *B. subtilis*) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing NHP nucleotide sequences; yeast (e.g., *Saccharomyces*, *Pichia*) transformed with recombinant yeast expression vectors containing NHP nucleotide sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus) containing NHP sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid) containing NHP nucleotide sequences; or mammalian cell systems (e.g., COS, CHO, BHK, 293, 3T3) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter).

[0041] In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the NHP product being expressed. For example, when a large quantity of such a protein is to be produced for the generation of pharmaceutical compositions of or containing NHP, or for raising antibodies to a NHP, vectors that direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited, to the *E. coli* expression vector pUR278 (Ruther et al., 1983, EMBO J. 2:1791), in which a NHP coding sequence may be ligated individually into the vector in frame with the lacZ coding region so that a fusion protein is produced; pIN vectors (Inouye & Inouye, 1985, Nucleic Acids Res. 13:3101-3109; Van Heeke & Schuster, 1989, J. Biol. Chem. 264:5503-5509); and the like. pGEX

vectors (Pharmacia or American Type Culture Collection) can also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption to glutathione-agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

[0042] In an insect system, *Autographa californica* nuclear polyhedrosis virus (AcNPV) is used as a vector to express foreign genes. The virus grows in *Spodoptera frugiperda* cells. A NHP gene coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example the polyhedrin promoter). Successful insertion of NHP gene coding sequence will result in inactivation of the polyhedrin gene and production of non-occluded recombinant virus (i.e., virus lacking the proteinaceous coat coded for by the polyhedrin gene). These recombinant viruses are then used to infect *Spodoptera frugiperda* cells in which the inserted gene is expressed (e.g., see Smith et al., 1983, J. Virol. 46:584; Smith, U.S. Pat. No. 4,215,051).

[0043] In mammalian host cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, the NHP nucleotide sequence of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by *in vitro* or *in vivo* recombination. Insertion in a non-essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing a NHP product in infected hosts (e.g., See Logan & Shenk, 1984, Proc. Natl. Acad. Sci. USA 81:3655-3659). Specific initiation signals may also be required for efficient translation of inserted NHP nucleotide sequences. These signals include the ATG initiation codon and adjacent sequences. In cases where an entire NHP gene or cDNA, including its own initiation codon and adjacent sequences, is inserted into the appropriate expression vector, no additional translational control signals may be needed. However, in cases where only a portion of a NHP coding sequence is inserted, exogenous translational control signals, including, perhaps, the ATG initiation codon, must be provided. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to ensure translation of the entire insert. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, transcription terminators, etc. (See Bittner et al., 1987, Methods in Enzymol. 153:516-544).

[0044] In addition, a host cell strain may be chosen that modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (e.g., glycosylation) and processing (e.g., cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the post-translational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be

chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells which possess the cellular machinery for proper processing of the primary transcript, glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include, but are not limited to, CHO, VERO, BHK, HeLa, COS, MDCK, 293, 3T3, WI38, and in particular, human cell lines.

[0045] For long-term, high-yield-production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the NHP sequences described above can be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (e.g., promoter, enhancer sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the NHP product. Such engineered cell lines may be particularly useful in screening and evaluation of compounds that affect the endogenous activity of the NHP product.

[0046] A number of selection systems may be used, including but not limited to the herpes simplex virus thymidine kinase (Wigler, et al., 1977, Cell 11:223), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, 1962, Proc. Natl. Acad. Sci. USA 48:2026), and adenine phosphoribosyltransferase (Lowy, et al., 1980, Cell 22:817) genes can be employed in tk⁻, hgprt⁻ or aprt⁻ cells, respectively. Also, antimetabolite resistance can be used as the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler, et al., 1980, Natl. Acad. Sci. USA 77:3567; O'Hare, et al., 1981, Proc. Natl. Acad. Sci. USA 78:1527); gpt, which confers resistance to mycophenolic acid (Mulligan & Berg, 1981, Proc. Natl. Acad. Sci. USA 78:2072); neo, which confers resistance to the aminoglycoside G-418 (Colberre-Garapin, et al., 1981, J. Mol. Biol. 150:1); and hygro, which confers resistance to hygromycin (Santerre, et al., 1984, Gene 30:147).

[0047] Alternatively, any fusion protein can be readily purified by utilizing an antibody specific for the fusion protein being expressed. For example, a system described by Janknecht et al. allows for the ready purification of non-denatured fusion proteins expressed in human cell lines (Janknecht, et al., 1991, Proc. Natl. Acad. Sci. USA 88:8972-8976). In this system, the gene of interest is sub-cloned into a vaccinia recombination plasmid such that the gene's open reading frame is translationally fused to an amino-terminal tag consisting of six histidine residues. Extracts from cells infected with recombinant vaccinia virus are loaded onto Ni²⁺-nitriloacetic acid-agarose columns and histidine-tagged proteins are selectively eluted with imidazole-containing buffers.

5.3 Antibodies to NHP Products

[0048] Antibodies that specifically recognize one or more epitopes of a NHP, or epitopes of conserved variants of a

NHP, or peptide fragments of a NHP are also encompassed by the invention. Such antibodies include but are not limited to polyclonal antibodies, monoclonal antibodies (mAbs), humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab')₂ fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies, and epitope-binding fragments of any of the above.

[0049] The antibodies of the invention may be used, for example, in the detection of NHP in a biological sample and may, therefore, be utilized as part of a diagnostic or prognostic technique whereby patients may be tested for abnormal amounts of NHP. Such antibodies may also be utilized in conjunction with, for example, compound screening schemes for the evaluation of the effect of test compounds on expression and/or activity of a NHP gene product. Additionally, such antibodies can be used in conjunction gene therapy to, for example, evaluate the normal and/or engineered NHP-expressing cells prior to their introduction into the patient. Such antibodies may additionally be used as a method for the inhibition of abnormal NHP activity. Thus, such antibodies may, therefore, be utilized as part of treatment methods.

[0050] For the production of antibodies, various host animals may be immunized by injection with the NHP, an NHP peptide (e.g., one corresponding the a functional domain of an NHP), truncated NHP polypeptides (NHP in which one or more domains have been deleted), functional equivalents of the NHP or mutated variant of the NHP. Such host animals may include but are not limited to pigs, rabbits, mice, goats, and rats, to name but a few. Various adjuvants may be used to increase the immunological response, depending on the host species, including but not limited to Freund's adjuvant (complete and incomplete), mineral salts such as aluminum hydroxide or aluminum phosphate, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and *Corynebacterium parvum*. Alternatively, the immune response could be enhanced by combination and or coupling with molecules such as keyhole limpet hemocyanin, tetanus toxoid, diphtheria toxoid, ovalbumin, cholera toxin or fragments thereof. Polyclonal antibodies are heterogeneous populations of antibody molecules derived from the sera of the immunized animals.

[0051] Monoclonal antibodies, which are homogeneous populations of antibodies to a particular antigen, can be obtained by any technique which provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited to, the hybridoma technique of Kohler and Milstein, (1975, Nature 256:495-497; and U.S. Pat. No. 4,376,110), the human B-cell hybridoma technique (Kosbor et al., 1983, Immunology Today 4:72; Cole et al., 1983, Proc. Natl. Acad. Sci. USA 80:2026-2030), and the EBV-hybridoma technique (Cole et al., 1985, Monoclonal Antibodies And Cancer Therapy, Alan R. Liss, Inc., pp. 77-96). Such antibodies may be of any immunoglobulin class including IgG, IgM, IgE, IgA, IgD and any subclass thereof. The hybridoma producing the mAb of this invention may be cultivated in vitro or in vivo. Production of high titers of mAbs in vivo makes this the presently preferred method of production.

[0052] In addition, techniques developed for the production of "chimeric antibodies" (Morrison et al., 1984, Proc.

Natl. Acad. Sci., 81:6851-6855; Neuberger et al., 1984, Nature, 312:604-608; Takeda et al., 1985, Nature, 314:452-454) by splicing the genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. A chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region. Such technologies are described in U.S. Pat. Nos. 6,075,181 and 5,877,397 and their respective disclosures which are herein incorporated by reference in their entirety.

[0053] Alternatively, techniques described for the production of single chain antibodies (U.S. Pat. No. 4,946,778; Bird, 1988, Science 242:423-426; Huston et al., 1988, Proc. Natl. Acad. Sci. USA 85:5879-5883; and Ward et al., 1989, Nature 334:544-546) can be adapted to produce single chain antibodies against NHP gene products. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide.

[0054] Antibody fragments which recognize specific epitopes may be generated by known techniques. For example, such fragments include, but are not limited to: the $F(ab')_2$ fragments which can be produced by pepsin digestion of the antibody molecule and the Fab fragments which can be generated by reducing the disulfide bridges of the

$F(ab')_2$ fragments. Alternatively, Fab expression libraries may be constructed (Huse et al., 1989, Science, 246:1275-1281) to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity.

[0055] Antibodies to a NHP can, in turn, be utilized to generate anti-idiotype antibodies that "mimic" a given NHP, using techniques well known to those skilled in the art. (See, e.g., Greenspan & Bona, 1993, FASEB J 7(5):437-444; and Nissinoff, 1991, J. Immunol. 147(8):2429-2438). For example antibodies which bind to a NHP domain and competitively inhibit the binding of NHP to its cognate receptor can be used to generate anti-idiotypes that "mimic" the NHP and, therefore, bind and activate or neutralize a receptor. Such anti-idiotypic antibodies or Fab fragments of such anti-idiotypes can be used in therapeutic regimens involving a NHP mediated pathway.

[0056] The present invention is not to be limited in scope by the specific embodiments described herein, which are intended as single illustrations of individual aspects of the invention, and functionally equivalent methods and components are within the scope of the invention. Indeed, various modifications of the invention, in addition to those shown and described herein will become apparent to those skilled in the art from the foregoing description. Such modifications are intended to fall within the scope of the appended claims. All cited publications, patents, and patent applications are herein incorporated by reference in their entirety.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 17

<210> SEQ ID NO 1

<211> LENGTH: 2919

<212> TYPE: DNA

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 1

atgactgagg ctctccaaatggccagatatactggcgac ggctgtatcgagggtcaacc
aggatgatgattcaggggccataacaactattcctcggtgc tgcgcgtgtgg ggcgaatgtcc 60
tctcagatccctaaactgtc aggaaggcac cggattgttg ttccccacat ccagcccttc 120
aaggatgagt atgagaagttcccgagcc tatgtgaaca atcgaatacg aacaacaaag 180
tacacacttc tgaattttgt gccaagaaaatttgcataac aatttcacag agctgcacat 240
ttatatttcc tgttccttagt tgccctgaac tgggtacctt tggtagaagc cttccaaaag 300
gaaatcacca tgttgcctct ggtggggccttacacatcgcaattaa agatggccctg 360
gaagattatc ggaaataacaa aattgacaaa cagatcaataatataaac taaagtttat 420
atgtggaaag agaaaaaaaatcattgaccga tgctggaaacgcgttactgt tggggacttt 480
attcgcctct cctgcacacgaaatccctgcagacatgg tactactctt ttccactgt 540
ccagatggaa tctgtcacat tgagacttctt ggtctgtatcgagagacaa tttaaaacag 600
aggcagggtgg ttcggggata tgccagaacag gactctggatggatccgtga gaagttttcc 660
atgtggatag aatgtgaaag cccaaacaaat gacccatcgca gattccggagg cttccctagaa 720
cattccaaaca aqaaacgcgt qgggtctcaatgaaatggatccgtaaatgttgccttagaggatgcacc 780
cattccaaaca aqaaacgcgt qgggtctcaatgaaatggatccgtaaatgttgccttagaggatgcacc 840

-continued

attagaaaaca cagaggctgt tgtggcatt gtggttatg caggccatga aaccaaagca	900
atgcgtgaaca acagtggcc acggataag cgcaaaaaat tagaaagaag agcaaaacaca	960
gatgtccctct ggtgtgtcat gcttctggtc ataatgtgct taactggcgc agtaggtcat	1020
gaaatctggc tgagcaggta taaaagatg catttttca atgttcccga gcctgtatgga	1080
catatcatat caccactgtt ggcaggattt tataatgtttt ggaccatgtat cattttgtta	1140
cagggtcttga ttccattttc tctctatgtt tccatcgaaa ttgtgaagct tggacaataa	1200
tatccatcattc aaagtgtatgtt ggatttctac aatgaaaaaa tggattctat tggcgtatgc	1260
cgagccctga acatcgccga ggatctggga cagattcaatg acctcttttc cgataagaca	1320
gaaaccctca ctgagaataa gatggttttt cgaagatgta gtgtggcagg atttgattac	1380
tgccatgaag aaaatgccag gaggttggag tcctatcagg aagctgtctc tgaagatgaa	1440
gatccccatag acacagtcag tggttccctc agcaatatgg caaaaccgag agccccccagc	1500
tgcaggacag ttcataatgg gcctttggaa aataagccct caaatcatct tgctggagc	1560
tctttactc taggaagtgg agaaggagcc agtgaagtgc ctcattccag acaggctgct	1620
ttcagtagcc ccattgaaac agacgtggta ccagacacca ggcttttaga caaatttagt	1680
cagattacac ctcggcttct tatgccacta gatgagacca tccaaaatcc accaatggaa	1740
actttgtaca ttatcgactt ttccattgtca ttggcaattt gcaacacagt agtggttct	1800
gctcctaacc aaccccgaca aaagatcaga caccctcac tgggggggtt gcccttaag	1860
tctttggaaag agattaaaag tctttccag agatggtctg tccgaagatc aagttctcca	1920
tcgcttaaca gtgggaaaga gccatcttct ggagttccaa acgccttctg gagcagactc	1980
cctctcttta gtcgaatgaa accagcttca cctgtggagg aagaggctctc ccagggtgt	2040
gagagcccccc agtgctccag tagctcagct tgctgcacag aaacagagaa acaacacgg	2100
gatgcaggcc tcctgaatgg caaggcagag tccctccctg gacagccatt ggcctgcaac	2160
ctgtgttatg aggccgagag cccagacgaa gcggccttag tgtatgcccgc cagggtttac	2220
caatgcactt tacggctctg gacaccagag caggtcatgg tggacttgc tgctttggaa	2280
ccattaacat ttcaactcct acacatcctg ccctttgact cagtaagaaa aagaatgtct	2340
gttgtggtcc gacaccctct ttccaaatcaa gttgtgggtt atacgaaagg cgctgattct	2400
gtgtatcatgg agttactgtc ggtggcttcc ccagatggag caagtctgga gaaacaacag	2460
atgatagtaa gggagaaaac ccagaagcac ttggatgact atgccaaca aggcctcgt	2520
actttatgtta tagcaaagaa ggtcatgagt gacactgaat atgcagatg gctgaggaat	2580
catttttagt ctgaaaccag cattgacaac agggagaat tactacttga atctgcccatt	2640
agggtggaga acaaacttac attacttggt gctactggca ttgaagaccg tctgcaggag	2700
ggagtccctg aatctataga agtcttccac aaagcggca tcaagatctg gatgtgtaca	2760
ggggacaagc aggagacgc tgtcaacata gcttatgcat gcaaactact ggagccagat	2820
gacaagctt ttatcctcaa tacccaaagt aaagtgcgtt tattgagatt aaatctgttc	2880
ttctgttattt tcaaaggcat tggAACATTG gagatttgaa	2919

<210> SEQ_ID NO 2
 <211> LENGTH: 972
 <212> TYPE: PRT
 <213> ORGANISM: homo sapiens

-continued

<400> SEQUENCE: 2

```

Met Thr Glu Ala Leu Gln Trp Ala Arg Tyr His Trp Arg Arg Leu Ile
 1           5          10          15

Arg Gly Ala Thr Arg Asp Asp Asp Ser Gly Pro Tyr Asn Tyr Ser Ser
20          25          30

Leu Leu Ala Cys Gly Arg Lys Ser Ser Gln Ile Pro Lys Leu Ser Gly
35          40          45

Arg His Arg Ile Val Val Pro His Ile Gln Pro Phe Lys Asp Glu Tyr
50          55          60

Glu Lys Phe Ser Gly Ala Tyr Val Asn Asn Arg Ile Arg Thr Thr Lys
65          70          75          80

Tyr Thr Leu Leu Asn Phe Val Pro Arg Asn Leu Phe Glu Gln Phe His
85          90          95

Arg Ala Ala Asn Leu Tyr Phe Leu Phe Leu Val Val Leu Asn Trp Val
100         105         110

Pro Leu Val Glu Ala Phe Gln Lys Glu Ile Thr Met Leu Pro Leu Val
115         120         125

Val Val Leu Thr Ile Ile Ala Ile Lys Asp Gly Leu Glu Asp Tyr Arg
130         135         140

Lys Tyr Lys Ile Asp Lys Gln Ile Asn Asn Leu Ile Thr Lys Val Tyr
145         150         155         160

Ser Arg Lys Glu Lys Tyr Ile Asp Arg Cys Trp Lys Asp Val Thr
165         170         175

Val Gly Asp Phe Ile Arg Leu Ser Cys Asn Glu Val Ile Pro Ala Asp
180         185         190

Met Val Leu Leu Phe Ser Thr Asp Pro Asp Gly Ile Cys His Ile Glu
195         200         205

Thr Ser Gly Leu Asp Gly Glu Ser Asn Leu Lys Gln Arg Gln Val Val
210         215         220

Arg Gly Tyr Ala Glu Gln Asp Ser Glu Val Asp Pro Glu Lys Phe Ser
225         230         235         240

Ser Arg Ile Glu Cys Glu Ser Pro Asn Asn Asp Leu Ser Arg Phe Arg
245         250         255

Gly Phe Leu Glu His Ser Asn Lys Glu Arg Val Gly Leu Ser Lys Glu
260         265         270

Asn Leu Leu Leu Arg Gly Cys Thr Ile Arg Asn Thr Glu Ala Val Val
275         280         285

Gly Ile Val Val Tyr Ala Gly His Glu Thr Lys Ala Met Leu Asn Asn
290         295         300

Ser Gly Pro Arg Tyr Lys Arg Ser Lys Leu Glu Arg Arg Ala Asn Thr
305         310         315         320

Asp Val Leu Trp Cys Val Met Leu Leu Val Ile Met Cys Leu Thr Gly
325         330         335

Ala Val Gly His Gly Ile Trp Leu Ser Arg Tyr Glu Lys Met His Phe
340         345         350

Phe Asn Val Pro Glu Pro Asp Gly His Ile Ile Ser Pro Leu Leu Ala
355         360         365

Gly Phe Tyr Met Phe Trp Thr Met Ile Ile Leu Leu Gln Val Leu Ile
370         375         380

Pro Ile Ser Leu Tyr Val Ser Ile Glu Ile Val Lys Leu Gly Gln Ile
385         390         395         400

```

-continued

Tyr Phe Ile Gln Ser Asp Val Asp Phe Tyr Asn Glu Lys Met Asp Ser
405 410 415

Ile Val Gln Cys Arg Ala Leu Asn Ile Ala Glu Asp Leu Gly Gln Ile
420 425 430

Gln Tyr Leu Phe Ser Asp Lys Thr Gly Thr Leu Thr Glu Asn Lys Met
435 440 445

Val Phe Arg Arg Cys Ser Val Ala Gly Phe Asp Tyr Cys His Glu Glu
450 455 460

Asn Ala Arg Arg Leu Glu Ser Tyr Gln Glu Ala Val Ser Glu Asp Glu
465 470 475 480

Asp Phe Ile Asp Thr Val Ser Gly Ser Leu Ser Asn Met Ala Lys Pro
485 490 495

Arg Ala Pro Ser Cys Arg Thr Val His Asn Gly Pro Leu Gly Asn Lys
500 505 510

Pro Ser Asn His Leu Ala Gly Ser Ser Phe Thr Leu Gly Ser Gly Glu
515 520 525

Gly Ala Ser Glu Val Pro His Ser Arg Gln Ala Ala Phe Ser Ser Pro
530 535 540

Ile Glu Thr Asp Val Val Pro Asp Thr Arg Leu Leu Asp Lys Phe Ser
545 550 555 560

Gln Ile Thr Pro Arg Leu Phe Met Pro Leu Asp Glu Thr Ile Gln Asn
565 570 575

Pro Pro Met Glu Thr Leu Tyr Ile Ile Asp Phe Phe Ile Ala Leu Ala
580 585 590

Ile Cys Asn Thr Val Val Ser Ala Pro Asn Gln Pro Arg Gln Lys
595 600 605

Ile Arg His Pro Ser Leu Gly Gly Leu Pro Ile Lys Ser Leu Glu Glu
610 615 620

Ile Lys Ser Leu Phe Gln Arg Trp Ser Val Arg Arg Ser Ser Ser Pro
625 630 635 640

Ser Leu Asn Ser Gly Lys Glu Pro Ser Ser Gly Val Pro Asn Ala Phe
645 650 655

Val Ser Arg Leu Pro Leu Phe Ser Arg Met Lys Pro Ala Ser Pro Val
660 665 670

Glu Glu Glu Val Ser Gln Val Cys Glu Ser Pro Gln Cys Ser Ser Ser
675 680 685

Ser Ala Cys Cys Thr Glu Thr Glu Lys Gln His Gly Asp Ala Gly Leu
690 695 700

Leu Asn Gly Lys Ala Glu Ser Leu Pro Gly Gln Pro Leu Ala Cys Asn
705 710 715 720

Leu Cys Tyr Glu Ala Glu Ser Pro Asp Glu Ala Ala Leu Val Tyr Ala
725 730 735

Ala Arg Ala Tyr Gln Cys Thr Leu Arg Ser Arg Thr Pro Glu Gln Val
740 745 750

Met Val Asp Phe Ala Ala Leu Gly Pro Leu Thr Phe Gln Leu Leu His
755 760 765

Ile Leu Pro Phe Asp Ser Val Arg Lys Arg Met Ser Val Val Val Arg
770 775 780

His Pro Leu Ser Asn Gln Val Val Val Tyr Thr Lys Gly Ala Asp Ser
785 790 795 800

-continued

Val Ile Met Glu Leu Leu Ser Val Ala Ser Pro Asp Gly Ala Ser Leu
805 810 815

Glu Lys Gln Gln Met Ile Val Arg Glu Lys Thr Gln Lys His Leu Asp
820 825 830

Asp Tyr Ala Lys Gln Gly Leu Arg Thr Leu Cys Ile Ala Lys Lys Val
835 840 845

Met Ser Asp Thr Glu Tyr Ala Glu Trp Leu Arg Asn His Phe Leu Ala
850 855 860

Glu Thr Ser Ile Asp Asn Arg Glu Glu Leu Leu Glu Ser Ala Met
865 870 875 880

Arg Leu Glu Asn Lys Leu Thr Leu Leu Gly Ala Thr Gly Ile Glu Asp
885 890 895

Arg Leu Gln Glu Gly Val Pro Glu Ser Ile Glu Ala Leu His Lys Ala
900 905 910

Gly Ile Lys Ile Trp Met Leu Thr Gly Asp Lys Gln Glu Thr Ala Val
915 920 925

Asn Ile Ala Tyr Ala Cys Lys Leu Leu Glu Pro Asp Asp Lys Leu Phe
930 935 940

Ile Leu Asn Thr Gln Ser Lys Val Arg Ile Leu Arg Leu Asn Leu Phe
945 950 955 960

Phe Cys Ile Phe Lys Gly Ile Gly Thr Phe Glu Ile
965 970

<210> SEQ_ID NO 3

<211> LENGTH: 375

<212> TYPE: DNA

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 3

```
atgagtgaca ctgaatatgc agagtggctg aggaatcatt ttttagctga aaccagcatt      60
gacaacaggg aagaattact acttgaatct gccatgaggt tggagaacaa acttacatta     120
cttggtgcta ctggcattga agaccgtctg caggagggag tccctgaatc tatagaagct     180
cttcacaaaag cgggcatcaa gatctggatc ctgacagggg acaagcagga gacagctgtc    240
aacatagctt atgcatgcaa actactggag ccagatgaca agcttttat cctcaataacc   300
caaagtaaag tgcgtatatt gagattaaat ctgttcttct gtatttcaa aggcatggaa    360
acatggaga tttga                                         375
```

<210> SEQ_ID NO 4

<211> LENGTH: 124

<212> TYPE: PRT

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 4

Met Ser Asp Thr Glu Tyr Ala Glu Trp Leu Arg Asn His Phe Leu Ala
1 5 10 15

Glu Thr Ser Ile Asp Asn Arg Glu Glu Leu Leu Glu Ser Ala Met
20 25 30

Arg Leu Glu Asn Lys Leu Thr Leu Leu Gly Ala Thr Gly Ile Glu Asp
35 40 45

Arg Leu Gln Glu Gly Val Pro Glu Ser Ile Glu Ala Leu His Lys Ala
50 55 60

Gly Ile Lys Ile Trp Met Leu Thr Gly Asp Lys Gln Glu Thr Ala Val

-continued

65	70	75	80
Asn Ile Ala Tyr Ala Cys Lys Leu Leu Glu Pro Asp Asp Lys Leu Phe			
85	90	95	
Ile Leu Asn Thr Gln Ser Lys Val Arg Ile Leu Arg Leu Asn Leu Phe			
100	105	110	
Phe Cys Ile Phe Lys Gly Ile Gly Thr Phe Glu Ile			
115	120		

<210> SEQ ID NO 5

<211> LENGTH: 3171

<212> TYPE: DNA

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 5

atgactgagg ctctccaatg gcccagatat cactggcgac ggctgatcag aggtcaacc	60
aggatgatg attcagggcc atacaactat tcctcggtgc tcgcctgtgg ggcgaagtcc	120
tctcagatcc cttaactgtc aggaaggcac cggattgttgc ttccccat ccagcccttc	180
aaggatgagt atgagaagtt ctccggagcc tatgtgaaca atcgaatacg aacaacaaag	240
tacacacttc tgaattttgt gccaagaataat ttatgttgc acatggccat agctgcata	300
ttatatttcc tggtccttagt tgccctgaac tgggtaccc ttggtagaagc cttccaaaag	360
gaaatcacca tggtgcctct ggtgggtgc cttacaattt tcgcattaa agatggcctg	420
gaagattatc gggaaatacaa aattgacaaa cagatcaata attaataac taaagtttat	480
atgtggaaag agaaaaataa cattgaccga tgctggaaag acgttactgt tggggacttt	540
atccgcctct cctgcacacga ggtcatccct gcagacatgg tactactttt ttccactgtat	600
ccagatggaa tctgtcacat tgagacttctt ggtcttgatg gagagagca tttaaaacag	660
aggcaggctgg ttccgggata tgcagaacag gactctgaag ttgtatcttgc gaagttttcc	720
atgtggatag aatgtgaaag cccaaacaat gacccatgc gattccgagg cttccctagaa	780
cattccaaaca aagaacgcgt gggtctcagt aaagaaaatt tggtgtttttagt aggatgcacc	840
attagaaaca cagaggctgt tggggcattt gtggttttatc caggccatgc aaccaaaagca	900
atgtatgttgc acagtggcc acggtaataag cgccatcaat tagaaagaag agcaaacaca	960
gatgtccctctt ggtgtgtcat gcttctggcataatgttgc taactggcgc agtaggtcat	1020
ggaatctggc tgagcaggta taaaagatc catttttca atgttccgcgc gcctgtatgg	1080
catatcatat caccactgtt ggcaggattt tataatgtttt ggaccatgtat cattttgtta	1140
caggcttgc ttccatatttc tctctatgtt tccatgcataa ttgtgaagct tggacaataa	1200
tatccatccaaatgtatgtt ggattttctatc aatgaaaaaaa ttgttgcattt tggtcgtgc	1260
cgagccctgc acatcgccgc ggtatctgggaa cagattcagt acctcttttc cgataagaca	1320
ggaaccctca ctgagaataaa gatggttttt cgaagatgtt gtgtggcagg atttggattac	1380
tgccatgcacaaatgtatgtt gggtttggag tccatgcataa aatgatgttgc tggacaataa	1440
gatgtttatag acacagtgcacatgg tggggcattt cggccatgcataa ttgttgcattt	1500
tgcaggacacatgg ttcataatgg gcctttgggaa aataagccct caaatcatct tgctgggagc	1560
tctttactc taggaagtgg agaaggagcc agtgcgtgc ctcattccag acaggctgc	1620
ttcagtagcc ccattgaaac agacgtggta ccagacacca ggcttttaga caaattttgtt	1680
cagattacac ctcggcttctt tatgccacta gatgagacca tccaaaatcc accaatggaa	1740

-continued

actttgtaca ttatcgactt tttcattgca ttggcaattt gcaacacagt agtggttct	1800
gctcctaacc aaccccgaca aaagatcaga cacccttcac tgggggggtt gcccattaag	1860
tctttggaaag agattaaaag tctttccag agatggtctg tccgaagatc aagttctcca	1920
tcgcttaaca gtgggaaaga gccatcttct ggagttccaa acgccttigt gaggactc	1980
cctctcttta gtcgaatgaa accagctca cctgtggagg aagaggctctc ccaggtgtgt	2040
gagagcccccc agtgctccag tagctcagct tgctgcacag aaacagagaa acaacacggt	2100
gatgcaggcc tcctgaatgg caaggcagag tccctccctg gacagccatt ggcctgcaac	2160
ctgtgttatg aggccgagag cccagacgaa gcggccttag tgtatgcgcg caggcattac	2220
caatgcactt tacggctctcg gacaccagag caggtcatgg tggacttgc tgctttggaa	2280
ccattaacat ttcaactcct acacatcctg ccctttgact cagtaagaaa aagaatgtct	2340
gttgtggtcc gacaccctct ttccaatcaa gttgtggtgt atacgaaagg cgctgattct	2400
gtgatcatgg agttactgtc ggtggcttcc ccagatggag caagtctgga gaaacaacag	2460
atgatagtaa gggagaaaaac ccagaaggcac ttggatgact atgccaaaca aggccctcgt	2520
actttatgtta tagcaaagaa ggtcatgagt gacactgaat atgcagatgt gctgaggaat	2580
catttttag ctgaaaccag cattgacaac agggagaat tactacttga atctgccatg	2640
agggtggaga acaaacttac attacttggt gctactggca ttgaagaccg tctgcaggag	2700
ggagtcctcg aatctataga agctcttcac aaagcgggca tcaagatctg gatgctgaca	2760
ggggacaagc aggagacagc tgtcaacata gtttatgcat gcaaactact ggagcoagat	2820
gacaagctt ttatcctcaa tacccaaagt aaagatgcct gtggatgct gatgagcaca	2880
atttgaaag aacttcagaa gaaaactcaa gcccgtccag agcaagtgtc attaagtgaa	2940
gatttacttc agcctcctgt ccccccggac tcagggttac gagctggact cattatcact	3000
ggaaagaccc tggagtttgc cctgcaagaa agtctgcaaa agcagttcct ggaactgaca	3060
tcttgggtgc aagctgtggt ctgctgccga gccacaccgc tgcagaaaag tgaagtggtg	3120
aaattggtcc gcagccatct ccaggtgatg acccttgcta ttggtgatg a	3171

<210> SEQ_ID NO 6
<211> LENGTH: 1056
<212> TYPE: PRT
<213> ORGANISM: homo sapiens

<400> SEQUENCE: 6

Met Thr Glu Ala Leu Gln Trp Ala Arg Tyr His Trp Arg Arg Leu Ile			
1	5	10	15

Arg Gly Ala Thr Arg Asp Asp Ser Gly Pro Tyr Asn Tyr Ser Ser			
20	25	30	

Leu Leu Ala Cys Gly Arg Lys Ser Ser Gln Ile Pro Lys Leu Ser Gly			
35	40	45	

Arg His Arg Ile Val Val Pro His Ile Gln Pro Phe Lys Asp Glu Tyr			
50	55	60	

Glu Lys Phe Ser Gly Ala Tyr Val Asn Asn Arg Ile Arg Thr Thr Lys			
65	70	75	80

Tyr Thr Leu Leu Asn Phe Val Pro Arg Asn Leu Phe Glu Gln Phe His			
85	90	95	

Arg Ala Ala Asn Leu Tyr Phe Leu Phe Leu Val Val Leu Asn Trp Val

-continued

100	105	110
Pro Leu Val Glu Ala Phe Gln Lys	Glu Ile Thr Met	Leu Pro Leu Val
115	120	125
Val Val Leu Thr Ile Ile Ala Ile Lys Asp Gly	Leu Glu Asp Tyr Arg	
130	135	140
Lys Tyr Lys Ile Asp Lys Gln Ile Asn Asn	Leu Ile Thr Lys Val Tyr	
145	150	155
Ser Arg Lys Glu Lys Lys Tyr Ile Asp Arg Cys Trp	Lys Asp Val Thr	
165	170	175
Val Gly Asp Phe Ile Arg Leu Ser Cys Asn Glu Val	Ile Pro Ala Asp	
180	185	190
Met Val Leu Leu Phe Ser Thr Asp Pro Asp Gly	Ile Cys His Ile Glu	
195	200	205
Thr Ser Gly Leu Asp Gly Glu Ser Asn Leu Lys	Gln Arg Gln Val Val	
210	215	220
Arg Gly Tyr Ala Glu Gln Asp Ser Gly Val Asp Pro	Glu Lys Phe Ser	
225	230	235
Ser Arg Ile Glu Cys Glu Ser Pro Asn Asn Asp	Leu Ser Arg Phe Arg	
245	250	255
Gly Phe Leu Glu His Ser Asn Lys	Glu Arg Val Gly Leu Ser Lys Glu	
260	265	270
Asn Leu Leu Leu Arg Gly Cys	Thr Ile Arg Asn Thr Glu Ala Val Val	
275	280	285
Gly Ile Val Val Tyr Ala Gly His Glu Thr Lys	Ala Met Leu Asn Asn	
290	295	300
Ser Gly Pro Arg Tyr Lys Arg Ser Lys	Leu Glu Arg Arg Ala Asn Thr	
305	310	315
Asp Val Leu Trp Cys Val Met Leu Leu Val	Ile Met Cys Leu Thr Gly	
325	330	335
Ala Val Gly His Gly Ile Trp Leu Ser Arg Tyr	Glu Lys Met His Phe	
340	345	350
Phe Asn Val Pro Glu Pro Asp Gly His Ile Ile Ser	Pro Leu Leu Ala	
355	360	365
Gly Phe Tyr Met Phe Trp Thr Met Ile Ile Leu	Leu Gln Val Leu Ile	
370	375	380
Pro Ile Ser Leu Tyr Val Ser Ile Glu Ile Val	Lys Leu Gly Gln Ile	
385	390	395
Tyr Phe Ile Gln Ser Asp Val Asp Phe Tyr Asn	Glu Lys Met Asp Ser	
405	410	415
Ile Val Gln Cys Arg Ala Leu Asn Ile Ala Glu Asp	Leu Gly Gln Ile	
420	425	430
Gln Tyr Leu Phe Ser Asp Lys	Thr Gly Thr Leu Thr Glu Asn Lys Met	
435	440	445
Val Phe Arg Arg Cys Ser Val Ala Gly Phe Asp	Tyr Cys His Glu Glu	
450	455	460
Asn Ala Arg Arg Leu Glu Ser Tyr Gln Glu	Ala Val Ser Glu Asp Glu	
465	470	475
Asp Phe Ile Asp Thr Val Ser Gly Ser Leu Ser Asn	Met Ala Lys Pro	
485	490	495
Arg Ala Pro Ser Cys Arg Thr Val His Asn Gly	Pro Leu Gly Asn Lys	
500	505	510

-continued

Pro Ser Asn His Leu Ala Gly Ser Ser Phe Thr Leu Gly Ser Gly Glu
 515 520 525
 Gly Ala Ser Glu Val Pro His Ser Arg Gln Ala Ala Phe Ser Ser Pro
 530 535 540
 Ile Glu Thr Asp Val Val Pro Asp Thr Arg Leu Leu Asp Lys Phe Ser
 545 550 555 560
 Gln Ile Thr Pro Arg Leu Phe Met Pro Leu Asp Glu Thr Ile Gln Asn
 565 570 575
 Pro Pro Met Glu Thr Leu Tyr Ile Ile Asp Phe Phe Ile Ala Leu Ala
 580 585 590
 Ile Cys Asn Thr Val Val Val Ser Ala Pro Asn Gln Pro Arg Gln Lys
 595 600 605
 Ile Arg His Pro Ser Leu Gly Gly Leu Pro Ile Lys Ser Leu Glu Glu
 610 615 620
 Ile Lys Ser Leu Phe Gln Arg Trp Ser Val Arg Arg Ser Ser Ser Pro
 625 630 635 640
 Ser Leu Asn Ser Gly Lys Glu Pro Ser Ser Gly Val Pro Asn Ala Phe
 645 650 655
 Val Ser Arg Leu Pro Leu Phe Ser Arg Met Lys Pro Ala Ser Pro Val
 660 665 670
 Glu Glu Glu Val Ser Gln Val Cys Glu Ser Pro Gln Cys Ser Ser Ser
 675 680 685
 Ser Ala Cys Cys Thr Glu Thr Glu Lys Gln His Gly Asp Ala Gly Leu
 690 695 700
 Leu Asn Gly Lys Ala Glu Ser Leu Pro Gly Gln Pro Leu Ala Cys Asn
 705 710 715 720
 Leu Cys Tyr Glu Ala Glu Ser Pro Asp Glu Ala Ala Leu Val Tyr Ala
 725 730 735
 Ala Arg Ala Tyr Gln Cys Thr Leu Arg Ser Arg Thr Pro Glu Gln Val
 740 745 750
 Met Val Asp Phe Ala Ala Leu Gly Pro Leu Thr Phe Gln Leu Leu His
 755 760 765
 Ile Leu Pro Phe Asp Ser Val Arg Lys Arg Met Ser Val Val Val Arg
 770 775 780
 His Pro Leu Ser Asn Gln Val Val Val Tyr Thr Lys Gly Ala Asp Ser
 785 790 795 800
 Val Ile Met Glu Leu Leu Ser Val Ala Ser Pro Asp Gly Ala Ser Leu
 805 810 815
 Glu Lys Gln Gln Met Ile Val Arg Glu Lys Thr Gln Lys His Leu Asp
 820 825 830
 Asp Tyr Ala Lys Gln Gly Leu Arg Thr Leu Cys Ile Ala Lys Lys Val
 835 840 845
 Met Ser Asp Thr Glu Tyr Ala Glu Trp Leu Arg Asn His Phe Leu Ala
 850 855 860
 Glu Thr Ser Ile Asp Asn Arg Glu Glu Leu Leu Glu Ser Ala Met
 865 870 875 880
 Arg Leu Glu Asn Lys Leu Thr Leu Leu Gly Ala Thr Gly Ile Glu Asp
 885 890 895
 Arg Leu Gln Glu Gly Val Pro Glu Ser Ile Glu Ala Leu His Lys Ala
 900 905 910

-continued

Gly	Ile	Lys	Ile	Trp	Met	Leu	Thr	Gly	Asp	Lys	Gln	Glu	Thr	Ala	Val
915						920					925				
Asn	Ile	Ala	Tyr	Ala	Cys	Lys	Leu	Leu	Glu	Pro	Asp	Asp	Lys	Leu	Phe
930						935				940					
Ile	Leu	Asn	Thr	Gln	Ser	Lys	Asp	Ala	Cys	Gly	Met	Leu	Met	Ser	Thr
945						950			955		960				
Ile	Leu	Lys	Glu	Leu	Gln	Lys	Lys	Thr	Gln	Ala	Leu	Pro	Glu	Gln	Val
								965		970		975			
Ser	Leu	Ser	Glu	Asp	Leu	Leu	Gln	Pro	Pro	Val	Pro	Arg	Asp	Ser	Gly
								980		985		990			
Leu	Arg	Ala	Gly	Leu	Ile	Ile	Thr	Gly	Lys	Thr	Leu	Glu	Phe	Ala	Leu
								995		1000		1005			
Gln	Glu	Ser	Leu	Gln	Lys	Gln	Phe	Leu	Glu	Leu	Thr	Ser	Trp	Cys	Gln
								1010		1015		1020			
Ala	Val	Val	Cys	Cys	Arg	Ala	Thr	Pro	Leu	Gln	Lys	Ser	Glu	Val	Val
								1025		1030		1035		1040	
Lys	Leu	Val	Arg	Ser	His	Leu	Gln	Val	Met	Thr	Leu	Ala	Ile	Gly	Glu
								1045		1050		1055			

<210> SEQ_ID NO 7

<211> LENGTH: 627

<212> TYPE: DNA

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 7

atgagtgaca	ctgaaatatgc	agagtggctg	aggaatcatt	ttttagctga	aaccaggatt	60
gacaacaggg	aagaattact	acttgaatct	gccatgaggt	tggagaacaa	acttacatta	120
cttggtgcta	ctggcattga	agaccgtctg	caggagggag	tccctgaatc	tatagaagct	180
cttcacaaaag	cgggcataa	gatctggatg	ctgacagggg	acaagcagga	gacagctgtc	240
aacatagctt	atgcatacaa	actactggag	ccagatgaca	agcttttat	cctcaataacc	300
caaagtaaag	atgcctgtgg	gatgctgatg	agcacaattt	tgaaagaact	tcagaagaaa	360
actcaagccc	tgccagagca	agtgtcatta	agtgaagatt	tacttcagcc	tcctgtcccc	420
cgggactcag	ggttacgagc	tggactcatt	atcaactggga	agaccctgga	gtttgcctg	480
caagaaagtc	tgcaaaagca	gttcctggaa	ctgacatctt	ggtgtcaagc	tgtggctc	540
tgccgagcca	caccgctgca	gaaaagtcaa	gtggtaaat	tggcccgag	ccatctccag	600
gtgatgaccc	ttgctattgg	tgagtga				627

<210> SEQ_ID NO 8

<211> LENGTH: 208

<212> TYPE: PRT

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 8

Met	Ser	Asp	Thr	Glu	Tyr	Ala	Glu	Trp	Leu	Arg	Asn	His	Phe	Leu	Ala
1				5				10		15					
Glu	Thr	Ser	Ile	Asp	Asn	Arg	Glu	Glu	Leu	Leu	Leu	Glu	Ser	Ala	Met
								20		25		30			
Arg	Leu	Glu	Asn	Lys	Leu	Thr	Leu	Leu	Gly	Ala	Thr	Gly	Ile	Glu	Asp
								35		40		45			
Arg	Leu	Gln	Glu	Gly	Val	Pro	Glu	Ser	Ile	Glu	Ala	Leu	His	Lys	Ala
								50		55		60			

-continued

Gly	Ile	Lys	Ile	Trp	Met	Leu	Thr	Gly	Asp	Lys	Gln	Glu	Thr	Ala	Val
65					70					75					80
Asn	Ile	Ala	Tyr	Ala	Cys	Lys	Leu	Leu	Glu	Pro	Asp	Asp	Lys	Leu	Phe
					85				90					95	
Ile	Leu	Asn	Thr	Gln	Ser	Lys	Asp	Ala	Cys	Gly	Met	Leu	Met	Ser	Thr
						100			105					110	
Ile	Leu	Lys	Glu	Leu	Gln	Lys	Lys	Thr	Gln	Ala	Leu	Pro	Glu	Gln	Val
						115			120					125	
Ser	Leu	Ser	Glu	Asp	Leu	Leu	Gln	Pro	Pro	Val	Pro	Arg	Asp	Ser	Gly
						130			135					140	
Leu	Arg	Ala	Gly	Leu	Ile	Ile	Thr	Gly	Lys	Thr	Leu	Glu	Phe	Ala	Leu
						145			150					155	
Gln	Glu	Ser	Leu	Gln	Lys	Gln	Phe	Leu	Glu	Leu	Thr	Ser	Trp	Cys	Gln
							165			170					175
Ala	Val	Val	Cys	Cys	Arg	Ala	Thr	Pro	Leu	Gln	Lys	Ser	Glu	Val	Val
							180			185					190
Lys	Leu	Val	Arg	Ser	His	Leu	Gln	Val	Met	Thr	Leu	Ala	Ile	Gly	Glu
							195			200					205

<210> SEQ ID NO 9
<211> LENGTH: 3813
<212> TYPE: DNA
<213> ORGANISM: homo sapiens

<400> SEQUENCE: 9

atgactgagg ctctccaatg ggccagatat cactggcgac ggctgatcag aggtgcaacc 60
agggatgatg attcaggggcc atacaactat tcctcggtgc tcgcccgtgg qgcgaagtcc 120
tctcagatcc ctaaaactgtc aggaaggcac cgattttg ttccccacat ccagcccttc 180
aaggatgagt atgagaaggc ctccggagcc tatgtgaaca atcgaatacg aacaacaaaag 240
tacacacttc tgaattttgt gccaagaaaat ttattingac aatttcacag agctgccaat 300
ttatatttc tgttcccttagt tgctctgaac tgggtacctt tggttagaagc cttccaaaag 360
gaaatcacca tgttgcctct ggtgggtggc cttacaatta tcgcaattaa agatggcctg 420
gaagattatc ggaaataacaa aattgacaaa cagatcaata attaataaac taaagtttat 480
agtaggaaag agaaaaaaaat cattgaccga tgctggaaag acgttactgt tggggacttt 540
attcgcctct cctgcaacga ggtcatccct gcagacatgg tactactctt ttccactgat 600
ccagatggaa tctgtcacat tgagacttct ggtcttgatg gagagagcaa tttaaaacag 660
aggcagggtg ttccgggata tgcagaacag gactctgaag ttgatctga gaagttttcc 720
agtaggatag aatgtgaaag cccaaacaat gacctagca gattccgagg cttccatgaa 780
cattccaaca aagaacgcgt gggctcttagt aaagaaaatt tgttgttag aggatgcacc 840
attagaaaca cagaggctgt tgtgggcatt gtggtttagt caggccatga aaccaaagca 900
atgctgaaca acagtggggcc acggtataag cgccagcaat tagaaagaag agcaaacaca 960
gatgtctct ggtgtgtcat gcttctggc ataatgtgct taactggcgc agtaggtcat 1020
ggaatctggc tgagcaggta tgaaaagatg catttttca atgtttccga gcctgatgg 1080
catatcatat caccactgtt ggcaggattt tataatgtttt ggaccatgat cattttgtta 1140
caggcttgc ttccatatttc tctctatgtt tccatcgaaa ttgtgaagct tggacaaata 1200

-continued

tatttcattc aaagtgtatgt ggatttctac aatgaaaaaa tggattctat tgttcagtgc	1260
cgagccctga acatcgccga ggatctggaa cagattcagt acctcttttc cgataagaca	1320
ggaaccctca ctgagaataa gatggttttt cgaagatgta gtgtggcagg atttgattac	1380
tgccatgaag aaaatgccag gaggttggag tcctatcagg aagctgtctc tgaagatgaa	1440
gattttatag acacagttag tggttccctc agcaatatgg caaaaccgag agccccagc	1500
tgcaggacag ttcataatgg gcctttggaa aataagccct caaatcatct tgctggagc	1560
tctttactc taggaagtgg agaaggagcc agtgaagtgc ctcattccag acaggctgct	1620
ttcagtagcc ccattgaaac agacgtggta ccagacacca ggcttttaga caaatttagt	1680
cagattacac ctggcttctt tatgccacta gatgagacca tccaaaatcc accaatggaa	1740
actttgtaca ttatcgactt tttcattgca ttggcaattt gcaacacagt agtggttct	1800
gctcctaacc aaccccgaca aaagatcaga caccctcac tgggggggtt gcccattaag	1860
tctttggaaag agattaaaag tctttccag agatggctg tccgaagatc aagtttcca	1920
tcgcttaaca gtggaaaga gccatcttct ggagttccaa acgccttgc gagcagactc	1980
cctctcttta gtcgaatgaa accagcttca cctgtggagg aagaggcttc ccagggtgt	2040
gagagccccc agtgctccag tagctcagct tgctgcacag aaacagagaa acaacacggt	2100
gatgcaggcc tcttgaatgg caaggcagag tccctccctg gacagccatt ggcctgcaac	2160
ctgtgttatg aggccgagag cccagacgaa gcggccttag tgtatgcgc caggottac	2220
caatgcactt tacggctctcg gacaccagag caggtcatgg tggacttgc tgctttggaa	2280
ccattaacat ttcaactctt acacatctcg ccctttgact cagtaagaaa aagaatgtct	2340
gttgtggtcc gacaccctct ttccaatcaa gttgtgggtt atacgaaagg cgctgattct	2400
gtgatcatgg agttactgtc ggtggcttcc ccagatggag caagtctgaa gaaacaacag	2460
atgatagtaa gggagaaaac ccagaagcac ttggatgact atgccaaca aggccttcgt	2520
actttatgtta tagcaaagaa ggtcatgagt gacactgaat atgcagatgt gctgagaaat	2580
catttttttag ctgaaaccag cattgacaac agggagaat tactactgaa atctgcacatg	2640
aggttggaga acaaacttac attacttggt gctactggca ttgaagacccg tctgcaggag	2700
ggagtccctg aatctataga agctcttacaa aaagcgggca tcaagatctg gatgcgtaca	2760
ggggacaagc aggagacagc tgtcaacata gcttatgcat gcaaactact ggagccagat	2820
gacaagctt ttatcctcaa tacccaaagt aaagatgcct gtggatgct gatgacaca	2880
attttggaaag aacttcagaa gaaaactcaa gccctgccag agcaagtgtc attaagtgaa	2940
gatttacttc agcctcctgt cccccggac tcagggttac gagctggact cattatcact	3000
gggaagaccc tggagtttc cctgcaagaa agtctgcataa agcagttctt ggaactgcaca	3060
tcttgggtgtc aagctgtggt ctgctgcccga gccacaccgc tgcaaaaaag tgaagtgggt	3120
aaattgggtcc gcagccatct ccaggtatgtt acccttgcata ttggatgatgg tgccaatgtat	3180
gttagcatga tacaagtggc agacattggg ataggggtct caggtcaaga aggcatgcag	3240
gctgtgtatgg ccagtgcattt tgccgtttctt cagttcaaac atctcagcaaa gctccttctt	3300
gtccatggac actgggttta tacacggctt tccaacatga ttctcttattt tttctataag	3360
aatgtggcct atgtgaacctt ctttttttgg taccagttctt tttgtggatt ttcaggaaaca	3420
tccatgactg attactgggt tttgatcttc ttcaacctcc tcttcacatc tgccccctct	3480

-continued

gtcattttatg	gtgttttggaa	gaaagatgtg	tctgcagaga	ccctcatgca	actgcctgaa	3540
ctttacagaa	gtggtcagaa	atcagaggca	tacttacccc	atacccttctg	gtcacaccttta	3600
ttggatgctt	tttatcaaag	cctggctgc	ttctttgtgc	cttattttac	ctaccagggc	3660
tcagatactg	acatcttgc	atttggaaac	cccctgaaca	cagccactct	gttcatcggt	3720
ctccctccatc	tggtcattga	aagcaagagt	ttgaccaggt	gcagtgactc	acacctgcaa	3780
ttccagagct	ttgggaggct	gtggatcaca	tga			3813

<210> SEQ_ID NO 10

<211> LENGTH: 1270

<212> TYPE: PRT

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 10

Met	Thr	Glu	Ala	Leu	Gln	Trp	Ala	Arg	Tyr	His	Trp	Arg	Arg	Leu	Ile
1				5				10				15			

Arg	Gly	Ala	Thr	Arg	Asp	Asp	Asp	Ser	Gly	Pro	Tyr	Asn	Tyr	Ser	Ser
				20				25				30			

Leu	Leu	Ala	Cys	Gly	Arg	Lys	Ser	Ser	Gln	Ile	Pro	Lys	Leu	Ser	Gly
					35			40				45			

Arg	His	Arg	Ile	Val	Val	Pro	His	Ile	Gln	Pro	Phe	Lys	Asp	Glu	Tyr
				50				55				60			

Glu	Lys	Phe	Ser	Gly	Ala	Tyr	Val	Asn	Asn	Arg	Ile	Arg	Thr	Thr	Lys
					65			70			75			80	

Tyr	Thr	Leu	Leu	Asn	Phe	Val	Pro	Arg	Asn	Leu	Phe	Glu	Gln	Phe	His
					85				90			95			

Arg	Ala	Ala	Asn	Leu	Tyr	Phe	Leu	Phe	Leu	Val	Val	Leu	Asn	Trp	Val
				100				105				110			

Pro	Leu	Val	Glu	Ala	Phe	Gln	Lys	Glu	Ile	Thr	Met	Leu	Pro	Leu	Val
					115			120			125				

Val	Val	Leu	Thr	Ile	Ile	Ala	Ile	Lys	Asp	Gly	Leu	Glu	Asp	Tyr	Arg
					130			135			140				

Lys	Tyr	Lys	Ile	Asp	Lys	Gln	Ile	Asn	Asn	Leu	Ile	Thr	Lys	Val	Tyr
					145			150			155			160	

Ser	Arg	Lys	Glu	Lys	Lys	Tyr	Ile	Asp	Arg	Cys	Trp	Lys	Asp	Val	Thr
					165			170			175				

Val	Gly	Asp	Phe	Ile	Arg	Leu	Ser	Cys	Asn	Glu	Val	Ile	Pro	Ala	Asp
					180			185			190				

Met	Val	Leu	Leu	Phe	Ser	Thr	Asp	Pro	Asp	Gly	Ile	Cys	His	Ile	Glu
					195			200			205				

Thr	Ser	Gly	Leu	Asp	Gly	Glu	Ser	Asn	Leu	Lys	Gln	Arg	Gln	Val	Val
					210			215			220				

Arg	Gly	Tyr	Ala	Glu	Gln	Asp	Ser	Glu	Val	Asp	Pro	Glu	Lys	Phe	Ser
					225			230			235			240	

Ser	Arg	Ile	Glu	Cys	Glu	Ser	Pro	Asn	Asn	Asp	Leu	Ser	Arg	Phe	Arg
					245			250			255				

Gly	Phe	Leu	Glu	His	Ser	Asn	Lys	Glu	Arg	Val	Gly	Leu	Ser	Lys	Glu
					260			265			270				

Asn	Leu	Leu	Leu	Arg	Gly	Cys	Thr	Ile	Arg	Asn	Thr	Glu	Ala	Val	Val
					275			280			285				

Gly	Ile	Val	Val	Tyr	Ala	Gly	His	Glu	Thr	Lys	Ala	Met	Leu	Asn	Asn
					290			295			300				

-continued

Ser Gly Pro Arg Tyr Lys Arg Ser Lys Leu Glu Arg Arg Ala Asn Thr
 305 310 315 320
 Asp Val Leu Trp Cys Val Met Leu Leu Val Ile Met Cys Leu Thr Gly
 325 330 335
 Ala Val Gly His Gly Ile Trp Leu Ser Arg Tyr Glu Lys Met His Phe
 340 345 350
 Phe Asn Val Pro Glu Pro Asp Gly His Ile Ile Ser Pro Leu Leu Ala
 355 360 365
 Gly Phe Tyr Met Phe Trp Thr Met Ile Ile Leu Leu Gln Val Leu Ile
 370 375 380
 Pro Ile Ser Leu Tyr Val Ser Ile Glu Ile Val Lys Leu Gly Gln Ile
 385 390 395 400
 Tyr Phe Ile Gln Ser Asp Val Asp Phe Tyr Asn Glu Lys Met Asp Ser
 405 410 415
 Ile Val Gln Cys Arg Ala Leu Asn Ile Ala Glu Asp Leu Gly Gln Ile
 420 425 430
 Gln Tyr Leu Phe Ser Asp Lys Thr Gly Thr Leu Thr Glu Asn Lys Met
 435 440 445
 Val Phe Arg Arg Cys Ser Val Ala Gly Phe Asp Tyr Cys His Glu Glu
 450 455 460
 Asn Ala Arg Arg Leu Glu Ser Tyr Gln Glu Ala Val Ser Glu Asp Glu
 465 470 475 480
 Asp Phe Ile Asp Thr Val Ser Gly Ser Leu Ser Asn Met Ala Lys Pro
 485 490 495
 Arg Ala Pro Ser Cys Arg Thr Val His Asn Gly Pro Leu Gly Asn Lys
 500 505 510
 Pro Ser Asn His Leu Ala Gly Ser Ser Phe Thr Leu Gly Ser Gly Glu
 515 520 525
 Gly Ala Ser Glu Val Pro His Ser Arg Gln Ala Ala Phe Ser Ser Pro
 530 535 540
 Ile Glu Thr Asp Val Val Pro Asp Thr Arg Leu Leu Asp Lys Phe Ser
 545 550 555 560
 Gln Ile Thr Pro Arg Leu Phe Met Pro Leu Asp Glu Thr Ile Gln Asn
 565 570 575
 Pro Pro Met Glu Thr Leu Tyr Ile Ile Asp Phe Phe Ile Ala Leu Ala
 580 585 590
 Ile Cys Asn Thr Val Val Val Ser Ala Pro Asn Gln Pro Arg Gln Lys
 595 600 605
 Ile Arg His Pro Ser Leu Gly Gly Leu Pro Ile Lys Ser Leu Glu Glu
 610 615 620
 Ile Lys Ser Leu Phe Gln Arg Trp Ser Val Arg Arg Ser Ser Ser Pro
 625 630 635 640
 Ser Leu Asn Ser Gly Lys Glu Pro Ser Ser Gly Val Pro Asn Ala Phe
 645 650 655
 Val Ser Arg Leu Pro Leu Phe Ser Arg Met Lys Pro Ala Ser Pro Val
 660 665 670
 Glu Glu Glu Val Ser Gln Val Cys Glu Ser Pro Gln Cys Ser Ser Ser
 675 680 685
 Ser Ala Cys Cys Thr Glu Thr Glu Lys Gln His Gly Asp Ala Gly Leu
 690 695 700

-continued

Leu Asn Gly Lys Ala Glu Ser Leu Pro Gly Gln Pro Leu Ala Cys Asn
 705 710 715 720
 Leu Cys Tyr Glu Ala Glu Ser Pro Asp Glu Ala Ala Leu Val Tyr Ala
 725 730 735
 Ala Arg Ala Tyr Gln Cys Thr Leu Arg Ser Arg Thr Pro Glu Gln Val
 740 745 750
 Met Val Asp Phe Ala Ala Leu Gly Pro Leu Thr Phe Gln Leu Leu His
 755 760 765
 Ile Leu Pro Phe Asp Ser Val Arg Lys Arg Met Ser Val Val Val Arg
 770 775 780
 His Pro Leu Ser Asn Gln Val Val Val Tyr Thr Lys Gly Ala Asp Ser
 785 790 795 800
 Val Ile Met Glu Leu Leu Ser Val Ala Ser Pro Asp Gly Ala Ser Leu
 805 810 815
 Glu Lys Gln Gln Met Ile Val Arg Glu Lys Thr Gln Lys His Leu Asp
 820 825 830
 Asp Tyr Ala Lys Gln Gly Leu Arg Thr Leu Cys Ile Ala Lys Lys Val
 835 840 845
 Met Ser Asp Thr Glu Tyr Ala Glu Trp Leu Arg Asn His Phe Leu Ala
 850 855 860
 Glu Thr Ser Ile Asp Asn Arg Glu Glu Leu Leu Leu Glu Ser Ala Met
 865 870 875 880
 Arg Leu Glu Asn Lys Leu Thr Leu Leu Gly Ala Thr Gly Ile Glu Asp
 885 890 895
 Arg Leu Gln Glu Gly Val Pro Glu Ser Ile Glu Ala Leu His Lys Ala
 900 905 910
 Gly Ile Lys Ile Trp Met Leu Thr Gly Asp Lys Gln Glu Thr Ala Val
 915 920 925
 Asn Ile Ala Tyr Ala Cys Lys Leu Leu Glu Pro Asp Asp Lys Leu Phe
 930 935 940
 Ile Leu Asn Thr Gln Ser Lys Asp Ala Cys Gly Met Leu Met Ser Thr
 945 950 955 960
 Ile Leu Lys Glu Leu Gln Lys Lys Thr Gln Ala Leu Pro Glu Gln Val
 965 970 975
 Ser Leu Ser Glu Asp Leu Leu Gln Pro Pro Val Pro Arg Asp Ser Gly
 980 985 990
 Leu Arg Ala Gly Leu Ile Ile Thr Gly Lys Thr Leu Glu Phe Ala Leu
 995 1000 1005
 Gln Glu Ser Leu Gln Lys Gln Phe Leu Glu Leu Thr Ser Trp Cys Gln
 1010 1015 1020
 Ala Val Val Cys Cys Arg Ala Thr Pro Leu Gln Lys Ser Glu Val Val
 1025 1030 1035 1040
 Lys Leu Val Arg Ser His Leu Gln Val Met Thr Leu Ala Ile Gly Asp
 1045 1050 1055
 Gly Ala Asn Asp Val Ser Met Ile Gln Val Ala Asp Ile Gly Ile Gly
 1060 1065 1070
 Val Ser Gly Gln Glu Gly Met Gln Ala Val Met Ala Ser Asp Phe Ala
 1075 1080 1085
 Val Ser Gln Phe Lys His Leu Ser Lys Leu Leu Val His Gly His
 1090 1095 1100
 Trp Cys Tyr Thr Arg Leu Ser Asn Met Ile Leu Tyr Phe Phe Tyr Lys

-continued

1105	1110	1115	1120
Asn Val Ala Tyr Val Asn Leu Leu Phe Trp Tyr Gln Phe Phe Cys Gly			
1125	1130	1135	
Phe Ser Gly Thr Ser Met Thr Asp Tyr Trp Val Leu Ile Phe Phe Asn			
1140	1145	1150	
Leu Leu Phe Thr Ser Ala Pro Pro Val Ile Tyr Gly Val Leu Glu Lys			
1155	1160	1165	
Asp Val Ser Ala Glu Thr Leu Met Gln Leu Pro Glu Leu Tyr Arg Ser			
1170	1175	1180	
Gly Gln Lys Ser Glu Ala Tyr Leu Pro His Thr Phe Trp Ile Thr Leu			
1185	1190	1195	1200
Leu Asp Ala Phe Tyr Gln Ser Leu Val Cys Phe Phe Val Pro Tyr Phe			
1205	1210	1215	
Thr Tyr Gln Gly Ser Asp Thr Asp Ile Phe Ala Phe Gly Asn Pro Leu			
1220	1225	1230	
Asn Thr Ala Thr Leu Phe Ile Val Leu Leu His Leu Val Ile Glu Ser			
1235	1240	1245	
Lys Ser Leu Thr Arg Cys Ser Asp Ser His Leu Gln Phe Gln Ser Phe			
1250	1255	1260	
Gly Arg Leu Trp Ile Thr			
1265	1270		

<210> SEQ ID NO 11

<211> LENGTH: 1269

<212> TYPE: DNA

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 11

atgagtgaca ctgaatatgc agagtggctg aggaatcatt ttttagtga aaccagcatt	60
gacaacaggaa aagaattact acttgaatct gccatgaggt tggagaacaa acttacatta	120
cttggtgcta ctggcattga agaccgtctg caggagggag tccctgaatc tatagaagct	180
cttcacaaaag cgggcatcaa gatctggatg ctgacagggg acaagcgagg gacagctgtc	240
aacatagctt atgcatgaa actactggag ccagatgaca agcttttat cctcaataacc	300
caaagtaaag atgcctgtgg gatgctgatg agcacaattt tgaaagaact tcagaagaaa	360
actcaagccc tgccagagca agtgtcatta agtgaagatt tacttcagcc tcctgtcccc	420
cgggactcag gtttacgagc tggactcattt atcactggaa agaccctggaa gtttgcctg	480
caagaaagtc tgccaaagca gttcctggaa ctgacatctt ggtgtcaagc tgggtctgc	540
tggccagcca caccgctgca gaaaagtgaa gtggtaaat tggccgcag ccattccag	600
gtgtatgaccc ttgttattgg tggatggcctt aatgtatgtt gcatgataca agtggcagac	660
atggggatag gggtctcagg tcaagaaggc atgcaggctg tggatggcag tgactttgcc	720
gtttctcagt tcaaacatct cagcaagctc cttcttgcctt atggacactg gtgttataaca	780
cggctttcca acatgattctt ctatttttc tataagaatg tggcctatgt gaacctcctt	840
ttctggtacc agttcttttgc tggatttca ggaacatcca tgactgatc ctgggttttg	900
atcttcttca acctccttca cacatctgcc cttcctgtca tttatgggtt tttggagaaa	960
gatgtgtctg cagagaccct catgcaactt acagaagtgg tcagaaatca	1020
gaggcatact tacccatac cttctggatc accttattgg atgctttta tcaaagcctg	1080

-continued

```
gtctgcttct ttgtgcctta ttttacctac cagggctcag atactgacat ctttgcattt      1140
gaaacccccc tgaacacacgc cactctgttc atcggtctcc tccatctggt cattgaaagc      1200
aagagtttga ccaggtgcag tgactcacac ctgcaattcc agagcttgg gaggctgtgg      1260
atcacatga                                         1269
```

<210> SEQ_ID NO 12
<211> LENGTH: 422
<212> TYPE: PRT
<213> ORGANISM: homo sapiens

<400> SEQUENCE: 12

Met	Ser	Asp	Thr	Glu	Tyr	Ala	Glu	Trp	Leu	Arg	Asn	His	Phe	Leu	Ala
1				5				10					15		

Glu	Thr	Ser	Ile	Asp	Asn	Arg	Glu	Glu	Leu	Leu	Leu	Glu	Ser	Ala	Met
			20				25					30			

Arg	Leu	Glu	Asn	Lys	Leu	Thr	Leu	Leu	Gly	Ala	Thr	Gly	Ile	Glu	Asp
	35						40					45			

Arg	Leu	Gln	Glu	Gly	Val	Pro	Glu	Ser	Ile	Glu	Ala	Leu	His	Lys	Ala
	50						55					60			

Gly	Ile	Lys	Ile	Trp	Met	Leu	Thr	Gly	Asp	Lys	Gln	Glu	Thr	Ala	Val
	65						70					75			80

Asn	Ile	Ala	Tyr	Ala	Cys	Lys	Leu	Leu	Glu	Pro	Asp	Asp	Lys	Leu	Phe
	85						90					95			

Ile	Leu	Asn	Thr	Gln	Ser	Lys	Asp	Ala	Cys	Gly	Met	Leu	Met	Ser	Thr
	100							105				110			

Ile	Leu	Lys	Glu	Leu	Gln	Lys	Thr	Gln	Ala	Leu	Pro	Glu	Gln	Val
	115						120					125		

Ser	Leu	Ser	Glu	Asp	Leu	Leu	Gln	Pro	Pro	Val	Pro	Arg	Asp	Ser	Gly
	130						135					140			

Leu	Arg	Ala	Gly	Leu	Ile	Ile	Thr	Gly	Lys	Thr	Leu	Glu	Phe	Ala	Leu
	145						150					155			160

Gln	Glu	Ser	Leu	Gln	Lys	Gln	Phe	Leu	Glu	Leu	Thr	Ser	Trp	Cys	Gln
	165						170					175			

Ala	Val	Val	Cys	Cys	Arg	Ala	Thr	Pro	Leu	Gln	Lys	Ser	Glu	Val	Val
	180						185					190			

Lys	Leu	Val	Arg	Ser	His	Leu	Gln	Val	Met	Thr	Leu	Ala	Ile	Gly	Asp
	195						200					205			

Gly	Ala	Asn	Asp	Val	Ser	Met	Ile	Gln	Val	Ala	Asp	Ile	Gly	Ile	Gly
	210						215					220			

Val	Ser	Gly	Gln	Glu	Gly	Met	Gln	Ala	Val	Met	Ala	Ser	Asp	Phe	Ala
	225						230					235			240

Val	Ser	Gln	Phe	Lys	His	Leu	Ser	Lys	Leu	Leu	Leu	Val	His	Gly	His
	245						250					255			

Trp	Cys	Tyr	Thr	Arg	Leu	Ser	Asn	Met	Ile	Leu	Tyr	Phe	Phe	Tyr	Lys
	260						265					270			

Asn	Val	Ala	Tyr	Val	Asn	Leu	Leu	Phe	Trp	Tyr	Gln	Phe	Phe	Cys	Gly
	275						280					285			

Phe	Ser	Gly	Thr	Ser	Met	Thr	Asp	Tyr	Trp	Val	Leu	Ile	Phe	Phe	Asn
	290						295					300			

Leu	Leu	Phe	Thr	Ser	Ala	Pro	Pro	Val	Ile	Tyr	Gly	Val	Leu	Glu	Lys
	305						310					315			320

-continued

Asp	Val	Ser	Ala	Glu	Thr	Leu	Met	Gln	Leu	Pro	Glu	Leu	Tyr	Arg	Ser
							325				330				335
Gly	Gln	Lys	Ser	Glu	Ala	Tyr	Leu	Pro	His	Thr	Phe	Trp	Ile	Thr	Leu
							340			345				350	
Leu	Asp	Ala	Phe	Tyr	Gln	Ser	Leu	Val	Cys	Phe	Phe	Val	Pro	Tyr	Phe
							355			360				365	
Thr	Tyr	Gln	Gly	Ser	Asp	Thr	Asp	Ile	Phe	Ala	Phe	Gly	Asn	Pro	Leu
							370			375				380	
Asn	Thr	Ala	Thr	Leu	Phe	Ile	Val	Leu	Leu	His	Leu	Val	Ile	Glu	Ser
							385			390				400	
Lys	Ser	Leu	Thr	Arg	Cys	Ser	Asp	Ser	His	Leu	Gln	Phe	Gln	Ser	Phe
							405			410				415	
Gly	Arg	Leu	Trp	Ile	Thr										
							420								

<210> SEQ ID NO 13
<211> LENGTH: 4281
<212> TYPE: DNA
<213> ORGANISM: homo sapiens

<400> SEQUENCE: 13

atgactgagg ctctccaaatg ggccagatat cactggcgac ggctgtatcg aggtgcaacc 60
agggatgtat attcaggggcc atacaactat tcctcggtgc tcgcctgtgg ggcgaatgtcc 120
tctcagatcc cttaaactgtc aggaaggcac cggttttg ttccccacat ccagcccttc 180
aaggatgtat atgagaaggct ctccggagcc tatgtaaaca atcgaataacg aacaacaaag 240
tacacacttc tgaattttgt gccaagaat ttatggaaac aatttcacag agctgccaat 300
ttatatttc tggtccctgt tggtccctgtac tgggtacctt tggttagaaac cttccaaaag 360
gaaatcacca tggtgcctct ggtgggtggc cttacaattaa tcgcaattaa agatggcctg 420
gaagattatc ggaaataacaa aattgacaaa cagatcaata atttaataac taaagtttat 480
atgtaggaaag agaaaaaaaata cattgaccga tgctggaaag acgttactgt tggggacttt 540
attcgccctct cctgcaacga ggtcatccct gcagacatgg tactactctt ttccactgt 600
ccagatggaa tctgtcacat tgagacttct ggtcttgatg gagagagcaa tttaaaacag 660
aggcagggtgg ttccccggata tgccggacag gactctgttggatccctgtaa gaagttttcc 720
atgtaggataa aatgtgaaag cccaaacaaat gacccatggc gattccggagg cttccatggaa 780
cattccaaaca aagaacgcgt gggcttcgt aaagaaaaatt tggtgtttag aggatgcacc 840
attagaaaca cagaggctgt tggtggcatt gtgggtttatg caggccatga aaccaaagca 900
atgctgaaca acagtggccc acggtataag cgccggaaat tagaaagaag agccaaacaca 960
gtatgtccctct ggtgtgtcat gcttctggc ataatgtgtt taactggcgc agtaggtcat 1020
ggaaatctggc tgagcaggta tgaaaagatg cattttttca atgtttccgc gcctgtatgg 1080
catatcatat caccactgtt ggcaggattt tataatgtttt ggaccatgtat cattttgtta 1140
caggcttgc ttccatatttc tctctatgtt tccatcgaaa ttgtgtttagt ggaccaata 1200
tatttcattt aaagtgtatgtt ggatttctac aatgaaaaaa tggattctat tggttcgtgc 1260
cgagccctga acatcgccga ggtatggcgtt cagattcgtt acctcttttc cgataagaca 1320
ggaaacctca ctgagaataa gatgggtttt cgaagatgtt gttgtggcagg atttgattac 1380
tgccatggaa aaaaatgtcccgag gaggttggag tcctatcagg aagctgtctc tgaagatgaa 1440

-continued

gattttatacg acacagtcag tggccctc agcaatatgg caaaaccgag agccccagc	1500
tgcaggacag ttcataatgg gccttggga aataagccct caaatcatct tgctggagc	1560
tctttactc taggaagtgg agaaggagcc agtgaagtgc ctcattccag acaggotgct	1620
ttcagtagcc ccattgaaac agacgtggta ccagacacca ggctttaga caaatttagt	1680
cagattacac ctggcttct tatgccacta gatgagacca tccaaaatcc accaatggaa	1740
actttgtaca ttatcgactt ttccattgca ttggcaattt gcaacacagt agtggttct	1800
gctcctaacc aaccccgaca aaagatcaga cacccttcac tgggggggtt gcccattaag	1860
tcttggaaag agattaaaag tctttccag agatggctg tccgaagatc aagtctcca	1920
tcgcttaaca gtggaaaga gccatcttct ggagttccaa acgccttgt gaggcactc	1980
cctctcttta gtcgaatgaa accagcttca cctgtggagg aagaggcttc ccaggtgt	2040
gagagcccc agtgctccag tagctcagct tgctgcacag aaacagagaa acaacacggt	2100
gatgcaggcc tcctgaatgg caaggcagag tccctccctg gacagccatt ggcctgcaac	2160
ctgtgttatg aggccgagag cccagacgaa gggcccttag tttatgcgc cagggttac	2220
caatgcactt tacggctctcg gacaccagag caggtcatgg tggactttgc tgctttggaa	2280
ccattaacat ttcaactcct acacatcctg cccttgact cagtaagaaa aagaatgtct	2340
gttgtggtcc gacaccctct ttccaatcaa gttgtggtgt atacgaaagg cgctgattct	2400
gtgatcatgg agttactgtc ggtggcttcc ccagatggag caagtctgaa gaaacaacag	2460
atgatagtaa gggagaaaac ccagaagcac ttggatgact atgcacaaaca aggccctcg	2520
actttatgta tagcaaagaa ggtcatgagt gacactgaat atgcagagtg gctgaggaat	2580
catttttag ctgaaaccag cattgacaac agggagaat tactacttga atctgcacatg	2640
aggttggaga acaaacttac attacttggt gttactggca ttgaagaccg tctgcaggag	2700
ggagtccctg aatctataga agtcttcac aaagcgggca tcaagatctg gatgtgcaca	2760
ggggacaagc aggagacagc tgtcaacata gttatgcat gcaaactact ggagccagat	2820
gacaagctt ttatcccaa tacccaaagt aaagatgcct gttggatgct gatgagcaca	2880
attttgaag aacctcagaa gaaaactcaa gccctgccag agcaagtgtc attaagtgaa	2940
gatttacttc agcctccctgt cccccggc acgtgggttac gagctggact cattatcact	3000
ggaaagaccc tggagttgc cttgcaagaa agtctgaaa agcagttctt ggaactgaca	3060
tcttgggttc aagctgttgt ctgctgcgc gccacaccgc tgcagaaaaa tgaagtggtg	3120
aaattggcc gcaaggcatct ccaggtgatg acccttgcta ttgggtatgg tgccaatgat	3180
gttagcatga tacaagtggc agacattggg ataggggtct caggtcaaga aggcatgcag	3240
gctgtgtatgg ccagtgcatt tgccgttct cagttcaaac atctcagca gtccttctt	3300
gtccatggac actgggttta tacacggctt tccaaacatga ttctctatattt ttctataag	3360
aatgtggcct atgtgaacct cttttctgg taccagttct tttgtggatt ttcaagaaaca	3420
tccatgactg attactgggt ttgtatcttc ttcaaccccttcc tcttcacatc tgccccctt	3480
gtcattttatg gtgtttggaa gaaagatgtg tctgcagaga ccctcatgca actgcctgaa	3540
ctttacagaa gtggtcagaa atcagaggca tacttacccc ataccttctg gatcaccttta	3600
ttggatgctt ttatcaaag cttggcttc ttctttgtgc ttatatttac ctaccaggc	3660
tcagatactg acatcttgc atttggaaac cccctgaaca cagccactt gttcatcggtt	3720

-continued

ctcctccatc tggcattga aagcaagagt ttgacttgg a	ttcacttgct ggtcatcatt	3780
ggtagcatct tgtcttattt ttatggcc atagttttg gagccatgt tgtaacttg	c	3840
aacccaccat ccaaccctta ctggattatg caggagcaca tgctggatcc agtattctac		3900
ttagttgtatcc tcctcacgac gtccattgtcttctgccc ggtttgtata cagagtctt		3960
caggatccc tggatccc tccaattctc agagctaagc actttgacag actaactcca		4020
gaggagagga ctaaagctct caagaagtgg agaggggcgtg gaaagatgaa tcaagtgaca		4080
tcaaagtatg ctaaccaatc agctggcaag tcaggaagaa gacccatgcc tggccctct		4140
gctgtatccat ccatgaagtc agcaacttcc tggctatgg agcaaggaaa cttatctctg		4200
tgtgaaactg ctttagatca aggctactct gaaactaagg cctttgagat ggctggaccc		4260
tccaaaggta aagaaagcta g		4281

<210> SEQ_ID NO 14

<211> LENGTH: 1426

<212> TYPE: PRT

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 14

Met Thr Glu Ala Leu Gln Trp Ala Arg Tyr His Trp Arg Arg	Leu Ile		
1	5	10	15

Arg Gly Ala Thr Arg Asp Asp Asp Ser Gly Pro Tyr Asn Tyr Ser Ser			
20	25	30	

Leu Leu Ala Cys Gly Arg Lys Ser Ser Gln Ile Pro Lys Leu Ser Gly			
35	40	45	

Arg His Arg Ile Val Val Pro His Ile Gln Pro Phe Lys Asp Glu Tyr			
50	55	60	

Glu Lys Phe Ser Gly Ala Tyr Val Asn Asn Arg Ile Arg Thr Thr Lys			
65	70	75	80

Tyr Thr Leu Leu Asn Phe Val Pro Arg Asn Leu Phe Glu Gln Phe His			
85	90	95	

Arg Ala Ala Asn Leu Tyr Phe Leu Phe Leu Val Val Leu Asn Trp Val			
100	105	110	

Pro Leu Val Glu Ala Phe Gln Lys Glu Ile Thr Met Leu Pro Leu Val			
115	120	125	

Val Val Leu Thr Ile Ile Ala Ile Lys Asp Gly Leu Glu Asp Tyr Arg			
130	135	140	

Lys Tyr Lys Ile Asp Lys Gln Ile Asn Asn Leu Ile Thr Lys Val Tyr			
145	150	155	160

Ser Arg Lys Glu Lys Lys Tyr Ile Asp Arg Cys Trp Lys Asp Val Thr			
165	170	175	

Val Gly Asp Phe Ile Arg Leu Ser Cys Asn Glu Val Ile Pro Ala Asp			
180	185	190	

Met Val Leu Leu Phe Ser Thr Asp Pro Asp Gly Ile Cys His Ile Glu			
195	200	205	

Thr Ser Gly Leu Asp Gly Glu Ser Asn Leu Lys Gln Arg Gln Val Val			
210	215	220	

Arg Gly Tyr Ala Glu Gln Asp Ser Glu Val Asp Pro Glu Lys Phe Ser			
225	230	235	240

Ser Arg Ile Glu Cys Glu Ser Pro Asn Asn Asp Leu Ser Arg Phe Arg			
245	250	255	

-continued

Gly Phe Leu Glu His Ser Asn Lys Glu Arg Val Gly Leu Ser Lys Glu
260 265 270

Asn Leu Leu Leu Arg Gly Cys Thr Ile Arg Asn Thr Glu Ala Val Val
275 280 285

Gly Ile Val Val Tyr Ala Gly His Glu Thr Lys Ala Met Leu Asn Asn
290 295 300

Ser Gly Pro Arg Tyr Lys Arg Ser Lys Leu Glu Arg Arg Ala Asn Thr
305 310 315 320

Asp Val Leu Trp Cys Val Met Leu Leu Val Ile Met Cys Leu Thr Gly
325 330 335

Ala Val Gly His Gly Ile Trp Leu Ser Arg Tyr Glu Lys Met His Phe
340 345 350

Phe Asn Val Pro Glu Pro Asp Gly His Ile Ile Ser Pro Leu Leu Ala
355 360 365

Gly Phe Tyr Met Phe Trp Thr Met Ile Ile Leu Leu Gln Val Leu Ile
370 375 380

Pro Ile Ser Leu Tyr Val Ser Ile Glu Ile Val Lys Leu Gly Gln Ile
385 390 395 400

Tyr Phe Ile Gln Ser Asp Val Asp Phe Tyr Asn Glu Lys Met Asp Ser
405 410 415

Ile Val Gln Cys Arg Ala Leu Asn Ile Ala Glu Asp Leu Gly Gln Ile
420 425 430

Gln Tyr Leu Phe Ser Asp Lys Thr Gly Thr Leu Thr Glu Asn Lys Met
435 440 445

Val Phe Arg Arg Cys Ser Val Ala Gly Phe Asp Tyr Cys His Glu Glu
450 455 460

Asn Ala Arg Arg Leu Glu Ser Tyr Gln Glu Ala Val Ser Glu Asp Glu
465 470 475 480

Asp Phe Ile Asp Thr Val Ser Gly Ser Leu Ser Asn Met Ala Lys Pro
485 490 495

Arg Ala Pro Ser Cys Arg Thr Val His Asn Gly Pro Leu Gly Asn Lys
500 505 510

Pro Ser Asn His Leu Ala Gly Ser Ser Phe Thr Leu Gly Ser Gly Glu
515 520 525

Gly Ala Ser Glu Val Pro His Ser Arg Gln Ala Ala Phe Ser Ser Pro
530 535 540

Ile Glu Thr Asp Val Val Pro Asp Thr Arg Leu Leu Asp Lys Phe Ser
545 550 555 560

Gln Ile Thr Pro Arg Leu Phe Met Pro Leu Asp Glu Thr Ile Gln Asn
565 570 575

Pro Pro Met Glu Thr Leu Tyr Ile Ile Asp Phe Phe Ile Ala Leu Ala
580 585 590

Ile Cys Asn Thr Val Val Ser Ala Pro Asn Gln Pro Arg Gln Lys
595 600 605

Ile Arg His Pro Ser Leu Gly Gly Leu Pro Ile Lys Ser Leu Glu Glu
610 615 620

Ile Lys Ser Leu Phe Gln Arg Trp Ser Val Arg Arg Ser Ser Ser Pro
625 630 635 640

Ser Leu Asn Ser Gly Lys Glu Pro Ser Ser Gly Val Pro Asn Ala Phe
645 650 655

-continued

Val Ser Arg Leu Pro Leu Phe Ser Arg Met Lys Pro Ala Ser Pro Val
660 665 670

Glu Glu Glu Val Ser Gln Val Cys Glu Ser Pro Gln Cys Ser Ser Ser
675 680 685

Ser Ala Cys Cys Thr Glu Thr Glu Lys Gln His Gly Asp Ala Gly Leu
690 695 700

Leu Asn Gly Lys Ala Glu Ser Leu Pro Gly Gln Pro Leu Ala Cys Asn
705 710 715 720

Leu Cys Tyr Glu Ala Glu Ser Pro Asp Glu Ala Ala Leu Val Tyr Ala
725 730 735

Ala Arg Ala Tyr Gln Cys Thr Leu Arg Ser Arg Thr Pro Glu Gln Val
740 745 750

Met Val Asp Phe Ala Ala Leu Gly Pro Leu Thr Phe Gln Leu Leu His
755 760 765

Ile Leu Pro Phe Asp Ser Val Arg Lys Arg Met Ser Val Val Val Arg
770 775 780

His Pro Leu Ser Asn Gln Val Val Val Tyr Thr Lys Gly Ala Asp Ser
785 790 795 800

Val Ile Met Glu Leu Leu Ser Val Ala Ser Pro Asp Gly Ala Ser Leu
805 810 815

Glu Lys Gln Gln Met Ile Val Arg Glu Lys Thr Gln Lys His Leu Asp
820 825 830

Asp Tyr Ala Lys Gln Gly Leu Arg Thr Leu Cys Ile Ala Lys Lys Val
835 840 845

Met Ser Asp Thr Glu Tyr Ala Glu Trp Leu Arg Asn His Phe Leu Ala
850 855 860

Glu Thr Ser Ile Asp Asn Arg Glu Glu Leu Leu Glu Ser Ala Met
865 870 875 880

Arg Leu Glu Asn Lys Leu Thr Leu Leu Gly Ala Thr Gly Ile Glu Asp
885 890 895

Arg Leu Gln Glu Gly Val Pro Glu Ser Ile Glu Ala Leu His Lys Ala
900 905 910

Gly Ile Lys Ile Trp Met Leu Thr Gly Asp Lys Gln Glu Thr Ala Val
915 920 925

Asn Ile Ala Tyr Ala Cys Lys Leu Leu Glu Pro Asp Asp Lys Leu Phe
930 935 940

Ile Leu Asn Thr Gln Ser Lys Asp Ala Cys Gly Met Leu Met Ser Thr
945 950 955 960

Ile Leu Lys Glu Leu Gln Lys Lys Thr Gln Ala Leu Pro Glu Gln Val
965 970 975

Ser Leu Ser Glu Asp Leu Leu Gln Pro Pro Val Pro Arg Asp Ser Gly
980 985 990

Leu Arg Ala Gly Leu Ile Ile Thr Gly Lys Thr Leu Glu Phe Ala Leu
995 1000 1005

Gln Glu Ser Leu Gln Lys Gln Phe Leu Glu Leu Thr Ser Trp Cys Gln
1010 1015 1020

Ala Val Val Cys Cys Arg Ala Thr Pro Leu Gln Lys Ser Glu Val Val
1025 1030 1035 1040

Lys Leu Val Arg Ser His Leu Gln Val Met Thr Leu Ala Ile Gly Asp
1045 1050 1055

Gly Ala Asn Asp Val Ser Met Ile Gln Val Ala Asp Ile Gly Ile Gly

-continued

1060	1065	1070
Val Ser Gly Gln Glu Gly Met Gln Ala Val Met Ala Ser Asp Phe Ala		
1075	1080	1085
Val Ser Gln Phe Lys His Leu Ser Lys Leu Leu Val His Gly His		
1090	1095	1100
Trp Cys Tyr Thr Arg Leu Ser Asn Met Ile Leu Tyr Phe Phe Tyr Lys		
1105	1110	1115
Asn Val Ala Tyr Val Asn Leu Leu Phe Trp Tyr Gln Phe Phe Cys Gly		
1125	1130	1135
Phe Ser Gly Thr Ser Met Thr Asp Tyr Trp Val Leu Ile Phe Phe Asn		
1140	1145	1150
Leu Leu Phe Thr Ser Ala Pro Pro Val Ile Tyr Gly Val Leu Glu Lys		
1155	1160	1165
Asp Val Ser Ala Glu Thr Leu Met Gln Leu Pro Glu Leu Tyr Arg Ser		
1170	1175	1180
Gly Gln Lys Ser Glu Ala Tyr Leu Pro His Thr Phe Trp Ile Thr Leu		
1185	1190	1195
Leu Asp Ala Phe Tyr Gln Ser Leu Val Cys Phe Phe Val Pro Tyr Phe		
1205	1210	1215
Thr Tyr Gln Gly Ser Asp Thr Asp Ile Phe Ala Phe Gly Asn Pro Leu		
1220	1225	1230
Asn Thr Ala Thr Leu Phe Ile Val Leu Leu His Leu Val Ile Glu Ser		
1235	1240	1245
Lys Ser Leu Thr Trp Ile His Leu Leu Val Ile Ile Gly Ser Ile Leu		
1250	1255	1260
Ser Tyr Phe Leu Phe Ala Ile Val Phe Gly Ala Met Cys Val Thr Cys		
1265	1270	1275
Asn Pro Pro Ser Asn Pro Tyr Trp Ile Met Gln Glu His Met Leu Asp		
1285	1290	1295
Pro Val Phe Tyr Leu Val Cys Ile Leu Thr Thr Ser Ile Ala Leu Leu		
1300	1305	1310
Pro Arg Phe Val Tyr Arg Val Leu Gln Gly Ser Leu Phe Pro Ser Pro		
1315	1320	1325
Ile Leu Arg Ala Lys His Phe Asp Arg Leu Thr Pro Glu Glu Arg Thr		
1330	1335	1340
Lys Ala Leu Lys Trp Arg Gly Ala Gly Lys Met Asn Gln Val Thr		
1345	1350	1355
Ser Lys Tyr Ala Asn Gln Ser Ala Gly Lys Ser Gly Arg Arg Pro Met		
1365	1370	1375
Pro Gly Pro Ser Ala Val Phe Ala Met Lys Ser Ala Thr Ser Cys Ala		
1380	1385	1390
Ile Glu Gln Gly Asn Leu Ser Leu Cys Glu Thr Ala Leu Asp Gln Gly		
1395	1400	1405
Tyr Ser Glu Thr Lys Ala Phe Glu Met Ala Gly Pro Ser Lys Gly Lys		
1410	1415	1420
Glu Ser		
1425		

<210> SEQ ID NO 15
<211> LENGTH: 1737
<212> TYPE: DNA
<213> ORGANISM: homo sapiens

-continued

<400> SEQUENCE: 15

```

atgagtgaca ctgaatatgc agagtggctg aggaatcatt ttttagctga aaccagcatt      60
gacaacaggg aagaattact acttgaatct gccatgaggt tggagaacaa acttacatta     120
cttggtgcta ctggcattga agaccgtctg caggagggag tccctgaatc tatagaagct     180
cttcacaaag cgggcatcaa gatctggatc ctgacagggg acaagcagga gacagotgtc     240
aacatagctt atgcatgaa actactggag ccagatgaca agcttttat cctcaataacc   300
caaagtaaag atgcctgtgg gatgctgatg agcacaattt tgaaagaact tcagaagaaa   360
actcaagccc tgccagagca agtgtcatta agtgaagatt tacttcagcc tcctgtcccc   420
cgggactcag ggttacgagc tggactcatt atcactggga agaccctgg a gtttgcctg   480
caagaaagtc tgcaaaagca gttcctggaa ctgacatctt ggtgtcaagc tgggtctgc   540
tgccgagcca caccgctgca gaaaagtgaa gtggtaaat tggtccgcag ccattccag    600
gtgatgaccc ttgcttattgg tcatggtgcc aatgatgatc gcatgatcata agtggcagac   660
attgggatag gggtctcagg tcaagaaggc atgcaggctg tcatggccag tgactttgcc   720
gtttctcagt tcaaaacatct cagcaagctc cttcttgc atggacactg gtgttataca   780
cggtttcca acatgattct ctatTTTtataagaatg tggcttatgt gaacctcctt     840
ttctggtacc agttcttttgc ttgatTTTca ggaacatcca tgactgatc ctgggtttg   900
atcttcttca acctcccttt cacatctgcc cttctgtca tttatgggt tttggagaaa   960
gatgtgtctg cagagaccct catgcaactg cttgttgc acagaagtgg tcagaaatca 1020
gaggcatact tacccatac cttctggatc accttattgg atgctttta tcaaaggctg 1080
gtctgcttctt ttgtgccttta ttttacatc caggcgtcag atactgatcattt ctttgcattt 1140
gaaaccccccc tgaacacacgc cactctgttc atcggttcc tccatctggt cattgaaagc 1200
aagagtttgc cttggattca cttgtggatc atcattggta gcatcttgc ttatTTTta 1260
tttgcctatag ttttggagc catgtgttgc acttgcaacc caccatccaa cccttactgg 1320
attatgcagg agcacatgtt ggttccaggat ttctacttag tttgtatcctt caccgttcc 1380
attgcttctt tggccaggat ttttgccttta ttttacatc caggcgtcag atactgatcattt 1440
attctgagag ctaagactt ttttgccttta ttttgccttta ttttgccttta ttttgcattt 1500
aagtgagag gggctggaaa gatgaatcaa gtgacatcaa agtatgctaa ccaatcagct 1560
ggcaagtca gaaagagacc catgcctggc cttctgtcg tatttgcattt gatcaaggc 1620
acttccctgtg ctattgatca aggaaacttta ttttgccttta ttttgcattt gatcaaggc 1680
tactctgaaa ctaaggcattt tgatggctt ggaccctcca aaggtaaaga aagctag    1737

```

<210> SEQ ID NO 16

<211> LENGTH: 578

<212> TYPE: PRT

<213> ORGANISM: homo sapiens

<400> SEQUENCE: 16

Met	Ser	Asp	Thr	Glu	Tyr	Ala	Glu	Trp	Leu	Arg	Asn	His	Phe	Leu	Ala
1				5				10					15		

Glu	Thr	Ser	Ile	Asp	Asn	Arg	Glu	Glu	Leu	Leu	Leu	Glu	Ser	Ala	Met
			20				25					30			

Arg Leu Glu Asn Lys Leu Thr Leu Leu Gly Ala Thr Gly Ile Glu Asp

-continued

35	40	45
Arg Leu Gln Glu Gly Val Pro Glu Ser Ile Glu Ala Leu His Lys Ala		
50	55	60
Gly Ile Lys Ile Trp Met Leu Thr Gly Asp Lys Gln Glu Thr Ala Val		
65	70	75
Asn Ile Ala Tyr Ala Cys Lys Leu Leu Glu Pro Asp Asp Lys Leu Phe		
85	90	95
Ile Leu Asn Thr Gln Ser Lys Asp Ala Cys Gly Met Leu Met Ser Thr		
100	105	110
Ile Leu Lys Glu Leu Gln Lys Lys Thr Gln Ala Leu Pro Glu Gln Val		
115	120	125
Ser Leu Ser Glu Asp Leu Leu Gln Pro Pro Val Pro Arg Asp Ser Gly		
130	135	140
Leu Arg Ala Gly Leu Ile Ile Thr Gly Lys Thr Leu Glu Phe Ala Leu		
145	150	155
Gln Glu Ser Leu Gln Lys Gln Phe Leu Glu Leu Thr Ser Trp Cys Gln		
165	170	175
Ala Val Val Cys Cys Arg Ala Thr Pro Leu Gln Lys Ser Glu Val Val		
180	185	190
Lys Leu Val Arg Ser His Leu Gln Val Met Thr Leu Ala Ile Gly Asp		
195	200	205
Gly Ala Asn Asp Val Ser Met Ile Gln Val Ala Asp Ile Gly Ile Gly		
210	215	220
Val Ser Gly Gln Glu Gly Met Gln Ala Val Met Ala Ser Asp Phe Ala		
225	230	235
240		
Val Ser Gln Phe Lys His Leu Ser Lys Leu Leu Leu Val His Gly His		
245	250	255
Trp Cys Tyr Thr Arg Leu Ser Asn Met Ile Leu Tyr Phe Phe Tyr Lys		
260	265	270
Asn Val Ala Tyr Val Asn Leu Leu Phe Trp Tyr Gln Phe Phe Cys Gly		
275	280	285
Phe Ser Gly Thr Ser Met Thr Asp Tyr Trp Val Leu Ile Phe Phe Asn		
290	295	300
Leu Leu Phe Thr Ser Ala Pro Pro Val Ile Tyr Gly Val Leu Glu Lys		
305	310	315
320		
Asp Val Ser Ala Glu Thr Leu Met Gln Leu Pro Glu Leu Tyr Arg Ser		
325	330	335
Gly Gln Lys Ser Glu Ala Tyr Leu Pro His Thr Phe Trp Ile Thr Leu		
340	345	350
Leu Asp Ala Phe Tyr Gln Ser Leu Val Cys Phe Phe Val Pro Tyr Phe		
355	360	365
Thr Tyr Gln Gly Ser Asp Thr Asp Ile Phe Ala Phe Gly Asn Pro Leu		
370	375	380
Asn Thr Ala Thr Leu Phe Ile Val Leu Leu His Leu Val Ile Glu Ser		
385	390	395
400		
Lys Ser Leu Thr Trp Ile His Leu Leu Val Ile Ile Gly Ser Ile Leu		
405	410	415
Ser Tyr Phe Leu Phe Ala Ile Val Phe Gly Ala Met Cys Val Thr Cys		
420	425	430
Asn Pro Pro Ser Asn Pro Tyr Trp Ile Met Gln Glu His Met Leu Asp		
435	440	445

-continued

```

Pro Val Phe Tyr Leu Val Cys Ile Leu Thr Thr Ser Ile Ala Leu Leu
450          455          460

Pro Arg Phe Val Tyr Arg Val Leu Gln Gly Ser Leu Phe Pro Ser Pro
465          470          475          480

Ile Leu Arg Ala Lys His Phe Asp Arg Leu Thr Pro Glu Glu Arg Thr
485          490          495

Lys Ala Leu Lys Lys Trp Arg Gly Ala Gly Lys Met Asn Gln Val Thr
500          505          510

Ser Lys Tyr Ala Asn Gln Ser Ala Gly Lys Ser Gly Arg Arg Pro Met
515          520          525

Pro Gly Pro Ser Ala Val Phe Ala Met Lys Ser Ala Thr Ser Cys Ala
530          535          540

Ile Glu Gln Gly Asn Leu Ser Leu Cys Glu Thr Ala Leu Asp Gln Gly
545          550          555          560

Tyr Ser Glu Thr Lys Ala Phe Glu Met Ala Gly Pro Ser Lys Gly Lys
565          570          575

Glu Ser

```

```

<210> SEQ_ID NO 17
<211> LENGTH: 5958
<212> TYPE: DNA
<213> ORGANISM: homo sapiens

<400> SEQUENCE: 17

gtcagctaca caacctggat cttaccacag tttggatatg actgaggctc tccaaatggc      60
cagatatcac tggcgacggc tgatcagagg tgcaaccagg gatgatgatt cagggccata     120
caactattcc tcgttgcctcg cctgtggcg caagtccctc cagatcccta aactgtcagg     180
aaggcacccg attgttgttc cccacatcca gcccttcaag gatgagttatc agaagttctc     240
cggagcctat gtgaacaatc gaatacgaac aacaaaagtac acacttctga attttgcc     300
aagaaattta tttgaacaat ttcacagagc tgccaaattta tatttcctgt tccttagttgt   360
cctgaactgg gtacctttgg tagaaggcctt ccaaaaaggaa atcaccatgt tgcctctgg    420
ggtggtcctt acaattatcg caattaaaga tggcctggaa gattatcgga aataaaaaat     480
tgacaaacag atcaataatt taataactaa agtttatagt aggaaagaga aaaaatacat     540
tgaccgatgc tggaaagacg ttactgttgg ggactttatt cgcctctcct gcaacgaggt   600
catccctgca gacatggta tactctttt cactgatcca gatggaatct gtcacattga     660
gacttctggc ctgtatggag agagcaattt aaaacagagg caggtggttc ggggatatgc   720
agaacaggac tctgaagttt atcctgagaa gttttccagt aggatagaat gtgaaagccc   780
aaacaatgac ctcagcagat tccgaggctt cctagaacat tccaaacaaag aacgcgtggg   840
tctcagtaaa gaaaattttgt tgcttagagg atgcaccatt agaaacacag aggctgttgt  900
ggcattgtg gtttatgcag gccatgaaac caaagcaatg ctgaacaaca gtggggccacg  960
gtataagcgc agcaaattag aaagaagacg aaacacagat gtcctctggt gtgtcatgct 1020
tctggcata atgtgcttaa ctggcgacgt aggtcatgga atctggctga gcaggtatga 1080
aaagatgcat ttttcaatg ttccccgagcc tcatggacat atcatatcac cactgttggc 1140
aggatttat atgttttggc ccatgatcat tttgttacag gtcttgatcc ctatttctct 1200
ctatgtttcc atcgaatttg tgaagcttgg acaaataat ttcattcaaa gtgtatggc 1260

```

-continued

tttctacaat	aaaaaaatgg	attctattgt	tcaagtgcgga	gccctgaaca	tcgcccagga	1320
tctggacag	attcagtacc	tctttccga	taagacagga	accctcaactg	agaataagat	1380
gtttttcga	agatgttagt	tggcaggatt	tgattactgc	catgaagaaa	atgcaggag	1440
gttggagtcc	tatcaggaag	ctgtctctga	agatgaagat	tttatagaca	cagtcaigtgg	1500
ttccctcagc	aatatggcaa	aaccgagagc	ccccagctgc	aggacagttc	ataatgggc	1560
tttggaaat	aagccctaa	atcatctgc	tgggagctct	tttactctag	gaagtggaga	1620
aggagccagt	gaagtgcctc	attccagaca	ggctgcttc	agtagcccc	ttgaaacaga	1680
cgtggtagcca	gacaccaggc	tttttagacaa	attttagtca	attacaccc	ggctctttat	1740
gccactagat	gagaccatcc	aaaatccacc	aatggaaact	ttgtacatta	tcgactttt	1800
cattgcattt	gcaatttgc	acacagtagt	ggtttctgct	cctaaccac	cccgacaaaa	1860
gatcagacac	ctttcactgg	gggggttgc	cattaagtct	ttggaagaga	ttaaaagtct	1920
tttccagaga	ttgtctgtcc	gaagatcaag	ttctccatcg	cttaacatgc	ggaaagagcc	1980
atcttctgga	gttccaaacg	cctttgttag	cagactccct	ctctttatgc	gaatgaaacc	2040
agcttcaccc	gtggaggaag	aggtctccca	ggtgtgttag	agccccca	gtcccaatgc	2100
ctcagcttgc	tgcacagaaa	cagagaaaca	acacggtgat	gcaggcctcc	tgaatggcaa	2160
ggcagagtcc	ctccctggac	agccattggc	ctgcaacc	tgttatgagg	ccgagagccc	2220
agacgaagcg	gccttagtgt	atgcccggc	ggcttaccaa	tgcactttac	ggctctggac	2280
accagagcag	gtcatggtg	actttgtgc	tttgggacca	ttaacatcc	aactccatca	2340
cattctgccc	tttgactca	taagaaaaag	aatgtctgtt	gtggccgac	accctcttcc	2400
caatcaagtt	gtgggttata	cgaaaggcgc	tgattctgt	atcatggagt	tactgtcggt	2460
ggcttccca	gatggagcaa	gtctggagaa	acaacagatg	atagtaaggg	agaaaaaccca	2520
gaagcacttt	tttcttccat	ttcaggtgtc	gtgaaaagct	tgaattccgc	gcgcacagata	2580
tcacgcgtgc	caagggactg	gctcaggatg	actatgcca	acaaggcctt	cgtactttat	2640
gtatagcaaa	gaaggtcatg	agtgcacatg	aatatgcaga	gtggctgagg	aatcatttt	2700
tagctgaaac	cagcattgac	aacagggaaag	aattactact	tgaatctgcc	atgaggttgg	2760
agaacaaact	tacattactt	ggtgctactg	gcattgaaga	ccgtctgc	gaggaggatcc	2820
ctgaatctat	agaagctt	cacaaagcgg	gcatcaagat	ctggatgctg	acaggggaca	2880
agcaggagac	agctgtcaac	atagcttgc	catgcaact	actggagcc	gtgacaagc	2940
tttttatctt	caataccaa	agtaaaatgc	gtatattgag	attaaatctg	ttcttctgt	3000
ttttcaaaagg	cattggaca	tttgagattt	gtgtatgc	aggattaaaa	aatgcctgt	3060
gggatgctga	tgagcacaat	tttggaaagaa	cttcagaaga	aaactcaagc	cctgcacag	3120
caagtgtcat	taagtgaaga	tttacttcg	cctccctgtcc	cccgggactc	agggttacga	3180
gctggactca	ttatcactgg	gaagaccctg	gagtttgc	tgcaagaaa	tctgc	3240
cagttccctgg	aactgacatc	tttgtgtcaa	gttgtggct	gtgtccg	agcaccgc	3300
cagaaaaatg	aagtggtcaa	attggccgc	agccatctcc	aggtgtatgc	ccttgc	3360
gttgatgtgg	gatgaatctg	agtccctgc	ttctccctt	cacaccac	cagacaccga	3420
tccttctgtc	tctttcttct	cccactgttc	cttccattt	cctccctcc	ttttctctac	3480
cacattcatg	ccttccatc	acatatttga	gcacccct	ccatcaccta	tttgagcacc	3540

-continued

ttctgtgaac caggtaatag ggatgtgaca tggtaaacaa tacagtagtc cagacttctt	3600
agttcagtgt cagaccccca aatcaacaag cttaaatcaa gtaataaact gaatcacaga	3660
actaaaaat ccatgtgttc taccttcagg aaagctaaat tcaaggacat gagaattcat	3720
ttcttatcc attccacaag tatttatcaa gtgcctttt tgtaccagc attttctag	3780
atggagatac aagagtatac aaaattggca aactacctt ttacaaggaa cttacatcta	3840
gttagaaggc atcgagttaa acaaagcata atctgtcagg ttcaggtgt gataagtact	3900
attggaaaaa taagtggatg aggacacgta tagcactgga gatgggctgg ggctgcttt	3960
taaatcgatt tcaagagcta ctgttaagttg actgggagca gagatgtgaa ggaaatcata	4020
aggggccatg gagacatggg ggtgcataatg atgttagcat gatacaagtgc gagacattg	4080
ggataggggt ctcaggtcaa gaaggcatgc aggctgtgt gcgcaggatgc tttgcgttt	4140
ctcagttcaa acatctcagc aagctccttc ttgtccatgg acactgggt tatacacggc	4200
tttccaacat gattctctat tttttctata agaatgtggc ctatgtgaa ctcctttct	4260
ggtaccagtt cttttgtgaa ttttcagggaa catccatgac tgattactgg gttttgatct	4320
tcttcaaccc ctccttcaca tctgcctcctc ctgtcattta tgggttttg gagaagatg	4380
tgtctgcaga gaccctcatg caactgcctg aactttacag aagtggtcag aaatcagagg	4440
catacttacc ccatacccttc tggatcacct tattggatgc tttttatcaa agcctggct	4500
gcttcattttgt gccttattttt acctaccagg gtcagatac tgacatctt gcatttggaa	4560
accccctgaa cacagccact ctgttcatcg ttctccatcca tctggtcattt gaaagcaaga	4620
gtttgaccag gtgcagtgc tcacacctgc aattccagag ctttgggagg ctgtggatca	4680
catgaagcta agagttcaag accagccctgg gcaacataac ttggattcac ttgtctggta	4740
tcattggtag catcttgc tattttttat ttgccatagt ttttggagcc atgtgtgtaa	4800
cttgcaaccc accatccaac ccttactgga ttatgcagga gcacatgctg gatccagat	4860
tctacttagt ttgtatccctc acgacgtcca ttgcttttgc gcccaggatgtt gtatacagag	4920
ttcttcaggg atccctgttt ccatctccaa ttctgagagc taagcacattt gacagactaa	4980
ctccagagga gaggactaaa gctctcaaga agtggagagg ggctggaaag atgaatcaag	5040
tgacatcaaa gtagtgcataac caatcagctg gcaagtccagg aagaagaccc atgcctggcc	5100
cttctgctgtt atttgcaatg aagtcaagca cttcctgtgc tattgagcaaa ggaaacttat	5160
ctctgtgtga aactgcttta gatcaaggct actctgaaac taaggccattt gagatggctg	5220
gaccctccaa aggttaagaa agctagatac cttccctgga gttgcaagta ttctttcaag	5280
gttggaaagag ggattttggaa gaggtatctc tccaaagcaag aatgactgtt ttttccataa	5340
gggacatgag cattttacta ggcttggaaag agctgacatg atgagcatta ttgtatgtt	5400
gtatatacat ttgtataga gggcttagatg ttgacccatgag gagatgtttaa ggaagtggaa	5460
tatthaattc agaaccaat gctttgtaa aacttttgg attttgtaaa agcattttca	5520
ttctctttaga aattcaagta ttttcaaggg gaggatgttgc agatataattt attttactag	5580
gagatcttat attctaggaa aatgctttaa atggcaggc tccaaatcgaa attttttaa	5640
aaaaaaagta gtttttaata cattgggttag gactcagagg aaatacgaa aaaacattgt	5700
agatggtaat ttacagataa aatcccaaga gcctttaaac aacaaggatc ctaaataggg	5760
tataattata ctgtttaaaa tacaggtgtt gccttataat agcttttat ttcctatggg	5820

-continued

gagatgcctt ggtttctgg ctgagatgta ggcataccctc tcactcattt caatgtttc	5880
ctgagggtgga gccttcattt gaaaggggaa agagggttct aggttcatca gggaccagga	5940
atgccttcctt ctggcagg	5958

1-3. (canceled)

- 4.** An isolated polypeptide comprising the amino acid sequence of SEQ ID NO:14.
- 5.** A gene delivery system comprising an isolated nucleic acid molecule comprising at least 100 contiguous bases of the nucleic acid sequence described in SEQ ID NO:13.
- 6.** An antibody having immunospecificity for the polypeptide sequence of SEQ ID NO:14.

* * * *