



US00D995408S

(12) **United States Design Patent**  
**Zhao et al.**

(10) **Patent No.:** **US D995,408 S**

(45) **Date of Patent:** **\*\* Aug. 15, 2023**

(54) **TIRE**

(71) Applicant: **SAILUN GROUP CO., LTD.**, Qingdao (CN)

(72) Inventors: **Yanlin Zhao**, Qingdao (CN); **Zhenbo Li**, Qingdao (CN); **Shan Yan**, Qingdao (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/514,568**

(22) Filed: **May 17, 2022**

(80) **Hague Agreement Data**

Int. Filing Date: **May 17, 2022**

Int. Reg. No.: **DM/221456**

Int. Reg. Date: **May 17, 2022**

Int. Reg. Pub. Date: **Jul. 1, 2022**

(30) **Foreign Application Priority Data**

Feb. 25, 2022 (CN) ..... 202230094117.6

(51) **LOC (14) Cl.** ..... **12-15**

(52) **U.S. Cl.**  
USPC ..... **D12/600**

(58) **Field of Classification Search**  
USPC ..... D12/600  
CPC ..... B60C 11/0311; B60C 11/0316; B60C 11/1369; B60C 25/02; B60C 11/03; B60C 5/007; B60C 5/008; B60C 2200/08; B60C 2200/14

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D275,747 S *	10/1984	Motomura	.....	D12/594
D347,818 S *	6/1994	Loser	.....	D12/900
D384,608 S *	10/1997	Schuster	.....	D12/594
D416,837 S *	11/1999	Moore	.....	D12/600
D442,124 S *	5/2001	Takada	.....	D12/600
D464,025 S *	10/2002	Okano	.....	D12/588
D483,719 S *	12/2003	Weaver	.....	D12/600
D610,069 S *	2/2010	Shibano	.....	D12/577
D784,251 S *	4/2017	Cerny	.....	D12/600
D978,070 S *	2/2023	Li	.....	D12/600

\* cited by examiner

*Primary Examiner* — George D. Kirschbaum

(57) **CLAIM**

The ornamental design for tire, as shown and described.

**DESCRIPTION**

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

1. Tire

**1.1** : Front


**1.2** : Left

**1.3** : Perspective


**1.4** : Enlarged

It is understood that the claimed tire tread pattern is intended to be applied to the entire surface of the tire, and repeat uniformly across its entire surface. The red box with the indication "A" shown in reproduction **1.1** identifies an enlarged view of the tire as shown in reproduction **1.4**.

**1 Claim, 4 Drawing Sheets**  
**(1 of 4 Drawing Sheet(s) Filed in Color)**



1.1



1.2



1.3



1.4

