




(43) International Publication Date
26 November 2015 (26.11.2015)

- (51) International Patent Classification:
H04N 5/353 (2011.01) G03B 13/00 (2006.01)
H04N 5/374 (2011.01)
- (21) International Application Number:
PCT/US2014/038563
- (22) International Filing Date:
19 May 2014 (19.05.2014)
- (25) Filing Language: English
- (26) Publication Language: English
- (71) Applicant: REDBEARD VENTURES, LLC [US/US];
1600 Alamo Pintado Road, Solvang, CA 93463 (US).
- (72) Inventor: UPTON, Wayne; 475 Castano Avenue, Pasadena, CA 91107 (US).
- (74) Agent: ANDRAS, Joseph C.; Myers Andras LLP, 19900 MacArthur Blvd., Suite 1150, Irvine, CA 92612 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,

BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:
— with international search report (Art. 21(3))



WO 2015/178879 A1

(54) Title: SYNCHRONIZED LIGHT SOURCE FOR ROLLING SHUTTER IMAGERS




FIG. 1

(57) Abstract: A lighting system adapted for use with a rolling shutter imagers. The system uniquely provides PWM-control of a light source in the context of an imager with a "rolling- shutter"-type exposure architecture that operates on a line-by-line basis rather than a frame -by- frame basis. The preferred embodiment comprises a lamp such as a LED, a drive circuit coupled to the lamp capable of energizing the lamp for switching the lamp on and off, and a lamp control circuit coupled to the drive circuit with a means for receiving a line timing signal from an imaging system, the lamp control circuit synchronously energizing the lamp with the line timing signal via the drive circuit, the line timing signal being based upon the horizontal line rate of the imager.

SYNCHRONIZED LIGHT SOURCE FOR ROLLING SHUTTER IMAGERS***RELATED APPLICATIONS***

[0001] This application claims the benefit of U.S. Provisional Patent Application Serial No. 61728397, filed November 20, 2012, hereby incorporated by reference in its entirety as if fully set forth herein.

BACKGROUND OF THE INVENTION**[0002] 1. Technical Field**

[0003] This invention relates generally to the field of medical video equipment. More specifically, the invention comprises a synchronized light source for rolling shutter imagers, i.e. a control system for an LED light source for use with an endoscopic or similar camera system with a CMOS-type imager.

[0004] 2. Description of the Related Art

[0005] There are many types of light sources and related control systems for endoscopic video. Many of these use a high-output lamp or incandescent bulb such as metal halide, quartz-halogen, or xenon types. These lamps are typically used in a mode of a fixed luminous intensity, and the intensity of light transmitted out of the device is controlled by means of a moving and variable mechanical aperture, an example being an iris, which blocks some or all of the light being generated by the lamp to the receiving fiber optic light guide.

[0006] Control of the intensity of this light is important for various functional and safety reasons. Improper light levels can cause under-exposure or over-exposure, forcing the camera system to overcompensate in ways that reduce or limit the image quality and camera

performance. Safety concerns involving high light transmission can include skin and tissue burns, and possible ignition of flammable materials.

[0007] Adoption of high power Light-Emitting Diode (LED) technologies is becoming common in many fields and industries, including medical endoscopy, reducing overall power and cost while increasing product reliability and service life. LED light output intensity can be controlled by varying the amount of electrical current driving the LED device. This method has several drawbacks including inefficiency, a practical minimum for the lower end of light output, and a tendency for the color, or output wavelength(s), of the LED lamp to drift with intensity. Being a solid state device, it is also common practice to control overall LED light output in a switched Pulse-Width Modulation (PWM) fashion. For the human eye, film cameras, and some video cameras, this pulsed light is effectively integrated into an “average” that when applied at an appropriate frequency can be virtually indistinguishable from a constant light source. For human vision persistence, this frequency is typically about 30 pulses per second.

[0008] The PWM method of light intensity control works well with video cameras with frame-transfer imagers such as CCDs (Charge-Coupled Devices), so long as the switching frequency of the light is equal or greater than the camera’s rate of frame capture, typically 60 exposures per second for a video camera. It is convenient to use an integer multiple of the frame rate, such as double, for the PWM switching frequency. It is also beneficial to synchronize the light source with the camera’s frame rate to avoid a frequency mismatch which can result in a beating, flickering or “strobing” image.

[0009] However, with the recent adoption of CMOS (Complementary Metal Oxide Semiconductor) imagers into medical endoscopy, PWM-controlled LED light sources present a challenge. Specifically, the challenge relates to CMOS imagers with a “rolling-shutter”-type

exposure architecture, the most common type, as these are not frame-transfer devices. Instead, each line of the raster image is exposed in a cascading overlapped sequence, with lines being read out while other lines are exposing. The exposure of one line will thusly never start and stop at the same time as another line, even though the resultant time duration is same, and their exposures will overlap one another in time.

[0010] Thus, traditional frame-rate based PWM control is unsuitable, as individual lines or groups of lines may have a significantly different light exposure than other lines, creating undesirable regions of differing exposure within the image. The number of different regions of exposure is equal to twice the relative PWM frequency, and the complementary size of the light and dark regions being directly proportional to the PWM duty cycle. A PWM system not synchronous to the imager frame rate would additionally cause a “roll” of this effect, where the output video would have these regions in different places of the current image frame than the subsequent image frame.

[0011] What is desired, therefore, is a method for PWM control of an LED light source for use with CMOS imagers that does not produce an undesirable exposure effect to the video image.

SUMMARY OF THE INVENTION

[0012] In a one aspect, the invention resides in a lighting system adapted for use with a rolling shutter imager having a horizontal line rate comprising: a lamp; a drive circuit coupled to the lamp capable of energizing the lamp for switching the lamp on and off; and a lamp control circuit coupled to the drive circuit with a means for receiving a line timing signal from an imaging system, the lamp control circuit synchronously energizing the lamp with the line timing signal via the drive circuit, the line timing signal being based upon the horizontal line rate of the imager.

[0013] In another aspect, the invention resides in an illumination control system for passing timing information to a lighting system from an imaging system utilizing a rolling shutter imager operating at a horizontal line rate, comprising: an electronic connector; and a digital electronic signal carried by the electronic connector wherein digital pulses are timed to be synchronous with the horizontal line rate of the imager.

[0014] In yet another aspect, the invention resides in an illumination control system for passing timing information to a lighting system from an imaging system utilizing a rolling shutter imager operating at a horizontal line rate and a pixel clock rate, comprising: an electronic connector; and a digital electronic signal carried by connector wherein the signal is a clock derived from the pixel clock rate, wherein the lighting system utilizes foreknowledge of the horizontal line rate timing of the imager to derive the horizontal line rate from the clock signal.

BRIEF DESCRIPTION OF THE DRAWINGS

[0016] FIG. 1 is a block diagram of a presently preferred embodiment of the present invention; and

[0017] FIG. 2 is a timing diagram illustrating various timing relationships of the signals in the embodiment of FIG. 1.

[0018] FIG. 3 is a block diagram of an illumination control system for passing timing information from an imaging system to a lighting system (that may or may not be integrated within a common housing or on a common circuit board), in the exemplary context of an endoscopic video camera system where the imaging system includes a rolling shutter imager operating at a horizontal line rate and where the lighting system receives a digital electronic signal having digital pulses that are synchronous with the horizontal line rate of the rolling shutter imager; and

[0019] FIG. 4 is a block diagram of an illumination control system for passing timing information from an imaging system to a lighting system that is similar to FIG. 3, where the imaging system includes a rolling shutter imager operating at a horizontal line rate and, in more detail, at a pixel clock rate, and where the lighting system receives a digital electronic signal corresponding to a clock signal oscillating at the pixel clock rate and where the lighting system contains suitable processing capability to derive the horizontal line rate of the imager from the clock signal and other known parameters.

[0020] The invention and its various embodiments can now be better understood by turning to the following detailed description of the preferred embodiments which are presented as illustrated examples of the invention defined in the claims. It is expressly understood that the

invention as defined by the claims may be broader than the illustrated embodiments described below.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

[0021] FIG.1 shows a block diagram of a presently preferred embodiment of the invention. The illustrated embodiment, and others, is based on the foundational observation that a “rolling shutter” imager can be said to have a “horizontal line rate” while operating, the rate at which entire horizontal lines of raster data are read out. Further, the imager has a “pixel clock rate”, the rate at which each pixel within a line is individually read or “clocked” out from the sensor, this pixel clock rate typically being hundreds to thousands of times faster than the line rate. The line rate is directly tied to the sensor’s shutter mechanism, and therefore the exposure, as the amount of time exposure of a line is changed by increasing or decreasing the number of lines between when the line is read out, and when it is to start exposing again, or ceases being cleared.

[0022] As shown, the preferred embodiment relates to an endoscopic or similar video system that comprises a camera having a Rolling Shutter Imager 103 and a Light Source 114 that is pulsed on and off with a PWM signal 111 and associated drive circuitry 112 in order to strategically illuminate the subject matter that is focused onto the Rolling Shutter Imager 103. In the preferred embodiment, the Rolling Shutter Imager 103 is implemented with a CMOS imager. However, other imager technologies may use a rolling shutter approach to exposure. In addition, the preferred Light Source 114 is comprised of one or more LEDs, but the preferred and/or alternative embodiments may be implemented with any suitable light source that now exists or is later developed. It should be understood, therefore, that any reference to an LED is a reference to any suitable light source.

[0023] In more detail, Camera Timing Logic 101 provides timing signals 102 to the rolling shutter imager 103 (e.g. a CMOS Imager) which generates an Imager Video Signal 104.

Image Processor 105 processes the Imager Video Signal 104, and generates a Video Output Signal 106 that drives a Video Output Device 107, and an Intensity Signal 109 that is fed back to the Lamp Control Logic 110, which indicates whether more or less light is desired from LED 114 in order to achieve a desired exposure. The Camera Timing Logic 101 also provides a Line Timing Signal 108, which is used by the Lamp Control Logic 101 to synchronize a PWM signal 111 to the Drive Circuitry 112, which in turn outputs the Drive Current Pulses 113 to the light source 114 (e.g. LED) in linear correlation to the PWM signal 111.

[0024] FIG. 2 shows a typical timing relationship of some signals of the preferred embodiment. A line timing signal 201 (e.g. HSYNC), generated by Camera Timing Logic 101 is applied to the Lamp Control logic 110 to generate the time-base and synchronicity of the drive current pulses 113. An Intensity Signal 202 is applied, which may be an analog signal (as shown) or a digital signal. This Intensity signal 202 is interpreted by the Lamp Control Logic 110 to determine the relative duty cycle or percent intensity. Finally, the Lamp Control Logic 110 outputs the PWM signal 203 which is used to drive the Light Source 113, e.g. to produce an LED emitter current with LED Drive Current Pulses, which has timing based upon the timing of HSYNC and a duty cycle based upon the Intensity Signal 202, wherein the more intensity indicated by the Intensity Signal 202, the longer the PWM signal 111 remains in the active, or current-driving state.

[0025] For more context, the preferred embodiment of FIGS. 1 and 2 may be implemented in the context of a medical imaging device: e.g. an endoscopic video camera with a CMOS imager having a rolling shutter; a light source using an LED for illumination of the scene to be imaged by said camera; LED drive circuitry, typically comprising transistors or similar current-switching devices; control circuitry with a means of controlling the average LED light

output intensity using a PWM technique to control said LED drive circuitry, and a signal from the camera to the control circuitry that is synchronous to the rate of line readout of the CMOS imager. The control circuitry flashes the LED on and off at a rate based upon the line frequency of the CMOS imager exposure system, where one pulse (or plurality of pulses) happens per unit time elapsed while a line of the CMOS imager is read and restarts its exposure before moving on to the next line. For example, if a standard HD imager with 1920 horizontal pixels by 1080 vertical lines were to be exposed and read at 60 frames per second, the line frequency would be 1080 (number of lines per frame) times 60 (number of frames per second) which is equal to 64,800 lines per second, or approximately one line every 15.432usec. A timing circuit would generate a pulse synchronous with this line rate of the CMOS imager, what would typically be called a digital horizontal sync pulse, commonly known as HSYNC. It should be noted that this HSYNC pulse is not typically the same as the HSYNC signal or timing element of the output video of the camera, as rolling shutter imagers typically are not, and in many cases cannot be, operated line-synchronously with conventional video transport standards, an example of which is the 1080p video format as outlined in SMPTE-274M. The control circuitry would receive this imager HSYNC digital pulse from the imaging system, typically by means of an electrical cable and electrical connectors, and use its frequency and position in time as the PWM time base. By means of the drive circuitry, the control circuitry a pulses the LED current at this frequency and position in time with the duty cycle of each drive pulse equivalent to the desired percent intensity desired from the LED, as determined by direct user input or calculated by camera processing. An illustration of one potential timing implementation can be found in Figure 2.

[0026] As this line-based PWM system operates considerably faster than the frame-based PWM of conventional systems, an LED with appropriate on and off response times is required,

along with drive circuitry capable of driving high LED currents at this rate with pulse widths of possibly very short duration. The ratio between the pulse widths of this line-based method versus the conventional frame-based method is approximated by the number of lines in the imager. For example, a 1% PWM pulse duration for a frame-based system operating at 60 frames per second would be $0.01 \times 1/60 = 160\text{usec}$, assuming one pulse per frame, whereas the equivalent 1% PWM pulse duration for the line-based system described above would be $0.01 \times 1/64,800 = 150\text{nsec}$, which is a 1:1080 ratio. As frame rates and sensor resolutions increase, specialty LEDs and drive circuitry may be required for desired results. Additionally, the drive circuitry of a this line-based system would typically consume more power and dissipate more heat as opposed to a frame-based system, as it has as to drive many more off-to-on and on-to-off transitions per frame, each of which will dissipate heat in the device as it switches in an analog fashion between states. For the above example, this would be $2 \times 1080 = 2160$ transitions per frame in this line-based system versus 2 or 4 transitions per frame in a frame-based system. For this reason, it would be advantageous to pulse the LED only once per line, instead a plurality of pulses per line, to keep the dissipated power, mechanical and electrical requirements, as well as cost, to a minimum.

[0027] Figures 3 represents a typical medical endoscopy situation where the Imaging System 20 and Lighting System 30 are separate units, though it should be noted that the two systems may be combined into the same enclosure. Between these two systems is an illumination control system that carries the horizontal line rate signal between the two systems. This would typically be physically implemented by an electrical connector present on both systems, and an electrical cable between. In this system, the signal passed between the systems is a digital pulse representation of the horizontal line rate of the imager in the imaging system.

Based on this signal, the lighting system 30 synchronously energizes the related light source (e.g. LEDs or other lamps) with the horizontal line rate of the imaging system 20.

[0028] Figure 4 represents a system very similar to one in Figure 3, with the exception that the signal passed from the imaging system to the lighting system is a clock signal, based upon the pixel clock rate of the imager. As shown, the lighting system 30 includes a suitable means for deriving the horizontal line rate from the clock signal. In such case, the lighting system would require some foreknowledge of the timing of the imager and the imaging system, which could be programmed into the lighting system, or passed to the lighting system from the imaging system by means of another electrical interface, such as a serial communications port.

[0029] Another embodiment of the invention would be a generic form of the aforementioned system, wherein the signal from the camera to the control circuitry is the video output of the camera itself, and the control circuitry extracts the PWM time base from the line interval of the video signal, which may be of a video standard such as SMPTE 274M. This embodiment allows for a more generic interface between the camera and the control circuitry, such that the two devices may use standard interfaces to achieve the proper synchronization. This has the potential advantage of less specialized and dedicated interface, as it can be done without direct interface to the imager timing logic. This embodiment is advantageous when the light source and camera elements of the system are not contained in the same unit or enclosure. For best results this method requires the same time relationship between the imager line rate and the output video line rate. These may not always be the exactly the same duration or synchronicity in all implementations of video cameras, and therefore is not a universal solution. However, in the case where it is, this interface has the additional advantage of also carrying the picture level information, as it is the video itself, and therefore the lighting system would have

the information required to adjust the brightness of the light automatically, should this be desired.

[0030] Another embodiment of the invention would be in the case where there is a duration of time where lines of the CMOS imager are not being read out, and all lines of the image are being exposed. This is a common practice in a multiple frame rate imaging system, such as one that operates at both 50 and 60 frames per second, dependent on the video standard of the country that the imaging system is being used in. For example, this duration where all lines are being exposed can be 16% of the total frame duration, but may also be longer or shorter by design. During these “idle” exposure times, the LED may continue to be pulsed at the same frequency that would otherwise correspond to the horizontal line frequency as if the lines were being read out at this rate. The LED may also be turned off or on entirely during this idle time. The LED may also be turned on for a portion of this time, either in a pulsed or constant fashion, for either a fixed or variable percentage of this idle time, which may or may not correspond to the duty cycle or frequency used during the non-idle period of the frame.

[0031] Another embodiment of the invention would be the case where the lamp is modulated on and off on a line-by-line basis. In other words, the lamp would be turned on for single or multiple lines, alternating with being turned off for the subsequent line or multiple lines. The advantage of this type of system is that a slower, and therefore less expensive, drive circuit may be employed, as the pulses are longer by nature, or where the lamp itself cannot be turned on and off at the faster rates of the aforementioned embodiments. This further has the advantage of lower frequency radiated and conducted emissions created by the high power switching. However, the disadvantage of this type of line modulation is that to achieve completely uniform exposure across all lines or regions of the image, the time of the imager's

total light exposure can only be increased or decreased by the factor of the number of lines on, plus the number of lines off. For example, if a power output of 75% is desired from the lamp, it may be flashed such that it is on for three lines, and off for one line. What follows is that the rolling shutter should be set such that the exposure time is in increments of four lines, to ensure that all lines receive a 3:1 ratio of lamp on-time to lamp off-time. Thus, the fewer lines to create the power ratio needed, the more increments of shutter are usable for a given number of horizontal imager lines. The larger the exposure increment is, the lower the number of possible exposure values, and therefore a coarser control of the exposure. This can be a disadvantage when smooth shutter operation is desired in an automatic exposure system. The minimum exposure increment is two lines, alternating one line on and one line off, to achieve a 50% light output from the lamp. Most sensors have an even number of horizontal image lines, but odd numbered increments of shutter exposure can be used if they divide evenly into the total number of imager lines. A 1080-line system is common for HD, and as the number 1080 has 3 and 5 as factors, these exposure increments would be feasible.

[0032] The following table illustrates the most practical ratios for this method, up to a 5-line exposure increment:

Lines On	Lines Off	Average Lamp Power	Exposure Increment
1	1	50%	2
1	2	33%	3
2	1	67%	3
1	3	25%	4
3	1	75%	4
2	2	50%	4
4	1	80%	5

3	2	60%	5
2	3	40%	5
1	4	20%	5

[0033] In the above table, the 2:2 line ratio is of note, as it yields the same lamp power result as the 1:1 line ratio, but it flashes the lamp at half the frequency. Thus, with the on and off times being slower, an even slower drive circuit or lamp could be utilized, at the cost of higher exposure increment.

[0034] Many other embodiments are possible without departing from the spirit and scope of the present invention. Therefore, it must be understood that the illustrated embodiment has been set forth only for the purposes of example and that it should not be taken as limiting the invention as defined by the following claims. For example, notwithstanding the fact that the elements of a claim are set forth below in a certain combination, it must be expressly understood that the invention includes other combinations of fewer, more or different elements, which are disclosed in above even when not initially claimed in such combinations.

[0035] The words used in this specification to describe the invention and its various embodiments are to be understood not only in the sense of their commonly defined meanings, but to include by special definition in this specification structure, material or acts beyond the scope of the commonly defined meanings. Thus if an element can be understood in the context of this specification as including more than one meaning, then its use in a claim must be understood as being generic to all possible meanings supported by the specification and by the word itself.

[0036] The definitions of the words or elements of the following claims are, therefore, defined in this specification to include not only the combination of elements which are literally

set forth, but all equivalent structure, material or acts for performing substantially the same function in substantially the same way to obtain substantially the same result. In this sense it is therefore contemplated that an equivalent substitution of two or more elements may be made for any one of the elements in the claims below or that a single element may be substituted for two or more elements in a claim. Although elements may be described above as acting in certain combinations and even initially claimed as such, it is to be expressly understood that one or more elements from a claimed combination can in some cases be excised from the combination and that the claimed combination may be directed to a sub-combination or variation of a sub-combination.

[0037] Insubstantial changes from the claimed subject matter as viewed by a person with ordinary skill in the art, now known or later devised, are expressly contemplated as being equivalently within the scope of the claims. Therefore, obvious substitutions now or later known to one with ordinary skill in the art are defined to be within the scope of the defined elements.

[0038] The claims are thus to be understood to include what is specifically illustrated and described above, what is conceptually equivalent, what can be obviously substituted and also what essentially incorporates the essential idea of the invention.

Claims:

1. A lighting system, adapted for use with an imaging system utilizing a rolling shutter imager operating at a horizontal line rate, comprising:
 - a lamp;
 - a drive circuit coupled to the lamp capable of energizing the lamp for switching the lamp on and off; and
 - a lamp control circuit coupled to the drive circuit with a means for receiving a line timing signal from the imaging system, the lamp control circuit synchronously energizing the lamp with the line timing signal via the drive circuit, the line timing signal being based upon the horizontal line rate of the imager.
2. The lighting system of claim 1, wherein the rolling shutter imager is a CMOS imaging sensor.
3. The lighting system of claim 1, wherein the lamp is a light emitting diode.
4. The lighting system of claim 1, wherein the lamp control circuit outputs a pulse-width modulated (PWM) signal that causes the drive circuit to energize the lamp in a pulse-width modulated manner synchronous to the line timing signal, the horizontal line rate of the rolling shutter imager being the frequency of the PWM signal, the PWM duty cycle percentage being varied to control the amount of light output.
5. The lighting system of claim 4, wherein the PWM duty cycle percentage is fixed rather than being variable.

6. The lighting system of claim 1, wherein the lamp control circuit, synchronously to the line timing signal, energizes the lamp during the time of a single or plurality of horizontal imager lines, alternating with the lamp being off for a single or plurality of horizontal imager lines.

7. The lighting system of claim 6, wherein for those line times where the lamp is energized, the lamp is on for a period less than the entire line time.

8. The system of claim 1 wherein the imaging system and the lighting system are combined to comprise the same physical unit.

9. An illumination control system for passing a line timing signal from an imaging system utilizing a rolling shutter imager operating at a horizontal line rate to a lighting system, comprising:

an electronic connector; a digital electronic signal carried by the electronic connector wherein the digital electronic signal comprises pulses that are timed to be synchronous with the horizontal line rate of the imager; and

means for synchronously energizing the lighting system with the horizontal line rate of the imager based on the pulses.

10. An illumination control system for passing a line timing signal from an imaging system utilizing a rolling shutter imager operating at a horizontal line rate and a pixel clock rate to a lighting system, comprising:

an electronic connector;

a digital electronic signal carried by connector wherein the signal is a clock derived from the pixel clock rate, wherein the lighting system utilizes foreknowledge of the

horizontal line rate timing of the imager to derive the horizontal line rate from the clock signal;

and

means for synchronously energizing the lighting system with the horizontal line rate of the imager based on the derived horizontal line rate .




FIG. 1




FIG. 2




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US14/38563

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - H04N 5/353; H04N 5/374; G03B 13/00 (2014.01)

CPC - H04N 5/235; G01S 17/89; G01S 7/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC(8) Classification(s): H04N 5/353; H04N 5/374; G03B 13/00 (2014.01)

CPC Classification(s): H04N 5/235; G01S 17/89; G01S 7/48

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

MicroPatent (US-G, US-A, EP-A, EP-B, WO, JP-bib, DE-C,B, DE-A, DE-T, DE-U, GB-A, FR-A); Google Scholar; IP.COM; IEEE; ESPACENET; Keywords used: lighting; rolling shutter imagers; LED; LINE TIMING SIGNAL; CMOS imaging sensor; PWM; horizontal line rate; pixel clock rate; endoscopic video

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	US 2014/0014820 A1 (YABE, Y et al.) January 16, 2014; abstract; figures 1-6; paragraphs [0015]; [0026-0027]; [0029-0030]; [0037-0038]; [0043-0045]	1-8 ---- 9-10
Y	US 8,218,068 B2 (DEEVER, A et al.) July 10, 2012; column 3, lines 59-60; column 5, lines 56-67; column 6, lines 1-4; lines 15-27	9-10
A	US 7,667,740 B2 (HOFER, G) February 23, 2010; whole document	1-10

Further documents are listed in the continuation of Box C.

* Special categories of cited documents:

“A” document defining the general state of the art which is not considered to be of particular relevance

“E” earlier application or patent but published on or after the international filing date

“L” document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

“O” document referring to an oral disclosure, use, exhibition or other means

“P” document published prior to the international filing date but later than the priority date claimed

“T” later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

“X” document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

“Y” document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

“&” document member of the same patent family

Date of the actual completion of the international search

05 August 2014 (05.08.2014)

Date of mailing of the international search report

16 SEP 2014

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents
P.O. Box 1450, Alexandria, Virginia 22313-1450

Facsimile No. 571-273-3201

Authorized officer:

Shane Thomas

PCT Helpdesk: 571-272-4300
PCT OSP: 571-272-7774