

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
9 July 2009 (09.07.2009)

PCT

(10) International Publication Number
WO 2009/084787 A1

(51) International Patent Classification:
G06F 17/30 (2006.01)

(21) International Application Number:

PCT/KR2008/003786

(22) International Filing Date: 29 June 2008 (29.06.2008)

(25) Filing Language: Korean

(26) Publication Language: English

(30) Priority Data:

10-2007-0141711

31 December 2007 (31.12.2007) KR

(71) Applicant (for all designated States except US):
THINKWARE SYSTEMS CORPORATION [KR/KR];
Hanmi Tower 15 F., 45 Bangi-dong, Songpa-gu, Seoul
138-050 (KR).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **LEE, Hee Back**
[KR/KR]; c/o THINKWARE SYSTEMS CORPORATION,
Hanmi Tower 15 F., 45 Bangi-dong Songpa-gu,
Seoul 138-050 (KR).

(74) Agent: **MUHANN PATENT & LAW FIRM**; 2, 5, 6th
Floor, Myeonglim Building, 51-8 Nonhyeon-dong, Gang-
nam-gu, Seoul 135-814 (KR).


(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA,
CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE,
EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID,
IL, IN, IS, JP, KE, KG, KM, KN, KP, KZ, LA, LC, LK, LR,
LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX,
MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO,
RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL,

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR PATH SEARCH THROUGH WEB BROWSING

FIG. 1



(57) Abstract: Disclosed are a path retrieval method and apparatus through web browsing in a navigation terminal. The path retrieval method includes retrieving a destination web page through a web browser of a navigation terminal, calling an application program through a user action in the retrieved destination web page, and transmitting destination location information to the application program, providing the destination location information to the navigation terminal by the application program, and requesting a path retrieval with respect to a destination, and retrieving a path to the destination based on the destination location information by the navigation terminal.

WO 2009/084787 A1



NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG,
CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— *with international search report*

**METHOD AND APPARATUS FOR PATH SEARCH THROUGH WEB
BROWSING**

Technical Field

5 The present invention relates to a path retrieval method through web browsing in a navigation terminal, and more particularly, to a path retrieval method and apparatus which may retrieve a web page through web browsing even without directly inputting an address and the like to the navigation terminal, thereby obtaining location information and retrieving a path.

10

Background Art

 In general, a navigation system is a system providing information used for navigation of vehicles using artificial satellites.

15 A typical navigation system may be embodied as a single terminal, and include a storage medium storing map data and a Global Positioning System (GPS) receiver for receiving GPS signals.

 The navigation system may calculate and provide a current location of a vehicle, and calculate an optimum route to a desired destination to thereby guide the user while providing various information concerning the route.

20 In the navigation system, a wireless Internet is gradually generalized due to expansion in the use of Wireless Broadband Internet (WiBro), high speed downlink packet access (HSDPA), and the like, and a wireless Internet environment is promoted through various methods. In particular, the wireless Internet environment is expanded due to Internet access via Bluetooth and use of a universal subscriber identity module
25 (USIM) card.

 However, most Personal Navigation Devices (PNDs) or In-Car Navigation terminals rarely include a communication device mounted therein, so that a web browsing through a navigation terminal and a path retrieval through the web browsing are not provided.

30

Disclosure of Invention

Technical Goals

An aspect of the present invention provides a path retrieval method and apparatus which may retrieve a destination through web browsing in a navigation terminal including a communication device mounted therein, and automatically retrieve a path through a specific action of a user.

5

Technical solutions

According to an aspect of the present invention, there is provided a path retrieval method through web browsing, the method including: retrieving a destination web page through a web browser of a navigation terminal; calling an application
10 program through a user action in the retrieved destination web page, and transmitting destination location information to the application program; providing the destination location information to the navigation terminal by the application program, and requesting a path retrieval with respect to a destination; and retrieving a path to the destination based on the destination location information by the navigation terminal.

15 In this instance, the user action may push a location transmission button in the calling and the transmitting.

According to another aspect of the present invention, there is provided a path retrieval apparatus through web browsing, the apparatus including: a web retrieval unit to retrieve a destination through a communication device of a navigation terminal; an
20 application program storing unit to store an application program for receiving location information of retrieved destination web page; an application program calling unit to call the application program when a user action provides an input to the retrieved destination web page; a location information receiving unit to receive the location information of the destination web page received by the application program; and a path
25 retrieval unit to retrieve a path based on the location information received from the location information receiving unit.

Advantageous Effects

As described above, according to the present invention, a user may retrieve the
30 destination through the web browser of the navigation terminal without directly inputting the destination address, so that the path to the destination is automatically retrieved through the user specific action.

According to the present invention, the destination web page may be retrieved through web browsing even when the user does not know the precise destination address and the like, so that the path to the destination is automatically retrieved.

5 Brief Description of Drawings

FIG. 1 is a flowchart illustrating a path retrieval method through web browsing according to an exemplary embodiment of the present invention;

FIG. 2 is a flowchart illustrating a path retrieval method through web browsing according to another exemplary embodiment of the present invention; and

10 FIG. 3 is a block diagram illustrating a path retrieval apparatus through web browsing according to an exemplary embodiment of the present invention.

Best Mode for Carrying Out the Invention

Reference will now be made in detail to embodiments of the present invention, 15 examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to the like elements throughout. The embodiments are described below in order to explain the present invention by referring to the figures.

FIG. 1 is a flowchart illustrating a path retrieval method through web browsing according to an exemplary embodiment of the present invention.

20 Referring to FIG. 1, in operation S110, a user retrieves a desired destination through a web browser of a navigation terminal including a communication device mounted therein.

According to the present exemplary embodiment, in order to retrieve a path using the navigation terminal, the destination may be retrieved through web browsing 25 without directly inputting an address and the like.

As an example, a user retrieves 'recommended restaurants around Gang-Nam station' through the web browser of the navigation terminal when wishing to retrieve information concerning restaurants around Gang-Nam station and to select one from restaurants of a retrieval result list to thereby retrieve a path to the selected restaurant 30 through the web browser. Specifically, the user may finally select a desired restaurant from the retrieval result list, and then the navigation terminal may retrieve a path to the desired restaurant.

As another example, a destination may be retrieved through category retrieval. Specifically, when an upper category such as 'restaurant', 'government office', 'hospital', 'school', and the like is exhibited via a screen to a user, the user may select a desired category from the upper category and then further select a lower category. For example, the user selects an upper category of 'restaurant' and then selects a lower category of 'Japanese food' from among categories such as 'Korean food', 'Chinese food', 'Japanese food', 'Western food', and 'etc.' belonging to the restaurant of the upper category when wishing to retrieve 'sushi restaurant'. A list of sushi restaurants is provided to a user when 'sushi' is selected from lower categories such as 'sushi', 'Japanese pork cutlet', 'Japanese noodle', and the like of the selected 'Japanese food', so that the user may select a desired web page from the list.

In operation S120, an application program is called by pushing a specific button on a destination web page in order to receive destination location information on a web page of the destination retrieved in operation S110, and the destination location information of the web page is transmitted to the application program.

As an example, when a user retrieves information concerning a restaurant around Gang-Nam station, and selects a specific web page to push a location transmission button previously formed on the web page, a plug-in program or control Application Program Interface (API) connected with a web browser is called, and destination location information on the web page is transmitted to the plug-in program or control API.

In operation S130, the called application program transmits the destination location information to the navigation terminal, and requests a path retrieval based on the transmitted destination location information.

As an example, the destination location information transmitted to the application program such as the plug-in program and the like by pushing the location transmission button is re-transmitted to the navigation terminal, and the application program requests the navigation terminal to retrieve a path with respect to the destination location information.

In operation S140, a location of the destination location information transmitted to the navigation terminal is determined as the destination to thereby automatically retrieve a path.

As described above, the user may retrieve the path through web browsing without directly inputting an address and the like to the navigation terminal. In particular, the user retrieves a web page to receive location information of a destination and retrieves a path of the destination, even when the user does not accurately know the address.

FIG. 2 is a flowchart illustrating a path retrieval method through web browsing according to another exemplary embodiment of the present invention.

Referring to FIG. 2, in operation S210, a user inputs a keyword in a web browser in order to retrieve a path to a destination, thereby retrieving the destination.

Specifically, a keyword such as dermatology hospitals around Hak-Dong station is inputted to perform web browsing without directly inputting an address of the destination to the navigation terminal when a user does not know the precise address, and then the user may select a desired web page from a retrieval result list.

Also, a desired location may be retrieved while narrowing a range of location data stored in the navigation terminal starting from upper categories to lower categories of the location data.

In operation S220, the location transmission button previously formed on the retrieved destination web page is clicked to call a plug-in program, and the plug-in program receives location information of the destination web page.

Specifically, the destination web page retrieved by the user includes the location transmission button. Thereby, the plug-in program is called and at the same time location information of the destination web page is transmitted to the plug-in program when clicking the location transmission button.

In this instance, the location information transmitted to the plug-in program may be transmitted either in a destination address format or in a coordinate information format. Specifically, the location information may be selected to be transmitted in the destination address format or in the coordinate information format upon manufacturing web pages.

In operation S230, the plug-in program to which the location information is transmitted provides the location information to the navigation terminal in the address format or in the coordinate information format.

Specifically, according to the format of the location information received in

operation S220, the location information is transmitted to the navigation terminal in the same format. As an example, similar to the plug-in program receiving the location information in the coordinate information format, the navigation terminal may receive the location information in the coordinate information format.

5 In operation S240, a retrieval mode is set as a coordinate information retrieval mode when the navigation terminal receives the location information in the coordinate information format, and a path of the destination may be automatically retrieved according to the coordinate information retrieval mode. Similarly, the destination information is retrieved in an address retrieval mode when the navigation terminal
10 receives the location information in the destination address format.

FIG. 3 is a block diagram illustrating a path retrieval apparatus 310 through web browsing according to an exemplary embodiment of the present invention.

Referring to FIG. 3, the path retrieval apparatus 300 includes a web retrieval unit 311, an application program calling unit 312, an application program storing unit
15 313, a location information receiving unit 314, and a path retrieval unit 315.

The web retrieval unit 311 may retrieve a desired destination through a keyword input of a user using a communication device mounted in the navigation terminal and a web browser.

Specifically, the web browser is connected with a web server through the
20 communication device to retrieve web pages when the user retrieves information concerning a restaurant through the keyword input, and a result list is outputted to the user.

The application program calling unit 312 calls the application program such as a plug-in program stored in the application program storing unit 313 in order to receive,
25 from the retrieved web page, location information concerning a place of the web page, and transmits the location information to the navigation terminal through the application program.

The location information receiving unit 314 receives the location information received from the web page by the application program, and transmits the location
30 information to the path retrieval unit 315 for the purpose of path retrieval. In this instance, the location information received by the location information receiving unit 314 may be any one of an address format and a coordinate information format.

The path retrieval unit 315 retrieves a path of the destination based on the location information received from the location information receiving unit 314. In this instance, a path retrieval mode may be set according to a format of the location information received from the location information receiving unit 314, such as the address format or the coordinate information format.

The path retrieval method through web browsing according to the above-described exemplary embodiments of the present invention may be recorded in computer-readable media including program instructions to implement various operations embodied by a computer. The media may also include, alone or in combination with the program instructions, data files, data structures, and the like. The media and program instructions may be those specially designed and constructed for the purposes of the present invention, or they may be of the kind well-known and available to those having skill in the computer software arts. Examples of computer-readable media include magnetic media such as hard disks, floppy disks, and magnetic tape; optical media such as CD ROM disks and DVD; magneto-optical media such as optical disks; and hardware devices that are specially configured to store and perform program instructions, such as read-only memory (ROM), random access memory (RAM), flash memory, and the like. Examples of program instructions include both machine code, such as produced by a compiler, and files containing higher level code that may be executed by the computer using an interpreter. The described hardware devices may be configured to act as one or more software modules in order to perform the operations of the above-described exemplary embodiments of the present invention.

Although a few embodiments of the present invention have been shown and described, the present invention is not limited to the described embodiments. Instead, it would be appreciated by those skilled in the art that changes may be made to these embodiments without departing from the principles and spirit of the invention, the scope of which is defined by the claims and their equivalents.

CLAIMS

1. A path retrieval method through web browsing, the method comprising:
retrieving a destination web page through a web browser of a navigation terminal;
5 calling an application program through a user action in the retrieved destination web page, and transmitting destination location information to the application program;
providing the destination location information to the navigation terminal by the application program, and requesting a path retrieval with respect to a destination; and
retrieving a path to the destination based on the destination location information
10 by the navigation terminal.
2. The method of claim 1, wherein the retrieving of the destination web page retrieves the destination web page through keyword input or category retrieval using a retrieval window by a user.
15
3. The method of claim 1, wherein the calling and the transmitting calls a plug-in program or a control Application Program Interface (API).
4. The method of claim 1, wherein the user action pushes a location transmission
20 button in the calling and the transmitting.
5. The method of claim 1, wherein the calling and the transmitting transmits the destination location information in a destination coordinate information format.
- 25 6. The method of claim 5, wherein the providing and the requesting provides the destination coordinate information to the navigation terminal, and requests the path retrieval in a coordinate retrieval mode.
7. The method of claim 1, wherein the calling and transmitting transmits the
30 destination location information in a destination address format.
8. The method of claim 7, wherein the providing and the requesting provides the

destination address to the navigation terminal, and requests the path retrieval in an address retrieval mode.

9. A computer-readable recording medium storing a program for implementing
5 any one of the methods of claim 1 to claim 8.

10. A path retrieval apparatus through web browsing, the apparatus comprising:
a web retrieval unit to retrieve a destination through a communication device of
a navigation terminal;
10 an application program storing unit to store an application program for
receiving location information of retrieved destination web page;
an application program calling unit to call the application program when a user
action provides an input to the retrieved destination web page;
a location information receiving unit to receive the location information of the
15 destination web page received by the application program; and
a path retrieval unit to retrieve a path based on the location information
received from the location information receiving unit.


11. The apparatus of claim 10, wherein a plug-in program connected with a web
20 browser or a control API is stored in the application program storing unit.

12. The apparatus of claim 10, wherein the application program calling unit calls
the application program by a button being pushed by a user.


25 13. The apparatus of claim 10, wherein the location information receiving unit
receives the location information in a coordinate information format or in a destination
address format.

14. The apparatus of claim 13, wherein the path retrieval unit retrieves the path in a
30 coordinate information retrieval mode or address retrieval mode according to the
location information format received in the location information receiving unit.

1/3


FIG. 1

2/3

FIG. 2

3/3

FIG. 3



A. CLASSIFICATION OF SUBJECT MATTER**G06F 17/30(2006.01)i**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC8: G06F 17/30

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean Utility models and applications for Utility models since 1975

Japanese Utility models and applications for Utility models since 1975

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKIPASS(KIPO internal), keywords: navigation, internet, route, telematics, search, path, and location

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	KR 10-2007-0050607 A (HYUNDAI AUTO NET CO., LTD.) 16 MAY 2007 see abstract, page 4, and claims 1-2.	1-14
A	JP 2002229880 A (CLARION CO., LTD.) 16 AUGUST 2002 see abstract, paragraph [0037]-paragraph [0039].	1-14
A	JP2004219238 A (EFUTIERUINTANASHONARU INC.) 05 AUGUST 2004 see abstract, claim 1.	1-14



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

09 JANUARY 2009 (09.01.2009)

Date of mailing of the international search report

09 JANUARY 2009 (09.01.2009)

Name and mailing address of the ISA/KR

Korean Intellectual Property Office
Government Complex-Daejeon, 139 Seonsa-ro, Seo-
gu, Daejeon 302-701, Republic of Korea

Facsimile No. 82-42-472-7140

Authorized officer

Lee, Soo Cheol

Telephone No. 82-42-481-8120



INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/KR2008/003786Patent document
cited in search reportPublication
datePatent family
member(s)Publication
date

KR 20070050607 A

16.05.2007

US 2007-112506 A1

17.05.2007

JP 2002-229880 A

16.08.2002

None

JP 2004-219238 A

05.08.2004

None