



US00PP26398P3

(12) **United States Plant Patent**
Shearouse

(10) **Patent No.:** **US PP26,398 P3**

(45) **Date of Patent:** **Feb. 2, 2016**

(54) **CANNA PLANT NAMED ‘LEESHECAN01’**

(50) Latin Name: *Canna generalis*
Varietal Denomination: **LEESHECAN01**

(71) Applicant: **Leeann Shearouse**, Ashville, NC (US)

(72) Inventor: **Leeann Shearouse**, Ashville, NC (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 113 days.

(21) Appl. No.: **13/999,787**

(22) Filed: **Mar. 20, 2014**

(65) **Prior Publication Data**
US 2015/0271978 P1 Sep. 24, 2015

(51) **Int. Cl.**
A01H 5/00 (2006.01)

(52) **U.S. Cl.**
USPC **Plt./415**

(58) **Field of Classification Search**
USPC Plt./415
See application file for complete search history.

Primary Examiner — Annette Para

(74) *Attorney, Agent, or Firm* — Cassandra Bright

(57) **ABSTRACT**

A new and distinct *Canna* cultivar named ‘LEESHECAN01’ is disclosed, characterized by short, compact growth habit. Flowers are characteristically large, pink and rapidly self-cleaning. The new cultivar is a *Canna*, typically suited for garden and ornamental container use.

1 Drawing Sheet

1

Latin name of the genus and species: *Canna generalis*.
Variety denomination: ‘LEESHECAN01’.

BACKGROUND OF THE INVENTION

The new cultivar is a product of a planned breeding program. The new variety originated from a cross pollination of the seed parent, an unpatented variety of *Canna generalis* known as ‘Dawn Pink’ with the pollen parent, an unpatented proprietary selection of *Canna generalis* referred to as ‘C0451’ directed by the inventor in June of 2005. The crossing was made in Lox, Fla., in the client’s nursery.

‘LEESHECAN01’ was discovered by the inventor, Leeann Shearouse, in April 2006 in Lox, Fla., at her own nursery among seedlings resulting from the 2005 crossing.

Asexual reproduction of the new cultivar ‘LEESHECAN01’ was first performed in Lox, Fla., at a nursery by vegetative divisions in October 2006. ‘LEESHECAN01’ has since produced at least four generations and has shown that the unique features of this cultivar are stable and reproduced true to type.

SUMMARY OF THE INVENTION

The cultivar ‘LEESHECAN01’ has not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature, day length, and light intensity, without, however, any variance in genotype.

The following traits have been repeatedly observed and are determined to be the unique characteristics of ‘Can Do Pink’. These characteristics in combination distinguish ‘LEESHECAN01’ as a new and distinct *Canna* cultivar:

1. Much shorter than parent plant.
2. Low pollen production.
3. Different Orange Marmalade color.
4. Rapid self cleaning flowering habit.

PARENTAL COMPARISON

Plants of the new cultivar ‘LEESHECAN01’ are similar to the female parent ‘Dawn Pink’ in most horticultural charac-

2

teristics. However, ‘LEESHECAN01’ differs in producing shorter, more compact plants than ‘Dawn Pink’. Additionally, ‘LEESHECAN01’ produces a more orange marmalade color, whereas ‘Dawn Pink’ produces a more Pink flower. ‘LEESHECAN01’ also has significantly lighter colored foliage than ‘Liberty Pink’.

Plants of the new cultivar ‘LEESHECAN01’ are similar to the male parent ‘Dawn Pink’ in most horticultural characteristics. However, ‘LEESHECAN01’ differs in producing a shorter, more compact plant. Additionally, blooms of ‘LEESHECAN01’ self clean spent petals faster and produce blooms that are a stable overall color, whereas the pollen parent produces blooms lacking stability in color.

COMMERCIAL COMPARISON

‘LEESHECAN01’ can be compared to the unpatented commercial variety *Canna* ‘Pink President’. Plants of ‘Pink President’ are similar to plants of ‘LEESHECAN01’ in most horticultural characteristics, however, ‘LEESHECAN01’ produces a shorter, more compact overall plant. Additionally, plants of ‘LEESHECAN01’ produces flowers of orange marmalade, rather than the salmon pink of ‘Pink President’.

‘LEESHECAN01’ can also be compared to the unpatented commercial variety *Canna* ‘Liberty Watermelon’. Plants of ‘Liberty Watermelon’ are similar to plants of ‘LEESHECAN01’ in most horticultural characteristics, however, ‘LEESHECAN01’ produces a shorter, more compact overall plant. Additionally, plants of ‘LEESHECAN01’ produces flowers of a different color orange than those of ‘Liberty Watermelon’.

BRIEF DESCRIPTION OF THE PHOTOGRAPH

The accompanying photograph in FIG. 1 illustrates in full color a typical plant of ‘LEESHECAN01’ grown outdoors in Lompoc, Calif. This plant is approximately 1 year old, shown in a 1 gallon pot. The photograph was taken using conventional techniques and although colors may appear different

from actual colors due to light reflectance it is as accurate as possible by conventional photographic techniques.

DETAILED BOTANICAL DESCRIPTION

In the following description, color references are made to The Royal Horticultural Society Colour Chart except where general terms of ordinary dictionary significance are used. The following observations and measurements describe 'LEESHECAN01' plants grown in a greenhouse in Lompoc, Calif. Temperatures ranged from 10° C. to 20° C. at night to 12° C. to 25° C. during the day. No artificial light, photoperiodic treatments or chemical treatments were given to the plants. Measurements and numerical values represent averages of typical plant types.

Botanical classification: *Canna generalis*. cultivar 'Can Do Pink'.

Age of the plant described: Approximately 1 year.

Container size of the plant described: 1 gallon.

PROPAGATION

Time to initiate roots: About 5 days at temperatures of 25 to 28 degrees C.

Time to develop roots: About 21 days at temperatures of 28 to 31 degrees C.

Rhizome description: Near RHS White 155A in color covered with papery scale-like leaves near Brown 200B.

Root description: Thick, fibrous near RHS 158C in color.

PLANT

Growth habit: Upright.

Age of plant described: Approximately 1 year.

Container size: 1 gallon nursery container.

Height: Measured from top soil line of pot, approximately 28 cm to top of highest leaf. Approximately 49 cm to top of highest inflorescence.

Plant spread: Approximately 53 cm.

Growth rate: Rapid.

Branching characteristics: Non-branching, basal clump forming.

Stem:

Length.—Approximately 24 cm.

Diameter.—Approximately 1.9 cm.

Texture.—Glabrous, slightly ribbed.

Color.—Near RHS Yellow-Green 144A.

FOLIAGE

Leaf:

Arrangement.—Simple, alternate.

Average length.—Approximately 19 cm.

Average width.—Approximately 14 cm.

Shape of blade.—Ovate.

Apex.—Acute.

Base.—Symmetrical cuneate with sheathing.

Margin.—Entire.

Texture of top surface.—Smooth to slightly ridged, matte.

Texture of bottom surface.—Smooth, matte.

Quantity of leaves per plant.—Approximately 15.

Color.—Young foliage upper side: Near RHS Green 137A. Young foliage under side: Near RHS Green

137A. Mature foliage upper side: Near RHS Green

137A. Mature foliage under side: Near RHS Green 137A.

Venation.—Type: Pinnate. Venation color upper side: Near RHS Yellow-Green 144A. Venation color under side: Near RHS Yellow-Green 144A.

Petiole:

Length.—Average 7.2 cm.

Diameter.—Average 1 cm.

Texture.—Glabrous.

Color.—Near RHS Green 143C.

Sheath:

Length.—Approximately 5.5 cm.

Width.—Approximately 1 cm.

Texture.—Glabrous.

Color.—Near RHS Green 137B.

FLOWER

Natural flowering season: Spring and Summer.

Inflorescence description: Single flowers arranged on terminal racemes; several racemes per plant.

Flower longevity on plant: Individual flowers last approximately 2 weeks.

Quantity of flowers: Approximately 15 per raceme.

Inflorescence size:

Height.—Approximately 19 cm.

Diameter.—Approximately 15 cm.

Inflorescence sheath:

Length.—Approximately 9.5 cm.

Diameter.—Approximately 4.5 cm, unrolled, normally very tightly held to stem.

Texture.—Inner Surface: Finely ribbed. Outer Surface: Finely ribbed

Color.—Near RHS Yellow-Green 145C with stripes near Greyed-Purple 187A.

Peduncle:

Length.—Approximately 5.5 cm.

Width.—Approximately 1.0 cm.

Color.—Near RHS Yellow-Green 144B.

Texture.—Glabrous.

Strength.—Very strong.

Flowers:

Flower form.—Salverform.

Flower diameter (at widest point).—Approximately 10.5 cm.

Flower length (height from the base of the pedicel).—Approximately 9.5 cm.

Flower bud: (just before showing color):

Length.—Approximately 3.9 cm.

Diameter.—Approximately 0.9 cm.

Shape.—Narrow ovoid.

Color.—Near RHS Red 46C.

Bracts:

Quantity.—Average 3.

Arrangement.—Whorled.

Length.—Approximately 4.5 cm.

Width.—Approximately 1.9 cm.

Shape.—Elliptic.

Apex.—Acute.

Base.—Oblique.

Margin.—Entire.

Texture.—Glabrous.

Appearance.—Slightly shiny.

- Color*.—Inner Surface: Faint background coloration near RHS Yellow-Green 150D, at base, darkening to 137B and 137C near upper half Prominent striping near Red-Purple 59B, margin near Red-Purple 59B. Outer surface: Faint background coloration near RHS Yellow-Green 150D, at base. Center coloration near Red 45A, top 1/3 of bract blade is Greyed-Purple 187B. Entire margin near Greyed-Purple 187B.
- Pedicels:
- General description*.—Flattened, nearly fused to peduncle.
- Length*.—Approximately 0.5 cm.
- Diameter*.—Approximately 0.5 cm.
- Angle*.—About 45 degrees from Peduncle.
- Strength*.—Very strong.
- Texture*.—Succulent, glabrous
- Color*.—Near RHS Green 143C.
- Pedicel sheath:
- Texture*.—Chartaceous.
- Length*.—Approximately 2.0 cm.
- Width*.—Approximately 2.1 cm.
- Color*.—Near RHS Yellow-Green N144D background with striping near Greyed-Purple 187A.
- Sepals:
- Quantity*.—Average 3.
- Appearance*.—Matte.
- Length*.—Approximately 1.1 cm.
- Width*.—Approximately 0.8 cm.
- Shape*.—Deltoid
- Apex*.—Acute.
- Base*.—Cordate.
- Margin*.—Entire.
- Texture*.—Glabrous.
- Color*.—Inner Surface: Near RHS Yellow-Green 145B, Stripes and margin near Red-Purple 59C. Outer Surface: Near RHS Yellow-Green 145B, Stripes, apex and margin near Red-Purple 59C.
- Petals:
- Quantity*.—4 actual petals; 2 petaloid staminoides described in separate section.
- Arrangement*.—Whorled.
- Length*.—Approximately 7.8 cm.
- Width*.—Approximately 4.9 cm.
- Shape (all petals)*.—Spatulate.
- Apex (all petals)*.—Obtuse, with irregular obtuse shallow lobes. Depth of lobes: approximately 0.3 cm.
- Base*.—Cuneate
- Margin*.—Entire.
- Texture*.—Inner surface: Glabrous.
- Texture*.—Outer surface: Glabrous.
- Color*.—When opening, inner and outer surfaces: Near RHS Red-Purple 58B. Fully opened, inner surface: Near RHS Red 52A. Fully opened, outer surface: Near RHS Red 52A. Fading inner surface: Near RHS Red 54A. Fading outer surface: Near RHS Red 54A.
- Primary/largest petaloid staminodia:
- Quantity*.—1.
- Length*.—Approximately 5.2 cm.
- Width*.—Approximately 0.9 cm.
- Shape*.—Narrow oblanceolate, asymmetrical, curling significantly to one side.
- Apex*.—Acute, curling.
- Base*.—Cuneate.
- Margin*.—Entire.
- Texture*.—All surfaces glabrous.
- Appearance*.—Shiny.
- Color*.—Upper (inner) surface: Near RHS Red 53D.
- Color*.—Lower (outer) surface: Near RHS Red 53D.
- Stamen Present on Primary Petaloid staminodia.
- Stamens:
- Number*.—1.
- Filament length*.—No filament.
- Anther length*.—Approximately 1.0 cm.
- Anther color*.—Near RHS Yellow-Orange 15D.
- Anther shape*.—Linear, undulating.
- Pollen*.—Moderate.
- Pollen color*.—Near RHS Yellow 13D.
- Secondary petaloid staminode:
- Quantity*.—1.
- Length*.—Approximately 4.7 cm.
- Width*.—Approximately 0.8 cm.
- Shape*.—Linear.
- Apex*.—Acute.
- Base*.—Cuneate.
- Margin*.—Entire.
- Texture*.—Upper (inner) and lower (outer) surfaces: Glabrous.
- Appearance*.—Shiny.
- Color*.—Upper (inner) surface: Near RHS Yellow 11B, small blotches of Red 53A near apex and near base.
- Color*.—Lower (outer) surface: Near RHS Yellow 11B, small blotches of Red 53A near apex and near base.
- Fragrance: Very faint.

REPRODUCTIVE ORGANS

Stamens: See Primary petaloid staminode.

Gynoecium:

Pistil.—Ovary present, no visible stigma or style.*Ovary color*.—Near RHS Yellow-Green 145B.*Ovary diameter*.—0.5 cm*Ovary height*.—0.7 cm.

OTHER CHARACTERISTICS

Seeds: Infrequent, low production of round, approximately 0.6 cm diameter seeds near RHS Brown 200B.

Disease/pest resistance: Neither resistance nor susceptibility to common diseases and pests of *Canna* have been observed in the new variety.

Temperature tolerance: Tolerates temperatures from approximately 4° C. to 38° C.

What is claimed is:

1. A new and distinct cultivar of *Canna generalis* plant named 'LEESHECAN01' as herein illustrated and described.

* * * * *

