



- (51) International Patent Classification:
G06F 21/53 (2013.01)
- (21) International Application Number:
PCT/US2013/052005
- (22) International Filing Date:
25 July 2013 (25.07.2013)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
61/675,780 25 July 2012 (25.07.2012) US
- (71) Applicant: THE UNIVERSITY OF NORTH CAROLINA AT CHAPEL HILL [US/US]; 308 Bynum Hall, Campus Box 4105, Chapel Hill, NC 27599-4105 (US).

- (72) Inventors: SCHMITT, Charles, Patrick; 103 Wolf's Trail, Chapel Hill, NC 27516 (US). CHASE, Jeffrey, Scott; 3413 Rugby Road, Durham, NC 27707 (US). BALDINE, Iliia; 4601 Wellington Downs, Raleigh, NC 27613 (US). COPOSKY, Jason, Matthew; 111 Lane-wood Way, Apex, NC 27502 (US). SHOFFNER, Michael, Rolandus; 23 Grapevine Trail, Durham, NC 27707 (US). LAMM, Brent, Watson; 5004 Swisswood Drive, Raleigh, NC 27613 (US). MOSTAFA, Javed; 215 Preston Pines Drive, Cary, NC 27513 (US).
- (74) Agent: HUNT, Gregory, A.; Jenkins, Wilson, Taylor & Hunt, P.A., Suite 1200, University Tower, 3100 Tower Boulevard, Durham, NC 27707 (US).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

[Continued on next page]

(54) Title: METHODS, SYSTEMS, AND COMPUTER READABLE MEDIA FOR PROVIDING A SECURE VIRTUAL RESEARCH SPACE




FIG. 1

(57) Abstract: Methods, systems, and computer readable media for providing a secure virtual research space are disclosed. According to one aspect, a system for providing a secure virtual research space includes: a data grid for storing and managing data to be shared among multiple collaborative partners, the data grid comprising at least one data storage device; at least one virtual network appliance, each virtual network appliance comprising a hardware processor for providing controlled access to shared data on the data grid by a user; and a data leakage protection mechanism for preventing unauthorized transfer of data out of the secure virtual research space.



(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK,

SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

— *with international search report (Art. 21(3))*

DESCRIPTION
METHODS, SYSTEMS, AND COMPUTER READABLE MEDIA FOR
PROVIDING A SECURE VIRTUAL RESEARCH SPACE

PRIORITY CLAIM

This application claims the benefit of U.S. Provisional Patent
5 Application Serial No. 61/675,780, filed July 25, 2012; the disclosure of
which is incorporated herein by reference in its entirety.

TECHNICAL FIELD

The subject matter described herein relates to methods and systems
10 for secure, controlled access sharing of information, such as in a
collaborative environment. More particularly, the subject matter described
herein relates to providing a secure virtual research space.

BACKGROUND

15 Research, whether it is academic or industry-based, increasingly
requires collaboration between multiple groups where the collaborations are
characterized by conducting research on shared data. Collaborative
research among groups of researchers or research teams allows each group
to take advantage of the discoveries of the other groups, which can
20 accelerate the pace of progress and provide opportunities for synergy
between disparate research foci.

Collaborative research has its own challenges, however, including
how to best share information among the collaborative partners in a secure
and confidential manner. In one example, collaborative biomedical research
25 between multiple institutions involves the sharing of each institution's data,
results, and conclusions with the other institutions. Such data can be shared
by direct transfer from each institution to each of the other institutions,
referred to herein as a "distributed" solution, or data from all institutions can
be collected in a common repository that can be accessed by all
30 collaboration partners, referred to herein as a "centralized" solution. Such
collaborations are challenging to construct and maintain, as multiple issues

must be resolved, including agreement on data usage policies, establishing trust between collaborators that data usage policies will be abided by, and providing the technical means of sharing and integrating data securely and in a time-efficient manner.

5 In collaborative research in particular, there are often the conflicting requirements to provide ready access to the data by all collaboration partners and at the same time restrict or block access to the data by any party or entity that is not a collaboration partner. Each collaborative entity should have ready access to the data without reducing the security level of
10 the overall collaboration and without increasing the risk of leaking sensitive data to the outside world.

 Many technical approaches have been tried to provide electronic-based infrastructure to facilitate such collaborations, but to date adoption has been limited. There are many reasons for failure, including the inability of
15 solutions to adapt to the rapidly changing requirements of researchers, infrastructure cost, infrastructure complexity, and the inability to properly address data security and data privacy concerns. Conventional approaches to this problem include attempting to centralize the infrastructure, relying on
20 non-technical solutions, such as data use agreements, or relying on each group to properly implement protection. Each of these approaches has disadvantages.

 Centralizing the infrastructure can be done in two ways. The first way is to copy all data to a shared location with centralized authentication and authorization. This requires duplication of resources and raises the issue of
25 data coherency between the centralized copy and the remote copy. The second way is to have all data exist only in the shared location, e.g., moving the group to the centralized location rather than moving the data to the centralized location.

 Non-technical solutions tend to rely on promises to abide by agreed-upon behavior and imposition of some punitive measures for a breach of
30 these agreements. For example, the parties may sign a data use agreement in which each party promises to share data only with the other collaborative partners. Such agreements would cover sharing of data by email to the

other parties, for example. These solutions are susceptible both to accidental sharing of confidential information due to human error and to deliberate sharing of confidential information by fraud or intentional breach.

De-centralized technical solutions, in which each group is responsible
5 for properly implementing protection, are only as secure as the security policies and implementations of the least secure group member. Here also, it is surprisingly difficult to implement secure transport of data from one party to another or from each party to a shared repository. Email encryption programs, for example, have been in existence for decades but are still not
10 widely used; the vast majority of email sent is not encrypted in any way.

Another approach is to create a custom solution for secure, authenticated, and authorized data integration systems, but these solutions are by definition *ad hoc*, are usually so customer-specific as to be essentially non-reusable, and are thus usually very expensive to design and implement.

15 Thus, what is needed is an infrastructure that provides security, authentication, and authorization yet makes data sharing easy. Such an infrastructure would allow the researchers the flexibility to implement whichever data integration solution they deem best. Accordingly, there exists a need for methods, systems, and computer readable media for
20 providing a secure virtual research space.

SUMMARY

According to one aspect, the subject matter described herein includes a system for providing a secure virtual research space. The system
25 includes: a data grid for storing and managing data to be shared among multiple collaborative partners, the data grid comprising at least one data storage device; at least one virtual network appliance, each virtual network appliance comprising a hardware processor for providing controlled access to shared data on the data grid by a user; and a data leakage protection
30 mechanism for preventing unauthorized transfer of data out of the secure virtual research space.

According to one aspect, the subject matter described herein includes a method for providing a secure virtual research space. The method

includes providing a secure virtual research space that includes a data grid for storing and managing data to be shared among a plurality of collaborative partners, the data grid comprising at least one data storage device, and at least one virtual network appliance, each virtual network
5 appliance comprising a hardware processor for providing controlled access to shared data on the data grid by a user. The method also includes providing a data leakage protection mechanism for preventing unauthorized transfer of data out of the secure virtual research space.

The subject matter described herein can be implemented in software
10 in combination with hardware and/or firmware. For example, the subject matter described herein may be implemented in software executed by one or more processors. In one exemplary implementation, the subject matter described herein may be implemented using a non-transitory computer readable medium having stored thereon computer executable instructions
15 that when executed by the processor of a computer control the computer to perform steps. Exemplary computer readable media suitable for implementing the subject matter described herein include non-transitory computer readable media, such as disk memory devices, chip memory devices, programmable logic devices, and application specific integrated
20 circuits. In addition, a computer readable medium that implements the subject matter described herein may be located on a single device or computing platform or may be distributed across multiple devices or computing platforms.

25

BRIEF DESCRIPTION OF THE DRAWINGS

Preferred embodiments of the subject matter described herein will now be explained with reference to the accompanying drawings, wherein like reference numerals represent like parts, of which:

30 Figure 1 is a block diagram of an exemplary system for providing a secure virtual research space according to an embodiment of the subject matter described herein;

Figure 2 is a flow chart illustrating an exemplary process for providing a secure virtual research space according to an embodiment of the subject matter described herein;

5 Figure 3 is a block diagram of an exemplary system for providing a secure virtual research space according to another embodiment of the subject matter described herein;

Figure 4 is a block diagram of an exemplary system for providing a secure virtual research space according to yet another embodiment of the subject matter described herein;

10 Figure 5 is a block diagram of an exemplary system for providing a secure virtual research space according to yet another embodiment of the subject matter described herein; and

Figure 6 is a block diagram illustrating SRS high-level architecture according to an embodiment of the subject matter described herein.

15

DETAILED DESCRIPTION

In accordance with the subject matter disclosed herein, systems, methods, and computer readable media are provided for providing a secure virtual research space. Reference will now be made in detail to exemplary
20 embodiments of the present invention, examples of which are illustrated in the accompanying drawings. Wherever possible, the same reference numbers will be used throughout the drawings to refer to the same or like parts.

In order to provide a distributed computing infrastructure that
25 addresses the concerns that arise when collaborators are from different administrative domains, e.g., universities, departments, labs, companies, or divisions, and have different concerns and policies concerning the sharing and dissemination of data, the subject matter disclosed herein provides a secure research space, or SRS, that makes it possible to: provide assurance
30 of consistent policy implementation for infrastructure security and data privacy; ensure all policies meet evolving collaboration requirements and institutional requirements; leverage existing, paid-for IT resources; provide for easy, policy-based, secured and rapid sharing of data; easily adapt to the

addition or removal of collaborating sites; reduce IT time and cost to build, use, and sustain; and allow collaborations that include sites with differing IT infrastructures. Unlike traditional approaches to data sharing, SRS does not attempt to provide capabilities, such as semantic mediation of federated data. Instead, SRS focuses on providing a data sharing fabric that researchers can readily adapt to their own collaborative needs.

The subject matter disclosed herein addresses three specific security concerns: security within the trust fabric, security surrounding the trust fabric, and point-to-point security between entities using the trust fabric. These will be described in more detail with reference to Figure 1.

Figure 1 is a block diagram of an exemplary system for providing a secure virtual research space (SRS) according to an embodiment of the subject matter described herein.

In the embodiment illustrated in Figure 1, a system **100** for providing a secure virtual research space includes a shared data repository, called the data grid **102**, for storing data to be shared across multiple collaborative partners, which may be individuals, groups or teams of individuals, organizations, etc. Data on data grid **102** may be accessed using one or more virtual network appliances (VNAs) **104** via a secure network **106**.

The combination of data grid **102**, VNA **104**, and secure network **106** uniquely addresses three distinct security concerns: security within the SRS, including secure access to shared data; security surrounding the SRS, including protection against "data leakage", i.e., the unauthorized or accidental transfer of data out of the SRS; and point-to-point security, including security around both local and remote access. How these three concerns are addressed by the systems and methods described herein will be discussed in more detail below.

Data grid **102** provides security within the SRS, including secure access to shared data. Data grid **102** includes file and/or data storage devices for storing data. Exemplary storage devices include, but are not limited to, hard disk drives, solid-state drives, flash drives, or other means of storage. In one embodiment, data grid **102** may be a distributed file system that spans locations and devices. In the embodiment illustrated in Figure 1,

for example, data grid **102** includes a first set of storage devices in one location, A, and a second set of storage devices in another location, B.

In one embodiment, data grid **102** may provide access to many types of data, including files and folders but also non-file data, including
5 publish/subscribe (“pub/sub”) data, RSS feeds, data from social networking sites, the results of database queries, and others. In one embodiment, data grid **102** provides a level of abstraction that maps a logical file space to a physical file space, which may be invisible to the user. In one embodiment,
10 data grid **102** may handle some or all of the storage, replication, synchronization, and backup functions for data stored within its data storage devices, wherever those devices happen to be located.

Data grid **102** controls access to the shared data, including performing authentication and authorization functions, to allow access to authorized parties and to deny access to unauthorized parties. In one
15 embodiment, data grid **102** may use meta data associated with files, folders, streams, queries, or other data constructs to determine access privileges. In such embodiments, data grid **102** provides location-agnostic access control: data can be located not only anywhere within the physical file system but also anywhere within the logical file system. Alternatively, data grid **102** may
20 use conventional location-based access control, e.g., access permissions are defined at least in part on where in the logical file system the data resides. For example, data grid **102** may use folder-based access control lists; data grid **102** may generate a file name or folder name that includes an indication of the parties or groups to whom access should be granted, etc.

25 Data grid **102** provides more than just access control; it can also apply policy rules that can not only define an access condition but also define a “rule action” that defines actions that may/must be taken when certain file access events occur. For example, data grid **102** may keep a single, centralized copy of all data, or it might create duplicate copies of all
30 data, stored at locations that are local to a user or group. In an example scenario, a research group in one country may be collaborating with another group in another country; data grid **102** physical file storage may include

some storage in each country, e.g., as a means to provide geographically diverse backups, to reduce data access time at each site, etc.

For example, data grid **102** policies may dictate that any time new data is added to file storage in one country, a copy of that data must be sent
5 to the file storage in the other country. In this example, a “file write rule action” may be triggered whenever new data is written to one location or the other, and that rule action may specify that a copy of that data should be sent to all other sites where a member of the collaborative team is located.

Likewise, rule actions may dictate what should happen when a
10 particular piece of data is deleted from one location: the rule action may specify that when data is deleted from one site, that same data will be deleted from all other sites. Alternatively, the rule action may specify that when data is deleted from one site, the corresponding data should NOT be automatically deleted from all sites but can only be deleted manually. In yet
15 another example, one site may be considered the master site for a particular piece of data, such that copies of a particular piece of data existing on other sites cannot be deleted unless that data has been deleted from the master site. Other types of rules and actions are possible.

In one embodiment, data grid **102** may record or log some or all
20 activity, such as data access or attempted data access or other activity by users or, in the case of rule actions, activity by data grid **102** itself.

In one embodiment, data grid **102** includes a data grid manager **108** for mapping the logical file space to a physical file system. Data grid manager **104** may also perform none, some, or all of the functions (e.g.,
25 security, rule-action, and logging) described above. In one embodiment, Data grid manager **108** may tailor what data will be visible and/or accessible to a user based on that user’s profile, e.g., which research groups or projects the user is a member of, what that user’s permissions are, and so on.

In one embodiment, access to data grid **102** is provided to a user via
30 data grid access software, herein referred to as a data grid client **110**. Exemplary data grid clients **110** include, but are not limited to, a graphical user interface (GUI) that presents data as files and folders, a GUI that provides a drag-and-drop interface, a command line interface (CLI), and a

plugin for a browser or other application. In one embodiment, data grid client **110** may present data within data grid **102** as a set of files and folders in a GUI. In one embodiment, access to data grid **102** requires an interaction between data grid client **110** and data grid manager **108**, which
5 may act as the server in a client/server relationship. In this embodiment, data grid manager **108** and/or data grid client **110** can impose the necessary security restrictions and perform any rule action associated with the data access.

Data that may be stored within data grid **102** includes, but is not
10 limited to, clinical patient data, census data, etc. Different types of data may be treated with different levels of confidentiality. For example, data that identifies a particular individual may be subject to stricter access control and more stringent privacy and security polices than anonymous data, such as statistical data, summary data, or data for which personally identifying
15 information has been removed. Data grid manager **108** has the capability to apply policies that are appropriate to the type of data.

Security surrounding the SRS, including protection against “data leakage”, i.e., the unauthorized or accidental transfer of data out of the SRS, and point-to-point security, including security around both local and remote
20 access, is provided by a combination of features found in the virtual network appliances **104** and the secure network **106**. VNAs are used by users of SRS **100**, e.g., by members of a collaboration. The use of VNAs guarantee that the proper software clients (data grid access, data leakage protection, point-to-point protection) are present, running, and up to date.

25 In the embodiment illustrated in Figure 1, system **100** includes a single VNA **104** that communicates with data grid **102** via secure network **106**, but multiple VNAs may be supported.

In the embodiment illustrated in Figure 1, VNA **104** includes one or more hardware processors **112**, which execute a virtual machine (VM) **114**
30 running in memory, which could be transitory or non-transitory computer readable media, such as RAM, FLASH, etc. VM **114** may host at least one operating system (OS), which may be preconfigured with all the software, applications, device drivers, plugins, etc., required to implement the SRS. In

one embodiment, the preconfigured OS has been preconfigured with security settings or policies that are under control of an administrator that is separate from the user of the VNA, so that a malicious user cannot overcome or defeat the security settings or policies in place.

5 In the embodiment illustrated in Figure 1, VM **114** includes a data leakage protection function (DLP) **116**, which may be implemented as an application, a plugin, a kernel extension, or other software or firmware construct. DLP **116** may be a component within or function of VM **114**. DLP **116** may be part of a hypervisor, i.e., software that manages virtual
10 machines. The function of DLP **116** is to protect against data being transferred out of SRS **100**, herein referred to as "data export". Thus, DLP **116** controls what data is allowed to be removed from VNA **104**. DLP **116** provides for enforcement of data policies related to data being removed from a collaboration. In one embodiment, DLP **116** may operate within a software
15 defined network, or SDN.

 In one embodiment, DLP **116** includes a policy engine **118** that defines when data may or may not be transferred out of SRS **100**. For example, policy engine **118** may include a set of rules that allow or deny data export based on the user's permissions, the contents of the data, the
20 group or groups that the data is associated with, the level of confidentiality or secrecy associated with the data, or other attributes. In one embodiment, policy engine **118** may receive updated policy rules from a policy server.

 DLP **116** can exert control over various elements of VNA **104**. In the embodiment illustrated in Figure 1, for example, DLP **116** operates to control
25 whether or not data can be written to a floppy drive **120**, a writeable CD/DVD **122**, or a device attached to a USB port **124**, such as a portable flash drive, for example. In this scenario, DLP **116** may enforce a rule such as "allow copy to anything except removable media".

 DLP **116** can exert control over various operations associated with
30 the operating system and/or applications as well. For example, DLP **116** can block a copy and/or paste operation **126** if it determines that the contents of the copy buffer contain sensitive material, if the user attempting the copy/paste is not authorized to export the data, based on the source or

destination of the transfer, and so on. Likewise, DLP **116** may block a screen print operation **128**. DLP **116** may block transmission of data via email **130**, such as blocking email to untrusted recipients or email that contains sensitive data. DLP **116** may exert control over every aspect of
5 data export, including operation of data grid client **110**.

In one embodiment, DLP **116** may log every transfer or attempted transfer. DLP **116** may issue notifications or reports of activity, including warnings of prohibited activity.

In one embodiment, each VNA **104** is running on a host computer,
10 which may be a personal computer, a processor on a server in a rack of servers provided by a hosting company, or other hardware suitable for hosting the VM. The host computer may be physically located close to the user or may be located elsewhere, in the cloud, etc. Because the VM must be running the proper software, VNA hardware and software are typically
15 controlled administratively by the operator of system **100** rather than by users of system **100**. In one embodiment, the user accesses a VNA **104** via a remote desktop connection program. Typically, that user does not have administrative privileges on the VNA **104**, so that the user cannot bypass the security mechanisms in place. The use of a remote desktop program to
20 access a VNA has the additional advantage that VNAs may be allocated dynamically as needed. As a measure of additional security, a research team may dictate that the VM running on the VNA will be completely deleted every time a user logs out. This forces the user to make sure that all data has been properly stored within data grid **102** and also removes the VM data
25 so that it can't be analyzed for the purpose of gleaning confidential information.

In one embodiment, a VM may be configured according to the particular needs of a site, project, team, etc., and stored as an image file that contains the OS, applications, drivers, plugins, and other software needed
30 by the user. A library of image files may be maintained by the operator of SRS **100**. In this manner, when a new user joins a collaboration, a new VNA may be provisioned by simply installing a VM from the appropriate image file. Image files so created may be customized in other ways, as well, such

as by including different suites of software particularly suited to the end user's needs. The software needed by a researcher in the lab may be different from the software needed by a team administrator, for example, in which case there may be an image file for researchers and another for administrators.

Point-to-point security is provided in part by secure network **160**. In one embodiment, secure network **160** may be a virtual network (VN) or software defined network (SDN), which allows creation of a private layer 2 network infrastructure between several collaborating sites.

In one embodiment, secure network **106** includes a common management server to manage the trust fabric. In the embodiment illustrated in Figure 1, SRS **100** includes a virtual network manager (VNM) **132** for this purpose. In one embodiment, VNM **132** handles the deployment and takedown of VNAs. This deployment and takedown may be performed automatically or manually. Automatic deployment provides system **100** with a mechanism for dynamically provisioning a secure data sharing fabric. In one embodiment, VNM **132** may create a virtual private network (VPN) on demand between sites or individual nodes, including between VNAs. To support VPN, VNA **104** (or VM **114**) may include VPN software, device drivers, or other software needed to support virtual networking, as needed.

In one embodiment, VNM **132** creates and maintains software-defined networks, or SDNs, which establishes layer two (L2) connections between devices, without any layer 3 (L3) negotiation: instead, VNM **132** modifies the routing tables used by routers and other nodes within secure network **106**. This capability provides SRS **100** with a mechanism for dynamically provisioning a secure data sharing fabric. For example, a first set of VNA nodes may form a first virtual network, and a second set of VNA nodes may form a second virtual network, where nodes in one virtual network do not see / cannot route to nodes in the other virtual network. Overlapping virtual networks are also possible.

Figure 2 is a flow chart illustrating an exemplary process for providing a secure virtual research space according to an embodiment of the subject matter described herein.

At step **200**, a data grid for storing and managing data to be shared among a plurality of collaborative partners, the data grid comprising at least one data storage device, is provided. In the embodiment illustrated in Figure 1, for example, system **100** includes data grid **102**.

5 At step **202**, at least one virtual network appliance, each virtual network appliance comprising a hardware processor for providing controlled access to shared data on the data grid by a user, is provided. In the embodiment illustrated in Figure 1, for example, VNA **104** provides a user with access to data in data grid **102**.

10 At step **204**, a data leakage protection mechanism for preventing unauthorized transfer of data out of the secure virtual research space is provided. In the embodiment illustrated in Figure 1, for example, DLP **116** may be configured to control access to data grid **102**. In one embodiment, DLP **116** may access policy engine **118** and control data grid client **110** and
15 its interaction with data grid manager **108** based on policy rules maintained by policy engine **118**.

At step **206**, a secure network for providing point-to-point security between entities within the secure virtual research space and for providing access to data in the data grid by the at least one virtual network appliance
20 is provided. In the embodiment illustrated in Figure 1, for example, VNA **104** can access data grid **102** via network **106**. In one embodiment, network **106** may be a virtual private network or a software-defined network.

Figure 3 is a block diagram of an exemplary system for providing a secure virtual research space (SRS) according to another embodiment of
25 the subject matter described herein. In the embodiment illustrated in Figure 3, SRS **300** is used to share data with multiple users located across four geographic locations, listed as SITE 1 through SITE 4. Each site contains a local data warehouse **DW** for storing data. In the embodiment illustrated in Figure 3, the four data warehouses collectively form a data grid that is
30 geographically distributed and controlled by data grid manager **108** and communicate via secure network **106**. Multiple VNAs **104** are available at each site, although only two VNAs are shown for each site in Figure 3. The functions of VNA **104**, secure network **106**, and data grid manager **108** are

essentially identical to their like-numbered parts in Figure 1, and therefore their descriptions will not be repeated here.

Figure 3 illustrates an embodiment in which data grid **102** is geographically distributed and where each VNA **104** does not access its local data warehouse directly but instead accesses data via the data grid manager **108**.

Figure 4 is a block diagram of an exemplary system for providing a secure virtual research space (SRS) according to yet another embodiment of the subject matter described herein. The embodiment illustrated in Figure 4 is nearly identical to the system shown in Figure 3, except that each site may include its own local data server **DS**, which allows VNAs **104** to access data in the local data warehouse **DW** if the data being sought happens to be located there. In one embodiment, each **DS** is under the control of data grid manager **108**.

Figure 5 is a block diagram of an exemplary system for providing a secure virtual research space (SRS) according to yet another embodiment of the subject matter described herein. The embodiment illustrated in Figure 5 is nearly identical to the system shown in Figure 3, except that virtual network manager **132** has created two software-defined networks, **SDN1** and **SDN2**. In the embodiment illustrated in Figure 3, VNAs from sites 1 and 4 are part of **SDN1** while VNAs from sites 2 and 3 are part of **SDN2**. In this example, data warehouses **DW1 – DW4** are still collectively part of one data grid **102**, but the data that is visible to VNAs in **SDN1** may be different from the data that is visible to VNAs in **SDN2**.

Figure 6 is a block diagram illustrating SRS high-level architecture according to an embodiment of the subject matter described herein. In the embodiment illustrated in Figure 6, existing networking infrastructure and protocols **600** form the base upon which SRS **602** is built. SRS **602** includes an SRS management function or entity **604** and a common, secured, and, in some embodiments, dedicated networking infrastructure **606**, which serves as a foundation for a common, policy-based data-sharing infrastructure **608**. Institutions **610** use SRS **602** to provide secured workspaces **612**.

In summary, the challenges of providing a secure research space broadly fall into two categories. First, the contributing members of a collaboration have different expectations around data sharing that are typically addressed through the definition of policies around data usage.

5 Such policies define expectations such as: what data can be shared and with whom; who can delete and edit data; what protections are provided to eliminate the risk that data is improperly shared; and what are the consequences of violations in policies. The infrastructure must be capable of enforcing those policies with adequate visibility and auditing to allow

10 collaborators and regulatory agencies to have trust that policies are being enforced. Second, the infrastructure must provide the technical means to allow researchers to readily share data in ways that promote the goals of the collaboration. Such infrastructure must accommodate for a variety of challenges, such as: different IT technologies in use by each collaborating

15 entity; different tools used by researchers; different operating systems across the collaboration; and different networking setups. To be most effective, the infrastructure should minimize the cost and time overhead of establishing, maintaining, and ending a data sharing collaboration while still enforcing policies.

20 The systems and methods of the subject matter described herein address these challenges by providing a base set of capabilities that provide both security around the collaboration and within the collaboration while enabling simple, but managed peer-to-peer sharing of data. This idea is in contrast to traditional approaches that either attempt to centralize the

25 sharing of data in order to manage security and efficiency concerns or attempt to use data federation technologies to integrate data between collaborating sites. The benefit of the SRS approach is that the focus of the approach is on the core problems that arise in data sharing collaborations, namely efficient, but managed sharing of distributed data. An SRS can be

30 deployed for particular research collaboration or deployed as a general-purpose infrastructure that can be offered up for research collaborations. The infrastructure can be run independent of information technology (IT) infrastructure at collaborating sites, or deployed within the IT infrastructure at

collaborating sites, thus allowing collaborators freedom in leveraging their own IT resources. The technological approach of the SRS allows for secured data sharing to be established for pre-specified periods of time. As such, SRS is effectively a cloud technology that is geared at providing a data-sharing infrastructure.

5

It will be understood that various details of the subject matter described herein may be changed without departing from the scope of the subject matter described herein. Furthermore, the foregoing description is for the purpose of illustration only, and not for the purpose of limitation.

CLAIMS

What is claimed is:


1. A system for providing a secure virtual research space, the system comprising:
 - 5 a data grid for storing and managing data to be shared among a plurality of collaborative partners, the data grid comprising at least one data storage device;
at least one virtual network appliance, each virtual network appliance comprising a hardware processor for providing controlled
10 access to shared data on the data grid by a user; and
a data leakage protection mechanism for preventing unauthorized transfer of data out of the secure virtual research space.
2. The system of claim 1 wherein storing and managing data includes isolating a logical namespace utilized by the at least one virtual
15 network appliance from physical file locations within the at least one data storage device.
3. The system of claim 1 wherein storing and managing data includes performing at least one of: data storage, data replication, data synchronization, and data backup.
- 20 4. The system of claim 1 wherein the data grid comprises clinical patient data or census data.
5. The system of claim 1 wherein the data grid comprises a plurality of data storage devices.
6. The system of claim 5 wherein at least one of the plurality of data
25 storage devices is geographically diverse from another of the plurality of data storage devices.
7. The system of claim 1 comprising a data grid manager entity for controlling access to data within the data grid.
8. The system of claim 7 wherein controlling access to data comprises
30 allowing or denying access to shared data based on at least one of: an attribute of a file; an attribute of a VNA; and an attribute of a user of a VNA.

9. The system of claim 7 wherein controlling access within the data grid includes performing an action in response to a data access event.
10. The system of claim 9 wherein a data access event comprises at least one of: a write or attempted write; a read or attempted read; a copy or attempted copy; and a delete or attempted delete.
- 5 11. The system of claim 1 wherein the at least one virtual network appliance hosts software, wherein the software includes at least one of:
- 10 data access software for providing the controlled access to the shared data on the data grid; and
- data leakage protection software for providing the data leakage protection mechanism.
12. The system of claim 11 wherein the at least one virtual network appliance comprises a virtual machine that hosts at least some of the software.
- 15 13. The system of claim 1 wherein the at least one virtual network appliance comprises components for at least one of: providing data security; sharing; and analysis.
14. The system of claim 1 comprising a secure network for providing point-to-point security between entities within the secure virtual research space and for providing access to data in the data grid by the at least one virtual network appliance.
- 20 15. The system of claim 14 wherein the secure network isolates the at least one virtual network appliance from other users of physical network infrastructure utilized in implementing the secure network.
- 25 16. The system of claim 14 wherein the secure network comprises at least one of a virtual network and a software-defined network.
17. The system of claim 16 wherein the secure network comprises a private layer-2 network infrastructure that connects at least two distinct computing platforms.
- 30 18. The system of claim 14 comprising a virtual network manager for providing secure virtual networks within the secure virtual research space.

19. A method for providing a secure virtual research space, the method comprising:
- providing a secure virtual research space, the secure virtual research space comprising:
 - 5 a data grid for storing and managing data to be shared among a plurality of collaborative partners, the data grid comprising at least one data storage device; and
 - at least one virtual network appliance, each virtual network appliance comprising a hardware processor for
 - 10 providing controlled access to shared data on the data grid by a user; and
 - providing a data leakage protection mechanism for preventing unauthorized transfer of data out of the secure virtual research space.
 - 20. The method of claim 19 wherein storing and managing data includes
 - 15 isolating a logical namespace utilized by the at least one virtual network appliance from physical file locations within the at least one data storage device.
 - 21. The method of claim 19 wherein storing and managing data includes performing at least one of: data storage, data replication, data
 - 20 synchronization, and data backup.
 - 22. The method of claim 19 wherein providing the data grid comprises providing clinical patient data or census data.
 - 23. The method of claim 19 wherein providing the data grid comprises providing a plurality of data storage devices.
 - 25 24. The method of claim 23 wherein at least one of the plurality of data storage devices is geographically diverse from another of the plurality of data storage devices.
 - 25. The method of claim 19 comprising providing a data grid manager entity for controlling access to data within the data grid.
 - 30 26. The method of claim 25 wherein controlling access to data comprises allowing or denying access to shared data based on at least one of: an attribute of a file; an attribute of a VNA; and an attribute of a user of a VNA.

27. The method of claim 25 wherein controlling access within the data grid includes performing an action in response to a data access event.
28. The method of claim 27 wherein performing an action in response to a data access event comprises performing an action in response to at least one of: a write or attempted write; a read or attempted read; a copy or attempted copy; and a delete or attempted delete.
29. The method of claim 19 wherein the at least one virtual network appliance hosts software, wherein the software includes at least one of:
- data access software for providing the controlled access to the shared data on the data grid; and
 - data leakage protection software for providing the data leakage protection mechanism.
30. The method of claim 29 wherein the at least one virtual network appliance comprises a virtual machine that hosts at least some of the software.
31. The method of claim 19 wherein the at least one virtual network appliance comprises components for at least one of: providing data security; sharing; and analysis.
32. The method of claim 19 comprising providing a secure network for providing point-to-point security between entities within the secure virtual research space and for providing access to data in the data grid by the at least one virtual network appliance.
33. The method of claim 32 wherein the secure network isolates the at least one virtual network appliance from other users of physical network infrastructure utilized in implementing the secure network.
34. The method of claim 32 wherein the secure network comprises at least one of a virtual network and a software-defined network.
35. The method of claim 34 wherein the secure network comprises a private layer-2 network infrastructure that connects at least two distinct computing platforms.

36. The method of claim 32 comprising providing a virtual network manager for providing secure virtual networks within the secure virtual research space.
37. A non-transitory computer readable medium comprising computer executable instructions that when executed by a processor of a computer control the computer to perform steps comprising:
- 5 providing a secure virtual research space, the secure virtual research space comprising:
- 10 a data grid for storing and managing data to be shared among a plurality of collaborative partners, the data grid comprising at least one data storage device; and
- 15 at least one virtual network appliance, each virtual network appliance comprising a hardware processor for providing controlled access to shared data on the data grid by a user; and
- providing a data leakage protection mechanism for preventing unauthorized transfer of data out of the secure virtual research space.



100 ↗

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG.6

A. CLASSIFICATION OF SUBJECT MATTER**G06F 21/53(2013.01)i**

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

G06F 21/53; H04L 9/14; G06Q 50/30; H04L 29/06; G06F 21/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean utility models and applications for utility models
Japanese utility models and applications for utility models

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKOMPASS(KIPO internal) & Keywords: virtual space, virtual network, appliance, secure, research, collaborative, co-work, controlled access, data leakage, transfer, shared data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	VEERLE VAN DEN EYNDEN et al., 'Managing and Sharing Data: best practice for researchers', Published by: UK Data Archive et al., May 2011, Retrieved from http://data-archive.ac.uk/media/2894/managingsharing.pdf See pages 1, 3-4, 7, 19-21.	1,3-5,7,9-11,19 ,21-23,25,27-29,37
A		2,6,8,12-18,20,24 ,26,30-36
Y	US 2010-0107220 A1 (VAN Q. NGUYEN) 29 April 2010 See paragraphs [0002]-[0010], [0014]-[0015], [0017]-[0018], [0020], [0028]-[0033], [0036]-[0039], [0041]-[0049]; claims 1, 8; and figure 1.	1,3-5,7,9-11,19 ,21-23,25,27-29,37
A	KATE CRAWFORD et al., 'The co-evolution of an accessible but secure virtual space for collaborative activities', 19th Bled eConference: eValues, Bled, Slovenia, 5-7 June 2006, Retrieved from http://ro.uow.edu.au/cgi/viewcont.e.t.cgi?article=1293&context=commpapers See pages 1-3, 7, 9, 13.	1-37
A	WO 2012-092025 A2 (GOOGLE INC.) 05 July 2012 See paragraphs [0001]-[0006], [0017], [0026]-[0032], [0038], [0087]-[0088]; and claims 1, 6.	1-37

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family


Date of the actual completion of the international search

08 November 2013 (08.11.2013)

Date of mailing of the international search report

08 November 2013 (08.11.2013)

Name and mailing address of the ISA/KR



Korean Intellectual Property Office
189 Cheongsa-ro, Seo-gu, Daejeon Metropolitan City,
302-701, Republic of Korea

Facsimile No. +82-42-472-7140

Authorized officer

BYUN, Sung Cheal

Telephone No. +82-42-481-8262



INTERNATIONAL SEARCH REPORT

International application No.

PCT/US2013/052005

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2012-0131635 A1 (LUIS MIGUEL HUAPAYA) 24 May 2012 See paragraphs [0002]-[0012], [0025]-[0027], [0031]-[0034], [0040]-[0044], [0057]-[0058], [0066]-[0067]; and claims 1-3.	1-37

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/US2013/052005

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2010-0107220 A1	29/04/2010	CN 101729545 A CN 201846355 U TW 201019159 A WO 2010-047871 A1	09/06/2010 25/05/2011 16/05/2010 29/04/2010
WO 2012-092025 A2	05/07/2012	AU 2011-265404 A1 WO 2012-092025 A3	12/07/2012 06/12/2012
US 2012-0131635 A1	24/05/2012	CA 2759612 A1	23/05/2012