



US00D472121S

(12) **United States Design Patent**  
**Wolff**

(10) **Patent No.:** **US D472,121 S**  
(45) **Date of Patent:** **\*\* Mar. 25, 2003**

(54) **SCISSORS HANDLE**

**DESCRIPTION**

(75) Inventor: **David H Wolff**, Chesnee, SC (US)  
(73) Assignee: **Wolff Industries**, Spartanburg, SC (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/161,619**  
(22) Filed: **May 31, 2002**  
(51) **LOC (7) Cl.** ..... **08-03**  
(52) **U.S. Cl.** ..... **D8/57**  
(58) **Field of Search** ..... D8/5, 57, 98, 105,  
D8/107; D28/60; D24/148; 606/174; 30/120,  
175, 194–204, 229–239, 244, 248, 255,  
257, 261, 262, 268, 130, 134, 135, 145,  
146, 28, 29; 7/135

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D227,338 S	*	6/1973	Backstrom	.....	D8/57
D236,248 S		8/1975	Wolff		
D237,937 S	*	12/1975	Backstrom	.....	D8/57
D238,245 S	*	12/1975	Backstrom	.....	D8/57
D258,042 S	*	1/1981	Backstrom	.....	D8/57
D272,227 S	*	1/1984	Linden et al.	.....	D8/57
D279,760 S		7/1985	Asano		
5,341,573 A	*	8/1994	Linden et al.	.....	30/254
D378,043 S		2/1997	Ogura		
D395,584 S	*	6/1998	Gstalder	.....	D8/57

(List continued on next page.)

**OTHER PUBLICATIONS**

Guernsey Office Products' 2001 catalog (c) 2000. p. 976  
item O—Design Line bent scissors.\*

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Clare E. Heflin


(74) *Attorney, Agent, or Firm*—Dority & Manning, P.A.

(57) **CLAIM**



The ornamental design for a scissors handle, as shown and  
described.

FIG. 1 is a perspective view of one embodiment of the  
inventor's scissors handle;  
FIG. 2 is a perspective view from the opposite side of the  
scissors shown in FIG. 1;  
FIG. 3 is a top view of the scissors handle;  
FIG. 4 is a side view of the scissors handle;  
FIG. 5 is an end view taken from one end of the scissors  
handle;  
FIG. 6 is a bottom view of the scissors handle;  
FIG. 7 is a side view of the scissors handle taken from the  
side opposite from that of FIG. 4;  
FIG. 8 is an end view of the scissors handle opposite from  
that of FIG. 5;  
FIG. 9 is a top view of a first modified form of the scissors  
handle;  
FIG. 10 is a side view of a first modified form of the scissors  
handle;  
FIG. 11 is an end view of said first modified form of the  
scissors handle;  
FIG. 12 is a bottom view of said first modified form of the  
scissors handle;  
FIG. 13 is a side view from the side opposite from that of  
FIG. 10 of said first modified form of the scissors handle;  
FIG. 14 is an end view opposite from that of FIG. 11 of said  
first modified form of the scissors handle;  
FIG. 15 is a top view of a second modified form of the  
scissors handle;  
FIG. 16 is a side view of said second modified form of the  
scissors handle;  
FIG. 17 is an end view of said second modified form of the  
scissors handle;  
FIG. 18 is a bottom view of said second modified form of the  
scissors handle;  
FIG. 19 is a side view opposite from that of FIG. 16 of said  
second modified form of the scissors handle; and,  
FIG. 20 is an end view opposite from that of FIG. 17 of said  
second modified form of the scissors handle.  
The broken lines shown on the drawings are for illustrative  
purposes only and form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



U.S. PATENT DOCUMENTS				D425,386 S	5/2000	Sprouse	
D402,174 S	*	12/1998	Gstalder .....	D8/57	D432,378 S	*	10/2000 Gstalder ..... D8/57
D409,064 S		5/1999	Olix		* cited by examiner		






Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7







Fig. 8




*Fig. 9*




*Fig. 10*




*Fig. 11*




*Fig. 12*




*Fig. 13*




*Fig. 14*



*Fig. 15*




*Fig. 16*




*Fig. 17*






*Fig. 18*



*Fig. 19*



*Fig. 20*