



US00D769142S

(12) **United States Design Patent**  
**Arroyo**

(10) **Patent No.:** **US D769,142 S**

(45) **Date of Patent:** **\*\* Oct. 18, 2016**

(54) **CHILD ALERT DEVICE**

(71) Applicant: **RO + ML INC.**, Miami, FL (US)

(72) Inventor: **Roberto Arroyo**, Miami, FL (US)

(73) Assignee: **RO + ML, Inc.**, Miami, FL (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/548,394**

(22) Filed: **Dec. 14, 2015**

(51) **LOC (10) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
USPC ..... **D10/104.2**

(58) **Field of Classification Search**  
USPC ..... D10/104.1, 104.2; D26/97, 26  
CPC ..... B60Q 5/001  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D436,877 S \* 1/2001 Brennan ..... D10/104.1

D683,888 S \* 6/2013 Johnson ..... D26/97  
8,847,747 B2 \* 9/2014 Bloukos ..... B60Q 5/001  
340/457  
D740,707 S \* 10/2015 Daniel ..... D10/104.1

\* cited by examiner

*Primary Examiner* — George D Kirschbaum  
(74) *Attorney, Agent, or Firm* — Christian Sanchelima;  
Jesus Sanchelima


(57) **CLAIM**

The ornamental design for child alert device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top isometric view of a child alert device showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a right side elevational view thereof; and,  
FIG. 5 is a rear elevational view thereof.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5