



US 20100184044A1

(19) **United States**

(12) **Patent Application Publication**  
**Mitchell et al.**

(10) **Pub. No.: US 2010/0184044 A1**

(43) **Pub. Date: Jul. 22, 2010**

(54) **DETECTING GENETIC ABNORMALITIES**

**Related U.S. Application Data**

(75) Inventors: **Aoy Tomita Mitchell**, Elm Grove,  
WI (US); **Michael Mitchell**, Elm  
Grove, WI (US)

(63) Continuation-in-part of application No. 11/713,069,  
filed on Feb. 28, 2007.

(60) Provisional application No. 61/106,435, filed on Oct.  
17, 2008, provisional application No. 60/777,865,  
filed on Feb. 28, 2006.

Correspondence Address:

**MORGAN, LEWIS & BOCKIUS, LLP (SF)**  
**ONE MARKET SPEAR STREET TOWER**  
**SAN FRANCISCO, CA 94105 (US)**

**Publication Classification**

(73) Assignee: **UNIVERSITY OF LOUISVILLE**  
**RESEARCH FOUNDATION,**  
Louisville, KY (US)

(51) **Int. Cl.**  
**C12Q 1/68** (2006.01)

(52) **U.S. Cl.** ..... **435/6**


(57) **ABSTRACT**

(21) Appl. No.: **12/581,083**

The present invention is directed to compositions and meth-  
ods for detecting genetic abnormalities. The present invention  
encompasses methods and compositions for comparing alle-  
les in a sample containing both maternal and fetal nucleic  
acids in order to identify genetic abnormalities.

(22) Filed: **Oct. 16, 2009**

FIG. 1





**FIG. 2**

FIG. 3






FIG. 4

FIG. 5A

| Tandem SNP<br>#/ Observed<br>haplotypes | dbSNP<br>Name |     | Chromosome | Chromosome<br>Position | bp dif |
|-----------------------------------------|---------------|-----|------------|------------------------|--------|
| 1                                       | rs10482852    | A/C | Chr21      | 14613855               | 86     |
| CC/CT/AC                                | rs2822567     | C/T | Chr21      | 14613941               |        |
| 2                                       | rs2822654     | A/C | Chr21      | 14687773               | 13     |
| AA/AG/CG/CA                             | rs1882882     | A/G | Chr21      | 14687786               |        |
| 3                                       | rs2822785     | A/G | Chr21      | 14876399               | 65     |
| AG/GG/AA/GA                             | rs2822786     | A/G | Chr21      | 14876464               |        |
| 4                                       | rs2822786     | A/G | Chr21      | 14876464               | 67     |
| GC/AC/GT                                | rs2822787     | C/T | Chr21      | 14876531               |        |
| 5                                       | rs2822816     | A/G | Chr21      | 14948471               | 97     |
| AA/GT/GA                                | rs2822817     | A/T | Chr21      | 14948568               |        |
| 6                                       | rs2822878     | C/T | Chr21      | 15033311               | 90     |
| CA/CG/TG                                | rs2822879     | A/G | Chr21      | 15033401               |        |
| 7                                       | rs2223163     | A/G | Chr21      | 15149849               | 72     |
| AT/GT/AC                                | rs2822963     | C/T | Chr21      | 15149921               |        |
| 8                                       | rs1297213     | A/G | Chr21      | 15253641               | 83     |
| GG/AG/GT/AT                             | rs1297214     | G/T | Chr21      | 15253724               |        |
| 9                                       | rs2142450     | C/T | Chr21      | 15257273               | 67     |
| CT/CC/TT                                | rs10482863    | C/T | Chr21      | 15257340               |        |
| 10                                      | rs10482863    | C/T | Chr21      | 15257340               | 46     |
| TC/CC/TT                                | rs1041403     | C/T | Chr21      | 15257386               |        |
| 11                                      | rs2823333     | C/T | Chr21      | 15825896               | 89     |
| TA/CATG                                 | rs2823334     | A/G | Chr21      | 15825985               |        |
| 12                                      | rs2823335     | A/G | Chr21      | 15826379               | 78     |
| GG/AC/GC                                | rs992557      | C/G | Chr21      | 15826457               |        |
| 13                                      | rs2823348     | A/G | Chr21      | 15833575               | 26     |
| AA/GG/AG                                | rs2823349     | A/G | Chr21      | 15833601               |        |
| 14                                      | rs2823502     | A/C | Chr21      | 16124651               | 32     |
| AT/AC/CT/CC                             | rs2823503     | C/T | Chr21      | 16124683               |        |
| 15                                      | rs960391      | C/T | Chr21      | 17034864               | 29     |
| CC/CA/TC/TA                             | rs13049140    | A/C | Chr21      | 17034893               |        |
| 16                                      | rs2824078     | C/T | Chr21      | 17134418               | 30     |
| CA/TA/TG                                | rs10482886    | A/G | Chr21      | 17134448               |        |
| 17                                      | rs1999288     | C/T | Chr21      | 17696177               | 92     |
| CT/CC/TC                                | rs208897      | C/T | Chr21      | 17696269               |        |
| 18                                      | rs2824310     | A/G | Chr21      | 17744045               | 99     |
| GG/GA/AA/AG                             | rs6517774     | A/G | Chr21      | 17744144               |        |
| 19                                      | rs728015      | A/G | Chr21      | 17968624               | 33     |
| GG/AA/AG/GA                             | rs728014      | A/G | Chr21      | 17968657               |        |
| 20                                      | rs1047978     | C/G | Chr21      | 18091026               | 63     |
| GG/CG/CC/GC                             | rs2824495     | C/G | Chr21      | 18091089               |        |
| 21                                      | rs157058      | A/G | Chr21      | 18355312               | 53     |
| GT/GC/AT/AC                             | rs150141      | C/T | Chr21      | 18355365               |        |
| 22                                      | rs2824733     | A/G | Chr21      | 18610953               | 79     |
| GG/GT/AG/AT                             | rs2824734     | G/T | Chr21      | 18611032               |        |

FIG. 5B

|             |            |     |       |          |    |
|-------------|------------|-----|-------|----------|----|
| 23          | rs963638   | A/G | Chr21 | 19009158 | 56 |
| AA/GT/GA/AT | rs963639   | A/T | Chr21 | 19009214 |    |
| 24          | rs2187166  | A/T | Chr21 | 19081111 | 99 |
| AC/TA/TC/AA | rs2156203  | A/C | Chr21 | 19081210 |    |
| 25          | rs2825470  | C/T | Chr21 | 19567109 | 60 |
| CT/TC/CC/TT | rs2825471  | C/T | Chr21 | 19567169 |    |
| 26          | rs2407581  | G/T | Chr21 | 20272611 | 28 |
| TT/GC/GT    | rs2825926  | C/T | Chr21 | 20272639 |    |
| 27          | rs377685   | A/G | Chr21 | 20272988 | 33 |
| GT/AT/GC/AC | rs420778   | C/T | Chr21 | 20273021 |    |
| 28          | rs2826058  | A/C | Chr21 | 20464969 | 92 |
| AG/CT/CG    | rs2826059  | G/T | Chr21 | 20465061 |    |
| 29          | rs2826072  | C/T | Chr21 | 20487958 | 95 |
| CT/CC/TT    | rs2826073  | C/T | Chr21 | 20488053 |    |
| 30          | rs2032203  | C/T | Chr21 | 20598845 | 98 |
| CC/TC/TT    | rs2826152  | C/T | Chr21 | 20598943 |    |
| 31          | rs1735808  | C/T | Chr21 | 20766284 | 45 |
| CA/TA/CG/TG | rs1786400  | A/G | Chr21 | 20766329 |    |
| 32          | rs2014509  | C/T | Chr21 | 21113081 | 79 |
| TG/CA/CG/GA | rs2014519  | A/G | Chr21 | 21113160 |    |
| 33          | rs2155798  | A/G | Chr21 | 21471022 | 75 |
| GA/AA/GG    | rs2155799  | A/G | Chr21 | 21471097 |    |
| 34          | rs1475881  | C/G | Chr21 | 21748820 | 96 |
| GA/GG/CA    | rs7275487  | A/G | Chr21 | 21748916 |    |
| 35          | rs2522558  | C/G | Chr21 | 21916691 | 23 |
| CG/GG/GC/CC | rs12627388 | C/G | Chr21 | 21916714 |    |
| 36          | rs12627388 | C/G | Chr21 | 21916714 | 48 |
| GC/GT/CC/CT | rs2522559  | C/T | Chr21 | 21916762 |    |
| 37          | rs1735934  | A/G | Chr21 | 21995555 | 78 |
| AC/GC/GT    | rs2826958  | C/T | Chr21 | 21995633 |    |
| 38          | rs994676   | A/G | Chr21 | 22043945 | 34 |
| AC/GT/AT/GC | rs2826982  | C/T | Chr21 | 22043979 |    |
| 39          | rs1735976  | A/G | Chr21 | 22054777 | 31 |
| AA/GC/AC    | rs2827016  | A/C | Chr21 | 22054808 |    |
| 40          | rs1013069  | A/G | Chr21 | 22545627 | 67 |
| AA/GA/AG/GG | rs2827307  | A/G | Chr21 | 22545694 |    |
| 41          | rs244260   | A/G | Chr21 | 23311737 | 88 |
| AT/GT/AC/GC | rs244261   | C/T | Chr21 | 23311825 |    |
| 42          | rs2051265  | A/C | Chr21 | 23334109 | 47 |
| CG/CC/AG/AC | rs198061   | C/G | Chr21 | 23334156 |    |

OLIGO (SEQ ID NOs: 8, 9)



**FIG. 6C**

[illegible]

61 CATCAAAGACAACCTGGGTAAATTTTTTAAATGACTAGCTATTTGATGTTAAαGAAGTAA

121 TGTTACTCTCTTATATAACAATTGAA  
          <<<<<<<<<<<<<<<<<<<

6) Whole sequence ::: rs6516899-rs455221 CC/CT/TC/TT

ATGGAACCGAAAC TTC AAGTAGTTTCATACgGTATCACATTGACAGTTTTCTCTAAGTTTT  
CtGGTCTTTATGACTCGTTGTTTCATTATTAAAACTGTGCCAGTGTATGCATAGGGCTTAG  
AAATTTTTTTAAT (SEQ ID NO: 16)

|                           |                      |    |       |       |      |      |
|---------------------------|----------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID NOS: 17, 18) |    |       |       |      |      |
| LEFT PRIMER               | 1                    | 18 | 53.87 | 38.89 | 4.00 | 3.00 |
| ATGGAACCGAACTTCAA         |                      |    |       |       |      |      |
| RIGHT PRIMER              | 91                   | 22 | 52.84 | 27.27 | 5.00 | 1.00 |
| TTAATAATGAAACAACGAGTCA    |                      |    |       |       |      |      |
| SEQUENCE SIZE: 132        |                      |    |       |       |      |      |
| INCLUDED REGION SIZE: 132 |                      |    |       |       |      |      |

PRODUCT SIZE: 91, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 0.00

1 ATGGAACCGAAACTTCAAGTAGTTTCATAcGTATCACATTGACAGTTTTCTCTAAGTTTT  
>>>>>>>>>>>>>>>>>>>

61 CtGGTCTTATGACTCGTTGTTTTATTATAAACTGTGCCAGTGATGCATAGGGCTTAG  
                <<<<<<<<<<<<<<<<<<<

121 AAATTTTAAAT

7) Whole sequence ::: rs7275381-rs12627144 GA/GG/TA/TG

acaggatccttctgaagacaccaccttggggagggtgaagGataaagaatttgatcaga  
aatcaagggtggtgagatacatgttaaggatgaataaactggccttttaggattcttgc  
aaaAttagacaatgcagaggcaaccacagagtccaag (SEQ ID NO: 19)

```

OLIGO                (SEQ ID NOS: 20, 21)
LEFT PRIMER          10   19   55.53   47.37   4.00   0.00
ttcctgaagacaccacctt
RIGHT PRIMER         157   18   54.94   55.56   3.00   2.00
cttggactctgtggttgc
SEQUENCE SIZE: 157
INCLUDED REGION SIZE: 157

```

PRODUCT SIZE: 148, PAIR ANY COMPL: 5.00, PAIR 3' COMPL: 1.00

[illegible]

61 aatcaaggggtgggtgagatacatgttaaggatgaataaactggccttttaggattcttgct



CACTGGGTCCTGTTGTTAAGTACACATAATACCACaCAGGAGAAAATCAGGCTAATTGTA

|                       |                      |    |       |       |      |      |  |
|-----------------------|----------------------|----|-------|-------|------|------|--|
| OLIGO                 | (SEQ ID NOS: 41, 42) |    |       |       |      |      |  |
| LEFT PRIMER           | 1                    | 19 | 53.67 | 31.58 | 6.00 | 2.00 |  |
| TGGCTTTTCAAAGGTAAAA   |                      |    |       |       |      |      |  |
| RIGHT PRIMER          | 144                  | 21 | 54.59 | 33.33 | 6.00 | 3.00 |  |
| GCAACGTTAACATCTGAATTT |                      |    |       |       |      |      |  |
| SEQUENCE SIZE: 144    |                      |    |       |       |      |      |  |

61 CACTTGACAAGCAGATGTGAAGTTAACAAAGTCACCCATATTTGAAATAAAGATAGTATA

GCCTGCATAAAGTGAGGATGGTGTAGTAATTGGGTATCTCCAGTTATAAACACAAaAAGC  
ATGATAGAGCTGGGAcTGTGATTGCAGGAAAGCAATAGTCACTCCAAAAGGAGATCCTCA  
TGATATGAATACGGAAGAAACAATATTTTCCTGCTAATGTAGTAGCC (SEQ ID NO: 55)

## FIG. 6I

| OLIGO (SEQ ID NOS: 56, 57) |     |    |       |       |      |      |
|----------------------------|-----|----|-------|-------|------|------|
| LEFT PRIMER                | 2   | 20 | 58.17 | 50.00 | 4.00 | 0.00 |
| CCTGCATAAAGTGAGGATGG       |     |    |       |       |      |      |
| RIGHT PRIMER               | 120 | 21 | 59.27 | 47.62 | 6.00 | 0.00 |
| TGAGGATCTCCTTTTGGAGTG      |     |    |       |       |      |      |
| SEQUENCE SIZE: 166         |     |    |       |       |      |      |
| INCLUDED REGION SIZE: 166  |     |    |       |       |      |      |

PRODUCT SIZE: 119, PAIR ANY COMPL: 6.00, PAIR 3' COMPL: 3.00

[illegible]

121 TGATATGAATACGGAAGAAACAATATTTCTGCTAATGTAGTAGCC

19) Whole sequence ::: rs2826842-rs232414 CA/CG/TA/TG

GCAAAGGGGTACTCTATGTAATGAACATgacctggcagtactgacatctcctgagggact  
gttagaagtgacagactcttgatatctttctcaagtcctatgaaatctagacttcattttaa  
caagatgacccgatatttacatacacattaaagt (SEQ ID NO: 58)

|                           |                      |    |       |       |      |      |
|---------------------------|----------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID NOS: 59, 60) |    |       |       |      |      |
| LEFT PRIMER               | 1                    | 20 | 52.04 | 45.00 | 4.00 | 2.00 |
| GCAAAGGGGTACTCTATGTA      |                      |    |       |       |      |      |
| RIGHT PRIMER              | 135                  | 20 | 53.29 | 35.00 | 4.00 | 3.00 |
| tatcgggtcatcttgttaaa      |                      |    |       |       |      |      |
| SEQUENCE SIZE: 154        |                      |    |       |       |      |      |
| INCLUDED REGION SIZE: 154 |                      |    |       |       |      |      |

PRODUCT SIZE: 135, PAIR ANY COMPL: 3.00, PAIR 3' COMPL: 2.00

1 GCAAAGGGGTACTCTATGTAATGAACATgacctggcagtgactgacatctcctgaggga  
>>>>>>>>>>>>>>>>

61 gttagaagtgcagactcttgtatcttttctcaagtcctatgaaatctagacttcatttta  
<<<<<

121 caagatgacccgatatttacatacacattaaagt  
 <<<<<<<<<<<<<<

20) Whole sequence ::: rs1980969-rs1980970 AA/AG/TA/TG

GTATCTAACAAAGCTCTGTCCAAAATTTTGAATTCTCGTTAAAaGCATCATGATTATAG  
AACAGAGGTTACAATCAATTATTCAGTCACACAATCACTCTCATCAGTCATTAAAGGTGCg  
TACCTGGTGTTCCAGTTATTCAGTGTGGTATAACAAACTACCTGGAACCTTAATG (SEQ ID NO: 61)

|                           |                      |    |       |       |      |      |
|---------------------------|----------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID NOS: 62, 63) |    |       |       |      |      |
| LEFT PRIMER               | 4                    | 22 | 56.88 | 36.36 | 8.00 | 2.00 |
| TCTAACAAAGCTCTGTCCAAA     |                      |    |       |       |      |      |
| RIGHT PRIMER              | 148                  | 21 | 56.12 | 42.86 | 3.00 | 1.00 |
| CCCACTGAATAACTGGAACA      |                      |    |       |       |      |      |
| SEQUENCE SIZE: 174        |                      |    |       |       |      |      |
| INCLUDED REGION SIZE: 174 |                      |    |       |       |      |      |

```

OLIGO                (SEQ ID NOS: 68, 69)
LEFT PRIMER          14   21   59.93   47.62   7.00   0.00
AATGGGTTCCATTCCCACTAC
RIGHT PRIMER         125   20   58.96   50.00   7.00   1.00
TGAGCCTCAGTCAAAGGATG
SEQUENCE SIZE: 156
INCLUDED REGION SIZE: 156

```

1 tagggcagagagagcaagcaagctctctaccttctcatataaggggcactaatcccaccat



29) Whole sequence ::: rs455921-rs2898102

**FIG. 6N**

gaccacaattcacaaatgcaaagatgcagaaccaacctaagtggccaCtgactaatgaga  
ggataaagaagatgtggcatatataTatcaggggactactactcagccattacaaggaaca  
aaataatgtctttttgc (SEQ ID NO: 88)

|                           |                      |    |       |       |      |      |
|---------------------------|----------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID NOS: 89, 90) |    |       |       |      |      |
| LEFT PRIMER               | 17                   | 20 | 59.85 | 45.00 | 4.00 | 0.00 |
| tgcaaagatgcagaaccaac      |                      |    |       |       |      |      |
| RIGHT PRIMER              | 123                  | 22 | 59.63 | 36.36 | 2.00 | 1.00 |
| ttttgttccttgtaatggctga    |                      |    |       |       |      |      |
| SEQUENCE SIZE: 136        |                      |    |       |       |      |      |
| INCLUDED REGION SIZE: 136 |                      |    |       |       |      |      |

PRODUCT SIZE: 107, PAIR ANY COMPL: 5.00, PAIR 3' COMPL: 1.00

1 gaccacaattcacaaatgcaaagatgcagaaccaacctaagtggccaCtgactaatgaga  
          >>>>>>>>>>>>>>>>>>>

[illegible]

```
121 aaataatgtcttttgc
    <<<
```

30) Whole sequence ::: rs2898102- rs458848

gaccacaattcacaaatgcaaagatgcagaaccaacctaaagtggccactgactaatgaga  
ggataaagaagatgtggcatatataCatcagggactactTctcagccattacaaggaaca  
aaataatgtcttttgcacaacttggatagagctggaggc (SEQ ID NO: 91)

|                           |                      |    |       |       |      |      |
|---------------------------|----------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID NOS: 92, 93) |    |       |       |      |      |
| LEFT PRIMER               | 17                   | 20 | 59.85 | 45.00 | 4.00 | 0.00 |
| tgcaaagatgcagaaccaac      |                      |    |       |       |      |      |
| RIGHT PRIMER              | 160                  | 21 | 59.86 | 52.38 | 4.00 | 3.00 |
| gcctccagctctatccaagtt     |                      |    |       |       |      |      |
| SEQUENCE SIZE: 160        |                      |    |       |       |      |      |
| INCLUDED REGION SIZE: 160 |                      |    |       |       |      |      |

PRODUCT SIZE: 144, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 3.00

[illegible]

61 ggataaagaagatgtggcatatataCatcagggactactTctcagccattacaaggaaca

[illegible]

31) Whole sequence ::: rs961301-rs2830208

AATCCTAGACCTTGGATTGCAAGAGACTCCTTAATATCTTCCCATGTCCACATTTcCTTC  
ACATAGTTTGAATGTGGCTTCTATTATATACAGATACAAGATTCAAATCCAACCTCTAtG  
ATGACTGGTCTTGTGAATAAGCAGAAGAGGCCACTAACAAAT (SEQ ID NO: 94)

OLIGO (SEQ ID NOs: 95, 96)

|                           |                        |    |       |       |      |      |
|---------------------------|------------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID NOS: 101, 102) |    |       |       |      |      |
| LEFT PRIMER               | 3                      | 22 | 57.77 | 45.45 | 9.00 | 0.00 |
| GGCTGAATAGTATTCCTTGTG     |                        |    |       |       |      |      |
| RIGHT PRIMER              | 155                    | 20 | 59.22 | 50.00 | 4.00 | 2.00 |
| TCGAGATATTGGGGAAGAGC      |                        |    |       |       |      |      |
| SEQUENCE SIZE: 160        |                        |    |       |       |      |      |
| INCLUDED REGION SIZE: 160 |                        |    |       |       |      |      |

**FIG. 6P**

PRODUCT SIZE: 153, PAIR ANY COMPL: 5.00, PAIR 3' COMPL: 1.00

1 ATGGCTGAATAGTATTCCCTTG TGTATATATCTaTTTATCCTTTTATTCATTGATGGACA  
 >>>>>>>>>>>>>>>>>>

61 CTTAGGCTGATTTTCTCTCTTCTCATGGCTGGCTTCTCATCACCTTTGGTCCTCCTGTA

121 TCCTCgTGTAAATAAGCTCTCCCCAATATCTCGATAGAT  
                        <<<<<<<<<<<<<<<<<<<

34) Whole sequence ::: rs10222076-rs10222075

cattttaacttgatta cctccacaaagactattccagaataaggttatgttctgaggtat  
taggggttacAacttcaacatatgaattttgagtggacacaattcaacccatagcaCCTC  
CGTGTAAAGAGCTGGGAAGGGAAAGTGGCTAAGTTGTGCAAATGTGCACATTGGTTGGAGA  
TGATTAACCTTCTGGCATGT (SEQ ID NO: 103)

```

OLIGO              (SEQ ID NOS: 104, 105)
LEFT PRIMER        17   22   58.32   45.45   4.00   2.00
cctccacaaagactattccaga
RIGHT PRIMER       146   20   60.76   55.00   4.00   2.00
CACTTCCCTTCCCAGCTCT
SEQUENCE SIZE: 199
INCLUDED REGION SIZE: 199

```

PRODUCT SIZE: 130, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 3.00

1 cattttaacttgattacctccacaaagactatgccagaataaggttatgttctgaggtat  
          >>>>>>>>>>>>>>>>>>>

61 taqgggttacAacttcaacatatgaattttgagtggacacaattcaacccatagcaCCTC

[illegible]

181 TGATTAACCTCTGGCATGT

35) Whole sequence ::: rs11088023-rs11088024

agggggaaattggcaatctgattctaaaattcataCggaaaaaaacaatggaggttagaat  
aactaaaaacaagtcgaaaaaagaaaaagaaatggaggactaatgctacctgatttcaagt  
cttatcTtataaatctacatcaataaaggacaagttg (SEQ ID NO: 106)

```

OLIGO              (SEQ ID NOS: 107, 108)
LEFT PRIMER        6   20   54.34   35.00   7.00   3.00
gaaattggcaatctgattct
RIGHT PRIMER       157  21   51.94   33.33   5.00   0.00
caacttgctctttattgatgt
SEQUENCE SIZE: 157
INCLUDED REGION SIZE: 157

```

PRODUCT SIZE: 152, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 0.00

1 aggggggaaattggcaatctgattctaaaattcataCggaaaaaaaaacaatggagttagaat



**FIG. 6R**

38) Whole sequence ::: rs8132769-rs2831440

TTTCACATTATTCCCTTAAAATAAACTCTCTCCCTCCCTCTCCCGTCTCAaCCTTGTCCC  
TTTCTTTATATAATGGGTAATtCGTTAATGTCAGCAGAATAGTTTTGGGGCCATAATGGC  
AAGTATCACGTG (SEQ ID NO: 115)

```

OLIGO              (SEQ ID Nos: 116, 117)
LEFT PRIMER        23    19    56.84    57.89    1.00    0.00
AACTCTCTCCCTCCCTCT
RIGHT PRIMER       115    20    56.24    40.00    4.00    2.00
TATGGCCCCAAACTATTCT
SEQUENCE SIZE: 132
INCLUDED REGION SIZE: 132

```

PRODUCT SIZE: 93, PAIR ANY COMPL: 2.00, PAIR 3' COMPL: 0.00

1 TTCACATTATTCCTTAAATAA ACTCTCTCCCTCCCCTCTCCCGTCTCAaCCTTGCCC  
>>>>>>>>>>>>>>>>>>

[illegible]

121 AAGTATCACGTG

39) whole sequence ::: rs8134080-rs2831524

TCAGGAAGCAACAAGTACTGGGCAGATTGATACTGTAGCTaGGCTCTAGCTCTATACCTC  
TAGAATaaatgtttacaaactagcaacttgaaagctaaacctggcccccacag (SEQ ID NO: 118)

```

OLIGO              (SEQ ID NOS: 119, 120)
LEFT PRIMER        11    20    55.75    45.00    6.00    2.00
ACAAGTACTGGGCAGATTGA
RIGHT PRIMER       104    20    56.27    45.00    4.00    2.00
gccagggttttagctttcaagt
SEQUENCE SIZE: 110
INCLUDED REGION SIZE: 110

```

PRODUCT SIZE: 94, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 3.00

[illegible]

61 TAGAATAaatgttacaaactagcaacttgaaagctaaacctggccacag  
<<<<<<<<<<<<<<<<<<

40) Whole sequence ::: rs4817219-rs4817220

tggttcttgagaattttatatcaggagaaacactgtcagtCtgtattgaaagggaacagag  
aaaatTcgaaattaaagaagactatlaaacctccaaaattctggca (SEQ ID NO: 121)

OLIGO (SEQ ID NOs: 122, 123)  
LEFT PRIMER 14 22 51.54 31.82 4.00 3.00  
ttttatatcaggagaaacactg



45) Whole sequence ::: rs2832040-rs11088088

OLIGO (SEO ID NOs: 141, 142)

**FIG. 6V**

|                           |     |    |       |       |      |      |
|---------------------------|-----|----|-------|-------|------|------|
| LEFT PRIMER               | 1   | 20 | 53.30 | 40.00 | 3.00 | 3.00 |
| TGGACACCTTTCAACTTAGA      |     |    |       |       |      |      |
| RIGHT PRIMER              | 134 | 22 | 50.67 | 27.27 | 8.00 | 3.00 |
| gaacagtaatggtgaactttt     |     |    |       |       |      |      |
| SEQUENCE SIZE: 145        |     |    |       |       |      |      |
| INCLUDED REGION SIZE: 145 |     |    |       |       |      |      |

PRODUCT SIZE: 134, PAIR ANY COMPL: 7.00, PAIR 3' COMPL: 3.00

1 TGGACACCTTTCAACTTAGAAATCATAAACAGATTcATTTCCTTAAAGTTAATGaaaaga  
>>>>>>>>>>>>>>>>>>

[illegible]

121 caacattactgttcagcaaataaaa  
 <<<<<<<<<<<<<

7<sup>th</sup> group

48) Whole sequence ::: rs2833734-rs2833735

TGGATACATTCCTAGAAAAATAGATGGAAACTGCTCTTGCAAAAAGCTTAGCACATGTTAAA  
aATTTTAGAAACAATTTTGCCAAAGTTTATTTAGTCTAGTGATTTtGACAGGTTAAATGGA  
CCCTTTGAGATCTTTTTTCTCAAGTACAAAGGCT (SEQ ID NO: 143)

```

OLIGO              (SEQ ID NOS: 144, 145)
LEFT PRIMER        33    21    58.90    38.10    6.00    2.00
TCTTGCAAAAAGCTTAGCACA
RIGHT PRIMER       137    21    57.77    38.10    6.00    1.00
AAAAAGATCTCAAAGGGTCCA
SEQUENCE SIZE: 155
INCLUDED REGION SIZE: 155

```

PRODUCT SIZE: 105, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 0.00

[illegible]

61 aATTTTAGAAACAATTTGCCAAAGTTTATTAGTCTAGTGA'TTTtGACAGGTTAAATGGA <<<<

121 CCCTTTGAGATCTTTTTTCCTCAAGTACAAAGGCT  
 <<<<<<<<<<<<<<<<<

```
49) Whole sequence :: rs933121-rs933122
```

GCTTTTGTGTAACATCAAGTGGTGAGCCAGGACTCAAaGCCAGATCTTCTTGTTCCTG  
TTAGGTCTtTGTAGCACAACCTGGTATCTGCAGACTATGCTGCTGGAAGGGCTAGCCGTC (SEQ ID  
NO: 146)

|                      |                        |    |       |       |      |      |
|----------------------|------------------------|----|-------|-------|------|------|
| OLIGO                | (SEQ ID NOS: 147, 148) |    |       |       |      |      |
| LEFT PRIMER          | 1                      | 20 | 55.61 | 40.00 | 6.00 | 3.00 |
| GCTTTTGCTGAACATCAAGT |                        |    |       |       |      |      |
| RIGHT PRIMER         | 109                    | 19 | 55.56 | 52.63 | 3.00 | 3.00 |
| CCTTCCAGCAGCATAGTCT  |                        |    |       |       |      |      |
| SEQUENCE SIZE: 119   |                        |    |       |       |      |      |

[illegible]

181 AGGAGCATTCCCTCATTTGAAGACCCCCCAATTACATGAAATTATCAACCCC

GGAAGTGCAGGAGATCCCTGCTGCCTTCCAGTTTCATGGGATGATGGCCTCCACTTCTGCCCTGTTTGCT  
TCTCCTTTCAaATCTTACATGAAGGTATACAGTTTGAAGAAGCCAGTTTGAAGTCCAATATCTGTGCAATG  
GAATACTGCTCATTAaaaaAGaAATTAAACTATTGATACACACAACATGGGTGAAGATCAAAGTGTCTCCTT

**FIG. 6Z**

TCCCTTTGATTCAAGGGAATCTGAGAAATG (SEQ ID NO: 349)

OLIGO (SEQ ID NOs: 350, 351)

|             |    |    |       |       |      |      |
|-------------|----|----|-------|-------|------|------|
| LEFT PRIMER | 51 | 19 | 59.86 | 52.63 | 2.00 | 0.00 |
|-------------|----|----|-------|-------|------|------|

ACTTCTGCCCCTGTTTGCT

|              |     |    |       |       |      |      |
|--------------|-----|----|-------|-------|------|------|
| RIGHT PRIMER | 198 | 21 | 58.84 | 42.86 | 4.00 | 3.00 |
|--------------|-----|----|-------|-------|------|------|

TGATCTTCACCCATGTTGTGT

**FIG. 6AA**

SEQUENCE SIZE: 239

INCLUDED REGION SIZE: 239

PRODUCT SIZE: 148, PAIR ANY COMPL: 2.00, PAIR 3' COMPL: 0.00

[illegible]

57) Whole sequence ::: rs7281674-rs2835316

AAACAGGCAAAATAAGCGTAGGGCTGTGTGTGCAACAGTTaATCATAAAGCCATCACCAG  
GAGACgTCACTGGGCGCCTTCTGGAGTCTATCCGTCCTAACTTTGC (SEQ ID NO: 164)

```

OLIGO              (SEQ ID NOS: 165, 166)
LEFT PRIMER        13    20    59.93    55.00    4.00    0.00
TAAGCGTAGGGCTGTGTGTG
RIGHT PRIMER       97    21    60.08    57.14    3.00    1.00
GGACGGATAGACTCCAGAAGG
SEQUENCE SIZE: 106
INCLUDED REGION SIZE: 106

```

PRODUCT SIZE: 85, PAIR ANY COMPL: 3.00, PAIR 3' COMPL: 0.00

[illegible]

58) Whole sequence ::: rs13047304-rs13047322

gaatgaccttggcactttttatcaaacatcaactggccacaCacaggtgagtctacttctg  
gacacttaTcctgttccattcatctgtatatctctatccttacac (SEQ ID NO: 167)

```

OLIGO              (SEQ ID NOs: 168, 169)
LEFT PRIMER        1    23    60.36   39.13   3.00   2.00
gaatgaccttggcacttttatca
RIGHT PRIMER       101   27    57.86   33.33   4.00   0.00
aaggatagagatatcacagatgaatgga
SEQUENCE SIZE: 105
INCLUDED REGION SIZE: 105

```

PRODUCT SIZE: 101, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 1.00

[illegible]

CTCCTGAGTCCAAGCCCTTCTCACTCACCTCTTTCTTGAAC TAATTTCTTcCTGTTTTTT  
TCCAGTCCTCCCTTCTGTT CATGTCTCTCCTCTGCACACTTCCATTTTgTGGTTCAGAAA

CCCAGGAAGAGTGGAAAGATTAACTTTGTGTGAGCCAAACCcGTGACACTTGATTACTTGA  
CAGAACTAATCCTTCTGTCTGATGACAGAAcTTCAACTACACAGGTACATGCAAGCTAA  
TATCTGTTGTAA (SEQ ID NO: 179)

```

OLIGO              (SEQ ID NOS: 186, 187)
LEFT PRIMER        1    22    47.51    22.73    6.00    4.00
atcaagctaattaatgttatct
RIGHT PRIMER       158   20    50.92    40.00    5.00    5.00
aatgaataaggctctcagag
SEQUENCE SIZE: 160
INCLUDED REGION SIZE: 160

```

1 tgtccaccatttgtgtattaggtttgtagagCgtagacaacttgccttttagtttgtag  
>>>>>>>>>>>>>>>>

[illegible]

|                      |                        |    |       |       |      |      |
|----------------------|------------------------|----|-------|-------|------|------|
| OLIGO                | (SEQ ID NOs: 207, 208) |    |       |       |      |      |
| LEFT PRIMER          | 11                     | 20 | 56.00 | 45.00 | 4.00 | 1.00 |
| TCTTGTTCCAATCACAGGAC |                        |    |       |       |      |      |

INCLUDED REGION SIZE: 109

1 ACTCTGCTCCCAGTGTGAACATGGGGAAAGTTGATTAACTCTCTGACTTCAGATTCTC





61 AGTTCCAGTCCCTCAGTGCCGGCTCCATTGTCCCCTGGACTTCCCTTACAAACCACAGAT

85) Whole sequence ::: rs10451852-rs10451853

## FIG. 6AN

ACTTTTCAGAATGTGCTGCCTTCCACGTGTGAACCAGACTGAGCTCCTTTCTGCCACTGAT  
GTTGAATTGTCCATTTGCTCACaTCAGTGTCCACGTGGCAAATCCACAGGGGcTGGGTGG  
GATCCTGCAGTCTAGACAAAGCCAAGGAGCACCGCTGGAGGCCACGTTGGGCTTCCCAAT  
CCACATGCAAACCC (SEQ ID NO: 244)

|                           |                        |    |       |       |      |      |
|---------------------------|------------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID Nos: 245, 246) |    |       |       |      |      |
| LEFT PRIMER               | 45                     | 20 | 59.29 | 50.00 | 3.00 | 1.00 |
| CCTTTCTGCCACTGATGTTG      |                        |    |       |       |      |      |
| RIGHT PRIMER              | 190                    | 19 | 60.46 | 47.37 | 4.00 | 0.00 |
| TTGCATGTGGATTGGGAAG       |                        |    |       |       |      |      |
| SEQUENCE SIZE: 194        |                        |    |       |       |      |      |
| INCLUDED REGION SIZE: 194 |                        |    |       |       |      |      |

PRODUCT SIZE: 146, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 0.00

1 ACTTTCAGAATGTGCTGCCTTCCACGTGTGAACCAGACTGAGCTCCTTTCTGCCACTGAT  
>>>>>>>>>>>>

61 GTTGAATTGTCCATTTGCTCACaTCAGTGTCCACGTGGCAAATCCACAGGGCcTGGGTGG  
>>>>

121 GATCCTGCAGTCTAGACAAAGCCAAGGAGCACCGCTGGAGGCCACGTTGGGCT'TCCCAAT  
<<<<<<<<<<

181 CCACATGCAAACCC  
<<<<<<<<<<<

86) Whole sequence ::: rs7278528-rs11701158

TCTCCAGCCAGCGTGTCAAAAGCCGCTCACCTGCTCGTGTGAGTGTCTGAATGCACGTG  
TTTGAGTGTGAGGGCGTGTGAACCACAGCAACTCAATCTTGAATAGGGGCTGGGTAAAG  
TGAGGCTgAGACCTCCCGGGGCTGCATTTCCAGATGGTTAAGGCATTCTAAGTCACAAGA  
TGAGATAGGAAGTTTCGCACAAGACACTGGTCAT (SEQ ID NO: 247)

```

OLIGO              (SEQ ID NOS: 248, 249)
LEFT PRIMER        28    20    60.53    55.00    4.00    0.00
TCACCTGCTCGTGTGAGTGT
RIGHT PRIMER       163    20    59.39    50.00    4.00    2.00
CCTTAACCATCTGGGAATGC
SEQUENCE SIZE: 213
INCLUDED REGION SIZE: 213

```

PRODUCT SIZE: 136, PAIR ANY COMPL: 3.00, PAIR 3' COMPL: 0.00

[illegible]

GGACATCTGGAAGTGCACCAGCACAGAACCAGACACGTTGTTAaTCATCGTCACTCGGCAG  
GGCTGAAGACCACCAGAAGTTCATGACAGGCAGACGTGCCTGGCCCAGTTGAGGATGTAGC

GTTCCTCACTTTACTGAGAAACCTGGCAGCTTCTCAGGCCACCGCCAGGTCACCTGCTCA  
CCAGCAAcGTGAACACAGGAACtGAGGCTGTGCGGGAGCGGCTCTGCTCTGTGCTGGG  
CCCCCTCCTCCTCACTCACCTCTTCAGTCAAAG (SEQ ID NO: 262)

| OLIGO (SEQ ID NOS: 269, 270) |     |    |       |       |      |      |
|------------------------------|-----|----|-------|-------|------|------|
| LEFT PRIMER                  | 14  | 20 | 60.24 | 45.00 | 3.00 | 3.00 |
| TTGCCCACACAGATTTTCTAGA       |     |    |       |       |      |      |
| RIGHT PRIMER                 | 156 | 22 | 56.88 | 36.36 | 5.00 | 0.00 |
| TGCTAAGTTTCTAGAAGTGGAAAA     |     |    |       |       |      |      |

1 TGTCAGTGGTGTAAATCCGACTGTGAAAGATCAGTCTAACAAAACAGCGGGGAGAGAGAGC

1 TATCTTACGGATTTGTCAACATCATTTGAGAAGAAGTCCATAGGCTCAGCAGATTTTAT

| OLIGO (SEQ ID NOS: 287, 288) |     |    |       |       |      |      |
|------------------------------|-----|----|-------|-------|------|------|
| LEFT PRIMER                  | 41  | 20 | 61.15 | 45.00 | 2.00 | 0.00 |
| TGGAATGCTTTTGGCTGTTT         |     |    |       |       |      |      |
| RIGHT PRIMER                 | 189 | 20 | 61.37 | 55.00 | 6.00 | 2.00 |
| CACCCCATGGAAGACAACG          |     |    |       |       |      |      |

| OLIGO                | (SEQ ID NOs: 293, 294) |       |       |      |      |  |
|----------------------|------------------------|-------|-------|------|------|--|
| LEFT PRIMER          | 2 20                   | 53.05 | 45.00 | 5.00 | 3.00 |  |
| GACAGAAAAGTCTCAGAGCA |                        |       |       |      |      |  |



**FIG. 6AW**

|                           |     |    |       |       |      |      |
|---------------------------|-----|----|-------|-------|------|------|
| LEFT PRIMER               | 46  | 18 | 55.06 | 50.00 | 4.00 | 2.00 |
| AAGGAGAGATTGGGCAAC        |     |    |       |       |      |      |
| RIGHT PRIMER              | 178 | 19 | 54.85 | 52.63 | 3.00 | 1.00 |
| GT'TTC'TTCTCAGCCAGGAC     |     |    |       |       |      |      |
| SEQUENCE SIZE: 180        |     |    |       |       |      |      |
| INCLUDED REGION SIZE: 180 |     |    |       |       |      |      |

PRODUCT SIZE: 133, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 0.00

1 AGGGGCATTCTACAAAACACCCAACCGGTCAAGGTCGCTGAGGCCAAGGAGAGATTGGGC  
>>>>>>>>>>>>>>>>>>>>

61 AACCGTCACAAACCAGAGAAGcCGAGGAGAcCTTTTCAGCCAACGCCATGTGGGGTCCCTGA  
>>>

[illegible]

104 )Whole sequence ::: rs2838650-rs2838651

TGGCCCTGACCTGCCAGAGCTGTTGGCCTCCAGCTGGCGGGTAAAACCCACGGCCTTCTC  
AGAACAGGTTTCTCAACACATGAGACAGAACACACCAGACTTCCaAGGGGAACACCTGGA  
TGGAGCTGGTTACCCAGATcGTTCAACACCGAGGGGCAGCGGCTTGAGGGTCTTTCCACG  
AAGGCTTGCATTAAACAAGAGGAGCASRGGTCTCTCCAGGATGGGCCCA (SEQ ID NO: 301)

```

OLIGO              (SEQ ID NOS: 302, 303)
LEFT PRIMER        79    20    54.89    50.00    4.00    1.00
CATGAGACAGAACACACCAG
RIGHT PRIMER       199    20    54.61    40.00    5.00    3.00
TCTTGTTAATCCAAGCCTTC
SEQUENCE SIZE: 228
INCLUDED REGION SIZE: 228

```

PRODUCT SIZE: 121, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 1.00

1 TGGCCCTGACCTGCCAGAGCTGTTGGCCTCCAGCTGGCGGGTAAAACCCACGGCCTTCTC

[illegible]

121 TGGAGCTGGTTACCCAGATcGTTCAACACCGAGGGGCAGCGGCTTGAGGGTCTTTCCACG

181 AAGGCTTGATTAACAAGAGGAGCASRGGTCTCTCCAGGATGGGCCCA  
 <<<<<<<<<<<<<<<<<

105 )Whole sequence ::: rs2838654-rs1296489

CCACCCAGTGTACGTACGGCCCCGGCACGCCATCCACGGACCCTGGATGGAGCCCAGC  
TGCCTCCaGGAGCGCAGTTTAACTACAAAGGAGCCCTGGCTGCCCGCCCCGCCAGACGC  
ACTGACCTGTTGTTCTCTGTGGCTGCTGATGGCCCaTCCCCAACCACTGGTGACTCTTCC  
CTGGGGCCCCAAGCTCAGCCCCTAACCCCCCTGTTGCTGGAAGT (SEQ ID NO: 304)

```

OLIGO              (SEQ ID NOs: 305, 306)
LEFT PRIMER        37   18   62.56   66.67   5.00   2.00
CACGGACCCTGGATGGAG

```

## FIG. 6AX

```

RIGHT PRIMER      183   18   53.14   55.56   3.00   2.00
CAGGGAAGAGTCACCA
SEQUENCE SIZE: 223
INCLUDED REGION SIZE: 223

```

PRODUCT SIZE: 147, PAIR ANY COMPL: 5.00, PAIR 3' COMPL: 2.00

1 CCACCCAGTGTACGTCACGGCCCCGGCACGCCATCCACGGACCCTGGATGGAGCCCAGC  
>>>>>>>>>>>>>>>>>>>>

61 TGCCTCCaGGAGCGCAGTTTAACTACAAAGGAGCCCTGGCTGCCCCGCCCCGCCAGACGC

121 ACTGACCTGTTGTTCCTCTGTGGCTGCTGATGGCCC**a**TCCCCAACCACTGGTGACTCTTCC  
                                                                        <<<<<<<<<<<<<<<<<<

181 CTGGGGCCCCAAGCTCAGCCCCTAACCCCTGTTGCTGGAAGT  
 <<<

106 )Whole sequence ::: rs2838659-rs1108261

CAGAGGACTGGGCTGCGGGGTCAGGAATGGGCACACTTCCTAACTGCAGGACACTCTAAG  
GGCTTTGGTCATGCACACgCAGCCAAGAGAAGGTGTCGCTGaCACACAGCCTTCCAGGAG  
CGGACTTGAGACCTCGCCAAGGACCAGGACTCCCCAGCACTCACACTCCCTTAGGCGCT  
GAAGTC (SEQ ID NO: 307)

|                           |                        |    |       |       |      |      |
|---------------------------|------------------------|----|-------|-------|------|------|
| OLIGO                     | (SEQ ID NOS: 308, 309) |    |       |       |      |      |
| LEFT PRIMER               | 53                     | 20 | 55.48 | 45.00 | 4.00 | 2.00 |
| ACTCTAAGGGCTTTGGTCAT      |                        |    |       |       |      |      |
| RIGHT PRIMER              | 175                    | 20 | 56.02 | 55.00 | 3.00 | 1.00 |
| CTAAGGGAGTGTGAGTGCTG      |                        |    |       |       |      |      |
| SEQUENCE SIZE: 186        |                        |    |       |       |      |      |
| INCLUDED REGION SIZE: 186 |                        |    |       |       |      |      |

PRODUCT SIZE: 123, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 1.00

1 CAGAGGACTGGGCTGCGGGTCAGGAATGGGCACACTTCCTAACTGCAGGACACTCTAAG >>>>>>>

61 GGCTTTGGTCATGCACACgCAGCCAAGAGAAGGTGTCGCTGaCACACAGCCTTCCAGGAG  
>>>>>>>>>>

[illegible]

181 GAAGTC

```
107 )Whole sequence ::: rs585587-rs585601
```

GAAGAGGACAACACGGGGCTGTCTGCAGAGCACCTGCCACGCGCCAGGCTCTGTGTCCAC  
AAGCACGGCGGCTGCTCCACATGACaGAGCTCGTGcGGCAGCTCCAGGACTGTCTGGTG  
CCAGAGCCCCAGCTCTCCGCCAGCCCCAGGCCACTGTGCGAGGCCCTCAGTGAAGAGGGG  
GCCGT (SEQ ID NO: 310)

OLIGO (SEQ ID NOs: 311, 312)

**FIG. 6AY**

|                           |     |    |       |       |      |      |
|---------------------------|-----|----|-------|-------|------|------|
| LEFT PRIMER               | 42  | 18 | 64.78 | 66.67 | 5.00 | 2.00 |
| CGCCAGGCTCTGTGTCCA        |     |    |       |       |      |      |
| RIGHT PRIMER              | 183 | 18 | 60.76 | 66.67 | 5.00 | 3.00 |
| GGCCCCCTCTTCACTGAG        |     |    |       |       |      |      |
| SEQUENCE SIZE: 185        |     |    |       |       |      |      |
| INCLUDED REGION SIZE: 185 |     |    |       |       |      |      |

PRODUCT SIZE: 142, PAIR ANY COMPL: 5.00, PAIR 3' COMPL: 3.00

1 GAAGAGGACAACACGGGGCTGTCTGCAGAGCACCTGCCACGCGCCAGGCTCTGTGTCCAC  
>>>>>>>>>>>>>>>>>>>>

61 AAGCACGGCGGCTGCTCCACATGACaGAGCTCGTGcGGCAGCTCCAGGACTGTCTGGTG

[illegible]

181 GCCGT  
<<<

108 )Whole sequence ::: rs9981033-rs4818998

TCTAAATAATGTTAATGATCAAATTTAGTCAGATCTCAATCTTCATATGTTAGTTGCCTT  
CTTAaTAAATATTCTGTTTTCTTTATCGTTCTTTATTTGTATCTCcACCTTCATTTCTGA  
TTAAATTAAGAACTTTTGTCTCTTCCATTTAATAATTAATGTATTTAATAACC (SEQ ID NO: 313)

```

OLIGO              (SEQ ID NOS: 314, 315)
LEFT PRIMER        24    22    51.86    31.82    6.00    2.00
TTTAGTCAGATCTCAATCTTCA
RIGHT PRIMER       149    22    54.02    31.82    4.00    3.00
AATGGAAGAGACAAAACCTTCTT
SEQUENCE SIZE: 173
INCLUDED REGION SIZE: 173

```

PRODUCT SIZE: 126, PAIR ANY COMPL: 5.00, PAIR 3' COMPL: 1.00

[illegible]

61 CTTAaTAAATATTCTGTTTTCTTTATCGTTCTTTATTTGTATCTCcACCTTCATTTCTGA

[illegible]

109 )Whole sequence ::: rs2838802-rs2838803

CACACTCCCACTGGCCCCACGCGGGTGGCGAAGGACTCAGCCAGAGCCTGGCAGGATCC  
TGGGGTGTCTaTTTCCAAGGAATGTTCTGGAAGAAACATACACATACTTGTTTGCCAG  
ATTTACCTGTGTGGTcTTCCAGATGAGAAGCAGCCTGTGTCACTCCATAAGGGAGAGTGC  
GTGCAGCATTGAGA (SEQ ID NO: 316)

| OLIGO              | (SEQ ID NOS: 317, 318) |    |       |       |      |      |
|--------------------|------------------------|----|-------|-------|------|------|
| LEFT PRIMER        | 31                     | 18 | 55.96 | 61.11 | 5.00 | 3.00 |
| GAAGGACTCAGCCAGAGC |                        |    |       |       |      |      |

***FIG. 6AZ***

RIGHT PRIMER            177    20    55.20    50.00    7.00    3.00  
CTCTCCCTTATGGAGTGACA  
SEQUENCE SIZE: 194  
INCLUDED REGION SIZE: 194

PRODUCT SIZE: 147, PAIR ANY COMPL: 4.00, PAIR 3' COMPL: 0.00

1 CACACTCCACACTGGCCCCACGCGGGTGGCGAAGGACTCAGCCAGAGCCTGGCAGGATCC

[illegible]

PRODUCT SIZE: 150, PAIR ANY COMPL: 5.00, PAIR 3' COMPL: 2.00

[illegible]

121 GCGGAACAAGATGCCTTCCTGCAGGAGGCCAGGAGCAGCATGCCCGTGAGCTG  
 <<<<<<<<<<<<<<<

CTTTGGTGCAGAATCATGCTGCAGGCAAGGTGGGCCCACCTCCCTGGAATTTTCATCCCC  
cCGTCAGTTTAAACCCATGGTGGTTTTATTTTCTAGGCCACCTGATCTGGGAGGACCACCT  
CCAAGAAAAGCAGTCCTaTCGATGAACGGTCTAAGTTATGGTGTATCAGAGTGGATACT

181 GAAGAAAAGTTGTCAGTCCTTACTGTTC


**FIG. 7**

FIG. 8A

Mother carrying a non-trisomy 21 fetus:




FIG. 8B

Mother carrying a trisomy 21 fetus:




**FIG. 9A****Chromosome 13**

|           |          |            |            |
|-----------|----------|------------|------------|
| 31403476  | 31403533 | rs9590624  | rs384975   |
| 31493027  | 31493109 | rs9566986  | rs9562411  |
| 31527771  | 31527803 | rs411126   | rs398251   |
| 31605663  | 31605691 | rs9594995  | rs9594996  |
| 31608545  | 31608638 | rs9567251  | rs2106134  |
| 31619730  | 31619743 | rs204571   | rs204572   |
| 31629896  | 31629948 | rs537967   | rs689338   |
| 31631138  | 31631179 | rs17634824 | rs205004   |
| 31787968  | 31788026 | rs206119   | rs9562605  |
| 31896328  | 31896362 | rs206334   | rs169562   |
| 31934660  | 31934759 | rs1088550  | rs1081796  |
| 31997315  | 31997347 | rs535803   | rs45604    |
| 32219045  | 32219091 | rs12877579 | rs2051570  |
| 32380735  | 32380821 | rs766345   | rs766346   |
| 109352953 | 1.09E+08 | rs1763037  | rs376476   |
| 109354048 | 1.09E+08 | rs1763036  | rs1763034  |
| 109431411 | 1.09E+08 | rs9555657  | rs4771655  |
| 109436361 | 1.09E+08 | rs3742209  | rs1333982  |
| 109461769 | 1.09E+08 | rs7326063  | rs9559708  |
| 109477161 | 1.09E+08 | rs7986126  | rs9559710  |
| 109508102 | 1.1E+08  | rs7327434  | rs6492238  |
| 109515518 | 1.1E+08  | rs7334921  | rs7334783  |
| 109515760 | 1.1E+08  | rs4503663  | rs9559717  |
| 109516464 | 1.1E+08  | rs9559718  | rs9559719  |
| 109591078 | 1.1E+08  | rs7319307  | rs656533   |
| 109604491 | 1.1E+08  | rs1192201  | rs1192202  |
| 109606682 | 1.1E+08  | rs631428   | rs17588591 |
| 109606739 | 1.1E+08  | rs17588591 | rs613116   |
| 109609579 | 1.1E+08  | rs1192198  | rs8002698  |
| 109626892 | 1.1E+08  | rs1975514  | rs1562173  |
| 109655824 | 1.1E+08  | rs482757   | rs677877   |
| 109667423 | 1.1E+08  | rs6492246  | rs9515168  |
| 109677008 | 1.1E+08  | rs679958   | rs660433   |
| 109701188 | 1.1E+08  | rs72509    | rs751749   |
| 109715483 | 1.1E+08  | rs9559755  | rs903352   |
| 109715769 | 1.1E+08  | rs686642   | rs554882   |
| 109720695 | 1.1E+08  | rs6492252  | rs681777   |
| 109753036 | 1.1E+08  | rs7317591  | rs7317784  |
| 109759237 | 1.1E+08  | rs6492260  | rs2391824  |
| 109761032 | 1.1E+08  | rs4773145  | rs4773147  |
| 109783608 | 1.1E+08  | rs1556122  | rs7323190  |

**FIG. 9B****Chromosome 18**

|          |          |            |            |
|----------|----------|------------|------------|
| 2619101  | 2619162  | rs11080967 | rs11080969 |
| 2624848  | 2624943  | rs9303909  | rs7237881  |
| 2626514  | 2626605  | rs11660259 | rs11663451 |
| 2630789  | 2630803  | rs1568207  | rs1568208  |
| 2631809  | 2631858  | rs9958281  | rs7229070  |
| 2715198  | 2715268  | rs12605423 | rs673364   |
| 2781571  | 2781603  | rs585064   | rs9964586  |
| 2859839  | 2859916  | rs7241980  | rs679153   |
| 2862368  | 2862449  | rs9950998  | rs613796   |
| 2863900  | 2863939  | rs568289   | rs17553620 |
| 2864364  | 2864408  | rs680173   | rs642887   |
| 5762047  | 5762139  | rs1917929  | rs1917930  |
| 5913280  | 5913341  | rs1940613  | rs8097201  |
| 5942499  | 5942544  | rs523295   | rs626823   |
| 5945083  | 5945181  | rs3745091  | rs1940622  |
| 5945911  | 5945932  | rs2298535  | rs2298534  |
| 5946116  | 5946145  | rs3737351  | rs3737352  |
| 5946145  | 5946238  | rs3737352  | rs3737353  |
| 5954761  | 5954799  | rs606266   | rs1940611  |
| 6046847  | 6046888  | rs1785234  | rs1784816  |
| 72822082 | 72822160 | rs2282569  | rs470822   |
| 72822160 | 72822206 | rs470822   | rs470821   |
| 72823947 | 72823973 | rs470823   | rs470826   |
| 72825169 | 72825247 | rs2279078  | rs2279079  |
| 72825247 | 72825322 | rs2279079  | rs470550   |
| 72825322 | 72825413 | rs470550   | rs470546   |
| 72854057 | 72854154 | rs12406    | rs2282557  |
| 72876412 | 72876476 | rs8092433  | rs470549   |
| 72892082 | 72892105 | rs7232346  | rs11150996 |
| 72920062 | 72920157 | rs9964602  | rs9954182  |
| 72981791 | 72981859 | rs4890903  | rs1617137  |

**FIG. 9C****Chromosome 22q11.2 region**

|          |          |            |            |
|----------|----------|------------|------------|
| 16302735 | 16302770 | rs5746385  | rs5747145  |
| 16311483 | 16311566 | rs5747167  | rs1004973  |
| 16326168 | 16326202 | rs2522288  | rs5747187  |
| 16377569 | 16377619 | rs78914    | rs174302   |
| 16400773 | 16400796 | rs1003861  | rs5992732  |
| 16495251 | 16495277 | rs5747295  | rs5747296  |
| 16501246 | 16501334 | rs12628818 | rs11089197 |
| 16823681 | 16823699 | rs5992916  | rs5992917  |
| 16824657 | 16824734 | rs7286607  | rs1110659  |
| 16859382 | 16859447 | rs410456   | rs401910   |
| 16892282 | 16892325 | rs107321   | rs9605500  |
| 16898634 | 16898651 | rs4819660  | rs1076115  |
| 16913335 | 16913434 | rs455758   | rs458888   |
| 19634408 | 19634463 | rs737894   | rs1548410  |
| 20312249 | 20312340 | rs878825   | rs861857   |

## DETECTING GENETIC ABNORMALITIES

### CROSS REFERENCE TO RELATED APPLICATIONS

**[0001]** This application claims the benefit of priority to U.S. Patent Application No. 61/106,435, filed Oct. 17, 2008, which is hereby incorporated by reference in its entirety. This application is a continuation-in-part of U.S. patent application Ser. No. 11/713,069, filed Feb. 28, 2007, which claims priority to U.S. Patent Application No. 60/777,865, filed Feb. 28, 2006, each of which is hereby incorporated by reference in its entirety.

### BACKGROUND OF THE INVENTION

**[0002]** A majority of pregnant women receive some kind of test, including maternal serum screening and/or an ultrasound test, to determine risks for common birth defects, such as those resulting from trisomy 13, 18, and 21 (Down Syndrome). Both the sensitivity and specificity of these common non-invasive screening tools are extremely poor. The best current non-invasive tests lead to a false positive rate between 7 and 20%. This high false positive rate often causes individuals to opt for invasive diagnostic tests, such as chorionic villus sampling (CVS) and amniocentesis. Such invasive tests each carry a fetal loss rate of 0.5%-1% and account for the loss of thousands of normal fetuses annually. However, prenatal diagnosis can be critical for management of a pregnancy with chromosomal abnormalities and localized genetic abnormalities, because an accurate and early diagnosis allows for interventional care before or during delivery and can prevent devastating consequences for the neonate. The development of a non-invasive test for genetic abnormalities that is sensitive and specific with low false-positive and false-negative rates would be of benefit to the field of molecular diagnostics.

### SUMMARY OF THE INVENTION

**[0003]** Accordingly, the present invention provides methods and compositions for detecting genetic abnormalities.

**[0004]** In one aspect, the present invention provides method for determining whether a fetus has at least one chromosomal abnormality. This method includes the step of comparing at least three alleles, and this comparing identifies the at least one chromosomal abnormality.

**[0005]** In a further aspect, the present invention provides a method for determining whether a fetus has at least one chromosomal abnormality. This method includes the steps of: (i) detecting a paternally-inherited fetal allele in a sample that includes both maternal and fetal nucleic acids, wherein that paternally-inherited fetal allele is not present in the maternal genome; (ii) detecting a first maternal allele and a second maternal allele in the sample; and (iii) comparing the paternally-inherited fetal allele to the first and second maternal alleles, where the comparing identifies the at least one chromosomal abnormality.

**[0006]** In an exemplary embodiment, comparing alleles according to the present invention includes detecting the number of molecules of each allele. In a further embodiment, detecting the number of molecules of each allele provides the allelic dosage of each allele.

**[0007]** In a still further exemplary embodiment, comparing alleles according to the present invention includes calculating a haplotype ratio. In a still further embodiment, the haplotype

ratio is calculated according to the formula:  $HR = (P1 - P2) / P3$ , where P1 is the number of molecules of a first maternal allele, P2 is the number of molecules of a second maternal allele, and P3 is the number of molecules of a paternally-inherited fetal allele.

### BRIEF DESCRIPTION OF THE DRAWINGS

**[0008]** FIG. 1 is a schematic illustration of an embodiment of an assay of the invention.

**[0009]** FIG. 2 is a schematic illustration of possible haplotypes in an exemplary embodiment of a tandem SNP.

**[0010]** FIG. 3 is a schematic illustration of an embodiment of an assay of the invention.

**[0011]** FIG. 4 is a schematic illustration of an embodiment of an assay of the invention.

**[0012]** FIG. 5A-B is a table of an exemplary list of tandem SNPs of the invention.

**[0013]** FIG. 6A-AO is a table of an exemplary list of tandem SNPs of the invention and primers directed to those tandem SNPs.

**[0014]** FIG. 7 provides a DNA melting map of a constant denaturant capillary electrophoresis target sequence covering a tandem SNP.

**[0015]** FIGS. 8A and B provides data of a haplotype ratio analysis.

**[0016]** FIG. 9A-C is a table of an exemplary list of tandem SNPs of the invention.

### DETAILED DESCRIPTION OF THE INVENTION

**[0017]** The practice of the present invention may employ, unless otherwise indicated, conventional techniques and descriptions of organic chemistry, polymer technology, molecular biology (including recombinant techniques), cell biology, biochemistry, and immunology, which are within the skill of the art. Such conventional techniques include polymer array synthesis, hybridization, ligation, and detection of hybridization using a label. Specific illustrations of suitable techniques can be had by reference to the example herein below. However, other equivalent conventional procedures can, of course, also be used. Such conventional techniques and descriptions can be found in standard laboratory manuals such as *Genome Analysis: A Laboratory Manual Series* (Vols. I-IV), *Using Antibodies: A Laboratory Manual*, *Cells: A Laboratory Manual*, *PCR Primer: A Laboratory Manual*, and *Molecular Cloning: A Laboratory Manual* (all from Cold Spring Harbor Laboratory Press), Stryer, L. (1995) *Biochemistry* (4th Ed.) Freeman, New York, Gait, "Oligonucleotide Synthesis: A Practical Approach" 1984, IRL Press, London, Nelson and Cox (2000), Lehninger, *Principles of Biochemistry* 3<sup>rd</sup> Ed., W. H. Freeman Pub., New York, N.Y. and Berg et al. (2002) *Biochemistry*, 5<sup>th</sup> Ed., W. H. Freeman Pub., New York, N.Y., all of which are herein incorporated in their entirety by reference for all purposes.

**[0018]** Note that as used herein and in the appended claims, the singular forms "a," "an," and "the" include plural referents unless the context clearly dictates otherwise. Thus, for example, reference to "a polymerase" refers to one agent or mixtures of such agents, and reference to "the method" includes reference to equivalent steps and methods known to those skilled in the art, and so forth.

**[0019]** Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this

invention belongs. All publications mentioned herein are incorporated herein by reference for the purpose of describing and disclosing devices, compositions, formulations and methodologies which are described in the publication and which might be used in connection with the presently described invention.

**[0020]** Where a range of values is provided, it is understood that each intervening value, to the tenth of the unit of the lower limit unless the context clearly dictates otherwise, between the upper and lower limit of that range and any other stated or intervening value in that stated range is encompassed within the invention. The upper and lower limits of these smaller ranges may independently be included in the smaller ranges and are also encompassed within the invention, subject to any specifically excluded limit in the stated range. Where the stated range includes one or both of the limits, ranges excluding either both of those included limits are also included in the invention.

**[0021]** In the following description, numerous specific details are set forth to provide a more thorough understanding of the present invention. However, it will be apparent to one of skill in the art that the present invention may be practiced without one or more of these specific details. In other instances, well-known features and procedures well known to those skilled in the art have not been described in order to avoid obscuring the invention.

**[0022]** Although the present invention is described primarily with reference to specific embodiments, it is also envisioned that other embodiments will become apparent to those skilled in the art upon reading the present disclosure, and it is intended that such embodiments be contained within the present inventive methods.

## I. Overview of the Invention

**[0023]** The present invention is directed to methods and compositions for detecting genetic abnormalities. By “genetic abnormality” is meant any variation in one or more elements of an individual’s genome in comparison to a general population. Genetic abnormalities can include without limitation chromosomal abnormalities, single point mutations, and any other variations that can result in changes in the levels of cDNA, RNA, mRNA, microRNA, and coding and non-coding RNA. Thus, the term “genetic abnormality” as used herein is interchangeable with the term “nucleic acid abnormality”. “Chromosomal abnormalities” can include without limitation aneuploidy (including without limitation trisomy 13 (Patau Syndrome), trisomy 18 (Edward Syndrome) and sex chromosome aneuploidies such as XXY (Klinefelter’s Syndrome), subchromosomal abnormalities, gross deletions, gross insertions, large deletions, large insertions, copy number variants, copy number variation, repeat variations, structural alterations, small deletions (<20 bp), small insertions (<20 bp), indels, small indels (<20 bp), and the like. Genetic abnormalities can be inherited, arise somatically, occur as de novo events, occur clonally, etc.

**[0024]** In general, methods and compositions of the present invention can be used to analyze a sample comprising genetic material from two or more individuals. “Genetic material” includes without limitation DNA (including full or partial chromosomes, cDNA and genetic DNA) and RNA (including mRNA, tRNA, siRNA, micro RNA, coding and non-coding RNA). Methods of the present invention include comparing alleles contained in the sample to detect and quantify differences between the genetic material from the two or more

individuals. In some embodiments, such differences can be used to identify genetic abnormalities in one or more of the individuals. Although the description of the present invention is primarily provided herein in terms of DNA, it will be appreciated that these aspects and embodiments of the invention also encompass RNA, and that all methods and compositions of the present invention can be applied to any nucleic acid.

**[0025]** In a specific aspect, methods and compositions of the invention are used to analyze a sample containing fetal and maternal genetic material. In a further aspect, methods and compositions of the invention are used to compare alleles contained in such a sample to determine if the fetal genetic material comprises a genetic abnormality. As used herein, “allele” is a variant form of a sequence at a particular region on a chromosome. The variants in the sequence can come as a result of single nucleotide polymorphisms (“SNPs”), combinations of SNPs, haplotype methylation patterns, insertions, deletions, and the like. An allele may comprise the variant form of a single nucleotide, a variant form of a contiguous sequence of nucleotides from a region of interest on a chromosome, or a variant form of multiple single nucleotides (not necessarily all contiguous) from a region of interest on a chromosome.

**[0026]** The term “comparing alleles” as used herein refers to any analysis that identifies similarities and differences among the alleles of interest. For example, comparing alleles may involve detecting and/or identifying the different alleles of interest in a sample. Comparing alleles may also involve detecting and quantifying the number of molecules of each of the different alleles of interest in a sample. Comparing alleles may further involve determining the relative number of molecules of each of the different alleles with respect to each other or with respect to a reference sample. In addition, comparing alleles may involve a comparison of the concentrations or relative concentrations of each of the alleles in a sample. As will be discussed in further detail herein, comparing alleles in a sample can detect and identify genetic abnormalities.

**[0027]** Although the present invention is primarily discussed in terms of a comparison between fetal and maternal genetic material, the methods and compositions described herein can also be applied to other applications in which a comparison of the genetic material between two or more individuals is desired. Embodiments of such extensions to the described methods and compositions are discussed in further detail herein and are encompassed by the present invention.

## II. Comparing and Quantifying Alleles

**[0028]** In one aspect, the present invention provides methods and compositions for comparing alleles in a sample.

**[0029]** A “sample” in accordance with the present invention may comprise any number of substances, including, but not limited to, bodily fluids (including, but not limited to, blood, urine, serum, lymph, saliva, anal and vaginal secretions, perspiration and semen, of virtually any organism, with mammalian samples being preferred and human samples being particularly preferred); environmental samples (including, but not limited to, air, agricultural, water and soil samples); biological warfare agent samples; research samples (i.e. in the case of nucleic acids, the sample may be the products of an amplification reaction, including both target and signal amplification as is generally described in PCT/US99/01705, such as PCR amplification reaction); purified samples, such as purified genomic DNA, RNA, proteins, etc.;

raw samples (bacteria, virus, genomic DNA, etc.); as will be appreciated by those in the art, virtually any experimental manipulation may have been conducted on the sample.

**[0030]** In one aspect, samples of use in the present invention are obtained from a pregnant female. Such samples can include without limitation maternal blood, maternal urine, maternal sweat, maternal cells, or cell free DNA. In a further aspect, these maternal samples contain both maternal and fetal DNA.

**[0031]** Although the majority of the disclosure herein is directed to embodiments using DNA, it will be appreciated that any genetic material is contemplated for use and analysis in accordance with the present invention and is therefore encompassed by the present invention. In addition, the terms “chromosomal region” and “chromosome” are used interchangeably herein, and both refer to part or all of a chromosome unless otherwise specified.

**[0032]** In general, the present invention provides methods and compositions for comparing alleles in a sample. Comparing alleles in accordance with the invention includes detecting the identity of the different alleles present in the sample. Comparing alleles also includes detecting and/or quantifying the number of molecules of each allele of interest that is present in a sample. For example, a maternal sample containing both fetal and maternal DNA may contain three different alleles for a particular chromosomal region of interest. As discussed above, these three alleles would be variant sequences of the chromosomal region of interest. Methods known in the art and described further herein can be used to determine how many molecules of each of the three different alleles are present in the sample. In such an exemplary embodiment, comparing the three alleles would include comparing the number of molecules of each of the three alleles. Comparing alleles in further embodiments of the invention can include without limitation evaluating the concentration of alleles in a sample and evaluating relative concentrations and/or relative numbers of molecules of alleles in a sample.

**[0033]** In a further embodiment, evaluating relative concentrations or numbers of molecules in a sample includes calculating an “allelic ratio” among the alleles in a sample. This allelic ratio is the ratio of the amount of molecules of each of the alleles of interest present in the sample, and may be calculated in any number of ways known in the art and described further herein. For example, if a sample comprises two alleles A and B, and a standard method in the art (such as sequencing) shows that there are twice as many molecules of B as there are of A, then one embodiment of an allelic ratio may be the characterization of A:B as 1:2. In further embodiments, such as those containing a calculation of multiple alleles, the allelic ratio may be a standard ratio—for example, for three alleles A, B, and C, the allelic ratio may be expressed as the number of molecules of A:B:C. In further embodiments, a more complex relationship may be described as an allelic ratio, such as (A–B)/C. Such embodiments are discussed in further detail herein.

**[0034]** Methods for detecting and quantifying alleles or any other sequence of interest are known in the art. Such methods include without limitation any methods that detect DNA (including without limitation genomic and cDNA) and RNA (including without limitation mRNA, microRNA, and silent RNA). Such methods for detecting nucleic acids can include without limitation sequencing methods, gel electrophoresis, mass spectrometry, detection of methylation patterns, PCR methods, high performance liquid chromatography (HPLC)

and the like. Methods for detecting and quantifying alleles in accordance with the present invention provide the sequence of the alleles present in the sample (or identify the presence of an allele of interest) and may also provide the number of molecules of each of the alleles in the sample. Methods for detecting and/or quantifying alleles that are of use in the present invention also include methods that quantify the relative amounts of two or more alleles of interest in a sample. By “relative amounts” is meant relative numbers of molecules and/or relative concentrations.

**[0035]** Sequencing methods of use for detecting and quantifying alleles of interest according to the present invention include without limitation single molecule sequencing, sequencing by synthesis, sequencing using arrays (hybridization and/or ligation), capillary sequencers, Sanger sequencing, constant denaturant capillary electrophoresis (CDCE), cycling temperature capillary electrophoresis (CTCE), polony sequencing, pyrosequencing, shot-gun sequencing, and the like. Commercial high throughput sequencing platforms for detecting and quantifying alleles of interest and such platforms are known in the art and can include without limitation: Illumina’s GA, Life Technologies’ SOLiD, Roche’s 454, Pacific Biosciences single molecule sequencing platform, Oxford Nanopore, Ion Torrent, Complete Genomics, Nimblegen, Helicos Biosciences, Lingvitae, Nabsys, and Visigen Biotechnologies.

**[0036]** PCR methods of use for detecting and quantifying alleles of interest according to the present invention include without limitation digital PCR and competitive PCR.

**[0037]** Methods such as those described above and known in the art can be used to compare alleles in a sample by providing information on the identity (i.e., the sequence) of the alleles as well as the number of molecules of each allele present in the sample.

**[0038]** In general, methods of the invention include detecting alleles of a specific chromosomal region. As has been discussed above, the term “chromosomal region” refers to all or part of a chromosome. Detection of such alleles can be conducted using any method known in the art, including the sequencing and PCR methods described above. In some embodiments, the sample being analyzed is from a pregnant female and contains both maternal and fetal DNA. Detecting and/or quantifying the number of different alleles in the sample and the number of molecules of those alleles that are present in the sample can identify the presence of a chromosomal abnormality in a fetus.

**[0039]** In a further exemplary embodiment, a sample contains three alleles of a chromosomal region that is being analyzed. Two of the alleles are from a known source, while the third allele is expected to come from a separate source. Quantification of the number of molecules present in the sample of each allele allows comparison between the alleles from the known source and the third allele.

**[0040]** In a still further exemplary embodiment, the sample is a maternal sample containing both fetal and maternal nucleic acids. In this example, the sample again contains three alleles of a particular chromosomal region. If the maternal genome is heterozygous for this allele, then two of the three alleles detected in the sample are from the maternal germline DNA, while the third allele is expected from the paternal DNA contribution (if the paternal DNA contains an allele not present in the maternal genome). Quantification of the three alleles therefore allows comparisons between the two maternal alleles from the mother, allowing the determination of

which allele and how many molecules were contributed by the mother to the fetus. Quantifying the number of molecules of the alleles also provides information on how many molecules of the third allele were contributed by the father to the fetus. Comparison of the maternally inherited and paternally inherited alleles further allows a quantification of the maternal and paternal contributions to the fetal DNA.

**[0041]** FIG. 1 is a schematic representation of the comparisons that can be made between different alleles detected in a sample. In FIG. 1, a maternal sample in which three alleles are detected is shown. The peaks illustrated in FIG. 1 represent the number of molecules of each allele present in the sample. As discussed herein, these “peaks” (i.e., the number of molecules) can be determined using methods well known in the art and described herein. For example, the area under the peaks from an electropherogram from a CDCE analysis of a sample provides information on the number of molecules of each detected allele. Similarly, the output of a sequencing platform will provide a count of the number of molecules for each allele, which can also be depicted by the peaks in FIG. 1.

**[0042]** In an exemplary embodiment, genetic abnormalities, including chromosomal abnormalities, are detected by comparing the number of molecules of alleles in a sample. As is generally illustrated in FIG. 1, a sample comprising both fetal and maternal nucleic acids will be expected to show specific relationships between the number of molecules for alleles of a particular chromosome. For example, if the maternal genome is heterozygous for a particular chromosomal region, then two alleles detected in the sample will be the maternal contribution. Since the sample contains both fetal and maternal DNA, the number of molecules detected for those two alleles will include the numbers of molecules from the maternal DNA and the numbers of molecules for the maternally-inherited allele in the fetal DNA (also referred to herein as the “maternally-inherited fetal allele”). The fetal genome will contain maternally and paternally-inherited alleles. If the paternally-inherited allele in the fetal DNA (also referred to herein as the “paternally-inherited fetal allele”) is not present in the maternal genome, then three different alleles will be detected in the sample containing both maternal and fetal DNA (the two alleles from the mother and the one paternally-inherited allele in the fetus). Comparing the number of molecules for each allele can then be used to detect a chromosomal abnormality.

**[0043]** In further embodiments, the present invention provides methods for detecting genetic abnormalities, including chromosomal abnormalities, in a fetus by detecting alleles for a location of interest on a chromosome (also referred to herein as a “genetic location”), where the maternal genome is heterozygous at that location of interest and the fetus inherits a different allele from the father at that same genetic location. In still further embodiments, methods of the invention detect a paternally-inherited fetal allele in a sample comprising both maternal and fetal nucleic acids, where that paternally-inherited fetal allele is not present in the maternal genome. Detection of such a paternally-inherited fetal allele will in such embodiments indicate that the fetus does have a genetic abnormality.

**[0044]** As will be appreciated, the term “maternal allele” may refer to the allele inherited by the fetus from the mother and/or the alleles in the maternal genome. In a sample comprising both fetal and maternal DNA, the molecules of “maternal allele” detected and quantified will include both

molecules of the allele from the maternal DNA as well as molecules from the fetal DNA of the maternally-inherited fetal allele.

**[0045]** For example, in approximately 95% of trisomy cases, the fetus inherits two copies of the chromosome from the mother. In this situation, three alleles of that chromosome or a particular region of that chromosome are detected in the sample (represented by the three peaks in FIG. 1). As discussed above, if the mother is heterozygous, two of the alleles detected are the maternal alleles. The number of molecules detected for those two alleles will reflect the molecules from the maternal DNA in the sample plus the molecules of those same two alleles from the fetal DNA (i.e., the maternal alleles plus the maternally-inherited fetal alleles). The third allele detected will be the fetal allele that is paternally inherited and is not present in the maternal genome. In this example, trisomy is detected if the number of molecules for the two maternal alleles is equal (first trace of FIG. 1B) or if all three alleles are present in different numbers in the relationship of peak,  $x$  and peak+ $2x$ , where “peak” represents the number of molecules for one of the maternal alleles, “ $x$ ” represents the number of molecules for the paternally-inherited fetal allele, and “peak+ $2x$ ” is the number of molecules for the other maternal allele (right two traces of FIG. 1B). In the situation in which the two maternal alleles have equal numbers of molecules, trisomy is detected, because the numbers for the two maternal alleles are actually a sum of the maternal alleles and the maternally-inherited fetal alleles. The only way for the numbers for both maternal alleles to be equal in a sample comprising both fetal and maternal DNA is if the fetus inherited two alleles from the mother. The presence of the paternally inherited allele indicates that the fetus must then have trisomy, because it has both alleles from the mother and one from the father.

**[0046]** Similarly, in the situation in which all three alleles are present in the sample in the relationship of peak,  $x$  and peak+ $2x$ , this also indicates that the fetus has trisomy. The “peak” represents the number of molecules of maternal allele. “ $x$ ” represents the number of molecules of the paternally-inherited fetal allele. “ $x$ ” therefore represents a kind of internal standard of how much fetal DNA is present in the sample. The allele with the number of alleles “peak+ $2x$ ” thus contains alleles from the mother as well as two copies of the allele from the fetus. These two copies are the maternally-inherited fetal DNA. Therefore, the fetus again has inherited two alleles from the mother and one from the father, which is an indication of trisomy.

**[0047]** The same analysis of the number and identity of the alleles in a sample can also be used to determine that the fetus does not have trisomy. As discussed above, this analysis must be conducted for an allele for which the maternal genome is heterozygous. If three alleles are detected in a sample containing both maternal and fetal DNA, then two of the alleles will be from the heterozygous mother, and the third allele is the paternally-inherited fetal allele. For a fetus without trisomy, the number of molecules of the three alleles will all be different, but unlike the case with trisomy above, the number of molecules of the three alleles will be in the relationship of “peak”, “ $x$ ” and “peak+ $x$ ”. “Peak” represents the number of molecules of one of the maternal alleles. “ $x$ ” represents the number of molecules of the paternally-inherited fetal allele. “Peak+ $x$ ” represents the number of molecules of the second maternal allele—this number includes both the number of molecules of the allele from the maternal DNA and the num-

ber of molecules of the maternally-inherited fetal allele. Thus, if the fetus has inherited only one chromosome from each parent, there should be a larger number of molecules for the allele the fetus inherited from the mother and a smaller number of molecules for the allele the fetus inherited from the father. Since the sample comprises maternal and fetal DNA but no paternal DNA, the only molecules of paternal alleles present in the sample are molecules of the paternally-inherited fetal allele. As a result, the number of molecules of the paternally-inherited fetal allele can provide an internal standard of how much fetal DNA is present in the sample relative to the maternal DNA.

**[0048]** In further embodiments, analysis of the number of molecules of alleles in a sample provides a measure of “allelic dosage”. By “allelic dosage” as used herein is meant the number or concentration (or relative number or concentration) of molecules of each allele that is present in a sample. Thus, calculation of an “allelic ratio” as discussed above provides a mechanism to measure the dosage of each allele. Furthermore, in an analysis of a sample comprising both fetal and maternal nucleic acids, determining the number of molecules of paternally-inherited fetal alleles also provides a measure of the paternally-inherited fetal allelic dosage. This paternally-inherited fetal allelic dosage can serve as an internal standard that can be used to determine the maternally-inherited fetal allelic dosage. Thus, a calculation of allelic dosage provides a measure of the allelic dosage from each parent to the fetus. Calculations of allelic dosage can be used to detect a genetic abnormality using any of the methods described herein, because the relationships expected for maternal and paternal (and maternally-inherited and paternally-inherited) are equivalent to the relationships described herein for comparing alleles.

**[0049]** As will be appreciated, the above methods can also be used to compare alleles based on de novo deletions, insertions, and the like. For example, in the case of 22q11.2 deletion syndrome (the most common human deletion syndrome, which is typically a 3 million basepair deletion), the deletion is a de novo event in 75% of the cases. If the de novo event is a maternally-derived deletion in the fetal genome, three alleles would again be detectable in a sample comprising both maternal and fetal DNA. However, the number of molecules of the three alleles will show a relationship in which two of the alleles are present in equal numbers and the third allele will be present in smaller numbers. In other words, two fetal alleles will not be detected in the sample, because one of those alleles would be deleted. As discussed above, for a normal fetus, all three alleles should have different numbers of molecules present in the sample, with the numbers being in the relationship of “peak”, “x” and “peak+x”. In the case of a maternally-derived deletion, the numbers would instead be in the relationship of “peak”, “peak” and “x”.

**[0050]** Similarly, in the case of a de novo but paternally-derived 22q11.2 deletion in the fetal genome, a third allele would not be detected in a sample containing both maternal and fetal DNA, because it would be the paternally-inherited fetal allele that would be deleted. In further embodiments, multiple assays directed to the detection of different alleles can be conducted to confirm that the lack of a third fetal allele is the result of a deletion rather than the result of a non-informative assay (i.e., an assay in which the maternal genome is not heterozygous for an allele or the paternal genome has an allele in common with the maternal genome).

**[0051]** In further embodiments, methods of the present invention can be used to detect alleles that are inherited. In the maternally-derived and paternally-derived deletions discussed above, the maternal and paternal genomes are normal at the deletion/insertion site, but during meiosis, deletions or insertions occur and are passed to the fetus. In contrast, deletions and insertions and point mutations (which would include basepair substitutions), small (less than 20 base pairs) deletions or insertions (also referred to herein as “small-deletions” and “small-insertions” respectively) may occur in the maternal and/or paternal genomes and are passed on to the fetus. When a target sequence is larger than the small deletion or insertion, the same comparisons described above for allelic comparisons can be used to determine allelic dosage inheritance if a neighboring SNP can be encompassed by the target sequence. For example, the delta F508 deletion in the CFTR gene is a small deletion that can be passed on to the fetus by either the mother or the father. In the case where the mother is a carrier of the delta F508 deletion, it will appear as if she has two peaks. If the father contributes a normal allele and the fetus inherits the delta F508 deletion, the maternal plasma would show two peaks of equal area and height. It would not be clear if there was no fetal DNA present in the sample, or was at levels too low to be detected. However, if a neighboring SNP is encompassed, permitting at least three possible alleles in the target sequence, it would be possible to distinguish maternally inherited from paternally inherited alleles. The term “peaks” as used herein refers to the number of molecules of an allele and to a signal associated with the number of molecules of an allele.

**[0052]** In one aspect, the present invention provides methods and compositions for comparing alleles, where those alleles may be comprised of haplotypes. As used herein, the term “haplotypes” refers to groups or sets of markers (including without limitation SNPs, deletions, small deletions, insertions, small insertions, methylation, and short tandem repeats) that are inherited together as a unit. Thus, alleles detected and quantified as described herein encompass multiple markers, and thus different alleles comprise different combinations of these multiple markers. As will be discussed in further detail herein, alleles of use in the present invention may comprise multiple SNPs. These SNPs may be contiguous or non-contiguous. In further embodiments, alleles for comparison may include any combination of sites, including deletion sites, insertion sites, and sites which comprise variant sequences of two or more nucleotides in length. For example, alleles detected and compared in accordance with the present invention may include a deletion site and/or an insertion site and/or one or more SNPs and/or a variant sequence comprising two or more nucleotides. Such combinations increase the number of haplotypes that can be detected for a particular genetic location, thus increasing the informative of the comparative assays of the invention, as is discussed in more detail herein.

**[0053]** In a further aspect, multiple alleles are detected in a single reaction or assay. Thus, by identifying one or more SNPs, methylation patterns, or any other combination of markers that can compose an allele as described above, detecting multiple alleles (e.g., detecting both maternal alleles and a paternally-inherited fetal allele) in a single reaction or assay preserves phase information on the chromosome.

**[0054]** II(A). Amplification of Nucleic Acids Prior to Detection

**[0055]** In order to increase the signal of alleles of interest for a specific chromosome or chromosomal region, the nucleic acids in a sample are in many embodiments amplified using methods known in the art. Such amplification methods include polymerase chain reaction (PCR), strand displacement amplification (SDA), multiple displacement amplification (MDA), rolling circle amplification (RCA), rolling circle amplification (RCR) and other amplification (including whole genome amplification) methodologies. In certain embodiments, the chromosomes are amplified using primers directed to desired regions. This amplification enriches the sample for the allelic sequences for those specific chromosomal regions, and then methods known in the art for detecting those sequences can be used to detect and quantify the different alleles present in the sample. In some embodiments all nucleic acids in the sample are amplified, and then alleles of interest are detected using methods known in the art and described herein. In some embodiments, alleles of interest are amplified using primers with sequences such as those listed in FIGS. 5 and 6 and then detected using methods well known in the art and described herein.

**[0056]** The term “nucleic acid” refers to deoxyribonucleotides or ribonucleotides and polymers thereof in either single- or double-stranded form, made of monomers (nucleotides) containing a sugar, phosphate and a base that is either a purine or pyrimidine. Unless specifically limited, the term encompasses nucleic acids containing known analogs of natural nucleotides that have similar binding properties as the reference nucleic acid and are metabolized in a manner similar to naturally occurring nucleotides. Unless otherwise indicated, a particular nucleic acid sequence also encompasses conservatively modified variants thereof (e.g., degenerate codon substitutions) and complementary sequences, as well as the sequence explicitly indicated. Specifically, degenerate codon substitutions may be achieved by generating sequences in which the third position of one or more selected (or all) codons is substituted with mixed-base and/or deoxyinosine residues.

**[0057]** The term “nucleotide sequence” refers to a polymer of DNA or RNA which can be single-stranded or double-stranded, optionally containing synthetic, non-natural or altered nucleotide bases capable of incorporation into DNA or RNA polymers. The terms “nucleic acid,” “nucleic acid molecule,” or “polynucleotide” are used interchangeably herein.

**[0058]** In some embodiments, High-Fidelity (Hi-Fi) PCR is used to amplify alleles of interest in a sample. High-Fidelity PCR is an amplification method resulting in an error rate (in per basepair doubling) equal to or better than standard PCR. For example, Taq polymerase, which is not a high fidelity polymerase, has an error rate of  $\sim 10^{-4}$  per basepair doubling. In contrast, *Pyrococcus furiosus* (Pfu) is a high-fidelity polymerase, with a published error rate for Pfu is  $1.3 \times 10^{-6}$  per basepair doubling (Cline et al, Nucleic Acids Res. 1996 Sep. 15; 24(18): 3546-3551). Examples of high-fidelity enzymes include Pfu and its derivations, or other enzymes with similar proofreading 3'→5' exonucleases. Mixed blends and fusions with enzymes with proof-reading capabilities can increase the fidelity of a polymerase. Use of such a high fidelity polymerase ensures that the alleles of interest are amplified efficiently and with minimal to no introduction of errors.

**[0059]** Methods for improving PCR fidelity and efficiency include, among others: A) using a high-fidelity polymerase enzyme; and B) the addition of chemical reagents (e.g., betaine) that can lower temperatures required during the PCR process. Lowering temperatures required during the PCR process can increase efficiency and prevent damage to the amplification products, because prolonged heating of DNA and nucleotides during PCR can lead to damaged products, such as deaminated cytosines (uracils) and thus lead to misincorporation errors and miscopying errors during PCR (Andre, Kim, Khrapko, Thilly. Genome Res. 1997 7: 843-852. Zheng, Khrapko, Collier, Thilly, Copeland. Mutat Res. 2006 Jul. 25; 599(1-2):11-20).

**[0060]** In certain embodiments of the invention, amplification using HiFi-PCR, is performed with primers present in molar excess (e.g.,  $10^{12}$  copies/ $\mu$ l of primer vs  $10^6$  or less of the template) so that it is more likely that primers will anneal with template DNA than with each other (see, e.g., Li-Suc-holeiki X C, Thilly W G. Nucleic Acids Res. 2000 May 1; 28(9):E44; Thompson J R, Marcelino L, Polz M. Nucleic Acids Res. 2002 May 1; 30(9): 2083-2088.). This can significantly reduce the creation of heteroduplexes.

### III. Tandem SNPs

**[0061]** In certain embodiments, comparisons of alleles as described above utilize alleles of tandem single nucleotide polymorphisms (referred to herein as “tandem SNPs”). A “single nucleotide polymorphism (SNP)” is a single basepair variation in a nucleic acid sequence. A “tandem SNP” is a variation in more than one nucleotide in a nucleic acid sequence, e.g. on a chromosome. In some embodiments, a tandem SNP is a pair of SNPs that are located in the nucleic acid sequence. In further embodiments, a tandem SNP comprises more than two SNPs. As will be appreciated, any number of SNPs can be contained in a tandem SNP, limited only by the total number of nucleotides present in the nucleic acid. In still further embodiments, a tandem SNP comprises from 2 to about 20 SNPs. In still further embodiments, a tandem SNP comprises from about 3 to about 19, about 4 to about 18, about 5 to about 17, about 6 to about 16, about 7 to about 15, about 8 to about 14, about 9 to about 13, and about 10 to about 12 SNPs. In yet further embodiments, a tandem SNP comprises between two SNPs and the maximum number of SNPs that can be assayed in a single reaction, which may depend on the detection platform (e.g., the read length of the sequencing technology). In still further embodiments, a tandem SNP comprises between two SNPs and the maximum number of SNPs contained within the segment of genetic material to be analyzed. For example, fetal DNA circulating in maternal serum is often fragmented and has a length of 200-400 bases—in such an exemplary embodiment, the number of SNPs contained in a tandem SNP would be limited by the maximum number of SNPs contained in that fragmented DNA.

**[0062]** As will be appreciated, the two or more single SNPs in a tandem SNP may be of any distance apart. For tandem SNPs with more than two single SNPs, the multiple SNPs may be of equal distance apart, or there may be varying distances between them. In some embodiments, the distance between SNPs of a tandem SNP is generally about 350 basepairs or fewer. In still further embodiments, the SNPs of tandem SNPs are about 5 to about 300, about 10 to about 250, about 15 to about 200, about 20 to about 150, about 25 to about 140, about 30 to about 130, about 35 to about 120, about

40 to about 110, about 45 to about 100, about 50 to about 90, about 55 to about 80, and about 60 to about 70 base pairs apart.

**[0063]** Increasing the number of SNPs that make up tandem SNPs of the invention increases the potential number of haplotypes, and thereby increases the likelihood that an assay detecting alleles will be informative. For example, if a tandem SNP contains 3 SNP sites, the potential number of haplotypes is 8 and if it contains 4 SNP sites, the potential number of haplotypes is 16. This increases the likelihood that an assay will be informative, because the mother is more likely to be heterozygous at such a tandem SNP, and the paternal contribution to the fetus (also referred to herein as the “paternally-inherited fetal allele”) is likely to be different from that present in the mother’s genome. Thus, an assay that detects the alleles for this tandem SNP is likely to provide the at least three alleles that allows a comparison to be conducted for detection of a genetic abnormality, as is discussed in further detail herein.

**[0064]** Tandem SNPs provide a particularly powerful tool for comparing alleles in a sample, because tandem SNPs allow the detection and quantification of haplotypes. As will be discussed in further detail herein, the use of haplotypes in methods of the present invention provide an internal standard that eliminates the need for using reference markers across different chromosomes, thereby increasing specificity and/or minimizing or eliminating false positives.

**[0065]** As discussed herein, “haplotypes” are groups or sets of markers (including without limitation SNPs, deletions, small deletions, insertions, small insertions, methylation, and short tandem repeats) that are inherited together as a unit. Different alleles of a tandem SNP are thus haplotypes, and haplotypes can be assigned to a chromosome (i.e., the maternally inherited or paternally inherited chromosome). Comparing alleles of a tandem SNP comprises far more information than is possible from comparing individual SNPs, because comparing alleles of a tandem SNP provides a comparison of haplotypes.

**[0066]** An exemplary embodiment of a tandem SNP is schematically illustrated in FIG. 2. In this embodiment, the tandem SNP comprises a pair of SNPs. At SNP 1, two alleles are possible: G or T. At SNP 2, two alleles are possible: A or G. There are therefore four alleles possible for this tandem SNP, and these alleles are defined by the four possible haplotypes: G-A, T-A, G-G, or T-G. As will be appreciated, an individual may be heterozygous or homozygous for a tandem SNP, as is the case for a single SNP, but being heterozygous for a tandem SNP means that multiple different haplotypes are possible alleles for that tandem SNP. As will also be appreciated, for tandem SNPs containing three or more SNPs, the resultant number of possible haplotypes will also increase.

**[0067]** As discussed above, genetic abnormalities can be detected in a fetus by comparing the number of molecules of alleles between the fetal and maternal nucleic acids in a sample. By using tandem SNPs, the comparison can be used to both compare and quantify the differences between maternal and fetal DNA.

**[0068]** In an exemplary embodiment, detecting the alleles of tandem SNPs in a sample containing both maternal and fetal DNA can be used to calculate a haplotype ratio. As discussed above, these allele comparison assays are conducted for chromosomal regions of interest at which the maternal genome is heterozygous. In the case of tandem

SNPs, the maternal genome being heterozygous means that it has two different haplotypes for that particular tandem SNP. Detecting the number of molecules of alleles of the tandem SNP present in a sample is thus a detection of the number of molecules of the different haplotypes are present in the sample.

**[0069]** If three alleles of a tandem SNP are detected in a sample containing both maternal and fetal DNA, the haplotype ratio (HR) can be calculated using the following formula:

$$HR = (P1 - P2) / P3 \quad (\text{Formula I})$$

**[0070]** P1 and P2 represent the number of molecules of each of the maternal haplotypes, and P3 represents the number of molecules of a third haplotype that is not present in the maternal genome. P3 thus represents the number of molecules of the haplotype inherited by the fetus from the father. As discussed herein for comparing alleles, the calculation of the haplotype ratio provides a way to determine if the fetus has a chromosomal abnormality, including without limitation trisomy, monosomy, partial duplication, partial deletion, microduplication, microdeletion, and the like. As will be appreciated, the description of the number of molecules of alleles as relating to the terms “peak”, and “x” are related to P1, P2 and P3 of Formula I. For example, P1 and P2 represent the maternal alleles—i.e., “peak+x” (or “peak+2x” in cases of trisomy) and “peak”, whereas P3 of Formula I is equivalent to the paternally-inherited fetal allele, i.e., “x”.

**[0071]** In exemplary embodiments, the haplotype ratio calculation will produce the discrete results of 1, 2, 0 or 0.5. These numbers are interpreted as follows:

TABLE 1

| interpretation of haplotype ratio calculations for the detection of trisomy and/or partial duplications |                                                                                                       |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Haplotype ratio                                                                                         | Interpretation                                                                                        |
| $(P1 - P2) / P3 = 1$                                                                                    | Fetus has the normal number of chromosomes                                                            |
| $(P1 - P2) / P3 = 2$                                                                                    | Fetus has trisomy, likely as result of a duplication during maternal meiosis II or paternal meiosis I |
| $(P1 - P2) / P3 = 0$                                                                                    | Fetus has trisomy, likely as a result of a duplication during maternal meiosis I                      |
| $(P1 - P2) / P3 = 0.5$                                                                                  | Fetus has trisomy, likely as a result of a duplication during paternal meiosis II                     |

**[0072]** In a further embodiment, paternal non-disjunction, in which the fetus inherits two alleles from the father, may result in the haplotype ratios described in Table 1. In addition, if the two alleles from the father are both not found in the maternal genome, it would be possible to detect four alleles in a sample containing both maternal and fetal DNA—two alleles would again be from the maternal genome, and two would be paternally-inherited fetal alleles (see FIG. 3, lower panel for exemplary combinations of alleles).

**[0073]** In further embodiments, the haplotype ratio can be calculated according to the following formula:

$$HR = (P1 - P2) / (P3 + P4) \quad (\text{Formula II})$$

In this embodiment, P1 and P2 represent the number of molecules of each of the maternal haplotypes and P3 and P4 represent the number of molecules of a third and fourth haplotype that is not present in the maternal genome. As will be appreciated, Formula II is applicable to embodiments of paternal non-disjunction trisomy, in which two paternally-inherited fetal alleles are present in the sample. Formula II is

also applicable to situations in which only one paternally-inherited fetal allele is present in the sample—in such situations, either  $P3$  or  $P4=0$ . Thus, Formula II can be applied to calculate the haplotype ratio for any sample from a pregnant female carrying a single fetus.

**[0074]** For de novo deletions in the fetus (including partial deletions, microosomal deletions, large deletions, etc.), paternally inherited deletions in the fetus would result in an entire panel of tandem SNPs without an informative third allele being present in the maternal sample. In such a situation, haplotype ratios cannot be calculated. Thus, the absence of an informative third allele or third haplotype can indicate a de novo deletion in the paternally inherited chromosome and would be informative in and of itself.

**[0075]** Thus, calculation of the haplotype ratio provides discrete detection and quantification of fetal chromosomal/genetic abnormality/allelic dosage within a single measurement from a sample comprising both maternal and fetal DNA. Unlike traditional methods of using single SNPs to determine whether a fetus has a chromosomal abnormality, the present invention does not require measurements of alleles across different chromosomes in order to determine the amount of fetal DNA present in the sample in relation to the maternal DNA. As discussed above, the present invention has an internal standard for each measurement. Since the maternal genome is heterozygous for the particular tandem SNP being analyzed, detection of three alleles in a sample containing both maternal and fetal DNA means that one of the detected alleles is the paternally-inherited fetal allele. Since the molecules of the paternally-inherited fetal allele can only be from the fetal DNA, detection of the number of molecules of that paternally-inherited fetal allele provides a measurement of how much fetal DNA is present in the sample. This third allele serves as an internal standard of the amount of fetal DNA, and there is no need to compare the measurement of the number of molecules of fetal alleles against the number of molecules of fetal alleles present for another chromosome that is not expected to have an abnormality. Thus, in the present invention, a single measurement of the number of molecules of an allele of a particular chromosome (i.e., a chromosome expected to be subject to an abnormality) provides all the information needed to determine whether the fetus has a chromosomal abnormality.

**[0076]** A further advantage of the methods of the present invention, particularly the internal standard provided by detection of the third allele, is that the ratios of the alleles and the calculation of the haplotype ratio will not vary based on the concentration in the sample of fetal genetic material. Traditional methods for detecting chromosomal abnormalities must normalize calculations of ratios with respect to the amount of fetal genetic material present in the sample being analyzed. In contrast, the methods of the present invention do not require such normalization, because comparing the number of molecules of the paternally-inherited fetal allele to the number of molecules of the maternal alleles in accordance with the present invention allows a calculation of allelic ratios that is independent of the amount of the total amount of fetal genetic material present in the sample.

**[0077]** As will be appreciated, the above methods for calculating haplotype ratios can be conducted using a single tandem SNP or using multiple tandem SNPs (also referred to herein as “panels” of tandem SNPs). When multiple tandem SNPs are used in any methods in accordance with the present invention, they can be utilized one at a time, in specific group-

ings, or all possible tandem SNPs can be analyzed at the same time in a multiplex assay. In some embodiments of the invention, panels of tandem SNPs comprise between 2 and 200 tandem SNPs. As will be appreciated, each of these tandem SNPs define a haplotype and therefore may in turn comprise two or more SNPs. In further embodiments, panels of tandem SNPs comprising between about 2-150, 10-140, 15-130, 20-120, 25-110, 30-100, 35-90, 40-80, 45-70, and 50-60 tandem SNPs are used in accordance with the present invention.

**[0078]** Multiple tandem SNPs may be assayed individually for a sample or multiplexed into a single assay. In some embodiments, the number of SNPs applied in a single assay may depend on the amount of nucleic acids that are present in and/or can be obtained from a sample. In further embodiments, all or a selected portion of the nucleic acids in a sample are amplified, which will allow multiple tandem SNPs directed to one or more chromosomes to be applied in a single multiplexed assay. As will be appreciated, using multiple tandem SNPs, either sequentially or simultaneously, can be used in some embodiments to assay for abnormalities in multiple chromosomes. The number of chromosomes that can be assayed using methods of the invention is limited only by the number of chromosomes present in the organism from which the sample is obtained.

**[0079]** In many embodiments, a panel of tandem SNPs is assayed in a sample, but only a subset of the panel (anywhere from between 1 and up to the total number of tandem SNPs in the panel) is informative, meaning that not every tandem SNP in a panel will produce a “positive” result. A positive result in assays utilizing tandem SNPs is generally the detection of at least three alleles for a particular tandem SNP. For any particular sample, even a single positive result from a tandem SNP can allow detection of a genetic abnormality. Results from more than one tandem SNP can be used as further internal confirmation of an assay.

**[0080]** The analysis of the paternally inherited fetal allele, particularly analysis with respect to tandem SNPs, is of use in detecting non-chromosomal mutations. In the case of a point mutation that is present in the mother or father's genome ( $A^*$  in FIG. 4), this can be combined with a nearby SNP site to create at least three potential haplotypes. The inheritance pattern of the point mutation(s) to the fetus can therefore be traced in accordance with the methods described herein.

**[0081]** As is schematically illustrated in FIG. 4, the use of tandem SNPs allows detection of a recessive mutation that would not be detectable in methods utilizing single SNPs. As shown in the left panel, detecting alleles for a single SNP in a sample comprising both maternal and fetal DNA does not allow one to determine whether the fetus has inherited the point mutation. However, using the haplotype analysis possible by detecting alleles of tandem SNPs (FIG. 4, right panel), it is possible to detect the third allele in the sample, which is the paternally-inherited fetal allele. If the paternally-inherited fetal haplotype comprises the recessive point mutation, detection of that third allele is informative. Although in this exemplary embodiment the tandem SNP comprises two single SNPs, as is discussed herein, tandem SNPs may comprise multiple single SNPs.

**[0082]** In the extremely rare situation that the point mutation occurs at a base pair which is known to have a SNP, the single site would be tri-allelic and therefore it may not be necessary to combine the point mutation site with a nearby

SNP. Then a simple comparison of detected alleles as described in further detail above would allow detection of the mutant allele.

**[0083]** The ability to trace the inheritance pattern of point mutations has clinical importance in the case of recessive disorders. If both the mother and father are heterozygous at a point mutation site carrying a normal and mutated base, the use of haplotypes (point mutation+nearby SNP) allows one to determine whether the fetus is at risk for being homozygous for the recessive mutation. This is thus one embodiment of the tandem SNP analysis described herein. The combination of any mutation (e.g. point mutation, insertion, deletion, methylation) along with a nearby SNP is useful to determining the fetal risk of homozygosity for a recessive disorder.

**[0084]** In some embodiments, short tandem repeats (STRs) can be used as a tandem SNP or as part of a tandem SNP for comparing alleles. STRs are highly polymorphic regions in the genome, and many alleles can be present at a single STR site—for example, in many situations it is possible to have ten or more alleles at a given site. STRs generally arise in highly repetitive sequences which are error prone during amplification, resulting in their highly polymorphic state.

**[0085]** In some embodiments, tandem SNPs do not comprise STRs.

**[0086]** In some embodiments, the information gathered about the alleles of interest in a sample comprising both maternal and fetal DNA is compared to similar information gathered about the alleles of interest in a sample comprising maternal DNA but no fetal DNA. The sample containing only the maternal DNA can be used as a reference for the sample containing both maternal and fetal DNA. Although such a reference sample is not generally necessary, it can provide additional substantiation of the results from the assays discussed herein. In some embodiments, the sample comprising maternal DNA but no fetal DNA is obtained using methods known in the art. Such samples can be obtained from a number of sources, including without limitation: maternal buccal swabs, maternal cells, including maternal white blood cells, and the like.

**[0087]** III(A). Identifying Tandem SNPs

**[0088]** As will be appreciated, different samples will require the use of different tandem SNPs for detection of genetic abnormalities. This is because one requirement of the methods described herein, particularly methods involving tandem SNPs, is that the maternal genome must be heterozygous for the allele of interest in order to allow the detection of a third, paternally-inherited allele. In addition, tandem SNPs for which the paternal genome comprises the same haplotypes as the maternal genome will not be informative, because it is the detection of three alleles for a particular tandem SNP that provides the internal standard of the paternally-inherited fetal allele.

**[0089]** The present invention provides methods and compositions for identifying tandem SNPs. In some embodiments, a chromosomal region of interest is studied to identify potential markers (i.e., alleles) for use as tandem SNPs. Studying a chromosomal region of interest for identifying tandem SNPs in some embodiments involves analyzing a database comprising information on the occurrence of SNPs in one or more populations (such as the database from the International HapMap Project). In further embodiments, studying a chromosomal region of interest to identify tandem SNPs comprises collecting samples of nucleic acids for a number of individuals and amplifying the region of interest.

The amplification product can then be sequenced or otherwise analyzed to identify potential markers for use as tandem SNPs.

**[0090]** In some embodiments, a tandem SNP is chosen by identifying two or more neighboring SNPs. Such SNPs may be separated by any range of distances, and as will be appreciated, the distances between neighboring SNPs is limited only by the size of the chromosomal region of interest. In some embodiments, the two or more SNPs in a tandem SNP may be separated by a distance of about 5 to about 400 base pairs. In further embodiments, the two or more SNPs in a tandem SNP may be separated by a distance of about 10 to about 350, about 20 to about 300, about 30 to about 250, about 40 to about 200, about 50 to about 150, about 50 to about 140, about 60 to about 130, about 70 to about 120, about 80 to about 110, and about 80 to about 100 base pairs. In embodiments in which more than two SNPs are in a tandem SNP, each individual SNP may be of equal distance from the other SNPs, or the SNPs may be at varying distances from each other. Although the description herein of tandem SNPs is primarily in terms of two or more SNPs, a tandem SNP may also include any combination of SNPs, deletions, insertions, and sequence variants of two nucleotides or greater, and descriptions of tandem SNPs herein applies to all such combinations. As will be appreciated, “neighboring” SNPs as described herein may have one or more SNPs (or deletions, insertions, sequence variants) that occur in the region between the SNPs that are part of a particular tandem SNP. Thus, in an exemplary embodiment, if SNPs A, B and C occur in that order along a chromosomal region in a population, a tandem SNP may be chosen such that A and C are the “neighboring” SNPs, and B is a SNP located in the intervening region between A and C.

**[0091]** In further embodiments, tandem SNPs of the invention are selected such that the combination of SNPs (and/or deletions, insertions and sequence variants) results in more than two haplotypes being present in a population. In still further embodiments, tandem SNPs are chosen that result in more than two haplotypes present in populations across different ethnic groups—as will be appreciated, such information can be generated from publicly available databases (such as the HapMap database) or from direct investigation of samples collected from multiple individuals.

**[0092]** In still further embodiments, tandem SNPs of the invention are chosen such that their component SNPs, deletions, insertions and sequence variants do not lie within a common, non-disease related CNV (copy number variation) region, such as those present in the Database of Genomic Variants from The Centre for Applied Genomics at <http://projects.tcag.ca/variation/>.

**[0093]** In further embodiments, methods for identifying tandem SNPs utilize maternal buccal samples (or any other samples that contain maternal DNA but no fetal DNA) in order to identify regions at which the maternal genome is heterozygous.

**[0094]** In an exemplary embodiment, tandem SNPs are identified from population data files (such as the HapMap database). In this exemplary embodiment, highly heterozygous (i.e., greater than 10% or more or “common”) SNPs are identified. In some embodiments, only those SNPs that are highly heterozygous in all populations contained in the database are chosen as likely candidates. In other embodiments, likely candidates are chosen from SNPs that are highly heterozygous in a subset of the populations contained in the

database. Tandem SNPs can then be provisionally selected by choosing highly heterozygous SNPs that are at a desired distance from each other, as is discussed above. As is also discussed herein, likely tandem SNPs may comprise a wide range of individual SNPs.

**[0095]** In still further embodiment, any likely tandem SNPs that occur in the list of SNPs from common CNV regions are removed from further consideration. In still further embodiments, tandem SNPs that lie in regions with long stretches of homopolymeric sequences (i.e. 6 or greater) are also removed from further consideration.

**[0096]** In yet further embodiments, primers are designed to amplify regions containing likely tandem SNPs. In some embodiments, these primers are optimized for efficiency and specificity using methods known in the art. In further embodiments, primers are tested to determine if they preferentially amplify one or more alleles of the likely tandem SNPs over others.

**[0097]** As will be appreciated, tandem SNPs of use in accordance with the present invention can be chosen using any combination of the above methods and characteristics. In some exemplary embodiments, tandem SNPs are chosen based solely on distance between each component. A "component" of a tandem SNP as used herein refers to individual SNPs, deletions, insertions, or sequence variations that make up a tandem SNP.

**[0098]** In some embodiments, a chromosomal region of interest can be directly sequenced from one or more samples to identify potential tandem SNPs. In further embodiments, genetic material from a number of individuals, (e.g., 8 individuals, 10 individuals, 96 individuals, even 20,000 individuals) can be collected and amplified for a given target sequence of interest. The alleles present in this amplified sample can then be detected and quantified to identify sequences that can serve as tandem SNPs. In some embodiments, the genomic DNA from these individuals are pooled together and a target sequence of interest is amplified in a single PCR reaction. If three or more alleles occur in this pooled sample, and at least three of these alleles occur at high percentages (>10%) in the pooled sample, then the target sequence is a likely candidate for use as a tandem SNP in accordance with the present invention.

**[0099]** As will be appreciated, tandem SNPs can be identified for any chromosome. Exemplary tandem SNPs identified in accordance with the present invention for chromosome 21 are provided in FIG. 5. FIG. 6 shows tandem SNPs for chromosome 21 as well as primers that can be used for amplification and detection of these tandem SNPs. Exemplary tandem SNPs identified in accordance with the present invention for chromosomes 13, 18 and 22 are provided in FIG. 9. Tandem SNPs identified in accordance with the present invention for any other chromosome are also encompassed by the present invention, as are tandem SNPs other than those in FIGS. 5, 6 and 9. As will be appreciated, sequences that have at least 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, and 99% sequence identity to the sequences provided in FIGS. 5-6 and 9 are also encompassed by the present invention.

#### IV. Uses Beyond Detecting Genetic Abnormalities

**[0100]** Although the above description has been provided in terms primarily of genetic abnormalities, the same detection and quantification of alleles, including alleles of tandem SNPs, can be used in other applications.

**[0101]** In some embodiments, the present methods and compositions of the present invention can be used to evaluate tissue rejection in a patient who has received a tissue transplant. In such embodiments, if the host is heterozygous, detection of a third (and possibly fourth) allele frequency may come from the graft at the time of transplant. The levels of allelic dosage at the time of transplant can then be compared to levels at later time points to determine if the graft is being rejected. Such comparisons can be conducted by calculating allelic and/or haplotype ratios as discussed herein. An advantage of using tandem SNPs in this embodiment, particularly with tandem SNPs comprising more than two SNPs or other components, is that the likelihood of having an informative assay (i.e., one in which at least three alleles can be detected) is increased, and it would be possible to quantitatively measure both the maternally inherited and the paternally inherited alleles from both the recipient and the graft by calculating a Haplotype Ratio. Such information can not be obtained from studies in which only individual SNPs are used to compare between the genetic material of the recipient and the graft.

**[0102]** In still further embodiments, the methods and compositions can be used in transfusions, to determine if a donor is a match for the recipient. As with the analysis for detecting tissue rejection, the allelic dosage can be calculated to determine if the transfusion is acceptable to the recipient.

**[0103]** In further embodiments, the methods and compositions of the present invention can be used in forensic analysis by identifying samples through a comparison of alleles for a particular chromosomal region. Methods of the present invention for detecting and comparing alleles, including alleles of tandem SNPs, will provide information as to whether a particular forensic sample comprises samples from one or more individuals. Such forensic analysis may be used in cases of sexual assault, for determining paternity, as well as other forensic applications that would benefit from the ability to compare allelic dosage in a sample.

#### EXAMPLES

##### Example 1

##### Tandem SNPs for Chromosome 21

**[0104]** Allelic markers on chromosome 21 were selected by examining tandem SNPs. These tandem SNPs covered both q and p arms of the chromosome. Using heterozygosity data available through dbSNP, DCC Genotype Database and through the HapMap Project, SNPs that appeared to be promising for high heterozygosity ( $\geq 25\%$ ) were selected. Because all four possibilities may not exist in nature due to haplotype blocks in regions of low recombination, those that suggested less than three haplotypes were screened out.

**[0105]** Target sequences covering tandem SNPs were designed using Vector NTI and WinMelt software. As an example, the melting map of a CDCE or CTCE target covering two tandem SNPs (dbSNP rs2839416 and rs2839417) on chromosome 21 was calculated using WinMelt according to the algorithm of Lerman and Silverstein (Lerman et al., *Methods Enzymol*, 1987, 155: p. 482-501) and is depicted in FIG. 7.

**[0106]** FIG. 7 depicts a DNA melting map of a CDCE or CTCE target sequence covering tandem SNPs. All four haplotypes can be theoretically separated according to DNA melting temperature. The curves for the four different haplotypes (haplotype 1 (G,A); haplotype 2 (T,A); haplotype 3 (G,G); and haplotype 4 (T,G)) are identified on the figure.

**[0107]** HiFi PCR optimization for each target sequence was performed using Pfu polymerase. One of primers flanking the target sequence was ~20 bases in length and labeled 5' with a fluorescein molecule. The other primer was about 74 bases including a ~20-base target specific sequence and the 54-base clamp sequence. A standard HiFi PCR condition was applied to all target sequences, varying only annealing temperatures. These PCR amplicons were subjected to CDCE or CTCE electrophoretic separation. The resulting electropherograms were analyzed for yield and purity of the PCR products. The purity was evaluated by comparing the peak area of the desired products to that of the byproducts and nonspecific amplification. Target sequences that could be amplified with a high PCR efficiency ( $\geq 45\%$  per cycle) and low levels of byproducts and nonspecific amplification (0.1% of the desired products) were subjected to CDCE or CTCE optimization. For those target sequences that did not have acceptable PCR products in the first stage, increasing amounts of  $Mg^{+2}$  concentrations (up to about 7 mM) in combination with different annealing temperatures were tested. For the remaining target sequences that still did not work, primer positions were changed and the entire optimization process is repeated.

**[0108]** For CDCE or CTCE optimization, the relevant haplotypes were created for the targets using pools of 96 individuals. The optimal separation condition for each haplotype should provide the greatest resolution among the observed peaks. Initial optimization is done around the theoretical melting temperature ( $T_m$ ) in a 2° C. temperature range in increments of 0.2° C. which covers ( $T_m - 1^\circ \text{C.} \pm$  a predetermined offset) to ( $T_m + 1^\circ \text{C.} \pm$  a predetermined offset).

**[0109]** Electropherogram and peak measurements were transferred to a spreadsheet for analysis. To ensure the quality of the data, minimum and maximum peak heights were used. Individual markers were failed if electrophoretic spikes occur. Peak areas were used to calculate allele ratios. A check for allelic preferential amplification was performed on all 96 tandem SNPs.

**[0110]** In the fall of 2005, the International HapMap Project publicly released genotypes and frequencies from 270 people of four ethnic populations. Chromosome 21 haplotype data from approximately 40,000 SNPs genotyped across four populations, including U.S. residents with northern and western European ancestry, residents of Ibadan, Nigeria, of Tokyo, Japan, and of Beijing, China, were downloaded (2005-10-24: HapMap Public Release #19) and converted to the + orientation. Tandem SNP candidates fell within 100 basepairs from each other and at least three haplotypes existed in all four ethnic populations. CDCE or CTCE target sequences and primers were designed for the tandem SNPs identified through the HapMap Project. The neighboring sequences for each of the tandem SNPs were imported into a software program, e.g., Sequencher (Gene Codes, Ann Arbor, Mich.) and/or Vector NTI (Invitrogen, Carlsbad, Calif.) for sequence alignment and primer design, and into Winmelt (Medprobe, Oslo, Norway) or Poland software (available at [biophys.uniduesseldorf.de/local/POLAND/poland.html](http://biophys.uniduesseldorf.de/local/POLAND/poland.html)) where the algorithm for computing DNA melting temperatures given the Gotoh-Tagashira values for the enthalpy of melting DNA sequences were used to calculate melting temperatures of target sequences. CDCE or CTCE candidates generally have a high melting region adjacent to a low melting region, lie in a low melting region, melting temperatures of

the low melting region fall below 80° C., and no "valleys" occur between the high melting region and the low melting region.

**[0111]** All of the 40,000 genotypes on chromosome 21 were analyzed for tandem SNP/CDCE/CTCE marker suitability. 118 tandem SNPs/CDCE/CTCE targets meeting requirements have been identified (see FIG. 5 for the first 42 identified and FIG. 6 for all 118).

**[0112]** Primer sequences for these 118 tandem SNP/CDCE/CTCE targets were designed. These were optimized as described herein using HiFi PCR and CDCE or CTCE. These optimizations included the creation of relevant haplotypes for all targets, a check for allelic preferential amplification during HiFi PCR, and obtaining the greatest resolution among peaks during CDCE or CTCE. Haplotypes may be separated as homoduplex peaks. However, if certain targets cannot be separated out as homoduplexes, maternal DNA can be separated from fetal DNA as heteroduplexes.

### Example 2

#### Determining Heterozygosity of Tandem SNPs

**[0113]** Genomic DNA samples from 300 anonymous subjects were obtained from healthy young adults who were less than 35 years old. The samples were anonymous as the only data obtained were the geographic location of the Red Cross blood donor center, donor gender, and whether or not the donor was 35 and under. These samples were reviewed to ensure that at least three haplotypes were present for a given target sequence of interest. These results were compared to haplotypes identified through analysis of the database from the HapMap project as described in Example 1, and it was found that the same or similar haplotypes were identified using both methods.

### Example 3

#### Detecting Fetal DNA in Maternal Serum

**[0114]** A cohort of subjects confirmed to have trisomy 21 by traditional karyotype analysis was examined. Tandem SNPs were used to demonstrate detection of trisomy in subjects. DNA from 20 subjects who were characterized by traditional karyotype analysis to have trisomy 21 were analyzed with the tandem SNP panel.

**[0115]** Biological samples, including a buccal (cheek) swab and a blood sample were collected from a cohort of pregnant women. Maternal buccal swab samples were compared to maternal serum to demonstrate that a third (paternal) peak was observed in several of the tandem SNP assays. Approximately 20 maternal buccal swab to maternal serum comparisons were made. To control for experimental artifacts, genomic DNA samples from maternal buccal swabs were utilized for each target sequence. The buccal samples were subjected to the process in parallel with the maternal blood sample. Any artifacts generated by the CDCE/CTCE/HiFi-PCR procedure (including nonspecific PCR amplification and polymerase-induced mutations) were revealed as background peaks in the buccal swab samples.

### Example 4

#### Detecting Fetal Chromosomal Abnormalities

**[0116]** A blinded study is performed where the goal is to detect 20 known trisomy 21 fetuses by assaying maternal serum from 40 patients (previously determined by amniocentesis or CVS) (see FIG. 3).

[0117] FIG. 1A depicts a schematic illustration of the output of detecting alleles in a sample from maternal buccal swab. Markers exhibiting two alleles were pursued. A baby with trisomy is expected to show either three alleles, evident by three peaks in a 1:1:1 ratio or two alleles in a 2:1 ratio. FIG. 1B depicts a sample from maternal serum. Markers exhibiting three alleles are informative. Maternal serum from a woman carrying a baby with trisomy is expected to exhibit three alleles, evident by two equal peaks with a third smaller peak if the trisomy occurred during meiosis I (75% of T21 cases) or three alleles with different areas if the trisomy occurred during meiosis II (20% of T21 cases) where areas are: peak, x, and peak+2x. FIG. 1C is a schematic illustration of the analysis of a sample from maternal serum. Markers exhibiting three alleles are informative. Maternal serum from a woman with a normal baby with three alleles has three different areas where areas are: peak, x, and peak+x.

[0118] FIG. 8 shows data from a CDCE experiment for two different samples. In the top sample, the mother is carrying a non-trisomy 21 fetus. As expected, the haplotype ratio calculated from comparing the peaks in the output (which each represent a different allele, and the area under each of which provides the number of molecules for each allele) is within a margin of error to 1, the haplotype ratio expected for a normal fetus (see FIG. 8A). FIG. 8B shows the results for a mother carrying a fetus with trisomy 21. The haplotype ratio calculated from these data was within a margin of error to 2, which is one of the haplotype ratios expected for a fetus with a chromosomal abnormality.

[0119] For the case of the minimum heterozygosity, where both SNP1 and SNP2 are heterozygous at their respective loci at a rate of 25%, if 96 tandem SNPs are assayed, an average of 43 markers (44.5%) are expected to be heterozygous (two haplotypes) in the mother. The mother's expected heterozygosity is calculated using the following formula:

$$H=1-\sum p_i^2 \quad (\text{Formula III})$$

wherein  $i=1$  to  $k$  alleles and  $p_i$ =estimated allele frequency.

[0120] The allele frequencies at each SNP loci are expected to be 85% and 15% for the majority and minority alleles, respectively, assuming Hardy-Weinberg equilibrium. The desired third haplotype is expected to be present at an average of 6.4 markers (15%) of per maternal-fetal sample tested. Because most loci have a heterozygosity value greater than 25%, for every maternal-fetal sample tested using the panel of 96 tandem SNP assays, greater than about 6.4 markers are most informative. Thus, while a panel of 96 tandem SNPs may be used, 6 or 7 of those tandem SNPs may be informative for any one specific maternal-fetal sample tested, and a 'positive' result from any one of those tandem SNPs is informative.

[0121] Finally, in order to diagnose a trisomy, a "positive" tandem SNPs should be identified on both the p and the q arm of chromosome 21. Because of the comparative nature of the basic approach, the tandem SNP assay is predicted to have a detection rate of 95% (those that occur during maternal meiosis) for trisomy 21. If paternal samples are available, non-disjunctions that occur during paternal meiosis can also be detected. Thus, detection rates would be higher (about ~99%) with a 0% false positive rate.

#### Example 5

##### Identification of Patients with Trisomy 21

[0122] A study was approved by the Institutional Review Board for Human Research at the Medical College of Wis-

consin. 27 high risk pregnant patients who were scheduled to undergo amniocentesis or CVS or had already had either of these procedures were recruited as subjects at Froedtert Hospital. Informed consent was obtained from each participant before blood draws and buccal swabs were obtained.

[0123] Karyotype analysis confirmed 7 pregnancies carried a trisomy 21 fetus while 20 pregnancies carried a disomy 21 fetus. The gestational week and maternal age varied from 9-36.1 weeks and 22-43 years respectively. The gestational age ranged from first to third trimesters and the race and ethnicity of the subjects were (White (non-Hispanic), White (other), Asian, Other, and unknown).

[0124] The results from the study are shown in the table below:

TABLE 2

| RESULTS OF STUDY CONFIRMED BY<br>KARYOTYPE ANALYSIS |                                  |                         |      |                                              |
|-----------------------------------------------------|----------------------------------|-------------------------|------|----------------------------------------------|
| Subject                                             | Fetal<br>Chromosome 21<br>status | Haplotype ratio<br>(HR) | CV   | % of fetal<br>DNA (paternal<br>contribution) |
| Subject 1                                           | Disomy                           | 1.21                    | 0.39 | 7.4%                                         |
| Subject 2                                           | Disomy                           | 1.19                    | 0.06 | 10.8%                                        |
| Subject 3                                           | Trisomy                          | 2.29                    | 0.17 | 4.4%                                         |
| Subject 4                                           | Trisomy                          | 2.55                    | 0.22 | 1.3%                                         |
| Subject 5                                           | Trisomy                          | 2.09                    | 0.08 | 5.0%                                         |
| Subject 6                                           | Trisomy                          | 2.33                    | 0.26 | 3.3%                                         |
| Subject 7                                           | Trisomy                          | 2.29                    | 0.56 | 1.7%                                         |
| Subject 8                                           | Trisomy                          | 0.05                    | 0.05 | 7.1%                                         |
| Subject 9                                           | Disomy                           | 0.95                    | 0.16 | 5.5%                                         |
| Subject 10                                          | Disomy                           | 1.04                    | 0.05 | 19.7%                                        |
| Subject 11                                          | Disomy                           | 1.00                    | 0.05 | 8.0%                                         |
| Subject 12                                          | Disomy                           | 0.99                    | 0.31 | 6.8%                                         |
| Subject 13                                          | Disomy                           | 0.90                    | 0.26 | 7.3%                                         |
| Subject 14                                          | Disomy                           | 1.04                    | 0.05 | 24.0%                                        |
| Subject 15                                          | Disomy                           | 1.15                    | 0.12 | 4.0%                                         |
| Subject 16                                          | Disomy                           | 1.06                    | 0.11 | 2.9%                                         |
| Subject 17                                          | Disomy                           | 0.92                    | 0.26 | 4.0%                                         |
| Subject 18                                          | Disomy                           | 1.35                    | 0.02 | 11.7%                                        |
| Subject 19                                          | Disomy                           | 0.95                    | 0.13 | 9.2%                                         |
| Subject 20                                          | Disomy                           | 1.29                    | 0.23 | 3.7%                                         |
| Subject 21                                          | Disomy                           | 1.46                    | 0.07 | 7.0%                                         |
| Subject 22                                          | Disomy                           | 1.21                    | 0.14 | 6.4%                                         |
| Subject 23                                          | Trisomy                          | 2.07                    | 0.13 | 6.8%                                         |
| Subject 24                                          | Disomy                           | 1.29                    | 0.25 | 7.3%                                         |
| Subject 25                                          | Disomy                           | 1.01                    | 0.10 | 4.2%                                         |
| Subject 26                                          | Disomy                           | 0.85                    | 0.04 | 13.7%                                        |
| Subject 27                                          | Disomy                           | 1.20                    | 0.21 | 9.7%                                         |

[0125] As is apparent from the above table, calculation of the haplotype ratio correctly identified each subject carrying a baby with trisomy and the haplotype ratio calculation was also able to correctly identify all normal pregnancies.

[0126] The present specification provides a complete description of the methodologies, systems and/or structures and uses thereof in example aspects of the presently-described technology. Although various aspects of this technology have been described above with a certain degree of particularity, or with reference to one or more individual aspects, those skilled in the art could make numerous alterations to the disclosed aspects without departing from the spirit or scope of the technology hereof. Since many aspects can be made without departing from the spirit and scope of the presently described technology, the appropriate scope resides in the claims hereinafter appended. Other aspects are therefore contemplated. Furthermore, it should be understood that any operations may be performed in any order, unless explicitly claimed otherwise or a specific order is inherently necessitated by the claim language. It is intended that all matter

contained in the above description and shown in the accompanying drawings shall be interpreted as illustrative only of particular aspects and are not limiting to the embodiments shown. Unless otherwise clear from the context or expressly stated, any concentration values provided herein are generally given in terms of admixture values or percentages without regard to any conversion that occurs upon or following

addition of the particular component of the mixture. To the extent not already expressly incorporated herein, all published references and patent documents referred to in this disclosure are incorporated herein by reference in their entirety for all purposes. Changes in detail or structure may be made without departing from the basic elements of the present technology as defined in the following claims.

---

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 357

<210> SEQ ID NO 1

<211> LENGTH: 127

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 1

aacaaatctt catcttgga tagcctgtga gaatgcctaa tcactctacga atgttacttt 60

ggcaccatct actggacaga ttaaataaca accaactcac tgtggattag acctacttct 120

atttcag 127

<210> SEQ ID NO 2

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 2

atagcctgtg agaatgccta 20

<210> SEQ ID NO 3

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 3

atccacagtg agttggttgt 20

<210> SEQ ID NO 4

<211> LENGTH: 84

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 4

ttcctggaaa acaaaagtat ttctttcata gccagctag catgataaat cagcgagtca 60

gaattctagc tttgtgttaa gggt 84

<210> SEQ ID NO 5

<211> LENGTH: 20

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 5

tcctggaaaa caaaagtatt 20

<210> SEQ ID NO 6

<211> LENGTH: 21

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

---

-continued

---

&lt;400&gt; SEQUENCE: 6

aaccttataa caaagctaga a 21

&lt;210&gt; SEQ ID NO 7

&lt;211&gt; LENGTH: 71

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 7

cactaagcct tggggatcca gctgcttaag gactaagacc gtatctagct ccttttagta 60

tttccacagc a 71

&lt;210&gt; SEQ ID NO 8

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 8

actaagcctt ggggatccag 20

&lt;210&gt; SEQ ID NO 9

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 9

tgctgtggaa atactaaaag g 21

&lt;210&gt; SEQ ID NO 10

&lt;211&gt; LENGTH: 155

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 10

tcctccagag gtaatcctgt gatcagcact aacaccacat accagccctt tcatacagctt 60

gttggaagaag catctttact tcccgccaag cagtgaaccta gataccatct cacaccagtt 120

agaatcagga tcattaaaaa gtcaagaaaa aacag 155

&lt;210&gt; SEQ ID NO 11

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 11

ctccagaggt aatcctgtga 20

&lt;210&gt; SEQ ID NO 12

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 12

tggtgtgaga tggtatctag g 21

&lt;210&gt; SEQ ID NO 13

&lt;211&gt; LENGTH: 146

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

-continued

&lt;400&gt; SEQUENCE: 13

```
tccaagtata atccatgaat cttgttttaa tatagatcaa ataaaccact ataccaaaaa    60
catcaaaaaga caactgggta aatttttttaa atgactagct atttgatggt aaggaagtaa    120
tgttactctc ttatatacaa tttgaa                                          146
```

&lt;210&gt; SEQ ID NO 14

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 14

```
gtataatcca tgaatcttgt tt                                          22
```

&lt;210&gt; SEQ ID NO 15

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 15

```
ttcaaattgt atataagaga gt                                          22
```

&lt;210&gt; SEQ ID NO 16

&lt;211&gt; LENGTH: 132

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 16

```
atggaaccga aacttcaagt agtttcatac gtatcacatt gacagttttc tctaagtttt    60
ctggtcttat gactcgttgt ttcattatta aaactgtgcc agtgtatgca tagggcttag    120
aaatttttta at                                          132
```

&lt;210&gt; SEQ ID NO 17

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 17

```
atggaaccga aacttcaa                                          18
```

&lt;210&gt; SEQ ID NO 18

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 18

```
ttaataatga aacaacgagt ca                                          22
```

&lt;210&gt; SEQ ID NO 19

&lt;211&gt; LENGTH: 157

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 19

```
acaggatcct tcctgaagac accaccttgg ggagggtgaa ggataaagaa tttgatcaga    60
aatcaagggt ggtgagatag atgttaagga tgaataaact ggccttttag gattcttgct    120
aaaattagac aatgcagagg caaccacaga gtccaag                                          157
```

---

-continued

---

<210> SEQ ID NO 20  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 20

ttcctgaaga caccacctt 19

<210> SEQ ID NO 21  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 21

cttggactct gtggttgc 18

<210> SEQ ID NO 22  
<211> LENGTH: 173  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 22

aattttcatt aaatcttgtt cgttgcttta ctgaggcact gaagttacca atgttccact 60

ggttgacctg cggggctatc tctaggttat gttactccag aaaatgaatt gtgtataaaa 120

gaggccttgg aggaaggcgt tttattcaca tcagttgttt tgcacattgc tta 173

<210> SEQ ID NO 23  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 23

actgaggcac tgaagttacc 20

<210> SEQ ID NO 24  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 24

taagcaatgt gcaaaacaac 20

<210> SEQ ID NO 25  
<211> LENGTH: 191  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 25

tcggtttcag caggaaagt atttttaata acttccctgt atttcttgggt ttcagttatt 60

aattaactca ttaatgctaa actttgtgat cctaggttaa aaaacatatt caagatagct 120

tcagaatggt tggatatcaa gtaggtctgg ctaaataaa gtgttagctt tctcaagcat 180

ctaaatgctg g 191

<210> SEQ ID NO 26  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

-continued

&lt;400&gt; SEQUENCE: 26

gcaggaaagt tatttttaat 20

&lt;210&gt; SEQ ID NO 27

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 27

tgcttgagaa agctaact t 21

&lt;210&gt; SEQ ID NO 28

&lt;211&gt; LENGTH: 166

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 28

aagttatatt taataacttc cctgtatttc ttggtttcag ttattaatta actcattaat 60

gctaaacttt gtgatcctag gtaaaaaaac atattcaaga tagcttcaga atgttttgga 120

tacaagtagg tctggctaaa tataagtgtt agctttctca agcatc 166

&lt;210&gt; SEQ ID NO 29

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 29

atttttaata acttcctgt 20

&lt;210&gt; SEQ ID NO 30

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 30

cacttatatt tagccagacc 20

&lt;210&gt; SEQ ID NO 31

&lt;211&gt; LENGTH: 152

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 31

attcattgtg tagaaagtgc ctgactcagt gtttggaat tgtctgactt ttctcatat 60

atagtgtggt ttcattgtat tgtatataag aactgacatg aactctgttt acaataatct 120

cccagtgcca taaagaccat aataaataat at 152

&lt;210&gt; SEQ ID NO 32

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 32

cagtgtttgg aaattgtctg 20

&lt;210&gt; SEQ ID NO 33

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

---

-continued

---

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 33

ggcactggga gattattgta 20

&lt;210&gt; SEQ ID NO 34

&lt;211&gt; LENGTH: 163

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 34

cactgggtcc tgttgtaag tacacataat accacacagg agaaaatcag gctaattgta 60

aatgggcaac ctacttaatt gtttcattaa aaagcataca gattacattt acactatagc 120

tagtcttggt tgttttttta ttttgcaaaa gtaattacgg ccc 163

&lt;210&gt; SEQ ID NO 35

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 35

tcctgttggt aagtacacat 20

&lt;210&gt; SEQ ID NO 36

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 36

gggccgtaat tacttttg 18

&lt;210&gt; SEQ ID NO 37

&lt;211&gt; LENGTH: 108

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 37

ctactcagta ggcactttgt gtctagaaac ttctgtgtca acggttttcc ctctctctgg 60

aattcatcag gacagaagtg attggtgtgg tggaagaggg ttgtgsta 108

&lt;210&gt; SEQ ID NO 38

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 38

actcagtagg cacttttgtt c 21

&lt;210&gt; SEQ ID NO 39

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 39

tcttccacca caccaatc 18

&lt;210&gt; SEQ ID NO 40

&lt;211&gt; LENGTH: 144

&lt;212&gt; TYPE: DNA

---

-continued

---

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 40

tggctttttca aaggtaaaat ttactaagtg tattaatatt ttaccaatTT ccagccagga 60

gagtatgaat gttgcattat tacattgctt tgaacaaaag cattagtctt aattcagaag 120

tttaaattca gatgttaacg ttgc 144

&lt;210&gt; SEQ ID NO 41

&lt;211&gt; LENGTH: 19

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 41

tggctttttca aaggtaaaa 19

&lt;210&gt; SEQ ID NO 42

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 42

gcaacgttaa catctgaatt t 21

&lt;210&gt; SEQ ID NO 43

&lt;211&gt; LENGTH: 110

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 43

taagtattga agaaaggaga atttaaatta cttcatatac ctgataaagg aaaacatata 60

caaggcaaat aaacatctta gatcatgaca tataaaataa tagattatta 110

&lt;210&gt; SEQ ID NO 44

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 44

ttgaagaaag gagaatttaa 20

&lt;210&gt; SEQ ID NO 45

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 45

atTTtatatg tcatgatcta ag 22

&lt;210&gt; SEQ ID NO 46

&lt;211&gt; LENGTH: 165

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 46

tgcagagatt acagggtgtga gccacogtgc ccagcctcat aaccgtttca actacttttt 60

cacttgacaa gcagatgtga agttaacaaa gtcaccata tttgaaataa agatagtata 120

ttcctgggggT aggcagaggc agttgaggat catgaaataa ctatg 165

---

-continued

---

<210> SEQ ID NO 47  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 47

agagattaca ggtgtgagc 19

<210> SEQ ID NO 48  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 48

atgacacctca actgcctct 19

<210> SEQ ID NO 49  
<211> LENGTH: 178  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 49

tgcaatgaaa ctcaaaagag aaaagttaac aggtgcacaaa ggtagtttta ttataaaagg 60

agggtaggca acaagaatat gtttaatttt tcttcctttt catgagtaag gacaagagtg 120

tcatatatgt gaatatTTTT atttaatttt aagtagaaat ctgtttttta aatatggg 178

<210> SEQ ID NO 50  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 50

tgaaactcaa aagagaaaag 20

<210> SEQ ID NO 51  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 51

acagatttct acttaaaatt 20

<210> SEQ ID NO 52  
<211> LENGTH: 102  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 52

ccaccattca tcaaaacttt gatactggac tcaattgtga atttgacttg aaatttgata 60

atgcttttgt ttactgttc tgctcagcaa aatagtacat gt 102

<210> SEQ ID NO 53  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 53

caaaactttg atactggact 20

---

-continued

---

<210> SEQ ID NO 54  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 54

acatgtacta ttttgctga 19

<210> SEQ ID NO 55  
<211> LENGTH: 166  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 55

gcctgcataa agtgaggatg gtgtagtaat tgggtatctc cagttataaa cacaaaaagc 60

atgatagagc tgggactgtg attgcaggaa agcaatagtc actccaaaag gagatcctca 120

tgatatgaat acggaagaaa caatatattcc tgctaattga gtagcc 166

<210> SEQ ID NO 56  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 56

cctgcataaa gtgaggatgg 20

<210> SEQ ID NO 57  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 57

tgaggatctc cttttggagt g 21

<210> SEQ ID NO 58  
<211> LENGTH: 154  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 58

gcaaaggggt actctatgta atgaacatga cctggcagta ctgacatctc ctgagggact 60

gttagaagtg cagactcttg tatcttttct caagtctatg aaatctagac ttcattttta 120

caagatgacc cgatatattac atacacatta aagt 154

<210> SEQ ID NO 59  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 59

gcaaaggggt actctatgta 20

<210> SEQ ID NO 60  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 60

---

-continued

---

tatcgggtca tcttggttaa 20

<210> SEQ ID NO 61  
<211> LENGTH: 174  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 61

gtatctaaca aagctctgtc caaaattttg aatttctcgt taaaagcatc atgattatag 60

aacagaggtt acaatcaatt attcagtcac acaatcactc tcacagtcga ttaaggtgcg 120

tacctggtgt tccagttatt cagtgtggtg taacaaacta cctggaactt aatg 174

<210> SEQ ID NO 62  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 62

tctaacaaag ctctgtccaa aa 22

<210> SEQ ID NO 63  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 63

ccacactgaa taactggaac a 21

<210> SEQ ID NO 64  
<211> LENGTH: 202  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 64

agagtgggta agtgacttga tcaattcctc aggtggggat tcaagctctt aaagctgtag 60

actatgtcgt ccaaacaac actgacatga atatgacttc caataggcaa gaaaagaggc 120

ctaggtcgag atactgcaag acatgcaagc aatctagtaa tggcataaaa cctgctatcc 180

gaattggcta aaattatgta tt 202

<210> SEQ ID NO 65  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 65

ggtggggatt caagctctta 20

<210> SEQ ID NO 66  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 66

ggatagcagg ttttatgcca tt 22

<210> SEQ ID NO 67  
<211> LENGTH: 156  
<212> TYPE: DNA

---

-continued

---

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 67

ttcttttctca cacaatgggt tccattccca ctactactcc attcaaattg aagtgccttc 60  
aatgattatt aaaaaactct ctttaaaata gctcacgtaa ccttacatcc tttgactgag 120  
gctcaactca tgtcaatgct tcagtatcaa cttttc 156

&lt;210&gt; SEQ ID NO 68

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 68

aatgggttcc attcccacta c 21

&lt;210&gt; SEQ ID NO 69

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 69

tgagcctcag tcaaaggatg 20

&lt;210&gt; SEQ ID NO 70

&lt;211&gt; LENGTH: 202

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 70

atttgaata acatttagta agtatatttatt tgaggagttt gaattttggt cttgtttatc 60  
ttgttctctt tcttcgtaga ttagttgggtg ttaacatcaa taggataacc ctttctttca 120  
gcatatgtga atgaaataaa ccaattattg ccactttcca ggtaaccag aatatacata 180  
gatacgagga cagtggtgactg tt 202

&lt;210&gt; SEQ ID NO 71

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 71

ttgaggagtt tgaattttgt tc 22

&lt;210&gt; SEQ ID NO 72

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 72

aacctggaaa gtggcaataa 20

&lt;210&gt; SEQ ID NO 73

&lt;211&gt; LENGTH: 171

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 73

tagggcagag agagcaagca agctctctac cttctcatat aagggcacta atcccaccat 60

-continued

---

gaaggcgcca ctgtcatgac ctgattatgt cacaagacc cgggggcaaa tattaccact 120

gtgaggagta cagtttttagc atgtgaattt tggaagaaca caaacattta g 171

&lt;210&gt; SEQ ID NO 74

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 74

gcaagcaagc tctctacctt c 21

&lt;210&gt; SEQ ID NO 75

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 75

tgttcttcca aaattcacat gc 22

&lt;210&gt; SEQ ID NO 76

&lt;211&gt; LENGTH: 195

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 76

attctaattt taaatatcat tgatgtagaa cattctatct cactattcct tcattttatt 60

attatgggaa attatataca gttctccaga tttttaagc cttgctaaca tgttttaagt 120

cacacaaata ttctcctgtg ggaaaatgac agtaatttag tgtgcaacaa ttatatagaa 180

ctatttttca aactt 195

&lt;210&gt; SEQ ID NO 77

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 77

atttcactat tccttcattt t 21

&lt;210&gt; SEQ ID NO 78

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 78

taattgttgc acactaaatt ac 22

&lt;210&gt; SEQ ID NO 79

&lt;211&gt; LENGTH: 138

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 79

actgtcatgg acttaacaa ttgtcttga attgtctttt ttcatacttt tatttgcac 60

tttccactaa aaagatggca caaagtaac ctagtttaca ttttttacca tgtaattcca 120

tattactttt tcctgaaa 138

&lt;210&gt; SEQ ID NO 80

---

-continued

---

<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 80

actgtcatgg acttaaacaa 20

<210> SEQ ID NO 81  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 81

ttcaggaaaa agtaatattg aa 22

<210> SEQ ID NO 82  
<211> LENGTH: 119  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 82

aaagaaaaaa aagccacaga aatcagtcct agagaaaacc gatctatgag ctgcctgaaa 60

ataattataa aataactatc ataaaaatgc ccagtgagat ataagaaaac acagacaac 119

<210> SEQ ID NO 83  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 83

aaaaagccac agaaatcagt c 21

<210> SEQ ID NO 84  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 84

ttcttatatc tcaactgggca tt 22

<210> SEQ ID NO 85  
<211> LENGTH: 143  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 85

caaggtcaga gaagttatct tggatggtag aagagaagaa aggagaagaa aggataagca 60

gaaaatcaaa aagggcataa aaaaattact ggggaaaata attcttagtc actcaccatt 120

tcttatgttt gtgaaaacag aaa 143

<210> SEQ ID NO 86  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 86

ggatggtaga agagaagaaa gg 22

<210> SEQ ID NO 87

---

-continued

---

<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 87

tcacaaacat aagaaatggt ga 22

<210> SEQ ID NO 88  
<211> LENGTH: 136  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 88

gaccacaatt cacaaatgca aagatgcaga accaacctaa gtggccactg actaatgaga 60

ggataaagaa gatgtggcat atatatatca gggactacta ctcagccatt acaaggaaca 120

aaataatgtc ttttgc 136

<210> SEQ ID NO 89  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 89

tgcaaagatg cagaaccaac 20

<210> SEQ ID NO 90  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 90

ttttgttcct tgtaatggct ga 22

<210> SEQ ID NO 91  
<211> LENGTH: 160  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 91

gaccacaatt cacaaatgca aagatgcaga accaacctaa gtggccactg actaatgaga 60

ggataaagaa gatgtggcat atatacatca gggactactt ctcagccatt acaaggaaca 120

aaataatgtc ttttgcaaca acttggatag agctggaggc 160

<210> SEQ ID NO 92  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 92

tgcaaagatg cagaaccaac 20

<210> SEQ ID NO 93  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 93

gcctccagct ctatccaagt t 21

---

-continued

---

<210> SEQ ID NO 94  
<211> LENGTH: 160  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 94

```
aatcctagac cttggattgc aagagactcc ttaatatctt cccatgtcca catttccttc    60
acatagtttg aatgtggcct ctattatata cagatacaag attcaaatcc aacctctatg    120
atgactgggc ttgtgaataa gcagaagagg cactaacaat                            160
```

<210> SEQ ID NO 95  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 95

```
ccttaatatc ttcccatgtc ca                                             22
```

<210> SEQ ID NO 96  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 96

```
attgttagtg cctcttctgc tt                                             22
```

<210> SEQ ID NO 97  
<211> LENGTH: 162  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 97

```
aagagaagtg aggtcagcag ctgcaagcca cctccgtcat ttagaaaagc ttcgatgatgt    60
agtgtgtcgt ttcgatgtga cactgtctca cagagttaaa atgatgttaa ggaactgttc    120
aatggaaatt tagaaatttc tctttttctc aatttttagtg ta                      162
```

<210> SEQ ID NO 98  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 98

```
gagaagtgag gtcagcagct                                             20
```

<210> SEQ ID NO 99  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 99

```
tttctaaatt tccattgaac ag                                             22
```

<210> SEQ ID NO 100  
<211> LENGTH: 160  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 100

-continued

---

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| atggctgaat agtattccct tgtgtatata tctatttata cttttattca ttgatggaca | 60  |
| cttaggctga ttttctctct tctcatggct ggcttctcat cacccttgg tcctcctgta  | 120 |
| tcctcgtgta ataaagctct tccccaatat ctgatagat                        | 160 |

<210> SEQ ID NO 101  
 <211> LENGTH: 22  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 101

|                          |    |
|--------------------------|----|
| ggctgaatag tattcccttg tg | 22 |
|--------------------------|----|

<210> SEQ ID NO 102  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 102

|                       |    |
|-----------------------|----|
| tcgagatatt ggggaagagc | 20 |
|-----------------------|----|

<210> SEQ ID NO 103  
 <211> LENGTH: 199  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 103

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| cattttaact tgattacctc caciaagact attccagaat aaggttatgt tctgaggtat | 60  |
| taggggttac aacttcaaca tatgaatddd gaggggacac aattcaaccc atagcacctc | 120 |
| cgtgtaagag ctgggaaggg aaagtggcta agttgtgcaa atgtgcacat tgggtggaga | 180 |
| tgattaactt ctggcatgt                                              | 199 |

<210> SEQ ID NO 104  
 <211> LENGTH: 22  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 104

|                          |    |
|--------------------------|----|
| cctccacaaa gactattcca ga | 22 |
|--------------------------|----|

<210> SEQ ID NO 105  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 105

|                       |    |
|-----------------------|----|
| cactttccct tcccagctct | 20 |
|-----------------------|----|

<210> SEQ ID NO 106  
 <211> LENGTH: 157  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 106

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| agggggaaat tggcaatctg attctaaaat tcatacggaa aaaaacaatg gagttagaat | 60  |
| aactaaaaca agtccgaaaa agaaaaagaa atggaggact aatgctacct gatttcaagt | 120 |
| cttatcttat aaatctacat caataaagga caagttg                          | 157 |

---

-continued

---

<210> SEQ ID NO 107  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 107

gaaattggca atctgattct 20

<210> SEQ ID NO 108  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 108

caacttggtcc tttattgatg t 21

<210> SEQ ID NO 109  
<211> LENGTH: 173  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 109

tctgtgtttg tctatgttga taaaacattg aaatgccaaa tagctcaaag gtcattcact 60

taagaaatct aagtactgat aacatcttag ccccgattct tcataggcat tgtaagcct 120

attataatth tgggttcagag agaaggtaaa ctatattcca gacaggcata taa 173

<210> SEQ ID NO 110  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 110

ctatgttgat aaaacattga aa 22

<210> SEQ ID NO 111  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 111

gcctgtctgg aatatagttt 20

<210> SEQ ID NO 112  
<211> LENGTH: 126  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 112

tgcagggcata ataataaag ctgtaaacgt cctgtcagaa gacaacatat tcatcttgct 60

aagggttaag ctatatgact ggcactgtgc tcaactcaga gtcattgaat gaacagtatt 120

tatttta 126

<210> SEQ ID NO 113  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 113

---

-continued

---

cagggcataat aatctaagct gt 22

<210> SEQ ID NO 114  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 114

caatgactct gagttgagca c 21

<210> SEQ ID NO 115  
<211> LENGTH: 132  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 115

ttcacattat tcccttaaaa taaactctct cctccctc tcccgctetca acctgtctcc 60

tttctttata taatgggttaa ttcgttaatg tcagcagaat agttttgggg ccataatggc 120

aagtatcacg tg 132

<210> SEQ ID NO 116  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 116

aactctctcc ctccctct 19

<210> SEQ ID NO 117  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 117

tatggcccca aaactattct 20

<210> SEQ ID NO 118  
<211> LENGTH: 110  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 118

tcaggaagca acaagtactg ggcagattga tactgtagct aggcctctagc tctatactc 60

tagaataaat gttacaaact agcaactga aagctaaacc tggccacag 110

<210> SEQ ID NO 119  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 119

acaagtactg ggcagattga 20

<210> SEQ ID NO 120  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 120

-continued

---

gccaggttta gctttcaagt 20

<210> SEQ ID NO 121  
 <211> LENGTH: 106  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 121

tggttcttga gaattttata tcaggagaaa cactgtcagt ctgtattgaa aggaacagag 60  
 aaaattcgaa attaaagaag actattaaac ctccaaaatt ctggca 106

<210> SEQ ID NO 122  
 <211> LENGTH: 22  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 122

ttttatatca ggagaaacac tg 22

<210> SEQ ID NO 123  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 123

ccagaatttt ggaggtttaa t 21

<210> SEQ ID NO 124  
 <211> LENGTH: 171  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 124

gcatcaaaact acacactgtc attcctcctt tatctccaaa agcttgaaaa ttcctcactt 60  
 gtatctcatt ctttctctct tagaaaaactg atcacctctg atgaattaga acggaatgac 120  
 caagctttgg gagaggcaaa agaatctcgg tggttaaagac tcagagtta a 171

<210> SEQ ID NO 125  
 <211> LENGTH: 22  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 125

tgtcattcct cctttatctc ca 22

<210> SEQ ID NO 126  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 126

ttcttttgcc tctcccaaag 20

<210> SEQ ID NO 127  
 <211> LENGTH: 163  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 127

-continued

---

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| ttgaaaatta agaaaccctg gcacagtgtt gactggagcc acttacctta atagaaaata | 60  |
| aagctcacat atatccataa tgaaaagcag agaccagcac aaccatagtc acctgacagt | 120 |
| tttaaaatcc aaggccagga tcttctcaac tcaggcccac tca                   | 163 |

<210> SEQ ID NO 128  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 128

|                       |    |
|-----------------------|----|
| accctggcac agtggtgact | 20 |
|-----------------------|----|

<210> SEQ ID NO 129  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 129

|                       |    |
|-----------------------|----|
| tgggcctgag ttgagaagat | 20 |
|-----------------------|----|

<210> SEQ ID NO 130  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 130

|                       |    |
|-----------------------|----|
| tttttcccat ttccaactct | 20 |
|-----------------------|----|

<210> SEQ ID NO 131  
 <211> LENGTH: 122  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 131

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| aaaaaaaaag atgagacagg caggtgcgaa agaaataaaa gtcaaaactg atccagtgg   | 60  |
| gaaactcaga attgacagtt acgtgtcctt tcattttattg atattttgag attcacaggg | 120 |
| gt                                                                 | 122 |

<210> SEQ ID NO 132  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 132

|                       |    |
|-----------------------|----|
| aaaagatgag acaggcaggt | 20 |
|-----------------------|----|

<210> SEQ ID NO 133  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 133

|                      |    |
|----------------------|----|
| accctgtga atctcaaaat | 20 |
|----------------------|----|

<210> SEQ ID NO 134  
 <211> LENGTH: 150  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

-continued

---

```

<400> SEQUENCE: 134

gagttaaata aagcacttgc ttctattggt tgtacctaaa cttaacagaa cacagtaagt    60
aacaagtcac tgggatgcag aaaagaaaaa agagagttaa ggaaggagaa aaggatgaagg    120
gagaatggaa gagaggaagg gagggaggaa                                150

<210> SEQ ID NO 135
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 135

gcacttgctt ctattgtttg t                                21

<210> SEQ ID NO 136
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 136

cccttcctct cttccattct                                20

<210> SEQ ID NO 137
<211> LENGTH: 129
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 137

aaacgagcca ccagtgggag cactgcaggt atctgtgtga gacccgtact tcacaactcc    60
tgctttccct ccataaagta gcttgcattt tccacattga ctttgcagtt ctttggatc    120
tgtattggt                                           129

<210> SEQ ID NO 138
<211> LENGTH: 18
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 138

gtgggagcac tgcaggta                                18

<210> SEQ ID NO 139
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 139

acagatacca aagaactgca a                                21

<210> SEQ ID NO 140
<211> LENGTH: 145
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 140

tggaacacct tcaacttaga aatcataaac agattcattt ccttaaagtt aatgaaaaga    60
attaacagac cctcctcaaa aaagacatat atgcagccta caatcatatg aaaaaaagtt    120
caacattact gttagcaaaa tcaaa                                145

```

---

-continued

---

<210> SEQ ID NO 141  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 141

tggaacacctt tcaacttaga 20

<210> SEQ ID NO 142  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 142

gaacagtaat gttgaacttt tt 22

<210> SEQ ID NO 143  
<211> LENGTH: 155  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 143

tggaacatt cctagaaata gatggaaact gctcttgcaa aaagcttagc acatgttaaa 60

aatttttagaa acaatttgcc aaagtttatt tagtctagtg attttgacag gttaaatgga 120

ccctttgaga tctttttttcc tcaagtacaa aggct 155

<210> SEQ ID NO 144  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 144

tcttgcaaaa agcttagcac a 21

<210> SEQ ID NO 145  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 145

aaaaagatct caaagggtcc a 21

<210> SEQ ID NO 146  
<211> LENGTH: 119  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 146

gcttttgctg aacatcaagt ggtgagccag gactcaaagc cagatcttct tgtttccctg 60

ttaggtgttt gtagcacaac tggatatctgc agactatgct gctggaaggg ctagccgctc 119

<210> SEQ ID NO 147  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 147

gcttttgctg aacatcaagt 20

---

-continued

---

<210> SEQ ID NO 148  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 148

ccttccagca gcatagtct 19

<210> SEQ ID NO 149  
<211> LENGTH: 161  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 149

actgtcctag aaaatccagg atgtgcagtg atcatgtatg aatgcatgga cctgcacaca 60

caggagtga caaaagaccc acccctgcc a ggtcaccact catatctcac cccagcccac 120

gctagctcac actcctcccc acacaccact gacctcatca t 161

<210> SEQ ID NO 150  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 150

aaatccagga tgtgcagt 18

<210> SEQ ID NO 151  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 151

atgatgaggt cagtgggtgt 19

<210> SEQ ID NO 152  
<211> LENGTH: 124  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 152

cacatcacag atcatagtaa atggctttaa ttttttaacg aaatctcact actgcaaatag 60

cattgttgtc ctagctaata aatgcataga gtattgcctg caaaataata attgagattc 120

tatt 124

<210> SEQ ID NO 153  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 153

catcacagat catagtaaat gg 22

<210> SEQ ID NO 154  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 154

---

-continued

---

aattattatt ttgcaggcaa t 21

<210> SEQ ID NO 155  
<211> LENGTH: 151  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 155

ttatcctcca catcctcatg aggcaaacac ctttcctacc ttaccgctcc ccagtggcct 60

ccctgttgcc ttcttattca agactaagac tctctagaat gttctttatc ctgagtccag 120

ctgattgtct atactaatat cagtacgggg t 151

<210> SEQ ID NO 156  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 156

catgaggcaa acacctttcc 20

<210> SEQ ID NO 157  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 157

gctggactca ggataaagaa ca 22

<210> SEQ ID NO 158  
<211> LENGTH: 145  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 158

aggggtgcagc actttattat ggaagcctga gctgactaat acagggtgtct ctatatctca 60

ctgagggaaa gtgacaggaa agtaagaacc atttatgtcc aagagtccag aggagtcaac 120

cagattcttg gggaaaagaa ggtac 145

<210> SEQ ID NO 159  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 159

tggaagcctg agctgactaa 20

<210> SEQ ID NO 160  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 160

ccttcttttc cccagaatc 20

<210> SEQ ID NO 161  
<211> LENGTH: 154  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

---

-continued

---

&lt;400&gt; SEQUENCE: 161

tgagaattta ggagaacaga agatcagagg gctgcacagg ctaaactaga caatgagccc 60  
atgcaagtaa gttaagagga gaagcgggta agtatgcacc tgctttgtct aggtgaccag 120  
caagcattta gcaatagtct tttcaaaaca acag 154

&lt;210&gt; SEQ ID NO 162

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 162

ttagggagaac agaagatcag ag 22

&lt;210&gt; SEQ ID NO 163

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 163

aaagactatt gctaaatgct tg 22

&lt;210&gt; SEQ ID NO 164

&lt;211&gt; LENGTH: 106

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 164

aaacaggcaa aataagcgta gggctgtgtg tgcaacagtt aatcataaag ccatcaccag 60  
gagacgtcac tgggcgcctt ctggagtcta tccgtcctaa ctttgc 106

&lt;210&gt; SEQ ID NO 165

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 165

taagcgtagg gctgtgtgtg 20

&lt;210&gt; SEQ ID NO 166

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 166

ggacggatag actccagaag g 21

&lt;210&gt; SEQ ID NO 167

&lt;211&gt; LENGTH: 105

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 167

gaatgacctt ggcaatttta tcaaacatca actggccaca cacaggtgag tctacttctg 60  
gacacttate ctgttccatt catctgtata tctctatect tacac 105

&lt;210&gt; SEQ ID NO 168

&lt;211&gt; LENGTH: 23

&lt;212&gt; TYPE: DNA

-continued

---

<213> ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 168

gaatgacctt ggcactttta tca 23

&lt;210&gt; SEQ ID NO 169

&lt;211&gt; LENGTH: 27

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 169

aaggatagag atatacagat gaatgga 27

&lt;210&gt; SEQ ID NO 170

&lt;211&gt; LENGTH: 129

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 170

ctgctggaat aggctgcttg gccatgttct tggaagctac caccatatca aggtaatttc 60

ccacacaaca ttccagcccc tgctttcctc tctggcctta tctagggcca ttccccaact 120

caggtgaat 129

&lt;210&gt; SEQ ID NO 171

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 171

ggccatgttc ttggaagcta 20

&lt;210&gt; SEQ ID NO 172

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 172

ttcacctgag ttggggaatg 20

&lt;210&gt; SEQ ID NO 173

&lt;211&gt; LENGTH: 138

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 173

acctttgttc catgcaccgc gcaaatacct gggaaccctt attgccaac tcaagagcca 60

gagtctcttg tcatcatctt gcctctctcc taagtgagag gactgagtgc agacttggtg 120

tttgtgggtg aggcattg 138

&lt;210&gt; SEQ ID NO 174

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 174

catgcaccgc gcaaatac 18

&lt;210&gt; SEQ ID NO 175

-continued

---

```

<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 175
atgcctcacc cacaaacac                                     19

<210> SEQ ID NO 176
<211> LENGTH: 159
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 176
ctcctgagtc caagcccttc tcactcacct ctttcttgaa ctaatttctt cctgtttttt      60
tccagtcctc cttctgtgtc atgtctctcc tctgcacact tccattttgt gggttcagaaa    120
atgtcacctg cccagtcaca cttgccttat ggctgttgt                                     159

<210> SEQ ID NO 177
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 177
tccaagccct tctcactcac                                     20

<210> SEQ ID NO 178
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 178
ctgggacggt gacattttct                                     20

<210> SEQ ID NO 179
<211> LENGTH: 132
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 179
cccaggaaga gtggaaagat taacctttgt gagccaaacc agtgacactt gattacttga      60
cagaactaat cttctgtgcc tgatgacaga acttcaacta cacaggtaca tgcaagctaa    120
tatctgttgt aa                                             132

<210> SEQ ID NO 180
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 180
cccaggaaga gtggaaagat t                                     21

<210> SEQ ID NO 181
<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 181
ttagcttgca tgtacctgtg t                                     21

```

---

-continued

---

<210> SEQ ID NO 182  
<211> LENGTH: 165  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 182

```
gcctggcaag ctagatgggg tgaattttca cctgccacag ccgcaagtca aagccaccgg      60
cttctctctt ctccctccca ttgctcctga cagccagggt taatattttg cctcatgtaa      120
acaggggaggc atccacccca gaatctcccc tcagcccaca taagc                      165
```

<210> SEQ ID NO 183  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 183

```
agctagatgg ggtgaatttt                      20
```

<210> SEQ ID NO 184  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 184

```
tgggctgagg ggagattc                      18
```

<210> SEQ ID NO 185  
<211> LENGTH: 160  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 185

```
atcaagctaa ttaatgttat ctatcacttc acatagttca accttttttt gtggtgagag      60
tactgaagat ctactctctt agcaattttc aaatctaaaa tacattatta ttaacacagt      120
cactgtgccg tacgttagct ctgaggacct tattcatttt                      160
```

<210> SEQ ID NO 186  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 186

```
atcaagctaa ttaatgttat ct                      22
```

<210> SEQ ID NO 187  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 187

```
aatgaataag gtcctcagag                      20
```

<210> SEQ ID NO 188  
<211> LENGTH: 124  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 188

---

-continued

---

tttaaatctga tcattgccct atgaggtagg gagtattctg attcccattt tataaataag 60  
gaacccgagg cttagagagc atcagtgact tgttcaaggt caccacagc tgtcaagtga 120  
caga 124

<210> SEQ ID NO 189  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 189

tttaaatctga tcattgccct a 21

<210> SEQ ID NO 190  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 190

agctgtgggt gaccttga 18

<210> SEQ ID NO 191  
<211> LENGTH: 128  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 191

tgtcccacca ttgtgtatta ggttttaga gcgtagaaa cttgccttt tagttttag 60  
gtttctgtat caagagaaga tgtgtgtggg cctaaccatg attacaggat cctggacttc 120  
aagtctga 128

<210> SEQ ID NO 192  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 192

tgtcccacca ttgtgtatta 20

<210> SEQ ID NO 193  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 193

tcagacttga agtccaggat 20

<210> SEQ ID NO 194  
<211> LENGTH: 128  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 194

tcatttgcta aggtcgata gctcctaatt ggcaaagtca cgatgggatc ccagggattc 60  
tgaggatgaa gcctgtgttt aataactatt atgccaagtg agcattttca aatatatgag 120  
agaaatta 128

<210> SEQ ID NO 195

---

-continued

---

<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 195

catttgctaa ggtcggata 19

<210> SEQ ID NO 196  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 196

tatttgaaaa tgctcacttg 20

<210> SEQ ID NO 197  
<211> LENGTH: 159  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 197

cattgcttca ggggtgtag ttttgtgtc acaactagat tataaactcc tcttgattc 60

ctgatggcag tgacttgaag gcatttattt gaagaataat agacatacag aaaggggcac 120

atgtcataaa ggtacagctg gacgactttt caciaagtg 159

<210> SEQ ID NO 198  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 198

gcttcagggg tgtagtttt 20

<210> SEQ ID NO 199  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 199

ctttgtgaaa agtcgtccag 20

<210> SEQ ID NO 200  
<211> LENGTH: 117  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 200

gagaggatgg tgccatcatg gaaagcatgg ggcagtcag gagatgacgg agtagctcat 60

ggagaagata atgccatcat ggaaggcata gtgcagtcag ggagatgatg gtgcagc 117

<210> SEQ ID NO 201  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 201

ccatcatgga aagcatgg 18

<210> SEQ ID NO 202

---

-continued

---

<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 202

tcattctccat gactgcacta 20

<210> SEQ ID NO 203  
<211> LENGTH: 167  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 203

atggggcagt catggagatg acggagtagc tcatggagaa aataatgcca tcatggaagg 60

catatgtcag tcatggagat gatggtgcag ctcattggaga agatggtgcc atcatggaag 120

gcattggtgca atcatggagt agacagtgca gctggggccaa gattctc 167

<210> SEQ ID NO 204  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 204

gagatgacgg agtagctcat 20

<210> SEQ ID NO 205  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 205

cccagctgca ctgtctac 18

<210> SEQ ID NO 206  
<211> LENGTH: 128  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 206

gatgtgcctc tcttgttcca atcacaggac aggggtataa ctaggggcac tgtctatact 60

gggtgcactc tggccagtgc tgtccaggat agattcatca gggctctagag cttcagctaa 120

cagcatga 128

<210> SEQ ID NO 207  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 207

tcttgttcca atcacaggac 20

<210> SEQ ID NO 208  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 208

atgctgttag ctgaagctct 20

---

-continued

---

<210> SEQ ID NO 209  
<211> LENGTH: 109  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 209

ttttattcat taagttgaaa gtcctaaaag cagagggacc atatttttat gtcccaactc 60

tccttaaggc cttgcctatg atagcacatc tcttcaatag aattgtcct 109

<210> SEQ ID NO 210  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 210

tgaaagctcc taaagcagag 20

<210> SEQ ID NO 211  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 211

ttgaagagat gtgctatcat 20

<210> SEQ ID NO 212  
<211> LENGTH: 163  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 212

cacataacta ataaatttgt aagtatgtgc aacggctcac acttgcttcc agaatggcac 60

ctaaaaaaca gatttacctc tccccaaatt cagatatgga attaaatgta atgtcaggaa 120

aactgtctaa gagttggaaa tgggaaaaaa atgttctttt ggt 163

<210> SEQ ID NO 213  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 213

aatttgtaag tatgtgcaac g 21

<210> SEQ ID NO 214  
<211> LENGTH: 207  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 214

aaagaccagc ttttagctga acatcagggc tgccttcaga gtttaattac cgcctcctcc 60

atggggccaa atgagccatc gactcctccc aaggggggtc ggcttggtac tgatctttaa 120

gtaagtaaac gctaaaccag ctcattctaa agcgcaccaca tctgatttcc tgctctgctg 180

caagacagta ggtgactggt aatgacc 207

<210> SEQ ID NO 215  
<211> LENGTH: 20  
<212> TYPE: DNA

---

-continued

---

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 215

agggctgcct tcagagttaa 20

&lt;210&gt; SEQ ID NO 216

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 216

gcgctttaag atgagctggt 20

&lt;210&gt; SEQ ID NO 217

&lt;211&gt; LENGTH: 192

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 217

actctgctcc cagtgtgaac atggggaaaag ttgattaaac tctctgactt cagattcctc 60

atgtaaaatg tggggaaaca gctctgactt aatgggtgtca ctgtgaggag taaatgaggt 120

agcatattta aaggattttg tatagtgctg gtgacagtaa ccagccaata gatgatatag 180

ctagtaatag ca 192

&lt;210&gt; SEQ ID NO 218

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 218

tgaacatggg gaaagttgat 20

&lt;210&gt; SEQ ID NO 219

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 219

tcaccagcac tatacaaaat cc 22

&lt;210&gt; SEQ ID NO 220

&lt;211&gt; LENGTH: 170

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 220

cttcactgac cacttcctta actgtccact ccgaaacacc ccttcttctt gttcttccaa 60

tacaccaaac tctttcttgc ctctgtgtgc ttgcccatgc tgttccttct ggetttcttc 120

ttcacattca agtcttgact tagatgtcac ttgccaaggg agaccttgga 170

&lt;210&gt; SEQ ID NO 221

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 221

acttccttaa ctgtccactc c 21

---

-continued

---

<210> SEQ ID NO 222  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 222

ccttggcaag tgacatcta 19

<210> SEQ ID NO 223  
<211> LENGTH: 181  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 223

aaacatccca atagacaaaa ctccaagaag agtcaaaaca agaataaagt acaggtcac 60

ttttcttttg cactcctgac agcactttgt acatggtaat aataatctac caattaacta 120

cataagccac atgggttttat catagtgtga agctttgtat ccagaaagga gagaaggctc 180

c 181

<210> SEQ ID NO 224  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 224

ccaagaagag tcaaaacaag aa 22

<210> SEQ ID NO 225  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 225

tctcctttct ggatacaaag c 21

<210> SEQ ID NO 226  
<211> LENGTH: 149  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 226

ggcagaggca tgggggtgcat agggatatgg ggtgggcccag tttgctctc agaccagaag 60

gggtgcagga ctccccccga tcaggatcat ggagaaaggt gtggacagag gaagggaggg 120

agggagaaat ggcagctgcc ctgcagtgg 149

<210> SEQ ID NO 227  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 227

ttgctcctca gaccagaagg 20

<210> SEQ ID NO 228  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

---

-continued

---

&lt;400&gt; SEQUENCE: 228

ctcccttctct ctgtccacac 20

&lt;210&gt; SEQ ID NO 229

&lt;211&gt; LENGTH: 165

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 229

cagggactaa gtgtctctga caatacatc agccactact acagtatgaa gccagcccct 60

catccccacc ttcagagacc cctgggtgct cagattcctc ggccattctg gagctgctgt 120

gcccagaggct tgtgtagttg gagatcattt tggcagtcag tgctg 165

&lt;210&gt; SEQ ID NO 230

&lt;211&gt; LENGTH: 22

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 230

tgtctctgac aatacattca gc 22

&lt;210&gt; SEQ ID NO 231

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 231

ctgactgcc aatgatctc 20

&lt;210&gt; SEQ ID NO 232

&lt;211&gt; LENGTH: 181

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 232

cctgtctccg tgcgtgaaag ccggctccaa agtgecttct gtctatctg ccttccgcac 60

ctggctttcc tgaaagaaag aaaacgcgtg gcttatcttt tcacggcacg ccaccttcac 120

tctcactttt tcttttctaa taaatacctc tggatgggtt agtggtaatc tctctcaaa 180

c 181

&lt;210&gt; SEQ ID NO 233

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 233

gctccaaagt gccttctgtc 20

&lt;210&gt; SEQ ID NO 234

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 234

ccactaacc atccagaggt 20

&lt;210&gt; SEQ ID NO 235

---

-continued

---

<211> LENGTH: 198  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 235

gggagacaaa cctagggccc tcctggggag gtggtggagt cagaatcacg taagagacaa 60  
agttccagtc cctcagtgcc ggctccattg tcccctggac ttcccttaca aaccacagat 120  
gcaaagagag cacttctcgg aatctccaca cagccacggt ggagcactca acccacgcga 180  
ccctcggggcg caggtgct 198

<210> SEQ ID NO 236  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 236

ctgggggaggt ggtggagtca 20

<210> SEQ ID NO 237  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 237

gagtgtctcca ccgtggctgt 20

<210> SEQ ID NO 238  
<211> LENGTH: 161  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 238

cctgagaagc ttccagcaaa gcaccagcac gaaccgcccc acctccccac ctccccgcaa 60  
gcgttgccgg gactgacaga ttacagagct ctggtccctc tgcactcctg ctctgccacc 120  
cccaggtgt cagaatgtgc cccccacaca gtttccaaaa g 161

<210> SEQ ID NO 239  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 239

aaagcaccag cacgaacc 18

<210> SEQ ID NO 240  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 240

ggggcacatt ctgacacc 18

<210> SEQ ID NO 241  
<211> LENGTH: 162  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 241

-continued

---

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| atggagctgc tgcgcgggcc tgagctctga tccctcctcc gacccagcct caccctgcaa | 60  |
| gcagcaccat gtggggctca gaatggggat ctttaaggac cctccccaca acctcccgat | 120 |
| aagcctttcc acggaggggc caagcggaga caggagaaca ct                    | 162 |

<210> SEQ ID NO 242  
 <211> LENGTH: 19  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 242

|                      |    |
|----------------------|----|
| ctgagctctg atccctcct | 19 |
|----------------------|----|

<210> SEQ ID NO 243  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 243

|                     |    |
|---------------------|----|
| ttctcctgtc tccgcttg | 18 |
|---------------------|----|

<210> SEQ ID NO 244  
 <211> LENGTH: 194  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 244

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| actttcagaa tgtgtgcct tccacgtgtg aaccagactg agctccttcc tgccactgat   | 60  |
| gttgaattgt ccatttgcct acatcagtggt ccacgtggca aatccacagg gcgtgggtgg | 120 |
| gatcctgcag tctagacaaa gccaaaggagc accgctggag gccacgttgg gcttcccaat | 180 |
| ccacatgcaa accc                                                    | 194 |

<210> SEQ ID NO 245  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 245

|                       |    |
|-----------------------|----|
| cctttctgcc actgatgttg | 20 |
|-----------------------|----|

<210> SEQ ID NO 246  
 <211> LENGTH: 19  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 246

|                      |    |
|----------------------|----|
| ttgcattgtg attgggaag | 19 |
|----------------------|----|

<210> SEQ ID NO 247  
 <211> LENGTH: 213  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 247

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| tctccagcca gcgtgtcaca aagccgctca cctgctcgtg tgagtgtctg aatgcacgtg  | 60  |
| tttgagtgtc agaggcgtgt gaaccacagc aactcaatct tgaatagggg ctgggttaaag | 120 |
| tgaggctgag acctcccggt gctgcattcc cagatgggtta aggcattcta agtcacaaga | 180 |

-continued

---

|                                                                                             |     |
|---------------------------------------------------------------------------------------------|-----|
| tgagatagga agttcgcaca agacactggt cat                                                        | 213 |
| <210> SEQ ID NO 248<br><211> LENGTH: 20<br><212> TYPE: DNA<br><213> ORGANISM: Homo sapiens  |     |
| <400> SEQUENCE: 248                                                                         |     |
| tcacctgctc gtgtgagtgt                                                                       | 20  |
| <210> SEQ ID NO 249<br><211> LENGTH: 20<br><212> TYPE: DNA<br><213> ORGANISM: Homo sapiens  |     |
| <400> SEQUENCE: 249                                                                         |     |
| ccttaaccat ctgggaatgc                                                                       | 20  |
| <210> SEQ ID NO 250<br><211> LENGTH: 152<br><212> TYPE: DNA<br><213> ORGANISM: Homo sapiens |     |
| <400> SEQUENCE: 250                                                                         |     |
| ttgagtcctc ttaagtagtt actatagtgg agaacttgag tcattctttg tagcgtgctt                           | 60  |
| cgtagagcag cgtgttttgtt agaaggattt gttaatcctg tatagggctc ttacgaaggc                          | 120 |
| tgttttcatg gaagcttctc tttgttgact cc                                                         | 152 |
| <210> SEQ ID NO 251<br><211> LENGTH: 22<br><212> TYPE: DNA<br><213> ORGANISM: Homo sapiens  |     |
| <400> SEQUENCE: 251                                                                         |     |
| tggagaactt gagtcattct tt                                                                    | 22  |
| <210> SEQ ID NO 252<br><211> LENGTH: 19<br><212> TYPE: DNA<br><213> ORGANISM: Homo sapiens  |     |
| <400> SEQUENCE: 252                                                                         |     |
| ggagtcaaca aagagaagc                                                                        | 19  |
| <210> SEQ ID NO 253<br><211> LENGTH: 174<br><212> TYPE: DNA<br><213> ORGANISM: Homo sapiens |     |
| <400> SEQUENCE: 253                                                                         |     |
| cattctctcc agctgcaaac tttcttcaac tttcctaaat tcttactaaa ttcagaggaa                           | 60  |
| taggataaag atcacttaga gaaaggggtgc ttatggacat agcctgagtt tcctttaacc                          | 120 |
| tctctgcaat ggggtgctttt aactagcttc tacatggcaa gctgtttcag tttg                                | 174 |
| <210> SEQ ID NO 254<br><211> LENGTH: 21<br><212> TYPE: DNA<br><213> ORGANISM: Homo sapiens  |     |

---

-continued

---

&lt;400&gt; SEQUENCE: 254

ctttcttcaa ctttcctaaa t 21

&lt;210&gt; SEQ ID NO 255

&lt;211&gt; LENGTH: 19

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 255

ttgccatgta gaagctagt 19

&lt;210&gt; SEQ ID NO 256

&lt;211&gt; LENGTH: 175

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 256

ggacatctgg aactgcacca gcacagaacc gacacgttgt tactcatcgt cactcggcag 60

ggctgaagac caccagaact catgacaggc agacgtgcct ggcccagttg aggatgtagc 120

ttcagagcca agcgccagtc ctgttgccca cgtgggctgg gggcaggata gacca 175

&lt;210&gt; SEQ ID NO 257

&lt;211&gt; LENGTH: 19

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 257

accagcacag aaccgacac 19

&lt;210&gt; SEQ ID NO 258

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 258

aacaggactg gcgcttgg 18

&lt;210&gt; SEQ ID NO 259

&lt;211&gt; LENGTH: 182

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 259

ggctggttct gcccttggga ggtggttcct ttggtggac cagaatgtct gaagatgac 60

aggagagggc caagggttgg ggggtgcccc atgtgcaccc tgagaattgc accaggcaca 120

gtgagcaact tcagccctcc ttgtgcagag ctgcagcgta cagtgccagc cctcgtggc 180

cc 182

&lt;210&gt; SEQ ID NO 260

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 260

cttgggaggt ggttcctttg 20

&lt;210&gt; SEQ ID NO 261

---

-continued

---

<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 261

ctgcacaagg agggctga 18

<210> SEQ ID NO 262  
<211> LENGTH: 155  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 262

gttctcactt tactgagaaa cctggcagct tctcaggcca ccgcccaggt cacctgctca 60

ccagcaacgt gaaccacagg aactgaggct gtgcgggagg cggtctgct ctgtgctggg 120

ccccctcct cctcactcac cctcttcagt caaag 155

<210> SEQ ID NO 263  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 263

tactgagaaa cctggcagct 20

<210> SEQ ID NO 264  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 264

ctttgactga agagggtgag 20

<210> SEQ ID NO 265  
<211> LENGTH: 180  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 265

ttagtattat tattttcata tatattttt ataataatca tatattcaat tttatcatca 60

agaaaaaagt tttaaaatc aaaatcctt catgtgcact gttttaaact taggtagaag 120

aaaaaaaagtc actgaaaatc caagatgtaa taaacaggcc caacaaaggc caacaaactt 180

<210> SEQ ID NO 266  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 266

ttcaatttta tcatcaagaa 20

<210> SEQ ID NO 267  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 267

ttgggcctgt ttattacatc 20

---

-continued

---

<210> SEQ ID NO 268  
<211> LENGTH: 196  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 268

```
agggaacatg gccttgccca cacagatttc agacatctgg ctccagaact gtgggaggac    60
acatttctgt tgtttagaac tgcattgttt ttatactttg ttatggctgc cctaggcaac    120
taatacagat attattttcc acttctgaac ttagcaaaat atttttaaaa tgaaaattct    180
taaatgttgg cacagt                                         196
```

<210> SEQ ID NO 269  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 269

```
ttgcccacac agatttcaga                                         20
```

<210> SEQ ID NO 270  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 270

```
tgctaagttc agaagtgga aa                                         22
```

<210> SEQ ID NO 271  
<211> LENGTH: 120  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 271

```
ctggataaag gatgctacac gtccttggtg ggacagagca ggacggcagg ggatttcatt    60
acgccactca gaatggcagg caattgaaaa aacttataaa ttgtttatct ccagaatttt    120
```

<210> SEQ ID NO 272  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 272

```
ggataaagga tgctacacgt                                         20
```

<210> SEQ ID NO 273  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 273

```
aaaattctgg aaataaacia                                         20
```

<210> SEQ ID NO 274  
<211> LENGTH: 224  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 274

-continued

---

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| tgctcagtggt gtaatccgac tgtgaaagat cagtctaaca aaacagcggg gagagagagg | 60  |
| gctgaatcag agcaactagg tccaagccg aggggaaccac caacagatcc cctggtgacc  | 120 |
| caacaagaaa tgctcacagt ctggacccag tcagagtctg caggacacag cagacattct  | 180 |
| ggaagtatac acagccagga gcaagaggac gcatggcctg actg                   | 224 |

<210> SEQ ID NO 275  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 275

|                       |    |
|-----------------------|----|
| gggagagaga gggctgaatc | 20 |
|-----------------------|----|

<210> SEQ ID NO 276  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 276

|                         |    |
|-------------------------|----|
| gctcctggct gttgtaactt c | 21 |
|-------------------------|----|

<210> SEQ ID NO 277  
 <211> LENGTH: 174  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 277

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| cgccagagca ccccttctca gaacagaaaag cgtctctaca aagtgatccg gaagtgagtg | 60  |
| tgtagggcg ctgcgtctc cctgtcccc ttggagttgc cctttcttgc tcagatctgg     | 120 |
| gtgccttggc ctgtctctgg gcccttccgc agccccggg gtgatccccg ctac         | 174 |

<210> SEQ ID NO 278  
 <211> LENGTH: 19  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 278

|                      |    |
|----------------------|----|
| ccagagcacc ccttctcag | 19 |
|----------------------|----|

<210> SEQ ID NO 279  
 <211> LENGTH: 18  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 279

|                     |    |
|---------------------|----|
| ggaagggccc aggacaag | 18 |
|---------------------|----|

<210> SEQ ID NO 280  
 <211> LENGTH: 201  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 280

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| tatcttacgg atttgtaac atcatttgag aagaagtcca taggctcagc agatttttat  | 60  |
| gccaggtggg ccatggcata aaaatgtgaa gaatgtgctc acttagacaa tacctgtgct | 120 |
| aaaattggaa caatacagag aagattagca aattaaaaca atgttaggaa gtcagtgtgg | 180 |

-continued

---

|                          |     |
|--------------------------|-----|
| tgagggtacgg tgcctcatgc c | 201 |
|--------------------------|-----|

<210> SEQ ID NO 281  
 <211> LENGTH: 21  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 281

|                         |    |
|-------------------------|----|
| cagcagattt ttatgccagg t | 21 |
|-------------------------|----|

<210> SEQ ID NO 282  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 282

|                       |    |
|-----------------------|----|
| caccgtacct caccacactg | 20 |
|-----------------------|----|

<210> SEQ ID NO 283  
 <211> LENGTH: 275  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 283

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| aggcagggcc ctccctgcc catgtaaagc tgcacagagc ggctactata tgtgtttcca   | 60  |
| tatttgcaat ccaaccacca ccaactgagt gtgcgtcctg atcagccgag cctgcccacg  | 120 |
| gtggccacag gccctctaca ttctaattctc gagagcctga gcatgtacaa attaaacgaa | 180 |
| gcaaaacgac accacccagt tctggccgta ctataggagg tttccaggaa gggttttgtga | 240 |
| acataaacat aagctaggta acactccttt ctgaa                             | 275 |

<210> SEQ ID NO 284  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 284

|                       |    |
|-----------------------|----|
| aaccaccacc aactgagtgt | 20 |
|-----------------------|----|

<210> SEQ ID NO 285  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 285

|                       |    |
|-----------------------|----|
| cctcctatag tacggccaga | 20 |
|-----------------------|----|

<210> SEQ ID NO 286  
 <211> LENGTH: 230  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 286

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| tcagagcatc gcctcagtgg ccatcaatag ctcgggggac tggattgctt ttggtgttc  | 60  |
| aggtttgtcc ccagcctggg tggtagagat ggactcccca ttagggacca gtgctgcccg | 120 |
| gctacaggct tacttgacag ccacccactg ggggtgccct cccctcccc agttgtcttc  | 180 |
| catgggggtgc cctctcccc agccgccttt cagaaggggc cctccccctc            | 230 |

---

-continued

---

<210> SEQ ID NO 287  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 287

tggattgctt ttggctgttc 20

<210> SEQ ID NO 288  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 288

caccccatgg aagacaactg 20

<210> SEQ ID NO 289  
<211> LENGTH: 199  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 289

ctcatgctta catccttagc tgatcattaa actttgtgac catttcatgc tcaactgcttt 60

cttgcccgagg agctaagtgt gaggaaaggt cactgggaac cagcgacca acctcagaca 120

tcgattttgt tccagccttt tttcctgggc aggggtggct atcacctgct ggtaggcagc 180

ggcaggccca ctgtcctgc 199

<210> SEQ ID NO 290  
<211> LENGTH: 21  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 290

ttaaaactttg tgaccatttc a 21

<210> SEQ ID NO 291  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 291

taccagcagg tgatagcc 18

<210> SEQ ID NO 292  
<211> LENGTH: 181  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 292

tgacagaaaa gtctcagagc agtgccttct gagctcttct acaccaagca ggcagaatgt 60

tcaactgctaa tgaggctgga gctgggtcccc agcagtggta ggaagcttcc aacaggctca 120

ggctgtgggt gcttgccagg gcacagtgtg acggccacgg gcctcagagc tctgggtggc 180

t 181

<210> SEQ ID NO 293  
<211> LENGTH: 20  
<212> TYPE: DNA

---

-continued

---

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 293

gacagaaaag tctcagagca 20

&lt;210&gt; SEQ ID NO 294

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 294

caagcaccca cagcctga 18

&lt;210&gt; SEQ ID NO 295

&lt;211&gt; LENGTH: 187

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 295

acatctttct caataaaga taacagcgat gtattttcac aaaagcaaga gcttagaaaag 60

tactccacc aggtatccct cttggaaaaa atacttaagg aaatatgaca aatggcaaag 120

tgattgttat ggatggaatg tttgtatcct cccaaaattc acatgttgag accctaattc 180

caatatg 187

&lt;210&gt; SEQ ID NO 296

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 296

attttcacaa aagcaagagc 20

&lt;210&gt; SEQ ID NO 297

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 297

ttgggaggat acaaacattc 20

&lt;210&gt; SEQ ID NO 298

&lt;211&gt; LENGTH: 180

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 298

aggggcattc tacaaaacac ccaaccggtc aaggtcgctg aggccaaagga gagattgggc 60

aaccgtcaca aaccagagaa gccgaggaga cctttcagcc aacgccatgt ggggtcctga 120

gcaggaccca ccggaagttg gtgcagctgc ctaaagaccg tcctggctga gaagaaacag 180

&lt;210&gt; SEQ ID NO 299

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 299

aaggagagat tgggcaac 18

---

-continued

---

<210> SEQ ID NO 300  
<211> LENGTH: 19  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 300

gtttcttctc agccaggac 19

<210> SEQ ID NO 301  
<211> LENGTH: 228  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 301

tggccctgac ctgccagagc tggtggcctc cagctggcgg gtaaaaccca cgcccttctc 60

agaacagggt tctcaacaca tgagacagaa cacaccagac ttccaagggg aacacctgga 120

tggagctggt taccagatc gttcaacacc gaggggcagc ggcttgaggg tctttccacg 180

aaggcttgga ttaacaagag gagcaarggt ctctccagga tgggccca 228

<210> SEQ ID NO 302  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 302

catgagacag aacacaccag 20

<210> SEQ ID NO 303  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 303

tcttgtaat ccaagccttc 20

<210> SEQ ID NO 304  
<211> LENGTH: 223  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 304

ccaccagtg tcacgtcacg gcccggcac gccatccacg gacctggat ggagcccagc 60

tgccctcagg agcgcagttt aactacaaag gagccctggc tgcccgcccc gccagacgc 120

actgacctgt tgctctctgt ggctgctgat ggcccatccc caaccactgg tgactcttcc 180

ctggggcccc aagctcagcc cctaaccccc tgttgctgga agt 223

<210> SEQ ID NO 305  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 305

cacggaccct ggatggag 18

<210> SEQ ID NO 306  
<211> LENGTH: 18  
<212> TYPE: DNA

---

-continued

---

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 306

cagggaagag tcaccagt 18

&lt;210&gt; SEQ ID NO 307

&lt;211&gt; LENGTH: 186

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 307

cagaggactg ggctgcgggg tcaggaatgg gcacacttcc taactgcagg acactctaag 60

ggctttggtc atgcacacgc agccaagaga aggtgtcgct gacacacagc cttccaggag 120

cggacttgga gacctcgcca aggaccagga cccccagca ctcacactcc cttaggcgct 180

gaagtc 186

&lt;210&gt; SEQ ID NO 308

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 308

actctaaggg ctttggcat 20

&lt;210&gt; SEQ ID NO 309

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 309

ctaagggagt gtgagtgtg 20

&lt;210&gt; SEQ ID NO 310

&lt;211&gt; LENGTH: 185

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 310

gaagaggaca acacggggct gtctgcagag cacctgccac gcgccaggct ctgtgtccac 60

aagcacggcg gctgtcccca catgacagag ctctgtcggc agctccagga ctgtctggtg 120

ccagagcccc agctctccgc cagccccagg ccaactgtgcg aggcctcag tgaagagggg 180

gccgt 185

&lt;210&gt; SEQ ID NO 311

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 311

cgccaggctc tgtgtcca 18

&lt;210&gt; SEQ ID NO 312

&lt;211&gt; LENGTH: 18

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 312

---

-continued

---

ggccccctct tcactgag 18

<210> SEQ ID NO 313  
<211> LENGTH: 173  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 313

tctaaataat gttaatgac aaatttagtc agatctcaat cttcatatgt tagttgcctt 60

cttaataaat attctgtttt ctttatcggt ctttatttgt atctccacct tcattttctga 120

ttaaattaag aagttttgtc tcttccattt aataattaat gtatttaata acc 173

<210> SEQ ID NO 314  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 314

tttagtcaga tctcaatctt ca 22

<210> SEQ ID NO 315  
<211> LENGTH: 173  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 315

aatggaagag acaaaaacttc tt 22

<210> SEQ ID NO 316  
<211> LENGTH: 194  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 316

cacactccac actggcccca cgcgggtggc gaaggactca gccagagcct ggcaggatcc 60

tgggggtgtct atttccaagg aatgttctgg aagaacata cacacatact tgtttgccag 120

atttacctgt gtggtcttcc agatgagaag cagcctgtgt cactccataa gggagagtgc 180

gtgcagcatt gaga 194

<210> SEQ ID NO 317  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 317

gaaggactca gccagagc 18

<210> SEQ ID NO 318  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 318

ctctccctta tggagtgcaca 20

<210> SEQ ID NO 319  
<211> LENGTH: 225  
<212> TYPE: DNA

---

-continued

---

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 319

aagaaactcc caaggaacgc attgtcccaa gttgctgcac cagtcagtgt acattccccc 60  
aaacagtgca tgagagttcc tgttgcttgt gaaataaatg gtcagcattc agtgttgta 120  
gcttttaaaa ttttctcctt tctagtgggc atgtaatggt ctcacattat agttttaatt 180  
tgcattttcc tgggtgacatg tgatacggaa ccttcctccc atgct 225

&lt;210&gt; SEQ ID NO 320

&lt;211&gt; LENGTH: 19

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 320

accagtcagt gtacattcc 19

&lt;210&gt; SEQ ID NO 321

&lt;211&gt; LENGTH: 19

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 321

ggaaaatgca aattaaaac 19

&lt;210&gt; SEQ ID NO 322

&lt;211&gt; LENGTH: 170

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 322

gtgcaattta attacaaacg cttaaatggg gaggtcaggg gcagagggat gatgtcacia 60  
acacacccac gtgtgcttgg tgcaaaacag taaaacaaac agcaagaagg tccatgaagg 120  
aaagatcgcc tctgtcagtg ggagtaatga gagtggctga tggacaggtg 170

&lt;210&gt; SEQ ID NO 323

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 323

cgcttaaatg gggaggtcag 20

&lt;210&gt; SEQ ID NO 324

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 324

cctgtccatc agccactctc 20

&lt;210&gt; SEQ ID NO 325

&lt;211&gt; LENGTH: 189

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 325

acgccaaagca ggagatgcc aacacagagt ccctcctgag agagtctgtt cctgtccaag 60

-continued

---

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| ctcagaaaca caggaagcca cctgtgctgt agcagcacac ggagatgcat cctttctggt | 120 |
| ccacccccacg gccctcattg cagtcaggga tcctctccca gaaagtcct gctgccagcc | 180 |
| cctgccctt                                                         | 189 |

<210> SEQ ID NO 326  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 326

|                       |    |
|-----------------------|----|
| agcaggagat gccagacaca | 20 |
|-----------------------|----|

<210> SEQ ID NO 327  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 327

|                       |    |
|-----------------------|----|
| ggtggaccag aaaggatgca | 20 |
|-----------------------|----|

<210> SEQ ID NO 328  
 <211> LENGTH: 170  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 328

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| catgagaaag actttgttcc catgagaaca acaagagaaa ctcaacaaa attaaaattg  | 60  |
| tacttttcta aaagaccggg gtgggggtcg tggtcaggca gcagcatgaa gaaagccttg | 120 |
| agaactgaat tccagaaaga aacaagcata ggcaagaaag agagatgaca            | 170 |

<210> SEQ ID NO 329  
 <211> LENGTH: 22  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 329

|                          |    |
|--------------------------|----|
| cccatgagaa caacaagaga aa | 22 |
|--------------------------|----|

<210> SEQ ID NO 330  
 <211> LENGTH: 20  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 330

|                       |    |
|-----------------------|----|
| ctctttcttg cctatgcttg | 20 |
|-----------------------|----|

<210> SEQ ID NO 331  
 <211> LENGTH: 167  
 <212> TYPE: DNA  
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 331

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| aagatttaga acagctgaag cagcgagaaa aaaccagca tgagtcagaa ctggagcaac  | 60  |
| tgaggattta ttttgaaaag aagttaaggg atgctgagaa aacttaccaa gaagacctaa | 120 |
| ccctgttaca gcagaggctg cagggggcga gggaagatgc tcttctg               | 167 |

<210> SEQ ID NO 332

-continued

---

```

<211> LENGTH: 21
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 332
cagctgaagc agcgagaaaa a                21

<210> SEQ ID NO 333
<211> LENGTH: 19
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 333
ccccgcagc ctctgctgt                19

<210> SEQ ID NO 334
<211> LENGTH: 174
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 334
gggaaactga cttggctttt gcaagggtea ttgcttcctg atgcatgttt aactgtcctg    60
tgttcacttt gttgccgcag gtttttagag gaacgtaaag agatcaccca gaaattcagt    120
gcggaacaag atgccttcct gcaggaggcc caggagcagc atgcccgtga gctg        174

<210> SEQ ID NO 335
<211> LENGTH: 22
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 335
gggaaactga cttggctttt gc                22

<210> SEQ ID NO 336
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 336
ggcatcttgt tccgcactga                20

<210> SEQ ID NO 337
<211> LENGTH: 175
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 337
ccctgcacac tgacctgcat gccctcgtea cctgcactct gcatgctcac catctgacgg    60
actcctgcga cgggcatggg aaggtcgccg ccgccggcag ccttgcgagc actttggatg    120
tgtgcacccg gcatgccagg cccgagtcaa cagactggcc gacettggcg tcctg        175

<210> SEQ ID NO 338
<211> LENGTH: 20
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 338
gccctcgtea cctgcactct                20

```

---

-continued

---

<210> SEQ ID NO 339  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 339

ccaaggtcgg ccagtctgtt 20

<210> SEQ ID NO 340  
<211> LENGTH: 155  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 340

tttattgctg agtgggtattc cattttatgg gtccattata gtttatttgt ccagacactt 60

catggaaaga catcagtgtt tcctgttttt caatcataaa ttgatgttta attttaaaat 120

tttggaattg tagaagaaat gcaattcttt tttcc 155

<210> SEQ ID NO 341  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 341

tgggtccatt atagtttatt tg 22

<210> SEQ ID NO 342  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 342

tgcatttctt ctacaattcc aa 22

<210> SEQ ID NO 343  
<211> LENGTH: 208  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 343

ctttggtgca gaatcatgct gcaggcaagg tgggccacc tcctggaat ttcaccccc 60

ccgtcagtta aaccatggt ggttttattt tctagggcac ctgatctggg aggaccacct 120

ccaagaaaag cagtcctatc gatgaacggt ctaagttatg gtgttatcag agtggatact 180

gaagaaaagt tgtcagtcct tactgttc 208

<210> SEQ ID NO 344  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 344

ggccacctc cctggaattt 20

<210> SEQ ID NO 345  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

---

-continued

---

&lt;400&gt; SEQUENCE: 345

tccactctga taacaccata ac 22

&lt;210&gt; SEQ ID NO 346

&lt;211&gt; LENGTH: 232

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 346

atcacctggt ttggtgcatc ctgcagaaa gagagccata cagtgaagtg gaaacacacc 60

caaaagctct gcaatattcc tagaagttct cgaatctcct ccttaacaga gctgcagaag 120

ggaacacag acaggaagca cctgtttgac tcagacagca gccctaatgc agtgccactc 180

aggagcattc cctcatttga agacccccca attacatgaa attatcaacc cc 232

&lt;210&gt; SEQ ID NO 347

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 347

acacccaaaa gctctgcaat 20

&lt;210&gt; SEQ ID NO 348

&lt;211&gt; LENGTH: 20

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 348

caaatgaggg aatgctcctg 20

&lt;210&gt; SEQ ID NO 349

&lt;211&gt; LENGTH: 240

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 349

ggaactgcag gagatccctg ctgccttcca gttcatggga tgatggcctc cacttctgcc 60

cctgtttgct tctcctttca aatcttacat gaaggtatac agtttgaaga agccagtttg 120

actccaatat ctgtgcaatg gaatactgct cattaaaaag gaattaaact attgatacac 180

acaacatggg tgaagatcaa actgtctcct tccctttgat tcaagggaat ctgagaaatg 240

&lt;210&gt; SEQ ID NO 350

&lt;211&gt; LENGTH: 19

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 350

acttctgccc ctgtttgct 19

&lt;210&gt; SEQ ID NO 351

&lt;211&gt; LENGTH: 21

&lt;212&gt; TYPE: DNA

&lt;213&gt; ORGANISM: Homo sapiens

&lt;400&gt; SEQUENCE: 351

tgatcttcac ccatgttgtg t 21

---

-continued

---

<210> SEQ ID NO 352  
<211> LENGTH: 187  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 352

```
tggagaaagt tgttgcaaac tgcccagaga ccctgggagt cactccagtt ttctgaaacc    60
cagatatattc agtgccctcag gagagacaag tcttgacctt ctctcctcca gctctcccag    120
gagataggca agcccctaac tccctaacta agcccttcag acctgaaatc cattgagtgg    180
cttctttt                                           187
```

<210> SEQ ID NO 353  
<211> LENGTH: 18  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 353

```
gcaaactgcc cagagacc                                           18
```

<210> SEQ ID NO 354  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 354

```
ttagggagtt aggggcttgc                                           20
```

<210> SEQ ID NO 355  
<211> LENGTH: 184  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 355

```
agggccatgg gatgatgcag gtggagactg gagtgctaca gctgcaagca aatacatttc    60
tgtgtgtgta agccaccat ttggtgttac tacgttaaaa cagctctagg aaattaatac    120
agatgttgcc tgtatttttg tttctcatat tactactcat tgttttaatg atgactgttt    180
tatt                                           184
```

<210> SEQ ID NO 356  
<211> LENGTH: 20  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 356

```
aggtggagac tggagtgcta                                           20
```

<210> SEQ ID NO 357  
<211> LENGTH: 22  
<212> TYPE: DNA  
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 357

```
agaaacaaaa atacaggcaa ca                                           22
```

---

What is claimed:

1. A method for determining whether a fetus has at least one genetic abnormality, said method comprising comparing at least three alleles, wherein said comparing identifies said at least one genetic abnormality.

2. A method according to claim 1, wherein said comparing comprises detecting the number of molecules of each of said at least three alleles.

3. A method according to claim 1, wherein said three alleles are alleles of a tandem single nucleotide polymorphism (SNP).

4. A method according to claim 2, wherein said comparing comprises calculating a haplotype ratio.

5. A method according to claim 1, wherein two of said at least three alleles are maternal alleles and one of said at least three alleles is a paternal allele that is not present in the maternal genome.

6. A method according to claim 5, wherein said comparing comprises determining the number of molecules of each of said at least three alleles in said sample, and wherein if the number of molecules of said two maternal alleles is equal, said fetus has at least one genetic abnormality.

7. A method according to claim 5, wherein said comparing comprises determining the number of molecules present in said sample for each of said at least three alleles, and wherein if the number of molecules of the three alleles is in the relationship of peak,  $x$  and peak+ $2x$ , the fetus has at least one genetic abnormality.

8. A method according to claim 5, wherein said comparing comprises determining the number of molecules present in said sample for each of said at least three alleles, and wherein if the number of molecules of the three alleles is in the relationship of peak,  $x$  and peak+ $x$ , the fetus does not have a genetic abnormality.

9. A method according to claim 1, wherein one of said at least three alleles is a paternally-inherited fetal allele.

10. A method according to claim 9, wherein said comparing comprises calculating an allelic ratio, and wherein said paternally-inherited fetal allele serves as an internal standard for said allelic ratio.

11. A method according to claim 1, wherein said at least three alleles comprise a member selected from:

a deletion, an insertion, a variant sequence, methylation, and any combination thereof.

\* \* \* \* \*