



US00D412875S

United States Patent [19]

Takizawa

[11] Patent Number: Des. 412,875

[45] Date of Patent: ** Aug. 17, 1999

[54] **BICYCLE SHOE HOLDING SECTION OF BICYCLE BRAKE ARM**

[75] Inventor: Shinichi Takizawa, Sakai, Japan

[73] Assignee: Shimano Inc., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 29/079,474

[22] Filed: Nov. 13, 1997

[51] LOC (6) Cl. 12-16

[52] U.S. Cl. D12/179

[58] Field of Search D12/179, 180; 188/24.11-24.14, 24.21; 74/502.4, 502.6

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 340,902 11/1993 Mele D12/179
D. 384,017 9/1997 Nishimura D12/179
D. 384,018 9/1997 Nishimura D12/179
4,470,483 9/1984 Holtz 188/24.11
5,538,107 7/1996 Lumpkin 188/24.21
5,564,531 10/1996 Lumpkin 188/24.12

FOREIGN PATENT DOCUMENTS

80522 9/1986 Taiwan .
316133 9/1997 Taiwan .

Primary Examiner—Pamela Burgess

Attorney, Agent, or Firm—Shinjyu Global IP Counselors, LLP

[57] **CLAIM**

The ornamental design for a bicycle shoe holding section of a bicycle brake arm, as shown and described.

DESCRIPTION

FIG. 1 is a rear inside perspective view of a bicycle shoe holding section of a right bicycle brake arm in accordance with my new design;

FIG. 2 is a rear elevational view of the bicycle shoe holding section of the bicycle brake arm illustrated in FIG. 1;

FIG. 3 is an inside elevational view of the bicycle shoe holding section of the bicycle brake arm illustrated in FIGS. 1 and 2;

FIG. 4 is an outside elevational view of the bicycle shoe holding section of the bicycle brake arm illustrated in FIGS. 1-3;

FIG. 5 is a top plan view of the bicycle shoe holding section of the bicycle brake arm illustrated in FIGS. 1-4;

FIG. 6 is a bottom elevational view of the bicycle shoe holding section of the bicycle brake arm illustrated in FIGS. 1-5;

FIG. 7 is a front elevational view of the bicycle shoe holding section of the bicycle brake arm illustrated in FIGS. 1-6;


FIG. 8 is a rear inside perspective view of a bicycle shoe holding section of a left bicycle brake arm which is identically shaped to the right bicycle shoe holding section of the right bicycle brake arm of FIGS. 1-7, except that this bicycle shoe holding section of a bicycle brake arm is a mirror image of the preceding embodiment of FIGS. 1-7;

FIG. 9 is a rear perspective view of a second embodiment of a bicycle shoe holding section of a bicycle brake arm, the undisclosed portions being the same as the first embodiment; and,

FIG. 10 is a rear elevational view of the modified bicycle shoe holding section of the bicycle brake arm illustrated in FIG. 9.

The broken lines which define the bounds of the claimed design form no part thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10