



US00D667699S

(12) **United States Design Patent**  
**Brockington et al.**

(10) **Patent No.:** **US D667,699 S**

(45) **Date of Patent:** **\*\* Sep. 25, 2012**

(54) **GREASE STORAGE CONTAINER**

(75) Inventors: **William T. Brockington**, Kernersville,  
NC (US); **Bruce A. Angel**, Stokesdale,  
NC (US); **Anthony D. Moore**,  
Summerfield, NC (US)

(73) Assignee: **Camco Manufacturing, Inc.**,  
Greensboro, NC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/374,767**

(22) Filed: **Oct. 3, 2011**

(51) **LOC (9) Cl.** ..... **07-07**

(52) **U.S. Cl.** ..... **D7/629**

(58) **Field of Classification Search** ..... D7/601,  
D7/602, 629, 630, 612-615, 538-542, 590;  
D9/414, 424-432; 220/780-806, 574-575,  
220/573.1, 326, 236, 4.21, 4.24, 288, 260

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |        |                  |        |
|-----------|-----|--------|------------------|--------|
| 4,044,912 | A   | 8/1977 | Nichols et al.   |        |
| D256,078  | S * | 7/1980 | Croyle et al.    | D7/629 |
| 5,322,196 | A   | 6/1994 | Burton           |        |
| 5,911,346 | A   | 6/1999 | Onken            |        |
| 6,394,313 | B1  | 5/2002 | Wesley           |        |
| D524,119  | S * | 7/2006 | Kim              | D7/629 |
| D610,412  | S * | 2/2010 | Matsumoto et al. | D7/629 |
| D653,913  | S * | 2/2012 | Stamper et al.   | D7/602 |

**OTHER PUBLICATIONS**

Ref. No. 1, FatTrapper, from the Always-Free-Shipping website  
(www.Always-Free-Shipping.com), Sep. 9, 2011, 1 Page.

Ref. No. 2, White Porcelain Grease Container with Lid, from the  
FoxRun website (www.Foxrunbrands.com), Sep. 9, 2011, 1 Page.

Ref. No. 3, Grease Storage Conatiner, from the King Arthur Flour  
website (www.KingarthurfLOUR.com), Sep. 9, 2011, 1 Page.

\* cited by examiner

*Primary Examiner* — Terry Wallace

(57) **CLAIM**

The ornamental design for a grease storage container, as  
shown and described.

**DESCRIPTION**


FIG. 1 is a front elevational view according to the invention  
and the rear elevational view being a mirror image thereof;  
FIG. 2 is a right elevational view according to the invention  
and the left elevational view being a mirror image thereof;  
FIG. 3 is a top plan view according to the invention;  
FIG. 4 is a bottom plan view according to the invention;  
FIG. 5 is a front, top right perspective view according to the  
invention;

FIG. 6 is a front, bottom right perspective view according to  
the invention;

FIG. 7 is a front, top right exploded perspective view accord-  
ing to the invention; and,

FIG. 8 is a rear, bottom right exploded perspective view  
according to the invention.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

FIG. 7




FIG. 8

