



US00D596100S

(12) **United States Design Patent**
Aroney

(10) **Patent No.:** **US D596,100 S**

(45) **Date of Patent:** **** Jul. 14, 2009**

(54) **WHEEL**

(76) Inventor: **Michael Aroney**, P.O. Box 267, New Buffalo, MI (US) 49117

(**) Term: **14 Years**

(21) Appl. No.: **29/304,625**

(22) Filed: **Mar. 5, 2008**

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.** **D12/211**

(58) **Field of Classification Search** D12/204-213;
301/37.101, 64.101, 65

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|----------|--------------|---------------|
| D214,620 S | 7/1969 | Barris | |
| D361,547 S | * 8/1995 | Weld | D12/211 |
| D417,427 S | 12/1999 | Brown | |
| D436,339 S | 1/2001 | Fitzgerald | |
| D449,267 S | 10/2001 | Fitzgerald | |
| D456,757 S | 5/2002 | Schroeder | |
| D457,849 S | 5/2002 | Kataoka | |
| D459,691 S | 7/2002 | Takechi | |
| D460,941 S | 7/2002 | Muzzarelli | |
| D461,155 S | 8/2002 | Takechi | |
| D465,758 S | 11/2002 | Plessing | |
| D467,857 S | 12/2002 | Chung | |
| D468,678 S | 1/2003 | Oh | |
| D471,500 S | 3/2003 | Kataoka | |
| D471,503 S | 3/2003 | Baumgartner | |
| D474,141 S | 5/2003 | Foose | |
| D475,962 S | 6/2003 | Chung | |
| D478,306 S | 8/2003 | Brown et al. | |
| D480,037 S | * 9/2003 | Takechi | D12/211 |
| D481,346 S | 10/2003 | Vian | |
| D481,347 S | 10/2003 | Kang | |

| | | |
|------------|---------|----------|
| D484,083 S | 12/2003 | Tai |
| D484,084 S | 12/2003 | Tai |
| D486,114 S | 2/2004 | Lai |
| D487,882 S | 3/2004 | Cahyono |
| D488,116 S | 4/2004 | Chung |
| D488,422 S | 4/2004 | Hartanto |
| D488,762 S | 4/2004 | Cahyono |

(Continued)

Primary Examiner—Elizabeth A Albert

Assistant Examiner—Kelley A Donnelly

(74) *Attorney, Agent, or Firm*—Garcia-Zamor IP Law; Ruy M. Garcia-Zamor

(57) **CLAIM**

I claim an ornamental design for a wheel, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wheel according to a first embodiment of my new design.

FIG. 2 is a front elevational view of the wheel of FIG. 1;

FIG. 3 is a left side elevational view of the wheel of FIG. 1; the right side elevational view of the wheel of FIG. 1 being a mirror image of FIG. 3;

FIG. 4 is a top plan view of the wheel of FIG. 1;

FIG. 5 is a bottom plan view of the wheel of FIG. 1;


FIG. 6 is a rear elevational view of the wheel of FIG. 1;

FIG. 7 is a perspective view of a wheel according to a second embodiment of my new design; and,

FIG. 8 is a front elevational view of the wheel of FIG. 7.

The broken lines showing portions of the rim in FIGS. 1-8 are for environmental purposes only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



US D596,100 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | |
|------------|---------|-----------------|--------------|---------|-----------------|---------|
| D488,763 S | 4/2004 | Takechi | D505,651 S | 5/2005 | Arellano et al. | |
| D490,040 S | 5/2004 | Foose | D506,429 S | 6/2005 | Arellano et al. | |
| D492,234 S | 6/2004 | Kataoka | D507,222 S | 7/2005 | Arellano et al. | |
| D492,240 S | 6/2004 | Suciu | D513,726 S | 1/2006 | Kamimura | |
| D493,406 S | 7/2004 | Kataoka | D527,699 S | 9/2006 | Kiesel | |
| D494,523 S | 8/2004 | Koenigsberg | D527,700 S * | 9/2006 | Guevara | D12/211 |
| D495,285 S | 8/2004 | Phillips | D531,953 S * | 11/2006 | Aoki | D12/211 |
| D497,133 S | 10/2004 | Cheng | D546,265 S * | 7/2007 | Young | D12/211 |
| D497,134 S | 10/2004 | Anerson et al. | D546,266 S * | 7/2007 | Young | D12/211 |
| D497,139 S | 10/2004 | Anderson et al. | D555,568 S * | 11/2007 | Hetrick | D12/211 |
| D499,060 S | 11/2004 | Cahyono | D583,292 S * | 12/2008 | Chung | D12/211 |
| D504,099 S | 4/2005 | Boyer | | | | |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8