
(No Model.)

## R. W. WALDROP. WINDOW BEAD.

No. 458,082.

Patented Aug. 18, 1891.



PhilipleMasi.

INVENTOR
R. W. Waldrop

BY DU Tuderon

Lis

ATTORNEY.

## United States Patent Office.

## RICHARD W. WALDROP, OF NORFOLK, VIRGINIA.

## WINDOW-BEAD.

SPECIFICATION forming part of Letters Patent No. 458,082, dated August 18, 1891.

Application filed February 28, 1891. Serial No. 383,196. (No model.)

To all whom it may concern:

Beit known that I, RICHARD W. WALDROP, a citizen of the United States, and a resident of Norfolk, in the county of Norfolk and State of Virginia, have invented certain new and useful Improvements in Anti-Rattler Window-Beads; and I do declare the following to be a full, clear, and exact description of the invention, such as will enable others skilled in the 10 art to which it appertains to make and use the same, reference being had to the accompanying drawings, and to letters of reference marked thereon, which form a part of this specification.

Figure 1 of the drawings is a vertical section of a window frame and sash, showing the application of the invention. Fig. 2 is an enlarged detail view, partly in section, showing the connection between the peg and 20 strip. Fig. 3 is a perspective view of the strips, partly sectioned horizontally.

This invention has relation to anti-rattling strips or beads for window-casings, and is designed to be applicable for dwellings, rail-25 way-cars, steamboats, or wherever such devices may be required; and it consists in the novel construction hereinafter described, and

pointed out in the claims.

In the accompanying drawings, illustrating 30 the invention, the letter A designates a beadstrip, which may be of plain or ornamental form, and designed to be attached in vertical position to the inner side frame of the easing, as shown in Fig. 1, said strips also having at 35 suitable intervals the perforations a.

B represents a second strip, provided on its inner face with the small pins or pegs b, which register with and work loosely in the perforations a, permitting their longitudinal play therein. These strips A and B are spaced a 40 therein. short distance apart by means of the springs C, interposed between them and loosely coiled around the pins or pegs b. This piece B is not connected to the easing, and is held in 45 such position that its outer edge b' will bear

against the inner face of the sash, being provided thereat with a smooth bearing-surface, and by means of the coiled springs C has a yielding elastic contact with said sash. Small keepers or guards D, struck from sheet-brass 50 or other suitable material, are secured to the strip B at suitable intervals and engage the strip A to prevent the displacement of the latter when the sash is raised or when it is removed.

It will be seen that this device, while not bearing sufficiently hard against the sash to prevent it being easily raised or lowered, will by its yielding contact therewith effectually prevent all rattle caused by the wind or by 60 the jar of machinery. It is adapted to take the place of the usual bead-strip for holding the sash in place, and may be made in neat and ornamental form, causing no scratching or injury to the sash, as is the trouble expe- 65 rienced in other devices for this purpose. The pressure of the bead against the sash may be regulated by means of the thumb-screws E.

Having thus described my invention, what I claim, and desire to secure by Letters Pat- 70

ent, is-

1. The anti-rattling device for windows, comprising the inner bead-strip A, the strip B, and the yielding connection between said strips, and the keepers secured to strip B and 75 engaging strip A to prevent the displacement of said strips, substantially as specified.

2. The combination, with the window-frame, of the perforated bead-strips secured thereto, the strip A, having pins working loosely in 80 said perforations, the springs interposed between said strips and coiled around said pins, and the keepers D, substantially as specified.

In testimony whereof I affix my signature in presence of two witnesses.

RICHARD W. WALDROP.

Witnesses:

L. HARMANSON, JAMES E. HEATH.