




- (51) International Patent Classification: Not classified
- (74) Agent: BRIENT, Scott, E.; Brient Globberman, LLC, 1175 Grimes Bridge Road, Suite 100, Roswell, GA 30075 (US).
- (21) International Application Number: PCT/US2014/023554
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.
- (22) International Filing Date: 11 March 2014 (11.03.2014)
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:

61/777,968	12 March 2013 (12.03.2013)	US
61/791,008	15 March 2013 (15.03.2013)	US
14/199,830	6 March 2014 (06.03.2014)	US
- (71) Applicant: UNITED PARCEL SERVICE OF AMERICA, INC. [US/US]; 55 Glenlake Parkway, NE, Atlanta, GA 30328 (US).
- (72) Inventors: LIEVENS, Daniel; Otterkant 48, B-9551 Ressegem (BE). DETHIER, Vincent; 7 Clos A J Seghers, B-1200 Brussels (BE). HENDERICKX, Peter; Van Der Meerschen 15, B-1150 Brussels (BE). PIRENNE, Luc; Avenue Calypso 21, B-1170 Brussels (BE). PAYRE, Denis; 9 rue Huysmans, F-75006 Paris (FR).

[Continued on next page]

(54) Title: SYSTEMS AND METHODS OF SUGGESTING ATTENDED DELIVERY/PICKUP LOCATIONS



(57) Abstract: A computer system for suggesting attended delivery/pickup locations to individuals (e.g., other than the individual's home and/or office) is disclosed. In various embodiments, the computer system receives location information associated with the individual (e.g., the individual's home, office, etc.) and the locations of various attended delivery/pickup locations (e.g., attended retail stores that have signed up to receive deliveries for individuals). The system determines which (if any) attended delivery/pickup locations are located near the location associated with the individual (e.g., near the individual's home) and which (if any) attended delivery/pickup locations are available to accept parcels for the user. The system then suggests attended delivery/pickup locations to the individual. In various embodiments, the system is configured to enable the user to select a default attended delivery/pickup location and/or an alternative attended delivery/pickup location.

FIG. 3



Declarations under Rule 4.17:

— *as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))*

Published:

— *without international search report and to be republished upon receipt of that report (Rule 48.2(g))*

SYSTEMS AND METHODS OF SUGGESTING ATTENDED DELIVERY/PICKUP LOCATIONS

CLAIM OF PRIORITY

5 This application claims the benefit of U.S. Provisional Patent Application No. 61/791,008, filed March 15, 2013, entitled, “Systems and Methods of Delivering Parcels Using Attended Delivery Locations,” and U.S. Provisional Patent Application No. 61/777,968, filed March 12, 2013, entitled “Systems and Methods of Delivering Parcels Using Attended Delivery Locations,” both of which are incorporated herein by reference in their entirety.

BACKGROUND

10 An increase in Internet commerce has led to an increase in the number of parcels delivered to individual homes. However, “home delivery” is not always convenient or practical for individuals or logistics companies. For example, in situations where a parcel is to be delivered to the residence of an individual who lives in a location with a high crime rate and/or in an urban
15 location, the parcel recipient or the logistics company handling the delivery may not feel comfortable having the parcel left at the recipient’s residence if the recipient (or other individual) is not home to receive the parcel. In such situations, if the logistics company is not able to deliver the parcel to an individual at the recipient’s residence, the logistics company may need to return on a later day to attempt to complete the delivery. This can add to the cost of completing the
20 delivery and delay the delivery of the parcel to its intended recipient.

 Various embodiments of the present systems and methods recognize and address the foregoing considerations, and others, of prior art systems and methods.

SUMMARY

 A computer system according to various embodiments is configured for: 1) receiving
25 location information associated with a first attended delivery/pickup location; 2) receiving location information associated with a user, wherein the location information includes at least one particular location associated with the user; 3) receiving a distance for determining one or more suitable attended delivery/pickup locations; 4) determining, at least partially based on the location information associated with the first attended delivery/pickup location, that the first attended
30 delivery/pickup location is located within the received distance; 5) displaying, to the user: a) an

indication of the at least one particular location associated with the user; and b) a location indication of the first attended delivery/pickup location; and 6) enabling the user to select the first attended delivery/pickup location as an available attended delivery/pickup location for receiving the delivery of one or more parcels associated with the user. In particular embodiments, the system is configured to display, on a digital map, both the indication of the at least one particular location associated with the user and the indication of the location of the first attended delivery/pickup location.

In particular embodiments, the system is adapted to designate the selected attended delivery/pickup location as a default attended delivery/pickup location. The system may be further configured for enabling the user to select an alternative attended delivery/pickup location, wherein the alternative attended delivery/pickup location is an attended delivery/pickup location where one or more parcels associated with the user may be delivered if the default delivery/pickup location selected by the user is unavailable to receive the one or more parcels. In some embodiments, the system may be configured for: 1) receiving availability information associated with the first attended delivery/pickup location, wherein the availability information includes information associated with when the first attended delivery/pickup location is available to receive the one or more parcels associated with the user; and 2) receiving delivery information associated with the one or more parcels associated with the user, wherein the delivery information associated with the delivery of the one or more parcels includes an estimated time of delivery of the one or more parcels. In one or more embodiments, the system is also configured for: 1) determining that the first attended delivery/pickup location is unavailable to receive the delivery of the one or more parcels associated with the user based at least in part on: i) the availability information associated with the first attended delivery/pickup location; and ii) the delivery information associated with the one or more parcels; and 2) at least partially based on determining that the first attended delivery/pickup location is unavailable to receive the delivery of the one or more parcels, facilitating delivery of the one or more parcels to the alternative attended delivery/pickup location.

It should be understood, in light of this disclosure, that the above steps may also be completed by, in various embodiments, a computer-implemented method, by at least one processor, and/or a non-transitory computer-readable medium storing computer readable instructions.

BRIEF DESCRIPTION OF THE DRAWINGS

Various embodiments of a system and method for suggesting attended delivery/pickup locations to individuals are described below. In the course of this description, reference will be made to the accompanying drawings, which are not necessarily drawn to scale, and wherein:

5 Fig. 1 is a block diagram of a logistics system in accordance with an embodiment of the present system;

Fig. 2 is a schematic diagram of a computer, such as the logistics server of Fig. 1, that is suitable for use in various embodiments;

10 Fig. 3 depicts a flowchart that generally illustrates various steps executed by a parcel delivery module that, for example, may be executed by the logistics server of Fig. 1;

Figs. 4A and 4B depict flowcharts that generally illustrate various steps executed by a delivery/pickup location suggestion module that, for example, may be executed by the logistics server of Fig. 1; and

15 Fig. 5 is a transportation diagram depicting exemplary transportation paths that may be taken by parcels that are delivered to attended delivery/pickup locations according to various embodiments.

DETAILED DESCRIPTION

Various embodiments now will be described more fully hereinafter with reference to the accompanying drawings. It should be understood that the invention may be embodied in many
20 different forms and should not be construed as limited to the embodiments set forth herein. Like numbers refer to like elements throughout.

Overview

Logistics networks, according to various embodiments, use attended pickup and delivery/pickup locations to facilitate: (1) the convenient delivery of parcels and other items to
25 individuals; and/or (2) the convenient pickup of parcels and other items from individuals who wish to send those items to others via a common carrier. In various embodiments, existing retail businesses may be used as suitable delivery/pickup locations. For example, a gas station, a convenience store, a flower shop, a magazine stand, a retail location associated with a common carrier, a kiosk at a mall, or a retail department store may enter into an agreement with a common
30 carrier to accept deliveries of parcels (and/or other items) that are to be picked up later, at a

convenient time, by the intended recipient of the parcels or other items. The retail location may also agree to serve as a drop-off point for parcels and/or other items that are to be delivered to another location by the carrier.

In certain embodiments, each attended delivery/pickup location is manned for at least some time during the week and is equipped with a computer system that is adapted to communicate both with: (1) one or more computer systems associated with the common carrier; (2) one or more computing devices associated with the sender of the parcel; and (3) one or more computing devices associated with the recipient of the parcel. An example of a suitable computer system is shown in Fig. 1 and is described in greater technical detail at the end of this document.

In particular embodiments, a computer at the attended delivery/pickup location (e.g., an “attended delivery/pickup location computer”) is adapted to send suitable messages regarding the status of parcels handled by the attended delivery/pickup location. For example, when the attended delivery/pickup location receives a parcel, the attended delivery/pickup location computer may automatically transmit an e-mail, text, or other message to: (1) the common carrier's computer system; (2) the recipient's computing device; and/or (3) the sender's computing device indicating that the parcel has been received by the attended delivery/pickup location and is ready to be picked up by the recipient. The message may also include other suitable information, such as the name and location of the attended delivery/pickup location, the days and hours of operation of the attended delivery/pickup location, and the deadline by which the individual must retrieve the parcel before, for example: (1) the item is returned to the sender; or (2) the recipient is charged for late pickup of the item.

The attended delivery/pickup location may also automatically transmit an e-mail, text, or other message to: (1) the common carrier's computer system; (2) the recipient's computing device; (3) the sender's computing device; and/or (4) any other suitable computer in response to any suitable event including, for example: (1) the parcel being picked up by the individual; (2) the parcel being returned to the carrier after a time period for retrieving the parcel has passed; (3) the parcel being transferred to another attended delivery/pickup location; or (4) any other suitable event.

In various embodiments, the system may be configured to facilitate the delivery of parcels directly to attended delivery/pickup locations from, for example, e-commerce retailers from which users may order items for delivery. For example, the system may be configured to allow a user

making purchases of items via the Internet to have those items delivered directly to attended delivery/pickup locations. In such embodiments, as well as in other embodiments, the system may be configured to present users with a selection of attended delivery/pickup locations for items that the user orders.

5 In particular embodiments, the system may be configured to present users with attended delivery/pickup location options based at least in part on any of the following: (1) a location of the user's home; (2) a location of the user's place of work; (3) any location specified by the user (e.g., such as a location that the user frequently visits); and/or (4) any other suitable metric for determining an appropriate selection of attended delivery/pickup locations to present to the user.

10 In various embodiments, the system may be configured to provide a selection of attended delivery/pickup locations that are: (1) within a particular distance of any of the locations described above; (2) open (e.g., are available for picking up parcels) at a time convenient to the user; (3) have certain hours of operation; and/or (4) any other factor that may be beneficial to the user or common carrier in dropping off or picking up parcels from attended delivery/pickup locations.

15 In various embodiments, the system is configured to confirm whether an attended delivery/pickup location has capacity to accept a parcel before directing (e.g., or redirecting) a parcel to the attended delivery/pickup location or before presenting the alternate location as a potential delivery/pickup location to a customer. This may include, for example, ensuring that there is enough physical space at the attended delivery/pickup location to accept the parcel or
20 suitable systems in place at the attended delivery/pickup location to accommodate any special handling instructions that the parcel containing the item may have (e.g., a requirement to store the parcel at a particular temperature). In such embodiments, the system may be further configured to substantially automatically (e.g., automatically) reserve space at the attended delivery/pickup location for the parcel to ensure that the attended delivery/pickup location will not lose capacity to
25 accept the parcel before the parcel arrives.

 The use of such attended delivery/pickup locations may have a variety of different advantages. First, in certain situations, the recipient of a parcel may not typically be home when parcels are commonly delivered. In such situations, it may be useful to have the parcels delivered to an attended location where an individual is available to accept and/or sign for a particular parcel
30 and maintain the parcel in a safe location until the recipient is available to pick up the parcel. As another example, an individual may prefer to have personal deliveries made close to, but not to,

their workplace so that they can retrieve the parcels when they are at work. Shipping items directly to attended delivery/pickup locations may also provide a cost savings to common carriers and other shipping and/or logistics companies by avoiding the need to deliver parcels and other items to the home addresses of individual parcel recipients. Rather, the common carriers can deliver parcels to several attended delivery/pickup locations that service a particular area where parcel recipients can go to collect their parcels.

Various additional implementations of attended delivery/pickup locations are described below, after a brief discussion of exemplary technical platforms and computer system architecture that may be used, for example, in implementing various aspects of this concept.

10 **Exemplary Technical Platforms**

As will be appreciated by one skilled in the relevant field, the present invention may be, for example, embodied as a computer system, a method, or a computer program product. Accordingly, various embodiments may take the form of an entirely hardware embodiment, an entirely software embodiment, or an embodiment combining software and hardware aspects. Furthermore, particular embodiments may take the form of a computer program product stored on a computer-readable storage medium having computer-readable instructions (e.g., software) embodied in the storage medium. Various embodiments may take the form of web-implemented computer software. Any suitable computer-readable storage medium may be utilized including, for example, hard disks, compact disks, DVDs, optical storage devices, and/or magnetic storage devices.

Various embodiments are described below with reference to block diagrams and flowchart illustrations of methods, apparatuses (e.g., systems), and computer program products. It should be understood that each block of the block diagrams and flowchart illustrations, and combinations of blocks in the block diagrams and flowchart illustrations, respectively, can be implemented by a computer executing computer program instructions. These computer program instructions may be loaded onto a general purpose computer, special purpose computer, or other programmable data processing apparatus to produce a machine, such that the instructions that execute on the computer or other programmable data processing apparatus create means for implementing the functions specified in the flowchart block or blocks.

These computer program instructions may also be stored in a computer-readable memory that can direct a computer or other programmable data processing apparatus to function in a particular manner such that the instructions stored in the computer-readable memory produce an article of manufacture that is configured for implementing the function specified in the flowchart block or blocks. The computer program instructions may also be loaded onto a computer or other programmable data processing apparatus to cause a series of operational steps to be performed on the computer or other programmable apparatus to produce a computer implemented process such that the instructions that execute on the computer or other programmable apparatus provide steps for implementing the functions specified in the flowchart block or blocks.

Accordingly, blocks of the block diagrams and flowchart illustrations support combinations of mechanisms for performing the specified functions, combinations of steps for performing the specified functions, and program instructions for performing the specified functions. It should also be understood that each block of the block diagrams and flowchart illustrations, and combinations of blocks in the block diagrams and flowchart illustrations, can be implemented by special purpose hardware-based computer systems that perform the specified functions or steps, or combinations of special purpose hardware and other hardware executing appropriate computer instructions.

Example System Architecture

Fig. 1 is a block diagram of a System **110** according to a particular embodiment. As may be understood from this figure, the System **110** includes one or more Computer Networks **115**, a Logistics Server **100**, a Database **140**, and one or more Computing Devices such as a Remote Computing Device **152** (e.g., such as a smart phone, a tablet computer, a wearable computing device, a laptop computer, etc.) and/or a Desktop Computer **154**. In particular embodiments, the one or more computer networks facilitate communication between the Logistics Server **100**, Database **140**, and one or more Computing Devices **152**, **154**.

The one or more Computer Networks **115** may include any of a variety of types of wired or wireless computer networks such as the Internet, a private intranet, a mesh network, a public switch telephone network (PSTN), or any other type of network (e.g., a network that uses Bluetooth or near field communications to facilitate communication between computers). The

communication link between the Logistics Server **100** and the Database **140** may be, for example, implemented via a Local Area Network (LAN) or via the Internet.

Fig. 2 illustrates a diagrammatic representation of a Computer Architecture **120** that can be used within the System **110**, for example, as a client computer (e.g., one of Client Computers **152**, **154** shown in Fig. 1), or as a server computer (e.g., Logistics Server **100** shown in Fig. 1). In particular embodiments, the Computer Architecture **120** may be suitable for use as a computer within the context of the System **110** that is configured to facilitate the delivery of parcels to attended delivery/pickup locations or facilitate the receipt and/or processing of parcels once they are delivered to the attended delivery/pickup locations.

In particular embodiments, the Computer **120** may be connected (e.g., networked) to other computers in a LAN, an intranet, an extranet, and/or the Internet. As noted above, the Computer **120** may operate in the capacity of a server, a client computer in a client-server network environment, and/or as a peer computer in a peer-to-peer (or distributed) network environment. The Computer **120** may be a desktop personal computer (PC), a tablet PC, a set-top box (STB), a Personal Digital Assistant (PDA), a cellular telephone, a web appliance, a server, a network router, a switch or bridge, or any other computer capable of executing a set of instructions (sequential or otherwise) that specify actions to be taken by that computer. Further, while only a single computer is illustrated, the term “computer” shall also be taken to include any collection of computers that individually or jointly execute a set (or multiple sets) of instructions to perform any one or more of the methodologies discussed herein.

An exemplary Computer **120** includes a Processor **202**, a Main Memory **204** (e.g., read-only memory (ROM), flash memory, dynamic random access memory (DRAM) such as synchronous DRAM (SDRAM) or Rambus DRAM (RDRAM), etc.), a Static Memory **206** (e.g., flash memory, static random access memory (SRAM), etc.), and a Data Storage Device **218**, which communicate with each other via a Bus **232**.

The Processor **202** represents one or more general-purpose processors such as a microprocessor, a central processing unit, or the like. More particularly, the Processor **202** may be a complex instruction set computing (CISC) microprocessor, reduced instruction set computing (RISC) microprocessor, very long instruction word (VLIW) microprocessor, or processor implementing other instruction sets, or processors implementing a combination of instruction sets. The Processor **202** may also be one or more special-purpose processors such as an application

specific integrated circuit (ASIC), a field programmable gate array (FPGA), a digital signal processor (DSP), network processor, or the like. The Processor **202** may be configured to execute Processing Logic **226** for performing various operations and steps discussed herein.

The Computer **120** may further include a Network Interface Device **208**. The Computer
5 **120** also may include a Video Display Unit **210** (e.g., a liquid crystal display (LCD) or a cathode ray tube (CRT)), an Alphanumeric Input Device **212** (e.g., a keyboard), a Cursor Control Device **214** (e.g., a mouse), and a Signal Generation Device **216** (e.g., a speaker).

The Data Storage Device **218** may include a Machine-Accessible Storage Medium **230**
10 (also known as a non-transitory computer-readable storage medium or a non-transitory computer-readable medium) on which is stored one or more sets of instructions (e.g., Software **222**) embodying any one or more of the methodologies or functions described herein. The Software **222** may also reside, completely or at least partially, within the Main Memory **204** and/or within the Processor **202** during execution thereof by the Computer **120** – the Main Memory **204** and the Processor **202** also constituting computer-accessible storage media. The Software **222** may further
15 be transmitted or received over a Network **115** via a Network Interface Device **208**.

The Software **222** may represent any number of program modules, including, but not limited to an operating system (not shown), a Parcel Delivery Module **300**, and a Delivery/Pickup Location Suggestion Module **400**. For simplicity and brevity, these modules are merely exemplary and may represent a number of program modules that control certain aspects of the operation of
20 the Computer **120**. The Parcel Delivery Module **300** and Delivery/Pickup Location Suggestion Module **400** is described in more detail below.

While the Machine-Accessible Storage Medium **230** is shown in an exemplary embodiment to be a single medium, the term "computer-accessible storage medium" should be understood to include a single medium or multiple media (e.g., a centralized or distributed
25 database, and/or associated caches and servers) that store the one or more sets of instructions. The term "computer-accessible storage medium" should also be understood to include any medium that is capable of storing, encoding or carrying a set of instructions for execution by the computer and that cause the computer to perform any one or more of the methodologies of the present invention. The term "computer-accessible storage medium" should accordingly be understood to
30 include, but not be limited to, solid-state memories, optical and magnetic media, etc.

Exemplary System Platform

Various embodiments of a system for delivering parcels to attended delivery/pickup locations may be implemented within the context of any suitable logistics service. For example, particular embodiments may be implemented within the context of any suitable logistics service offered by United Parcel Service, Inc. of Atlanta, GA. Various aspects of the system's functionality may be executed by certain system modules, including a Parcel Delivery Module **300**. This module is discussed in greater detail below.

Parcel Delivery Module

Figure 3 is a flow chart of operations performed by an exemplary Parcel Delivery Module **300**. In particular embodiments, the Parcel Delivery Module **300** may facilitate the delivery of parcels to an attended delivery/pickup location.

When executing the Parcel Delivery Module **300**, the system begins, at Step **310**, by displaying one or more attended delivery/pickup locations to a user. In various embodiments, these attended delivery/pickup locations include retail stores (e.g., including gas stations, grocery stores, and pharmacies), stand-alone kiosks, or any other suitable locations for receiving and holding parcels for pick up by recipients. In particular embodiments, attended delivery/pickup locations include attended delivery/pickup locations, but they may also include unattended delivery/pickup locations. In some embodiments, attended delivery/pickup locations may include locations (e.g., retail locations) other than the intended parcel recipient's home or business.

In various embodiments, the system may be configured to determine and display available attended delivery/pickup locations based on any suitable criteria. For example, the system may be adapted to: (1) allow a user to request that the system display all attended delivery/pickup locations within a predetermined radius of the user; and (2) in response to the request, displaying all attended delivery/pickup locations within the predetermined radius of the user. In another embodiment, the system may be adapted to: (1) determine a location that a user is frequently located (e.g., the user's home or workplace); and (2) displaying all attended delivery/pickup locations within the predetermined radius of the location.

In particular embodiments, the system may be adapted to allow a vendor or other entity to open one or more attended delivery/pickup locations for a particular customer or event. In other embodiments, the system may be adapted to allow a vendor (e.g., a particular retailer) to select a

subgroup of a group of available attended delivery/pickup locations that the vendor's products may be delivered to, and/or to exclude a subgroup of available delivery/pickup locations for delivery of the vendor's products. This feature may be particularly desirable for vendors who have a certain brand image that is inconsistent with the image of certain attended delivery/pickup locations (e.g.,
5 a high-end jewelry retailer may not wish to have their products picked up at a gas station, but may be happy to have their products picked up at a high-end department store).

The system continues, at Step **320**, by receiving a request from the user to deliver a parcel to a particular one of the one or more attended delivery/pickup locations (which may, for example, have no formal relationship to the user). In particular embodiments, the request may come from
10 the user after the user reviews a plurality of available attended delivery/pickup locations (see Step **310**, above) as part of a checkout process when the user purchases an item from an online retail store.

The system continues, at Step **330**, by facilitating the delivery of the parcel from an origin location to the attended delivery/pickup location. The origin location may include a home of the
15 parcel sender, a warehouse associated with an online retailer, a retail store, or any other suitable location. In various embodiments, the system may facilitate the delivery of the parcel via any suitable common carrier or other logistics provider, etc.

In various embodiments, a system for delivering parcels to attended delivery/pickup locations may comprise features in addition to the system described above. These additional
20 features are described more fully below.

A. Use of Attended Delivery/Pickup Locations within Brick-And-Mortar Stores

In various embodiments, an attended delivery/pickup location may be provided within a brick-and-mortar store, such as a department store, and used to facilitate the provision of adequate inventory to the store. The attended delivery/pickup location may be staffed by a third party (e.g.,
25 by an entity other than the brick-and-mortar store), or by the brick-and-mortar store itself.

In a particular embodiment, a separate attended delivery/pickup location is provided in each individual store within a network of department stores (or within a network of otherwise unaffiliated department stores or other stores). In various embodiments, the attended delivery/pickup locations are used to facilitate the transfer of items between the stores (or the
30 purchase of one or more items from the inventory of another, unrelated store). In a particular

example, a customer may visit a first department store location within a network of department stores (e.g., a brick and mortar “ABC Shoes” location in Marietta, GA), try on a particular pair of shoes in size 10.5, and determine that they actually need a size 11 in the shoes. If the Marietta location of ABC Shoes does not have the shoes in size 11, employees of the store may search
5 nearby ABC Shoes locations (and/or the inventory of other shoe stores) to determine whether a nearby store has the shoes in size 11. Upon determining that another store has the shoes in the desired size, an employee of the Marietta store may use their computer to issue a request to the identified store (e.g. an ABC Shoes store in Alpharetta, GA, or an XYZ store in Macon, GA.) to send a pair of appropriate size 11 shoes to the Marietta ABC Shoes location.

10 In response to receiving the request, an employee at the Alpharetta ABC Shoes location may bring a box containing a size 11 pair of the shoes to an attended delivery/pickup location within the Alpharetta ABC Shoes. Representatives of the attended delivery/pickup location then facilitate the delivery of the shoes from the Alpharetta ABC Shoes store to the Marietta ABC Shoes store. In particular embodiments, this may reduce the overall cost of transporting the shoes from
15 the first retail location to the second retail location because the carrier that services the attended delivery/pickup locations within the first and second retail locations may deliver items in bulk from the first location to the second location on a regular basis. The items may be, for example, transported together in a single container and/or transported directly from the first retail location to the second location, which may serve to reduce the per-item costs associated with transporting
20 the items.

In various embodiments, when a particular item sought by a customer shopping at a particular retail store is unavailable (e.g., such as the shoes in size 11 in the example described above), the customer may request to have the item sent to an attended delivery/pickup location other than the attended delivery/pickup location at the particular retail store. In the size 11 shoe
25 example above, the customer would be able to request to have the shoes sent to an attended delivery/pickup location other than the attended delivery/pickup location at the ABC Shoes in Marietta. The user may, for example, request to have the shoes delivered to an attended delivery/pickup location that is convenient to the user (e.g., such as an attended delivery/pickup location located near the customer’s home or office).

30 In-store attended delivery/pickup locations may also be used in restocking the store's inventory from one or more warehouses (or other stores in the store’s network of stores, which

may include stores that are otherwise unrelated to the store). In particular embodiments, a carrier associated with the attended delivery/pickup locations coordinates regular shipments (e.g., bulk shipments) from each particular warehouse to each particular department store location. In various embodiments, new inventory is received at the store by workers who are associated with the attended delivery/pickup locations. The workers then coordinate the transfer of the items to store employees for stocking.

In various embodiments, in-store attended delivery/pickup locations may also be used to facilitate the return of items purchased from a retail web site that is: (1) associated with the department store in which the attended delivery/pickup location is located; and/or (2) not associated with the department store in which the attended/delivery/pickup location is located. For example, in a particular embodiment, an in-store attended delivery/pickup location within a particular BIG DEALS department store may be set up to accept returns of items purchased from www.Big Deals.com. In such cases, if a user purchases an item from www.Big Deals.com and wishes to return it, they may simply bring the item to the in-store attended delivery/pickup location within their local Big Deals department store and receive a refund for the item. In particular embodiments, there is no shipping charge (or other charge) associated with returning the item.

As another example, an in-store attended delivery/pickup location within a particular “Big Deals” department store may be set up to accept returns of items purchased from a retail web site that is unrelated to Big Deals. For example, the in-store attended delivery/pickup location may be set up to accept returns of items purchased from a retail web site called www.bestbargain.com. In a particular embodiment, if the user purchases an item from www.bestbargain.com and wishes to return it, they may bring the item to the in-store attended delivery/pickup location within their local Big Deals department store and receive a refund for the item. In particular embodiments, there is no shipping charge (or other charge) associated with returning the item.

In various other embodiments, the attended delivery/pickup location, the logistics company shipping the returned item, and/or the retail web site to which an item is being returned may charge the customer for returning the item. In particular embodiments, the return charge may be shared among one or more of: (1) the attended delivery/pickup location; (2) the logistics company shipping the returned item; (3) and/or the retail web site to which the item is being returned. In other embodiments, the return charge less the cost of shipping the item back to the retail website is shared rather than the full return charge. In other embodiments, the return charge may be shared

among one or more of the attended delivery/pickup location, the logistics company shipping the returned item, and/or the retail web site to which an item the being returned in disproportionate quantities (e.g., 50% to the logistics company, 25% to the retail website, and 25% to the attended delivery/pickup location).

5 In particular embodiments, an in-store, attended delivery/pickup location within a particular brick-and-mortar store may be set up to: (1) receive items purchased at the store from users; and (2) ship the items to a location designated by the user (e.g., to the user's residential or business address, or to the address of another individual). In particular embodiments, the individual may: (1) not be charged for shipping the item; (2) be charged a discounted fee for
10 shipping the item; or (3) may be charged the full fee for shipping the item. In various embodiments, the charge associated with shipping the item may depend upon the cost of the items (e.g., the customer may receive free or discounted shipping of purchases above a pre-determined threshold cost). In other embodiments, individuals who are members of a particular shipping subscription service may receive free or discounted shipping of items purchased at the retail
15 location.

B. Customization of Networks of Attended Delivery/Pickup Locations

In various embodiments, the system may be adapted to allow users to define their own network of attended delivery/pickup locations. For example, a central logistics computer system (which a user may, for example, access via the Internet) may be configured to display respective
20 graphical representations of a plurality of attended delivery/pickup locations on a map of an area associated with a particular user (e.g., a map of an area in which the user's home or business is located). The system may allow the user to select one or more attended delivery/pickup locations displayed by the graphical user interface as the default delivery/pickup locations to which any parcels to be delivered to the user by a particular logistics provider are to be delivered. For
25 example, the user may select: (1) a first of the attended delivery/pickup locations as a primary attended delivery/pickup location that the logistics provider should deliver any of the user's parcels to, if the attended delivery/pickup location is available; and (2) one or more alternative attended delivery/pickup locations that the logistics provider should deliver any of the user's parcels to, if the primary attended delivery/pickup location is unavailable.

In various embodiments, if a particular delivery/pickup location becomes unavailable to accept deliveries during a particular period of time (e.g., the delivery/pickup location becomes full, or temporarily or permanently closes), the system may modify the graphical representation of the particular delivery/pickup location to indicate its unavailability. For example, the system may display one or more portions of the graphical representation of the particular delivery/pickup location in gray rather than black to indicate its current unavailability to accept packages.

Certain embodiments of the system and method described herein are described in further detail below. As shown in Figs. 4A and 4B, certain embodiments of the Delivery/Pickup Location Suggestion Module 400 are configured to gather and utilize data and provide delivery/pickup location suggestions (and enable a user to select delivery/pickup locations). The Delivery/Pickup Location Suggestion Module 400 may operate alone or in combination with the one or more other modules to perform the functions shown in Figs. 4A and 4B. It should be understood by one skilled in the art that certain embodiments of a Delivery/Pickup Location Suggestion Module 400 may perform the functions shown in Figs. 4A and 4B in an order other than the order shown in Figs. 4A and 4B. It should also be understood that various systems, when executing a Delivery/Pickup Location Suggestion Module 400 may omit particular functions or perform additional functions in performing the functions of the Delivery/Pickup Location Suggestion Module 400.

Exemplary Functionality of the Delivery/Pickup Location Suggestion Module

When executing the Delivery/Pickup Location Suggestion Module 400, the system begins, at Step 402, by receiving location information associated with an attended delivery/pickup location. In a particular embodiment, the attended delivery/pickup location is a business that primarily conducts business other than receiving parcels for users and is a location other than the user's home or office. In various embodiments, the delivery/pickup location may be, but is not limited to: 1) a retail store; 2) a gas station; 3) a grocery store; 4) a pharmacy; 5) a stand-alone kiosk; and/or 6) a retail store within a mall or shopping center. It should be understood, in light of this disclosure, that a delivery/pickup location, in one or more embodiments, may be one or more delivery/pickup locations.

The system may be configured to receive the location information associated with the delivery/pickup location from any suitable source. In various embodiments, the system is

configured to receive the location information from the delivery/pickup location itself (e.g., the delivery/pickup location sends the location information to the system). In a particular embodiment, the system is configured to receive the location information from one or more servers associated with the delivery/pickup location. In one or more embodiments, the system is
5 configured to receive the location information from a third party or third party servers.

The location information may include any suitable location information associated with the delivery/pickup location. In a preferred embodiment, the location information includes the location (e.g., the street address, the ZIP code, an intersection or cross street near the delivery/pickup location, the longitude and latitude, etc.) of the delivery/pickup location (or
10 locations).

At Step **404**, the system receives location information associated with a user, including at least one particular location associated with the user. The at least one particular location associated with the user may be any suitable location. In a particular embodiment, the particular location associated with the user is a home address associated with the user. In some embodiments, the
15 particular location is an office location or other address associated with the location in which the user works. According to one or more embodiments, the particular location associated with the user is an address associated with where a user is staying on vacation, where the user frequently visits, etc.

In various embodiments, the location information associated with the user is an address
20 associated with the user's current location. In a particular example, a geographic location of the user determined by a global positioning system (GPS) or similar system (e.g., on a user's smart phone or other client device).

The system may be configured to receive the location information associated with the user via any suitable mechanism. In various embodiments, the location information is provided by the
25 user (e.g., the user enters or indicates the location information on a webform that is received by the system). In a particular embodiment, the location information is transmitted to the system by a client device (e.g., via a suitable application programming interface) equipped with GPS capabilities that is associated with the user (e.g., the client device determines the user's location via GPS and transmits the user's location to the system).

At Step **406**, the system receives availability information associated with the
30 delivery/pickup location. The availability information may be any suitable information associated

with the availability of the delivery/pickup location. In various embodiments, the availability information includes information associated with when the delivery/pickup location will be available to receive parcels and/or when the delivery/pickup location will be open for users to pick-up their respective parcels. In a particular example, the availability information includes what
5 days and times the delivery/pickup location is regularly open as well as what special days (e.g., holidays, Sundays, etc.) the delivery/pickup location is closed.

In particular embodiments, the availability information includes information associated with the capacity of the delivery/pickup location. The capacity information may be associated with how much space (e.g., volume) the delivery/pickup location has dedicated for holding parcels
10 that are to be picked up by users. In various embodiments, the capacity information is updated on a regular basis (e.g., daily, hourly, weekly, etc.) to reflect the availability of the delivery/pickup location.

At Step **408**, the system receives a distance for determining a suitable delivery/pickup location for a delivery of one or more parcels associated with the user. In various embodiments, the system is configured to receive the distance from a webform filled out by the user. In some
15 embodiments, the user can choose an appropriate distance by typing in (e.g., manually entering) the desired distance by an input device into an appropriate webform. In a particular example, the user is given a choice of different distances extending outwardly from the user's location (e.g., at Step **404**). The user, in this example, selects the desired distance, and the distance is transmitted
20 to the system.

In various embodiments, the distance is a predetermined distance set by the system (e.g., the user does not set or select the distance). In a particular example, the predetermined distance is five miles. In this example, the user is not given a choice of distances to select, but the system substantially automatically (e.g., automatically) sets the distance.

At Step **410**, the system determines that at least one delivery/pickup location is located within the received distance. The system may be configured to determine that at least one delivery/pickup location is located within the received distance (e.g., as defined in Step **408**) in any suitable way. In various embodiments, the system is configured to determine that at least one delivery/pickup location is located within the received distance in any direction (e.g., the system
30 is configured to use the distance as a radius).

In various embodiments, the system may determine a zone in which one or more suitable delivery/pickup locations may be located based at least partially on the received distance. The system may be configured to determine the zone in any suitable way. The zone may take any suitable shape, including a rectangle, a circle, trapezoid, triangle, etc.

5 In various embodiments the system is configured to use the distance (e.g., from Step 408) and a simple algorithm representing the area of a circle (e.g., pi multiplied by the distance squared) to determine the zone (e.g., the system uses the distance as a radius). In a particular example, the system receives a distance of twenty-five miles (e.g., at Step 408). The system is then configured, in this example, to determine a zone equal to a circle defined by the distance of twenty-five miles
10 centered on the user's location (e.g., at Step 404).

In a particular embodiment, the system is configured to determine that at least one delivery/pickup location is located within the zone using the location information associated with the delivery/pickup location (e.g., at Step 402) and the determined zone (e.g., the system is configured to check and see if the location of the delivery/pickup location is within the defined
15 zone).

At Step 412, the system displays, to the user: 1) an indication of the at least one location associated with the user; and 2) a location indication of at least one delivery/pickup location (e.g., an indication of where the at least one delivery/pickup location is located). The system may be configured to display the above indications in any suitable way on any suitable client device. In
20 various embodiments, the system is configured to display the indications to a web browser on a client device associated with the user. According to one or more embodiments, the system is configured to display the indications via an application installed on a client device. In a particular embodiment, the system is configured to display the indications on a map (e.g., a map showing geographic locations) on an application or in a web browser associated with a client device
25 associated with a user.

In various embodiments, the indication associated with the delivery/pickup location may be of any suitable color. According to a particular embodiment, the delivery/pickup location, if available to receive one or more parcels from the user is displayed in a particular color (e.g., green). However, if the delivery/pickup location is unavailable, it may be displayed, in various
30 embodiments, differently, such as in a different color (e.g., gray).

At Step 414, the system recommends to the user at least one delivery/pickup location for the user to select for the delivery of one or more parcels. The system may be configured to recommend any delivery/pickup location for the delivery of one or more parcels. In various embodiments, the system is configured to recommend which (if any) of the one or more delivery/pickup locations within the delivery distance and/or zone are located closest to the location associated with the user (e.g., the system uses the distance from the particular location of the user to recommend at least one delivery/pickup location).

According to particular embodiments, the system is configured to use other information in recommending the delivery/pickup location to the user. In one or more of these embodiments, the system is configured to use survey information in recommending the delivery/pickup location to the user. In a particular example, when the user picks up a parcel at a particular delivery/pickup location, the user is presented with an electronic survey of their experience at the delivery/pickup location. If the user rates the experience highly (e.g., 9-10 out of a possible 10), the system invites the user to go onto a social media website, such as Facebook, to provide comments and/or other feedback. The system, in this example, may be configured to only recommend highly rated delivery/pickup locations to the user as the delivery/pickup location.

In various embodiments, the delivery/pickup location for the delivery of one or more parcels is a default delivery/pickup location. In these embodiments, the system recommends a default delivery/pickup location for the delivery of parcels associated with the user.

In various embodiments, the system may be configured to recommend an alternative delivery/pickup location for the user to select. In this embodiment, the system may recommend the alternative delivery/pickup location so the system may facilitate re-routing a parcel to the alternative delivery/pickup location. In such situations, the alternative delivery/pickup location may be identified based on, for example: 1) the distance of the alternative delivery/pickup location from the recommended default delivery/pickup location; 2) the distance of the alternative delivery/pickup location from the user's residence, place of business, and/or location indicated above; 3) the last delivery/pickup location used by the user; and/or 4) a previous preference expressed by the intended recipient of the parcel.

The system may be configured to recommend the delivery/pickup location for the user to select in any suitable way. In various embodiments, the system is configured to recommend the delivery/pickup location by displaying an indication representing the recommended

delivery/pickup location (e.g., the system indicates the default delivery/pickup location on the map as described in Step 412). In one or more embodiments, the system is configured to display the recommended delivery/pickup location (and/or the default delivery/pickup location and the alternative delivery/pickup location) in another way, such as in a list, in an email, in a social network message, etc.

At Step 416, the system enables the user to select at least one delivery/pickup location as the delivery/pickup location for the delivery of one or more parcels associated with the user. The system may be configured to enable the user to select the delivery/pickup location (and/or the default and alternative delivery/pickup locations as discussed above) in any suitable way. In various embodiments, the system is configured to display an indication of the delivery/pickup location associated with a user-selectable indicium so the user can select the delivery/pickup location by selecting the user-selectable indicium. In particular embodiments, the system is configured to enable the user to select the delivery/pickup location by typing (e.g., entering) the delivery/pickup location into a webform that is submitted to the system.

At Step 418, the system, at least partially in response to the user selecting the at least one delivery/pickup location as the delivery/pickup location for the delivery of one or more parcels associated with the user, facilitates delivery of a parcel associated with the user to the selected at least one delivery/pickup location. The system may be configured for facilitating the delivery of the parcel to the selected at least one delivery/pickup location in any suitable way.

C. Economic Models Associated with Holding Items for Pickup

In particular embodiments, the system may be configured for, in response to a parcel being delivered to a particular delivery/pickup location, generating an e-mail to the recipient of the parcel indicating a deadline by which the recipient must retrieve the parcel from the delivery/pickup location. In particular embodiments, the system saves this deadline to memory and, in response to the deadline passing without the system receiving an indication that the parcel has been picked up from the delivery/pickup location by the deadline, the system facilitates the return of the parcel from the delivery/pickup location to the parcel's sender. In various embodiments, the system facilitates the parcel's return by transmitting a message to an appropriate logistics server instructing a logistics provider to pick the parcel up from the delivery/pickup location and return the parcel to the parcel's sender.

In order to encourage customers to retrieve parcels before the stated deadline, the system may be adapted to provide one or more financial incentives for the parcel recipient retrieving the parcel by an early pickup deadline that is before the stated normal parcel pickup deadline. For example, the system may be adapted to provide the customer with a free or discounted future logistics service (or other financial incentive) in response to the user retrieving their parcel more than a day before the stated normal parcel pickup deadline. Similarly, the system may be adapted to allow users to extend the deadline by, for example, paying a fee to extend the deadline.

D. Method of Allowing Individuals to Coordinate Delivery of an Item to an Attended Delivery/Pickup Location via a Non-Participating Website

In particular embodiments, the system may be adapted to allow a user to facilitate the delivery of an item ordered on a retail website to a particular attended delivery/pickup location. In a particular embodiment, the system first provides the user with an address associated with a particular logistics provider, as well as a code (e.g., a unique code) associated with the user. When the user completes an order of an item on a retail website, the user enters the logistics-provider-designated address in the delivery address field on the retail website, along with the code associated with the user.

As a result, when the retailer sends the item to the user in a parcel, the retailer attaches a shipping label to the parcel that includes the logistics-provider-designated address and user code. The parcel is then shipped to the logistics-provider-designated address by any suitable logistics provider (which may or may not be the particular logistics provider referenced above). Once the particular logistics provider receives the parcel at the logistics-provider-designated address, the particular logistics provider reads the user code and uses the user code to retrieve delivery information associated with the user from a data store, such as a database. The delivery information may include, for example, the user's name, contact information (e.g., e-mail address, cell phone number, etc...), and the address of the user's preferred attended delivery/pickup location.

The logistics provider may then: (1) facilitate the delivery of the parcel to the user's preferred attended delivery/pickup location (or other suitable attended delivery/pickup location); and (2) use the user's contact information to contact the user and inform them that the parcel will be delivered to the attended delivery/pickup location and provide them with instructions for retrieving the parcel. In a particular embodiment, the logistics provider may facilitate the delivery

of the parcel to the user's preferred attended delivery/pickup location by relabeling the parcel with the user's name and address of the attended delivery/pickup location.

In alternative embodiments, the system may be adapted so that when the user completes an order of an item on the retail website, the user simply enters a code associated with the user and selects a particular logistics provider to handle delivery of the item to the user. In various
5 embodiments, the logistics provider uses the code to retrieve user and delivery information in the manner described above. The logistics provider then uses the user and delivery information to facilitate delivery of the item to the user.

E. Systems for Facilitating Proper Handling of Parcels at an Attended Delivery/Pickup Location

10

In various embodiments, the system may be adapted to remind individuals at each attended delivery/pickup location to enter information associated with parcels into the system as the parcels arrive at the attended delivery/pickup location. For example, the system may be adapted to display a reminder message at predetermined times during each work day that reminds users to use a bar
15 code scanner associated with the system to scan the labels of any parcels that arrive at the attended delivery/pickup location. In other embodiments, the system may be adapted to display such reminders around times that parcels are scheduled to arrive at the attended delivery/pickup location. This may help to assure that information regarding each parcel is promptly entered into the system.

In particular embodiments, the system may be adapted for receiving information regarding the scheduled closure of each attended delivery/pickup location (e.g., holiday closures or permanent closures). The system may further be configured for: (1) communicating this
20 information to users; (2) facilitating the rerouting of any parcels that are scheduled to be delivered to the attended delivery/pickup location while the attended delivery/pickup location is scheduled to be closed; and/or (3) removing the attended delivery/pickup location as an option for receiving deliveries while the attended delivery/pickup location is scheduled to be closed.

The system may also be adapted to employ various techniques for determining that a particular parcel has been delivered to a particular attended delivery/pickup location. For example, the system may be adapted to: (1) receive an indication that a particular parcel has been scanned
30 at drop off; (2) receive data regarding the location at which the parcel was scanned at drop off (e.g., using GPS functionality associated with a handheld device or other electronic device); (3)

compare the location with the geolocations of one or more attended delivery/pickup locations; and (4) in response to determining that the location at which the parcel was scanned at least generally corresponds to the geolocation of a particular attended delivery/pickup location, verify that the parcel has been delivered to the particular attended delivery/pickup location; and (5) save an indication to the system's memory indicating that the parcel has been delivered to the particular attended delivery/pickup location. In various embodiments, the system is further adapted to send confirmation (e.g., via e-mail, text message, etc.) to a recipient of the delivery of the particular parcel at least partially in response to verifying that the parcel has been delivered to the particular attended delivery/pickup location. In particular embodiments, the system is further adapted to send a request for confirmation of delivery to the attended delivery/pickup location and to receive such confirmation.

F. Systems for Facilitating Signature of Documents at Attended Delivery/Pickup Locations

In various embodiments, attended delivery/pickup locations may be configured to manage the signature of documents, such as contracts and other legal documents. In a particular embodiment, to facilitate the signature of a contract, a first individual may send the document to a particular attended delivery/pickup location to be signed by a second individual. The delivery of the document to the attended delivery/pickup location may be facilitated as outlined above, and – when the document arrives at the particular attended delivery/pickup location, the system may notify the second individual that the document has arrived and provide instructions for the second individual to come to the particular attended delivery/pickup location and sign the document.

The second individual may then travel to the particular attended delivery/pickup location and, after providing identification (e.g., in the form of an ID card or a code displayed on the individual's mobile computing device) to a representative of the attended delivery/pickup location, sign the contract. The representative may then verify, in any suitable manner that the contract has been signed by the correct individual. For example, the representative may notarize the document and/or enter information into a data store associated with the system confirming that the contract has been signed by the correct individual. The representative may also create an electronic copy of the document and save the signed document into the system's memory for later retrieval and/or electronic transmission to the first and second individuals. Finally, the system and/or

representative may coordinate the return of the original signed document to the first or second individual for their files.

In various embodiments, the document to be signed may include a unique bar code that is used to identify the document, track the document, and/or store the document in memory. In various embodiments, the unique barcode may be used to identify the document as well as the one or more signors of the document .

G. Provision of Value-Added Services at Attended Delivery/Pickup Locations

In particular embodiments, representatives at attended delivery/pickup locations may provide one or more value-added services on parcels and/or items at the attended delivery/pickup locations. This may occur, for example, as items and/or parcels are being returned for a refund, or simply shipped to another location. For example, the representatives may: (1) pack the items for shipping; (2) gift wrap the items; (3) facilitate the return of items to a retailer for a refund or exchange (see below); and/or (4) complete any other value-added service.

H. Use of Attended Delivery/Pickup Locations within Shopping Centers

A further use of attended delivery/pickup locations involves providing one or more attended delivery/pickup locations within a shopping center (e.g., a mall). In a particular embodiment the attended delivery/pickup locations are configured to: (1) receive items purchased at the shopping center from users; and (2) ship the items to a location designated by the user (e.g., to the user's residential or business address, to an attended delivery/pickup location close to the user's residential or business address, and/or to another address designated by the user). This may allow a user to purchase items at the shopping center and then facilitate transporting the purchased items to the user's home or another location without the hassle of leaving the shopping center with the items, transporting the items, etc...

I. Capacity Management Techniques

In particular embodiments, a computer system may be used to estimate the current and/or future capacity of the attended delivery/pickup locations to receive and store parcels. This may be done, for example, using a particular algorithm that assumes, for example, that any parcels will be of a certain average size and will be stored by the attended delivery/pickup locations for a certain period of time before being picked up by a parcel recipient.

In other embodiments, the system may use more precise methods for monitoring the current and/or future capacity of attended delivery/pickup locations to receive and store parcels. For example, the volume of storage space within each attended delivery/pickup location may be stored within the system, and the actual dimensions of each parcel may also be entered into the system when the parcel is received by a logistics company and/or the attended delivery/pickup location. The system may then use this information to: (1) calculate the total volume of parcels that are being stored, or that will be stored, at a particular attended delivery/pickup location at a particular time; and (2) estimate the available capacity of the attended delivery/pickup location to store additional parcels by comparing the calculated parcel volume with the volume of storage space at the attended delivery/pickup location.

In particular embodiments, the system is adapted to determine that an attended delivery/pickup location is unavailable to accept additional deliveries if the estimated volume or number of parcels stored at the attended delivery/pickup location (or to be stored at the attended delivery/pickup location) is within a particular predetermined percentage of the attended delivery/pickup location's capacity. For example, if the attended delivery/pickup location is determined to be at 95% maximum capacity, the system may determine that the attended delivery/pickup location is unavailable to accept additional deliveries. In such a case, the system may reroute parcels scheduled to be delivered to the attended delivery/pickup location to an alternative attended delivery/pickup location and/or show the attended delivery/pickup location as being currently unavailable.

In other embodiments, the system may use one or more of the following different factors to determine whether a particular attended delivery/pickup location has the capacity to accept a particular parcel. Such factors include, for example: (1) the weight of a parcel; (2) the dimensions of the parcel; (3) average latency of parcels at the attended delivery/pickup location; (4) one or more characteristics of the parcel's intended recipient (e.g., how quickly the intended recipient usually retrieves parcels from attended delivery/pickup locations); (5) typical characteristics of the clientele of the delivery/pickup location (e.g., how quickly the average customer of the attended delivery/pickup location retrieves parcels from the attended delivery/pickup location); (6) the cubic parcel storage capacity of the attended delivery/pickup location; (7) the density of the parcel and/or (7) the ability of the attended delivery/pickup location to extend its capacity to accept

parcels. The system may also take into account the amount of labor required to physically add the parcel to the current inventory of the attended delivery/pickup location.

J. Methods for Recommending Attended Delivery/Pickup Locations to Users

In various embodiments, the system may be adapted to recommend particular attended
5 delivery/pickup locations for the delivery of a particular parcel. In particular embodiments, the system may be adapted to automatically generate suitable recommendations based, at least in part, on: (1) the distance of the attended delivery/pickup location from a location specified by the user; (2) the estimated current or future capacity of the attended delivery/pickup location to accept deliveries; (3) trends in activity associated with the particular attended delivery/pickup location
10 (e.g., if an attended delivery/pickup location experiences an day-to-day increase in volume above a certain threshold, the system won't recommend the attended delivery/pickup location for a predetermined number of days); or (4) any other suitable factors. After the system recommends one or more particular delivery/pickup locations, the user may either select one of the recommended attended delivery/pickup locations to receive the delivery, or specify a non-
15 recommended attended delivery/pickup location to receive the delivery.

K. Methods for Handling a Parcel That Is Destined For an Attended Delivery/Pickup Location That Has No Additional Capacity

In some cases, a logistics system or other system may determine that a particular parcel is en route to a particular attended delivery/pickup location that has inadequate capacity to accept the
20 parcel. In such cases, the system may, for example: (1) block the delivery of the parcel to the particular attended delivery/pickup location, re-route the parcel to an alternative attended delivery/pickup location, and inform the intended parcel recipient of the change; (2) hold the parcel for a predetermined period of time, deliver the parcel to the particular attended delivery/pickup location at a later time, and inform the intended recipient of the scheduling change; (3) deliver the
25 parcel to the recipient's home or place of business; or (4) handle the situation in any other suitable manner. The system may determine which of the above approaches to take based at least in part, for example, on one or more user-specified preferences.

L. Methods for Determining Alternative Attended Delivery/Pickup Location

In various situations, such as the situation described immediately above, the system may re-route a parcel to an alternative attended delivery/pickup location. In such situations, the alternative attended delivery/pickup location may be identified based on, for example: (1) the distance of the alternative attended delivery/pickup location from the original, target attended delivery/pickup location; (2) the distance of the alternative attended delivery/pickup location from the customer's residence or place of business; (3) the last attended delivery/pickup location used by the customer; or (4) a previous preference expressed by the intended recipient of the parcel.

M. Methods for Allowing Customer to Reserve Space in an Attended Delivery/Pickup Location

In certain embodiments, the system may be adapted to allow users to reserve space for a particular parcel at a particular attended delivery/pickup location so that delivery to the particular attended delivery/pickup location (rather than an alternative location) is guaranteed. The system may or may not charge the parcel recipient for making such a reservation. In certain embodiments, the system provides such reservations free of charge to those subscribing to a paid premium logistics service.

In various embodiments, the system is adapted to allow users to reserve one or more spaces (e.g., a block of spaces) at an attended delivery/pickup location. In particular embodiments, the system is adapted to allow users to reserves the one or more spaces at a time before any parcels are scheduled for delivery for the user at the attended delivery/pickup location where the user reserved the one or more spaces. The user may, for example, reserve the one or more spaces on a particular day (e.g., or days) in the future. In various embodiments, the ability to reserve attended delivery/pickup spaces in advance may allow users to ensure that there will be space at the attended delivery/pickup location for a future order that the user is planning, or for a future shipment that he user anticipates receiving.

In particular embodiments, the users reserving the space may include individuals, customers, manufacturers, corporations, etc. For example, a company releasing a new product (e.g, Apple® releasing a new smartphone) may reserve one or more spaces at various attended delivery/pickup locations for the release date of the product. The company may then schedule shipment of the new product to each of the attended delivery/pickup locations in order to allow users to pick up the product ordered by the customer or purchase the product directly from the

attended delivery/pickup location on the release date. In this way, attended delivery/pickup locations may serve as temporary storefronts for companies who may, for example, wish to increase the availability of their product, or facilitate a more convenient purchase or pickup of the product by their customers.

5 **N. Methods for Facilitating the Return of Items Using an Attended Delivery/Pickup Location**

Attended delivery/pickup locations may be configured, in some embodiments, to facilitate the return of previously purchased items to a retailer for a refund or exchange. For example, in particular embodiments, a representative at an attended delivery/pickup location (and/or a
10 computer system associated with the attended delivery/pickup location) determines whether a particular item may be returned/exchanged and: (1) if the item may not be returned/exchanged, inform the individual attempting to return the item that the item may not be returned/exchanged; or (2) if the item may be returned/exchanged, facilitate the return/exchange of the item in accordance with terms specified by the retailer to which the item is to be returned. In a particular
15 embodiment, the system may be adapted to: (1) read a machine-readable indicia (e.g., a UPC code, a transaction code associated with the sale of the item to the individual attempting to exchange the item, or other suitable item identifier) associated with an item to be returned; and (2) use information derived from the machine-readable indicia to determine whether the item may be returned/exchanged. In particular embodiments, the derived information may include a deadline
20 for returning/exchanging the item. If an item is currently eligible to be returned or exchanged, the system may optionally determine when the user should receive either a refund for the item or a substitute item and provide this information to the user.

In a particular embodiment in which the user is returning an item to a retail website by dropping the item at an attended delivery/pickup location, the system may be configured to provide
25 a return label for placing on a parcel containing the item that the user is returning. In various embodiments, the return label may expire at the end of a particular return period (e.g., a period provided by the retail website in which the user (e.g., customer) may return items to the retail website in exchange for a full or partial refund). In particular embodiments, if the return label has not expired, the system may facilitate the shipment of the returned item from the attended
30 delivery/pickup location to the retail website (e.g., a warehouse, storage facility, or processing facility associated with the retail website) at no cost to the user. In various embodiments, the

system, in response to determining that the return label has expired, may facilitate the shipment of the returned item from the attended delivery/pickup location to the retail website (e.g., a warehouse, storage facility, or processing facility associated with the retail website) after charging the user a return fee. In other embodiments, if the return label has expired, the system may facilitate the shipment of the returned item from the attended delivery/pickup location to the retail website (e.g., a warehouse, storage facility, or processing facility associated with the retail website) at no cost to the user; the system may then be configured to notify the retail website that the return period for the returned item has expired, and the retail website may charge the user for the return (e.g., deduct the cost of shipping the returned item from any refund to which the user may be entitled).

In various embodiments, a computer system at each attended delivery/pickup location may be adapted to provide users with access to one or more checklists and/or questionnaires that may be used to make sure that all parts of a particular item are present before the item is returned to a retailer for a refund or exchange. This may save the retailer time and money associated with replacing sub-parts of returned items.

O. Methods for Facilitating the Pickup of Parcels or Other Items from an Attended Delivery/Pickup Location

Various techniques may be used to facilitate the pickup of parcels or other items from an attended delivery/pickup location. For example, a user may be provided with an electronic ID card or other device that may be used to quickly identify the individual and any parcels that are to be picked up by the individual at a particular attended delivery/pickup location. Similarly, the user may be provided with an application on the user's mobile computing device that facilitates identification of the user via near field communications, or one or more bar codes displayed on the screen of the mobile device. Such a bar code may alternatively be printed (e.g., as a voucher) and presented to a representative of an attended delivery/pickup location to facilitate quick identification and pickup of one or more parcels stored at the attended delivery/pickup location.

In various embodiments, the system may be adapted to facilitate the pickup of a parcel by an individual other than the intended recipient of the parcel by, for example, having the intended recipient transfer the electronic ID card (or a printed voucher generated by the system) to another individual. The other individual may then present the electronic or physical ID card or voucher to a representative at the attended delivery/pickup location to verify that the individual is authorized

to pick up the parcel on the intended recipient's behalf. After the representative uses the system to verify the authenticity of the electronic or physical ID card or voucher, the representative may transfer the parcel to the individual.

5 In various embodiments, the electronic ID card discussed above may be adapted so that it is only valid when the electronic ID card (or a device displaying the card) is located at a particular geographic location (e.g., at or near a particular GPS coordinate, or within a particular Bluetooth network, or close enough to a particular computing device to communicate with the device using near field communications).

10 In various embodiments, the system may be adapted to create an electronic token to verify that the user's computing device (and, therefore, presumably the user) was present at a location when a parcel was picked up. This may serve as evidence that the parcel was picked up by the intended recipient rather than another individual.

P. Methods for Facilitating the Immediate Sale and Delivery of Popular Items from an e-Commerce Site

15 In particular embodiments, an attended delivery/pickup location may stock one or more items that sell frequently on an e-commerce web site (e.g., bestselling books, DVD's, or CD's). In particular embodiments, when a user of the e-commerce web site indicates that they wish to purchase such an item, the system may search the inventory of one or more attended delivery/pickup locations that are geographically close to the user (as determined by the user's mobile device, from information provided by the user, etc...) to determine whether the attended delivery/pickup locations have the item in stock. If so, the system may inform the user that a nearby attended delivery/pickup location has the item in stock, and provide the user with the option of paying for the item online and then picking the item up (e.g., substantially immediately on the same day) from the nearby attended delivery/pickup location.

25 In such cases, after the user purchases the item on the e-commerce site, the system may generate a physical or electronic receipt that the user may use to retrieve the item from the identified attended delivery/pickup location. The system may also electronically notify the attended delivery/pickup location that the user has purchased the item and request that the item be set aside for the user.

30

Q. Methods and Systems for Training Employees of an Attended Delivery/Pickup Location

In particular embodiments, each attended delivery/pickup location may be provided with a client computer that may be switched between an active mode (in which the client computer is adapted to facilitate the pickup, delivery, and/or tracking of parcels), and a training mode (in which the client computer is adapted to train individuals how to use the system). In particular
5 embodiments, when the client computer is in the training mode, the computer simulates the operation of the computer when the computer is in active mode and provides instructions on how to properly operate the computer.

R. Methods and Systems for Conducting a Survey at an Attended Delivery/Pickup Location

10 In particular embodiments, when a user picks up a parcel at a particular attended delivery/pickup location, the user is presented with an electronic survey of their experience at the attended delivery/pickup location. If the user rates the experience highly (e.g., 9-10 out of a possible 10), the system invites the user to go onto a social media website, such as Facebook, to provide comments and/or other feedback. This may help to expand the number of positive
15 comments on the social media website.

S. Provision of Customized Web Site for Each Attended Delivery/Pickup Location

In various embodiments, the system is adapted to provide a customized website for each attended delivery/pickup location. The website may include a private portion that may only be accessed by individuals associated with the particular attended delivery/pickup location. This
20 private portion may display, for example, information regarding how much the attended delivery/pickup location has earned through delivery/pickup activities and other relevant information.

The website may also include a public portion that allows the particular attended delivery/pickup location to advertise special offers, such as offers for discounted merchandise. In
25 particular embodiments, particular offers may only if the user retrieves their one or more parcels from the attended delivery/pickup location before a particular location.

T. Methods for Enabling Users to Define Attended Delivery/Pickup Location Attributes

In particular embodiments, the system is adapted to allow users of the system to define and change various attributes associated with a particular attended delivery/pickup location. Particular
30 attributes which a user may define include, for example, the hours of operation of the attended

delivery/pickup location,. For example, a user may define hours of operation based at least in part on the hours of operation of the retail store at which the attended delivery/pickup location is located. In various embodiments, users may define hours of operation based on any other suitable factor and may change hours of operation for any suitable reason (e.g., based at least in part on or
5 due to staff availability to man the attended delivery/pickup location, based at least in part on holidays or holiday schedules, etc.).

In other embodiments, users may define which particular items may be delivered to and/or temporarily stored at the attended delivery/pickup location. For example, a user may define an attended delivery/pickup location such that the attended delivery/pickup location may only accept
10 a particular model of a new mobile computing device. In particular embodiments, the system may be configured to limit accepted items to allowed items by using one or more stock-keeping units (e.g., SKUs) associated with the allowed items. In other embodiments, the system may ensure that only allowed items are accepted by the attended delivery/pickup location using any other suitable technique (e.g., by scanning a barcode associated with an item when it is presented to the attended
15 delivery/pickup location, etc.)

In particular embodiments the system may be configured to allow a user to define any other attribute associated with the attended delivery/pickup location . In various embodiments, the system may be configured to receive a listing of one or more users who are authorized to define and/or change the various attributes associated with the attended delivery/pickup location.
20 Authorized users may include, for example, the owner of the attended delivery/pickup location, the owner of the retail store in which the attended delivery/pickup location is located, an authorized manager or employee of the attended delivery/pickup location or the retail store with which the attended delivery/pickup location is associated, an authorized representative of a logistics company associated with facilitating delivery and/or pickup of items to or from the attended
25 delivery/pickup location, etc.

U. Methods for Facilitating Substantially Anonymous Delivery to and Pickup from an Attended Delivery/Pickup Location

In particular embodiments, the system is adapted to enable a user to request delivery of one or more items to an attended delivery/pickup location substantially anonymously. As a particular
30 example, a user may order one or more items from an online retailer for delivery to a particular attended delivery/pickup location. In various embodiments, the system may enable the user to

complete a transaction with the online retailer for the item as a guest (e.g., without logging into an account associated with the user or the online retailer). The user may then request, as part of the transaction, that the one or more items be delivered to an attended delivery/pickup location. In particular embodiments, the system may be configured to facilitate delivery of the one or more items to the attended delivery/pickup location without associating a name or other identifying characteristic of the user with the one or more items.

The system may, in various embodiments, assign an alias to the user (e.g., such as a unique identifying string of characters, etc.) In other embodiments, the system may be configured to associate a confirmation number with the shipment of the one or more items. In various embodiments, the system may be adapted to require the user to present something other than a proof of identification of the user when the user goes to the attended delivery/pickup location to pick up the one or more items. For example, the system may require the user to present the confirmation number or alias in order to retrieve the one or more items, the system may require the user to show an e-mail, text message, or other suitable confirmation message confirming that the user placed the order for the one or more items, etc. In other embodiments, the system may be configured to require confirmation by a user picking up the one or more items from the attended delivery/pickup location that the user placed the order for the one or more items in any other suitable manner (e.g., a manner in which the user's anonymity is substantially maintained).

V. Systems for Determining Suitability of Locations as Attended Delivery/Pickup Locations

In various embodiments, the system is configured to determine a suitability of a particular location to serve as a location for an attended delivery/pickup location. In particular embodiments, the determination is based on, for example: (1) a number of returns that occur at the particular location (e.g., where the particular location is a retail location); (2) a number of complaints about the location (e.g., complaints from customers of a business at the location); (3) geographic and demographic data associated with the particular location; (4) third party commercially available data (e.g., a volume of sales at a business associated with the particular location, an average number of customers that patronize a business associated with the particular location, etc.); and (5) any other suitable factor.

In particular embodiments, determination of suitability for a location as an attended delivery/pickup location is determined using any suitable technique used by retailers or other

businesses when selecting a suitable location to open a particular business. In other embodiments, the determination is based at least in part on logistics data (e.g., based at least in part on particular shipping routes utilized by logistics companies, etc.). In other embodiments, the determination may be based on any suitable combination of the factors discussed above, or any other factors.

5 **W. Flexible Activation of Alternative Delivery/Pickup Locations**

In various embodiments, the system is adapted to allow a user to quickly activate and/or deactivate one or more attended delivery/pickup locations, and/or to create one or more time-limited attended delivery/pickup locations (e.g., alternative delivery/pickup locations that are set to exist for only a pre-determined amount of time). In a particular embodiment, the system is adapted to allow a user to set up a particular attended delivery/pickup location by: (1) specifying the attended delivery/pickup location; (2) specifying a start time for the attended delivery/pickup location to be in existence; and (3) specifying an end time for the attended delivery/pickup location to be in existence. In various embodiments, the start time is selected to occur at about the beginning of a particular event (e.g., a particular concert, party, sporting event, or other event), and the end time is selected to occur at about the end of the particular event. In particular embodiments, the event may be staffed by one or more individuals associated with the particular event.

15 **X. Regularly Scheduled Pickups**

In various embodiments, the system is adapted to coordinate pickups, on a regular basis (e.g., daily, weekly, etc...) from a particular location. Such pickups may be made by one or more logistics providers that service attended delivery/pickup locations. This service may be implemented for a fee, or for no charge.

In particular embodiments, the system may be adapted to allow individuals to issue a real-time pickup request to have a parcel picked up at a particular location. In particular embodiments, the system may be adapted to automatically select a common carrier from a plurality of common carriers to handle the requested parcel pickup. The system may do this, for example, by: (1) informing a plurality of common carriers of the request; (2) accepting one or more respective bid prices from each of the plurality of common carriers for which the respective common carriers would be willing to handle the requested parcel pickup; (3) based, at least in part, on the respective bid prices, selecting a particular one of the plurality of common carriers to handle the request; and

(4) in response to selecting the particular common carrier, facilitating the pickup of the parcel by the particular common carrier.

Y. Automatic Tariff Changes

In various embodiments, the system is adapted to calculate the amount that a particular individual will pay in parcel shipping charges in a way that is customized for the situation at hand. For example, the shipping charge associated with shipping a parcel from a particular on-line retailer to an individual may be based, at least in part, on: (1) the current availability and/or capacity of an attended delivery/pickup location to which the parcel is to be delivered; (2) the frequency of the individual's purchasing and/or shipment activity (e.g., frequent purchasers and/or shippers may receive a discount); (3) the carrier handling the delivery; (4) loyalty to a particular attended delivery/pickup location; (5) loyalty to the carrier handling the delivery; and/or (6) total frequency of shipments to the attended delivery/pickup location on the individual's behalf. In particular embodiments, the system may be customizable by any suitable party (e.g., the owner of an attended delivery/pickup location) or any combination of suitable parties to calculate customized shipping rates based on any combination of any suitable factors, such as the factors listed above.

Z. Exemplary Delivery Configurations

In particular embodiments, the system may be adapted to facilitate the delivery of one or more parcels between various different types of locations. For example, the system may be adapted to facilitate the delivery of one or more parcels from: (1) an attended delivery/pickup location to an individual's home; (2) an attended delivery/pickup location to another attended delivery/pickup location; (3) an individual's home to an attended delivery/pickup location; and (4) a first individual's home to a second individual's home.

Illustrative Example of Delivery to a Suggested Delivery/pickup location

Fig. 4 depicts an exemplary transportation diagram that generally illustrates the delivery of a parcel **500** directly to an attended delivery/pickup location **512, 514, 516**. As may be understood from this figure, parcel recipients may elect to have parcels delivered directly to attended delivery/pickup locations **512, 514, 516** rather than to other locations that are more closely associated with the parcel recipient (e.g., the parcel recipient's home or workplace). In various embodiments, a system for coordinating the delivery of parcels to attended delivery/pickup

locations may provide each potential parcel recipient with a selection of attended delivery/pickup locations from which the parcel recipient may select one or more attended delivery/pickup locations to have their inbound parcels delivered to. For example, the system may present the user with a plurality of attended delivery/pickup locations (e.g., such as delivery/pickup locations **512**, **514**, **516**). These attended delivery/pickup locations may include attended delivery/pickup locations that are located near (e.g., within a particular distance of) one or more locations such as the parcel recipient's home, the parcel recipient's place of work, or any other location that is closely associated with the parcel recipient.

For example, a particular attended delivery/pickup location **512** may be a gas station located half a mile from the user's workplace **513**. Another attended delivery/pickup location **514** may be a grocery store three blocks from the user's apartment **515**. Yet another attended delivery/pickup location **516** may include a flower shop next door to a gymnasium **517** of which the user is a member. As may be understood from Fig. 5, a common carrier (e.g., or other logistics company) may deliver parcels directly to such attended delivery/pickup locations rather than to the locations that are more closely associated with the parcel recipient **513**, **515**, **517**.

As noted above, delivering to attended delivery/pickup locations rather than particular addresses (e.g., such as home addresses) more closely associated with particular parcel recipient may be beneficial for common carriers in that it may reduce the total number of addresses that the common carrier may need to deliver parcels to in a particular day. This process may also be advantageous to parcel recipients because it may assure that their parcel is delivered to a convenient, attended location. This may, for example, eliminate the risk associated with having the common carrier leave the parcel outside the parcel recipient's home, or with having the parcel misplaced or improperly routed within the parcel recipient's workplace. In particular embodiments, the system is configured to deliver a parcel to whichever attended delivery/pickup location (e.g., attended delivery/pickup location **512**, **514**, or **516**) the user selects.

Conclusion

Many modifications and other embodiments of the invention will come to mind to one skilled in the art to which this invention pertains having the benefit of the teachings presented in the foregoing descriptions and the associated drawings. While examples discussed above cover the use of the invention in the context of attended delivery/pickup locations (e.g., attended retail delivery/pickup locations), the invention may be used in any other suitable context, such as within the context of: 1) unattended delivery/pickup locations; 2) attended delivery-only locations; 3) attended pickup-only locations; 4) unattended delivery-only locations; and 5) unattended pickup-only locations (e.g., lockers). Therefore, it is to be understood that the invention is not to be limited to the specific embodiments disclosed and that modifications and other embodiments are intended to be included within the scope of the appended claims. Although specific terms are employed herein, they are used in a generic and descriptive sense only and not for the purposes of limitation.

CLAIMS

What is claimed is:

1. A computer system comprising:

at least one processor, wherein the computer system is configured for:

5 (A) receiving location information associated with a first attended delivery/pickup location;

(B) receiving location information associated with a user, the location information comprising at least one particular location associated with the user;

10 (C) receiving a specified distance for determining one or more suitable attended delivery/pickup locations for a delivery of one or more parcels associated with the user;

(E) determining, at least partially based on the location information associated with the first attended delivery/pickup location, that the first attended delivery/pickup location is located about within the specified distance of the at least one particular location associated with the user;

(F) displaying, to the user:

15 i) an indication of the at least one particular location associated with the user; and

ii) an indication of a location of the first attended delivery/pickup location;

(G) recommending that the user select the first attended delivery/pickup location as a particular attended delivery/pickup location for the delivery of the one or more parcels associated with the user at least partially based on:

20 i) the location information associated with the first attended delivery/pickup location; and

ii) the location information associated with the user; and

25 (H) enabling the user to select the first attended delivery/pickup location as the particular attended delivery/pickup location for receiving the delivery of one or more parcels associated with the user; and

(I) at least partially in response to the user selecting the first attended delivery/pickup location as the particular location for receiving the delivery of one or more parcels, facilitating the delivery of at least one parcel to the first attended delivery/pickup location.

30

2. The computer system of Claim 1, wherein:

(A) the first attended delivery/pickup location selected by the user is a default attended delivery/pickup location; and

(B) the default attended delivery/pickup location comprises a particular attended
5 delivery/pickup location where the system is configured to substantially automatically route at least one parcel associated with the user.

3. The computer system of Claim 1, wherein the computer system is further configured for:

(A) receiving availability information associated with the first attended delivery/pickup
10 location, wherein the availability information comprises information indicating when the first attended delivery/pickup location is available to receive the one or more parcels associated with the user; and

(B) receiving delivery information associated with the one or more parcels associated
15 with the user, wherein the delivery information associated with the delivery of the one or more parcels comprises an estimated time of delivery of the one or more parcels.

4. The computer system of Claim 3, wherein recommending that the user select the first attended
delivery/pickup location as the particular attended delivery/pickup location is further at least
partially based on determining that the first attended delivery/pickup location is available to
20 receive the delivery of the one or more parcels associated with the user based at least in part on:

(A) the availability information associated with the first attended delivery/pickup
location; and

(B) the delivery information associated with the one or more parcels.

25 5. The computer system of Claim 4, wherein the availability information further comprises
availability information indicating when the first attended delivery/pickup location will be closed
for one or more holidays.

6. The computer system of Claim 4, wherein the received availability information further comprises availability information associated with a capacity level of the first attended delivery/pickup location, wherein the capacity level is based at least in part on a predetermined volume for storing at least one parcel.

5

7. The computer system of Claim 1, wherein:

(A) the location information associated with the first attended delivery/pickup location comprises at least one location associated with the first attended delivery/pickup location;

(B) the computer system is further configured for determining an approximate distance
10 between the at least one location associated with the first attended delivery/pickup location and the at least one particular location associated with the user; and

(C) recommending the attended delivery/pickup location to the user comprises recommending that the user select the first attended delivery/pickup location as the particular attended delivery/pickup location based at least in part on determining the approximate distance
15 between the at least one location associated with the first attended delivery/pickup location and the at least one location associated with the user.

8. The computer system of Claim 7, wherein:

(A) the computer system is further configured for receiving survey information
20 associated with the first attended delivery/pickup location; and

(B) recommending the user select the first attended delivery/pickup location as the particular attended delivery/pickup location is further based at least in part on the survey information associated with the first attended delivery/pickup location.

25 9. The computer system of Claim 8, wherein the survey information associated with the first attended delivery/pickup location comprises at least one rating of the first attended delivery/pickup location, wherein the rating is from one or more customers of the first attended delivery/pickup location.

30

10. The computer system of Claim 1, wherein the computer system is further configured for:

(A) receiving location information associated with a second attended delivery/pickup location;

(B) determining, at least partially based on the location information associated with the second attended delivery/pickup location, that the second attended delivery/pickup location is located about within the received distance;

(C) displaying, to the user, an indication of the second attended delivery/pickup location; and

(D) enabling the user to select the second attended delivery/pickup location as the particular attended delivery/pickup location.

11. The computer system of Claim 10, wherein the computer system is further configured for enabling the user to select an alternative attended delivery/pickup location, wherein the

alternative attended delivery/pickup location is a location where one or more parcels associated with the user may be delivered if the particular attended delivery/pickup location selected by the user is unavailable to receive the one or more parcels.

12. The computer system of Claim 11, wherein the computer system is further configured for recommending that the user select the second attended delivery/pickup location as the alternate

attended delivery/pickup location.

13. The computer system of Claim 12, wherein:

(A) the particular attended delivery/pickup location selected by the user is the first attended delivery/pickup location; and

(B) the alternative attended delivery/pickup location selected by the user is the second attended delivery/pickup location.

14. The computer system of Claim 11, wherein the computer system is further configured for:

(A) receiving availability information associated with the second attended delivery/pickup location, wherein the availability information comprises information associated with when the second attended delivery/pickup location is not available to receive the one or more parcels associated with the user; and

(B) receiving delivery information associated with the one or more parcels associated with the user, wherein the delivery information associated with the delivery of the one or more parcels comprises an estimated time of delivery of the one or more parcels.

15. The computer system of Claim 14, wherein the computer system is further configured for:

(A) determining whether the second attended delivery/pickup location is unavailable to receive the delivery of the one or more parcels associated with the user based at least in part on:

i) the availability information associated with the second attended delivery/pickup location; and

ii) the delivery information associated with the one or more parcels; and

(B) in response to determining that the second attended delivery/pickup location is unavailable to receive the delivery of the one or more parcels:

i) displaying an indication of the unavailability of the second attended delivery/pickup location; and

ii) recommending that the user select a third attended delivery/pickup location as the alternate attended delivery/pickup location.

16. The computer system of Claim 15, wherein displaying the indication of the unavailability of the second attended delivery/pickup location comprises changing the way in which the location indication of the second attended delivery/pickup location is displayed to the user.

17. The computer system of Claim 16, wherein:

(A) the location indication of the second attended delivery/pickup location comprises an indication that is a particular color; and

5 (B) changing how the location indication of the second attended delivery/pickup location is displayed to the user comprises changing the particular color of the location indication of the second attended delivery/pickup location.

18. The computer system of Claim 17, wherein changing the color of the location indication of the second attended delivery/pickup location comprises changing the particular color of the
10 location indication of the second attended delivery/pickup location to gray.

19. The computer system of Claim 15, wherein the received availability information comprises availability information indicating when the second attended delivery/pickup location will be closed for one or more holidays.

15 20. The computer system of Claim 15, wherein the received availability information comprises availability information associated with a capacity level of the second attended delivery/pickup location, wherein the capacity level of the second attended delivery/pickup location is based at least in part on a predetermined volume for storing at least one parcel.

20

21. A computer-implemented method comprising:

(A) receiving, by at least one processor, location information associated with a first attended delivery/pickup location;

(B) receiving, by at least one processor, location information associated with a user,
5 wherein the location information associated with the user comprises at least one location associated with the user;

(C) receiving, by at least one processor, a distance for determining that one or more attended delivery/pickup locations are located near the user;

(D) receiving, by at least one processor, availability information associated with the first
10 attended delivery/pickup location, wherein the availability information comprises information associated with when the first attended delivery/pickup location will not be available to accept deliveries for the user; and

(E) determining, by at least one processor, a zone for locating one or more attended delivery/pickup locations near the user based at least partially on:

15 i) the location information associated with the user; and
ii) the received distance;

(F) determining at least partially based on the location information associated with the first attended delivery/pickup location, that the first attended delivery/pickup location is located within the zone for locating one or more attended delivery/pickup locations near the user;

20 (G) determining that the first attended delivery/pickup location is available to receive a delivery of a particular one or more parcels associated with the user based at least in part on the availability information associated with the first attended delivery/pickup location;

(H) suggesting the user select the first attended delivery/pickup location as a default attended delivery/pickup location based at least partially based on:

25 i) determining that the first attended delivery/pickup location is located within the zone; and

ii) determining that the first attended delivery/pickup location is available to receive the delivery of the particular one or more parcels associated with the user;

(I) displaying, to the user:

30 i) an indication of the at least one location associated with the user;

ii) a location indication of the first attended delivery/pickup location within the zone; and

(J) enabling the user to select the first attended delivery/pickup location as the default attended delivery/pickup location for the delivery of the one or more parcels associated with the user.

22. The computer-implemented method of Claim 21, wherein the computer-implemented method further comprising:

(A) receiving, by at least one processor, location information associated with a second attended delivery/pickup location;

(B) receiving, by at least one processor, availability information associated with the second attended delivery/pickup location, wherein the availability information comprises information associated with when the second attended delivery/pickup location will not be available to accept deliveries for the user;

(C) determining, by at least one processor, at least partially based on the location information associated with the second attended delivery/pickup location, that the second attended delivery/pickup location is located within the zone for locating one or more attended delivery/pickup locations near the user;

(D) displaying, by at least one processor, to the user, an indication of the second attended delivery/pickup location within the zone for locating one or more attended delivery/pickup locations near the user; and

(E) enabling the user to select the second attended delivery/pickup location as the default attended delivery/pickup location.

23. The computer-implemented method of Claim 22, wherein the computer-implemented method further comprising enabling the user to select an alternative attended delivery/pickup location, wherein the alternative attended delivery/pickup location is a location where the one or more parcels associated with the user may be delivered if the default attended delivery/pickup location selected by the user is unavailable to receive the one or more parcels.

24. The computer-implemented method of Claim 21, wherein the computer-implemented method further comprising:

(A) receiving, by at least one processor, delivery information associated with a particular one or more parcels associated with the user, wherein the delivery information associated with the delivery of the particular one or more parcels associated with the user comprises an estimated time of delivery of the one or more parcels;

(B) determining that the second attended delivery/pickup location is unavailable to receive the delivery of the one or more parcels associated with the user based at least in part on:

i) the availability information associated with the second attended delivery/pickup location; and

ii) the delivery information associated with the one or more parcels; and

(C) at least partially based on determining that the second attended delivery/pickup location is unavailable to receive the delivery of the one or more parcels, displaying, by at least one processor, an indication of the unavailability of the second attended delivery/pickup location.

25. The computer-implemented method of Claim 24, wherein displaying the indication of the unavailability of the second attended delivery/pickup location comprises changing, by at least one processor, the way in which the location indication of the second attended delivery/pickup location is displayed to the user.

26. The computer-implemented method of Claim 25, wherein:

(A) the computer-implemented method further comprising receiving, by at least one processor, survey information associated with the first attended delivery/pickup location; and

(B) suggesting the user select the first attended delivery/pickup location as the default attended delivery/pickup location is further based at least in part on the survey information associated with the first attended delivery/pickup location.

27. A non-transitory computer-readable medium storing computer executable instructions for:

(A) receiving location information associated with each of a plurality of attended delivery/pickup locations;

(B) receiving a location associated with a user;

5 (C) receiving availability information associated with each of the plurality of attended delivery/pickup locations, wherein the availability information comprises information associated with when each of the attended delivery/pickup locations will not be available to accept deliveries for the user;

10 (D) receiving capacity information associated with each of the plurality of attended delivery/pickup locations, wherein the capacity information comprises information associated with the number of parcels each attended delivery/pickup location will accept;

(E) receiving delivery information associated with a particular one or more parcels associated with the user, wherein the delivery information associated with the delivery of the particular one or more parcels associated with the user comprises an estimated time of delivery
15 of the one or more parcels;

(E) receiving a distance for defining a zone for locating one or more attended delivery/pickup locations near the user;

(F) determining the zone based at least partially on:

i) the location information associated with the user; and

20 ii) the received distance;

(G) determining that at least one attended delivery/pickup location of the plurality of attended delivery/pickup locations is located within the zone based at least in part on the location information associated with each of the attended delivery/pickup locations;

25 (H) determining that the at least one attended delivery/pickup location is available to receive the delivery of the particular one or more parcels associated with the user based at least in part on:

i) the availability information associated with the at least one attended delivery/pickup location; and

30 ii) the delivery information associated with the particular one or more parcels associated with the user;

iii) the capacity information associated with the at least one attended delivery/pickup location;

(I) displaying, to the user:

i) an indication of the location associated with the user;

5 ii) an indication defining the zone;

iii) an indication of each of the attended delivery/pickup locations of the plurality of attended delivery/pickup locations located within the zone; and

vi) a location indication of the at least one attended delivery/pickup location;

(J) enabling the user to select a default attended delivery/pickup location of the plurality
10 of attended delivery/pickup locations as the default attended delivery/pickup location for the delivery of the one or more parcels associated with the user;

(K) recommending the user select the at least one attended delivery/pickup location as a default attended delivery/pickup location, based at least in part on determining that the at least one attended delivery/pickup location is available to receive the delivery of the particular one or
15 more parcels; and

(L) enabling the user to select an alternative attended delivery/pickup location of the plurality of attended delivery/pickup locations for the delivery of the one or more parcels associated with the user if the default attended delivery/pickup location is unavailable to receive the one or more parcels.

20




FIG. 1




FIG. 2

3/6




FIG. 3




FIG. 4A




FIG. 4B




FIG. 5