



US00PP15786P2

(12) **United States Plant Patent**
Hanes

(10) **Patent No.:** **US PP15,786 P2**
(45) **Date of Patent:** **Jun. 7, 2005**

(54) **PETUNIA PLANT NAMED ‘WHIP ROSEIN’**

PP14,856 P2 * 6/2004 Sakazaki Plt./356
PP15,002 P2 * 7/2004 Strobe Plt./356

(50) Latin Name: *Petunia*×*hybrida*
Varietal Denomination: **Whip Rosein**

OTHER PUBLICATIONS

(75) Inventor: **Mitchell Hanes**, Morgan Hill, CA (US)

UPOV ROM GIITM Computer Database, GTI Jouve
Retrieval Software 2004/04 Citations for ‘Whip Rosein’.*

(73) Assignee: **Goldsmith Seeds, Inc.**, Gilroy, CA
(US)

http://www.theflowerfields.com/ffa/grower.aspx?tabid=298&cat=veg_Yoder&id=3502.*

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 55 days.

* cited by examiner

(21) Appl. No.: **10/818,347**

Primary Examiner—Kent Bell
Assistant Examiner—W C Haas
(74) *Attorney, Agent, or Firm*—C. A. Whealy

(22) Filed: **Apr. 5, 2004**

(57) **ABSTRACT**

(51) **Int. Cl.**⁷ **A01H 5/00**

A new and distinct cultivar of *Petunia* plant named ‘Whip
Rosein’, characterized by its low trailing, outwardly spread-
ing and mounded plant habit; freely branching habit; freely
flowering habit; single flowers that are red purple in color
with darker red purple-colored venation; and good garden
performance.

(52) **U.S. Cl.** **Plt./356**

(58) **Field of Search** Plt./356

(56) **References Cited**

U.S. PATENT DOCUMENTS

PP12,139 P2 * 10/2001 Rother Plt./356

1 Drawing Sheet

1

2

Botanical classification/cultivar designation: *Petunia*×*hy-
brida* cultivar Whip Rosein.

The following traits have been repeatedly observed and
are determined to be the unique characteristics of ‘Whip
Rosein’. These characteristics in combination distinguish
‘Whip Rosein’ as a new and distinct cultivar:

BACKGROUND OF THE INVENTION

The present Invention relates to a new and distinct culti-
var of *Petunia* plant, botanically known as *Petunia*×*hybrida*,
and hereinafter referred to by the cultivar name Whip
Rosein.

- 5 1. Low trailing, outwardly spreading and mounded plant habit.
2. Freely branching habit.
3. Freely flowering habit.
- 10 4. Single flowers that are red purple in color with darker red purple-colored venation.
5. Good garden performance.

The new *Petunia* is a product of a planned breeding
program conducted by the Inventor in Gilroy, Calif. The
objective of the breeding program is to create new freely
flowering *Petunias* with trailing and spreading plant habit
and attractive leaf and flower coloration.

In side-by-side comparisons conducted in Gilroy, Calif.,
plants of the new *Petunia* differed from plants of the female
parent selection in the following characteristics:

The new *Petunia* originated from a cross-pollination
made by the Inventor in September, 2000 of a proprietary
selection of *Petunia*×*hybrida* identified as code number
00-382-4, not patented, as the female, or seed parent, with a
proprietary selection of *Petunia*×*hybrida* identified as code
number 00-381-2, not patented, as the male, or pollen
parent. The new *Petunia* was selected as a single plant from
the resulting progeny of the cross-pollination in a controlled
environment in Gilroy, Calif. in March, 2001.

- 15 1. Plants of the new *Petunia* were more vigorous than plants of the female parent selection.
2. Plants of the new *Petunia* had smaller flowers than plants of the female parent selection.
- 20 3. Plants of the new *Petunia* and the female parent selection differed in flower color as plants of the female parent selection had purple-colored flowers.

Asexual reproduction of the new cultivar by terminal
vegetative cuttings since March, 2001, in Gilroy, Calif. has
shown that the unique features of this new *Petunia* are stable
and reproduced true to type in successive generations.

In side-by-side comparisons conducted in Gilroy, Calif.,
plants of the new *Petunia* differed from plants of the male
parent selection in the following characteristics:

SUMMARY OF THE INVENTION

Plants of the cultivar Whip Rosein have not been observed
under all possible environmental conditions. The phenotype
may vary somewhat with variations in environment such as
temperature, light intensity and daylength without, however,
any variance in genotype.

- 25 1. Plants of the new *Petunia* had smaller flowers than plants of the male parent selection.
- 30 2. Plants of the new *Petunia* and the male parent selection differed in flower color as plants of the male parent selection had scarlet-colored flowers.

Plants of the new *Petunia* differ from plants of the *Petunia*
cultivar Whip Pur, disclosed in U.S. Plant patent application
Ser. No. 10/818,375, primarily in flower color.

Plants of the new *Petunia* can be compared to plants of the cultivar Surfinia Pink Mini 2000, not patented. In side-by-side comparisons conducted in Gilroy, Calif., plants of the new *Petunia* differed from plants of the cultivar Surfinia Pink Mini 2000 in the following characteristics:

1. Plants of the new *Petunia* were smaller than plants of the cultivar Surfinia Pink Mini 2000.
2. Plants of the new *Petunia* and the cultivar Surfinia Pink Mini 2000 differed in flower color as plants of the cultivar Surfinia Pink Mini 2000 had lavender-colored flowers.

BRIEF DESCRIPTION OF THE PHOTOGRAPHS

The accompanying colored photograph illustrates the overall appearance of the new cultivar, showing the colors as true as it is reasonably possible to obtain in colored reproductions of this type. Colors in the photograph may differ slightly from the color values cited in the detailed botanical description which accurately describe the colors of the new *Petunia*.

The photograph at the top of the sheet comprises a side perspective view of a typical plant of 'Whip Rosein' grown in a container.

The photograph at the bottom of the sheet is a close-up view of typical flowers and leaves of 'Whip Rosein'.

DETAILED BOTANICAL DESCRIPTION

Plants of the cultivar Whip Rosein have not been observed under all possible environmental conditions. The phenotype may vary somewhat with variations in environment such as temperature and light intensity, without, however, any variance in genotype. The aforementioned photographs and following observations and measurements describe plants grown in Gilroy, Calif., under commercial practice in a polyethylene-covered greenhouse during the summer with day temperatures ranging from 24 to 29° C., night temperatures ranging from 13 to 18° C. and light levels about 2,000 foot-candles. Plants used for the photographs and description were about 12 weeks from planting rooted cuttings. In the following description, color references are made to The Royal Horticultural Society Colour Chart, 1995 Edition, except where general terms of ordinary dictionary significance are used.

Botanical classification: *Petunia*×*hybrida* cultivar Whip Rosein.

Parentage:

Female parent.—Proprietary selection of *Petunia*×*hybrida* identified as code number 00-382-4, not patented.

Male parent.—Proprietary selection of *Petunia*×*hybrida* identified as code number 00-381-2, not patented.

Propagation:

Type cutting.—Terminal vegetative cuttings.

Time to initiate roots, summer and winter.—About 10 to 12 days at 23° C.

Time to develop roots, summer and winter.—About 18 to 23 days at 23° C.

Root description.—Fine, fibrous; white in color.

Rooting habit.—Freely branching.

Plant description:

Form.—Annual flowering plant; indeterminate; initially upright, then low trailing and outwardly spreading; uniformly mounded plant form. Freely

branching habit; about eight basal branches each with about four to six lateral branches. Pinching enhances development of lateral branches.

Usage.—Appropriate for hanging baskets, window boxes, patio containers and landscape applications.

Plant height.—About 20 cm.

Plant diameter (area of spread).—About 55 cm.

Vigor.—Vigorous; rapid growth rate.

Lateral branches.—Length: About 32 cm. Diameter: About 4.5 mm. Internode length: About 3.5 cm. Texture: Pubescent. Color: 144C.

Foliage description.—Arrangement: Alternate before flowering; opposite after flowers develop; simple. Length: About 5.3 cm. Width: About 3.2 cm. Shape: Elliptic. Apex: Broadly acute. Base: Attenuate. Margin: Entire. Texture, upper and lower surfaces: Sparsely pubescent; glandular. Venation pattern: Pinnate, arcuate. Color: Developing and fully expanded leaves, upper surface: 147A. Developing and fully expanded leaves, lower surface: 147B. Venation, upper surface: 146C. Venation, lower surface: 147C. Petiole length: About 1 cm. Petiole diameter: About 2.5 mm. Petiole color, upper and lower surfaces: 146C. Petiole texture: Sparsely pubescent.

Flower description:

Flower type and habit.—Single salverform flowers; flowers face mostly upward or outward; axillary. Freely flowering habit, about two to three open flowers and about three flower buds per lateral branch at one time.

Natural flowering season.—Long day responsive; long flowering period, spring until frost in the autumn; flowering continuous during this period. Plants start flowering about eight weeks after planting rooted cuttings. Flowers persistent.

Flower longevity on the plant.—About seven to ten days.

Fragrance.—Faint, sweet.

Flower size.—Diameter: About 4.5 cm. Tube length: About 2.3 cm. Throat diameter, distal end: About 8 mm. Tube diameter, proximal end: About 3 mm.

Flower buds.—Length: About 2.8 cm. Diameter: About 5 mm. Shape: Elongated oblong with ruffled apices. Color: More gray than 78B.

Petals.—Quantity/arrangement: About five petals fused in a single whorl, funnellform. Length from throat: About 2 cm. Width: About 2 cm. Shape: Roughly fan-shaped. Apex: Acute. Margin: Entire; undulate. Texture, upper and lower surfaces: Smooth, velvety. Color: When opening, upper surface: 67B; venation, 57A. When opening, lower surface: 70C; venation, 146C. Fully opened, upper surface: 67C; venation, 66A. Fully opened, lower surface: 73C; venation, 146C. Flower throat (inside): 75C. Flower tube (outside): 75B. Venation, throat: 199C. Venation, tube: 146D.

Sepals.—Arrangement/appearance: Single whorl of five sepals fused at base, star-shaped. Length: About 1.2 cm. Width: About 3 mm. Shape: Ligulate. Apex: Rounded. Margin: Entire. Texture, upper and lower surfaces: Pubescent. Color, upper surface: 146A. Color, lower surface: 146B.

Peduncles.—Length: About 4.1 cm. Width: About 1.25 mm. Angle: About 45 to 60° from the stem. Strength: Strong. Texture: Pubescent. Color: 144A.

5

Reproductive organs.—Stamens: Quantity per flower: About five. Anther shape: Ovoid. Anther size: About 1.5 mm by 2 mm. Anther color: 155A. Pollen amount: Scarce. Pollen color: 155A. Pistils: Quantity per flower: One. Pistil length: About 2 cm. Style length: About 1.7 cm. Style color: 144D. Stigma shape: Anvil-shaped. Stigma color: 146A. Ovary color: 145A.

Seed/fruit.—Seed and/or fruit production has not been observed.

Disease/pest resistance: Plants of the new *Petunia* have not been noted to be resistant to pathogens or pests common to *Petunia*.

6

Garden performance: Plants of the new *Petunia* have been observed to have good garden performance. Plants of the new *Petunia* have been noted to tolerate rain, wind and temperatures from 0 to 40° C.

It is claimed:

1. A new and distinct cultivar of *Petunia* plant named ‘Whip Rosein’, as illustrated and described.

* * * * *

