

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
25 April 2002 (25.04.2002)

PCT

(10) International Publication Number  
**WO 02/32528 A2**

(51) International Patent Classification<sup>7</sup>: **A63F 13/00**

(21) International Application Number: PCT/CA01/01468

(22) International Filing Date: 22 October 2001 (22.10.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/241,740 20 October 2000 (20.10.2000) US

60/296,486 8 June 2001 (08.06.2001) US

60/296,453 8 June 2001 (08.06.2001) US

(71) Applicant (for all designated States except US): **B.C.D. MÉCANIQUE LTÉE.** [CA/CA]; 1840, 1ère Rue, Bureau 102, St-Romuald, Québec G6W 5M6 (CA).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **HUARD, Marcel** [CA/CA]; 1459 Chemin du Fleuve, St-Romuald, Québec G6W 6Z6 (CA). **BÉRUBÉ, Réal** [CA/CA]; 909 rue des Cormiers, St-Jean-Chrysostome, Québec G6Z 3B1

(CA). **GAGNON, Martin, Benoît** [CA/CA]; 3005-B rue Saint-Laurent, Lévis, Québec G6V 3W6 (CA). **SANTA MARIA, Guillermo, Loria** [CR/CR]; Corondo, de la Fabrica Coopecoronado, 350 Norte Porton Negro Derecha, San Jose (CR).


(74) Agents: **OGILVY RENAULT** et al.; 1981 McGill College Avenue, Suite 1600, Montreal, Québec H3A 2Y3 (CA).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: METHOD AND SYSTEM FOR CONTROLLING AND MANAGING BETS IN A GAMING ENVIRONMENT



(57) Abstract: The present invention relates to a method and system for controlling and managing bets in a gaming environment. The present invention provides simplified betting options for casino games. Betting options being less complex are less demanding in terms of concentration and/or real-time inputs from the player during the proceeding of the underlying casino game. Consequently, players are in a better disposition for enjoying the atmosphere, and the intrinsic activity of play of the underlying game or for pursuing another activity at their ease such as drinking at bars, playing at another casino game or simply observing the underlying game.



WO 02/32528 A2



**Published:**

— *without international search report and to be republished upon receipt of that report*

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## METHOD AND SYSTEM FOR CONTROLLING AND MANAGING BETS IN A GAMING ENVIRONMENT

### BACKGROUND OF THE INVENTION

#### FIELD OF THE INVENTION

- 5 The present invention relates to a method and system for controlling and managing bets in a gaming environment. More particularly, the invention relates to a method and system for controlling and managing bets for a game played remotely from where the underlying live game is played.

#### DESCRIPTION OF THE PRIOR ART

- 10 An auxiliary casino game is a game associated with an underlying principal casino game. The auxiliary game offers players additional opportunities to win prizes in addition of prizes offered by the principal casino game. The auxiliary game is an additional enjoyment feature and incentive to bet for a player. The betting rules of an auxiliary game are simple in a manner to not disturb or slow the principal casino  
15 game, and to not render the betting operation more complex for the player. Also, by its simplicity and its rapidity, the auxiliary game can be played in conjunction with a principal casino activity more complex. Consequently, an auxiliary game is an additional source of craze for playing to players at a principal casino game in offering in same time an additional chance to win prizes and possibility of enjoying  
20 atmosphere and intrinsic activity of the principal casino game.

For a casino, the auxiliary game, being simple and quick, is a real source of profitability in not slowing the pace of the principal game, in constituting an incentive to bet, and a dedication source to play for players, and in permitting an additional possible source of gains provided by auxiliary bets.

- 25 Casinos would like to offer to their clients the atmosphere, and the intrinsic activity of a principal casino game, regardless to which activity a client is occupied to, and where he is located inside a casino - such as at a slot machine, at a video gaming machine, at a casino table game – or outside a casino – such as at a bar, in an hotel room. Nevertheless, casinos do not wish that a such activity, played  
30 remotely from the location where is played the principal casino game, interferes or slows proceedings of the principal game, and in same time, that this activity played at a remote location interferes or slows the pace of the principal activity to which a

player is occupied to at a remote location where the underlying principal game is played.

Actually, the features of auxiliary games are reserved exclusively to players located in proximity of the game casino table, participating, or not, in the principal casino game.

U.S. Pat. No. 5,540,442 to Orselli, et al. describes a modified roulette game offering an additional betting opportunity with a large payoff for winning bet, a player having made a conventional roulette bet on the conventional roulette betting layout, may make a second, or side bet, on a related betting layout, without regard to color, parity or position. When the winning bets in the conventional layout are determined by the operation of the roulette wheel, a random number generator also generates and displays one of the conventional roulette numbers, i.e. 1-36, 0 or 00. If the number displayed by the random generator is the same as the winning number that is determined by the roulette wheel, the side bet on that number is a winning number. In Orselli et al. a player has to participate in the principal live table (roulette) game, to be able to make a second or a side bet.

U.S. Pat. 6,059,659 to Bush, et al. describes a method for playing roulette with a system including a roulette wheel, a conventional betting layout and a progressive jackpot layout. Players make wagers on the conventional layout and/or the progressive layout to participate in a progressive jackpot game wherein the jackpot is accumulated from losing wagers on the progressive jackpot layout. The system includes sensors for detecting chips placed on the progressive layout. The jackpot is won by a wagered winning number being selected by the roulette wheel in a predetermined number of successive spins. In Bush et al., the player has to be at the roulette table to make wagers on the progressive layout. A prize from the progressive jackpot is awarded only when a wagered winning number is selected by the roulette wheel in a predetermined number of successive spins.

U.S Pat. 5,743,800, U.S. Pat. 6,146,270 and U.S. Pat. 6,139,430 to Huard et al. describes an auxiliary game providing an auxiliary opportunity for players at a casino to win a prize by participating with relatively small contribution each time they play a round in the principal casino game. To increase the element of random chance or luck in winning prize in the game, a method and apparatus is provided

for randomly choosing a winning gaming symbol or a combination of gaming symbols, or randomly selecting a person or a group of persons eligible to win upon possession of the gaming symbol or combination of gaming symbols. In Huard et al., a player for having a chance of winning an auxiliary prize has to participate in  
5 the live casino table game to get a number of gaming symbols, or at least, has to occupy a player position around the table of the underlying live casino table game.

In other hand, the possibility to bring at a remote location from a table of a live casino table game – inside or outside of a casino – the atmosphere and the intrinsic activity of a principal casino game already exists:

10 U.S. Pat. No. 4,467,424 to Hedges, et al. describes a remote gaming system for use with a wagering or gambling establishment such as casino to enable a player's participation in a selected one of plurality live table wagering games from a remote location, such as roulette, keno or craps.

US Pat. No 5,800,268 to Molnick describes a method by which a player may  
15 participate in a live casino game from a remote location from the casino is disclosed. A player establishes an information link with a casino from an interface station including a video monitor and keypad. In response to the player's entry of financial account information, the casino establishes an information line with the player's financial institution. The casino assigns the player to a gaming table at  
20 which a "live" game is occurring, transmitting all images of game play information to the casino. Because of the open line between the casino and player's financial institution, bets are checked, winning paid, and losses debited instantaneously.

Nevertheless, the systems permitting a player to feel the atmosphere, and the intrinsic activity of a principal casino game played at a remote location offers  
25 integrally the principal game, constituting, then, the primary activity of a player. Consequently the player has no more opportunities or time for enjoying the casino atmosphere or for participating in another game. The establishment of a system for participating in a principal game, played at a remote location, results in an addition of a number of player positions for participating in a principal game, and not, in an  
30 addition of an auxiliary game that can be played in parallel with any other principal activity offered by a casino. For example, a system for playing a principal game from a remote location installed inside a same casino, wherein the principal game

is played, corresponds to an increasing of the number of available player positions for the principal game. The implementation of such a system results at its best, in an increasing of the number of clients for a casino, at its worst, results in a shift of one or many players from a principal activity to another principal activity inside a same casino. Such system of participating in a principal game from a remote location does not constitute an addition of auxiliary game features to the principal activity of a client or a player in a casino. Consequently, no incentive or additional features are added to the principal player activity. These facts are opposite to goals pursued by casinos when they want to implement an auxiliary game being played at a remote location from where the underlying casino game is played.

A method and system permitting to bring to players the features of an auxiliary game at a remote location from where the underlying principal game is played, and regardless where, and to which activity players are occupied to, would constitute a major and an innovative step in the casino industry.

#### 15 SUMMARY OF THE INVENTION

It has been found that extending the features of an auxiliary game played in conjunction with an underlying casino game to a number of players in addition of players participating in and/or located at the underlying casino game provides new and interesting features for enhancing the enjoyment and the dedication of players for the plurality of games and activities offered in, and outside a casino environment, and for casino house, to enhance the incomes and profitability of casino activities, and in particular for casino games.

According to the present invention a method and system is provided for extending the features of an auxiliary game played in conjunction with an underlying casino game to players in addition of players participating in and/or located at the underlying casino game. More particularly, the present invention provides a method and system for controlling and managing bets for a game played remotely from the underlying casino game that permits a player, located remotely from the underlying casino game, to feel enjoyment and socializing atmosphere of a remote underlying casino game; The present invention provides a method and system that permits a player located remotely from the underlying casino game to maintain his principal or primary casino activity, and in same time enjoying intrinsic activity, and

feeling the socializing atmosphere of the underlying casino game; The present invention provides a method and system of controlling and managing bets for a remote game that provides additional opportunities of winning prizes in addition of prizes offered by the principal games or auxiliary prizes usually offered to players participating in an underlying casino game; The present invention provides a method and system that provides to casino new sources of profitability in permitting to play a remote game that does not interfere or slow proceedings of the underlying casino game, in offering additional dedication and incentive features to clients or players for participating in casino games, and in permitting possible additional gain entries for casino provided by bets made on the remote game.

Therefore, for achieving these objectives, it has been found that betting operations for players located remotely from the underlying game, have to be simplified. The simplified betting operation being less complex are less demanding in terms of concentration and/or real-time inputs from the player during the proceeding of the underlying game. Consequently, players remotely located from an underlying game are in a better disposition for enjoying the atmosphere, and the intrinsic activity of play of the underlying game or for pursuing another activity at their ease such as drinking at bars, playing at another casino game or simply observing the underlying games.

The betting operation complexity can be distinguished in two types of games.

The first type of games, are games wherein a selection of betting options for play of a game is required during a particular betting period window, and wherein the betting options being applicable for a whole of the play of the game without requiring other real-time input from player during the proceeding of the game, such as roulette games, or dice game such as craps.

A manner to simplify the betting operation is to enlarge the betting period window, and consequently, permitting a remote player to be concentrated on viewing and enjoying the underlying game atmosphere and intrinsic activity and/or alternatively, pursuing another activity without needing to provide real-time input to place a bet in the underlying casino game.

The second type of games, are games requiring multiple betting option decisions during a play of the game, and consequently, these games require real-time

inputs from player during the proceeding of a play of the live game, such games as card games as Blackjack, Poker and Baccarat.

A manner to simplify the betting operation for player located remotely from the underlying game, is providing simplified conditions for one or more remote players  
5 requiring a selection of betting options being applicable for a whole of the play of the underlying game without requiring real-time input from the remote player, and permitting a remote player to be concentrated on viewing and enjoying the underlying game atmosphere and intrinsic activity and/or alternatively, pursuing another activity without needing to provide real-time input to place a bet in the  
10 underlying game.

According to the invention, there is provided a method and system for controlling and managing bets in a gaming environment. The method comprises: receiving a bet request from a player located remotely from an underlying game in the gaming environment; providing a remote view of a play of the underlying game to the  
15 player; processing the bet request at a time suitable for the play of the underlying game; determining a payout commensurate with an outcome of the play of the underlying game after the processing; and delivering the payout to the remote player, whereby the remote player can concentrate on viewing the underlying game remotely without needing to provide real-time input to place a bet in the  
20 underlying game.

Furthermore, according to the invention, there is provided a second method and system for controlling and managing bets in a gaming environment. The method comprises: playing an underlying game in the gaming environment, the underlying game requiring real-time inputs from players participating in the underlying game  
25 during play of the underlying game; providing simplified betting conditions for one or more remote players requiring selection of a betting option for play of the underlying game, the betting option being applicable for a whole of the play of the underlying game without requiring real-time input from the remote players; receiving a bet request from the remote players located remotely from an  
30 underlying game in the gaming environment; providing a remote view of a play of the underlying game to the remote players; determining a payout commensurate with an outcome of the play of the underlying game; and delivering the payout to the remote player; whereby the remote players can concentrate on viewing the



underlying game remotely without needing to provide real-time input during play of the underlying game.

The present invention provides a method and system for permitting to a larger number of players to participate in a game played in conjunction with an underlying game. Consequently, the present invention further provides for a casino house an opportunity to generate larger and faster jackpot, and a greater flexibility in the number of prizes, the amount of prizes, and the frequency at which the prizes can be awarded to players participating in the remote game played in conjunction with an underlying game. Furthermore, the present invention and system provides to players additional opportunities of winning a larger number of prizes, of higher value, and at an higher frequency rate compared to auxiliary prizes awarded by usual auxiliary games played uniquely by players located at the underlying casino game.

Furthermore, the present invention provides a method and system permitting clients or players in a casino in same time to participate in an remote game and to pursue their principal casino activities such as being at a bar, playing at a gaming machine or participating in a live casino game. The casino house can increase its incomes and enhance profitability of its gaming activities, and particularly, casino games.

Furthermore, the present invention provides a method and system permitting players to participate in a remote game played in conjunction with an underlying casino game from a remote location from the underlying casino game; Consequently, the present invention provides new types and opportunities of wagering on one or a plurality of remote games played in conjunction with one or a plurality of underlying casino games.

Furthermore, the present invention provides a method and system for participating from a plurality of player locations - such as in a casino: at a gaming machine, at a live casino game, at a bar or such as outside of a casino: in an hotel room, at office or in another casino - in a remote game played in conjunction with an underlying casino game.

According to a first broad aspect of the invention, there is provided a system for allowing a remote player to play a live casino table game. A "live casino table

game” is understood to mean a betting game that provides action and excitement for players and observers alike, such as blackjack, craps, roulette, poker, baccarat, and the like, whether in manual, electronic or mixed manual/electronic form. The system according to the first broad aspect of the invention comprises a live casino table game interface for collecting live play data about a play of the table game, a player console located away from the live casino table game for collecting bet data from a remote player, a game controller connected to the player console and to the game interface for collecting the bet data and the live play data to credit and debit an account of the remote player as a function of wins and losses according to rules of play, and a video system providing a video display of the live casino table game to the remote player. The game controller determines from the live play data when further bets may not be accepted for the current play of the table game and interacts with the remote player via the player console to confirm whether the bet data received from the remote player should be applied to a subsequent game. In this way, the remote player plays the live casino table game remotely at a same rate and rhythm as players at the live casino table game. Preferably, the live casino table game is a manual game. The player console may randomly select the bet data from a set of predetermined betting options.

According to a second broad aspect of the invention, there is provided a system for allowing a remote player to play a live casino table game having a live casino table game interface for collecting live play data about a play of the table game, a player console located away from the live casino table game for collecting bet data from a remote player, a game controller connected to the player console and to the game interface for collecting the bet data and the live play data to credit and debit an account of the remote player as a function of wins and losses according to rules of play, and a video system providing a video display of the live casino table game to the remote player. According to this second aspect, the live play data includes game play data of at least one of the players and the dealer playing the live casino table game, and the bet data defines a simplified betting option including a game achievement status of a player or dealer involved in the live casino table game. The game achievement status may be a win/lose status for each play of the live casino table game. The game controller may calculate odds for the simplified betting option as a function of the live play data. Preferably, the simplified betting

option is maintained automatically for a plurality of plays of the live casino table game.

According to a third broad aspect of the invention, there is provided a system for allowing a remote player to play a live casino table game having a live casino table  
5 game interface for collecting live play data about a play of the table game, a player console located away from the live casino table game for collecting bet data from a remote player, a game controller connected to the player console and to the game interface for collecting the bet data and the live play data to credit and debit an  
10 account of the remote player as a function of wins and losses according to rules of play, and a video system providing a video display of the live casino table game to the remote player. According to this third aspect, the video system comprises a display screen installed for viewing by a plurality of remote players, and the system comprises a player console for each of the plurality of remote players for collecting the bet data and controlling the remote player's account, while relying on the  
15 display screen to provide the video display of the live casino table game. The player console may be portable, whereby the console may be provided in a lounge or restaurant. Preferably, the player console is wireless. The player console may advantageously provide the remote player with a choice of one of a plurality of the live casino table game for which the bet data is to apply.

20 The game controller may also determine a random virtual event and credits the account of the remote player as a function of the random virtual event determines the remote player.

The live casino table game may be a roulette game, and the live casino table game interface may interface with the roulette game. Likewise, the live casino  
25 table game may be a card game, and the live casino table game may interface with the card game.

According to a further broad aspect of the present invention, there is provided a method of processing bet data in a system allowing a remote player to play a live casino table game, the system comprising a live casino table game interface for  
30 collecting live play data about a play of the table game, a player console located away from the live casino table game for collecting bet data from a remote player, a game controller connected to the player console and to the game interface for

- 10 -

collecting the bet data and the live play data to credit and debit an account of the remote player as a function of wins and losses according to rules of play, and a video system providing a video display of the live casino table game to the remote player. The method comprises determining from the live play data when further  
5 bets may not be accepted for the current play of the table game, interacting with the remote player to confirm whether the bet data received from the remote player should be applied to a subsequent game, and applying the bet data to the subsequent game when confirmed. In this way, the remote player plays the live  
10 casino table game remotely at a same rate and rhythm as players at the live casino table game.

#### BRIEF DESCRIPTION OF DRAWINGS

These and other features, aspects and advantages of the present invention will become better understood with regard to the following description and  
15 accompanying drawings wherein:

FIG. 1 is a schematic representation of the system according to a preferred embodiment of the present invention;

FIG. 2 is a schematic representation of the game controller according to a preferred embodiment of the present invention;

20 FIG. 3A, 3B and 3C are combined to form a schematic view and representation of the system according to a preferred embodiment of the present invention;

FIG. 4 is a block diagram of the apparatuses for creating a player credit account according to a preferred embodiment of the present invention;

25 FIG. 5 is a block diagram of the system according to a preferred embodiment of the present invention;

FIG. 6 is schematic representation of a remote player console according to a preferred embodiment of the present invention;

FIG. 7 is a flowchart representing the steps of the method of the present invention;

30 FIG. 8A and 8B are combined to form a flowchart representing the steps and one method according to a preferred embodiment of the present invention.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

According to a preferred embodiment, the structure of the bet control and management system will be described.

5 As shown in FIG. 1, FIG. 3.A, FIG. 3B and FIG. 3C, the system of the present invention according to a preferred embodiment provides a game controller **20**, a credit transaction station **22**, a plurality of player consoles **24**, an underlying game monitor **26**, a camera **28**, an underlying game outcome confirmation device **30**, an underlying game interface **32**, speakers **34**, a game display **36** and a call attendant  
10 display **38**. A network ensures communication among the different units of the system, in the present preferred embodiment, a RS 485 network **40** is used.

According to a preferred embodiment of the present invention, there is provided at least one game controller **20**, which is connected to each remote player console **24**. The game controller **20** controls and manages bets and information between  
15 the different units of the system. The game controller **20** is connected to four random selectors: a random gaming symbol selector **44**, a random remote player selector **46**, a random remote player group selector **48** and random prize selector **50**. A modem **42** is connected to the game controller **20** permitting to operate the game controller **20** from a remote location or to communicate with other game  
20 controllers **20**.

A random gaming symbol selector **44** includes a random number generator picking gaming symbols from virtual set of gaming symbols related to the underlying casino game **54**. The random gaming symbol selector **44** generates a value representing a set of gaming symbols related to the underlying casino game.

25 A random remote player selector **46** includes a computer random generator (as is known in the computing art) for generating at random a value representing one of players located at a remote player console **24** either assuming there may be a remote player **14** occupying each remote player console **24**, or taking into account which remote player consoles **24** are effectively occupied by a player **14**  
30 participating in the game played remotely from the underlying casino game.

A random remote player group selector **48**, includes a computer random number generator (as is known in the computing art) for generating at random a value

- 12 -

representing a group of remote player positions at remote player console **24**, either assuming there may be a player at all remote player consoles **24** of each group or taking into account groups of remote player consoles **24** for which at least one remote player console **24** is occupied by a remote player **14**.

- 5 A random prize selector **50** includes a computer random generator for generating at random a value representing a prize. The prize could be tangible as a car, a voyage, etc. or a monetary value amount.

As it can be appreciated and as shown in FIG. 2 and FIG. 3C, game controller **20**, random gaming symbol selector **44**, random remote player selector **46**, random  
10 remote player group selector **48** and random prize selector **50**, could be integrated into a personal computer (PC) **60** provided with a communication interface **76** for communication with the plurality of units interconnected to the game controller **20**.

In the present preferred embodiment, the personal computer (PC) **60** contained programs necessary to run the system of the present invention. Furthermore, a  
15 code bar reader **62**, a command input keyboard **64**, a mouse **66**, a command output monitor **68**, a report printer **70** and wall display **72** are connected to the personal computer **60**.

The RS 485 network communication interface **76** insures the communication between the personal computer (PC) **60** and the RS 485 network **40**.

- 20 Referring to FIG.1 and FIG. 3C, a credit transaction station **22** permit players to obtain credits to play to the remote game. In the present preferred embodiment, the credit transaction station **22** can be located at plurality locations inside or outside the casino

As shown in FIG.1 and FIG. 3B, the invention provides a plurality of remote player  
25 consoles **24**. Each remote player console **24** permits a player located remotely from an underlying casino game **54** to participate in a game played in conjunction with the underlying game **54**.

As shown in FIG. 3B, the remote player consoles **24** are installed in manner to provide a view of the underlying game **54** to remote players **14**. Remote players **14**  
30 can enjoy the atmosphere and intrinsic activity of play of the underlying game and to pursue at their ease another activity such as drinking at bars, playing another casino game or simply observing the underlying game. Some player consoles **24**

are located in a manner to permit a direct view on the underlying game **54**. For example, as shown in FIG. 3B, the consoles **24** on a gallery **27** or besides the underlying game **54** provides a direct view on the underlying game **54**. Other remote player consoles **24** are located besides or near an underlying game monitor **26** permitting remote players **14** to view the underlying game **54**. Some game underlying monitors **26** are associated with a unique remote player console **24**. Player consoles **24** can be located besides gaming machines or integrated into gaming machines **25**, at a bar, besides casino game table **29** or on another casino table game.

10 Referring to FIG. 1 and FIG. 3A, the system provides a camera **28** focusing on the underlying casino game **54** in order to provide video and VGA signals to the underlying game monitors **26**. The camera **28** is connected to game controller **20**, which is connected to underlying game monitors **26**. The camera **28** sends in real-time signal to underlying game monitors **26**. The underlying game monitors **26** transmit in real-time the activity, and the atmosphere of the underlying live casino  
15 game **54** to a remote location from the underlying casino game **54**.

In the present preferred embodiment, as shown in FIG. 3A, an underlying game interface **32** is connected via a network **40** to the game controller **20**. The dealer **10** responsible at the underlying casino game **54** inputs, using an underlying game  
20 interface **32**, namely the betting period signal for the remote game played in conjunction with the underlying casino game **54** in progress, and some outcomes of play produced by the underlying casino game **54**.

An underlying game outcome confirmation device **30** is connected to game controller **20** via a network **40**. The game outcome confirmation device **30** comprises a switch **100** and displays **102**. Once an outcome of the underlying  
25 game is entered into the underlying game interface **32**, the outcome entered is displayed on displays **102** in order to obtain a second check by dealer **10** or players **12**. If the underlying game outcome displayed on the displays **102** corresponds to the real outcome of the play of the underlying game **54**, the game  
30 outcome confirmation device switch **100** is activated by the dealer **10**, players **12** or other individuals. Then the outcome value is sent via network **40** and registered into a memory of the game controller **20**.

It will be appreciated that the interface 32 collects the necessary data to resolve outcomes according to the rules of the remote game. In one embodiment, remote players can bet on a player at the underlying live casino table game. In this case, the game controller 20 must resolve the payout as a function of the data received  
5 from the interface. In the specific case of roulette, a player is identified by token or chip color, and the amount bet and the amount won values are required to calculate the payout. Since players can place chips at various locations on the board, exact wins and losses are not as relevant and the overall payout.

Betting on a player at the underlying game allows a remote player to focus his or  
10 her attention on the video image of the game, like any other observer on the casino floor while enjoying the comfort of being at home, in a bar, in a restaurant or in a hotel room. Whether the video at the live game includes images of peoples' faces at the table is a design choice. It is simple to have one or more camera angles, such as a single overhead view that preserves the privacy of the players  
15 standing or seated around the table. Notice that the cameras are present can be provided to warn local players of the possible breach of or encroachment on their privacy. Furthermore, with the proper notice and acceptance of terms, direct views of the players may also be provided by the video connection to the remote players.

As shown in FIG. 1 and FIG. 3A, a speaker 34 is connected to the game controller  
20 20 via network 40. The speakers 34 provides sounds, tunes or other messages for entertaining players 12, 14 and to give some information about the underlying game and its processing.

In referring to FIG. 1 and FIG. 3A, according to the present preferred embodiment, a game display 36 is connected via a network 40 to the game controller 20. The  
25 game display 36 comprises an underlying game outcome display 110 that displays underlying game outcomes, a random selection result display 112 that displays the randomly selected results, and a message display 114 for displaying game information, jackpot value and prizes.

In referring to FIG. 1 and FIG. 3C, a call attendant display 38 is connected to game  
30 controller 20 for displaying identification of a remote player console 24. The remote player console identification displayed on call attendant displays 122



- 15 -

communicates to casino employees which console where a player requires the help of an attendant.

In another preferred embodiment, of course, as it is known in the art, the communications link or network can comprises a wireless communication link  
5 between units of the present system.

Furthermore, it will be understood that a game controller **20** could be in communication with a plurality of underlying game interfaces **32** providing to players a plurality of remote games played in conjunction with a plurality of underlying games.

10 It will be also understood that the game controller **20** can be alternatively integrated with the remote player console **24** or with the underlying game interface **32**.

Now, how the present invention of a method and system for controlling and managing bets in a gaming environment operates and can be used according to a  
15 preferred embodiment will be described.

Now, referring to FIG. 4 which is a block diagram of the apparatuses for creating a player credit account according to a preferred embodiment and according to the present preferred embodiment, a player must obtain a player credit account before to be able to participate in a remote game.

20 In referring to FIG. 4 a player credit account is created by the insertion of appropriate monetary value device **120** into the acceptor of the credit transaction station **22**. The acceptor reads the monetary value devices **120** and converts the value monetary amount into a credit value amount. A credit value amount display **122** displays the corresponding credit value amount. The player **14** inserts  
25 monetary value devices **120** until the monetary value amount displayed corresponds to the desired credit value amount. The monetary value device **120** could be coins, tokens, bills, or credit cards.

When the desired credit value amount is reached, the player **14** activates a recording transaction switch **124**. The activated switch **124** provides a signal to the  
30 credit transaction station **22** which communicates to the game controller **20** the credit amount data. Upon reception of the credit amount data signal, the game controller **20** creates and encodes a new credit player account. The game

controller **20** stores the player credit account code into a player account memory **126** in communication with the game controller **20**. The credit account amount corresponding to the new player credit account is stored into a memory. The player account amount memory **126** could be a portable data storage device **128** as a  
5 smart card or a magnetic card or the player account amount memory could be a fixed memory **126** in communication with the game controller **20**. In the case where the player credit account amount is stored onto a portable data memory **128**, the game controller **20** communicates to the credit transaction station **22** the credit account data comprising the amount of credits of the player account and the  
10 code of the encoded player account. In the case where the player credit account amount is stored into a fixed memory **126** in communication with the game controller **20**, the game controller **20** communicates to the credit transaction station **22** credit account data comprising the code of the encoded player credit account.

Upon reception of the credit account data, the credit transaction station **22** stores  
15 the appropriate account data upon the appropriate support. For example, the player account code and the credit account amount could be stored onto a smart card or a magnetic card. The player account code could be stored onto a smart card, a magnetic card, a bar code ticket etc...

Now referring back to FIG. 3C, in a preferred embodiment, the system provides a  
20 credit transaction station **22** which permits players to buy credits for playing a game played remotely from where the underlying game **54** is played. The credit transaction station **22** connected to a game controller **20**, comprises a bill acceptor **70**, a credit amount display **72**, a credit ticket distributor **76**, and a recording transaction switch **74**. To buy credits, a player **14** inserts a bill **75** into a bill  
25 acceptor **77**. The value in credits of the bill **75** inserted, and read by the bill acceptor **70**, is displayed on the credit amount display **72**. A player **14** inserts bills **75** until the credit display **72** displays the amount of credits that a player **14** wants to buy. When the desired credit amount is displayed on the credit amount display **72**, the player **14** activates the recording transaction switch **74** to signal game  
30 controller **20** to register the credit transaction. The game controller **20** creates a new player credit account, identified the new credit account with a bar code, registers the code and the amount of bought credits into the player credit account memory **126** in communication with the game controller **20**. The game controller

**20** communicates the credit account data to the credit transaction station **22**. The credit account data comprises the code of the encoded player account. The credit ticket distributor **76** delivers to the player a bar code ticket **77** wherein the bar code identifies the player credit account registered into the game controller player credit account memory **126** connected with the game controller **20**. In the preferred embodiment, the player account memory is integrated into the game controller **20**.

A remote player console **24** must have access to a player credit account in order to permit a player to bet and participate in games played in conjunction and remotely from one or many underlying games **54**.

10 Now referring to FIG. 5, which is a block diagram of the system according to a preferred embodiment of the present invention, how the present invention of a method and system operates and is used according to the present embodiment will be described.

15 In the case where the player credit account amount is stored into a portable storage device **128**, such as a smart card or a magnetic card, the player introduced the portable storage device **128** into the portable storage reader of the remote player console **24**. Once the reader of the player console **24** has read the player account code and amount stored into the portable storage device **128**, the  
20 remote player console **24** communicates to game controller **20** the player credit account code data.

In the case where the remote player account amount is stored into a fixed player credit account memory **126** in communication with the game controller **20**, the player **14** has to transfer the player credit account amount into the remote player console player account memory **130**. An appropriate remote player console reader reads the player credit account portable storage device **128** that stores the credit account code. Once the reader of the player console **24** has read the player account code and amount stored into the portable storage device **128**, the remote player console **24** communicates to game controller **20** the player credit account  
25 code data.  
30

As known in the art, portable storage devices **128** used to store the credit player account amount and credit player account code could be, for example, smart card

- 18 -

or magnetic card. Furthermore, portable storage devices **128** can be used for storing or registering the identification code of the player credit account, such as, for example, a smart card, a magnetic card or a bar code ticket.

Upon reception of player credit account code data, the game controller **20**  
5 compares the credit account code data received with player credit account codes stored in a player credit account memory **126** connected to the game controller **20**. If the player credit account code corresponds to a player account code stored into the game controller player account memory **126**, the game controller **20** validates the player account code and sends to the remote player console **24** player credit  
10 account validated code data. Otherwise, the remote player console **24** stays inactive. Furthermore, in the case where the remote player account amount is stored into a fixed player credit account memory **126** in communication with the game controller **20**, the game controller **20** transfers the corresponding player credit account amount into a console player account memory **130** in  
15 communication with the remote player console **24**.

Upon reception of the account code validated data from the game controller **20**, the remote player console **24** activates its betting option interface and displays the player credit account amount on a display of the remote player console **24**.

As it can be appreciated, different embodiments can perform the operations and  
20 functions of the remote player credit account transaction. Of course, the manner for buying and/or transferring credits into a remote player console **24** can take other embodiments. For example, each remote player console **24** connected to the game controller **20**, could be provided with an integrated credit transaction station  
**22**.

25 In the present preferred embodiment, the portable storage device **128** is a bar code ticket **77** where on the bar code identifies a player credit account. Once the remote player console **24** reads the bar code stored into the bar code ticket **77**, player credit account code data are sent to the game controller **20**. The game controller **20** compares the credit account code data received with player credit  
30 account codes stored in a player credit account memory **126** connected to the game controller **20**. If the player credit account code corresponds to a player account code stored into the game controller player account memory **126**, the

game controller **20** validates the player account code and sends to the remote player console **24** player credit account validated code data. Otherwise, the remote player console **24** stays inactive. In addition, the game controller **20** transfers the corresponding player credit account amount into a console player account memory **130** in communication with the remote player console **24**.

The activated betting option interface of the remote player console **24**, offers one or more sets of betting options on a same underlying game **54** or on a plurality of underlying casino games. The betting option interface of the remote player console **24** can take a plurality of embodiments. For example, the betting option interface could be a touch-screen or an electronic switchboard.

In referring to FIG. 6 which is a schematic representation of a remote player console **24** according to a preferred embodiment of the present invention, a description of a remote player console **24** according to the present embodiment follows.

According to the present preferred embodiment, the remote player console **24** is adapted for participating in a remote game played in conjunction with an underlying roulette game **54**.

In a preferred embodiment, a message like "BUY CREDITS TO PLAY" is displayed on a information and instruction display **152** indicates that the remote player console **24** is available, and invites a player **14** to participate in a game played in conjunction with an underlying live game played remotely. In the present preferred embodiment, the information and instruction display **152** is a liquid crystal display (LCD). In the present preferred embodiment, the underlying game is a roulette game.

According to the present preferred embodiment, the remote player console **24** provides a bar code reader **209**. The bar code reader **209** permits players to transfer credit account amount into the remote player console credit account memory **130** in communication with the remote player console **24**. In the present preferred embodiment, the remote player console credit account memory **130** is integrated into the remote player console **24**.

According to the present preferred embodiment, the remote player console **24** provides a credit bank display **204**. The credit bank display **204** displays the player

- 20 -

credit account amount transferred into the player credit account memory **130** of the player console **24**. The credit bank display **204** displays the amount of credits available for betting.

5 According to the present preferred embodiment, the remote player console **24** provides a bet selection interface **150**. In the present preferred embodiment, a plurality of switches **160-174** permits a player **14** to select and wager on remote game betting options. As it will be understood, the remote betting options can take a plurality of embodiments in function of the underlying game, and the type of betting options offered.

10 According to the present preferred embodiment, the remote player console **24** provides a validate bet/s switch **176**. When the validate bet/s switch **176** is activated, betting options selected by the player **14**, are stored into a player betting option memory **132** in communication with the remote player console **24**. In the present preferred embodiment, the console player betting option memory **132** is  
15 integrated into the remote player console **24**.

In another preferred embodiment, a player account is stored into a portable data storage device in communication with the remote player console **24**. By example, such portable data storage device can be a smart card or magnetic card. In addition of player account, some preferred betting options of a player could be  
20 stored into a portable data storage device. Then instead of using a bar code ticket **77**, a magnetic card or a smart card can be used with an appropriate reader means, as known in the art, associated to the remote player console **24**.

In the present preferred embodiment, the remote player console **24** provides a betting option set switch **190** permitting a player to pass from a set of remote game  
25 betting options to another set of remote game betting options.

In the present embodiment, two sets of betting options on a same underlying game are provided. The first set of betting options is a subgroup of typical roulette game betting options. Namely, the remote betting options available are: "Straight up" bet  
30 **172** on a number among 1 to 36, 0, 00; bet on the parity: "Odd" **168** or "Even" **162**; bet on a color; "Red" **164** or "Black" **166**; bet on a numerical range: "1 to 18" **160** and "19 to 36" **170**.

The second set of betting options is restricted only on a combination of one or many numbers among 1 to 36, 0, and 00.

According to a preferred embodiment, each remote player console **24** is identified uniquely by an indication, and a group of remote player consoles is identified by another indication. In a preferred embodiment, a number and a color identify each console. In the present preferred embodiment, the number **196** identify uniquely each remote player console **24**, and the color **192** identifies a group of remote player consoles **24** identified with a same color.

According to a preferred embodiment, the remote player console **24** provides a display **152** for displaying to players game instructions and information and a display **208** which displays outcomes of play of the underlying live casino game. The remote player console **24** provides also displays **198**, **154**, **200** which display results of predetermined virtual events produced by random selectors, respectively: random remote player selector **46**, random remote player group selector **48**, and random gaming symbol selector **44**.

In the present preferred embodiment, the remote player console **24** provides a clear all bets switch **186** permitting a player to cancel his or her previous betting options identified.

According to the present preferred embodiment, the remote player console **24** provides: a credit won display **156**. The credit won display **156** displays the amount of accumulated won credits stored into the remote player console won credit memory **140**. According to the present preferred embodiment, a credit transfer switch **158** permits a player to transfer won credits from the console won credit memory **140** to the console credit account memory **130**. The remote player console provides also a credit cash out switch **202**, permitting a player to transfer his credits from the console credit account memory **130** to the game controller player credit account memory **126**.

Furthermore, according to a preferred embodiment, the remote player console **24**, provides an auto-play switch **194**, permitting players to register in advance preferred betting options which betting options will be wagered automatically until some predetermined parameters are reached. The remote player console **24** in auto-play mode participates automatically in a number of successive remote

- 22 -

games without requiring any real-time input from a player. The betting options are stored into a betting option memory **132** in communication with the remote player console **24**. Of course, the preferred betting options memory **132** could be stored into portable device storage or into a memory integrated with the remote player console **24**. In the present preferred embodiment, the preferred betting memory **132** is integrated into the remote player console **24**.

According to the present preferred embodiment, the auto-play switch **194** when activated, permits a player to maintain automatically his participation in one or a plurality of successive remote games without needs of any real-time inputs from the player into the corresponding remote player console **24**. When the player has validated betting options, he activates the auto-play switch or button **194**. At this time a message is displayed on the display **152** indicating to the player to present his bar code ticket **77** to the bar code reader **209**, associated to the remote player console **24**. Once the bar code ticket **77** is read, the player enters on the remote player console **24**, the parameters determining the end of the automatic participation in a number of remote games. The parameters can be i) a predetermined amount of credits won stored into the console credit won memory **140**; ii) a predetermined amount of credits stored into the console credit account memory **130**; iii) a predetermined number of games played automatically; iv) a predetermined period of time; or v) any combination of the previous parameters.

In the present preferred embodiment, instructions for entering values of the auto-play parameters are displayed on the instruction and information display **152**. In the present preferred embodiment, upon the instruction displayed on the console display **152**, some switches of the remote console **24** are identified, and used for entering values of auto-play parameters. Once the values of auto-play parameters have been entered, the remote player console **24** participates automatically. Once the remote player console **24** is set to participate automatically in one or a plurality of remote games i.e. in an auto-play mode, no one can use the remote player console **24** until the parameter values have been reached, or the auto-play mode has been deactivated by the player or by an employee of the casino. To deactivate the auto-play mode, the same bar code ticket **77** that has been used to set the auto-play mode, must be read again by the bar code reading means **209** associated to the remote player console **24**.



- 23 -

According to the preferred embodiment, the remote player console provides a switch identified as a "credit value multiplied by" switch **184**. In using the "credit value multiplied by" switch **184**, a player decides the credit value of a credit unit that he wants to bet.

- 5 According to the preferred embodiment, the credit amount wagered is subtracted automatically from the console credit account amount stored into the console player account memory **130**, and the credit bank display **204** displays the new credit amounts available in the console player credit account memory **130**.

The betting period available to a player to make his wagers is indicated by visual  
10 indication means. In the present preferred embodiment, three color lights **178**, **180**, **182** indicate different moments of betting period. The activated green light "Place Bet/s" **178** indicates to remote players **14** that remote bets on the present or next remote games can still be recorded. The activated yellow light "Standby" **180**  
15 indicates to players **14** that the last period to bet on the present remote game in progress is running. Finally, when the red light "Bet/s Off" **182** is activated that indicates that no more bets are accepted on the present remote game.

As long as the green light is activated **178**, or the yellow light is activated **180**, the player selects his betting options. Finally, the player **14** validates in activating the "Validate Bet/s" switch **176**.

- 20 In order to refund all credits from a console **24** to a remote player credit account stored into the game controller **24**, the player activates the "clear all bets" switch **186**, and the credit transfer switch **158** in order to bring back all available credits into the player credit account stored into the console credit account memory **130**.  
25 The total amount of credits of the credit account is displayed on the credit bank display **204**. To initiate the transfer, a player activates the credit cash out switch **202**, and inserts his bar code ticket **77** into the console bar code reader **209**. The total amount of credits displayed on the credit bank display **204** is then transferred into the game controller player credit account memory **126** corresponding to the credit account identifies by the code encoded on the bar code ticket **77**.  
30 When the transfer is completed, a zero credit value is displayed on the credit bank display **204**.

In a preferred embodiment, the remote player console **24** provides a call attendant switch **188**, permitting to signal to a casino employee that his presence and/or help is required by a player playing at the remote player console **24** indicated on the call attendant display **38**. When the call attendant switch **188** of a remote player console **24** is activated, a signal is transmitted via game controller **24** to a call attendant display **38** that displays the corresponding remote player console **24** identification **196** in order to advise an attendant that a player **14** at the identified remote player console **24** required his presence, and help of an attendant.

In referring to FIG.5, FIG. 7, FIG. 8A and FIG. 8B, how to play a game played remotely from where is played an underlying game and to use the method and the system of the present invention, according to a preferred embodiment, will be described.

FIG. 5 is a block diagram of the system according to a preferred embodiment of the present invention. FIG. 7 is a flow chart representing the steps of the method of the present invention. FIG. 8A and FIG. 8B are joined to form a flowchart, which represents the steps and one method according to one method according to a preferred embodiment of the present invention.

In referring to FIG. 7, the method of the present invention comprises the step of receiving a bet **210**.

The remote player console **24** must have access to the player credit account in order to permit the player to bet and participate in games played in conjunction and remotely from one or many underlying games.

In a preferred embodiment, player credit account amount must be transferred into a player credit account memory **130** in communication with the remote player console **220**. In the present preferred embodiment, a bar code ticket **77** is scanned by a bar code reader **209** integrated into the remote player console **24**. When the bar code of the bar code ticket **77** has been read, the remote player console **24** sends a remote player credit account code signal to the game controller **20**. The game controller compares the player credit account code with player credit account codes stored into the player credit account memory **126** in communication with the game controller **20**. If the player credit account code corresponds to a player credit account code among player credit account codes stored into the

- 25 -

game controller player credit account memory **126**, the game controller **20** validates the player credit account code. Upon validation of the player account code, the game controller **20** sends the player credit account amount data to the player account memory **130** of the corresponding remote player console **24**. If the  
5 player account code is invalidated, the remote player console **24** stays inactive.

According to the present preferred embodiment, the bar code reader **209** is associated with a guided sliding bar code ticket inserting means in order to enhance the rapidity of the operation in permitting in a first attempt to obtain a correct positioning of the ticket bar code and the bar code reader **209**, facilitating  
10 and enhancing the bar code reading operation for the player **14**.

The remote player console bank credit display **204** displays an amount of credits incremented by the credit amount transferred **222**. The credit amount transferred into a credit account memory **130** in communication with a remote player console **24** appears on the credit bank display **204** of the corresponding remote player  
15 console **24**. The betting option interface **150** is activated. The remote player console is in ON recording state **224**. In the present preferred embodiment, a "place bet" indicator **178** activated indicates that a player can make his remote betting options for the present or next remote games played in conjunction with one or many underlying casino games. In the present preferred embodiment, a  
20 visual indication is activated, indicating to the player that the remote player console is in ON remote bet recording state. In the present embodiment the visual indication is a green LED.

The players make bets with their remote player consoles **226**. In preferred embodiments, the remote player console **24** offers one or many set of betting  
25 panels associated to one or many underlying casino games. The betting interface can take many embodiments such as a touch-screen or a switchboard.

According to the present invention, two ways have been developed for simplifying the betting option operation of players **14** remotely located from an underlying game, making remote players **14** in better dispositions for enjoying the  
30 atmosphere, and the intrinsic activity of play of the underlying game or pursuing another activity at their ease.

The first way is enlarging the betting window compared with the betting window of the underlying game.

The second way is providing set of betting options applicable for a whole of the play of the underlying game.

- 5 Typically, an underlying game is composed of four periods: a betting period, a random process period – where random processes take place and where one or many gaming symbols are randomly selected or distributed – a win and loss resolution period where the game outcomes are compared with the gaming symbols possessed or chosen by the players **12**, and a reordering period wherein,  
10 the dealer **10** prepares the game table for the next game.

In the present embodiment, the betting window is larger compared to the underlying game betting period. The betting period for a player participating to the underlying game with a remote player console **24** starts from the end of the random process of the previous play of the game and goes to the end of the  
15 betting period of the present play of the underlying game. The player **12** participating in and located at the underlying game can bet only during the betting period of the present play of the underlying game.

Furthermore, in the present embodiment, the remote player console **24** permits a player to set his remote player console **24** into an automatic participation mode.  
20 The player selects a number of betting options for one or a plurality of successive games. The remote console **24** stores the selected betting options into a player betting option memory **132** in communication with the remote player console **24**. When the player activates the automatic participation mode of the remote console  
25 **24**, no needs of any real-time inputs are required by the player during the play of one or the plurality of underlying games selected. The player betting options stored are processed for each play of the underlying game. Furthermore, the player betting options could be stored into a portable storage device such as a smart card or a magnetic card. In the present preferred embodiment, the player betting options are stored into the betting option memory **132** integrated into the remote  
30 player console **24**.

Different parameters can determine the end of the automatic participation mode. For example, the parameters could be: a predetermined amount of credits won

- 27 -

stored into a won credit memory **140**; a predetermined credit amount stored into the credit player account memory **130**; a number of games played automatically; a predetermined period of time; or any combination of the previous parameters. In the present embodiment, the console credit account memory **130** and the won credit memory **140** are integrated into the remote player console **24**.

In the present preferred embodiment, instructions for entering values of the auto-play parameters are displayed on the instruction and information display **152**. In the present preferred embodiment, upon the instructions displayed on the console display **152**, some switches **150** of the remote player console **24** are identified, and used for entering values of auto-play parameters. Once the values of auto-play parameters have been entered, the remote player console **24** is participating automatically in a number of remote games until the parameter values have been reached or when the same bar code ticket **77** that has been used to set the auto-play mode is read again by the bar code reading means **209** associated to the corresponding remote player console **24**.

An other manner for simplifying the betting operation, for player located remotely from the underlying game, is providing simplified conditions for one or more remote **14** players requiring a selection of betting options being applicable for a whole of the play of the underlying game without requiring real-time input from the player, and permitting a remote player **14** to be concentrated on viewing and enjoying the underlying game atmosphere and/or alternatively, pursuing another activity without needing to provide real-time input to place a bet in the underlying game.

In the present embodiment, the player **14** can choose betting option between two sets of betting options offered for a same underlying casino game.

Different sets of betting options can be offered depending on the underlying casino game.

For a roulette underlying game **54** or craps underlying game, one, some or all betting options usually offered by roulette or craps game can be offered. An important aspect of the present invention is that the betting option selection period window is enlarged compared to the betting period window offered to player playing the underlying casino game at the underlying game location.

In the present preferred embodiment, the underlying game is a roulette game **54**. Two sets of betting options are offered to remote players **14** for a same underlying game **54**.

5 The first set of betting options is a subgroup of betting options offered by the casino underlying casino roulette game **54**. Namely, the betting options offered by the first set are "Straight up" bet **172** on a number among 1 to 36, 0, 00; Bet on the parity: "Odd" **168** or "Even" **162**; Bet on colors: "Red" **164** or "Black" **166**; and bet on a numerical range: "1 to 18" **160** or "19 to 36" **170**.

10 The second set of betting options offered is a bet on an unique combination of gaming symbols associated to the underlying game **54**. In the present embodiment, the betting options are restricted only on combination of one or many numbers among 1 to 36, 0, and 00.

15 For card games such Poker, Baccarat or Blackjack, simplified conditions are provided for one or more remote players **14** requiring selection of a betting option to play the underlying game. The betting option being applicable for a whole of the play of the underlying game without requiring real-time input from the remote players **14** located remotely from an underlying game in a gaming environment.

20 In one preferred embodiment, the betting option is a bet on an unique combination associated to the underlying game wherein the unique combination comprises at least one gaming symbol among the following: suits: Spades, Clubs, Diamonds, Hearts; face values: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, Jack, Queen, King, Joker; and colors: red, black, white. The unique combination is to be matched with one or many card hands possessed by one or many players **12** or by a dealer **10** of the underlying game.

25 In the present preferred embodiment, activated lights besides each betting options switches comprised in the corresponding set of betting options indicate betting options for each set of betting options.

30 In the present embodiment, remote players **14** make bets with their remote player console **24**. The remote player **14** selects switches or buttons corresponding to the betting option selected **226**. In the present preferred embodiment, a player selects an amount of credits wagered on a betting option in activating the corresponding switches or buttons that permits to increment or decrement the number of credit

- 29 -

wagered on the betting option. The amount of credit wagered for a betting option is displayed by the alphanumerical display **174** associated to the betting option switch or button **150**. A player **14** determines the value of each credit by the activation credit value multiplied by switch or button **184**.

- 5 The remote player console player account amount is decreased and the credit value indicated by the credit bank display **204** is decreased by the total credit amount of bets wagered **228**. Players validate their remote bets **230** in activating the validate bet switch **176**. The betting option selected and validated are stored in the player betting option memory **132**. In the present embodiment, the betting  
10 option memory **132** is integrated into the remote player console **24**.

At the underlying live casino table game **54**, the dealer **10** activates the "place remote bet" switch on the underlying game interface **32**. In the present embodiment, the dealer **10** activates the "place remote bet" switch **236** of the underlying game interface **32**, which is, in the present embodiment, a dealer  
15 keypad **32**. Depending on the type of the underlying casino game, the dealer **10** activates the "place remote bet" switch of the underlying game interface **32**, at the beginning, during processing or at the end of the underlying casino game. Furthermore, the moment to activate the "place remote bet" switch or button is determined according along the type of outcome produced by the underlying  
20 casino game, and by the type of remote betting options offered to remote players **14**. For example, for card games, the dealer activates preferably the "place remote bet" switch before of dealing the cards to players **12** in a manner as the players **14** at remote player consoles **24** cannot validate their remote bets after the dealer **10** deals cards to players **12** of the underlying card game.

25 When the "place remote bet" switch or button is activated, a signal is sent from the underlying game interface **32**, in the present embodiment a keypad, to the game controller **20**. Upon reception of the signal, the game controller **20** sends a signal to each remote player console **24** to deactivate the "Place Bets" indication **178** and activate "Standby" indication **180**. The "Standby" indication **180** activated **238** is  
30 the signal to communicate to each remote player **14** that the period to bet on the present progressing remote game approaches its end. Furthermore, upon the reception of the signal, the game controller **20** sends signals to the random gaming symbol selector **44**, to the random remote player selector **46**, and to the random

remote player group selector **48** for initiating the random selection processes **242**, **246**, **244**.

5 A predetermined period of time after the "Standby" indication **180** has been activated, the "Standby" indication **180** is automatically deactivated, and the "Bet Off" indication **182** is activated **240**. In the preferred embodiment, the "Bet Off" indication **182** is a red LED, and when activated, indicates to players **14** that no more bets are accepted on the present remote game in progress. At this moment, the remote player console **24** is in OFF remote bet recording state for the present remote game in progress **232**.

10 In referring to FIG. 7, the method of the present invention comprises the step of providing a remote view **212**.

In the present preferred embodiment, a plurality of underlying game monitors **26** in communication with one or a plurality of camera **28** focusing on one or a plurality of underlying games **54**, are positioned in a manner to permit remote player **14** to view in real-time the processing of the underlying game. Some underlying game monitors **26** could be associated to remote player consoles **24**. Other underlying game monitors **26** are located in a manner to permit a view of the underlying game from a plurality of remote player console **24** locations.

20 It will be appreciated that the remote player consoles **24** need not have video displays for the video feed of the underlying game, and instead rely on a main common monitor **26**, such as a wall or ceiling mounted monitor or screen, for a number of remote player consoles **24**. This allows smaller consoles **24** to be used, and for the focus of remote players to be at a distance. This is less distracting for the remote players, who may be having a conversation in a lounge as illustrated in Fig. 3B. Multiple common displays **26** may also be provided for following a plurality of underlying games remotely by the players in an area.

Furthermore, in the present preferred embodiment, one or a plurality of remote player consoles **24** are located in such a manner to permit a player located at a remote player console **24** to directly view an underlying game **54** activity.

30 Viewing the intrinsic activity in real time of the underlying casino game directly or by an underlying game monitor **26**, remote players **14** can appreciate the atmosphere of an underlying game, and can decide to bet with the remote player



console **24** on a game played in conjunction with an underlying game played remotely.

In referring to FIG. 7, the method comprises further the step of processing the bet request **214**.

5 When, the remote player console **24** is in OFF remote recording state for a processing underlying game, the remote player betting options stored into the console betting option memory **132** for the processing underlying game are sent and stored into a remote player betting option memory **134** in communication with the game controller **20**. In the preferred embodiment, the game controller betting  
10 memory **134** is integrated with the game controller **20**. In the present preferred embodiment, a first percentage of the total credit amounts of remote bets is stored **254** in a Jackpot Fund memory **146**. A second percentage of the total credit amounts of remote bets is stored **252** in a Reserve Fund memory **144**. A third percentage of the total credit remote bet amount goes **250** to Casino House  
15 Incomes Fund and Operator Fund memory **142**. In the present preferred embodiment, the incremented Jackpot Fund corresponding to the Progressive Jackpot. The Progressive Jackpot can be displayed **256** on the wall display **72**, on a game message display **114**, on underlying game monitor **26**, and on the remote player console display **152** according to different embodiments of the present  
20 invention.

Furthermore, a predetermined period of time after the random selection processes (i.e. predetermined virtual event(s)) have been initiated, selections take place. The randomly selected values (i.e. results), in the present embodiment, identifying such: a combination of gaming symbols associated to the underlying game, a  
25 group of remote players, and a remote player are registered and stored **258** into a result memory **136** in communication with the game controller **20**. According to the present preferred embodiment, the result(s) of the predetermined virtual events are displayed **262** on a random selection result display **112** on the underlying game monitor **26**, on the wall display **72** and on player console result displays **154**, **198**,  
30 and **200**.

During the underlying game is played, the dealer **10** enters on the underlying game interface **32** outcomes of the play of the underlying game **54**. Depending of the

type of the game, the dealer will register outcomes at different moment during the proceeding of the underlying game **260**.

In the present preferred embodiment, randomly selected results are a winning number of the roulette game, a color identifying a group of remote player consoles  
5 **24**, and a number identifying uniquely a remote player console **24**.

In the present preferred embodiment, for an underlying roulette game **54**, the dealer **10** registers the number randomly selected by the ball, as soon as the ball is stopped into a numbered slot of the roulette wheel. In the present preferred embodiment, once the outcome of the roulette game is entered into the underlying  
10 game interface **32**, the outcome entered by the dealer **10** into the underlying game interface **32** is displayed on the outcome confirmation device display **102**. If the displayed outcome corresponds to the real outcome of the play of the underlying game **54**, the outcome confirmation switch **100** is activated by the dealer **10**, a player **12** or another individual. The activated outcome confirmation device switch  
15 **100** initiates the underlying game outcome data transmission from the underlying game interface **32** to the game controller **20**. The game controller **20** stores the outcome data corresponding to the underlying game **54** into an outcome memory **138** in communication with the game controller **20**. In the present embodiment, the game controller outcome memory **138** is integrated into the personal computer  
20 **60**. The registered outcomes of the play of the underlying casino game are displayed **264** on the outcome display **110**, on the wall display **72**, on the underlying game monitor **26** and on the remote player console outcome display **208**.

It will be understood that many electronic or electrical-mechanical apparatuses and  
25 systems have been developed during recent years for a plurality of casino games such as the roulette game.

For some roulette games, a dealer **10** has to spin the wheel, for other roulette games, a dealer **10** has to activate a switch to signal the electrical-mechanical wheel to spin. Furthermore, some roulette games do not require a dealer **10** to  
30 spin the wheel. For some roulette games, the dealer **10** has to launch the ball, and for other roulette games, the ball is launched automatically by the roulette game apparatuses and system. Finally, for roulette games, where the ball stands in the

roulette wheel is read and determined by a dealer **10**, for other roulette games the numbered slot where the ball stands is read and determined by game roulette apparatuses and system. Of course, in all cases, the method and system for controlling and managing bets in a gaming environment of the present invention  
5 can be applied. The difference, compared with the present embodiment, is that in some cases, roulette game apparatuses and systems instead of a dealer **10** activate the underlying game interface **32**.

In a preferred embodiment, for a card game, the dealer **10** registers one or many cards comprised into one or many card hands possessed by one or many players  
10 **12** or by the dealer. **10**. In a preferred embodiment, the card hand registered is a high value card hand of play of the underlying game. In other preferred embodiment, the dealer **10** registers one or many winning players of play of an underlying card game. In such preferred embodiment, remote players **14** could wager on one or many underlying game players **12**. In a preferred embodiment, for  
15 card games, the card gaming symbols are preferably registered by the dealer **10** at the end of play of an underlying game for not disturbing the processing of the underlying game.

Furthermore, in another preferred embodiment, each card dealt is registered automatically by an electronic card reader as a card leaves the card shoe. Using a  
20 card reader permits to diminish the possibility of cheating, and to not interfere with the underlying card game process.

In a preferred embodiment, for a dice game, the dealer registers one or many numbers appearing on one or many dices rolled by a player **12** or a dealer **10**. Furthermore, in a preferred embodiment, a dealer **10** registers individual who rolls  
25 dices. Such preferred embodiment, remote players could wager on one or many underlying game player **12**.

Referring to FIG. 7, the method comprises further the step of determining a payout  
**216**.

In a preferred embodiment, once the remote player bets have been stored in a  
30 game controller remote player betting option memory **134** - in the present preferred embodiment; the game controller betting option memory **134** is integrated into the personal computer **60**. Once, the randomly selected result(s), - in the present

- 34 -

embodiment: number identifying a remote player console **24**, a color identifying a group of remote player consoles, and a gaming symbol related to the underlying game; in the present embodiment, the gaming symbol is a number among 1 to 36, 0, 00 - have been stored into a result memory **136**. In the present preferred  
5 embodiment the result memory **136** is integrated into the personal computer **60**. Once, outcome(s) of play of a corresponding underlying game have been stored into the outcome memory **138** in communication with the game controller **20**. In the present embodiment, the outcome memory **138** is integrated into the personal computer **60**. The remote player betting options, stored into the game controller  
10 betting option memory **134**, associated with a particular play of the underlying game, are compared with outcomes, stored into the game controller outcome memory **136**, of the corresponding play of the underlying game. Furthermore, in the present preferred embodiment, the remote player betting options, stored into the game controller betting memory **134**, of the corresponding play of the  
15 underlying game are, also compared with result(s), stored into the game controller result memory **136**, for the corresponding play of the underlying game **268**.

Depending of the presence, or not, of a match between a bet option made by a remote player with one or some virtual event results and/or with one or some underlying game outcomes, a prize is awarded **270**. Depending upon the degree of  
20 match a plurality of prizes of different credit amounts can be awarded. The prize could be a predetermined prize or a randomly selected prize selected by the random prize selector **50** in communication with the game controller **20**.

The prize value could be a predetermined fixed amount, a randomly selected determined amount among a plurality of determined amount, a predetermined  
25 percentage of a jackpot, or a randomly selected percentage of a jackpot.

Depending of the case, the random prize selector **50** selects randomly a percentage among a plurality of percentages or a predetermined amount among a plurality of determined amounts.

For example, in the present preferred embodiment, a remote player **14** has  
30 access, in using a remote player console **24**, to two sets of betting options for an underlying roulette game **54**.

The first set of betting options is a subgroup of betting options offered by the underlying casino roulette game **54**. Namely, the betting options offered by the first set are: "Straight up" bet **172** on a number among 1 to 36, 0, 00; bet on the parity: "Odd" **168** or "Even" **162**; bet on colors: "Red" **164** or "Black" **166**; bet on a  
5 numerical range: "1 to 18" **160** or "19 to 36" **170**.

The second set of betting options is restricted only on a combination of one or many numbers among 1 to 36, 0, and 00.

Furthermore, in the present embodiment, a remote player console **24** is identified as a member of a group of remote player consoles **24** by a color and a remote  
10 player console **24** is identified uniquely by a number.

In the present embodiment, for each play of an underlying roulette game **54**, a number identifying uniquely a remote player console **24**, a color identifying a group of remote player consoles and a gaming symbol associated to the underlying game are randomly selected respectively by a random remote player selector **46**, a  
15 random remote player group selector **48** and a random gaming symbol selector **44**.

Depending on the degree of match between, on one side, the bet made with a particular remote console **24** on a play of the underlying game **54**, and on the other side, the outcome and the randomly selected results of the corresponding play of the underlying game, a plurality of prizes could be awarded.

20 For example, according to the present preferred embodiment, a remote player **14** has made a bet on the number 14 on a play of the underlying roulette game **54**. Furthermore, the remote player console **24** is identified by a remote player group color; the color "red", and is uniquely identified by the number "99". If the outcome of the corresponding play of the underlying game is "14", there is a match between  
25 the player bet and the outcome. Then the remote player **14** is eligible to win a prize. Furthermore, if the random selection of a group of remote player color of the corresponding play of the underlying game is "red", there is a second match. Then, the remote player is eligible to win a higher prize value. And so on, until the maximum of matches will be reached.

30 In the present embodiment, the maximum of matches will be reached when: the bet made by the remote player **14** matches the outcome of the play of the underlying game; the group remote player console color, and the remote player

console number of the remote player console **24** of the remote player **14** matches the randomly selected color and number; and finally, the randomly selected gaming symbol matches the outcome of the corresponding play of the underlying game.

5 For this situation, where the remote player **14** has bet on the winning number of the roulette game, and for which the color, and the number identifying his remote player console **24** has been randomly selected by the random remote player selector **46** and by the random remote player group selector **48**, and the random selected gaming symbol matches the outcome of the game, for this situation, the  
10 corresponding remote player **14** is eligible for the highest value prize. The highest value prize could be a fixed or a random percentage of the jackpot amount, a random or a determined prize amount. Depending the way that the casino decides to determine the prizes the random prize selector **50** could be used or not. The prizes could be, for example, a car, a voyage or a monetary amount etc.

15 As it could be appreciated, a plurality of combination of matches could be considered, and consequently a plurality of prize values could be awarded. Such prize values could be awarded randomly, random as randomly selected fixed amount, random as a percentage of a jackpot, fixed according to a pre-established charter, progressive as a predetermined percentage of wagers or a combination  
20 thereof as example, progressive and random as a random percentage of a jackpot.

Referring to FIG. 7, the present method comprises further the step of delivering the payout **218**.

If there is a match with a remote bet made by a remote player **14** with a remote player console **24** a prize is awarded **272** according to a predetermined pay table  
25 or a random prize selection or a combination of the two. The prize amount is subtracted from the jackpot fund **274**. The game controller **20** transfers the prize credit amount from the jackpot fund stored into the jackpot fund memory **146** to the player won credit account stored into a player won credit memory **140**. In the present preferred embodiment, the won credit amount memory **140** is integrated  
30 into the remote player console **24**. The remote player console credit/s won display **156** is incremented by the prize credit amount awarded **278**.

After all prizes have been resolved, and the jackpot fund has been subtracted **274** from all prizes awarded for a game, the Jackpot Fund is evaluated by the game controller **20**. Of course, if none matches occur, none prizes is awarded, and consequently, none prize amounts are subtracted from the Jackpot Fund **276**.

5

If the jackpot fund value is lower than the predetermined minimum jackpot threshold value than a amount of credits from the reserve fund is transferred to the jackpot fund is equal or higher than the minimum jackpot threshold value; Otherwise, if the jackpot fund value is equal or higher than the minimum jackpot value then no credits from reserve fund is transferred to the jackpot fund stored into a jackpot fund memory **146**. In the present preferred embodiment, the jackpot fund memory **146** is integrated into the game controller **280**.

An interesting feature is that even if the totality of jackpot fund is awarded as prizes, the new jackpot fund, and consequently the progressive jackpot value is never decreased until a zero value.

Furthermore, as it can be appreciated, even if no jackpot has been awarded, the jackpot fund value is evaluated against a minimum jackpot threshold value. For some reasons, a new increased or decreased minimum jackpot threshold value could have been established considering different parameters, such as the amount cumulated in the reserve fund.

The new calculated value of the jackpot fund corresponds to the new progressive jackpot value **286**.

When all prizes have been resolved, and jackpot fund has been reevaluated, the jackpot fund is stored in a jackpot fund memory **146**. The prizes awarded **282**, the winning match combinations **284**, and new progressive jackpot **288** are communicated by game controller **20** to wall display **72**, on the console game message display **152** and on the game message display **114**. Furthermore, in the present preferred embodiment, underlying game outcomes, randomly selected results and prizes awarded are surmised on the real-time image of the underlying game monitor **26**. The remote player **14** can pursue to bet on next remote games and enjoying the atmosphere and the intrinsic activity of the underlying game

- 38 -

and/or to pursue another activity such as playing at another casino game, playing at a gaming machine or drinking at a bar.

When the remote player **14** wants to convert his credit into a monetary value device or tangible prizes, the remote player **14** must transfer the player credit amount stored into a won credit memory **140** into his player credit account memory **130**. The player won credit memory **140** is in communication with the remote player console **24**. In the present preferred embodiment, the remote player **14** activates the credit transfer switch **158**. The credit transfer switch **158** activated generates the transfer of the won credit amount stored into the console player won credit memory **140** into the console player credit account memory **130**. The bank credit display **204** displays a credit amount incremented of the won credit amount transferred into and added to the credit amount stored into the player credit account memory **130**. The credit account memory is in communication with the remote player console **24**. The credit account memory **130** could be a portable storage device **128** such a smart card or magnetic card. In the present preferred embodiment, the player credit account memory is integrated into the remote player console **24**. According to different preferred embodiments the credit account amount can be transferred from the console credit account memory **130** into a credit transaction station **22** associated with the remote player console **24**, into a credit account portable storage device **128**, or into a player account memory **126** in communication with the game controller **20**.

In the case where the credit amount is transferred into a credit transaction station **22**, the player activates the console credit cash out switch **202**. The activated console credit cash switch **202** initiates the transfer of the player credit account amount into the credit transaction station **22**. Upon reception of the player credit account amount data, the credit transaction station **22** converts in a monetary value the player credit account amount. The credit transaction station **22** stores into or delivers a monetary value device **120** the corresponding monetary credit value of the player credit account amount. The monetary value device can be a smart card, a credit card, magnetic card, coins, bills or tickets.

In the case where the player credit account amount is transferred into a credit account portable storage device, the player **14** activates the console cash out switch **202**. The credit account data comprising the player credit account amount



and the player credit account code are stored into the credit account portable storage device **128**. The portable storage device could be a smart card or a magnetic card. As shown in FIG. 3C, the remote player **14** goes to the casino bank **119**. At the casino bank **119** the casino employee **16** inserts the portable storage device into an appropriate reader in communication with game controller **20**. The reader reads the credit account code and the credit amount stored into portable storage device **128**. The game controller **20** converts the credit amount into a monetary value and displays the credit account amount and the corresponding monetary amount value on the output command monitor **68**. The game controller **20** compared the read account code with player account codes stored into the game controller player credit account memory **126**. If the read code corresponds to a stored player account code, the game controller **20** validates. Upon the reception of the validated account code data the game controller **20** displays on the command output monitor **68** the validated account player code prompt. Otherwise, the game controller **20** displays a wrong player account code prompt. The casino employee **16** pays the monetary amount displayed on the monitor **68** to the player **14** in the case where the credit account code is validated. Once the corresponding monetary value is paid to the player **14**, the casino bank employee **16** erases the player credit account code of the game controller player credit account memory **126**.

As in the present preferred embodiment, in the case where the player credit account amount is transferred into a player account memory **126** in communication with the game controller **20**. The player **14** activates the cash out switch **202** and presents his credit account portable storage device **128** to the remote player console **24** in order to communicate the player account code associated to the transferred credit amount into the game controller credit account memory **126**. The presented portable storage device **128** is presented or inserted into an appropriate reader means associated with the remote player console **24**. The credit account data portable storage device could be a smart card, a magnetic card or a bar code ticket. In the present embodiment, the remote player **14** presents his bar code ticket **77** to the bar code scanner **209** integrated into the remote player console **24**. When the player credit account amount is transferred from the console player account memory **130** to the game controller **20** player account memory the bank

- 40 -

display **204** displays a zero credit amount. The remote player **14** goes to the casino bank. The bar code ticket is scanned by the casino bank employee **16** with a bar code reader **62** connected to the game controller **20**. In the present preferred embodiment, the controller is integrated into a personal computer **60**. The bar code reader **62** reads the bar code and transmits the read player credit account code to the game controller **20**. Upon reception of the player credit account code, the game controller **20** compares the player account code to account codes stored into the game controller player account memory **126**. If the received player account code matches a credit account code among credit account codes stored into the game controller player account memory **126**, the game controller sends the validated credit account code data and the corresponding credit account amount data to the monitor **68** connected to the game controller **20**. When the validated credit account code prompt and the credit account amount monetary value are displayed on the monitor **68**, the bank employee **16** gives to the remote player **14** the monetary value device corresponding to the credit account amount displayed. Once the player **14** has been paid the player account code is erased from the game controller player account memory **126**.

In the present preferred embodiment, a report printer **70** is connected to the game controller **20**, which is integrated into a personal computer **60**. The report printer **70** prints reports of data, and results concerning remote games played. In the present embodiment a command input keyboard **64** and command output monitor **68** are also connected to the game controller **20** in order to set remote game operation parameters, and to enter remote game operation data.

Although the present invention has been explained herein above by way of preferred embodiments, thereof, it should be noted that any modifications to these preferred embodiments within scope of the appended claims is not deemed to alter or change the nature and scope of the present invention.

- 41 -

CLAIMS

1. A system for allowing a remote player to play a live casino table game, the system comprising:
  - a live casino table game interface for collecting live play data about a play of the table game;
  - a player console located away from the live casino table game for collecting bet data from a remote player;
  - a game controller connected to the player console and to the game interface for collecting said bet data and said live play data to credit and debit an account of the remote player as a function of wins and losses according to rules of play; and
  - a video system providing a video display of the live casino table game to the remote player,

**characterized in that**

the game controller determines from said live play data when further bets may not be accepted for the current play of the table game and interacts with the remote player via the player console to confirm whether said bet data received from the remote player should be applied to a subsequent game, wherein the remote player plays the live casino table game remotely at a same rate and rhythm as players at the live casino table game.

2. The system as claimed in claim 1, wherein the player console randomly selects said bet data from a set of predetermined betting options.
3. The system as claimed in claim 1 or 2, wherein said live play data includes game play data of at least one of the players and the dealer playing the live casino table game, and said bet data defines a simplified betting option including a game achievement status of a player or dealer involved in the live casino table game.
4. The system as claimed in any one of claims 1 to 3, wherein the game achievement status is a win/lose status for each play of the live casino table game.
5. The system as claimed in any one of claims 1 to 4, wherein the game controller calculates odds for said simplified betting option as a function of said live play data.

- 42 -

6. The system as claimed in any one of claims 1 to 5, wherein said simplified betting option is maintained automatically for a plurality of plays of the live casino table game.
7. The system as claimed in any one of claims 1 to 6, wherein said game controller also determines a random virtual event and credits the account of the remote player as a function of the random virtual event determines the remote player.
8. The system as claimed in any one of claims 1 to 7, wherein the live casino table game is a roulette game, and the live casino table game interface interfaces with the roulette game.
9. The system as claimed in any one of claims 1 to 7, wherein the live casino table game is a card game, and the live casino table game interface interfaces with the card game.
10. The system as claimed in any one of claims 1 to 9, wherein said video system comprises a display screen installed for viewing by a plurality of remote players, the system comprising a player console for each of the plurality of remote players for collecting said bet data and controlling the remote player's account, while relying on said display screen to provide said video display of the live casino table game.
11. The system as claimed in claim 10, wherein said player console is portable, whereby said console may be provided in a lounge or restaurant.
12. The system as claimed in any one of claims 1 to 11, wherein said player console is wireless.
13. The system as claimed in any one of claims 1 to 12, wherein the player console provides the remote player with a choice of one of a plurality of said live casino table game for which said bet data is to apply.
14. A method of processing bet data in a system allowing a remote player to play a live casino table game, the system comprising:
  - a live casino table game interface for collecting live play data about a play of the table game;
  - a player console located away from the live casino table game for collecting bet data from a remote player;
  - a game controller connected to the player console and to the game interface for collecting said bet data and said live play data to credit and debit an

- 43 -

account of the remote player as a function of wins and losses according to rules of play; and

a video system providing a video display of the live casino table game to the remote player,

the method comprising:


determining from said live play data when further bets may not be accepted for the current play of the table game;

interacting with the remote player to confirm whether said bet data received from the remote player should be applied to a subsequent game; and

applying said bet data to the subsequent game when confirmed;


wherein the remote player plays the live casino table game remotely at a same rate and rhythm as players at the live casino table game.

15. The method as claimed in claim 14, wherein the bet data identifies a simplified betting option including a game achievement status of a player or dealer involved in the live casino table game.
16. The method as claimed in claim 14 or 15, wherein the game achievement status is a win/lose status for each play of the live casino table game.
17. The method as claimed in any one of claims 14 to 16, wherein odds for said simplified betting option are calculated as a function of said live play data.
18. The method as claimed in any one of claims 14 to 17, wherein said simplified betting option is maintained automatically for a plurality of plays of the live casino table game.
19. The method as claimed in any one of claims 14 to 18, further comprising a step of selecting one of a plurality of said live casino table games for which said bet data is to apply.




*Fig. 1*

2/11



*Fig. 2*


3/11




*Fig. 3A*







6/11



*Fig. 4*



8/11






Fig. 6

*9/11*



*Fig. 7*



11/11




Fig. 8B