

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
15 February 2007 (15.02.2007)

PCT

(10) International Publication Number
WO 2007/016993 A1

(51) International Patent Classification:
C07C 2/30 (2006.01)

INDUSTRIES CORPORATION, P.O. Box 5101, 11422
Riyadh (SA).

(21) International Application Number:
PCT/EP2006/005642

(74) Agents: **WINKLER, Andreas** et al.; Boehmert &
Boehmert, Hollerallee 32, 28209 Bremen (DE).

(22) International Filing Date: 13 June 2006 (13.06.2006)

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV,
LY, MA, MD, MG, MK, MN, MW, MX, NA, NG, NI,
NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE,
SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG,
US, UZ, VC, VN, ZA, ZM, ZW.

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
05016525.7 29 July 2005 (29.07.2005) EP

(71) Applicants (*for all designated States except US*): **SAUDI
BASIC INDUSTRIES CORPORATION** [SA/SA]; P.O.
Box 5101, 11422 Riyadh (SA). **LINDE AG** [DE/DE];
Abraham-Lincoln-Str. 21, 65189 Wiesbaden (DE).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **FRITZ, Peter**
[DE/DE]; Truderinger Strasse 21, 82008 Unterhaching
(DE). **BÖLT, Heinz** [DE/DE]; Schiessstättstrasse 12b,
82515 Wolfratshausen (DE). **HOFFMANN, Karl-Heinz**
[DE/DE]; Erikastrasse 11, 82110 Germering (DE). **KÖH-
LER, Markus** [DE/DE]; Rablstrasse 36, 81669 München
(DE). **ZANDER, Hans-Jörg** [DE/DE]; Ludwigshöher
Strasse 42, 81479 München (DE). **MOSA, Fuad** [SA/SA];
Saudi Basic Industries Corporation, P.O. Box 5101,
11422 Riyadh (SA). **ALI, Talal** [LB/SA]; SAUDI BASIC

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT,
RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA,
GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: METHOD FOR PREPARING LINEAR ALPHA-OLEFINS

(57) Abstract: The present invention relates to a method for preparing linear alpha-olefins by oligomerizing of ethylene in the presence of an organic solvent and a homogenous catalyst, characterized in that the method is carried out in a reactor being fed with a gaseous feed comprising a minor amount of ethylene and a major amount of an inert gas.

WO 2007/016993 A1

METHOD FOR PREPARING LINEAR ALPHA-OLEFINS

The present invention relates to a method for preparing linear alpha-olefins by oligomerizing of ethylene in the presence of an organic solvent and a homogenous catalyst.

The oligomerization of ethylene using an organometallic catalyst is widely known in the art. The oligomerization is highly exothermic so that reaction heat has to be removed from the reactor to prevent a runaway.

DE 43 38 414 C1 discloses a method for the preparation of linear alpha-olefins, wherein polymer grade ethylene is re-circulated to remove the reaction heat. Therefore, ethylene feed (having an ethylene content of approximately 100% with minor amounts of impurities) is introduced into the reactor at a lower temperature, and non-oligomerized monomeric ethylene is removed at a higher temperature, cooled down and re-introduced into the reactor.

It was found that only about 3% of the ethylene feed is used in the oligomerization process, wherein the remainder is utilized as cooling media. Ethylene is quite expensive.

Thus, it is an object of the present invention to provide a method for preparing linear alpha-olefins by oligomerizing of ethylene, which method overcomes the disadvantages of the prior art. Especially, a method shall be provided which may be carried out in a more cost-effective manner.

This object is achieved in that the method is carried out in a reactor being fed with a gaseous feed comprising a minor amount of ethylene and a major amount of an inert gas.

Preferably, the feed comprises at least about 3 wt.% of ethylene.

Most preferably, the feed comprises about 5 to about 10 wt.% of ethylene.

In one embodiment, the inert gas is selected from any of the rare gases, methane, ethane, hydrogen, nitrogen SF_6 , propane, propylene, butane or mixtures thereof, wherein ethane is preferred.

The organic solvent may be toluene.

Preferably, the catalyst comprises a zirconium salt of organic acids and at least one organoaluminum compound.

It is proposed that the zirconium salt has the formula $\text{ZrCl}_{4-m}\text{X}_m$, wherein $\text{X} = \text{OCOR}$ or $\text{OSO}_3\text{R}'$ with R and R' being independently alkyl, alkene or phenyl, and wherein $0 < m < 4$.

The at least one aluminum compound may be $\text{Al}(\text{C}_2\text{H}_5)_3$, $\text{Al}_2\text{Cl}_3(\text{C}_2\text{H}_5)_3$, $\text{AlCl}(\text{C}_2\text{H}_5)_2$ or mixtures thereof.

The oligomerization may be carried out in the reactor at a temperature between about 60 to about 100°C .

Finally, the feed may be introduced into the reactor at a temperature of about 20 to about 50°C .

Surprisingly, it was found that instead of polymer grade ethylene which has been used both so far as starting material and cooling media, this monomer can be substantially replaced by an inert gas only providing the cooling function, but not taking part in the oligomerization process.

Utilizing the inventive method, a significant reduction of the ethane/ethylene purge stream from the ethylene cycle (in the amount from t/h to kg/h) is achievable, which may be routed back for reprocessing to an ethylene plant or even has to be considered as a loss. Any purge

gas from a polyethylene plant may be utilized as feedstock for the LAO plant utilizing the inventive method.

Any inert gas which does not liquefy under the oligomerization conditions may be utilized. The preferred inert gas is ethane. Utilizing ethane, the application of low-cost feedstock is possible, since the feedstock can be easily withdrawn upstreams of the high energy-consuming C₂-splitter of an ethylene plant and may be fed directly into the reactor for oligomerizing of ethylene. However, any other suitable inert gas may be chosen.

It was found that the partly replacement of the conventional 100% ethylene feed by an inert gas does not influence the oligomerization rate and any process conditions.

The invention is now further illustrated with reference to the accompanying drawing wherein figure 1 schematically illustrates an inventive method for preparing of linear alpha-olefins by oligomerizing of ethylene.

In the plant illustrated in figure 1 catalyst dissolved in toluene is fed to oligomerization reactor 2 via line 1. Via line 3 a feed comprising ethylene and an inert gas, e.g. ethane, is provided. Preferably, the feed comprises about 5 to about 10 wt.% of ethylene. The feed is re-circulated through the reactor, two cooling devices, two separators and a compressor and a heater, to remove the reaction heat from the reactor 2. The feed is compressed in the compressor 4, heated in the trim heater 5 to a temperature of about 20°C and is introduced into the oligomerization reactor 2 from the bottom. In the reactor 2 the oligomerization of ethylene is conducted, when the feed bubbles through the mixture of solvent and catalyst. The products of the oligomerization remain dissolved in the solvent. The temperature in the reactor is about 60-100°C.

Via line 6 a mixture of ethylene and light alpha-olefins is removed, and, according to the thermodynamic equilibrium, some toluene. The mixture is cooled down in cooling device 7 to a temperature of about 35°C and is collected in separator 8. The liquid obtained, consisting of toluene and alpha-olefins, is re-circulated via line 9 into the separator part of the reactor 2. The part from the separator 8 remaining gaseous is further cooled in cooling device 10 to a

temperature of about 5°C and is transferred into the separator 11. In the cooling device 10 the cooling is adjusted so that olefins heavier than ethylene are liquefied. Via line 12 the separator may be provided with a recycled C₂-fraction from a hydrocarbon separation plant (not shown). Via line 13 a mixture of non-consumed ethylene and inert gas may be mixed with a fresh feed thereof, wherein the admixture may be again introduced into the reactor 2 via line 3, compressor 4 and trim heater 5. The liquid products from the separator 11 are transferred via line 14 to an olefin separation (not shown), for example a rectification column.

Via line 15 a liquid mixture consisting of toluene, catalyst, dissolved ethylene and linear α -olefins, is removed and may be processed as is well known in the art utilizing a mixing unit 16 and an adsorber 17.

The features disclosed in the foregoing description, in the drawing or in the claims may, both separately and in any combination thereof, be material for realizing the invention in diverse forms thereof.

Claims

1. Method for preparing linear alpha-olefins by oligomerizing of ethylene in the presence of an organic solvent and a homogenous catalyst, characterized in that the method is carried out in a reactor being fed with a gaseous feed comprising a minor amount of ethylene and a major amount of an inert gas.
2. Method according to claim 1, wherein the feed comprises at least about 3 wt.% of ethylene.
3. Method according to claim 2, wherein the feed comprises about 5 to about 10 wt.% of ethylene.
4. Method according to any of the preceding claims, wherein the inert gas is selected from any of the rare gases, methane, ethane, hydrogen, nitrogen, SF_6 , propane, propylene, butane or mixtures thereof, wherein ethane being preferred.
5. Method according to any of the preceding claims, wherein the organic solvent is toluene.
6. Method according to any of the preceding claims, wherein the catalyst comprises a zirconium salt of organic acids and at least one organoaluminum compound.
7. Method according to claim 6, wherein the zirconium salt has the formula $\text{ZrCl}_{4-m}\text{X}_m$, wherein $\text{X} = \text{OCOR}$ or $\text{OSO}_3\text{R}'$ with R and R' being independently alkyl, alkene or phenyl, and wherein $0 < m < 4$.
8. Method according to claim 6, wherein the at least one aluminum compound is $\text{Al}(\text{C}_2\text{H}_5)_3$, $\text{Al}_2\text{Cl}_3(\text{C}_2\text{H}_5)_3$, $\text{AlCl}(\text{C}_2\text{H}_5)_2$ or mixtures thereof.

9. Method according to any of the preceding claims, wherein the oligomerization is carried out in the reactor at a temperature between about 60 to about 100°C.
10. Method according to any of the preceding claims, wherein the feed is introduced into the reactor at a temperature of about 20 to about 50°C.




Fig. 1

INTERNATIONAL SEARCH REPORT

International application No

PCT/EP2006/005642

A. CLASSIFICATION OF SUBJECT MATTER

INV. C07C2/30

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
C07C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 908 436 A (KYOWA YUKA CO., LTD) 14 April 1999 (1999-04-14) paragraphs [0015] - [0018] paragraph [0037] -----	1-5,9,10
X	US 3 574 782 A (ROBY BEARDEN JR ET AL) 13 April 1971 (1971-04-13) column 1, line 13 - line 40 column 3, line 40 - line 44 -----	1-5,9,10
X	US 2004/059074 A1 (BIANCHINI CLAUDIO ET AL) 25 March 2004 (2004-03-25) paragraphs [0053], [0054] -----	1-5,9,10
X	US 4 486 615 A (LANGER, JR. ET AL) 4 December 1984 (1984-12-04) column 1, line 24 - line 30 column 5, line 63 - line 67 -----	1-10
-/--		

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

* & * document member of the same patent family

Date of the actual completion of the international search

29 September 2006

Date of mailing of the international search report

10/10/2006

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

O'Sullivan, Paul

INTERNATIONAL SEARCH REPORT

International application No

PCT/EP2006/005642

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	GB 879 803 A (HAROLD NEWBY) 11 October 1961 (1961-10-11) page 1, line 41 - line 50 example 4	1-5, 9, 10
A	DE 43 38 414 C1 (LINDE AG, 65189 WIESBADEN, DE) 16 March 1995 (1995-03-16) cited in the application claims 3-5	1-10

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2006/005642

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0908436	A	14-04-1999	AU 2227497 A	29-10-1997
			CN 1215386 A	28-04-1999
			WO 9737954 A1	16-10-1997
			JP 3333522 B2	15-10-2002
			KR 2000004913 A	25-01-2000
			US 2001051758 A1	13-12-2001
US 3574782	A	13-04-1971	DE 1803124 A1	04-06-1969
			FR 1587965 A	03-04-1970
			GB 1194079 A	10-06-1970
			JP 48019603 B	14-06-1973
US 2004059074	A1	25-03-2004	AU 8994701 A	06-05-2002
			CA 2427094 A1	02-05-2002
			WO 0234701 A1	02-05-2002
			EP 1328494 A1	23-07-2003
			IT MI20002320 A1	26-04-2002
US 4486615	A	04-12-1984	NONE	
GB 879803	A	11-10-1961	NONE	
DE 4338414	C1	16-03-1995	CN 1107828 A	06-09-1995