



US00D865670S

(12) **United States Design Patent**
Shirouzu et al.

(10) **Patent No.:** **US D865,670 S**

(45) **Date of Patent:** **** Nov. 5, 2019**

(54) **CORE FOR ELECTROMAGNETIC DEVICE**

(71) Applicant: **FANUC CORPORATION**, Yamanashi
(JP)

(72) Inventors: **Masatomo Shirouzu**, Yamanashi (JP);
Takafumi Kajiya, Yamanashi (JP);
Takuya Maeda, Yamanashi (JP)

(73) Assignee: **FANUC CORPORATION** (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/618,279**

(22) Filed: **Sep. 20, 2017**

(30) **Foreign Application Priority Data**

Mar. 23, 2017 (JP) 2017-005948

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/118**

(58) **Field of Classification Search**

USPC D13/118, 122, 112, 113, 114, 199;
D15/3, 5, 199; 74/606 R, 609; 310/10,
310/40 R, 42, 51, 58, 71, 80, 83, 85, 89,
310/91, 109, 236, 239, 254; 318/245,
318/255

CPC .. H02K 5/04; H02K 5/10; H02K 5/22; H02K
5/148; H02K 29/14; H02K 1/24; H02K
1/148; H02K 1/14; H02P 6/06; F28F
1/20; H01F 27/24; H01F 29/02; H01F
37/00; H01F 17/062; Y10T 29/49009

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D443,585 S * 6/2001 Shida D13/122
6,674,205 B2 * 1/2004 Biais H02K 1/274
310/156.53
D522,455 S * 6/2006 Nishimura D13/122

D537,778 S * 3/2007 Miyazaki D13/118
7,474,029 B2 * 1/2009 Rahman H02K 1/2766
310/156.56
D586,747 S * 2/2009 Yoshikawa D13/118
D642,527 S * 8/2011 Li D13/122
8,294,326 B2 10/2012 Chai et al.
D714,717 S 10/2014 Nakanoue et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 101483359 A 7/2009
CN 105393434 A 3/2016

(Continued)

OTHER PUBLICATIONS

Taiwan Notice of Allowance and Search Report for Taiwan Appli-
cation No. 106305599, dated Apr. 19, 2018 with translation, 4
pages.

Primary Examiner — Derrick E Holland

(74) *Attorney, Agent, or Firm* — RatnerPrestia

(57) **CLAIM**

The ornamental design for a core for electromagnetic device,
as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a core for electromagnetic
device showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof; and,
FIG. 4 is a right side elevational view thereof; the left side
elevational view is a mirror image of the right side eleva-
tional view.

The broken lines in the figures illustrate the portions of the
core for electromagnetic device that form no part of the
claimed design.

The dot-dash broken lines represent the boundaries of the
claim design and form no part thereof.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

9,780,607	B2	10/2017	Weiske	
2004/0113511	A1*	6/2004	Schmidt	H02K 1/148 310/216.061
2017/0011842	A1	1/2017	Ishigaki et al.	
2017/0154718	A1	6/2017	Maeda et al.	

FOREIGN PATENT DOCUMENTS

JP	53073352	A	6/1978
JP	2005192044	A1	7/2005
JP	2008177500	A	7/2008
JP	2010252539	A	11/2010
JP	2013074084	A	4/2013
JP	2015159657	A	9/2015
JP	2017059805	A	3/2017
JP	2017103269	A	6/2017
JP	2017139438	A	8/2017
TW	M499003	U	4/2005
TW	I331835		10/2010
TW	M485570	U	9/2014

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4

