



(51) International Patent Classification:

A61K 8/49 (2006.01) A61Q 5/10 (2006.01)
A61K 8/41 (2006.01)

(21) International Application Number:

PCT/EP2010/052097

(22) International Filing Date:

19 February 2010 (19.02.2010)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

09153589.8 25 February 2009 (25.02.2009) EP

(71) Applicant (for all designated States except US): BASF SE [DE/DE]; 67056 Ludwigshafen (DE).

(72) Inventor; and

(75) Inventor/Applicant (for US only): FRÖHLING, Beate [DE/DE]; Rheinstrasse 42, 79639 Grenzach-Wyhlen (DE).

(74) Common Representative: BASF SE; IP Department Basel, Postfach, CH-4002 Basel (CH).









(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report (Rule 48.2(g))

(54) Title: HAIR DYEING COMPOSITION

(57) Abstract: Hair dyeing composition comprising (a) a dye of formula (1) (b) at least one dye selected from the compounds of formulae (2) (3) (4) wherein D is the radical of a diazo component of the formula (2a) (2b) (2c) (2d) K is the radical of a coupling component selected from aniline derivatives; phenol derivatives; naphthalene derivative; X is -CH=O-, -S-, or -N(R₇-); R₁, R₂, R₃ and R₄ independently from each other are hydrogen; or C₁-C₄alkyl; R₅ and R₆ independently from each other are hydrogen; C₁-C₄alkyl; or C₁-C₄alkoxy; R₇ and R₉ independently from each other are unsubstituted or OH-, C₁-C₄alkoxy-, halogen-, amino-, C₁-C₄-mono or -dialkylamino-substituted C₁-C₄alkyl; or phenyl; R₈ is hydrogen; C₁-C₄alkyl; Cl; or nitro; R₁₀ is hydrogen; C₁-C₄alkyl; Cl; nitro; amino; or C₁-C₄mono- or C₁-C₄dialkylamino; R₁₁ is hydrogen; C₁-C₄alkyl; or CN; R₁₂ is unsubstituted or OH- or CN-substituted C₁-C₄alkyl; R₁₃ is hydrogen; or C₁-C₄alkyl; R₁₄ and R₁₅ independently from each other are hydrogen; C₁-C₄alkyl; or C₁-C₄alkoxy; or R₁₄ and R₁₅ together with the nitrogen and carbon atoms joining them together form a 5- or 6- membered ring; R₁₆ and R₂₀ independently from each other are hydrogen; C₁-C₄alkyl; hydroxy; Cl; nitro; amino, C₁-C₄mono- or dialkylamino; R₁₇, R₁₈, R₁₉, R₂₁, R₂₂ and R₂₃ independently from each other are hydrogen; or C₁-C₄alkyl; R₂₄ is hydrogen; or C₁-C₄alkyl; and An⁻ is a colorless anion.

Hair dyeing composition


The present invention relates to a composition for dyeing keratinous fibres, in particular human keratinous fibres such as hair, comprising, in an appropriate dyeing medium, at least a mixture of at least 2 cationic direct dyes of a given formula, compositions thereof, to processes for their preparation and to their use in the dyeing of organic material, such as keratin fibers, wool, leather, silk, cellulose or polyamides, especially keratin-containing fibres, cotton or nylon, and preferably hair, more preferably human hair.

It is known, for example, from WO 95/01772, WO 95/15144, EP 714 954 and EP 318 294 that cationic dyes can be used to dye organic material, for example keratin, silk, cellulose or cellulose derivatives, and also synthetic fibres, for example polyamides. Cationic dyes exhibit very brilliant shades. A disadvantage is their unsatisfactory fastness to hydrolysis and to light, their frequently inadequate stability under reducing or oxidizing conditions, and their frequently unsatisfactory storage stability (see: John F. Corbett: "The Chemistry of Hair-Care Products", JSCD August 1976, page 290).

The actual technical problem of the present invention was to provide brilliant dyes that are distinguished by deep dyeing having good fastness properties with respect to washing, light, shampooing and rubbing, and that preferably exhibit satisfactory stability under reducing or oxidizing dyeing conditions, for the dyeing of organic material.



Accordingly, the present invention relates to a hair dye composition, comprising


(a) a dye of formula




(b) at least one dye selected from the compounds of formulae

- 2 -



D is the radical of a diazo component of the formula (2a) 



- 5 K is the radical of a coupling component selected from aniline derivatives; phenol derivatives; naphthalene derivative;
- X is $-\text{CH}=\text{O}-$; $-\text{S}-$; or $-\text{N}(\text{R}_7)-$;
- R_1 , R_2 , R_3 and R_4 independently from each other are hydrogen; or C_1 - C_4 alkyl;
- R_5 and R_6 independently from each other are hydrogen; C_1 - C_4 alkyl; or C_1 - C_4 alkoxy;
- 10 R_7 and R_9 independently from each other are unsubstituted or $\text{OH}-$, C_1 - C_4 alkoxy-, halogen-, amino-, C_1 - C_4 -mono or -dialkylamino-substituted C_1 - C_4 alkyl; or phenyl;
- R_8 is hydrogen; C_1 - C_4 alkyl; Cl; or nitro;
- R_{10} is hydrogen; C_1 - C_4 alkyl; Cl; nitro; amino; or C_1 - C_4 mono- or C_1 - C_4 dialkylamino;
- R_{11} is hydrogen; C_1 - C_4 alkyl; or CN;
- 15 R_{12} is unsubstituted or $\text{OH}-$ or CN-substituted C_1 - C_4 alkyl;
- R_{13} is hydrogen; or C_1 - C_4 alkyl;
- R_{14} and R_{15} independently from each other are hydrogen; C_1 - C_4 alkyl; or C_1 - C_4 alkoxy; or R_{14} and R_{15} together with the nitrogen and carbon atoms joining them together form a 5- or 6-membered ring;
- 20 R_{16} and R_{20} independently from each other are hydrogen; C_1 - C_4 alkyl; hydroxy; Cl; nitro; amino, C_1 - C_4 mono- or dialkylamino;

- 3 -

R_{17} , R_{18} , R_{19} , R_{21} , R_{22} and R_{23} independently from each other are hydrogen; or C_1 - C_4 alkyl; R_{24} is hydrogen; or C_1 - C_4 alkyl; and An^- is a colorless anion.

- 5 C_1 - C_{30} alkyl is for example, methyl, ethyl, propyl, isopropyl, n-butyl, sec-butyl, tert-butyl, n-pentyl, 2-pentyl, 3-pentyl, 2,2'-dimethylpropyl, cyclopentyl, cyclohexyl, n-hexyl, n-octyl, 1,1',3,3'-tetramethylbutyl or 2-ethylhexyl, nonyl, decyl, undecyl, dodecyl, tridecyl, tetradecyl, pentadecyl, haxadecyl or eicosyl.
- 10 C_2 - C_{30} alkenyl is for example allyl, methallyl, isopropenyl, 2-butenyl, 3-butenyl, isobutenyl, n-penta-2,4-dienyl, 3-methyl-but-2-enyl, n-oct-2-enyl, n-dodec-2-enyl, iso-dodecenyl, n-dodec-2-enyl or n-octadec-4-enyl.

Aryl is for example naphthyl and preferably phenyl.

15

Heterocyclic organic radical is, for example, a five-membered nitrogen-containing heterocyclic radical such as imidazolyl, pyrazolyl, triazolyl, pyrrolyl, pyrrolidinyl, oxazolyl or thiazolyl, a six-membered nitrogen-containing heterocyclic radical such as piperazinyl, piperidinyl, pyridinyl or morpholinyl, or a bicyclic radical which possesses a fused-on five-membered nitrogen-containing heterocycle and a six-membered aromatic ring, such as benzoxazolyl, indolyl, benzothiazolyl, benzimidazolyl or benzotriazolyl.


20

Preferred is a hair dye composition, wherein in formula (1) of component (a)

R_1 , R_2 , R_3 and R_4 independently from each other are hydrogen; or C_1 - C_2 alkyl.

25

More preferred is a hair dye composition, wherein component (a) corresponds to formula



Preferably R_8 is hydrogen; or C_1 - C_4 alkyl.

30

More preferably, in formulas (2a) and (2b)



R₇ and R₉ independently from each other are C₁-C₄alkyl; and even more preferred are hair dye compositions, wherein in formula (2a)

X is -NR₇; and


R₈ is hydrogen; or C₁-C₄alkyl.

5


Preferred are hair dye compositions, wherein



10 Even more preferred are hair dye compositions, wherein in formulas (2)



R₂₅ is hydrogen; hydroxy; C₁-C₄alkyl; C₁-C₄alkoxy; nitro; amino; mono-C₁-C₄alkylamino; di-




R₂₆, R₂₇ and R₂₈ independently from each other are hydrogen; or C₁-C₄alkyl.

15

Preferred are also hair dye compositions wherein





K is the radical of formula (2k)



Most preferred are hair dye compositions comprising

(a) a dye of formula (1), and

5 (b) at least one dye selected from the compounds of formulae




10

Preferred are also hair dyeing compositions, comprising

(a) a dye of formula (1), and


(b) at least one dye selected from the compounds of formulae




5 Also preferred are hair dyeing compositions, comprising

(a) a dye of formula (1), and

(b₁) the dyes of formulae



(b₂) the dye of formula



The hair dye compositions according to the invention are suitable for dyeing organic materials, such as keratin-containing fibers, wool, leather, silk, cellulose or polyamides, cotton or

nylon, and preferably human hair. The dyeings obtained are distinguished by their depth of shade and their good fastness properties to washing, such as, for example, fastness to light, shampooing and rubbing. The stability, in particular the storage stability of the hair dye compositions according to the invention are excellent.

5

The multiplicity of shades of the dyes can be increased by combination with other dyes.

Therefore the hair dye compositions of the present invention may be combined with dyes of the same or other classes of dyes, especially with direct dyes, oxidative dyes; disulfide dyes, pigments or mixtures thereof.

10

Direct dyes are of natural origin or may be prepared synthetically. They are uncharged, cationic or anionic, such as acid dyes.

15 The hair dye composition according to the present invention of may be used in combination with at least one single direct dye different from the dyes of component (a) and (b).

Examples of direct dyes are described in "Dermatology", edited by Ch. Culnan, H. Maibach, Verlag Marcel Dekker Inc., New York, Basle, 1986, Vol. 7, Ch. Zviak, The Science of Hair Care, chapter 7, p. 248-250, and in "Europäisches Inventar der Kosmetikrohstoffe", 1996, published by The European Commission, obtainable in diskette form from the Bundesverband der deutschen Industrie- und Handelsunternehmen für Arzneimittel, Reformwaren und Körperpflegemittel e.V., Mannheim.

20

25 Furthermore, cationic nitroaniline and anthraquinone dyes are useful for a combination with the hair dyeing composition according to the present invention.

The hair dye composition according to the present invention may also be combined with acid dyes, for example the dyes which are known from the international names (Color index), or trade names.

30

These acid dyes may be used either as single component or in any combination thereof.

The hair dye composition according to the present invention may also be combined with uncharged dyes, for example selected from the group of the nitroanilines, nitrophenylenediamines, nitroaminophenols, anthraquinones, indophenols, phenazines, phenothiazines, bispyrazolones, bispyrazol aza derivatives and methines.

5

Furthermore, the hair dye composition according to the present invention may also be used in combination with sulfide dyes. Examples for sulfide dyes are disclosed for example in WO 05/097051.

10 Furthermore, the hair dye composition according to the present invention may also be used in combination with color pigments.

The organic pigments are preferably selected from D&C Red 30 (Vat Red 1); D&C Red 36 (Pigment Red 4); Carmine; D&C Red 6 Ba Lake; D&C Red 7 Ca Lake; D&C Red 30 Al Lake;

15 D&C Red 30 Talc Lake; D&C Red 27 Al Lake; D&C Red 28 Al Lake; D&C Red 33 Al Lake; D&C Red 21 Al Lake.

Of specific interest are the pigments/colours listed in Table 1 below:

<u>Color index number</u>	<u>Official and common name</u>	<u>CAS registry number</u>
10006	Pigment Green 8	16143-80-9
10020	Acid Green 1	19381-50-1
10316 (2)	Ext. D & C Yellow No. 7; Acid Yellow 1; Naphthol Yellow S	846-70-8
11680	Pigment Yellow 1	2512-29-0
11710	Pigment Yellow 3	6486-23-3
11725	Pigment Orange 1	6371-96-6
11920	Solvent Orange 1	2051-85-6
12010	Solvent Red 3	6535-42-8
12085 (2)	D & C Red No. 36; Pigment Red 4; Flaming Red	2814-77-9
12120	Pigment Red 3	2425-85-6
12150	Solvent Red 1	1229-55-6
12370	Pigment Red 112	6535-46-2
12420	Pigment Red 7	6471-51-8
12480	Pigment Brown	6410-40-8
12490	Pigment Red 5	6410-41-9
12700	Disperse Yellow 16	4314-14-1
13015	E 105; Acid Yellow 9	2706-28-7
14270	E 103; Acid Orange 6	547-57-9

Table 1a: Examples of pigments/colours (component (b))








<u>Color index number</u>	<u>Official and common name</u>	<u>CAS registry number</u>
14700	FD & C Red No. 4; Food Red 1; Ponceau SX	4548-53-2
14720	E 122; Acid Red 14; Food Red 3; Azorubine; Carmoisine	3567-69-9
14815	E 125; Food Red 2	3257-28-1
15510 (2)	D&C Orange No. 4; Acid Orange 7; Orange II	633-96-5
15525	Pigment Red 68	5850-80-6
15580	Pigment Red 51	227-459-1
15620	Acid Red 88	1658-56-6
15630	Pigment Red 49	1248-18-6
15800:1	D&C Red No. 31; Pigment Red 64:1; Brilliant Lake Red R	6371-76-2
15850	D&C Red No. 6; Pigment Red 57; Lithol Rubin B	5858-81-1
15850:1 (2)	D&C Red No. 7; Pigment Red 57:1; Lithol Rubin B Ca	5281-04-9
15865 (2)	Pigment Red 48	3564-21-4
15880:1	D&C Red No. 34; Pigment Red 63:1; Deep Maroon; Fanchon Maroon; Lake Bordeaux B	6417-83-0
15980	E 111; Food Orange 2	2347-72-0
15985 (2)	FD&C Yellow No. 6; E 110; Food Yellow 3; Sunset Yellow; Sunset Yellow FCF; Orange Yellow S	2783-94-0
16035	FD&C Red No. 40; Food Red 17; Allura Red; Allura Red AC	25956-17-6
16230	Acid Orange 10	1936-15-8
16255 (2)	E 124; Acid Red 18; Food Red 7; Ponceau 4R; Cochineal Red A	2611-82-7
16290	E 126; Acid Red 41	5850-44-2
17200 (2)	D&C Red No. 33; Acid Red 33; Acid Fuchsine	3567-66-6
18050	Acid Red 1	3734-67-6
18130	Acid Red 155	10236-37-0
18690	Acid Yellow 121	5601-29-6
18736	Acid Red 180	6408-26-0
18820	Acid Yellow 11	6359-82-6
18965	Acid Yellow 17	6359-98-4
19140 (2)	FD&C Yellow No. 5; E 102; Acid Yellow 23; Tartrazine	1934-21-0
20040	Pigment Yellow 16	5979-28-2
20170	D&C Brown No. 1; Acid Orange 24; Resorcin Brown	1320-07-6
20470	Noir W 699	1064-48-8
21100	Pigment Yellow 13	5102-83-0
21108	Pigment Yellow 83	5567-15-7
21230	Solvent Yellow 29	6706-82-7
24790	Acid Red 163	13421-53-9
26100	D&C Red No. 17; Solvent Red 23; Sudan III; Toney Red	85-86-9
27290 (2)	Acid Red 73	5413-75-2
27755	E152 ; Food Black 2	2118-39-0
28440	E 151; Brilliant Black 1; Food Black 1; Brilliant Black BN; Black PN	2519-30-4
40215	Direct Orange 34	1325-54-8
40800	Beta Carotene (synthetic) ; Food Orange 5	7235-40-7
40820	E 160e; Food Orange 6; β -Apo-8' Carotenal (C 30)	1107-26-2
40825	E 160f; Food Orange 7; Ethyl Ester of β -Apo-8' Carotenic Acid (C 30)	1109-11-1





<u>Color index number</u>	<u>Official and common name</u>	<u>CAS registry number</u>
40850	Canthaxanthin; E 161g; Food Orange 8	514-78-3
42045	Acid Blue 1	129-17-9
42051 (2)	E 131; Acid Blue 3; Patent Blue V	3536-49-0
42053	FD&C Green No. 3; Food Green 3; Fast Green FCF	2353-45-9
42080	Acid Blue 7	3486-30-4
42090	FD&C Blue No. 1; Acid Blue 9 (Sodium salt) ; Food Blue 2; Brilliant Blue FCF; Patent Blue AC	3844-45-9
	FD&C Blue No. 4; Acid Blue 9 (Ammonium salt) ; Alphazurine FG; Erioglaurine	6371-85-3
42100	Acid Green 9	4857-81-2
42170	Acid Green 22	5863-51-4
42510	Basic Violet 14	632-99-5
42520	Basic Violet 2	3248-91-7
42735	Acid Blue 104	6505-30-2
44045	Basic Blue 26	2580-56-5
44090	E142 ; Acid Green 50; Green S	3087-16-9
45100	Acid Red 52	3520-42-1
45190	Acid Violet 9	6252-76-2
45220	Acid Red 50	5873-16-5
45350	D&C Yellow No. 8; Acid Yellow 73; Uranine	518-47-8
45350:1	D&C Yellow No. 7; Solvent Yellow 94; Fluorescein	2321-07-5
45370 (2)	Acid Orange 11	
45370:1	D&C Orange No. 5; Solvent Red 72; Dibromofluorescein	596-03-2
45380 (2)	D&C Red No. 22; Acid Red 87; Eosin Y	17372-87-1
45380:2	D&C Red No. 21; Solvent Red 43; Tetrabromofluorescein	15086-94-8
45396	Solvent Orange 16	24545-86-6
45405	Acid Red 98	6441-77-6
45410 (2)	D&C Red No. 28; Acid Red 92; Phloxine B	18472-87-2
45410:1	D&C Red No. 27; Solvent Red 48; Tetrabromotetrachloro-; Fluorescein	13473-26-2
45425	D&C Red No. 11; Acid Red 95; Erythrosine Yellowish Na	33239-19-9
45425:1	D&C Orange No. 10; Solvent Red 73; Diiodofluorescein	38577-97-8
45430 (2)	E 127; FD&C Red No. 3; Acid Red 51; Erythrosine; Food Red 14	16423-68-0
47000	D&C Yellow No. 11; Solvent Yellow 33; Quinoline Yellow SS	8003-22-3
47005	D&C Yellow No. 10; E104; Acid Yellow; Food Yellow 13; Quinoline Yellow; Canary Yellow	8004-92-0
50325	Acid Violet 50	229-951-1
50420	Acid Black 2	8005-03-6
51319	Pigment Violet 23	6358-30-1
58000	Pigment Red 83; Alizarin	72-48-0
59040	D&C Green No. 8; Solvent Green 7; Pyranine Concentrated	6358-69-6
60724	Disperse Violet 27	19286-75-0
60725	D&C Violet No. 2; Solvent Violet 13; Alizuroil Purple SS	81-48-1
60730	Ext D&C Violet No. 2; Acid Violet 43	4430-18-6
61565	D&C Green No. 6; Solvent Green 3; Quinizarin Green SS	128-80-3

Table 1a: Examples of pigments/colours (component (b))

<u>Color index number</u>	<u>Official and common name</u>	<u>CAS registry number</u>
61570	D&C Green No. 5; Acid Green 25	4403-90-1
61585	Acid Blue 80	4474-24-2
62045	Acid Blue 65	4368-56-3
69800	E 130; Vat Blue 4	81-77-6
69825	D&C Blue No. 9; Vat Blue 6; Indanthrene Blue; Carbanthrene Blue	130-20-1
71105	Vat Orange 7; Pigment Orange 43	4424-06-0
73000	Vat Blue 1; Indigo	482-89-3
73015	FD&C Blue No. 2; E 132; Food Blue 1; Indigotine; Indigo Carmine	860-22-0
73360	D&C Red No. 30; Vat Red 1; Helindone Pink CN	2379-79-0
73385	Vat Violet 2	5462-29-3
73900	Pigment Violet 19	1047-16-1
73915	Pigment Red 122	16043-40-6
74100	Pigment Blue 16	547-93-6
74160	Pigment Blue 15	147-14-8
74180	Direct Blue 86	1330-38-7
74260	Pigment Green 7	1328-53-6
75100	Natural Yellow 6	27876-94-4
75120	Annatto extract; E 160b; Natural Orange 4	1393-63-1
75125	E 160d; Lycopene	502-65-8
75130	Beta Carotene (Natural) ; E 160a; Natural Browns 5; Natural Yellow 26	7235-40-7
75135	E 161d; Natural Yellow 27; Rubixanthin	3763-55-1
75170	Guanine; Natural White 1	73-40-5
75300	E 100; Natural Yellow 3; Turmeric Yellow; Curcumin; Indian Saffron	458-37-7
75470	Cochineal extract; E120; Natural Red 4; Cochineal; Carmine; Carminic Acid	1343-78-8 1390-65-4 1260-17-9
75480	Henna	83-72-7
75810	E 140 & E 141; Chlorophyll; Copper complexes of chlorophyll and chlorophyllins; Potassium sodium copper; Chlorophyllin; Natural Green 3	11006-34-1
77000	Aluminum Powder; E 173; Pigment Metal 1; Aluminum	4729-90-5
77002	Alumina; Pigment White 24	1332-73-6
77004	Pigment White 19; Bentonite	1302-78-9
77007	Ultramarine Blue; Pigment Blue 29	1317-97-1
	Ultramarine Red	1345-00-2
	Ultramarine Violet; Pigment Violet 15	12769-96-9
77013	Ultramarine Green; Pigment Green 24	
77015	Pigment Red 101; Pigment Red 102	
77019	Mica; Pigment White 20	12001-26-2
	Talc; Pigment white 26	14807-96-9
77120	Pigment White 21; Pigment White 22	7727-43-7

<u>Color index number</u>	<u>Official and common name</u>	<u>CAS registry number</u>
77163	Bismuth oxychloride; Pigment White 14	7787-59-9
77220	Calcium carbonate; E 170; Pigment White 18	471-34-1
77231	Pigment White 25; Calcium Sulfate	7778-18-9
77288	Chromium Oxide Greens; Pigment Green 17	1308-38-4
77289	Chromium hydroxide Green; Pigment Green 18; Guignet Green; Veridian	12001-99-9
77346	Cobalt Blue; Pigment Blue 28	1345-16-0
77400 77400	Bronze powder; Copper powder; Pigment Metal 2	7440-50-8
77480	E 175; Gold; Pigment Metal 3	7740-57-5
77489	E 172; Ferrous oxide	1345-25-1
77491	Ferric oxide; E 172; Pigments Red 101 & 102; Pigments Brown 6 & 7	1309-37-1
77492	Hydrated Ferric oxide; E 172; Pigments Yellow 42 & 43; Pigments Brown 6 & 7	20344-49-4
77499	Ferrous Ferric oxide; E 172; Pigment Black 11; Pigments Brown 6 & 7	1317-61-9
77510 77520	Ferric ferrocyanide; Pigment Blue 27; Prussian Blue	14038-43-8
77713	Magnesium Carbonate; Pigment White 18	546-93-0
77742	Manganese Violet; Pigment Violet 16	10101-66-3
77745	Manganous Phosphate	10124-54-6
77820	Silver; E 174	7440-22-4
77891	Titanium Dioxide; E 171; Pigment White 6	13463-67-7
77947	Zinc Oxide; Pigment White 4	1317-13-2
	Acid red 195	12220-24-5
	Aluminum distearate	300-92-5
	Anthocyanins; E 163	11029-12-2
	Beetroot red; E 162	89957-89-1 7659-95-2
	Bismuth citrate	
	Bromocresol green	76-60-8
	Bromothymol blue	76-59-5
	Calcium stearate	1592-23-0
	Capsanthin, Capsorubin; E 160c; Paprika extract	465-42-9
	E 150; Natural Brown 10; Caramel	8028-89-5
	Ferric ammonium ferrocyanide	25869-00-5
	E 101 ; Lactoflavin; Riboflavin	83-88-5
	Lead acetate	301-04-2
	Magnesium Stearate	557-04-0
	Zinc Stearate	557-05-1

<u>Table 1b: Structure of the Lakes:</u>			
<u>Lakes (FDA name)</u>	<u>CI No</u>	<u>name</u>	<u>structure of corresponding dye</u>
D&C Red #6 Ba Lake	15850	Pigment Red 57 Sodium Salt	
D&C Red #7	15850:1	Pigment Red 57.1 Calcium Salt	
D&C Red #21 Al Lake	45380:2	Solvent Red 43	
D&C Red #22 Al Lake	45380	Acid Red 87	
D&C Red #27 Al Lake	45410:1	Solvent Red 48	
D&C Red #28 Al Lake	45410	Acid Red 92	
D&C Red #30 Al & Talk Lake	73360	Vat Red 1 = Pigment Red 181	

<u>Lakes (FDA name)</u>	<u>CI No</u>	<u>name</u>	<u>structure of corresponding dye</u>
D&C Red #33 Al & Zr Lake	17200	Acid Red 33	
D&C Yellow #10 Al Lake	47005	Food Yellow 13	
FD&C Yellow # 5 Al Lake	19140	Acid Yellow 23 Na Salt	
FD&C Yellow #6 Al Lake	15985	Food Yellow 3 Na Salt	
FD&C Blue #1 Al Lake	42090	Acid blue 9	

<u>Treated Pearls</u>	
<u>Name</u>	<u>INCI Name</u>
Calisha Romance Silver Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Romance Glamour Violet OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Romance Glamour Blue Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Romance Glamour Green OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Romance Gold Pearl OD	Mica and Titanium Dioxide and Red Iron Oxide and Cetyl Dimethicone
Calisha Romance Bronze Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone

Table 1c: Calisha colour pigments (Ciba):	
Calisha Romance Orange Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone
Calisha Romance Red Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone
Calisha Contemporary Starlight Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Contemporary Glamour Blue Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Contemporary Glamour Gold Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Contemporary Glamour Violet OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Contemporary Claret Pearl OD	Mica and Red Iron Oxide and Titanium Dioxide and Cetyl Dimethicone
Calisha Contemporary Sienna Pearl OD	Mica and Red Iron Oxide and Titanium Dioxide and Cetyl Dimethicone
Calisha Contemporary Black Pearl OD	Mica and Titanium Dioxide and Black Iron Oxide and Cetyl Dimethicone
Calisha Contemporary Sable Pearl OD	Mica and Titanium Dioxide and Red Iron Oxide Carmine and Cetyl Dimethicone
Calisha Contemporary Green Pearl OD	Mica and Titanium Dioxide and Red Iron Oxide and Ferric Ferrocyanide and Cetyl Dimethicone
Calisha Contemporary Silver Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Contemporary Glamour Green OD	Mica and Titanium Dioxide and Tin Dioxide and Cetyl Dimethicone
Calisha Contemporary Gold Pearl OD	Mica and Titanium Dioxide and Red Iron Oxide and Cetyl Dimethicone
Calisha Contemporary Bronze Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone
Calisha Contemporary Rose Red Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone
Calisha Art Deco Silver Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Art Deco Glamour Violet OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Art Deco Glamour Blue Pearl OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Art Deco Glamour Green OD	Mica and Titanium Dioxide and Cetyl Dimethicone
Calisha Art Deco Gold Pearl OD	Mica and Red Iron Oxide and Titanium Dioxide and Cetyl Dimethicone
Calisha Art Deco Bronze Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone
Calisha Art Deco Orange Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone
Calisha Art Deco Red Pearl OD	Mica and Red Iron Oxide and Cetyl Dimethicone

<u>Table 1c: Calisha colour pigments (Ciba):</u>	
<u>Untreated Pearls</u>	
Calisha Romance Silver Pearl CL	Mica and Titanium Dioxide
Calisha Romance Glamour Violet CL	Mica and Titanium Dioxide
Calisha Romance Glamour Blue Pearl CL	Mica and Titanium Dioxide
Calisha Romance Glamour Green CL	Mica and Titanium Dioxide
Calisha Romance Gold Pearl CL	Mica and Titanium Dioxide and Red Iron Oxide
Calisha Romance Bronze Pearl CL	Mica and Red Iron Oxide
Calisha Romance Orange Pearl CL	Mica and Red Iron Oxide
Calisha Romance Red Pearl CL	Mica and Red Iron Oxide
Calisha Contemporary Starlight Pearl CL	Mica and Titanium Dioxide
Calisha Contemporary Glamour Blue Pearl CL	Mica and Titanium Dioxide
Calisha Contemporary Glamour Gold Pearl CL	Mica and Titanium Dioxide
Calisha Contemporary Glamour Violet CL	Mica and Titanium Dioxide
Calisha Contemporary Claret Pearl CL	Mica and Red Iron Oxide and Titanium Dioxide
Calisha Contemporary Sienna Pearl CL	Mica and Red Iron Oxide and Titanium Dioxide
Calisha Contemporary Black Pearl CL	Mica and Titanium Dioxide and Black Iron Oxide
Calisha Contemporary Sable Pearl CL	Mica and Titanium Dioxide and Red Iron Oxide and Carmine
Calisha Contemporary Green Pearl CL	Mica and Titanium Dioxide Red Iron Oxide Ferric Ferrocyanide
Calisha Contemporary Silver Pearl CL	Mica and Titanium Dioxide
Calisha Contemporary Glamour Green CL	Mica and Titanium Dioxide and Tin Dioxide
Calisha Contemporary Gold Pearl CL	Mica and Titanium Dioxide and Red Iron Oxide
Calisha Contemporary Bronze Pearl CL	Mica and Red Iron Oxide
Calisha Contemporary Rose Red Pearl CL	Mica and Red Iron Oxide
Calisha Art Deco Silver Pearl CL	Mica and Titanium Dioxide
Calisha Art Deco Glamour Violet CL	Mica and Titanium Dioxide
Calisha Art Deco Glamour Blue Pearl CL	Mica and Titanium Dioxide
Calisha Art Deco Glamour Green Pearl CL	Mica and Titanium Dioxide
Calisha Art Deco Gold Pearl CL	Mica and Red Iron Oxide and Titanium Dioxide
Calisha Art Deco Bronze Pearl CL	Mica and Red Iron Oxide
Calisha Art Deco Orange Pearl CL	Mica and Red Iron Oxide
Calisha Art Deco Red Pearl CL	Mica and Red Iron Oxide
<u>Inorganic Pigments</u>	
Calisha Contemporary Salmon Red Oxide	Red Iron Oxide
Calisha Contemporary Medium Red Oxide	Red Iron Oxide
Calisha Contemporary Deep Red Oxide	Red Iron Oxide
Calisha Contemporary Black Oxide	Black Iron Oxide
Calisha Contemporary Jet Black Oxide	Black Iron Oxide
Calisha Contemporary Sun Yellow Oxide	Yellow Iron Oxide

<u>Table 1c: Calisha colour pigments (Ciba):</u>	
Calisha Contemporary Yellow Oxide	Yellow Iron Oxide
Calisha Contemporary Ultramarine Blue	Ultramarine Blue
Calisha Contemporary Ultramarine Violet	Ultramarine Violet
Calisha Art Deco Hydroxide Chrome Green	Chromium Hydroxide Green
Calisha Art Deco Chrome Oxide Green	Chromium Oxide Greens
<u>Lakes</u>	
Calisha Art Deco Blue 1 Lake	FD&C Blue No. 1 Al Lake
Calisha Art Deco Red 21 Lake	D&C Red No. 21 Al Lake
Calisha Art Deco Red 27 Lake	D&C Red No. 27 Al Lake
Calisha Art Deco Red 30 AL. Lake	D&C Red No. 30 Al Lake
Calisha Art Deco Red 30 Talc Lake	D&C Red No. 30 Talc Lake
Calisha Art Deco Red 33 Lake	D&C red No. 33 Al Lake
Calisha Art Deco Red 40 AL. Lake	FD&C Red No. 40 Al lake
Calisha Art Deco Red 6 Lake HD	D&C Red No. 6 Ba Lake
Calisha Art Deco Red 7 Lake HD	D&C Red No. 7 Ca lake
Calisha Art Deco Yellow 5 Lake HD	FD&C Yellow No. 5 Al Lake
Calisha Art Deco Yellow 6 AL. Lake	FD&C Yellow No. 6 Al lake

The interference pigments as used in the present invention are platelet particulates. The platelet particulates preferably have a thickness of no more than about 5 micrometers, more preferably no more than about 2 micrometers, still more preferably no more than about 1 micrometer. The platelet particulates preferably have a thickness of at least about 0.02 micrometers, more preferably at least about 0.05 micrometers, even more preferably at least about 0.1 micrometers, and still more preferably at least about 0.2 micrometers.

Furthermore, the hair dye composition according to the present invention may also be used in combination with oxidation dye systems.

Oxidation dyes, which, in the initial state, are not dyes but dye precursors are classified according to their chemical properties into developer and coupler compounds.

Suitable oxidation dyes are described for example in

- DE 19 959 479, especially in col 2, l. 6 to col 3, l. 11;

- "Dermatology", edited by Ch. Culnan, H. Maibach, Verlag Marcel Dekker Inc., New York, Basle, 1986, Vol. 7, Ch. Zviak, The Science of Hair Care, chapter 8, on p. 264 - 267 (oxidation dyes).

5 Preferred developer compounds are for example primary aromatic amines, which are substituted in the para- or ortho- position with a substituted or unsubstituted hydroxy- or amino residue, or diaminopyridine derivatives, heterocyclic hydrazones, 4-aminopyrazol derivatives or 2,4,5,6-tetraaminopyrimidine derivatives.

10 Furthermore, developer compounds in their physiological compatible acid addition salt form, such as hydrochloride or sulfate can be used. Developer compounds, which have aromatic OH radicals are also suitable in their salt form together with a base, such as alkali metal-phenolates.

15 Preferred developer compounds are disclosed in DE 19959479, p. 2, l. 8 – 29.

Preferred coupler compounds are m-phenylenediamine derivatives, naphthole, resorcine and resorcine derivatives, pyrazolone and m-aminophenol derivatives, and most preferably the coupler compounds disclosed in DE 19959479, p.1, l. 33 to p. 3, l. 11.

20

Furthermore, autooxidizable compounds may be used in combination with the hair dye composition according to the present invention.

25 Autooxidizable compounds are aromatic compounds with more than two substituents in the aromatic ring, which have a very low redox potential and will therefore be oxidized when exposed to the air. The dyeings obtained with these compounds are very stable and resistant to shampoo.

30 Autooxidizable compounds are for example benzene, indole, or indole, especially 5,6-dihydroxyindol or 5,6-dihydroxyindol.

The hair dye composition according to the present invention may also be used in combination with naturally occurring dyes, such as henna red, henna neutral, henna black,

camomile blossom, sandalwood, black tea, Rhamnus frangula bark, sage, campeche wood, madder root, catechu, sedre and alkanet root.

Furthermore, the hair dye composition according to the present invention may also be used
5 in combination with capped diazotized compounds.

Suitable diazotized compounds are for example the compounds of formulae (1) – (4) in
WO 2004/019897 (bridging gages 1 and 2) and the corresponding water-soluble coupling
10 components (I) –(IV) as disclosed in the same reference.

10

The present invention also relates to formulations, which are used for the dyeing of organic
materials, preferably keratin-containing fibers, and most preferably human hair, comprising
the hair dye composition according to the present invention.

15 The appropriate dyeing medium (or carrier) generally consists of water or of a mixture of
water and of at least one organic solvent for solubilizing the compounds which would not be
sufficiently soluble in water. As organic solvent, there may be mentioned for example the
C₁-C₄ lower alkanols such as ethanol and isopropanol, the aromatic alcohols such as benzyl
alcohol as well as similar products and mixtures thereof.

20

The solvents may be present in proportions preferably of between 1 and 40% by weight
approximately relative to the total weight of the dyeing composition, and still more preferably
between 5 and 30% by weight approximately.

25 Preferably the hair dye composition according to the present invention is incorporated into
the composition for treating organic material, preferably for dyeing in amounts of 0.001 - 5%
b.w. (hereinafter indicated merely by "%"), particularly 0.005 - 4%, more particularly 0.2 - 3%,
based on the total weight of the composition.

30 The pH of the dyeing composition in accordance with the invention is generally between 2
and 11 approximately, and preferably between 5 and 10 approximately. It may be adjusted to
the desired value by means of acidifying or alkalinizing agents normally used in dyeing
keratinous fibres.

The formulations may be applied on the keratin-containing fiber, preferably the human hair in different technical forms.

5 Technical forms of formulations are for example a solution, especially a thickened aqueous or aqueous alcoholic solution, a cream, foam, shampoo, powder, gel, or emulsion.

Customary the dyeing compositions are applied to the keratin-containing fiber in an amount of 50 to 100 g.

10 Preferred forms of formulations are ready-to-use compositions or multi-compartment dyeing devices or 'kits' or any of the multi-compartment packaging systems with compartments as described for example in US 6,190,421, col 2, l. 16 to 31.

15 The pH value of the ready-to-use dyeing compositions is usually from 2 to 11, preferably from 5 to 10.

One preferred embodiment of the present invention relates to the formulation of dyes, wherein the hair dye composition according to the present invention is in powder form.

20 Powder formulations are preferably used if stability and/or solubility problems as for example described in DE 197 13 698, p. 2, l. 26 to 54 and p. 3, l. 51 to p. 4, l. 25, and p. 4, l. 41 to p. 5 l. 59.

25 Suitable cosmetic hair-care formulations are hair-treatment preparations, e.g. hair-washing preparations in the form of shampoos and conditioners, hair-care preparations, e.g. pre-treatment preparations or leave-on products such as sprays, creams, gels, lotions, mousses and oils, hair tonics, styling creams, styling gels, pomades, hair rinses, treatment packs, intensive hair treatments, hair-structuring preparations, e.g. hair-waving preparations for permanent waves (hot wave, mild wave, cold wave), hair-straightening preparations, liquid hair-
30 setting preparations, hair foams, hairsprays, bleaching preparations, e.g. hydrogen peroxide solutions, lightening shampoos, bleaching creams, bleaching powders, bleaching pastes or oils, temporary, semi-permanent or permanent hair colorants, preparations containing self-oxidizing dyes, or natural hair colorants, such as henna or camomile.

For use on human hair, the dyeing compositions of the present invention can usually be incorporated into an aqueous cosmetic carrier. Suitable aqueous cosmetic carriers include, for example W/O, O/W, O/W/O, W/O/W or PIT emulsions and all kinds of microemulsions, creams, sprays, emulsions, gels, powders and also surfactant-containing foaming solutions, e.g. shampoos or other preparations, that are suitable for use on keratin-containing fibers. Such forms of use are described in detail in Research Disclosure 42448 (August 1999). If necessary, it is also possible to incorporate the dyeing compositions into anhydrous carriers, as described, for example, in US-3 369 970, especially col 1, l. 70 to col 3, l. 55. The dyeing compositions according to the invention are also excellently suitable for the dyeing method described in DE-A-3 829 870 using a dyeing comb or a dyeing brush.

The constituents of the aqueous carrier are present in the dyeing compositions of the present invention in the customary amounts, for example emulsifiers may be present in the dyeing compositions in concentrations of from 0.5 to 30 % b.w. and thickeners in concentrations of from 0.1 to 25 % b.w. of the total dyeing composition.

Further carriers for dyeing compositions are for example described in "Dermatology", edited by Ch. Culnan, H. Maibach, Verlag Marcel Dekker Inc., New York, Basle, 1986, Vol. 7, Ch. Zviak, The Science of Hair Care, chapter 7, p. 248-250, especially on p. 243, l. 1 to p. 244, l. 12.

The hair dye composition according to the present invention may be stored in a liquid to paste-like preparation (aqueous or non-aqueous) or in the form of a dry powder.

When the dyes and adjuvants are stored together in a liquid preparation, the preparation should be substantially anhydrous in order to reduce reaction of the compounds.

The dyeing compositions according to the invention may comprise any active ingredients, additives or adjuvants known for such preparations, like surfactants, solvents, bases, acids, perfumes, polymeric adjuvants, thickeners and light stabilizers.

The following adjuvants are preferably used in the hair dyeing compositions of the present invention: non-ionic polymers, cationic polymers, acrylamide/dimethyldiallylammonium chloride copolymers, quaternised polyvinyl alcohol, zwitterionic and amphoteric polymers,

anionic polymers, thickeners, structuring agents, hair-conditioning compounds, protein hydrolysates, perfume oils, dimethyl isosorbitol and cyclodextrins, solubilizers, anti-dandruff active ingredients, substances for adjusting the pH value; panthenol, pantothenic acid, allantoin, pyrrolidonecarboxylic acids and salts thereof, plant extracts and vitamins; cholesterol; light stabilizers and UV absorbers, consistency regulators, fats and waxes, fatty alkanol-amides, polyethylene glycols and polypropylene glycols, complexing agents, swelling and penetration substances, opacifiers, such as latex; pearlising agents, propellants, antioxidants; sugar-containing polymers, quaternary ammonium salts, or bacteria inhibiting agents.

10 The dyeing compositions according to the present invention generally comprise at least one surfactant. Suitable surfactants are zwitterionic or ampholytic, or more preferably anionic, non-ionic and/or cationic surfactants.

15 Suitable anionic surfactants are characterized by an anionic group that imparts water solubility, for example a carboxylate, sulfate, sulfonate or phosphate group, and a lipophilic alkyl group having approximately 10 to 22 carbon atoms. In addition, glycol or polyglycol ether groups, ester, ether and amide groups and also hydroxy groups may be present in the molecule.

20 Preferred anionic surfactants are alkyl sulfates, alkyl polyglycol ether sulfates and ether carboxylic acids having 10 to 18 carbon atoms in the alkyl group and up to 12 glycol ether groups in the molecule, and also especially salts of saturated and especially unsaturated C₈-C₂₂carboxylic acids, such as oleic acid, stearic acid, isostearic acid and palmitic acid.

25 Surface-active compounds that carry at least one quaternary ammonium group and at least one -COO⁻ or -SO₃⁻ group in the molecule are terminated zwitterionic surfactants. Preference is given the so-called betaines, such as the N-alkylN,N-dimethylammonium glycinate, for example cocoalkyldimethylammonium glycinate, N-acylaminoethyl-N,N-dimethylammonium glycinate, for example cocoacylaminoethyl-N,N-dimethylammonium glycinate, and 2-alkyl-3-
30 carboxymethyl-3-hydroxyethylimidazol. having from 8 to 18 carbon atoms in the alkyl or acyl group and also cocoacylaminoethylhydroxyethylcarboxymethyl glycinate. A preferred zwitterionic surfactant is the fatty acid amide derivative known by the CTFA name cocamidopropyl betaine.

Ampholytic surfactants are surface-active compounds that, in addition to a C₈-C₁₈-alkyl or -acyl group and contain at least one free amino group and at least one -COOH or -SO₃H group in the molecule and are capable of forming internal salts. Examples of suitable ampholytic surfactants include N-alkylglycines, N-alkylpropionic acids, N-alkylaminobutyric acids, N-alkyliminodipropionic acids, N-hydroxyethyl-N-alkylamidopropylglycines, N-alkyltaurines, N-alkylsarcosines, 2-alkylaminopropionic acids and alkylaminoacetic acids, each having approximately from 8 to 18 carbon atoms in the alkyl group. Ampholytic surfactants to which special preference is given are N-cocoalkylaminopropionate, cocoacylaminoethylaminopropionate and C₁₂-C₁₈acylsarcosine.

10

Suitable non-ionic surfactants are described in WO 00/10519, especially p. 45, l. 11 to p. 50, l. 12. Non-ionic surfactants contain as hydrophilic group, for example, a polyol group, a polyalkylene glycol ether group or a combination of polyol and polyglycol ether groups.

15

Examples of cationic surfactants that can be used in the dyeing compositions according to the invention are especially quaternary ammonium compounds.

20

Alkylamidoamines, especially fatty acid amidoamines, such as the stearylamidopropyldimethylamine obtainable under the name Tego Amid[®] 18 are also preferred as surfactants in the present dyeing compositions. They are distinguished not only by a good conditioning action but also especially by their good biodegradability.

25

A further preferred embodiment of the present invention relates to a method of treating keratin-containing fibers with the hair dye composition according to the present invention.

The method comprises treating the hair in the presence of a reduction agent.

30

Usually, the dyeing compositions are applied to the keratin-containing fiber in an amount of from 50 to 100 g.

The oxidizing agents described above can also be used as lightening composition for lightening of the hair before the intrinsic dyeing process.

Therefore, the present invention also relates to a method for simultaneous dyeing and waving of keratinous fibers, comprising the steps of

- (a) treating the hair with a lightening composition,
- (b) optionally treating the hair with a reductive wave agent; and
- 5 (c) treating the hair with a hair dyeing composition according to the present invention.

Moreover, this method is also suitable for the smoothing of hair.

10 The hair dye composition according to the present invention is suitable for all-over dyeing of the hair, that is to say when dyeing the hair on a first occasion, and also for re-dyeing subsequently, or dyeing of locks or parts of the hair, for example for the dyeing of eyebrows, eyelashes, body hair and or beards.

15 The hair dye composition according to the present invention is applied on the hair for example by massage with the hand, a comb, a brush, or a bottle, or a bottle, which is combined with a comb or a nozzle.

In the processes for dyeing according to the invention, whether or not dyeing is to be carried out in the presence of a further dye will depend upon the color shade to be obtained.

20 Further preferred is a process for dyeing keratin-containing fibers which comprises treating the keratin-containing fiber with the hair dye composition according to the present invention, a base and an oxidizing agent.

25 The oxidation dyeing process usually involves lightening, that is to say that it involves applying to the keratin-containing fibers, at basic pH, a mixture of bases and aqueous hydrogen peroxide solution, leaving the applied mixture to stand on the hair and then rinsing the hair. It allows, particularly in the case of hair dyeing, the melanin to be lightened and the hair to be dyed.

30 In general, the oxidizing agent containing composition is left on the fiber for 0 to 15 minutes, in particular for 0 to 5 minutes at 15 to 45°C, usually in amounts of 30 to 200g.


Oxidizing agents are for example persulfate or diluted hydrogen peroxide solutions, hydrogen peroxide emulsions or hydrogen peroxide gels, alkaline earth metal peroxides, organic peroxides, such as urea peroxides, melamine peroxides, or alkalimetalbromate fixations are also applicable if a shading powder on the basis of semi-permanent, direct hair dyes is used.

5

Most preferred oxidizing agent is hydrogen peroxide, preferably used in a concentration from about 2 to 30 %, more preferably about 3 to 20% by, and most preferably from 6 to 12% b.w. the corresponding composition.

10 The oxidizing agents may be present in the dyeing compositions according to the invention preferably in an amount from 0.01 % to 6 %, especially from 0.01 % to 1 %, based on the total dyeing composition.

In general, the dyeing with an oxidative agent is carried out in the presence of a base, for
 15 example ammonia, alkali metal carbonates, earth metal (potassium or lithium) carbonates, alkanol amines, such as mono-, di- or triethanolamine, alkali metal (sodium) hydroxides, earth metal hydroxides or compounds of the formula



R is a propylene residue, which may be substituted with OH or C₁-C₄alkyl,

20 R₃, R₄, R₅ and R₆ are independently or dependently from each other hydrogen, C₁-C₄alkyl or hydroxy-(C₁-C₄)alkyl.

The pH-value of the oxidizing agent containing composition is usually about 2 to 7, and in particular about 2 to 5.

25

One preferred method of applying formulations comprising the hair dye composition according to the present invention on the keratin-containing fiber, preferably the hair is by using a multi-compartment dyeing device or "kit" or any other multi-compartment packaging system, as described for example in WO 97/20545 on p. 4, l. 19 to l. 27.

30

The following Examples serve to illustrate the processes for dyeing without limiting the processes thereto. Unless specified otherwise, parts and percentages relate to weight. The amounts of dye specified are relative to the material being colored.

Application Examples:

1. Combination of Basic Blue 124 with Basic Red 76, Basic Yellow 57, Basic Brown 16, Basic Brown 17 and Basic Blue 99 for dyeing of hair
- 5 2. .Combination of Basic Blue 124 with Basic Red 76, Basic Yellow 57, Basic Brown 16, Basic Brown 17 and Basic Blue 99 and Basic Red 51, Basic Yellow 87 and Basic Orange 31 for dyeing hair

For the application examples the following hair types have been used:

- 10 - 1 blonde hair tress (VIRGIN White Hair),
- 1 middle blonde hair tress (UNA-Europ. nature hair, Color middle blonde),
- 1 bleached hair tress (UNA-Europ. nature hair, Color white bleached).

Coloring Solution:

- 15 0.1 % w/w of the dye is dissolved in a Plantaren solution (5 % w/w Plantacare 2000UP (ID: 185971.5) in water; pH adjusted to 9.5 with 50% citric acid solution or monoethanolamine solution).

The hair tresses were dyed according to the following procedure:

- 20 The coloring solution was applied directly to the dry hair, incubated for 20 min. at room temperature, and then rinsed off under tap water (Water temperature: 37°C +/- 1°C ; flow rate of water: 5-6 l/min.). Then it was pressed out with a paper towel and dried over night at room temperature on a glass plate.
- 25 To determine the wash fastness two sets of hair tresses were dyed under the same conditions. One set of the dyed tresses was washed with a commercial shampoo (GOLDWELL definition Color & Highlights, color-conditioner shampoo) using approx. 0.5 g shampoo for each tress under tap water (water temperature: 37°C +/- 1°C; flow rate 5-6 l/min). Finally the tresses were rinsed under tap water, pressed out with a paper towel,
- 30 combed and dried with a hair dryer or at room temperature. This procedure was repeated 10 times.

Then the color loss of the set of washed tresses relative to the set of unwashed tresses was evaluated using the Grey Scale according to: Industrial Organic Pigments by

Herbst&Hunger, 2nd ed., p. 61, Nr 10: DIN 54 001-8-1982, „Herstellung und Bewertung der Änderung der Farbe“, ISO 105-A02-1993.

Example 1:

- 5 0.1% of Basic Blue 124 is dissolved in a 5 % solution of a non-ionic surfactant (Plantacare 2000 UP, Henkel) adjusted to pH 9.5 using citric acid or monoethanolamine. This blue dyeing solution is applied on the dry hair (two blond, two middle blond and two damaged hair strands) and allowed to stand for 20min at room temperature. Then, the strands are rinsed under tap water and dried 12h.

<u>Results:</u>				
<u>Hair Type</u>	<u>Color</u>	<u>Intensity</u>	<u>Brilliance</u>	<u>Washing Fastness</u>
Blond	Blue	good	good	2-3
Middle blond	Blue	good	good	3
Damaged	Blue	good	good	2-3

10

Example 2:

A dye emulsion, pH = 10.5

<u>INGREDIENT</u>	<u>w/w %</u>
Basic Blue 124	1
Cetearyl Alcohol	12.00
Ceteareth-20	4.50
Polysorbate 60	2.30
Glyceryl Stearate SE	2.00
Sorbitan Stearate	0.75
Oleth-5	1.25
Caprylic/Capric Triglyceride	0.50
Disodium EDTA	0.05
Monoethanolamine 99%	0.90
Ammonium Hydroxide 29%	6.60
Dihydroxypropyl PEG-5 Linoleammonium Chloride	0.50
Hydrolyzed Soy Protein 20%	0.50
Fragrance Drom 847 735 - Day at the Beach	0.50
Deionized Water 70°C	ad 100.0

15

is mixed with 1.5 weight of 9% hydrogen peroxide solution and the mixture is immediately applied to a tress of brown hair. After 30 minutes the tress is rinsed, shampooed, rinsed and dried. The tress has been dyed blue.

<u>Results:</u>				
<u>Hair Type</u>	<u>Color</u>	<u>Intensity</u>	<u>Brilliance</u>	<u>Washing Fastness</u>
Blond	Blue	good	good	3-4
Middle blond	Blue	good	good	3
Damaged	Blue	good	good	2-3

Example 3:

A dye emulsion, containing 1 % of the dye pH= 9.8

Basic Blue 124	0.25
Basic Blue 151	0.25
Basic Red 51	0.25
Basic Red 76	0.25
Acid Red 52	0.01
Cetylstearylalcohol	11.00
Oleth-5	5.0
Oleic acid	2.5
Stearic acid monoethanolamide	2.5
Coco fatty acid monoethanolamide	2.5
Sodium laurylsulphate	1.7
1,2-Propanediol	1.0
Ammonium chloride	0.5
EDTA, Tetrasodium salt	0.2
Perfume	0.4
Cornproteinhydrolysate	0.2
Silica	0.1

5

is mixed with the same weight of 6 % hydrogen peroxide solution and the mixture is immediately applied to a tress of brown hair. After 30 minutes the tress is rinsed, shampooed, rinsed and dried. The tress has been dyed violet.

10 Example 4:

A dye emulsion with pH=6.4, containing

0.05 % of the dye Basic Blue 124

0.15 % Basic Blue 99

0.07 % Basic Brown 17

15 0.04 % Basic Yellow 57

0.15 % Basic Brown 16

0.01 % Basic Red 76

0.01 % Basic Red 51

- 30 -

- 0.01 % HC Red BN
 0.01 % HC Red 3
 0.01 % 3-Nitro-p-Hydroxyethylaminophenol
 0.05 % HC Blue 2
 5 3.5 % Cetearyl alcohol
 1.0 % Cetareth 30
 0.5 % Glycol Distearate
 3.0 % Stearamide DEA
 1.0 % Sodium Oleoamphohydroxypropyl Sulfonate
 10 0.5 % Polyquarternium-6
 0.1 % Tinovis CD (Dimethylacrylamide/Ethyltrimonium Chloride Methacrylate Copolymer,
 Propylene Glycol Dicaprylate/Dicaprate, PPG-1 Trideceth-6, C10-11 Isoparaffin)
 water ad 100%
- 15 is applied for 30 minutes, at room temperature to bleached human hair, and rinsed. The result is a redish brown dyeing with good fastnesses.

Example 5:

A dye emulsion containing

Cetearyl Alcohol	12.000
Cetareth-25	5.000
Glyceryl Stearate SE	2.500
Glycol Distearate	0.500
Oleth-10	2.000
Cetearyl Ethylhexanoate	0.750
Deionized Water 70°C	Ad 100
Disodium EDTA	0.050
Basic Blue 124	0.800
Basic Red 51	0.100
Monoethanolamine 99%	1 dro
Hydrolyzed Wheat Protein 20%	1.000
Monoethanolamine 99%	~ 0.900
Fragrance Drom 854 148 Linden Blossom	0.500
pH-Value: 6.02	

20

is applied for 30 minutes, at room temperature, to colored middle blond human hair, and rinsed. The result is a redish blue dyeing with good fastnesses.

Example 6:

60 ml of part A, 60ml of part B and 3 ml of part C are mixed in a mixing bowl or applicator bottle and the mixture is immediately applied to a tress of brown hair. After 30 minutes the tress is rinsed, shampooed, rinsed and dried. The tress has been dyed an intensive violet.

5

	<u>Shade: Pure Red</u>	
	INGREDIENT	w/w %
<u>Part A</u>	Deionized Water RT	20.00
	Sodium Sulfite	0.60
	Disodium EDTA	0.05
	Cocamidopropyl Betaine 30%	4.00
	Propylene Glycol	2.50
	Monoethanolamine 99%	1.00
	Toluene-2,5-Diamine Sulfate	0.25
	p-Aminophenol	0.50
	4-Amino-2-Hydroxytoluene	0.70
	2-Methyl-5-Hydroxyethylaminophenol	0.50
	2-Amino-4-Hydroxyethyl AA Sulfate	0.10
	Erythorbic Acid	0.40
	Deionized Water RT	43.55
	Hydroxyethylcellulose – Natrosol 250 HHR CG	0.75
	Deionized Water RT	10.00
	Isopropyl Alcohol	8.00
	Oleth-10	1.00
	Oleic Acid	1.10
	Lactamide MEA	1.00
	Fragrance Drom 837 375 Tropical Fever	0.50
	Dihydroxypropyl PEG-5 Linoleammonium Chloride	0.50
	Hydrolyzed Soy Protein	0.50
	Monoethanolamine 99%	~ 2.50
	Total:	100.00
<u>Part B:</u>	Deionized Water RT	80.50
<u>Developer 6%</u>	Disodium Phosphate	0.15
	Salcare SC80	5.00
	Glycerin 99%	1.00
	Sodium Laureth Sulfate 27%	1.00
	Etidronic Acid 60%	~ 0.35
	Hydrogen Peroxide 50%	12.00
	Total:	100.00
<u>Part C</u>	INGREDIENT	w/w %
	Deionized Water RT	99.00
	Basic Blue 124	1.00
	Total:	100.00

Example 7:

60 ml of part A, 60ml of part B and 3 ml of part C are mixed in a mixing bowl or applicator bottle and the mixture is immediately applied to a tress of brown hair. After 30 minutes the tress is rinsed, shampooed, rinsed and dried. The tress has been dyed an intensive black.

5

	<u>Shade: Black</u>	
	INGREDIENT	w/w %
<u>Part A</u>	Deionized Water RT	20.00
	Sodium Sulfite	0.60
	Disodium EDTA	0.05
	Cocamidopropyl Betaine 30%	4.00
	Propylene Glycol	2.50
	Monoethanolamine 99%	1.00
	Toluene-2,5-Diamine Sulfate	3.00
	Resorcine	0.80
	3-Aminophenol	0.40
	2,4-Diaminophenoxyethanol HCL	0.80
	Erythorbic Acid	0.40
	Deionized Water RT	43.55
	Hydroxyethylcellulose – Natrosol 250 HHR CG	0.75
	Deionized Water RT	10.00
	Isopropyl Alcohol	8.00
	Oleth-10	1.00
	Oleic Acid	1.10
	Lactamide MEA	1.00
	Fragrance Drom 837 375 Tropical Fever	0.50
	Dihydroxypropyl PEG-5 Linoleammonium Chloride	0.50
	Hydrolyzed Soy Protein	0.50
	Monoethanolamine 99%	~ 2.50
	Total:	100.00
<u>Part B:</u>	Deionized Water RT	80.50
<u>Developer</u> <u>6%</u>	Disodium Phosphate	0.15
	Salcare SC80	5.00
	Glycerin 99%	1.00
	Sodium Laureth Sulfate 27%	1.00
	Etidronic Acid 60%	~ 0.35
	Hydrogen Peroxide 50%	12.00
	Total:	100.00
<u>Part C</u>	INGREDIENT	w/w %
	Deionized Water RT	99.00
	Basic Blue 124	1.00
	Total:	100.00

Example 8:

A dye emulsion, containing 1 % of Basic Blue 124 pH= 10.5

<u>INGREDIENT</u>	<u>w/w %</u>
Cetearyl Alcohol	12.00
Ceteareth-20	4.50
Polysorbate 60	2.3
Glyceryl Stearate SE	2.00
Sorbitan Stearate	0.75
Oleth-5	1.25
Caprylic/Capric Triglyceride	0.50
Deionized Water 70°C	66.65
Disodium EDTA	0.05
Monoethanolamine 99%	0.90
Ammonium Hydroxide 29%	6.60
Dihydroxypropyl PEG-5 Linoleammonium Chloride	0.50
Hydrolyzed Soy Protein 20%	0.50
Fragrance Drom 847 735 - Day at the Beach	0.50
Total:	100.00

- is mixed with 1.5 weight of 9% hydrogen peroxide solution and the mixture is immediately applied to a tress of brown hair. After 30 minutes the tress is rinsed, shampooed, rinsed and dried. The tress has been dyed an intensive blue.

Example 9:

A dye emulsion, containing

- 10 0.1 % Basic Blue 124 and

<u>INGREDIENT</u>	<u>w/w %</u>
Deionized Water RT	64.68
Acrylates/C10-30 Alkyl Acrylate Crosspolymer	0.55
Sodium Hydroxide 25%	0.03
DMDM Hydantoin	0.50
Sodium Cocoamphoacetate 32%	15.00
Ococamidopropyl Betaine 30%	3.00
Decyl Glucoside	3.00
Polyquaternium-7	0.50
PEG-15 Copolyamine	0.50
PEG-75 Lanolin	0.50
Deionized Water RT	10.00
Disodium EDTA	0.05
Basic Red 76	0.1
Basic Yellow 57	0.1
Basic Blue 124	0.1
PEG-40 Hydrogenated Castor Oil	0.95

INGREDIENT	w/w %
Fragrance Drom 837 375 Tropical Fever	0.45
Citric Acid 25% Solution	~ 0.20
Total:	100.00

is applied for 30min, at room temperature, to blond human hair, and rinsed.

The result is a very attractive vibrant violet dyeing with good fastnesses.

5 Example 10:

A tress of gray hair is shampooed with a shampoo, containing
0.01 % of Basic Blue 124 and

INGREDIENT	w/w %
Disodium PEG-5 Laurylcitrate Sulfosuccinate, Sodium Laureth Sulfate	8.25%
Sodium Cocoamphoacetate	20.9%
Methoxy PEG/PPG-7/3 Aminopropyl Dimethicone	0.5%
Hydroxypropyl Guar hydroxypropyltrimonium Chloride	0.3%
PEG-200 Hydrogenated Glyceryl Palmate; PEG-7 Glyceryl Cocoate	2.5%
PEG-150 Distearate	0.5%
Citric Acid (30%)	2.2%
Perfume; Preservatives	q.s.
Water	Ad 100%

After 5 minutes the tress is rinsed and dried. The tress has been more brilliant less yellowish.

10

Example 11:

A tress of gray hair is shampooed with a shampoo, containing

INGREDIENT	w/w %
Disodium PEG-5 Laurylcitrate Sulfosuccinate, Sodium Laureth Sulfate	8.25%
Sodium Cocoamphoacetate	20.9%
Methoxy PEG/PPG-7/3 Aminopropyl Dimethicone	0.5%
Hydroxypropyl Guar hydroxypropyltrimonium Chloride	0.3%
PEG-200 Hydrogenated Glyceryl Palmate; PEG-7 Glyceryl Cocoate	4.0%
PEG-150 Distearate	0.5%
Basic Blue 124	0.01
Basic Red 76	0.05
Citric Acid (30%)	2.2%
Perfume; Preservatives	q.s.
Water	Ad 100%

The tress has been more brilliant violet.

15

Example 12:

A tress of gray hair is shampooed with a shampoo, containing

<u>INGREDIENT</u>	<u>w/w %</u>
Water	87.5
Hydroxyethylcellulose	2.5
Plantacare 50%	10.0
Sodium hydroxide 50%	0.17
Sodium hydroxide 0.1M	0.77
Basic Red 51	0.015
Basic Blue 124	0.013
Basic Yellow 87	0.06
Citric Acid (50%)	0.35
Perfume; Preservatives	q.s.
pH Approx. 6.0	

The tress has been dyed middle brown with a medium gray coverage.

5

Example 13:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Cetyl Alcohol	3.00%
Ceterareth-25	0.50%
Distearyldimonium Chloride	1.00%
Quaternium-80	0.50%
Citric Acid	Ad pH=5
Basic Blue 124	0.025
Basic Yellow 87	0.060
Basic Red 51	0.015
Perfumes; Preservatives	q.s.
Water	Ad 100%

is applied to a tress of shampooed middle blond and gray hair. After 15min the tress is rinsed and dried.

10

The tress has been dyed brown with good gray coverage.

Example 14:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Cetyl Alcohol	3.00%
Ceterareth-20	0.50%
Hydroxypropyl Guar, Hydroxypropyltrimonium chloride	1.00%

<u>INGREDIENT</u>	<u>w/w %</u>
Quaternium-80	0.50%
Citric Acid	Ad pH=5
Octocrylene	0.1
Butyl Methoxybibenzoylmethane	0.1
Perfumes; Preservatives	q.s.
Basic Blue 124	0.1
Water	Ad 100%

is applied to a tress of shampooed blond hair. After 5min the tress is rinsed and dried.

The tress has been dyed blue.

5 Example 15:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Cetearyl Alcohol, Sodium Cetearyl Sulfate	3.00%
Ceterareth-25	0.50%
Distearoylethyl Diammonium Chloride	1.00%
Quaternium-80	0.50%
Citric Acid	Ad pH=5
Camphor Benzalkonium Methosulfate	0.1
Ethyl Salicylate	0.1
Basic Blue 124	0.5
Basic Red 76	0.5
Perfumes; Preservatives	q.s.
Water	Ad 100%

is applied to a tress of shampooed blond hair. After 5min the tress is rinsed and dried.

The tress has been dyed violet.

10

Example 16:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Cetyl Alcohol	3.00%
Ceterareth-25	0.50%
Behentrimmonium Chloride	1.00%
Quaternium-80	0.50%
Citric Acid	Ad pH=5
Dimethicone	0.9
Phenyltrimethicone, Silicone Quaternium-15, Laureth-4 (Polysil 1849)	2.5
Polysilicone-15	0.8
Basic Blue 124	0.1

- 37 -

INGREDIENT	w/w %
Basic Blue 151	0.1
Basic Blue 99	1.0
Basic Brown 17	0.9
Basic Yellow 57	0.4
Basic Brown 16	0.9
Perfumes; Preservatives	q.s.
Water	Ad 100%

is applied to a tress of shampooed gray hair. After 5min the tress is rinsed and dried.

The tress has been dyed dark brown.

5 Example 17:

A dye emulsion, containing

0.05 % of the dye Basic Blue 124

0.15 % Basic Blue 99

0.07 % Basic Brown 17

10 0.04 % Basic Yellow 57

0.15 % Basic Brown 16

0.01 % Basic Red 51

0.01 % Basic Orange

0.01 % Basic Red 76

15 0.01 % Basic Yellow 87

3.5 % Cetearyl alcohol

1.0 % Cetareth 80

0.5 % Glycol Distearate

3.0 % Stearamide DEA

20 1.0 % Sodium Oleoamphohydroxypropyl Sulfonate

0.5 % Polyquarternium-6

0.2 % Disodium distyrylbiphenyl disulfonate and
water ad 100%

25 is applied for 30 minutes, at room temperature to bleached human hair, and rinsed. The result is a brown dyeing with good fastnesses.

Example 18:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Cetyl stearyl Alcohol	5.0
1,2-Propandiol	1.5
Behentrimonium Chloride	2.0
Di-C12-C15-alkyldimoniumchlorid	1.0
Cocoamidopropylbetaine	1.0
Sodium cocoamphoacetate	0.5
Henna extract	0.5
Silicon oil	0.5
Basic Blue 124	0.1
Basic Red 76	0.1
Basic Blue 99	0.1
Basic Brown 17	0.1
Basic Yellow 57	0.1
Basic Brown 16	0.1
Perfumes; Preservatives	q.s.
Water	Ad 100%

- 5 is applied to a tress of shampooed middle blonde hair. After 5min the tress is rinsed and dried. The tress has been dyed evenly brown.

Example 19:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Hydroxyethylcellulose	1.00
Cetylstearylalcohol	1.25
1,2-Propandiol	3.00
Cetyltrimethylamonium Chloride	0.2
Dicetyldimethylamonium Chloride	0.30
Dimethicone	0.2
Polyquaternium-10	
Laurylhydroxysultain	1.0
Camoille extract	0.5
Citric acid	0.5
Basic Blue 124	0.1
Basic Red 76	0.1
Perfumes; Preservatives	q.s.
Water	Ad 100%

- 10 is applied to a tress of shampooed blonde hair. After 5min the tress is rinsed and dried. The tress has been dyed evenly violet.

Example 20:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Cetyl stearyl Alcohol	5.0
Di-C12-C15-alkyldimoniumchlorid	2.0
1,2-Propandiol	1.5
Ceteareth-20	1.0
Sodium cocoamphoacetate	1.3
Basic Blue 124	0.1
Basic Red 76	0.1
Basic Blue 99	0.1
Basic Brown 17	0.1
Basic Yellow 57	0.1
Basic Brown 16	0.1
Methylparaben	0.2
Perfume	0.3.
Water	Ad 100%

- 5 is applied to a tress of shampooed middle blonde hair. After 5min the tress is rinsed and dried. The tress has been dyed evenly brown.

Example 21:

A conditioner containing

<u>INGREDIENT</u>	<u>w/w %</u>
Cetyl stearyl Alcohol	5.0
Di-C12-C15-alkyldimoniumchlorid	2.0
1,2-Propandiol	1.5
Ceteareth-20	1.0
Sodium cocoamphoacetate	1.3
Basic Blue 124	0.15
Basic Red 76	0.01
Basic Brown 17	0.8
Basic Yellow 57	0.3
Basic Brown 16	0.8
Methylparaben	0.2
Perfume	0.3.
Water	Ad 100%

10

is applied to a tress of shampooed middle blonde hair. After 5min the tress is rinsed and dried. The tress has been dyed evenly dark brown.

Example 22:

A conditioner containing

INGREDIENT	w/w %
Cocoamidopropylbetaine	1.0
Ceteareth-20	1.0
Cetyl stearyl Alcohol	1.0
Dioleoylhydroxyethylmoniummethosulfate	2.0
Benzophenone-4	0.5
Perfume	0.2
Methylparaben	0.2
Pyrrolidincarboxylic acid	0.1
Basic Blue 124	0.1
Basic Red 76	0.1
Basic Blue 99	0.1
Basic Brown 17	0.1
Basic Yellow 57	0.1
Basic Brown 16	0.1
Basic Red 51	0.1
Basic Yellow 87	0.1
Basic Orange 31	0.1
Citric acid	0.1
Water	Ad 100%

- 5 is applied to a tress of shampooed middle blonde hair. After 5min the tress is rinsed and dried. The tress has been dyed evenly brown.

Example 23:

A conditioner containing

INGREDIENT	w/w %
Cetyl stearyl Alcohol	3.0
Hydroxyethylcellulose	1.00
Trisodiumcarboxymethylcocopropylamine	0.8
Cetrimonium chloride	2.0
Benzophenone-9	0.5
Panthenol	0.1
Hops extract	0.1
Basic Blue 124	0.1
Basic Yellow 57	0.1
Perfumes; Preservatives	q.s.
Water	Ad 100%

- 10 is applied to a tress of shampooed bleached hair. After 5min the tress is rinsed and dried. The tress has been dyed evenly green.

Example 24:

A foaming tint containing

<u>INGREDIENT</u>	<u>w/w %</u>
Ethanol	12.3
Monoethanolamine	0.2
Octyldodecanol	5.0
Ammonium laurylsulphate	2.0
Cocamidopropyl Betaine	12.0
Disodium EDTA	0.1
Basic Blue 124	0.025
Basic Red 51	0.015
Basic Yellow 87	0.060
Basic Orange 31	0.001
Perfumes	0.5
Preservatives	q.s.
Water	Ad 100%
Propane/Butane	10

- 5 is applied to a tress of shampooed bleached hair. After 15min the tress is rinsed and dried. The tress has been dyed brown.

Example 25:

A setting lotion containing

<u>INGREDIENT</u>	<u>w/w %</u>
Ethanol	40.0
VP/VA Copolymer	0.4
Polyquaternium-11	0.3
Amodimethicone +Trideceth-12 + Cetrimonium Chloride	0.5
PEG-40 Hydrogenated Castor Oil	0.2
Basic Blue 124	0.05
Perfumes	0.5
Preservatives	q.s.
Water	Ad 100%

10

is applied to a tress of shampooed gray hair. The tress has been more brilliant.

Example 26:

A hair tonic containing

<u>INGREDIENT</u>	<u>w/w %</u>
Ethanol	20.0
Isopropanol	20.0
PEG-40 Hydrogenated Castor Oil	0.3
Perfumes	0.3
Menthol	0.1
Coffin	0.1
Humulus Lupulus (Hops) Extrsct	0.1
Panthenol	0.2
Biotin	0.1
Basic Blue 124	0.03
Water	Ad 100%

5 is applied to a tress of shampooed gray hair and dried. The tress has been more brilliant and less yellowish.

Example 27:

A tint containing

<u>INGREDIENT</u>	<u>w/w %</u>
Hydroxyethylcellulose	2.5
Plantacare 2000 50%	10.0
Ethanol	5.0
Sodium hydroxide 50%	0.2
Citric Acid 50%	3.56
Perfume	0.2
Methylparaben	0.2
Basic Blue 124	0.1
Basic Red 76	0.1
Basic Blue 99	0.1
Basic Brown 17	0.1
Basic Yellow 57	0.1
Basic Brown 16	0.1
Basic Red 51	0.1
Basic Yellow 87	0.1
Basic Orange 31	0.1
Citric acid	0.1
Water	Ad 100%
pH	3

10 is applied to a tress of shampooed middle blonde hair. After 5 min the tress is rinsed and dried. The tress has been dyed evenly brown.

Example 28:

A tint containing

<u>INGREDIENT</u>	<u>w/w %</u>
Hydroxyethylcellulose	2.5
Plantacare 2000 50%	10.0
Ethanol	5.0
Propylene carbonate	25.0
Sodium hydroxide 50%	0.2
Citric Acid 50%	3.56
Perfume	0.2
Methylparaben	0.2
Basic Blue 124	0.1
Basic Red 76	0.1
Basic Blue 99	0.1
Basic Brown 17	0.1
Basic Yellow 57	0.1
Basic Brown 16	0.1
Basic Red 51	0.1
Basic Yellow 87	0.1
Basic Orange 31	0.1
Citric acid	0.1
Water	Ad 100%
pH	3

5 is applied to a tress of shampooed middle blonde hair. After 5 min the tress is rinsed and dried. The tress has been dyed evenly brown.

Example 29:

A tint containing

<u>INGREDIENT</u>	<u>w/w %</u>
Hydroxyethylcellulose	2.5
Plantacare 2000 50%	10.0
Ethanol	5.0
Sodium hydroxide 50%	0.2
Citric Acid 50%	3.56
Perfume	0.2
Methylparaben	0.2
Basic Blue 124	0.1
Basic Red 76	0.1
Basic Blue 99	0.1
Basic Brown 17	0.1
Basic Yellow 57	0.1
Basic Brown 16	0.1
Basic Red 51	0.1

INGREDIENT	w/w %
Basic Yellow 87	0.1
Basic Orange 31	0.1
Acid Red 52	0.01
Citric acid	0.1
Water	Ad 100%
pH	3

Example 30:

A dye emulsion with pH=6.4, containing

0.05 % of the dye Basic Blue 124

- 5 0.15 % Basic Blue 99
0.07 % Basic Brown 17
0.04 % Basic Yellow 57
0.15 % Basic Brown 16
0.01 % Basic Red 76
- 10 0.01 % Basic Red 51
0.01 % HC Red BN
0.01 % HC Red 3
0.01 % 3-Nitro-p-Hydroxyethylaminophenol
0.05 % HC Blue 2
- 15 0.05 % Basic Blue 26
0.05 % Basic Blue 75
3.5 % Cetearyl alcohol
1.0 % Cetareth 30
0.5 % Glycol Distearate
- 20 3.0 % Stearamide DEA
1.0 % Sodium Oleamphohydroxypropyl Sulfonate
0.5 % Polyquarternium-6
0.1 % Tinovis CD (Dimethylacrylamide/Ethyltrimonium Chloride Methacrylate Copolymer,
Propylene Glycol Dicaprylate/Dicaprate, PPG-1 Trideceth-6, C10-11 Isoparaffin)
- 25 water ad 100%

is applied for 30 minutes, at room temperature to bleached human hair, and rinsed. The result is a redish brown dyeing with good fastnesses.

Example 31:

60 ml of part A, 60ml of part B and 3 ml of part C are mixed in a mixing bowl or applicator bottle and the mixture is immediately applied to a tress of brown hair. After 30 minutes the tress is rinsed, shampooed, rinsed and dried. The tress has been dyed an intensive violet.

5

	<u>Shade: Pure Red</u>	
	INGREDIENT	w/w %
<u>Part A</u>	Deionized Water RT	20.00
	Sodium Sulfit	0.60
	Disodium EDTA	0.05
	Cocamidopropyl Betaine 30%	4.00
	Propylene Glycol	2.50
	Monoethanolamine 99%	1.00
	Toluene-2,5-Diamine Sulfate	0.25
	p-Aminophenol	0.50
	4-Amino-2-Hydroxytoluene	0.70
	2-Methyl-5-Hydroxyethylaminophenol	0.50
	2-Amino-4-Hydroxyethyl AA Sulfate	0.10
	Erythorbic Acid	0.40
	Deionized Water RT	43.55
	Hydroxyethylcellulose – Natrosol 250 HHR CG	0.75
	Deionized Water RT	10.00
	Isopropyl Alcohol	8.00
	Oleth-10	1.00
	Oleic Acid	1.10
	Lactamide MEA	1.00
	Fragrance Drom 837 375 Tropical Fever	0.50
	Dihydroxypropyl PEG-5 Linoleammonium Chloride	0.50
	Hydrolyzed Soy Protein	0.50
	Monoethanolamine 99%	~ 2.50
	Total:	100.00
<u>Part B:</u>	Deionized Water RT	80.50
<u>Developer 6%</u>	Disodium Phosphate	0.15
	Salcare SC80	5.00
	Glycerin 99%	1.00
	Sodium Laureth Sulfate 27%	1.00
	Etidronic Acid 60%	~ 0.35
	Hydrogen Peroxide 50%	12.00
	Total:	100.00
<u>Part C</u>	Deionized Water RT	99.00
	Basic Blue 26	0.3
	Basic Blue 75	0.2
	Basic Blue 124	0.4
	Basic Red 51	0.1

- 46 -

Example 32:

A dye emulsion, containing 0.4 % of Basic Blue 124, 0.3% Basic Blue 76 and 0.3% Basic Blue 75 pH= 10.5


<u>INGREDIENT</u>	<u>w/w %</u>
Cetearyl Alcohol	12.00
Ceteareth-20	4.50
Polysorbate 60	2.3
Glyceryl Stearate SE	2.00
Sorbitan Stearate	0.75
Oleth-5	1.25
Caprylic/Capric Triglyceride	0.50
Deionized Water 70°C	66.65
Disodium EDTA	0.05
Monoethanolamine 99%	0.90
Ammonium Hydroxide 29%	6.60
Dihydroxypropyl PEG-5 Linoleammonium Chloride	0.50
Hydrolyzed Soy Protein 20%	0.50
Fragrance Drom 847 735 - Day at the Beach	0.50
Total:	100.00

- 5 is mixed with 1.5 weight of 9% hydrogen peroxide solution and the mixture is immediately applied to a tress of brown hair. After 30 minutes the tress is rinsed, shampooed, rinsed and dried. The tress has been dyed an intensive blue.



Claims

1. Hair dyeing composition comprising


(a) a dye of formula




(b) at least one dye selected from the compounds of formulae



D is the radical of a diazo component of the formula (2a)



10



K is the radical of a coupling component selected from aniline derivatives; phenol derivatives; naphthalene derivative;

X is -CH=O-; -S-; or -N(R7)-;

R₁, R₂, R₃ and R₄ independently from each other are hydrogen; or C₁-C₄alkyl;

15 R₅ and R₆ independently from each other are hydrogen; C₁-C₄alkyl; or C₁-C₄alkoxy;

R₇ and R₉ independently from each other are unsubstituted or OH-, C₁-C₄alkoxy-, halogen-, amino-, C₁-C₄-mono or -dialkylamino-substituted C₁-C₄alkyl; or phenyl;

R₈ is hydrogen; C₁-C₄alkyl; Cl; or nitro;

- 48 -

R₁₀ is hydrogen; C₁-C₄alkyl; Cl; nitro; amino; or C₁-C₄mono- or C₁-C₄dialkylamino;

R₁₁ is hydrogen; C₁-C₄alkyl; or CN;

R₁₂ is unsubstituted or OH- or CN-substituted C₁-C₄alkyl;

R₁₃ is hydrogen; or C₁-C₄alkyl;

5 R₁₄ and R₁₅ independently from each other are hydrogen; C₁-C₄alkyl; or C₁-C₄alkoxy; or

R₁₄ and R₁₅ together with the nitrogen and carbon atoms joining them together form a 5- or 6-membered ring;

R₁₆ and R₂₀ independently from each other are hydrogen; C₁-C₄alkyl; hydroxy; Cl; nitro; amino, C₁-C₄mono- or dialkylamino;

10 R₁₇, R₁₈, R₁₉, R₂₁, R₂₂ and R₂₃ independently from each other are hydrogen; or C₁-C₄alkyl;


R₂₄ is hydrogen; or C₁-C₄alkyl; and

An⁻ is a colorless anion.

2. Composition according to claim 1, wherein in formula (1) of component (a)

15 R₁, R₂, R₃ and R₄ independently from each other are hydrogen; or C₁-C₂alkyl.

3. Composition according to claim 1 or 2, wherein component (a) corresponds to formula



20 4. Composition according to any of claims 1 to 3, wherein

R₈ is hydrogen; or C₁-C₄alkyl.

5. Composition according to any of claims 1 to 4, wherein in formulas (2a) and (2b)

R₇ and R₉ independently from each other are C₁-C₄alkyl; or phenyl.



25

6. Composition according to any of claims 1 to 5, wherein in formula (2a)


X is -NR₇; and

R₈ is hydrogen; or C₁-C₄alkyl.


30 7. Composition according to any of claims 1 to 6, wherein



8. Composition according to any of claims 1 to 7, wherein in formula (2)




R₂₅ is hydrogen; hydroxy; C₁-C₄alkyl; C₁-C₄alkoxy; nitro; amino; mono-C₁-C₄alkylamino; di-



R₂₆, R₂₇ and R₂₈ independently from each other are hydrogen; or C₁-C₄alkyl.


10 9. Composition according to any of claims 1 to 7, wherein in formula (3)



10. Composition according to any of claims 1 to 9 comprising

(a) a dye of formula (1), and

15 (b) at least one dye selected from the compounds of formulae






5

11. Composition according to any of claims 1 to 9 comprising

(a) a dye of formula (1), and


(b) at least one dye selected from the compounds of formulae






12. Composition according to any of claims 1 to 9 comprising

- 5 (a) a dye of formula (1), and
 (b₁) the dyes of formulae



(b₂) the dye of formula



10

13. Composition according to any of claims 1 to 12 comprising as additional component a colorant selected from

- (d) a direct dye;
 (e) an oxidative dye;
 15 (f) a disulfide dye;
 (g) a pigment;
 or mixtures thereof.

14. A method for dyeing keratinous fibers, comprising applying the dyeing composition according to claim 1 to said keratinous fibers.

15. A method for dyeing keratinous fibers, comprising the steps of

- 5 (a) treating the hair with a lightening composition,
(b) optionally treating the hair with a reductive wave agent; and
(c) treating the hair with a hair dyeing composition according to any of claims 1 to 13.