



US00D769137S

(12) **United States Design Patent** (10) **Patent No.:** **US D769,137 S**
Sisti (45) **Date of Patent:** **** Oct. 18, 2016**

(54) **TEMPERATURE PROBE**
(71) Applicant: **REOTEMP Instrument Corporation,**
San Diego, CA (US)
(72) Inventor: **James Jerald Sisti,** Encinitas, CA (US)
(73) Assignee: **REOTEMP INSTRUMENTS**
CORPORATION, San Diego, CA (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/529,253**
(22) Filed: **Jun. 4, 2015**
(51) **LOC (10) Cl.** **10-04**
(52) **U.S. Cl.**
USPC **D10/57**
(58) **Field of Classification Search**
USPC D10/57, 60
CPC G01K 1/083; G01K 1/18; G01K 13/002
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
3,822,593 A 7/1974 Oudewaal
4,468,609 A 8/1984 Schmitz
(Continued)
Primary Examiner — Antoine D Davis
(74) *Attorney, Agent, or Firm* — Gorman IP Law, APC


(57) **CLAIM**
The ornamental design for a temperature probe, as shown and described.

DESCRIPTION

FIG. 1 is a perspective of a first embodiment of the complete temperature probe showing my new design;
FIG. 2 is a front view thereof;
FIG. 3 is a left side view thereof, the right side being a mirror image;

FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a perspective view of the partially assembled first embodiment of the temperature probe;
FIG. 7 is a perspective view of the female portion of the first embodiment of the temperature probe;
FIG. 8 is a front view thereof;
FIG. 9 is a back view thereof;
FIG. 10 is a left side view thereof, the right side being a mirror image;
FIG. 11 is a top view thereof;
FIG. 12 is a bottom view thereof;
FIG. 13 is a perspective view of the male portion of the first embodiment of the temperature probe;
FIG. 14 is a front view thereof;
FIG. 15 is a back view thereof;
FIG. 16 is a left side view thereof, the right side, top side, and bottom side being identical;
FIG. 17 is a perspective of a second embodiment of the complete temperature probe showing my new design;
FIG. 18 is a back view thereof;
FIG. 19 is a left side view thereof, the right side being a mirror image;
FIG. 20 is a top view thereof;
FIG. 21 is a bottom view thereof;
FIG. 22 is a perspective view of the partially assembled second embodiment of the temperature probe;
FIG. 23 is a perspective view of the male portion of the second embodiment of the temperature probe;
FIG. 24 is a front view thereof;
FIG. 25 is a back view thereof;
FIG. 26 is a left side view thereof, the right side being a mirror image;
FIG. 27 is a top view thereof;
FIG. 28 is a bottom view thereof;
FIG. 29 is a perspective view of the female portion of the second embodiment of the temperature probe;
FIG. 30 is a front view thereof;
FIG. 31 is a back view thereof;
FIG. 32 is a left side view thereof, the right side, top side, and bottom side being identical; and,
FIG. 33 is a perspective view of the female portion of the second embodiment of the temperature probe.
The evenly broken lines are for illustrative purposes only and form no part of the claimed design. The unevenly broken lines in the drawings define the bounds of the claim and form no part thereof.

1 Claim, 16 Drawing Sheets



US D769,137 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

5,295,747 A *	3/1994	Vinci	F01P 11/14	D597,423 S *	8/2009	Park	D10/52
6,461,037 B1	10/2002	O'Leary	374/145	D722,896 S *	2/2015	Lantzsch	D10/57
				8,996,096 B2	3/2015	Kinsley et al.	
				D741,205 S *	10/2015	Lantzsch	D10/57
				D741,729 S *	10/2015	Lantzsch	D10/57

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22





FIG. 25




FIG. 24




FIG. 26




FIG. 27



FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33