

(19) **DANMARK**



Patent- og
Varemærkestyrelsen

(12) Oversættelse af
europæisk patentskrift

(10) **DK/EP 3126499 T3**

-
- (51) Int.Cl.: **C 12 N 15/113 (2010.01)** **A 61 K 31/713 (2006.01)** **A 61 K 48/00 (2006.01)**
A 61 P 25/28 (2006.01) **C 07 H 21/02 (2006.01)** **C 07 H 21/04 (2006.01)**
C 12 N 15/11 (2006.01) **C 12 Q 1/68 (2018.01)**
- (45) Oversættelsen bekendtgjort den: **2020-07-20**
- (80) Dato for Den Europæiske Patentmyndigheds bekendtgørelse om meddelelse af patentet: **2020-06-24**
- (86) Europæisk ansøgning nr.: **15773965.7**
- (86) Europæisk indleveringsdag: **2015-04-01**
- (87) Den europæiske ansøgnings publiceringsdag: **2017-02-08**
- (86) International ansøgning nr.: **US2015023934**
- (87) Internationalt publikationsnr.: **WO2015153800**
- (30) Prioritet: **2014-04-01 US 201461973803 P**
- (84) Designerede stater: **AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR**
- (73) Patenthaver: **Biogen MA Inc., 225 Binney Street, Cambridge, MA 02142, USA**
- (72) Opfinder: **SWAYZE, Eric, E., 2855 Gazelle Court, Carlsbad, CA 92010, USA**
COLE, Tracy, 2855 Gazelle Court, Carlsbad, CA 92010, USA
KORDASIEWICZ, Holly, 2855 Gazelle Court, Carlsbad, CA 92010, USA
FREIER, Susan, M., 2855 Gazelle Court, Carlsbad, CA 92010, USA
CONDON, Thomas, P., 35 Mandalay Road, 7-37, 308215, Singapore
WANCEWICZ, Edward, 2855 Gazelle Court, Carlsbad, CA 92010, USA
LOCKHART, Trisha, 620 Randolph Avenue, Mukilteo, WA 98275, USA
VICKERS, Timothy, 2855 Gazelle Court, Carlsbad, CA 92010, USA
SINGH, Priyam, 2544 Navarra Drive, Apt. 18, Carlsbad, CA 92009, USA
- (74) Fuldmægtig i Danmark: **Orsnes Patent ApS, Forskerparken 10, 5230 Odense M, Danmark**
- (54) Benævnelse: **SAMMENSÆTNINGER TIL MODULERING AF SOD-1-EKSPRESSION**
- (56) Fremdragne publikationer:
WO-A2-2006/066203
WO-A2-2007/092182
WO-A2-2009/102427
US-A1- 2007 054 869
US-A1- 2009 130 195
US-A1- 2013 053 430
US-A1- 2013 323 836
SMITH, RA ET AL.: 'Antisense Oligonucleotide Therapy For Neurodegenerative Disease.' THE JOURNAL OF CLINICAL INVESTIGATION., [Online] vol. 116, no. 8, August 2006, ISSN 0021-9738 pages 2290 - 2296,

Fortsættes ...

XP055163197 ISSN: 0021-9738 Retrieved from the Internet: <URL:<http://dx.doi.org/10.1172/JCI25424>>

DESCRIPTION

Field

[0001] Disclosed are compositions and methods for reducing expression of superoxide dismutase 1, soluble (SOD-1) mRNA and protein in an animal. Such methods are useful to treat, prevent, or ameliorate neurodegenerative diseases, including amyotrophic lateral sclerosis (ALS) by inhibiting expression of SOD-1 in an animal.

Background

[0002] The soluble SOD-1 enzyme (also known as Cu/Zn superoxide dismutase) is one of the superoxide dismutases that provide defense against oxidative damage of biomolecules by catalyzing the dismutation of superoxide to hydrogen peroxide (H₂O₂) (Fridovich, Annu. Rev. Biochem., 1995, 64, 97-112). The superoxide anion (O₂⁻) is a potentially harmful cellular by-product produced primarily by errors of oxidative phosphorylation in mitochondria (Turrens, J. Physiol. 2003, 552, 335-344).

[0003] Mutations in the SOD-1 gene are associated with a dominantly-inherited form of amyotrophic lateral sclerosis (ALS, also known as Lou Gehrig's disease) a disorder characterized by a selective degeneration of upper and lower motor neurons (Rowland, N. Engl. J. Med. 2001, 344, 1688-1700). There is a tight genetic linkage between familial ALS and missense mutations in the SOD1 gene (Rosen, Nature, 1993, 362, 59-62). The toxicity of mutant SOD1 is believed to arise from an initial misfolding (gain of function) reducing nuclear protection from the active enzyme (loss of function in the nuclei), a process that may be involved in ALS pathogenesis (Sau, Hum. Mol. Genet. 2007, 16, 1604-1618).

[0004] ALS is a devastating progressive neurodegenerative disease affecting as many as 30,000 Americans at any given time. The progressive degeneration of the motor neurons in ALS eventually leads to their death. When the motor neurons die, the ability of the brain to initiate and control muscle movement is lost. With voluntary muscle action progressively affected, patients in the later stages of the disease may become totally paralyzed.

[0005] Currently lacking are acceptable options for treating such neurodegenerative diseases. It is therefore an object herein to provide compounds and compositions for use in treating such diseases.

[0006] WO 2009/102427 relates to modified RNAi constructs with optimal biological activity, toxicity, stability and target gene specificity and uses thereof.

[0007] WO 2006/066203 relates to double stranded small interfering RNA (siRNA) molecules for modulating a SOD gene in subjects with neurological disorders.

[0008] US 2009/130195 relates to methods of treating prostate cancer using compounds comprising small siRNA molecules to inhibit PKC expression.

Summary of the Invention

[0009] The present invention provides an antisense compound according to the following formula: mCes Ae₀ Ges Geo Aes Tds Ads mCds Ads Tds Tds Tds mCds Tds Ads mCeo Aes Geo mCes Te (nucleobase sequence of SEQ ID NO: 725) wherein,

A =

an adenine,

mC =

a 5-methylcytosine,

G =

a guanine,

T =

a thymine,

e =

a 2'-O-methoxyethylribose modified sugar,
d =
a 2'-deoxyribose sugar,
s =
a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage;

or a pharmaceutically acceptable salt thereof.

[0010] The invention also provides a pharmaceutical composition comprising the antisense compound or the pharmaceutically acceptable salt thereof of the invention and at least one of a pharmaceutically acceptable carrier or diluent.

[0011] The invention further provides the antisense compound or the pharmaceutically acceptable salt thereof or the pharmaceutical composition of the invention, for use in therapy in a human subject.

[0012] The invention also provides the antisense compound or the pharmaceutically acceptable salt thereof or the pharmaceutical composition of the invention, for use in treating or preventing a SOD-1 associated disease.

Summary of the Disclosure

[0013] Described herein are methods, compounds, and compositions for modulating expression of superoxide dismutase 1, soluble (SOD-1) mRNA and protein. In certain instances, compounds useful for modulating expression of SOD-1 mRNA and protein are antisense compounds. In certain instances, the antisense compounds are modified oligonucleotides.

[0014] In certain instances, modulation can occur in a cell or tissue. In certain instances, the cell or tissue is in an animal. In certain instances, the animal is a human. In certain instances, SOD-1 mRNA levels are reduced. In certain instances, SOD-1 protein levels are reduced. Such reduction can occur in a time-dependent manner or in a dose-dependent manner.

[0015] Also described are methods, compounds, and compositions useful for preventing, treating, and ameliorating diseases, disorders, and conditions. In certain instances, such SOD-1 related diseases, disorders, and conditions are neurodegenerative diseases. In certain instances, such neurodegenerative diseases, disorders, and conditions include amyotrophic lateral sclerosis (ALS).

[0016] Such diseases, disorders, and conditions can have one or more risk factors, causes, or outcomes in common. Certain risk factors and causes for development of ALS include growing older, having a personal or family history, or genetic predisposition. However, the majority of ALS cases are sporadic and no known risk factors are known. Certain symptoms and outcomes associated with development of ALS include but are not limited to: fasciculations, cramps, tight and stiff muscles (spasticity), muscle weakness affecting an arm or a leg, slurred and nasal speech, difficulty walking, difficulty chewing or swallowing (dysphagia), difficulty speaking or forming words (dysarthria), weakness or atrophy, spasticity, exaggerated reflexes (hyperreflexia), and presence of Babinski's sign. As ALS progresses, symptoms and outcomes by include weakening of other limbs, perhaps accompanied by twitching, muscle cramping, and exaggerated, faster reflexes; problems with chewing, swallowing, and breathing; drooling may occur; eventual paralysis; and death.

[0017] In certain instances, methods of treatment include administering an SOD-1 antisense compound to an individual in need thereof. In certain instances, methods of treatment include administering an SOD-1 modified oligonucleotide to an individual in need thereof.

Detailed Description

[0018] It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention, as claimed. Herein, the use of the singular includes the plural unless specifically stated otherwise. As used herein, the use of "or" means "and/or" unless stated otherwise. Additionally, as used herein, the use of "and" means "and/or" unless stated otherwise. Furthermore, the use of the term "including" as well as other forms, such as "includes" and "included", is not limiting. Also, terms such as "element" or "component" encompass

both elements and components comprising one unit and elements and components that comprise more than one subunit, unless specifically stated otherwise. Also, all sequences described herein are listed 5' to 3', unless otherwise stated.

[0019] The section headings used herein are for organizational purposes only and are not to be construed as limiting the subject matter described.

Definitions

[0020] Unless specific definitions are provided, the nomenclature utilized in connection with, and the procedures and techniques of, analytical chemistry, synthetic organic chemistry, and medicinal and pharmaceutical chemistry described herein are those well known and commonly used in the art. Standard techniques may be used for chemical synthesis, and chemical analysis.

[0021] Unless otherwise indicated, the following terms have the following meanings:

"2'-deoxynucleoside" (also 2'-deoxyribonucleoside) means a nucleoside comprising 2'-H furanosyl sugar moiety, as found in naturally occurring deoxyribonucleosides (DNA). In certain instances, a 2'-deoxynucleoside may comprise a modified nucleobase or may comprise an RNA nucleobase (e.g., uracil).

"2'-deoxyribose sugar" means a 2'-H furanosyl sugar moiety, as found in naturally occurring deoxyribonucleic acids (DNA).

"2'-O-methoxyethyl" (also 2'-MOE and 2'-OCH₂CH₂-OCH₃ and MOE and 2'-O-methoxyethylribose) refers to an O-methoxyethyl modification of the 2' position of a furanose ring. A 2'-O-methoxyethylribose modified sugar is a modified sugar.

"2'-O-methoxyethylribose modified nucleoside" (also 2'-MOE nucleoside) means a nucleoside comprising a 2'-MOE modified sugar moiety.

"2'-substituted nucleoside" means a nucleoside comprising a substituent at the 2'-position of the furanose ring other than H or OH. In certain instances, 2' substituted nucleosides include nucleosides with bicyclic sugar modifications.

"5-methylcytosine" means a cytosine modified with a methyl group attached to the 5 position. A 5-methylcytosine is a modified nucleobase.

[0022] "About" means within $\pm 10\%$ of a value. For example, if it is stated, "the compounds affected at least about 50% inhibition of SOD-1", it is implied that the SOD-1 levels are inhibited within a range of 45% and 55%. "Administered concomitantly" refers to the co-administration of two pharmaceutical agents in any manner in which the pharmacological effects of both are manifest in the patient at the same time. Concomitant administration does not require that both pharmaceutical agents be administered in a single pharmaceutical composition, in the same dosage form, or by the same route of administration. The effects of both pharmaceutical agents need not manifest themselves at the same time. The effects need only be overlapping for a period of time and need not be coextensive.

[0023] "Administering" means providing a pharmaceutical agent to an animal, and includes, but is not limited to administering by a medical professional and self-administering.

[0024] "Amelioration" refers to a lessening, slowing, stopping, or reversing of at least one indicator of the severity of a condition or disease. The severity of indicators may be determined by subjective or objective measures, which are known to those skilled in the art.

[0025] "Animal" refers to a human or non-human animal, including, but not limited to, mice, rats, rabbits, dogs, cats, pigs, and non-human primates, including, but not limited to, monkeys and chimpanzees.

[0026] "Antibody" refers to a molecule characterized by reacting specifically with an antigen in some way, where the antibody and the antigen are each defined in terms of the other. Antibody may refer to a complete antibody molecule or any fragment or region thereof, such as the heavy chain, the light chain, Fab region, and Fc region.

[0027] "Antisense activity" means any detectable or measurable activity attributable to the hybridization of an antisense compound to its target nucleic acid. In certain instances, antisense activity is a decrease in the amount or expression of a

target nucleic acid or protein encoded by such target nucleic acid.

[0028] "Antisense compound" means an oligomeric compound that is capable of undergoing hybridization to a target nucleic acid through hydrogen bonding. Examples of antisense compounds include single-stranded and double-stranded compounds, such as, antisense oligonucleotides, siRNAs, shRNAs, ssRNAs, and occupancy-based compounds.

[0029] "Antisense inhibition" means reduction of target nucleic acid levels in the presence of an antisense compound complementary to a target nucleic acid compared to target nucleic acid levels or in the absence of the antisense compound.

[0030] "Antisense mechanisms" are all those mechanisms involving hybridization of a compound with a target nucleic acid, wherein the outcome or effect of the hybridization is either target degradation or target occupancy with concomitant stalling of the cellular machinery involving, for example, transcription or splicing.

[0031] "Antisense oligonucleotide" means a single-stranded oligonucleotide having a nucleobase sequence that permits hybridization to a corresponding segment of a target nucleic acid.

[0032] "Base complementarity" refers to the capacity for the precise base pairing of nucleobases of an oligonucleotide with corresponding nucleobases in a target nucleic acid (i.e., hybridization), and is mediated by Watson-Crick, Hoogsteen or reversed Hoogsteen hydrogen binding between corresponding nucleobases.

[0033] "Bicyclic sugar" means a furanose ring modified by the bridging of two atoms. A bicyclic sugar is a modified sugar.

[0034] "Bicyclic nucleic acid" or "BNA" refers to a nucleoside or nucleotide wherein the furanose portion of the nucleoside or nucleotide includes a bridge connecting two carbon atoms on the furanose ring, thereby forming a bicyclic ring system.

[0035] "Cap structure" or "terminal cap moiety" means chemical modifications, which have been incorporated at either terminus of an antisense compound.

[0036] "cEt" or "constrained ethyl" or "cEt modified sugar" means a bicyclic nucleoside having a sugar moiety comprising a bridge connecting the 4'-carbon and the 2'-carbon, wherein the bridge has the formula: 4'-CH(CH₃)-O-2'. A cEt modified sugar is a modified sugar.

[0037] "cEt modified nucleoside" means a bicyclic nucleoside having a sugar moiety comprising a bridge connecting the 4'-carbon and the 2'-carbon, wherein the bridge has the formula: 4'-CH(CH₃)-O-2'. A cEt modified sugar is a modified sugar.

[0038] "Chemically distinct region" refers to a region of an antisense compound that is in some way chemically different than another region of the same antisense compound. For example, a region having 2'-O-methoxyethyl nucleosides is chemically distinct from a region having nucleosides without 2'-O-methoxyethyl modifications.

[0039] "Chimeric antisense compound" means an antisense compound that has at least two chemically distinct regions, each position having a plurality of subunits.

[0040] "Co-administration" means administration of two or more pharmaceutical agents to an individual. The two or more pharmaceutical agents may be in a single pharmaceutical composition, or may be in separate pharmaceutical compositions. Each of the two or more pharmaceutical agents may be administered through the same or different routes of administration. Co-administration encompasses parallel or sequential administration.

[0041] "Complementarity" means the capacity for pairing between nucleobases of a first nucleic acid and a second nucleic acid.

[0042] "Comprise," "comprises," and "comprising" will be understood to imply the inclusion of a stated step or element or group of steps or elements but not the exclusion of any other step or element or group of steps or elements.

[0043] "Contiguous nucleobases" means nucleobases immediately adjacent to each other. "Designing" or "designed to" refer to the process of designing an oligomeric compound that specifically hybridizes with a selected nucleic acid molecule.

[0044] "Diluent" means an ingredient in a composition that lacks pharmacological activity, but is pharmaceutically necessary

or desirable. For example, in drugs that are injected, the diluent may be a liquid, e.g. saline solution.

[0045] "Dose" means a specified quantity of a pharmaceutical agent provided in a single administration, or in a specified time period. In certain instances, a dose may be administered in one, two, or more boluses, tablets, or injections. For example, in certain instances where subcutaneous administration is desired, the desired dose requires a volume not easily accommodated by a single injection, therefore, two or more injections may be used to achieve the desired dose. In certain instances, the pharmaceutical agent is administered by infusion over an extended period of time or continuously. Doses may be stated as the amount of pharmaceutical agent per hour, day, week, or month.

[0046] "Effective amount" in the context of modulating an activity or of treating or preventing a condition means the administration of that amount of pharmaceutical agent to a subject in need of such modulation, treatment, or prophylaxis, either in a single dose or as part of a series, that is effective for modulation of that effect, or for treatment or prophylaxis or improvement of that condition. The effective amount may vary among individuals depending on the health and physical condition of the individual to be treated, the taxonomic group of the individuals to be treated, the formulation of the composition, assessment of the individual's medical condition, and other relevant factors.

[0047] "Efficacy" means the ability to produce a desired effect.

[0048] "Expression" includes all the functions by which a gene's coded information is converted into structures present and operating in a cell. Such structures include, but are not limited to the products of transcription and translation.

[0049] "Fully complementary" or "100% complementary" means each nucleobase of a first nucleic acid has a complementary nucleobase in a second nucleic acid. In certain instances, a first nucleic acid is an antisense compound and a target nucleic acid is a second nucleic acid.

[0050] "Gapmer" means a chimeric antisense compound in which an internal region having a plurality of nucleosides that support RNase H cleavage is positioned between external regions having one or more nucleosides, wherein the nucleosides comprising the internal region are chemically distinct from the nucleoside or nucleosides comprising the external regions. The internal region may be referred to as a "gap" and the external regions may be referred to as the "wings."

[0051] "Gap-narrowed" means a chimeric antisense compound having a gap segment of 9 or fewer contiguous 2'-deoxyribonucleosides positioned between and immediately adjacent to 5' and 3' wing segments having from 1 to 6 nucleosides.

[0052] "Gap-widened" means a chimeric antisense compound having a gap segment of 12 or more contiguous 2'-deoxyribonucleosides positioned between and immediately adjacent to 5' and 3' wing segments having from 1 to 6 nucleosides.

[0053] "Hybridization" means the annealing of complementary nucleic acid molecules. In certain instances, complementary nucleic acid molecules include, but are not limited to, an antisense compound and a target nucleic acid. In certain instances, complementary nucleic acid molecules include, but are not limited to, an oligonucleotide and a nucleic acid target.

[0054] "Identifying an animal having a SOD-1 associated disease" means identifying an animal having been diagnosed with a SOD-1 associated disease or predisposed to develop a SOD-1 associated disease. Individuals predisposed to develop a SOD-1 associated disease include those having one or more risk factors for developing a SOD-1 associated disease, including, growing older, having a personal or family history, or genetic predisposition of one or more SOD-1 associated diseases. Such identification may be accomplished by any method including evaluating an individual's medical history and standard clinical tests or assessments, such as genetic testing.

[0055] "Immediately adjacent" means there are no intervening elements between the immediately adjacent elements.

[0056] "Individual" means a human or non-human animal selected for treatment or therapy.

[0057] "Inhibiting SOD-1" means reducing the level or expression of a SOD-1 mRNA and/or protein. In certain instances, SOD-1 mRNA and/or protein levels are inhibited in the presence of an antisense compound targeting SOD-1, including a modified oligonucleotide targeting SOD-1, as compared to expression of SOD-1 mRNA and/or protein levels in the absence of a SOD-1 antisense compound, such as a modified oligonucleotide.

[0058] "Inhibiting the expression or activity" refers to a reduction or blockade of the expression or activity and does not necessarily indicate a total elimination of expression or activity.

[0059] "Internucleoside linkage" refers to the chemical bond between nucleosides. "Linked nucleosides" means adjacent nucleosides linked together by an internucleoside linkage.

[0060] "Mismatch" or "non-complementary nucleobase" refers to the case when a nucleobase of a first nucleic acid is not capable of pairing with the corresponding nucleobase of a second or target nucleic acid.

[0061] "Mixed backbone" means a pattern of internucleoside linkages including at least two different internucleoside linkages. For example, an oligonucleotide with a mixed backbone may include at least one phosphodiester linkage and at least one phosphorothioate linkage.

[0062] "Modified internucleoside linkage" refers to a substitution or any change from a naturally occurring internucleoside bond (*i.e.*, a phosphodiester internucleoside bond).

[0063] "Modified nucleobase" means any nucleobase other than adenine, cytosine, guanine, thymidine, or uracil. An "unmodified nucleobase" means the purine bases adenine (A) and guanine (G), and the pyrimidine bases thymine (T), cytosine (C), and uracil (U).

[0064] A "modified nucleoside" means a nucleoside having, independently, a modified sugar moiety and/or modified nucleobase.

[0065] "Modified nucleotide" means a nucleotide having, independently, a modified sugar moiety, modified internucleoside linkage, and/or modified nucleobase.

[0066] "Modified oligonucleotide" means an oligonucleotide comprising at least one modified internucleoside linkage, modified sugar, and/or modified nucleobase.

[0067] "Modified sugar" means substitution and/or any change from a natural sugar moiety.

[0068] "Monomer" means a single unit of an oligomer. Monomers include, but are not limited to, nucleosides and nucleotides, whether naturally occurring or modified.

[0069] "Motif" means the pattern of unmodified and modified nucleosides in an antisense compound.

[0070] "Natural sugar moiety" means a sugar moiety found in DNA (2'-H) or RNA (2'-OH).

[0071] "Naturally occurring internucleoside linkage" means a 3' to 5' phosphodiester linkage.

[0072] "Non-complementary nucleobase" refers to a pair of nucleobases that do not form hydrogen bonds with one another or otherwise support hybridization.

[0073] "Nucleic acid" refers to molecules composed of monomeric nucleotides. A nucleic acid includes, but is not limited to, ribonucleic acids (RNA), deoxyribonucleic acids (DNA), single-stranded nucleic acids, double-stranded nucleic acids, small interfering ribonucleic acids (siRNA), and microRNAs (miRNA).

[0074] "Nucleobase" means a heterocyclic moiety capable of pairing with a base of another nucleic acid.

[0075] "Nucleobase complementarity" refers to a nucleobase that is capable of base pairing with another nucleobase. For example, in DNA, adenine (A) is complementary to thymine (T). For example, in RNA, adenine (A) is complementary to uracil (U). In certain instances, complementary nucleobase refers to a nucleobase of an antisense compound that is capable of base pairing with a nucleobase of its target nucleic acid. For example, if a nucleobase at a certain position of an antisense compound is capable of hydrogen bonding with a nucleobase at a certain position of a target nucleic acid, then the position of hydrogen bonding between the oligonucleotide and the target nucleic acid is considered to be complementary at that nucleobase pair.

[0076] "Nucleobase sequence" means the order of contiguous nucleobases independent of any sugar, linkage, and/or

nucleobase modification.

[0077] "Nucleoside" means a nucleobase linked to a sugar.

[0078] "Nucleoside mimetic" includes those structures used to replace the sugar or the sugar and the base and not necessarily the linkage at one or more positions of an oligomeric compound such as for example nucleoside mimetics having morpholino, cyclohexenyl, cyclohexyl, tetrahydropyranyl, bicyclo, or tricyclo sugar mimetics, *e.g.*, non furanose sugar units. Nucleotide mimetic includes those structures used to replace the nucleoside and the linkage at one or more positions of an oligomeric compound such as for example peptide nucleic acids or morpholinos (morpholinos linked by -N(H)-C(=O)-O- or other non-phosphodiester linkage). Sugar surrogate overlaps with the slightly broader term nucleoside mimetic but is intended to indicate replacement of the sugar unit (furanose ring) only. The tetrahydropyranyl rings provided herein are illustrative of an example of a sugar surrogate wherein the furanose sugar group has been replaced with a tetrahydropyranyl ring system. "Mimetic" refers to groups that are substituted for a sugar, a nucleobase, and/or internucleoside linkage. Generally, a mimetic is used in place of the sugar or sugar-internucleoside linkage combination, and the nucleobase is maintained for hybridization to a selected target.

[0079] "Nucleotide" means a nucleoside having a phosphate group covalently linked to the sugar portion of the nucleoside.

[0080] "Off-target effect" refers to an unwanted or deleterious biological effect associated with modulation of RNA or protein expression of a gene other than the intended target nucleic acid.

[0081] "Oligomeric compound" or "oligomer" means a polymer of linked monomeric subunits which is capable of hybridizing to at least a region of a nucleic acid molecule.

[0082] "Oligonucleotide" means a polymer of linked nucleosides each of which can be modified or unmodified, independent one from another.

[0083] "Parenteral administration" means administration through injection (*e.g.*, bolus injection) or infusion. Parenteral administration includes subcutaneous administration, intravenous administration, intramuscular administration, intraarterial administration, intraperitoneal administration, or intracranial administration, *e.g.*, intrathecal or intracerebroventricular administration.

[0084] "Peptide" means a molecule formed by linking at least two amino acids by amide bonds. Without limitation, as used herein, peptide refers to polypeptides and proteins.

[0085] "Pharmaceutical agent" means a substance that provides a therapeutic benefit when administered to an individual. For example, in certain instances, a modified oligonucleotide targeted to SOD-1 is a pharmaceutical agent.

[0086] "Pharmaceutical composition" means a mixture of substances suitable for administering to a subject. For example, a pharmaceutical composition may comprise a modified oligonucleotide and a sterile aqueous solution.

[0087] "Pharmaceutically acceptable derivative" encompasses pharmaceutically acceptable salts, conjugates, prodrugs or isomers of the compounds described herein.

[0088] "Pharmaceutically acceptable salts" means physiologically and pharmaceutically acceptable salts of antisense compounds, *i.e.*, salts that retain the desired biological activity of the parent oligonucleotide and do not impart undesired toxicological effects thereto.

[0089] "Phosphorothioate linkage" means a linkage between nucleosides where the phosphodiester bond is modified by replacing one of the non-bridging oxygen atoms with a sulfur atom. A phosphorothioate linkage is a modified internucleoside linkage.

[0090] "Portion" means a defined number of contiguous (*i.e.*, linked) nucleobases of a nucleic acid. In certain instances, a portion is a defined number of contiguous nucleobases of a target nucleic acid. In certain instance, a portion is a defined number of contiguous nucleobases of an antisense compound.

[0091] "Prevent" or "preventing" refers to delaying or forestalling the onset or development of a disease, disorder, or condition for a period of time from minutes to days, weeks to months, or indefinitely.

[0092] "Prodrug" means a therapeutic agent that is prepared in an inactive form that is converted to an active form (i.e., drug) within the body or cells thereof by the action of endogenous enzymes or other chemicals and/or conditions.

[0093] "Prophylactically effective amount" refers to an amount of a pharmaceutical agent that provides a prophylactic or preventative benefit to an animal.

[0094] "Region" is defined as a portion of the target nucleic acid having at least one identifiable structure, function, or characteristic.

[0095] "Ribonucleotide" means a nucleotide having a hydroxy at the 2' position of the sugar portion of the nucleotide. Ribonucleotides may be modified with any of a variety of substituents.

[0096] "Salts" mean a physiologically and pharmaceutically acceptable salts of antisense compounds, i.e., salts that retain the desired biological activity of the parent oligonucleotide and do not impart undesired toxicological effects thereto.

[0097] "Segments" are defined as smaller or sub-portions of regions within a target nucleic acid.

[0098] "Shortened" or "truncated" versions of oligonucleotides SOD-1ght herein have one, two or more nucleosides deleted.

[0099] "Side effects" means physiological responses attributable to a treatment other than desired effects. In certain instances, side effects include, without limitation, injection site reactions, liver function test abnormalities, renal function abnormalities, liver toxicity, renal toxicity, central nervous system abnormalities, and myopathies.

[0100] "Single-stranded oligonucleotide" means an oligonucleotide which is not hybridized to a complementary strand.

[0101] "Sites," as used herein, are defined as unique nucleobase positions within a target nucleic acid. "Slows progression" means decrease in the development of the disease.

[0102] "SOD-1" means the mammalian gene superoxide dismutase 1, soluble (SOD-1), including the human gene superoxide dismutase 1, soluble (SOD-1).

[0103] "SOD-1 associated disease" means any disease associated with any SOD-1 nucleic acid or expression product thereof. Such diseases may include a neurodegenerative disease. Such neurodegenerative diseases may include amyotrophic lateral sclerosis (ALS).

[0104] "SOD-1 mRNA" means any messenger RNA expression product of a DNA sequence encoding SOD-1.

[0105] "SOD-1 nucleic acid" means any nucleic acid encoding SOD-1. For example, in certain instances, a SOD-1 nucleic acid includes a DNA sequence encoding SOD-1, an RNA sequence transcribed from DNA encoding SOD-1 (including genomic DNA comprising introns and exons), and a mRNA sequence encoding SOD-1. "SOD-1 mRNA" means a mRNA encoding a SOD-1 protein.

[0106] "SOD-1 protein" means the polypeptide expression product of a SOD-1 nucleic acid.

[0107] "Specifically hybridizable" refers to an antisense compound having a sufficient degree of complementarity between an oligonucleotide and a target nucleic acid to induce a desired effect, while exhibiting minimal or no effects on non-target nucleic acids under conditions in which specific binding is desired, i.e., under physiological conditions in the case of *in vivo* assays and therapeutic treatments.

[0108] "Stringent hybridization conditions" or "stringent conditions" refer to conditions under which an oligomeric compound will hybridize to its target sequence, but to a minimal number of other sequences.

[0109] "Subject" means a human or non-human animal selected for treatment or therapy.

[0110] "Sugar chemistry motif" means a pattern of sugar modifications including at least two different sugar modifications. For example, an oligonucleotide with a mixed backbone may include at least one 2'-O-methoxyethyl modified nucleoside, and/or one cEt modified nucleoside, and/or one 2'-deoxynucleoside.

[0111] "Target" refers to a protein, the modulation of which is desired.

[0112] "Target gene" refers to a gene encoding a target.

[0113] "Targeting" or "targeted" means the process of design and selection of an antisense compound that will specifically hybridize to a target nucleic acid and induce a desired effect.

[0114] "Target nucleic acid," "target RNA," and "target RNA transcript" and "nucleic acid target" all mean a nucleic acid capable of being targeted by antisense compounds.

[0115] "Target region" means a portion of a target nucleic acid to which one or more antisense compounds is targeted.

[0116] "Target segment" means the sequence of nucleotides of a target nucleic acid to which an antisense compound is targeted. "5' target site" refers to the 5'-most nucleotide of a target segment. "3' target site" refers to the 3'-most nucleotide of a target segment.

[0117] "Therapeutically effective amount" means an amount of a pharmaceutical agent that provides a therapeutic benefit to an individual.

[0118] "Treat" or "treating" or "treatment" refers administering a composition to effect an alteration or improvement of the disease or condition.

[0119] "Unmodified nucleobases" mean the purine bases adenine (A) and guanine (G), and the pyrimidine bases thymine (T), cytosine (C) and uracil (U).

[0120] "Unmodified nucleotide" means a nucleotide composed of naturally occurring nucleobases, sugar moieties, and internucleoside linkages. In certain instances, an unmodified nucleotide is an RNA nucleotide (*i.e.* β -D-ribonucleosides) or a DNA nucleotide (*i.e.* β -D-deoxyribonucleoside).

[0121] "Wing segment" means a plurality of nucleosides modified to impart to an oligonucleotide properties such as enhanced inhibitory activity, increased binding affinity for a target nucleic acid, or resistance to degradation by *in vivo* nucleases.


Certain Instances


[0122] Certain instances herein are methods, compounds, and compositions for inhibiting SOD-1 mRNA and protein expression. Certain instances herein are methods, compounds, and composition for decreasing SOD-1 mRNA and protein levels.

[0123] Certain instances are antisense compounds targeted to a SOD-1 nucleic acid. In certain instances, the SOD-1 nucleic acid is the sequence set forth in GENBANK Accession No. NM_000454.4 (incorporated herein as SEQ ID NO: 1), GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000 (incorporated herein as SEQ ID NO: 2), and the complement of GENBANK Accession No. NW_001114168.1 truncated from nucleotides 2258000 to 2271000 (incorporated herein as SEQ ID NO: 3).

[0124] Certain instances are methods for the treatment, prevention, or amelioration of diseases, disorders, and conditions associated with SOD-1 in an individual in need thereof. Also contemplated are methods for the preparation of a medicament for the treatment, prevention, or amelioration of a disease, disorder, or condition associated with SOD-1. SOD-1 associated diseases, disorders, and conditions include neurodegenerative diseases. In certain instances, SOD-1 associated diseases include amyotrophic lateral sclerosis (ALS).

[0125] An exemplary instance is a compound consisting of a modified oligonucleotide according to the following formula:





[0126] An exemplary instance is therefore a compound consisting of a modified oligonucleotide according to the following formula: mCes Aeo Ges Geo Aes Tds Ads mCds Ads Tds Tds Tds mCds Tds Ads mCeo Aes Geo mCes Te; wherein,

- A =
an adenine,
mC =
a 5-methylcytosine,
G =
a guanine,
T =
a thymine,
e =
a 2'-O-methoxyethylribose modified sugar,
d =
a 2'-deoxyribose sugar,
s =
a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage.

[0127] Another exemplary instance is a composition comprising the compound or salt thereof and at least one of a pharmaceutically acceptable carrier or diluent. Another exemplary instance is the use of the compound or composition for the manufacture of a medicament for treating a neurodegenerative disorder. An exemplary instance is therefore the use of the compound or composition for the manufacture of a medicament for treating ALS.

Antisense Compounds

[0128] Oligomeric compounds include, but are not limited to, oligonucleotides, oligonucleosides, oligonucleotide analogs, oligonucleotide mimetics, antisense compounds, antisense oligonucleotides, modified oligonucleotides, and siRNAs. An oligomeric compound may be "antisense" to a target nucleic acid, meaning that it is capable of undergoing hybridization to a target nucleic acid through hydrogen bonding.

[0129] In certain instances, an antisense compound has a nucleobase sequence that, when written in the 5' to 3' direction, comprises the reverse complement of the target segment of a target nucleic acid to which it is targeted. In certain such instances, an oligonucleotide has a nucleobase sequence that, when written in the 5' to 3' direction, comprises the reverse

complement of the target segment of a target nucleic acid to which it is targeted.

[0130] In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 12 to 30 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 12 to 25 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 12 to 22 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 14 to 20 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 15 to 25 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 18 to 22 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 19 to 21 subunits in length. In certain instances, the antisense compound is 8 to 80, 12 to 50, 13 to 30, 13 to 50, 14 to 30, 14 to 50, 15 to 30, 15 to 50, 16 to 30, 16 to 50, 17 to 30, 17 to 50, 18 to 30, 18 to 50, 19 to 30, 19 to 50, or 20 to 30 linked subunits in length.

[0131] In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 12 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 13 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 14 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 15 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 16 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 17 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 18 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 19 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 20 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 21 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 22 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 23 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 24 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 25 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 26 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 27 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 28 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 29 subunits in length. In certain instances, an antisense compound targeted to a SOD-1 nucleic acid is 30 subunits in length. In certain instances, the antisense compound targeted to a SOD-1 nucleic acid is 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, or 80 linked subunits in length, or a range defined by any two of the above values. In certain instances the antisense compound is a modified oligonucleotide, and the linked subunits are nucleosides.

[0132] In certain instances, oligonucleotides targeted to a SOD-1 nucleic acid may be shortened or truncated. For example, a single subunit may be deleted from the 5' end (5' truncation), or alternatively from the 3' end (3' truncation). A shortened or truncated antisense compound targeted to a SOD-1 nucleic acid may have two subunits deleted from the 5' end, or alternatively may have two subunits deleted from the 3' end, of the antisense compound. Alternatively, the deleted nucleosides may be dispersed throughout the antisense compound, for example, in an antisense compound having one nucleoside deleted from the 5' end and one nucleoside deleted from the 3' end.

[0133] When a single additional subunit is present in a lengthened antisense compound, the additional subunit may be located at the 5' or 3' end of the antisense compound. When two or more additional subunits are present, the added subunits may be adjacent to each other, for example, in an antisense compound having two subunits added to the 5' end (5' addition), or alternatively to the 3' end (3' addition), of the antisense compound. Alternatively, the added subunits may be dispersed throughout the antisense compound, for example, in an antisense compound having one subunit added to the 5' end and one subunit added to the 3' end.

[0134] It is possible to increase or decrease the length of an antisense compound, such as a modified oligonucleotide, and/or introduce mismatch bases without eliminating activity. For example, in Woolf et al. (Proc. Natl. Acad. Sci. USA 89:7305-7309, 1992), a series of oligonucleotides 13-25 nucleobases in length were tested for their ability to induce cleavage of a target RNA in an oocyte injection model. Oligonucleotides 25 nucleobases in length with 8 or 11 mismatch bases near the ends of the oligonucleotides were able to direct specific cleavage of the target mRNA, albeit to a lesser extent than oligonucleotides that contained no mismatches. Similarly, target specific cleavage was achieved using 13 nucleobase oligonucleotides, including those with 1 or 3 mismatches.

[0135] Gautschi et al (J. Natl. Cancer Inst. 93:463-471, March 2001) demonstrated the ability of an oligonucleotide having 100% complementarity to the bcl-2 mRNA and having 3 mismatches to the bcl-xL mRNA to reduce the expression of both bcl-2 and bcl-xL *in vitro* and *in vivo*. Furthermore, this oligonucleotide demonstrated potent anti-tumor activity *in vivo*.

[0136] Maher and Dolnick (Nuc. Acid. Res. 16:3341-3358,1988) tested a series of tandem 14 nucleobase oligonucleotides, and a 28 and 42 nucleobase oligonucleotides comprised of the sequence of two or three of the tandem oligonucleotides, respectively, for their ability to arrest translation of human DHFR in a rabbit reticulocyte assay. Each of the three 14 nucleobase oligonucleotides alone was able to inhibit translation, albeit at a more modest level than the 28 or 42 nucleobase oligonucleotides.

Antisense Compound Motifs

[0137] In certain instances, antisense compounds targeted to a SOD-1 nucleic acid have chemically modified subunits arranged in patterns, or motifs, to confer to the antisense compounds properties such as enhanced inhibitory activity, increased binding affinity for a target nucleic acid, or resistance to degradation by *in vivo* nucleases.

[0138] Chimeric antisense compounds typically contain at least one region modified so as to confer increased resistance to nuclease degradation, increased cellular uptake, increased binding affinity for the target nucleic acid, and/or increased inhibitory activity. A second region of a chimeric antisense compound may optionally serve as a substrate for the cellular endonuclease RNase H, which cleaves the RNA strand of an RNA:DNA duplex.

[0139] Antisense compounds having a gapmer motif are considered chimeric antisense compounds. In a gapmer an internal region having a plurality of nucleotides that supports RNaseH cleavage is positioned between external regions having a plurality of nucleotides that are chemically distinct from the nucleosides of the internal region. In the case of an oligonucleotide having a gapmer motif, the gap segment generally serves as the substrate for endonuclease cleavage, while the wing segments comprise modified nucleosides. In certain instances, the regions of a gapmer are differentiated by the types of sugar moieties comprising each distinct region. The types of sugar moieties that are used to differentiate the regions of a gapmer may in some instances include β -D-ribonucleosides, β -D-deoxyribonucleosides, 2'-modified nucleosides (such 2'-modified nucleosides may include 2'-MOE, and 2'-O-CH₃, among others), and bicyclic sugar modified nucleosides (such bicyclic sugar modified nucleosides may include those having a 4'-(CH₂)_n-O-2' bridge, where n=1 or n=2 and 4'-CH₂-O-CH₂-2'). In certain instances, wings may include several modified sugar moieties, including, for example 2'-MOE. In certain instances, wings may include several modified and unmodified sugar moieties. In certain instances, wings may include various combinations of 2'-MOE nucleosides and 2'-deoxynucleosides.

[0140] Each distinct region may comprise uniform sugar moieties, variant, or alternating sugar moieties. The wing-gap-wing motif is frequently described as "X-Y-Z", where "X" represents the length of the 5' wing, "Y" represents the length of the gap, and "Z" represents the length of the 3' wing. "X" and "Z" may comprise uniform, variant, or alternating sugar moieties. In certain instances, "X" and "Y" may include one or more 2'-deoxynucleosides. "Y" may comprise 2'-deoxynucleosides. As used herein, a gapmer described as "X-Y-Z" has a configuration such that the gap is positioned immediately adjacent to each of the 5' wing and the 3' wing. Thus, no intervening nucleotides exist between the 5' wing and gap, or the gap and the 3' wing. Any of the antisense compounds described herein can have a gapmer motif. In certain instances, "X" and "Z" are the same; in other instances they are different.

[0141] In certain instances, gapmers described herein include, for example 20-mers having a motif of 5-10-5.

[0142] In certain instances, gapmers described herein include, for example 19-mers having a motif of 5-9-5.

[0143] In certain instances, gapmers described herein include, for example 18-mers having a motif of 5-8-5.

[0144] In certain instances, gapmers described herein include, for example 18-mers having a motif of 4-8-5.

[0145] In certain instances, gapmers described herein include, for example 18-mers having a motif of 5-8-7.

[0146] In certain instances, gapmers described herein include, for example 18-mers having a motif of 6-8-6.

[0147] In certain instances, gapmers described herein include, for example 18-mers having a motif of 6-8-5.

[0148] In certain instances, the modified oligonucleotide contains at least one 2'-O-methoxyethyl modified nucleoside, at least one cEt modified nucleoside, and at least one 2'-deoxynucleoside. In certain instances, the modified oligonucleotide

has a sugar chemistry motif of any of the following:

ekdddddddekekee

kekeddddddekek

eeeedddddddkkee

eeeeddddddekeke

eeeeddddddkekee

eeeeddddddkkee

eeeeeddddddkkee

eeeekddddddkkee

eeeekdddddkeee

eeekddddddkeee

eeekddddddkkee

eeekddddddkkee

eeekddddddeeeee

eeekddddddkkee

ekedddddddeeeee

ekedddddddkekee

kekedddddddeeeee, wherein

- e =
a 2'-O-methoxyethylribose modified sugar,
- k =
a cEt modified sugar,
- d =
a 2'-deoxyribose sugar,

Target Nucleic Acids, Target Regions and Nucleotide Sequences

[0149] Nucleotide sequences that encode SOD-1 include, without limitation, the following: GENBANK Accession No. NM_000454.4 (incorporated herein as SEQ ID NO: 1), GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000 (incorporated herein as SEQ ID NO: 2), and the complement of GENBANK Accession No. NW_001114168.1 truncated from nucleotides 2258000 to 2271000 (incorporated herein as SEQ ID NO: 3).

[0150] It is understood that the sequence set forth in each SEQ ID NO in the Examples contained herein is independent of any modification to a sugar moiety, an internucleoside linkage, or a nucleobase. As such, antisense compounds defined by a SEQ ID NO may comprise, independently, one or more modifications to a sugar moiety, an internucleoside linkage, or a nucleobase. Antisense compounds described by Isis Number (Isis No) indicate a combination of nucleobase sequence and motif.

[0151] In certain instances, a target region is a structurally defined region of the target nucleic acid. For example, a target region may encompass a 3' UTR, a 5' UTR, an exon, an intron, an exon/intron junction, a coding region, a translation initiation region, translation termination region, or other defined nucleic acid region. The structurally defined regions for SOD-1 can be obtained by accession number from sequence databases such as NCBI. In certain instances, a target region may encompass the sequence from a 5' target site of one target segment within the target region to a 3' target site of another

target segment within the same target region.

[0152] Targeting includes determination of at least one target segment to which an antisense compound hybridizes, such that a desired effect occurs. In certain instances, the desired effect is a reduction in mRNA target nucleic acid levels. In certain instances, the desired effect is reduction of levels of protein encoded by the target nucleic acid or a phenotypic change associated with the target nucleic acid.

[0153] A target region may contain one or more target segments. Multiple target segments within a target region may be overlapping. Alternatively, they may be non-overlapping. In certain instances, target segments within a target region are separated by no more than about 300 nucleotides. In certain instances, target segments within a target region are separated by a number of nucleotides that is, is about, is no more than, is no more than about, 250, 200, 150, 100, 90, 80, 70, 60, 50, 40, 30, 20, or 10 nucleotides on the target nucleic acid, or is a range defined by any two of the preceeding values. In certain instances, target segments within a target region are separated by no more than, or no more than about, 5 nucleotides on the target nucleic acid. In certain instances, target segments are contiguous. Contemplated are target regions defined by a range having a starting nucleic acid that is any of the 5' target sites or 3' target sites listed herein.

[0154] Suitable target segments may be found within a 5' UTR, a coding region, a 3' UTR, an intron, an exon, or an exon/intron junction. Target segments containing a start codon or a stop codon are also suitable target segments. A suitable target segment may specifically exclude a certain structurally defined region such as the start codon or stop codon.

[0155] The determination of suitable target segments may include a comparison of the sequence of a target nucleic acid to other sequences throughout the genome. For example, the BLAST algorithm may be used to identify regions of similarity amongst different nucleic acids. This comparison can prevent the selection of antisense compound sequences that may hybridize in a non-specific manner to sequences other than a selected target nucleic acid (i.e., non-target or off-target sequences).

[0156] There may be variation in activity (e.g., as defined by percent reduction of target nucleic acid levels) of the antisense compounds within an active target region. In certain instances, reductions in SOD-1 mRNA levels are indicative of inhibition of SOD-1 expression. Reductions in levels of a SOD-1 protein are also indicative of inhibition of target mRNA expression. Phenotypic changes are indicative of inhibition of SOD-1 expression. Improvement in neurological function is indicative of inhibition of SOD-1 expression. Improved motor function is indicative of inhibition of SOD-1 expression.

Hybridization

[0157] In some instances, hybridization occurs between an antisense compound disclosed herein and a SOD-1 nucleic acid. The most common mechanism of hybridization involves hydrogen bonding (e.g., Watson-Crick, Hoogsteen or reversed Hoogsteen hydrogen bonding) between complementary nucleobases of the nucleic acid molecules.

[0158] Hybridization can occur under varying conditions. Stringent conditions are sequence-dependent and are determined by the nature and composition of the nucleic acid molecules to be hybridized.

[0159] Methods of determining whether a sequence is specifically hybridizable to a target nucleic acid are well known in the art. In certain instances, the antisense compounds described herein are specifically hybridizable with a SOD-1 nucleic acid.

Complementarity

[0160] An antisense compound and a target nucleic acid are complementary to each other when a sufficient number of nucleobases of the antisense compound can hydrogen bond with the corresponding nucleobases of the target nucleic acid, such that a desired effect will occur (e.g., antisense inhibition of a target nucleic acid, such as a SOD-1 nucleic acid).

[0161] Non-complementary nucleobases between an antisense compound and a SOD-1 nucleic acid may be tolerated provided that the antisense compound remains able to specifically hybridize to a target nucleic acid. Moreover, an antisense compound may hybridize over one or more segments of a SOD-1 nucleic acid such that intervening or adjacent segments are not involved in the hybridization event (e.g., a loop structure, mismatch or hairpin structure).

[0162] In certain instances, the antisense compounds described herein, or a specified portion thereof, are, or are at least, 70%, 80%, 85%, 86%, 87%, 88%, 89%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or 100% complementary to a SOD-1 nucleic acid, a target region, target segment, or specified portion thereof. Percent complementarity of an antisense compound with a target nucleic acid can be determined using routine methods.

[0163] For example, an antisense compound in which 18 of 20 nucleobases of the antisense compound are complementary to a target region, and would therefore specifically hybridize, would represent 90 percent complementarity. In this example, the remaining noncomplementary nucleobases may be clustered or interspersed with complementary nucleobases and need not be contiguous to each other or to complementary nucleobases. As such, an antisense compound which is 18 nucleobases in length having 4 (four) noncomplementary nucleobases which are flanked by two regions of complete complementarity with the target nucleic acid would have 77.8% overall complementarity with the target nucleic acid and would thus fall within the scope of the present invention. Percent complementarity of an antisense compound with a region of a target nucleic acid can be determined routinely using BLAST programs (basic local alignment search tools) and PowerBLAST programs known in the art (Altschul et al., J. Mol. Biol., 1990, 215, 403 410; Zhang and Madden, Genome Res., 1997, 7, 649 656). Percent homology, sequence identity or complementarity, can be determined by, for example, the Gap program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, Madison Wis.), using default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482 489).

[0164] In certain instances, the antisense compounds described herein, or specified portions thereof, are fully complementary (*i.e.*, 100% complementary) to a target nucleic acid, or specified portion thereof. For example, an antisense compound may be fully complementary to a SOD-1 nucleic acid, or a target region, or a target segment or target sequence thereof. As used herein, "fully complementary" means each nucleobase of an antisense compound is capable of precise base pairing with the corresponding nucleobases of a target nucleic acid. For example, a 20 nucleobase antisense compound is fully complementary to a target sequence that is 400 nucleobases long, so long as there is a corresponding 20 nucleobase portion of the target nucleic acid that is fully complementary to the antisense compound. Fully complementary can also be used in reference to a specified portion of the first and /or the second nucleic acid. For example, a 20 nucleobase portion of a 30 nucleobase antisense compound can be "fully complementary" to a target sequence that is 400 nucleobases long. The 20 nucleobase portion of the 30 nucleobase oligonucleotide is fully complementary to the target sequence if the target sequence has a corresponding 20 nucleobase portion wherein each nucleobase is complementary to the 20 nucleobase portion of the antisense compound. At the same time, the entire 30 nucleobase antisense compound may or may not be fully complementary to the target sequence, depending on whether the remaining 10 nucleobases of the antisense compound are also complementary to the target sequence.

[0165] The location of a non-complementary nucleobase may be at the 5' end or 3' end of the antisense compound. Alternatively, the non-complementary nucleobase or nucleobases may be at an internal position of the antisense compound. When two or more non-complementary nucleobases are present, they may be contiguous (*i.e.*, linked) or non-contiguous. In one instance, a non-complementary nucleobase is located in the wing segment of a gapmer oligonucleotide.

[0166] In certain instances, antisense compounds that are, or are up to 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 nucleobases in length comprise no more than 4, no more than 3, no more than 2, or no more than 1 non-complementary nucleobase(s) relative to a target nucleic acid, such as a SOD-1 nucleic acid, or specified portion thereof.

[0167] In certain instances, antisense compounds that are, or are up to 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30 nucleobases in length comprise no more than 6, no more than 5, no more than 4, no more than 3, no more than 2, or no more than 1 non-complementary nucleobase(s) relative to a target nucleic acid, such as a SOD-1 nucleic acid, or specified portion thereof.

[0168] The antisense compounds described herein also include those which are complementary to a portion of a target nucleic acid. As used herein, "portion" refers to a defined number of contiguous (*i.e.* linked) nucleobases within a region or segment of a target nucleic acid. A "portion" can also refer to a defined number of contiguous nucleobases of an antisense compound. In certain instances, the antisense compounds, are complementary to at least an 8 nucleobase portion of a target segment. In certain instances, the antisense compounds are complementary to at least a 9 nucleobase portion of a target segment. In certain instances, the antisense compounds are complementary to at least a 10 nucleobase portion of a target segment. In certain instances, the antisense compounds, are complementary to at least an 11 nucleobase portion of a target segment. In certain instances, the antisense compounds, are complementary to at least a 12 nucleobase portion of a target segment. In certain instances, the antisense compounds, are complementary to at least a 13 nucleobase portion of a target segment. In certain instances, the antisense compounds, are complementary to at least a 14 nucleobase portion of a

target segment. In certain instances, the antisense compounds, are complementary to at least a 15 nucleobase portion of a target segment. Also contemplated are antisense compounds that are complementary to at least a 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more nucleobase portion of a target segment, or a range defined by any two of these values.

Identity

[0169] The antisense compounds described herein may also have a defined percent identity to a particular nucleotide sequence, SEQ ID NO, or compound represented by a specific Isis number, or portion thereof. As used herein, an antisense compound is identical to the sequence disclosed herein if it has the same nucleobase pairing ability. For example, a RNA which contains uracil in place of thymidine in a disclosed DNA sequence would be considered identical to the DNA sequence since both uracil and thymidine pair with adenine. Shortened and lengthened versions of the antisense compounds described herein as well as compounds having non-identical bases relative to the antisense compounds described herein also are contemplated. The non-identical bases may be adjacent to each other or dispersed throughout the antisense compound. Percent identity of an antisense compound is calculated according to the number of bases that have identical base pairing relative to the sequence to which it is being compared.

[0170] In certain instances, the antisense compounds, or portions thereof, are at least 70%, 75%, 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to one or more of the antisense compounds or SEQ ID NOs, or a portion thereof, disclosed herein.

[0171] In certain instances, a portion of the antisense compound is compared to an equal length portion of the target nucleic acid. In certain instances, an 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, or 25 nucleobase portion is compared to an equal length portion of the target nucleic acid.

[0172] In certain instances, a portion of the oligonucleotide is compared to an equal length portion of the target nucleic acid. In certain instances, an 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, or 25 nucleobase portion is compared to an equal length portion of the target nucleic acid.

Modifications

[0173] A nucleoside is a base-sugar combination. The nucleobase (also known as base) portion of the nucleoside is normally a heterocyclic base moiety. Nucleotides are nucleosides that further include a phosphate group covalently linked to the sugar portion of the nucleoside. For those nucleosides that include a pentofuranosyl sugar, the phosphate group can be linked to the 2', 3' or 5' hydroxyl moiety of the sugar. Oligonucleotides are formed through the covalent linkage of adjacent nucleosides to one another, to form a linear polymeric oligonucleotide. Within the oligonucleotide structure, the phosphate groups are commonly referred to as forming the internucleoside linkages of the oligonucleotide.

[0174] Modifications to antisense compounds encompass substitutions or changes to internucleoside linkages, sugar moieties, or nucleobases. Modified antisense compounds are often preferred over native forms because of desirable properties such as, for example, enhanced cellular uptake, enhanced affinity for nucleic acid target, increased stability in the presence of nucleases, or increased inhibitory activity.

[0175] Chemically modified nucleosides may also be employed to increase the binding affinity of a shortened or truncated oligonucleotide for its target nucleic acid. Consequently, comparable results can often be obtained with shorter antisense compounds that have such chemically modified nucleosides.

Modified Internucleoside Linkages

[0176] The naturally occurring internucleoside linkage of RNA and DNA is a 3' to 5' phosphodiester linkage. Antisense compounds having one or more modified, i.e. non-naturally occurring, internucleoside linkages are often selected over antisense compounds having naturally occurring internucleoside linkages because of desirable properties such as, for example, enhanced cellular uptake, enhanced affinity for target nucleic acids, and increased stability in the presence of nucleases.

[0177] Oligonucleotides having modified internucleoside linkages include internucleoside linkages that retain a phosphorus atom as well as internucleoside linkages that do not have a phosphorus atom. Representative phosphorus containing internucleoside linkages include, but are not limited to, phosphodiester, phosphotriester, methylphosphonates, phosphoramidate, and phosphorothioates. Methods of preparation of phosphorous-containing and non-phosphorous-containing linkages are well known.

[0178] In certain instances, modified oligonucleotides targeted to a SOD-1 nucleic acid comprise one or more modified internucleoside linkages. In certain instances, the modified internucleoside linkages are interspersed throughout the antisense compound. In certain instances, the modified internucleoside linkages are phosphorothioate linkages. In certain instances, each internucleoside linkage of a modified oligonucleotide is a phosphorothioate internucleoside linkage.

[0179] In certain instances, the modified oligonucleotides targeted to a SOD-1 nucleic acid comprise one or more phosphodiester internucleoside linkages. In certain instances, modified oligonucleotides targeted to a SOD-1 nucleic acid comprise at least one phosphorothioate internucleoside linkage and at least one phosphodiester internucleoside linkage. In certain instances, the modified oligonucleotide has a mixed backbone motif of the following:

sossssssssooss,

soossssssssooss,

soossssssssssooss,

soossssssssssooss,

soossssssssssooss,

soossssssssssooss,

soossssssssssssooss,

soossssssssssssooss,

soossssssssssssooss,

soossssssssssssooss,

sossssssssssssooss, and

soossssssssssooss, wherein

s =

a phosphorothioate internucleoside linkage, and

o =

a phosphodiester internucleoside linkage.

Modified Sugar Moieties

[0180] Antisense compounds of the invention can optionally contain one or more nucleosides wherein the sugar group has been modified. Such sugar modified nucleosides may impart enhanced nuclease stability, increased binding affinity, or some other beneficial biological property to the antisense compounds. In certain instances, nucleosides comprise chemically modified ribofuranose ring moieties. Examples of chemically modified ribofuranose rings include without limitation, addition of substituent groups (including 5' and 2' substituent groups, bridging of non-geminal ring atoms to form bicyclic nucleic acids (BNA), replacement of the ribosyl ring oxygen atom with S, N(R), or C(R₁)(R₂) (R, R₁ and R₂ are each independently H, C₁-C₁₂ alkyl or a protecting group) and combinations thereof. Examples of chemically modified sugars include 2'-F-5'-methyl substituted nucleoside (see PCT International Application WO 2008/101157 Published on 8/21/08 for other disclosed 5',2'-bis substituted nucleosides) or replacement of the ribosyl ring oxygen atom with S with further substitution at the 2'-position (see published U.S. Patent Application US2005-0130923, published on June 16, 2005) or alternatively 5'-substitution of a BNA (see PCT International Application WO 2007/134181 Published on 11/22/07 wherein LNA is substituted with for example a 5'-methyl or a 5'-vinyl group).

[0181] Examples of nucleosides having modified sugar moieties include without limitation nucleosides comprising 5'-vinyl, 5'-methyl (R or S), 4'-S, 2'-F, 2'-OCH₃, 2'-OCH₂CH₃, 2'-OCH₂CH₂F and 2'-O(CH₂)₂OCH₃ substituent groups. The substituent at the 2' position can also be selected from allyl, amino, azido, thio, O-allyl, O-C₁-C₁₀ alkyl, OCF₃, OCH₂F, O(CH₂)₂SCH₃, O(CH₂)₂-O-N(R_m)(R_n), O-CH₂-C(=O)-N(R_m)(R_n), and O-CH₂-C(=O)-N(R₁)-(CH₂)₂-N(R_m)(R_n), where each R₁, R_m and R_n is, independently, H or substituted or unsubstituted C₁-C₂₀ alkyl.

[0182] As used herein, "bicyclic nucleosides" refer to modified nucleosides comprising a bicyclic sugar moiety. Examples of bicyclic nucleic acids (BNAs) include without limitation nucleosides comprising a bridge between the 4' and the 2' ribosyl ring atoms. In certain instances, antisense compounds described herein include one or more BNA nucleosides wherein the bridge comprises one of the formulas: 4'-(CH₂)-O-2' (LNA); 4'-(CH₂)-S-2'; 4'-(CH₂)₂-O-2' (ENA); 4'-CH(CH₃)-O-2' and 4'-CH(CH₂OCH₃)-O-2' (and analogs thereof see U.S. Patent 7,399,845, issued on July 15, 2008); 4'-C(CH₃)(CH₃)-O-2' (and analogs thereof see PCT/US2008/068922 published as WO/2009/006478, published January 8, 2009); 4'-CH₂-N(OCH₃)-2' (and analogs thereof see PCT/US2008/064591 published as WO/2008/150729, published December 11, 2008); 4-CH₂-ON(CH₃)-2' (see published U.S. Patent Application US2004-0171570, published September 2, 2004); 4'-CH₂-N(R)-O-2', wherein R is H, C₁-C₁₂ alkyl, or a protecting group (see U.S. Patent 7,427,672, issued on September 23, 2008); 4'-CH₂-C(H)(CH₃)-2' (see Chattopadhyaya et al., J. Org. Chem., 2009, 74, 118-134); and 4'-CH₂-C(=CH₂)-2' (and analogs thereof see PCT/US2008/066154 published as WO 2008/154401, published on December 8, 2008).

[0183] Further bicyclic nucleosides have been reported in published literature (see for example: Srivastava et al., J. Am. Chem. Soc., 2007, 129(26) 8362-8379; Frieden et al., Nucleic Acids Research, 2003, 21, 6365-6372; Elayadi et al., Curr. Opinion Inven. Drugs, 2001, 2, 558-561; Braasch et al., Chem. Biol., 2001, 8, 1-7; Orum et al., Curr. Opinion Mol. Ther., 2001, 3, 239-243; Wahlestedt et al., Proc. Natl. Acad. Sci. U. S. A., 2000, 97, 5633-5638; Singh et al., Chem. Commun., 1998, 4, 455-456; Koshkin et al., Tetrahedron, 1998, 54, 3607-3630; Kumar et al., Bioorg. Med. Chem. Lett., 1998, 8, 2219-2222; Singh et al., J. Org. Chem., 1998, 63, 10035-10039; U.S. Patents Nos.: 7,399,845; 7,053,207; 7,034,133; 6,794,499; 6,770,748; 6,670,461; 6,525,191; 6,268,490; U.S. Patent Publication Nos.: US2008-0039618; US2007-0287831; US2004-0171570; U.S. Patent Applications, Serial Nos.: 12/129,154; 61/099,844; 61/097,787; 61/086,231; 61/056,564; 61/026,998; 61/026,995; 60/989,574; International applications WO 2007/134181; WO 2005/021570; WO 2004/106356; WO 94/14226; and PCT International Applications Nos.: PCT/US2008/068922; PCT/US2008/066154; and PCT/US2008/064591). Each of the foregoing bicyclic nucleosides can be prepared having one or more stereochemical sugar configurations including for example α-L-ribofuranose and β-D-ribofuranose (see PCT international application PCT/DK98/00393, published on March 25, 1999 as WO 99/14226).

[0184] As used herein, "monocyclic nucleosides" refer to nucleosides comprising modified sugar moieties that are not bicyclic sugar moieties. In certain instances, the sugar moiety, or sugar moiety analogue, of a nucleoside may be modified or substituted at any position.

[0185] As used herein, "4'-2' bicyclic nucleoside" or "4' to 2' bicyclic nucleoside" refers to a bicyclic nucleoside comprising a furanose ring comprising a bridge connecting two carbon atoms of the furanose ring connects the 2' carbon atom and the 4' carbon atom of the sugar ring.

[0186] In certain instances, bicyclic sugar moieties of BNA nucleosides include, but are not limited to, compounds having at least one bridge between the 4' and the 2' carbon atoms of the pentofuranosyl sugar moiety including without limitation, bridges comprising 1 or from 1 to 4 linked groups independently selected from -[C(R_a)(R_b)]_n-, -C(R_a)=C(R_b)-, -C(R_a)=N-, -C(=N(R_a))-, -C(=O)-, -C(=S)-, -O-, -Si(R_a)₂-, -S(=O)_x-, and -N(R_a)-, wherein: x is 0, 1, or 2; n is 1, 2, 3, or 4; each R_a and R_b is, independently, H, a protecting group, hydroxyl, C₁-C₁₂ alkyl, substituted C₁-C₁₂ alkyl, C₂-C₁₂ alkenyl, substituted C₂-C₁₂ alkenyl, C₂-C₁₂ alkynyl, substituted C₂-C₁₂ alkynyl, C₅-C₂₀ aryl, substituted C₅-C₂₀ aryl, heterocycle radical, substituted heterocycle radical, heteroaryl, substituted heteroaryl, C₅-C₇ alicyclic radical, substituted C₅-C₇ alicyclic radical, halogen, OJ₁, NJ₁J₂, SJ₁, N₃, COOJ₁, acyl (C(=O)-H), substituted acyl, CN, sulfonyl (S(=O)₂-J₁), or sulfoxyl (S(=O)-J₁); and each J₁ and J₂ is, independently, H, C₁-C₁₂ alkyl, substituted C₁-C₁₂ alkyl, C₂-C₁₂ alkenyl, substituted C₂-C₁₂ alkenyl, C₂-C₁₂ alkynyl, substituted C₂-C₁₂ alkynyl, C₅-C₂₀ aryl, substituted C₅-C₂₀ aryl, acyl (C(=O)-H), substituted acyl, a heterocycle radical, a substituted heterocycle radical, C₁-C₁₂ aminoalkyl, substituted C₁-C₁₂ aminoalkyl or a protecting group.


[0187] In certain instances, the bridge of a bicyclic sugar moiety is, -[C(R_a)(R_b)]_n-, -[C(R_a)(R_b)]_n-O-, -C(R_aR_b)-N(R)-O- or -C(R_aR_b)-O-N(R)-. In certain instances, the bridge is 4'-CH₂-2', 4'-(CH₂)₂-2', 4'-(CH₂)₃-2', 4'-CH₂-O-2', 4'-(CH₂)₂-O-2', 4'-

$\text{CH}_2\text{-O-N(R)-2'}$ and $4'\text{-CH}_2\text{-N(R)-O-2'}$ wherein each R is, independently, H, a protecting group or $\text{C}_1\text{-C}_{12}$ alkyl.

[0188] In certain instances, bicyclic nucleosides are further defined by isomeric configuration. For example, a nucleoside comprising a $4'\text{-(CH}_2\text{)-O-2'}$ bridge, may be in the $\alpha\text{-L}$ configuration or in the $\beta\text{-D}$ configuration. Previously, $\alpha\text{-L}$ -methyleneoxy ($4'\text{-CH}_2\text{-O-2'}$) BNA's have been incorporated into antisense oligonucleotides that showed antisense activity (Frieden et al., Nucleic Acids Research, 2003, 21, 6365-6372).

[0189] In certain instances, bicyclic nucleosides include those having a $4'$ to $2'$ bridge wherein such bridges include without limitation, $\alpha\text{-L-4'-(CH}_2\text{)-O-2'}$, $\beta\text{-D-4'-CH}_2\text{-O-2'}$, $4'\text{-(CH}_2\text{)}_2\text{-O-2'}$, $4'\text{-CH}_2\text{-ON(R)-2'}$, $4'\text{-CH}_2\text{-N(R)-O-2'}$, $4'\text{-CH(CH}_3\text{)-O-2'}$, $4'\text{-CH}_2\text{-S-2'}$, $4'\text{-CH}_2\text{-N(R)-2'}$, $4'\text{-CH}_2\text{-CH(CH}_3\text{)-2'}$, and $4'\text{-(CH}_2\text{)}_3\text{-2'}$, wherein R is H, a protecting group or $\text{C}_1\text{-C}_{12}$ alkyl.

[0190] In certain instance, bicyclic nucleosides have the formula:



wherein:


Bx is a heterocyclic base moiety;

$\text{-Q}_a\text{-Q}_b\text{-Q}_c\text{-}$ is $\text{-CH}_2\text{-N(R}_c\text{)-CH}_2\text{-}$, $\text{-C(=O)-N(R}_c\text{)-CH}_2\text{-}$, $\text{-CH}_2\text{-O-N(R}_c\text{)-}$, $\text{-CH}_2\text{-N(R}_c\text{)-O-}$ or $\text{-N(R}_c\text{)-O-CH}_2\text{-}$;

R_c is $\text{C}_1\text{-C}_{12}$ alkyl or an amino protecting group; and

T_a and T_b are each, independently H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety or a covalent attachment to a support medium.

[0191] In certain instances, bicyclic nucleosides have the formula:



wherein:


Bx is a heterocyclic base moiety;

T_a and T_b are each, independently H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety or a covalent attachment to a support medium;

Z_a is $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_2\text{-C}_6$ alkenyl, $\text{C}_2\text{-C}_6$ alkynyl, substituted $\text{C}_1\text{-C}_6$ alkyl, substituted $\text{C}_2\text{-C}_6$ alkenyl, substituted $\text{C}_2\text{-C}_6$ alkynyl, acyl, substituted acyl, substituted amide, thiol or substituted thiol.

[0192] In one instance, each of the substituted groups, is, independently, mono or poly substituted with substituent groups independently selected from halogen, oxo, hydroxyl, OJ_c , NJ_cJ_d , SJ_c , N_3 , OC(=X)J_c , and $\text{NJ}_e\text{C(=X)NJ}_c\text{J}_d$, wherein each J_c , J_d and J_e is, independently, H, $\text{C}_1\text{-C}_6$ alkyl, or substituted $\text{C}_1\text{-C}_6$ alkyl and X is O or NJ_c .

[0193] In certain instances, bicyclic nucleosides have the formula:




wherein:

Bx is a heterocyclic base moiety;

T_a and T_b are each, independently H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety or a covalent attachment to a support medium;

Z_b is C₁-C₆ alkyl, C₂-C₆ alkenyl, C₂-C₆ alkynyl, substituted C₁-C₆ alkyl, substituted C₂-C₆ alkenyl, substituted C₂-C₆ alkynyl or substituted acyl (C(=O)-).

[0194] In certain instances, bicyclic nucleosides have the formula:



wherein:


Bx is a heterocyclic base moiety;

T_a and T_b are each, independently H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety or a covalent attachment to a support medium;

R_d is C₁-C₆ alkyl, substituted C₁-C₆ alkyl, C₂-C₆ alkenyl, substituted C₂-C₆ alkenyl, C₂-C₆ alkynyl or substituted C₂-C₆ alkynyl;

each q_a, q_b, q_c and q_d is, independently, H, halogen, C₁-C₆ alkyl, substituted C₁-C₆ alkyl, C₂-C₆ alkenyl, substituted C₂-C₆ alkenyl, C₂-C₆ alkynyl or substituted C₂-C₆ alkynyl, C₁-C₆ alkoxy, substituted C₁-C₆ alkoxy, acyl, substituted acyl, C₁-C₆ aminoalkyl or substituted C₁-C₆ aminoalkyl;

[0195] In certain instances, bicyclic nucleosides have the formula:



wherein:

Bx is a heterocyclic base moiety;

T_a and T_b are each, independently H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety or a covalent attachment to a support medium;

q_a, q_b, q_e and q_f are each, independently, hydrogen, halogen, C₁-C₁₂ alkyl, substituted C₁-C₁₂ alkyl, C₂-C₁₂ alkenyl, substituted C₂-C₁₂ alkenyl, C₂-C₁₂ alkynyl, substituted C₂-C₁₂ alkynyl, C₁-C₁₂ alkoxy, substituted C₁-C₁₂ alkoxy, OJ_j, SJ_j, SOJ_j, SO₂J_j, NJ_jJ_k, N₃, CN, C(=O)OJ_j, C(=O)NJ_jJ_k, C(=O)J_j, O-C(=O)NJ_jJ_k, N(H)C(=NH)NJ_jJ_k, N(H)C(=O)NJ_jJ_k or N(H)C(=S)NJ_jJ_k;


or q_e and q_f together are =C(q_g)(q_h);

q_g and q_h are each, independently, H, halogen, C₁-C₁₂ alkyl or substituted C₁-C₁₂ alkyl.

[0196] The synthesis and preparation of adenine, cytosine, guanine, 5-methyl-cytosine, thymine and uracil bicyclic nucleosides having a 4'-CH₂-O-2' bridge, along with their oligomerization, and nucleic acid recognition properties have been described (Koshkin et al., Tetrahedron, 1998, 54, 3607-3630). The synthesis of bicyclic nucleosides has also been described in WO 98/39352 and WO 99/14226.

[0197] Analogs of various bicyclic nucleosides that have 4' to 2' bridging groups such as 4'-CH₂-O-2' and 4'-CH₂-S-2', have also been prepared (Kumar et al., Bioorg. Med. Chem. Lett., 1998, 8, 2219-2222). Preparation of oligodeoxyribonucleotide duplexes comprising bicyclic nucleosides for use as substrates for nucleic acid polymerases has also been described (Wengel et al., WO 99/14226). Furthermore, synthesis of 2'-amino-BNA, a novel conformationally restricted high-affinity oligonucleotide analog has been described in the art (Singh et al., J. Org. Chem., 1998, 63, 10035-10039). In addition, 2'-amino- and 2'-methylamino-BNA's have been prepared and the thermal stability of their duplexes with complementary RNA and DNA strands has been previously reported.

[0198] In certain instances, bicyclic nucleosides have the formula:



wherein:

Bx is a heterocyclic base moiety;


T_a and T_b are each, independently H, a hydroxyl protecting group, a conjugate group, a reactive phosphorus group, a phosphorus moiety or a covalent attachment to a support medium;

each q_i, q_j, q_k and q_l is, independently, H, halogen, C₁-C₁₂ alkyl, substituted C₁-C₁₂ alkyl, C₂-C₁₂ alkenyl, substituted C₂-C₁₂ alkenyl, C₂-C₁₂ alkynyl, substituted C₂-C₁₂ alkynyl, C₁-C₁₂ alkoxy, substituted C₁-C₁₂ alkoxy, OJ_j, SJ_j, SOJ_j, SO₂J_j, NJ_jJ_k, N₃, CN, C(=O)OJ_j, C(=O)NJ_jJ_k, C(=O)J_j, O-C(=O)NJ_jJ_k, N(H)C(=NH)NJ_jJ_k, N(H)C(=O)NJ_jJ_k or N(H)C(=S)NJ_jJ_k; and

q_i and q_j or q_i and q_k together are =C(q_g)(q_h), wherein q_g and q_h are each, independently, H, halogen, C₁-C₁₂ alkyl or substituted C₁-C₁₂ alkyl.

[0199] One carbocyclic bicyclic nucleoside having a 4'-(CH₂)₃-2' bridge and the alkenyl analog bridge 4'-CH=CH-CH₂-2' have been described (Frier et al., Nucleic Acids Research, 1997, 25(22), 4429-4443 and Albaek et al., J. Org. Chem., 2006, 71, 7731-7740). The synthesis and preparation of carbocyclic bicyclic nucleosides along with their oligomerization and biochemical studies have also been described (Srivastava et al., J. Am. Chem. Soc. 2007, 129(26), 8362-8379).


[0200] In certain instances, bicyclic nucleosides include, but are not limited to, (A) α-L-methyleneoxy (4'-CH₂-O-2') BNA, (B) β-D-methyleneoxy (4'-CH₂-O-2') BNA, (C) ethyleneoxy (4'-(CH₂)₂-O-2') BNA, (D) aminooxy (4'-CH₂-O-N(R)-2') BNA, (E) oxyamino (4'-CH₂-N(R)-O-2') BNA, (F) methyl(methyleneoxy) (4'-CH(CH₃)-O-2') BNA (also referred to as constrained ethyl or cEt), (G) methylene-thio (4'-CH₂-S-2') BNA, (H) methylene-amino (4'-CH₂-N(R)-2') BNA, (I) methyl carbocyclic (4'-CH₂-CH(CH₃)-2') BNA, (J) propylene carbocyclic (4'-(CH₂)₃-2') BNA, and (K) vinyl BNA as depicted below.




wherein Bx is the base moiety and R is, independently, H, a protecting group, C₁-C₆ alkyl or C₁-C₆ alkoxy.

[0201] As used herein, the term "modified tetrahydropyran nucleoside" or "modified THP nucleoside" means a nucleoside

having a six-membered tetrahydropyran "sugar" substituted for the pentofuranosyl residue in normal nucleosides and can be referred to as a sugar surrogate. Modified THP nucleosides include, but are not limited to, what is referred to in the art as hexitol nucleic acid (HNA), anitol nucleic acid (ANA), manitol nucleic acid (MNA) (see Leumann, *Bioorg. Med. Chem.*, 2002, 10, 841-854) or fluoro HNA (F-HNA) having a tetrahydropyranyl ring system as illustrated below.



[0202] In certain instance, sugar surrogates are selected having the formula:



wherein:

Bx is a heterocyclic base moiety;


T₃ and T₄ are each, independently, an internucleoside linking group linking the tetrahydropyran nucleoside analog to the oligomeric compound or one of T₃ and T₄ is an internucleoside linking group linking the tetrahydropyran nucleoside analog to an oligomeric compound or oligonucleotide and the other of T₃ and T₄ is H, a hydroxyl protecting group, a linked conjugate group or a 5' or 3'-terminal group;

q₁, q₂, q₃, q₄, q₅, q₆ and q₇ are each independently, H, C₁-C₆ alkyl, substituted C₁-C₆ alkyl, C₂-C₆ alkenyl, substituted C₂-C₆ alkenyl, C₂-C₆ alkynyl or substituted C₂-C₆ alkynyl; and

one of R₁ and R₂ is hydrogen and the other is selected from halogen, substituted or unsubstituted alkoxy, NJ₁J₂, SJ₁, N₃, OC(=X)J₁, OC(=X)NJ₁J₂, NJ₃C(=X)NJ₁J₂ and CN, wherein X is O, S or NJ₁ and each J₁, J₂ and J₃ is, independently, H or C₁-C₆ alkyl.

[0203] In certain instances, q₁, q₂, q₃, q₄, q₅, q₆ and q₇ are each H. In certain instances, at least one of q₁, q₂, q₃, q₄, q₅, q₆ and q₇ is other than H. In certain instances, at least one of q₁, q₂, q₃, q₄, q₅, q₆ and q₇ is methyl. In certain instances, THP nucleosides are provided wherein one of R₁ and R₂ is F. In certain instances, R₁ is fluoro and R₂ is H; R₁ is methoxy and R₂ is H, and R₁ is methoxyethoxy and R₂ is H.

[0204] In certain instances, sugar surrogates comprise rings having more than 5 atoms and more than one heteroatom. For example nucleosides comprising morpholino sugar moieties and their use in oligomeric compounds has been reported (see for example: Braasch et al., *Biochemistry*, 2002, 41, 4503-4510; and U.S. Patents 5,698,685; 5,166,315; 5,185,444; and 5,034,506). As used here, the term "morpholino" means a sugar surrogate having the following formula:




[0205] In certain instances, morpholinos may be modified, for example by adding or altering various substituent groups from the above morpholino structure. Such sugar surrogates are referred to herein as "modified morpholinos."

[0206] Combinations of modifications are also provided without limitation, such as 2'-F-5'-methyl substituted nucleosides (see PCT International Application WO 2008/101157 published on 8/21/08 for other disclosed 5', 2'-bis substituted nucleosides) and replacement of the ribosyl ring oxygen atom with S and further substitution at the 2'-position (see published U.S. Patent Application US2005-0130923, published on June 16, 2005) or alternatively 5'-substitution of a bicyclic nucleic acid (see PCT International Application WO 2007/134181, published on 11/22/07 wherein a 4'-CH₂-O-2' bicyclic nucleoside is further substituted at the 5' position with a 5'-methyl or a 5'-vinyl group). The synthesis and preparation of carbocyclic bicyclic nucleosides along with their oligomerization and biochemical studies have also been described (see, e.g., Srivastava

et al., J. Am. Chem. Soc. 2007, 129(26), 8362-8379).

[0207] In certain instances, antisense compounds comprise one or more modified cyclohexenyl nucleosides, which is a nucleoside having a six-membered cyclohexenyl in place of the pentofuranosyl residue in naturally occurring nucleosides. Modified cyclohexenyl nucleosides include, but are not limited to those described in the art (see for example commonly owned, published PCT Application WO 2010/036696, published on April 10, 2010, Robeyns et al., J. Am. Chem. Soc., 2008, 130(6), 1979-1984; Horváth et al., Tetrahedron Letters, 2007, 48, 3621-3623; Nauwelaerts et al., J. Am. Chem. Soc., 2007, 129(30), 9340-9348; Gu et al., Nucleosides, Nucleotides & Nucleic Acids, 2005, 24(5-7), 993-998; Nauwelaerts et al., Nucleic Acids Research, 2005, 33(8), 2452-2463; Robeyns et al., Acta Crystallographica, Section F: Structural Biology and Crystallization Communications, 2005, F61(6), 585-586; Gu et al., Tetrahedron, 2004, 60(9), 2111-2123; Gu et al., Oligonucleotides, 2003, 13(6), 479-489; Wang et al., J. Org. Chem., 2003, 68, 4499-4505; Verbeure et al., Nucleic Acids Research, 2001, 29(24), 4941-4947; Wang et al., J. Org. Chem., 2001, 66, 8478-82; Wang et al., Nucleosides, Nucleotides & Nucleic Acids, 2001, 20(4-7), 785-788; Wang et al., J. Am. Chem., 2000, 122, 8595-8602; Published PCT application, WO 06/047842; and Published PCT Application WO 01/049687). Certain modified cyclohexenyl nucleosides have Formula X.



wherein independently for each of said at least one cyclohexenyl nucleoside analog of Formula X:

Bx is a heterocyclic base moiety;

T₃ and T₄ are each, independently, an internucleoside linking group linking the cyclohexenyl nucleoside analog to an antisense compound or one of T₃ and T₄ is an internucleoside linking group linking the tetrahydropyran nucleoside analog to an antisense compound and the other of T₃ and T₄ is H, a hydroxyl protecting group, a linked conjugate group, or a 5'-or 3'-terminal group; and

q₁, q₂, q₃, q₄, q₅, q₆, q₇, q₈ and q₉ are each, independently, H, C₁-C₆ alkyl, substituted C₁-C₆ alkyl, C₂-C₆ alkenyl, substituted C₂-C₆ alkenyl, C₂-C₆ alkynyl, substituted C₂-C₆ alkynyl or other sugar substituent group.

[0208] Many other monocyclic, bicyclic and tricyclic ring systems are known in the art and are suitable as sugar surrogates that can be used to modify nucleosides for incorporation into oligomeric compounds as provided herein (see for example review article: Leumann, Christian J. Bioorg. & Med. Chem., 2002, 10, 841-854). Such ring systems can undergo various additional substitutions to further enhance their activity.

[0209] As used herein, "2'-modified sugar" means a furanosyl sugar modified at the 2' position. In certain instances, such modifications include substituents selected from: a halide, including, but not limited to substituted and unsubstituted alkoxy, substituted and unsubstituted thioalkyl, substituted and unsubstituted amino alkyl, substituted and unsubstituted alkyl, substituted and unsubstituted allyl, and substituted and unsubstituted alkynyl. In certain instances, 2' modifications are selected from substituents including, but not limited to: O[(CH₂)_nO]_mCH₃, O(CH₂)_nNH₂, O(CH₂)_nCH₃, O(CH₂)_nF, O(CH₂)_nONH₂, OCH₂C(=O)N(H)CH₃, and O(CH₂)_nON[(CH₂)_nCH₃]₂, where n and m are from 1 to about 10. Other 2'-substituent groups can also be selected from: C₁-C₁₂ alkyl, substituted alkyl, alkenyl, alkynyl, alkaryl, aralkyl, O-alkaryl or O-aralkyl, SH, SCH₃, OCN, Cl, Br, CN, F, CF₃, OCF₃, SOCH₃, SO₂CH₃, ONO₂, NO₂, N₃, NH₂, heterocycloalkyl, heterocycloalkaryl, aminoalkylamino, polyalkylamino, substituted silyl, an RNA cleaving group, a reporter group, an intercalator, a group for improving pharmacokinetic properties, or a group for improving the pharmacodynamic properties of an antisense compound, and other substituents having similar properties. In certain instances, modified nucleosides comprise a 2'-MOE side chain (Baker et al., J. Biol. Chem., 1997, 272, 11944-12000). Such 2'-MOE substitution have been described as having improved binding affinity compared to unmodified nucleosides and to other modified nucleosides, such as 2'- O-methyl, O-propyl, and O-aminopropyl. Oligonucleotides having the 2'-MOE substituent also have been shown to be antisense inhibitors of gene expression with promising features for *in vivo* use (Martin, Helv. Chim. Acta, 1995, 78, 486-504; Altmann et al., Chimia, 1996, 50, 168-176; Altmann et al., Biochem. Soc. Trans., 1996, 24, 630-637; and Altmann et al., Nucleosides Nucleotides, 1997, 16, 917-926).

[0210] As used herein, "2'-modified" or "2'-substituted" refers to a nucleoside comprising a sugar comprising a substituent at

the 2' position other than H or OH. 2'-modified nucleosides, include, but are not limited to, bicyclic nucleosides wherein the bridge connecting two carbon atoms of the sugar ring connects the 2' carbon and another carbon of the sugar ring; and nucleosides with non-bridging 2'substituents, such as allyl, amino, azido, thio, O-allyl, O-C₁-C₁₀ alkyl, -OCF₃, O-(CH₂)₂-O-CH₃, 2'-O(CH₂)₂SCH₃, O-(CH₂)₂-O-N(R_m)(R_n), or O-CH₂-C(=O)-N(R_m)(R_n), where each R_m and R_n is, independently, H or substituted or unsubstituted C₁-C₁₀ alkyl. 2'-modified nucleosides may further comprise other modifications, for example at other positions of the sugar and/or at the nucleobase.

[0211] As used herein, "2'-F" refers to a nucleoside comprising a sugar comprising a fluoro group at the 2' position of the sugar ring.

[0212] As used herein, "2'-OMe" or "2'-OCH₃", "2'-O-methyl" or "2'-methoxy" each refers to a nucleoside comprising a sugar comprising an -OCH₃ group at the 2' position of the sugar ring.

[0213] As used herein, "MOE" or "2'-MOE" or "2'-OCH₂CH₂OCH₃" or "2'-O-methoxyethyl" each refers to a nucleoside comprising a sugar comprising a -OCH₂CH₂OCH₃ group at the 2' position of the sugar ring.

[0214] Methods for the preparations of modified sugars are well known to those skilled in the art. Some representative U.S. patents that teach the preparation of such modified sugars include without limitation, U.S.: 4,981,957; 5,118,800; 5,319,080; 5,359,044; 5,393,878; 5,446,137; 5,466,786; 5,514,785; 5,519,134; 5,567,811; 5,576,427; 5,591,722; 5,597,909; 5,610,300; 5,627,053; 5,639,873; 5,646,265; 5,670,633; 5,700,920; 5,792,847 and 6,600,032 and International Application PCT/US2005/019219, filed June 2, 2005 and published as WO 2005/121371 on December 22, 2005.

[0215] As used herein, "oligonucleotide" refers to a compound comprising a plurality of linked nucleosides. In certain instances, one or more of the plurality of nucleosides is modified. In certain instances, an oligonucleotide comprises one or more ribonucleosides (RNA) and/or deoxyribonucleosides (DNA).

[0216] In nucleotides having modified sugar moieties, the nucleobase moieties (natural, modified or a combination thereof) are maintained for hybridization with an appropriate nucleic acid target.

[0217] In certain instances, antisense compounds comprise one or more nucleosides having modified sugar moieties. In certain instances, the modified sugar moiety is 2'-MOE. In certain instances, the 2'-MOE modified nucleosides are arranged in a gapmer motif. In certain instances, the modified sugar moiety is a bicyclic nucleoside having a (4'-CH(CH₃)-O-2') bridging group. In certain instances, the (4'-CH(CH₃)-O-2') modified nucleosides are arranged throughout the wings of a gapmer motif.

Compositions and Methods for Formulating Pharmaceutical Compositions

[0218] Oligonucleotides may be admixed with pharmaceutically acceptable active or inert substances for the preparation of pharmaceutical compositions or formulations. Compositions and methods for the formulation of pharmaceutical compositions are dependent upon a number of criteria, including, but not limited to, route of administration, extent of disease, or dose to be administered.

[0219] An antisense compound targeted to a SOD-1 nucleic acid can be utilized in pharmaceutical compositions by combining the antisense compound with a suitable pharmaceutically acceptable diluent or carrier. A pharmaceutically acceptable diluent includes phosphate-buffered saline (PBS). PBS is a diluent suitable for use in compositions to be delivered parenterally. Accordingly, in one instance, employed in the methods described herein is a pharmaceutical composition comprising an antisense compound targeted to a SOD-1 nucleic acid and a pharmaceutically acceptable diluent. In certain instances, the pharmaceutically acceptable diluent is PBS. In certain instances, the antisense compound is a modified oligonucleotide.

[0220] Pharmaceutical compositions comprising antisense compounds encompass any pharmaceutically acceptable salts, esters, or salts of such esters, or any other oligonucleotide which, upon administration to an animal, including a human, is capable of providing (directly or indirectly) the biologically active metabolite or residue thereof. Accordingly, for example, the disclosure is also drawn to pharmaceutically acceptable salts of antisense compounds, prodrugs, pharmaceutically acceptable salts of such prodrugs, and other bioequivalents. Suitable pharmaceutically acceptable salts include, but are not

limited to, sodium and potassium salts.

[0221] A prodrug can include the incorporation of additional nucleosides at one or both ends of an antisense compound which are cleaved by endogenous nucleases within the body, to form the active antisense compound.

Conjugated Antisense Compounds

[0222] Antisense compounds may be covalently linked to one or more moieties or conjugates which enhance the activity, cellular distribution or cellular uptake of the resulting oligonucleotides. Typical conjugate groups include cholesterol moieties and lipid moieties. Additional conjugate groups include carbohydrates, phospholipids, biotin, phenazine, folate, phenanthridine, anthraquinone, acridine, fluoresceins, rhodamines, coumarins, and dyes.

[0223] Antisense compounds can also be modified to have one or more stabilizing groups that are generally attached to one or both termini of antisense compounds to enhance properties such as, for example, nuclease stability. Included in stabilizing groups are cap structures. These terminal modifications protect the antisense compound having terminal nucleic acid from exonuclease degradation, and can help in delivery and/or localization within a cell. The cap can be present at the 5'-terminus (5'-cap), or at the 3'-terminus (3'-cap), or can be present on both termini. Cap structures are well known in the art and include, for example, inverted deoxy abasic caps. Further 3' and 5'-stabilizing groups that can be used to cap one or both ends of an antisense compound to impart nuclease stability include those disclosed in WO 03/004602 published on January 16, 2003.

Cell culture and antisense compounds treatment

[0224] The effects of antisense compounds on the level, activity or expression of SOD-1 nucleic acids can be tested *in vitro* in a variety of cell types. Cell types used for such analyses are available from commercial vendors (e.g. American Type Culture Collection, Manassus, VA; Zen-Bio, Inc., Research Triangle Park, NC; Clonetics Corporation, Walkersville, MD) and are cultured according to the vendor's instructions using commercially available reagents (e.g. Invitrogen Life Technologies, Carlsbad, CA). Illustrative cell types include, but are not limited to, HepG2 cells, Hep3B cells, primary hepatocytes, A431 cells, and SH-SY5Y cells.

In vitro testing of oligonucleotides

[0225] Described herein are methods for treatment of cells with oligonucleotides, which can be modified appropriately for treatment with other antisense compounds.

[0226] Cells may be treated with oligonucleotides when the cells reach approximately 60-80% confluency in culture.

[0227] One reagent commonly used to introduce oligonucleotides into cultured cells includes the cationic lipid transfection reagent LIPOFECTIN (Invitrogen, Carlsbad, CA). Oligonucleotides may be mixed with LIPOFECTIN in OPTI-MEM 1 (Invitrogen, Carlsbad, CA) to achieve the desired final concentration of oligonucleotide and a LIPOFECTIN concentration that may range from 2 to 12 ug/mL per 100 nM oligonucleotide.

[0228] Another reagent used to introduce oligonucleotides into cultured cells includes LIPOFECTAMINE (Invitrogen, Carlsbad, CA). Oligonucleotide is mixed with LIPOFECTAMINE in OPTI-MEM 1 reduced serum medium (Invitrogen, Carlsbad, CA) to achieve the desired concentration of oligonucleotide and a LIPOFECTAMINE concentration that may range from 2 to 12 ug/mL per 100 nM oligonucleotide.

[0229] Another technique used to introduce oligonucleotides into cultured cells includes electroporation.

[0230] Cells are treated with oligonucleotides by routine methods. Cells may be harvested 16-24 hours after oligonucleotide treatment, at which time RNA or protein levels of target nucleic acids are measured by methods known in the art and described herein. In general, when treatments are performed in multiple replicates, the data are presented as the average of the replicate treatments.

[0231] The concentration of oligonucleotide used varies from cell line to cell line. Methods to determine the optimal oligonucleotide concentration for a particular cell line are well known in the art. Oligonucleotides are typically used at concentrations ranging from 1 nM to 300 nM when transfected with LIPOFECTAMINE. Oligonucleotides are used at higher concentrations ranging from 625 to 20,000 nM when transfected using electroporation.

RNA Isolation

[0232] RNA analysis can be performed on total cellular RNA or poly(A)+ mRNA. Methods of RNA isolation are well known in the art. RNA is prepared using methods well known in the art, for example, using the TRIZOL Reagent (Invitrogen, Carlsbad, CA) according to the manufacturer's recommended protocols.

Analysis of inhibition of target levels or expression

[0233] Inhibition of levels or expression of a SOD-1 nucleic acid can be assayed in a variety of ways known in the art. For example, target nucleic acid levels can be quantitated by, e.g., Northern blot analysis, competitive polymerase chain reaction (PCR), or quantitative real-time PCR. RNA analysis can be performed on total cellular RNA or poly(A)+ mRNA. Methods of RNA isolation are well known in the art. Northern blot analysis is also routine in the art. Quantitative real-time PCR can be conveniently accomplished using the commercially available ABI PRISM 7600, 7700, or 7900 Sequence Detection System, available from PE-Applied Biosystems, Foster City, CA and used according to manufacturer's instructions.

Quantitative Real-Time PCR Analysis of Target RNA Levels

[0234] Quantitation of target RNA levels may be accomplished by quantitative real-time PCR using the ABI PRISM 7600, 7700, or 7900 Sequence Detection System (PE-Applied Biosystems, Foster City, CA) according to manufacturer's instructions. Methods of quantitative real-time PCR are well known in the art.

[0235] Prior to real-time PCR, the isolated RNA is subjected to a reverse transcriptase (RT) reaction, which produces complementary DNA (cDNA) that is then used as the substrate for the real-time PCR amplification. The RT and real-time PCR reactions are performed sequentially in the same sample well. RT and real-time PCR reagents may be obtained from Invitrogen (Carlsbad, CA). RT real-time-PCR reactions are carried out by methods well known to those skilled in the art.

[0236] Gene (or RNA) target quantities obtained by real time PCR are normalized using either the expression level of a gene whose expression is constant, such as cyclophilin A, or by quantifying total RNA using RIBOGREEN (Invitrogen, Inc. Carlsbad, CA). Cyclophilin A expression is quantified by real time PCR, by being run simultaneously with the target, multiplexing, or separately. Total RNA is quantified using RIBOGREEN RNA quantification reagent (Invitrogen, Inc. Eugene, OR). Methods of RNA quantification by RIBOGREEN are SOD-1ght in Jones, L.J., et al, (Analytical Biochemistry, 1998, 265, 368-374). A CYTOFLUOR 4000 instrument (PE Applied Biosystems) is used to measure RIBOGREEN fluorescence.

[0237] Probes and primers are designed to hybridize to a SOD-1 nucleic acid. Methods for designing real-time PCR probes and primers are well known in the art, and may include the use of software such as PRIMER EXPRESS Software (Applied Biosystems, Foster City, CA).

Analysis of Protein Levels

[0238] Antisense inhibition of SOD-1 nucleic acids can be assessed by measuring SOD-1 protein levels. Protein levels of SOD-1 can be evaluated or quantitated in a variety of ways well known in the art, such as immunoprecipitation, Western blot analysis (immunoblotting), enzyme-linked immunosorbent assay (ELISA), quantitative protein assays, protein activity assays (for example, caspase activity assays), immunohistochemistry, immunocytochemistry or fluorescence-activated cell sorting (FACS). Antibodies directed to a target can be identified and obtained from a variety of sources, such as the MSRS catalog of antibodies (Aerie Corporation, Birmingham, MI), or can be prepared via conventional monoclonal or polyclonal antibody generation methods well known in the art. In certain instances, the compounds herein provide improved reduction in protein levels.

In vivo testing of antisense compounds

[0239] Antisense compounds, for example, modified oligonucleotides, are tested in animals to assess their ability to inhibit expression of SOD-1 and produce phenotypic changes, such as, improved motor function. In certain instances, motor function is measured by walking initiation analysis, rotarod, grip strength, pole climb, open field performance, balance beam, hindpaw footprint testing in the animal. Testing may be performed in normal animals, or in experimental disease models. For administration to animals, oligonucleotides are formulated in a pharmaceutically acceptable diluent, such as phosphate-buffered saline. Administration includes parenteral routes of administration, such as intraperitoneal, intravenous, and subcutaneous. Oligonucleotide dosage and dosing frequency depends upon multiple factors such as, but not limited to, route of administration and animal body weight. Following a period of treatment with oligonucleotides, RNA is isolated from CNS tissue or CSF and changes in SOD-1 nucleic acid expression are measured.

Certain Indications

[0240] In certain instances, described herein are methods, compounds, and compositions of treating an individual comprising administering one or more pharmaceutical compositions described herein. In certain instances, the individual has a neurodegenerative disease. In certain instances, the individual is at risk for developing a neurodegenerative disease, including, but not limited to, amyotrophic lateral sclerosis (ALS). In certain instances, the individual has been identified as having a SOD-1 associated disease. In certain instances, described herein are methods for prophylactically reducing SOD-1 expression in an individual. Certain instances include treating an individual in need thereof by administering to an individual a therapeutically effective amount of an antisense compound targeted to a SOD-1 nucleic acid.

[0241] In one instance, administration of a therapeutically effective amount of an antisense compound targeted to a SOD-1 nucleic acid is accompanied by monitoring of SOD-1 levels in an individual, to determine an individual's response to administration of the antisense compound. An individual's response to administration of the antisense compound may be used by a physician to determine the amount and duration of therapeutic intervention.

[0242] In certain instances, administration of an antisense compound targeted to a SOD-1 nucleic acid results in reduction of SOD-1 expression by at least 15, 20, 25, 30, 35, 40, 45, 50, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, or 100%, or a range defined by any two of these values. In certain instances, administration of an antisense compound targeted to a SOD-1 nucleic acid results in improved motor function in an animal. In certain instances, administration of a SOD-1 antisense compound improves motor function by at least 15, 20, 25, 30, 35, 40, 45, 50, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, or 100%, or a range defined by any two of these values.

[0243] In certain instances, pharmaceutical compositions comprising an antisense compound targeted to SOD-1 are used for the preparation of a medicament for treating a patient suffering or susceptible to a neurodegenerative disease including amyotrophic lateral sclerosis (ALS).

Certain Comparator Compositions

[0244] Antisense oligonucleotides targeting human SOD-1 were described in an earlier publication (see WO 2005/040180). Several oligonucleotides (ISIS 333611, ISIS 146144, ISIS 146145, ISIS 150437, ISIS 150441, ISIS 150443, ISIS 150444, ISIS 150445, ISIS 150446, ISIS 150447, ISIS 150448, ISIS 150449, ISIS 150452, ISIS 150454, ISIS 150458, ISIS 150460, ISIS 150462-150467, ISIS 150470, ISIS 150472, ISIS 150474, ISIS 150475, ISIS 150476, ISIS 150479-150483, ISIS 150488, ISIS 150489, ISIS 150490, ISIS 150491-150493, ISIS 150495-150498, ISIS 150511, ISIS 333605, ISIS 333606, ISIS 333609-333617, ISIS 333619, ISIS 333620-333636, ISIS 333638, and ISIS 333640) described therein, were used as comparator compounds throughout select screens for new antisense compounds described herein.

[0245] In certain instances, ISIS 333611, a 5-10-5 MOE gapmer, having a sequence of (from 5' to 3') CCGTCGCCCTTCAGCAGCA (incorporated herein as SEQ ID NO: 21), wherein each internucleoside linkage is a phosphorothioate linkage, each cytosine is a 5-methylcytosine, and each of nucleosides 1-5 and 16-20 (from 5' to 3')

comprise a 2'-O-methoxyethyl moiety was used as a comparator compound. ISIS 333611 was selected as a comparator compound because it exhibited high levels of dose-dependent inhibition in various studies as described in WO 2005/040180. Additionally, phase 1 human clinical trials were completed using ISIS 333611. See, MILLER et al., "An antisense oligonucleotide against SOD1 delivered intrathecally for patients with SOD1 familial amyotrophic lateral sclerosis: a phase 1, randomised, first-in-man study" *Lancet Neurol.* (2013) 12(5): 435-442. Thus, ISIS 333611 was deemed a highly efficacious and potent compound with an acceptable safety profile (such that it was tested in human patients).

[0246] In certain instances, the compounds described herein benefit from one or more improved properties relative to the antisense compounds described in WO 2005/040180. Some of the improved properties are demonstrated in the examples provided herein. In certain instances, compounds described herein are more efficacious, potent, and/or tolerable in various *in vitro* and *in vivo* studies than comparator compounds described herein, including ISIS 333611. In certain instances, ISIS 666853, ISIS 666859, ISIS 666919, ISIS 666921, ISIS 666922, ISIS 666869, ISIS 666870, and ISIS 666867 are more efficacious and/or potent in various *in vitro* and *in vivo* studies than comparator compounds described herein, including ISIS 333611. In certain instances, ISIS 666853, ISIS 666859, ISIS 666919, ISIS 666921, ISIS 666922, ISIS 666869, ISIS 666870, and ISIS 666867 are more tolerable in one or more tolerability assays in animals than comparator compounds described herein, including ISIS 333611. This is despite 333611 being sufficiently well tolerated to progress to human clinical trials.

[0247] In certain instances, certain compounds described herein are more efficacious than comparator compounds by virtue of an *in vitro* IC₅₀ of less than 2 μ M, less than 1.9 μ M, less than 1.8 μ M, less than 1.7 μ M, less than 1.6 μ M, less than 1.5 μ M, less than 1.4 μ M, less than 1.3 μ M, less than 1.2 μ M, less than 1.1 μ M, less than 1 μ M, less than 0.9 μ M, less than 0.8 μ M, less than 0.7 μ M, less than 0.6 μ M, or less than 0.5 μ M less than 0.4 μ M, less than 0.3 μ M, less than 0.2 μ M, less than 0.1 μ M, when tested in human cells, for example, in the HepG2 A431 or SH-SY5Y cell lines (For example, see Examples 6-11).

[0248] In certain instances, certain compounds described herein are more efficacious than comparator compounds by virtue of their ability to inhibit SOD-1 expression *in vivo*. In certain instances, the compounds inhibit SOD-1 in lumbar spinal cord and cervical spinal cord by at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90% or at least 95% in, for example, a transgenic animal model.

[0249] In certain instances, certain compounds described herein are more tolerable than comparator compounds on the basis of reduced microglial marker levels (e.g., IBA1), reduced astrocytic marker levels (e.g., GFAP), and/or FOB scores in rats, mice, and/or monkeys. See, for example, Examples 14, 15, 18, and 19.

ISIS 666853

[0250] For example, as provided in Example 12 (hereinbelow), ISIS 666853 achieved 81% inhibition in lumbar spinal cord and 74% in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 μ L of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 μ g final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

[0251] For example, as provided in Example 14 (hereinbelow), ISIS 666853 achieved a FOB score of 0 whereas ISIS 333611 achieved a FOB score of 4 in Sprague-Dawley rats after 3 hours when treated with 3 mg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666853 treated rats as compared to ISIS 333611 treated rats.

[0252] For example, as provided in Example 15 (hereinbelow), ISIS 666853 achieved an ED₅₀ of 81.3 and 242.6 in lumbar tissue and cervical tissue (respectively) in SOD-1 transgenic rats when treated intrathecally with 10, 30, 100, 300, or 3000 μ g of oligonucleotide. ED₅₀ in lumbar and cervical tissues could not be calculated in ISIS 333611 treated transgenic rats because the highest concentration tested (3000 μ g) failed to inhibit human SOD-1 mRNA greater than 55-65%.

[0253] For example, as provided in Example 16 (hereinbelow), at doses of 1 mg and 3 mg ISIS 666853 achieved 3 hour FOB scores of 0.0 and 0.5 (respectively) whereas ISIS 333611 achieved FOB scores of 3.0 and 4.9 (respectively). At doses of 1 mg and 3 mg ISIS 666853 achieved 8 week FOB scores of 0.0 and 0.0 (respectively) whereas ISIS 333611 achieved FOB scores of 0.0 and 1.2 (respectively).

[0254] For example, as provided in Example 17 (hereinbelow), ISIS 666853 achieved an ED₅₀ of 136 and 188 in lumbar

tissue and cortex tissue (respectively) whereas ISIS 333611 achieved an ED₅₀ of 401 and 786 in lumbar tissue and cortex tissue (respectively) in SOD-1 transgenic mice when treated with an intracerebral ventricular bolus of 10, 30, 100, 300, or 700 µg of oligonucleotide.

[0255] For example, as provided in Example 18 (hereinbelow), ISIS 666853 achieved a FOB score of 1.25 whereas ISIS 333611 achieved a FOB score of 6.5 in C57bl6 mice after 3 hours when treated with 700 µg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666853 treated mice as compared to ISIS 333611 treated mice.

ISIS 666859

[0256] For example, as provided in Example 12 (hereinbelow), ISIS 666859 achieved 79% inhibition in lumbar spinal cord and 64% inhibition in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 µL of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 µg final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

[0257] For example, as provided in Example 14 (hereinbelow), ISIS 666859 achieved a FOB score of 1 whereas ISIS 333611 achieved a FOB score of 4 in Sprague-Dawley rats after 3 hours when treated with 3 mg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666859 treated rats as compared to ISIS 333611 treated rats.

[0258] For example, as provided in Example 15 (hereinbelow), ISIS 666859 achieved an ED₅₀ of 74.0 and 358.8 in lumbar tissue and cervical tissue (respectively) in SOD-1 transgenic rats when treated intrathecally with 10, 30, 100, 300, or 3000 µg of oligonucleotide. ED₅₀ in lumbar and cervical tissues could not be calculated in ISIS 333611 treated transgenic rats because the highest concentration tested (3000 µg) failed to inhibit human SOD-1 mRNA greater than 55-65%.

[0259] For example, as provided in Example 16 (hereinbelow), at doses of 1 mg and 3 mg ISIS 666859 achieved 3 hour FOB scores of 0.0 and 2.1 (respectively) whereas ISIS 333611 achieved FOB scores of 3.0 and 4.9 (respectively). At doses of 1 mg and 3 mg ISIS 666859 achieved 8 week FOB scores of 0.0 and 0.3 (respectively) whereas ISIS 333611 achieved FOB scores of 0.0 and 1.2 (respectively).

[0260] For example, as provided in Example 17 (hereinbelow), ISIS 666859 achieved an ED₅₀ of 106 and 206 in lumbar tissue and cortex tissue (respectively) whereas ISIS 333611 achieved an ED₅₀ of 401 and 786 in lumbar tissue and cortex tissue (respectively) in SOD-1 transgenic mice when treated with an intracerebral ventricular bolus of 10, 30, 100, 300, or 700 µg of oligonucleotide.

[0261] For example, as provided in Example 18 (hereinbelow), ISIS 666859 achieved a FOB score of 1.75 whereas ISIS 333611 achieved a FOB score of 6.5 in C57bl6 mice after 3 hours when treated with 700 µg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666859 treated mice as compared to ISIS 333611 treated mice.

ISIS 666919

[0262] For example, as provided in Example 12 (hereinbelow), ISIS 666919 achieved 76% inhibition in lumbar spinal cord and 68% in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 µL of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 µg final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

[0263] For example, as provided in Example 14 (hereinbelow), ISIS 666919 achieved a FOB score of 2 whereas ISIS 333611 achieved a FOB score of 4 in Sprague-Dawley rats after 3 hours when treated with 3 mg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666919 treated rats as compared to ISIS 333611 treated rats.

[0264] For example, as provided in Example 15 (hereinbelow), ISIS 666919 achieved an ED₅₀ of 104.1 and 613.5 in lumbar

tissue and cervical tissue (respectively) in SOD-1 transgenic rats when treated intrathecally with 10, 30, 100, 300, or 3000 µg of oligonucleotide. ED₅₀ in lumbar and cervical tissues could not be calculated in ISIS 333611 treated transgenic rats because the highest concentration tested (3000 µg) failed to inhibit human SOD-1 mRNA greater than 55-65%.

[0265] For example, as provided in Example 16 (hereinbelow), at doses of 1 mg and 3 mg ISIS 666919 achieved 3 hour FOB scores of 1.3 and 3.5 (respectively) whereas ISIS 333611 achieved FOB scores of 3.0 and 4.9 (respectively). At doses of 1 mg and 3 mg ISIS 666919 achieved 8 week FOB scores of 0.0 and 0.1 (respectively) whereas ISIS 333611 achieved FOB scores of 0.0 and 1.2 (respectively).

[0266] For example, as provided in Example 17 (hereinbelow), ISIS 666919 achieved an ED₅₀ of 168 in lumbar tissue whereas ISIS 333611 achieved an ED₅₀ of 401 in lumbar tissue in SOD-1 transgenic mice when treated with an intracerebral ventricular bolus of 10, 30, 100, 300, or 700 µg of oligonucleotide.

[0267] For example, as provided in Example 18 (hereinbelow), ISIS 666919 achieved a FOB score of 0.0 whereas ISIS 333611 achieved a FOB score of 6.5 in C57bl6 mice after 3 hours when treated with 700 µg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666919 treated mice as compared to ISIS 333611 treated mice.

ISIS 666921

[0268] For example, as provided in Example 12 (hereinbelow), ISIS 66621 achieved 71% inhibition in lumbar spinal cord and 65% in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 µL of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 µg final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

[0269] For example, as provided in Example 14 (hereinbelow), ISIS 666921 achieved a FOB score of 2 whereas ISIS 333611 achieved a FOB score of 4 in Sprague-Dawley rats after 3 hours when treated with 3 mg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666919 treated rats as compared to ISIS 333611 treated rats.

ISIS 666922

[0270] For example, as provided in Example 12 (hereinbelow), ISIS 666922 achieved 67% inhibition in lumbar spinal cord and 62% in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 µL of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 µg final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

[0271] For example, as provided in Example 14 (hereinbelow), ISIS 666922 achieved a FOB score of 3 whereas ISIS 333611 achieved a FOB score of 4 in Sprague-Dawley rats after 3 hours when treated with 3 mg of oligonucleotide. Microglial marker (IBA1) levels and astrocytic marker (GFAP) levels were also reduced in ISIS 666919 treated rats as compared to ISIS 333611 treated rats.

ISIS 666869

[0272] For example, as provided in Example 12 (hereinbelow), ISIS 666869 achieved 82% inhibition in lumbar spinal cord and 81% in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 µL of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 µg final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

ISIS 666870

[0273] For example, as provided in Example 12 (hereinbelow), ISIS 666870 achieved 76% inhibition in lumbar spinal cord

and 68% in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 μ L of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 μ g final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

[0274] For example, as provided in Example 15 (hereinbelow), ISIS 666870 achieved an ED₅₀ of 139.4 and 1111 in lumbar tissue and cervical tissue (respectively) in SOD-1 transgenic rats when treated intrathecally with 10, 30, 100, 300, or 3000 μ g of oligonucleotide. ED₅₀ in lumbar and cervical tissues could not be calculated in ISIS 333611 treated transgenic rats because the highest concentration tested (3000 μ g) failed to inhibit human SOD-1 mRNA greater than 55-65%.

[0275] For example, as provided in Example 17 (hereinbelow), ISIS 666870 achieved an ED₅₀ of 148 and 409 in lumbar tissue and cortex tissue (respectively) whereas ISIS 333611 achieved an ED₅₀ of 401 and 786 in lumbar tissue and cortex tissue (respectively) in SOD-1 transgenic mice when treated with an intracerebral ventricular bolus of 10, 30, 100, 300, or 700 μ g of oligonucleotide.

[0276] For example, as provided in Example 18 (hereinbelow), ISIS 666870 achieved a FOB score of 4.75 whereas ISIS 333611 achieved a FOB score of 6.5 in C57bl6 mice after 3 hours when treated with 700 μ g of oligonucleotide.

ISIS 666867

[0277] For example, as provided in Example 12 (hereinbelow), ISIS 666867 achieved 59% inhibition in lumbar spinal cord and 48% in cervical spinal cord of an SOD-1 transgenic rat model when dosed with 30 μ L of 16.67 mg/ml solution of oligonucleotide diluted in PBS (500 μ g final dose), whereas ISIS 333611 achieved 51% inhibition in lumbar spinal cord and 47% inhibition in cervical spinal cord.

Certain Compositions

1. ISIS 666853

[0278] In certain instances, ISIS 666853 is characterized as a 5-10-5 MOE gapmer, having a sequence of (from 5' to 3') CAGGATACATTTCTACAGCT (incorporated herein as SEQ ID NO: 725), wherein each of nucleosides 1-5 and 16-20 are 2'-O-methoxyethylribose modified nucleosides, and each of nucleosides 6-15 are 2'-deoxynucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 4 to 5, 16 to 17, and 18 to 19 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 3 to 4, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 13 to 14, 14 to 15, 15 to 16, 17 to 18, and 19 to 20 are phosphorothioate linkages, and wherein each cytosine is a 5-methylcytosine.

[0279] In certain instances, ISIS 666853 is described by the following chemical notation: mCes Ae₀ Ges Geo Aes Tds Ads mCds Ads Tds Tds Tds mCds Tds Ads mCeo Aes Geo mCes Te; wherein,

A =

an adenine,

mC =

a 5-methylcytosine

G =

a guanine,

T =

a thymine,

e =

a 2'-O-methoxyethylribose modified sugar,

d =

a 2'-deoxyribose sugar,


s =

a phosphorothioate internucleoside linkage, and

o =

a phosphodiester internucleoside linkage.

[0280] In certain instances, ISIS 666853 is described by the following chemical structure:



Structure 1. ISIS 666853

2. ISIS 666859


[0281] In certain instances, ISIS 666859 is characterized as a modified oligonucleotide having the nucleobase sequence (from 5' to 3') TTAATGTTTATCAGGAT (incorporated herein as SEQ ID NO: 1351), consisting of seventeen nucleosides, wherein each of nucleosides 1-4 and 15-17 are 2'-O-methoxyethylribose nucleosides, wherein each of nucleosides 13 and 14 are cEt modified nucleosides, wherein each of nucleosides 5-12 are 2'-deoxyribonucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 3 to 4, 13 to 14, 14 to 15 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 4 to 5, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 15 to 16, and 16 to 17 are phosphorothioate linkages, and wherein each cytosine is a 5 -methylcytosine.

[0282] In certain instances, ISIS 666859 is described by the following chemical notation: Tes Teo Aeo Aes Tds Gds Tds Tds Tds Ads Tds mCds Ako Gko Ges Aes Te; wherein,

- A =
an adenine,
- mC =
a 5-methylcytosine
- G =
a guanine,
- T =
a thymine,
- e =
a 2'-O-methoxyethylribose modified sugar,
- k =
a cEt modified sugar,
- d =
a 2'-deoxyribose sugar,
- s =

a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage.

[0283] In certain instances, ISIS 666859 is described by the following chemical structure:



Structure 2. ISIS 666859

3. ISIS 666919


[0284] In certain instances, ISIS 666919 is characterized as a modified oligonucleotide having the nucleobase sequence (from 5' to 3') GGATACATTCTACAGC (incorporated herein as SEQ ID NO: 1342), consisting of seventeen nucleosides, wherein each of nucleosides 1-4 and 16-17 are 2'-O-methoxyethylribose modified nucleosides, wherein each of nucleosides 14 and 15 are cEt modified nucleosides, wherein each of nucleosides 5-13 are 2'-deoxyribonucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 3 to 4, 4 to 5, and 14 to 15 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 13 to 14, 15 to 16, and 16 to 17 are phosphorothioate linkages, and wherein each cytosine is a 5-methylcytosine.

[0285] In certain instances, ISIS 666919 is described by the following chemical notation: Ges Geo Aeo Teo Ads mCds Ads Tds Tds Tds mCds Tds Ads mCko Aks Ges mCe; wherein,

A =
an adenine,
mC =
a 5-methylcytosine
G =
a guanine,
T =
a thymine,
e =
a 2'-O-methoxyethylribose modified sugar,
k =
a cEt modified sugar,
d =
a 2'-deoxyribose sugar,

s =
a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage.

[0286] In certain instances, ISIS 666919 is described by the following chemical structure:



Structure 3. ISIS 666919

4. ISIS 666921


[0287] In certain instances, ISIS 666921 is characterized as a modified oligonucleotide having the nucleobase sequence (from 5' to 3') GGATACATTTCTACAGC (incorporated herein as SEQ ID NO: 1342), consisting of seventeen nucleosides, wherein each of nucleosides 1-5 and 16-17 are 2'-O-methoxyethylribose modified nucleosides, wherein each of nucleosides 14-15 are cEt modified nucleosides, wherein each of nucleosides 6-13 are 2'-deoxyribonucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 3 to 4, 4 to 5, and 14 to 15 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 13 to 14, 15 to 16, and 16 to 17 are phosphorothioate linkages, and wherein each cytosine is a 5-methylcytosine.

[0288] In certain instances, ISIS 666921 is described by the following chemical notation: Ges Geo Aeo Teo Aes mCds Ads Tds Tds Tds mCds Tds Ads mCko Aks Ges mCe; wherein,

A =
an adenine,
mC =
a 5-methylcytosine
G =
a guanine,
T =
a thymine,
e =
a 2'-O-methoxyethylribose modified sugar,
k =
a cEt modified sugar,
d =
a 2'-deoxyribose sugar,

s =
a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage.

[0289] In certain instances, ISIS 666921 is described by the following chemical structure:



Structure 4. ISIS 666921

5. ISIS 666922


[0290] In certain instances, ISIS 666922 is characterized as a modified oligonucleotide having the nucleobase sequence (from 5' to 3') GGATACATTTCTACAGC (incorporated herein as SEQ ID NO: 1342), consisting of seventeen nucleosides, wherein each of nucleosides 1-4 and 15-17 are 2'-O-methoxyethylribose modified nucleosides, wherein each of nucleosides 5 and 14 are cEt modified nucleosides, wherein each of nucleosides 6-13 are 2'-deoxyribonucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 3 to 4, 4 to 5, and 14 to 15 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 13 to 14, 15 to 16, and 16 to 17 are phosphorothioate linkages, and wherein each cytosine is a 5-methylcytosine.

[0291] In certain instances, ISIS 666922 is described by the following chemical notation: Ges Geo Aeo Teo Aks mCds Ads Tds Tds Tds mCds Tds Ads mCko Aes Ges mCe; wherein,

A =
an adenine,
mC =
a 5-methylcytosine
G =
a guanine,
T =
a thymine,
e =
a 2'-O-methoxyethylribose modified sugar,
k =
a cEt modified sugar,
d =
a 2'-deoxyribose sugar,

s =
a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage.

[0292] In certain instances, ISIS 666922 is described by the following chemical structure:



Structure 5. ISIS 666922

6. ISIS 666869


[0293] In certain instances, ISIS 666869 is characterized as a modified oligonucleotide having the nucleobase sequence (from 5' to 3') AGTGTTTAATGTTTATC (incorporated herein as SEQ ID NO: 1173), consisting of seventeen nucleosides, wherein each of nucleosides 1, 3, 14, and 16-17 are 2'-O-methoxyethylribose modified nucleosides, wherein each of nucleosides 2, 4, 13, and 15 are cEt modified nucleosides, wherein each of nucleosides 5-12 are 2'-deoxyribonucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 3 to 4, 13 to 14, and 14 to 15 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 4 to 5, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 15 to 16, and 16 to 17 are phosphorothioate linkages, and wherein each cytosine is a 5-methylcytosine.

[0294] In certain instances, ISIS 666869 is described by the following chemical notation: Aes Gko Teo Gks Tds Tds Tds Ads Ads Tds Gds Tds Tko Teo Aks Tes mCe; wherein,

A =
an adenine,
mC =
a 5-methylcytosine
G =
a guanine,
T =
a thymine,
e =
a 2'-O-methoxyethylribose modified sugar,
k =
a cEt modified sugar,
d =
a 2'-deoxyribose sugar,

s =
a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage.

[0295] In certain instances, ISIS 666869 is described by the following chemical structure:



Structure 6. ISIS 666869

7. ISIS 666870


[0296] In certain instances, ISIS 666870 is characterized as a modified oligonucleotide having the nucleobase sequence (from 5' to 3') AGTGTTTAATGTTTATC (incorporated herein as SEQ ID NO: 1173), consisting of seventeen nucleosides, wherein each of nucleosides 1, 3, 13-17 are 2'-O-methoxyethylribose modified nucleosides, wherein each of nucleosides 2 and 4 are cEt modified nucleosides, wherein each of nucleosides 5-12 are 2'-deoxyribonucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 3 to 4, 13 to 14, and 14 to 15 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 4 to 5, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 15 to 16, and 16 to 17 are phosphorothioate linkages, and wherein each cytosine is a 5-methylcytosine.

[0297] In certain instances, ISIS 666870 is described by the following chemical notation: Aes Gko Teo Gks Tds Tds Tds Ads Ads Tds Gds Tds Teo Teo Aes Tes mCe; wherein,

A =
an adenine,
mC =
a 5-methylcytosine
G =
a guanine,
T =
a thymine,
e =
a 2'-O-methoxyethylribose modified sugar,
k =
a cEt modified sugar,
d =

a 2'-deoxyribose sugar,
s =
a phosphorothioate internucleoside linkage, and
o =
a phosphodiester internucleoside linkage.

[0298] In certain instances, ISIS 666870 is described by the following chemical structure:



Structure 7. ISIS 666870

8. ISIS 666867

[0299] In certain instances, ISIS 666867 is characterized as a modified oligonucleotide having the nucleobase sequence (from 5' to 3') AGTGTTTAATGTTTATC (incorporated herein as SEQ ID NO: 1173), consisting of seventeen nucleosides, wherein each of nucleosides 1-2 and 13-17 are 2'-O-methoxyethylribose modified nucleosides, wherein each of nucleosides 3 and 4 are cEt modified nucleosides, wherein each of nucleosides 5-12 are 2'-deoxyribonucleosides, wherein the internucleoside linkages between nucleosides 2 to 3, 3 to 4, 13 to 14, and 14 to 15 are phosphodiester linkages and the internucleoside linkages between nucleosides 1 to 2, 4 to 5, 5 to 6, 6 to 7, 7 to 8, 8 to 9, 9 to 10, 10 to 11, 11 to 12, 12 to 13, 15 to 16, and 16 to 17 are phosphorothioate linkages, and wherein each cytosine is a 5-methylcytosine.

[0300] In certain instances, ISIS 666867 is described by the following chemical notation: Aes Geo Tko Gks Tds Tds Tds Ads Ads Tds Gds Tds Teo Teo Aes Tes mCe; wherein,

A =
an adenine,
mC =
a 5-methylcytosine
G =
a guanine,
T =
a thymine,
e =
a 2'-O-methoxyethylribose modified sugar,
k =
a cEt modified sugar,

d =

a 2'-deoxyribose sugar,


s =

a phosphorothioate internucleoside linkage, and

o =

a phosphodiester internucleoside linkage.

[0301] In certain instances, ISIS 666867 is described by the following chemical structure:



Structure 8. ISIS 666867

EXAMPLES

Non-limiting disclosure and incorporation by reference

[0302] While certain compounds, compositions, and methods described herein have been described with specificity in accordance with certain instances, the following examples serve only to illustrate the compounds described herein and are not intended to limit the same.

Example 1: Inhibition of human superoxide dismutase 1, soluble (SOD-1) in HepG2 cells by MOE gapmers

[0303] Modified oligonucleotides were designed targeting a superoxide dismutase 1, soluble (SOD-1) nucleic acid and were tested for their effects on SOD-1 mRNA in vitro. ISIS 146144, ISIS 146145, ISIS 150437, ISIS 150441, ISIS 150443, ISIS 150444, ISIS 150445, ISIS 150446, ISIS 150447, ISIS 150448, ISIS 150449, ISIS 150452, ISIS 150454, ISIS 150458, ISIS 150460, ISIS 150462-150467, ISIS 150470, ISIS 150472, ISIS 150474, ISIS 150475, ISIS 150476, ISIS 150479-150483, ISIS 150488, ISIS 150489, ISIS 150490, ISIS 150491-150493, ISIS 150495-150498, ISIS 150511, ISIS 333605, ISIS 333606, ISIS 333609-333617, ISIS 333619, ISIS 333620-333636, ISIS 333638, and ISIS 333640, previously disclosed in WO 2005/040180, were also included in this assay. ISIS 333611, previously disclosed in WO 2005/040180, was also designated as a benchmark or comparator oligonucleotide. ISIS 333611 was recently tested in human clinical trials. See, MILLER et al., "An antisense oligonucleotide against SOD1 delivered intrathecally for patients with SOD1 familial amyotrophic lateral sclerosis: a phase 1, randomised, first-in-man study" *Lancet Neurol.* (2013) 12(5): 435-442.

[0304] The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cultured HepG2 cells at a density of 20,000 cells per well were transfected using electroporation with 7,000 nM modified oligonucleotide. After a treatment period of approximately 24 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR.

[0305] Human primer probe set RTS3898 (forward sequence CTCTCAGGAGACCATTGCATCA, designated herein as SEQ ID NO: 11; reverse sequence TCCTGTCTTTGTACTTTCTTCATTTCC; designated herein as SEQ ID NO: 12; probe sequence CCGCACACTGGTGGTCCATGAAAA, designated herein as SEQ ID NO: 13) was used to measure mRNA levels. In cases where the oligonucleotide overlapped the amplicon of the primer probe set, an alternative primer probe set, HTS90 (forward sequence CGTGGCCTAGCGAGTTATGG, designated herein as SEQ ID NO: 14; reverse sequence GAAATTGATGATGCCCTGCA; designated herein as SEQ ID NO: 15; probe sequence ACGAAGGCCGTGTGCGTGCTGX, designated herein as SEQ ID NO: 16), was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells. 'n.d.' indicates that inhibition levels were not measured using the particular primer probe set.

[0306] The newly designed modified oligonucleotides in the Tables below were designed as 5-10-5 MOE gapmers. The 5-10-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of ten 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising five nucleosides each. Each nucleoside in the 5' wing segment and each nucleoside in the 3' wing segment has a 2'-MOE modification. The internucleoside linkages throughout each gapmer are phosphorothioate linkages. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000). 'n/a' indicates that the modified oligonucleotide does not target that particular gene sequence with 100% complementarity.

Table 1

Percent Inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590065	1	20	CGCCCCTCTGGCCCCAAAC	7	807	826	118
590066	35	54	CCGCGACTACTTTATAGGCC	5	841	860	119
333611	167	186	CCGTGCCCCCTTCAGCACGCA	85	973	992	21
590067	202	221	CCTTCTGCTCGAAATTGATG	74	1008	1027	120
590068	203	222	TCCTTCTGCTCGAAATTGAT	58	n/a	n/a	121
590069	204	223	TTCCTTCTGCTCGAAATTGA	50	n/a	n/a	122
590070	205	224	TTTCCTTCTGCTCGAAATTG	47	n/a	n/a	123
590071	206	225	CTTTCCTTCTGCTCGAAATT	31	n/a	n/a	124
590072	207	226	ACTTTCCTTCTGCTCGAAAT	42	n/a	n/a	125
590073	208	227	TACTTTCCTTCTGCTCGAAA	38	n/a	n/a	126
590074	209	228	TACTTTCCTTCTGCTCGAA	33	n/a	n/a	127
590075	210	229	ATTACTTTCCTTCTGCTCGA	39	n/a	n/a	128
590076	211	230	CATTACTTTCCTTCTGCTCG	28	n/a	n/a	129
590077	212	231	CCATTACTTTCCTTCTGCTC	58	n/a	n/a	130
590078	213	232	TCCATTACTTTCCTTCTGCT	58	n/a	n/a	131
590079	214	233	GTCCATTACTTTCCTTCTGC	69	n/a	n/a	132
590080	215	234	GGTCCATTACTTTCCTTCTG	68	n/a	n/a	133
590081	216	235	TGGTCCATTACTTTCCTTCT	61	n/a	n/a	134
590082	217	236	CTGGTCCATTACTTTCCTTC	69	n/a	n/a	135
590083	218	237	ACTGGTCCATTACTTTCCTT	54	4972	4991	136

Percent Inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
150445	219	238	CACTGGTCCATTACTTTCCT	84	4973	4992	22
590084	220	239	TCACTGGTCCATTACTTTCC	65	4974	4993	137
590085	221	240	TTCACTGGTCCATTACTTTC	45	4975	4994	138
590086	222	241	CTTCACTGGTCCATTACTTT	43	4976	4995	139
590087	223	242	CCTTCACTGGTCCATTACTT	67	4977	4996	140
590088	224	243	ACCTTCACTGGTCCATTACT	59	4978	4997	141
436841	225	244	CACCTTCACTGGTCCATTAC	65	4979	4998	142
150446	226	245	ACACCTTCACTGGTCCATTA	83	4980	4999	23
393336	227	246	CACACCTTCACTGGTCCATT	81	4981	5000	143
150447	228	247	CCACACCTTCACTGGTCCAT	89	4982	5001	24
590089	229	248	CCCACACCTTCACTGGTCCA	82	4983	5002	144
590090	230	249	CCCCACACCTTCACTGGTCC	89	4984	5003	145
590091	231	250	TCCCCACACCTTCACTGGTC	84	4985	5004	146
590092	232	251	TTCCCCACACCTTCACTGGT	61	4986	5005	147
590093	233	252	CTTCCCCACACCTTCACTGG	60	4987	5006	148
590094	234	253	GCTTCCCCACACCTTCACTG	78	4988	5007	149
590095	235	254	TGCTTCCCCACACCTTCACT	72	4989	5008	150
590096	236	255	ATGCTTCCCCACACCTTCAC	76	4990	5009	151
393337	237	256	AATGCTTCCCCACACCTTCA	76	4991	5010	152
590097	238	257	TAATGCTTCCCCACACCTTC	68	4992	5011	153
590098	264	283	TCCATGCAGGCCTTCAGTCA	63	5018	5037	154
590099	265	284	ATCCATGCAGGCCTTCAGTC	64	5019	5038	155
590100	266	285	AATCCATGCAGGCCTTCAGT	52	5020	5039	156
590101	267	286	GAATCCATGCAGGCCTTCAG	53	5021	5040	157
590102	268	287	GGAATCCATGCAGGCCTTCA	65	5022	5041	158
393339	269	288	TGGAATCCATGCAGGCCTTC	43	5023	5042	159
590103	270	289	ATGGAATCCATGCAGGCCTT	56	5024	5043	160
590104	271	290	CATGGAATCCATGCAGGCCT	57	5025	5044	161
590105	272	291	ACATGGAATCCATGCAGGCC	52	5026	5045	162
590106	273	292	AACATGGAATCCATGCAGGC	54	5027	5046	163
590107	274	293	GAACATGGAATCCATGCAGG	51	5028	5047	164
590108	275	294	TGAACATGGAATCCATGCAG	58	5029	5048	165
393340	276	295	ATGAACATGGAATCCATGCA	62	5030	5049	166
590109	316	335	GACCTGCACTGGTACAGCCT	69	7632	7651	167
436847	317	336	GGACCTGCACTGGTACAGCC	74	7633	7652	168
590110	318	337	AGGACCTGCACTGGTACAGC	70	7634	7653	169
590111	319	338	GAGGACCTGCACTGGTACAG	74	7635	7654	170
590112	320	339	TGAGGACCTGCACTGGTACA	68	7636	7655	171
590113	321	340	GTGAGGACCTGCACTGGTAC	80	7637	7656	172
393343	322	341	AGTGAGGACCTGCACTGGTA	79	7638	7657	173
590114	323	342	AAGTGAGGACCTGCACTGGT	65	7639	7658	174
590115	324	343	AAAGTGAGGACCTGCACTGG	48	7640	7659	175
590116	325	344	TAAAGTGAGGACCTGCACTG	51	7641	7660	176

Percent Inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
436848	326	345	TTAAAGTGAGGACCTGCACT	59	7642	7661	177
590117	327	346	ATTAAAGTGAGGACCTGCAC	43	7643	7662	178
590118	328	347	GATTAAAGTGAGGACCTGCA	43	7644	7663	179
590119	329	348	GGATTAAAGTGAGGACCTGC	67	7645	7664	180
590120	330	349	AGGATTAAAGTGAGGACCTG	63	7646	7665	181
436849	331	350	GAGGATTAAAGTGAGGACCT	64	7647	7666	182
393344	332	351	AGAGGATTAAAGTGAGGACC	59	7648	7667	183
590121	333	352	TAGAGGATTAAAGTGAGGAC	52	7649	7668	184
590122	334	353	ATAGAGGATTAAAGTGAGGA	36	7650	7669	185
590123	335	354	GATAGAGGATTAAAGTGAGG	25	7651	7670	186
590124	336	355	GGATAGAGGATTAAAGTGAG	34	7652	7671	187
590125	337	356	TGGATAGAGGATTAAAGTGA	49	7653	7672	188
590126	338	357	CTGGATAGAGGATTAAAGTG	34	7654	7673	189
590127	339	358	TCTGGATAGAGGATTAAAGT	39	7655	7674	190
590128	360	379	ATCCTTTGGCCCACCGTGTT	60	7676	7695	191

Table 2

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID : 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	76	95	973	992	21
393347	361	380	CATCCTTTGGCCCACCGTGT	70	72	7677	7696	192
590129	362	381	TCATCCTTTGGCCCACCGTG	66	68	7678	7697	193
590130	363	382	TTCATCCTTTGGCCCACCGT	53	55	7679	7698	194
590131	364	383	CTTCATCCTTTGGCCCACCG	52	50	7680	7699	195
590132	365	384	TCTTCATCCTTTGGCCCACC	61	64	7681	7700	196
590133	366	385	CTCTTCATCCTTTGGCCCAC	45	54	7682	7701	197
590134	367	386	TCTCTTCATCCTTTGGCCCA	44	34	7683	7702	198
590135	368	387	CTCTCTTCATCCTTTGGCCC	52	49	7684	7703	199
590136	369	388	CCTCTCTTCATCCTTTGGCC	48	47	7685	7704	200
590137	370	389	GCCTCTCTTCATCCTTTGGC	35	44	n/a	n/a	201
590138	371	390	TGCCTCTCTTCATCCTTTGG	52	45	n/a	n/a	202
590139	372	391	ATGCCTCTCTTCATCCTTTG	50	45	n/a	n/a	203
590140	373	392	CATGCCTCTCTTCATCCTTT	49	27	n/a	n/a	204
590141	374	393	ACATGCCTCTCTTCATCCTT	34	18	n/a	n/a	205
590142	375	394	AACATGCCTCTCTTCATCCT	38	35	n/a	n/a	206
333612	376	395	CAACATGCCTCTCTTCATCC	34	33	n/a	n/a	25
333613	377	396	CCAACATGCCTCTCTTCATC	46	55	n/a	n/a	26
333614	378	397	TCCAACATGCCTCTCTTCAT	42	48	n/a	n/a	27
333615	379	398	CTCCAACATGCCTCTCTTCA	42	15	n/a	n/a	28
333616	380	399	TCTCCAACATGCCTCTCTTC	35	44	n/a	n/a	29
333617	381	400	GTCTCCAACATGCCTCTCTT	42	47	n/a	n/a	30

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID : 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590143	501	520	TGCTTTTTTCATGGACCACCA	n.d.	65	n/a	n/a	207
590144	502	521	CTGCTTTTTTCATGGACCACC	n.d.	70	n/a	n/a	208
590145	503	522	TCTGCTTTTTTCATGGACCAC	n.d.	64	n/a	n/a	209
436860	504	523	ATCTGCTTTTTTCATGGACCA	n.d.	65	n/a	n/a	210
590146	505	524	CATCTGCTTTTTTCATGGACC	n.d.	68	9655	9674	211
590147	506	525	TCATCTGCTTTTTTCATGGAC	n.d.	59	9656	9675	212
393359	507	526	GTCATCTGCTTTTTTCATGGA	n.d.	56	9657	9676	213
590148	508	527	AGTCATCTGCTTTTTTCATGG	n.d.	45	9658	9677	214
590149	509	528	AAGTCATCTGCTTTTTTCATG	n.d.	23	9659	9678	215
590150	510	529	CAAGTCATCTGCTTTTTTCAT	n.d.	43	9660	9679	216
590151	511	530	CCAAGTCATCTGCTTTTTTCA	n.d.	72	9661	9680	217
489513	512	531	CCCAAGTCATCTGCTTTTTTC	n.d.	73	9662	9681	218
590152	513	532	GCCCAAGTCATCTGCTTTTTT	n.d.	74	9663	9682	219
436861	514	533	TGCCCAAGTCATCTGCTTTTT	n.d.	75	9664	9683	220
590153	515	534	TTGCCCAAGTCATCTGCTTT	n.d.	47	9665	9684	221
393360	516	535	TTTGCCCAAGTCATCTGCTT	n.d.	57	9666	9685	222
590154	517	536	CTTTGCCCAAGTCATCTGCT	n.d.	79	9667	9686	223
590155	518	537	CCTTTGCCCAAGTCATCTGC	n.d.	67	9668	9687	224
590156	519	538	ACCTTTGCCCAAGTCATCTG	n.d.	57	9669	9688	225
333620	520	539	CACCTTTGCCCAAGTCATCT	n.d.	68	9670	9689	31
333621	521	540	CCACCTTTGCCCAAGTCATC	n.d.	72	9671	9690	32
333622	522	541	TCCACCTTTGCCCAAGTCAT	n.d.	77	9672	9691	33
333623	523	542	TTCCACCTTTGCCCAAGTCA	n.d.	73	9673	9692	34
333624	524	543	TTCCACCTTTGCCCAAGTC	n.d.	77	9674	9693	35
333625	525	544	ATTTCCACCTTTGCCCAAGT	n.d.	79	9675	9694	36
333626	526	545	CATTTCCACCTTTGCCCAAG	n.d.	72	9676	9695	37
333627	527	546	TCATTTCCACCTTTGCCCAA	n.d.	55	9677	9696	38
333628	528	547	TTCATTTCCACCTTTGCCCA	n.d.	59	9678	9697	39
333629	529	548	CTTCATTTCCACCTTTGCCC	n.d.	73	9679	9698	40
333630	530	549	TCTTCATTTCCACCTTTGCC	n.d.	76	9680	9699	41
333631	531	550	TTCTTCATTTCCACCTTTGC	n.d.	62	9681	9700	42
333632	532	551	TTTCTTCATTTCCACCTTTG	n.d.	64	9682	9701	43
333633	533	552	CTTTCTTCATTTCCACCTTT	n.d.	69	9683	9702	44
333634	534	553	ACTTTCTTCATTTCCACCTT	n.d.	55	9684	9703	45
333635	535	554	TACTTTCTTCATTTCCACCT	n.d.	72	9685	9704	46
489517	582	601	CCCAATTACACCACAAGCCA	68	72	9732	9751	226
436863	583	602	TCCCAATTACACCACAAGCC	83	86	9733	9752	227
590157	584	603	ATCCCAATTACACCACAAGC	64	62	9734	9753	228
590158	585	604	GATCCCAATTACACCACAAG	51	61	9735	9754	229
590159	586	605	CGATCCCAATTACACCACAA	60	55	9736	9755	230
590160	587	606	GCGATCCCAATTACACCACA	59	63	9737	9756	231
150463	588	607	GGCGATCCCAATTACACCAC	78	79	9738	9757	47
393363	589	608	GGGCGATCCCAATTACACCA	65	65	9739	9758	232

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID : 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590161	590	609	TGGGCGATCCCAATTACACC	56	60	9740	9759	233
590162	591	610	TTGGGCGATCCCAATTACAC	48	51	9741	9760	234
489518	592	611	ATTGGGCGATCCCAATTACA	51	59	9742	9761	235
436864	593	612	TATTGGGCGATCCCAATTAC	39	41	9743	9762	236
590163	594	613	TTATTGGGCGATCCCAATTA	35	34	9744	9763	237
590164	595	614	TTTATTGGGCGATCCCAATT	42	44	9745	9764	238
590165	596	615	GTTTATTGGGCGATCCCAAT	58	61	9746	9765	239
393364	597	616	TGTTTATTGGGCGATCCCAA	60	69	9747	9766	240
590166	598	617	ATGTTTATTGGGCGATCCCA	51	54	9748	9767	241
590167	599	618	AATGTTTATTGGGCGATCCC	48	45	9749	9768	242
590168	600	619	GAATGTTTATTGGGCGATCC	60	65	9750	9769	243
150464	601	620	GGAATGTTTATTGGGCGATC	58	63	9751	9770	48
393365	607	626	TCCAAGGGAATGTTTATTGG	50	58	9757	9776	244

Table 3

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	80	973	992	21
590169	608	627	ATCCAAGGGAATGTTTATTG	63	9758	9777	245
590170	609	628	CATCCAAGGGAATGTTTATT	53	9759	9778	246
590171	610	629	ACATCCAAGGGAATGTTTAT	49	9760	9779	247
590172	611	630	TACATCCAAGGGAATGTTTA	56	9761	9780	248
489519	612	631	CTACATCCAAGGGAATGTTT	60	9762	9781	249
590173	613	632	ACTACATCCAAGGGAATGTT	61	9763	9782	250
590174	614	633	GACTACATCCAAGGGAATGT	65	9764	9783	251
393366	615	634	AGACTACATCCAAGGGAATG	58	9765	9784	252
590175	616	635	CAGACTACATCCAAGGGAAT	50	9766	9785	253
436865	617	636	TCAGACTACATCCAAGGGAA	69	9767	9786	254
590176	618	637	CTCAGACTACATCCAAGGGA	78	9768	9787	255
150465	619	638	CCTCAGACTACATCCAAGGG	91	9769	9788	49
590177	620	639	GCCTCAGACTACATCCAAGG	90	9770	9789	256
590178	621	640	GGCCTCAGACTACATCCAAG	92	9771	9790	257
489520	622	641	GGGCCTCAGACTACATCCAA	88	9772	9791	258
590179	643	662	CAGGATAACAGATGAGTTAA	79	9793	9812	259
590180	644	663	GCAGGATAACAGATGAGTTA	83	9794	9813	260
590181	645	664	AGCAGGATAACAGATGAGTT	81	9795	9814	261
590182	646	665	TAGCAGGATAACAGATGAGT	68	9796	9815	262
590183	647	666	CTAGCAGGATAACAGATGAG	74	9797	9816	263
590184	648	667	GCTAGCAGGATAACAGATGA	70	9798	9817	264
393370	649	668	AGCTAGCAGGATAACAGATG	61	9799	9818	265
590185	650	669	CAGCTAGCAGGATAACAGAT	78	9800	9819	266

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590186	651	670	ACAGCTAGCAGGATAACAGA	72	9801	9820	267
489522	652	671	TACAGCTAGCAGGATAACAG	78	9802	9821	268
590187	653	672	CTACAGCTAGCAGGATAACA	88	9803	9822	269
378879	654	673	TCTACAGCTAGCAGGATAAC	86	9804	9823	270
590188	655	674	TTCTACAGCTAGCAGGATAA	85	9805	9824	271
393371	656	675	TTTCTACAGCTAGCAGGATA	84	9806	9825	272
436868	657	676	ATTTCTACAGCTAGCAGGAT	81	9807	9826	273
590189	658	677	CATTTCTACAGCTAGCAGGA	87	9808	9827	274
590190	659	678	ACATTTCTACAGCTAGCAGG	92	9809	9828	275
590191	660	679	TACATTTCTACAGCTAGCAG	88	9810	9829	276
590192	661	680	ATACATTTCTACAGCTAGCA	88	9811	9830	277
489523	662	681	GATACATTTCTACAGCTAGC	93	9812	9831	278
590193	683	702	ACAGTGTTTAATGTTTATCA	74	9833	9852	279
590194	684	703	TACAGTGTTTAATGTTTATC	64	9834	9853	280
590195	685	704	TTACAGTGTTTAATGTTTAT	56	9835	9854	281
590196	686	705	ATTACAGTGTTTAATGTTTA	50	9836	9855	282
590197	687	706	GATTACAGTGTTTAATGTTT	74	9837	9856	283
590198	688	707	AGATTACAGTGTTTAATGTT	37	9838	9857	284
590199	689	708	AAGATTACAGTGTTTAATGT	58	9839	9858	285
393375	690	709	TAAGATTACAGTGTTTAATG	58	9840	9859	286
590200	691	710	TTAAGATTACAGTGTTTAAT	46	9841	9860	287
436876	772	791	CAAATCTTCCAAGTGATCAT	36	9922	9941	288
590201	773	792	ACAAATCTTCCAAGTGATCA	33	9923	9942	289
590202	774	793	TACAAATCTTCCAAGTGATC	34	9924	9943	290
150474	775	794	ATACAAATCTTCCAAGTGAT	47	9925	9944	50
590203	776	795	TATACAAATCTTCCAAGTGA	29	9926	9945	291
393382	777	796	CTATACAAATCTTCCAAGTG	41	9927	9946	292
436877	778	797	ACTATACAAATCTTCCAAGT	45	9928	9947	293
590204	779	798	AACTATACAAATCTTCCAAG	27	9929	9948	294
590205	780	799	AAACTATACAAATCTTCCAA	33	9930	9949	295
590206	781	800	AAAACATACAAATCTTCCA	35	9931	9950	296
489533	782	801	TAAAACATACAAATCTTCC	26	9932	9951	297
590207	783	802	ATAAACTATACAAATCTTC	19	9933	9952	298
590208	784	803	TATAAACTATACAAATCTT	2	9934	9953	299
590209	785	804	TTATAAACTATACAAATCT	7	9935	9954	300
590210	786	805	TTTATAAACTATACAAATC	0	9936	9955	301
590211	787	806	TTTTATAAACTATACAAAT	4	9937	9956	302
590212	788	807	GTTTTATAAACTATACAAA	5	9938	9957	303
590213	789	808	AGTTTTATAAACTATACAA	3	9939	9958	304
436878	790	809	GAGTTTTATAAACTATACA	7	9940	9959	305
150475	791	810	TGAGTTTTATAAACTATAC	28	9941	9960	51
489536	812	831	CATTGAAACAGACATTTTAA	28	9962	9981	306
150479	813	832	TCATTGAAACAGACATTTTA	36	9963	9982	52

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
393385	814	833	GTCATTGAAACAGACATTTT	50	9964	9983	307
590214	815	834	GGTCATTGAAACAGACATTT	45	9965	9984	308
590215	816	835	AGGTCATTGAAACAGACATT	47	9966	9985	309
590216	817	836	CAGGTCATTGAAACAGACAT	39	9967	9986	310
590217	818	837	ACAGGTCATTGAAACAGACA	44	9968	9987	311
590218	819	838	TACAGGTCATTGAAACAGAC	42	9969	9988	312
150480	820	839	ATACAGGTCATTGAAACAGA	46	9970	9989	53
393386	821	840	AATACAGGTCATTGAAACAG	36	9971	9990	313
489537	822	841	AAATACAGGTCATTGAAACA	12	9972	9991	314
590219	823	842	AAAATACAGGTCATTGAAAC	16	9973	9992	315
590220	824	843	CAAATACAGGTCATTGAAA	21	9974	9993	316

Table 4

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590251	n/a	n/a	CCTTGCCTTCTGCTCGAAAT	57	1013	1032	317
590252	n/a	n/a	AATAAAGTTGACCTCTTTTT	45	5479	5498	318
590253	n/a	n/a	CTCTGATATAAAAATCTTGT	54	8142	8161	319
590254	n/a	n/a	GCCCCGCGGCGGCCTCGGTC	38	1238	1257	320
590255	n/a	n/a	GCTATCGCCATTATTACAAG	38	7722	7741	321
590256	n/a	n/a	CTCAAATGTGAAAGTTGTCC	57	3414	3433	322
590257	n/a	n/a	GTTCTATATTCAATAAATGC	37	7925	7944	323
590258	n/a	n/a	AATTAAAGTTCCCAAATACA	0	7578	7597	324
590259	n/a	n/a	GATCATTACAAAAGTTAAGA	17	6150	6169	325
590260	n/a	n/a	CCTTCTCTGCCCTTGCAGCC	55	1685	1704	326
590261	n/a	n/a	ACCCAAATAACTATGTTGTA	n.d.	9394	9413	327
590262	n/a	n/a	CCAGGTTTTAACTTAACAA	n.d.	8890	8909	328
590263	n/a	n/a	ATCTCAGGACTAAAATAAAC	44	3663	3682	329
590264	n/a	n/a	AAATAACTATGTTGTAGACC	n.d.	9390	9409	330
590265	n/a	n/a	AAGAACCTTTTCCAGAAAT	37	2449	2468	331
590266	n/a	n/a	GGAACAGAAACAAGTCTATG	25	7458	7477	332
590267	n/a	n/a	AGAAAGCTATCGCCATTATT	27	7727	7746	333
590268	n/a	n/a	TTCCCAAATACATTCTAAAA	7	7570	7589	334
590269	n/a	n/a	AACTGCTCTAGGCCTGTGTC	53	4787	4806	335
590270	n/a	n/a	AAATGGATCAAATCTGATCA	31	6595	6614	336
590271	n/a	n/a	GTAGGTGCACATCAAATCA	58	1928	1947	337
590272	n/a	n/a	TCTGATATAAAAATCTTGTC	28	8141	8160	338
590273	n/a	n/a	ACCATATGAACTCCAGAAAG	45	7741	7760	339
590274	n/a	n/a	AACATCAAGGTAGTTCATGA	10	8379	8398	340
590275	n/a	n/a	GCAATTACAGAAATGGATCA	42	6605	6624	341
590276	n/a	n/a	TTTTAAGCATATTCCAAAGT	45	6331	6350	342
590277	n/a	n/a	TCAACCCCCAGCTCAAACAC	26	6174	6193	343

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590278	n/a	n/a	AGAAAAATAACATTAATCCT	n.d.	9541	9560	344
590279	n/a	n/a	AAGATTTTAAACACGGAATA	31	3085	3104	345
146145	165	184	GTCGCCCTTCAGCACGCACA	82	971	990	54
333611	167	186	CCGTCGCCCTTCAGCACGCA	81	973	992	21
590250	399	418	AGCAGTCACATTGCCCAAGT	75	8454	8473	346
489525	682	701	CAGTGTTTAATGTTTATCAG	69	9832	9851	347
436879	825	844	GCAAAATACAGGTCATTGAA	49	9975	9994	348
590221	826	845	GGCAAAATACAGGTCATTGA	54	9976	9995	349
590222	827	846	TGGCAAAATACAGGTCATTG	52	9977	9996	350
393387	828	847	CTGGCAAAATACAGGTCATT	51	9978	9997	351
590223	829	848	TCTGGCAAAATACAGGTCAT	47	9979	9998	352
590224	830	849	GTCTGGCAAAATACAGGTCA	44	9980	9999	353
590225	831	850	AGTCTGGCAAAATACAGGTC	50	9981	10000	354
489538	832	851	AAGTCTGGCAAAATACAGGT	38	9982	10001	355
590226	833	852	TAAGTCTGGCAAAATACAGG	33	9983	10002	356
590227	834	853	TTAAGTCTGGCAAAATACAG	20	9984	10003	357
150482	853	872	TTTAATACCCATCTGTGATT	29	10003	10022	55
590228	854	873	GTTTAATACCCATCTGTGAT	33	10004	10023	358
150483	855	874	AGTTTAATACCCATCTGTGA	44	10005	10024	56
590229	856	875	AAGTTTAATACCCATCTGTG	51	10006	10025	359
590230	857	876	CAAGTTTAATACCCATCTGT	42	10007	10026	360
590231	858	877	ACAAGTTTAATACCCATCTG	38	10008	10027	361
393389	859	878	GACAAGTTTAATACCCATCT	48	10009	10028	362
590232	860	879	TGACAAGTTTAATACCCATC	55	10010	10029	363
590233	861	880	CTGACAAGTTTAATACCCAT	49	10011	10030	364
489541	862	881	TCTGACAAGTTTAATACCCA	52	10012	10031	365
590234	863	882	TTCTGACAAGTTTAATACCC	39	10013	10032	366
590235	864	883	ATTCTGACAAGTTTAATACC	21	10014	10033	367
590236	865	884	AATTCTGACAAGTTTAATAC	4	10015	10034	368
393390	866	885	AAATTCTGACAAGTTTAATA	7	10016	10035	369
590237	867	886	GAAATTCTGACAAGTTTAAT	5	10017	10036	370
436881	868	887	AGAAATTCTGACAAGTTTAA	33	10018	10037	371
590238	869	888	AAGAAATTCTGACAAGTTTA	20	10019	10038	372
590239	891	910	TTATTCACAGGCTTGAATGA	23	10041	10060	373
489544	892	911	TTTATTCACAGGCTTGAATG	41	10042	10061	374
590240	893	912	TTTTATTCACAGGCTTGAAT	40	10043	10062	375
436884	894	913	TTTTTATTCACAGGCTTGAA	31	10044	10063	376
590241	895	914	GTTTTTATTCACAGGCTTGA	39	10045	10064	377
150488	896	915	GGTTTTTATTCACAGGCTTG	51	10046	10065	57
590242	897	916	GGGTTTTTATTCACAGGCTT	46	10047	10066	378
150489	898	917	AGGGTTTTTATTCACAGGCT	52	10048	10067	58
590243	899	918	CAGGGTTTTTATTCACAGGC	49	10049	10068	379
590244	900	919	ACAGGGTTTTTATTCACAGG	38	10050	10069	380

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590245	901	920	TACAGGGTTTTTATTCACAG	34	10051	10070	381
150490	902	921	ATACAGGGTTTTTATTCACA	30	10052	10071	59
590246	903	922	CATACAGGGTTTTTATTCAC	34	10053	10072	382
150491	904	923	CCATACAGGGTTTTTATTCA	34	10054	10073	60
590247	905	924	GCCATACAGGGTTTTTATTC	34	10055	10074	383
590248	906	925	TGCCATACAGGGTTTTTATT	33	10056	10075	384
393393	907	926	GTGCCATACAGGGTTTTTAT	43	10057	10076	385
590249	908	927	AGTGCCATACAGGGTTTTTA	12	10058	10077	386

Table 5

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	86	973	992	21
590280	n/a	n/a	TGGAAAACTCAAATGTGAA	51	3422	3441	387
590281	n/a	n/a	TTTCCCTTTCTTTTCCACAC	76	5738	5757	388
590282	n/a	n/a	TCTTTCCCTTTCTTTTCCAC	65	5740	5759	389
590283	n/a	n/a	TACCTTCTCTGCCCTTGCAG	74	1687	1706	390
590284	n/a	n/a	GCAAGGGCCAAGGCTGCTGC	75	6879	6898	391
590285	n/a	n/a	AAAGCTAAATTATGAATTAA	12	7592	7611	392
590286	n/a	n/a	CTAATGAAGGCTCAGTATGA	59	3193	3212	393
590287	n/a	n/a	GGAGTCAAATGCCAAAGAAC	60	2463	2482	394
590288	n/a	n/a	TGAATTAAAGTTCCCAAATA	5	7580	7599	395
590289	n/a	n/a	ACTTGGTGCAGGCAGAATAT	63	6916	6935	396
590290	n/a	n/a	CCTCTGATATAAAAATCTTG	67	8143	8162	397
590291	n/a	n/a	AAAGTTGGAGAGAGTTTCTG	8	4940	4959	398
590292	n/a	n/a	TCTCTGCCCTTGCAGCCCAA	80	1682	1701	399
590293	n/a	n/a	TTACTTGGTGCAGGCAGAAT	56	6918	6937	400
590294	n/a	n/a	AATGGAGTCAAATGCCAAAG	66	2466	2485	401
590295	n/a	n/a	TATGAATTAAAGTTCCCAA	20	7582	7601	402
590296	n/a	n/a	AGTTCTATATTCAATAAATG	21	7926	7945	403
590297	n/a	n/a	TACAAGTAGTATACCATATG	33	7753	7772	404
590298	n/a	n/a	TAGCCTTAGAGCTGTACAAA	70	1553	1572	405
590299	n/a	n/a	GTCCCCATTTGTCAATTCCT	71	7882	7901	406
590300	n/a	n/a	AACCTGCCTACTGGCAGAGC	59	2095	2114	407
590301	n/a	n/a	CTTGTTCCCACACTCAATGC	56	4747	4766	408
590302	n/a	n/a	ACAAGTCATGATAACCTGCA	61	8952	8971	409
590303	n/a	n/a	TGTTTTCCAAACTCAGATCT	52	8796	8815	410
590304	n/a	n/a	AGAACCTCATAATATTAGAA	9	9557	9576	411
590305	n/a	n/a	GGTTTTAAACTTAACAAAAT	1	8887	8906	412
590306	n/a	n/a	CTCTGGTGTATTTTATAGTAA	65	1831	1850	413
590307	n/a	n/a	TATCTCTGCATATCTGGA	71	3034	3053	414
590308	n/a	n/a	CAGCCTTTTAAACCCAAAAG	68	4407	4426	415

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590309	n/a	n/a	TGGAATGCTCCACTATCCAA	57	3012	3031	416
590310	n/a	n/a	CGTTCAGAAGTTTGTCTCTG	67	2126	2145	417
590311	n/a	n/a	CTGCTCAGGGAAGGTGGAAA	53	2922	2941	418
590312	n/a	n/a	TCAAGAGAAGCTAGGAAAAC	50	3154	3173	419
590313	n/a	n/a	TCCCTTTCTTTTCCACACCT	74	5736	5755	420
590314	n/a	n/a	TTGTTCCCACACTCAATGCA	56	4746	4765	421
590315	n/a	n/a	TCACCAGCACAGCACAACAC	58	5076	5095	422
590316	n/a	n/a	CCTGGGATCATTACAAAAGT	42	6155	6174	423
590317	n/a	n/a	AGTAGTATACCATATGAACT	35	7749	7768	424
590318	n/a	n/a	TCTAATATGGTCAAATGTAA	27	8779	8798	425
590319	n/a	n/a	GGTTGGGCTCTGGTGTATTT	64	1838	1857	426
590320	n/a	n/a	TGCCCTTTACTTGGTGCAGG	56	6924	6943	427
590321	n/a	n/a	AGAGAGTTTCTGAACAAAGA	24	4932	4951	428
590322	n/a	n/a	GAATTCAGCAATTACAGAA	33	6613	6632	429
590323	n/a	n/a	ACAAGTTAAACAAGTCATGA	9	8961	8980	430
590324	n/a	n/a	TGTGCCCTTTACTTGGTGCA	47	6926	6945	431
590325	n/a	n/a	TTAGGAGGAGGAAAAGGACC	23	1719	1738	432
590326	n/a	n/a	ACTGGCAGAGCAATTTTAAA	25	2086	2105	433
590327	n/a	n/a	AGTCAAATGCCAAAGAACCT	58	2461	2480	434
590328	n/a	n/a	AAGCATCAGATGGATTAGGG	17	8411	8430	435
590329	n/a	n/a	GTCCGCGGGACCCTCAGGAA	54	1414	1433	436
590330	n/a	n/a	CAATTACAGAAATGGATCAA	42	6604	6623	437
590331	n/a	n/a	GCTGTCAAGTAATCACTACC	27	9606	9625	438
590332	n/a	n/a	AGTGCAAAGTTGGAGAGAGT	33	4945	4964	439
590333	n/a	n/a	ACTTGCTTCCAATCCCAAAT	78	6436	6455	440
590334	n/a	n/a	AACTCAAATGTGAAAGTTGT	51	3416	3435	441
590335	n/a	n/a	TTTTAGTAAGATCTTCAAAT	14	1820	1839	442
590336	n/a	n/a	ATTCAGCAATTACAGAAAT	27	6611	6630	443
590337	n/a	n/a	TTAAGTGTCCCCATTTGTCA	56	7888	7907	444
590338	n/a	n/a	TTAGCAACCTGCCTACTGGC	57	2100	2119	445
590339	n/a	n/a	TATTACAAGAGTTAAGCATC	41	7711	7730	446
590340	n/a	n/a	ATGTTGAATATACATGTACA	36	4545	4564	447
590341	n/a	n/a	TTTGTCTCTGACCATCTTAG	74	2116	2135	448
590342	n/a	n/a	TTTTCCACCAGTTGGTAACT	59	2253	2272	449
590343	n/a	n/a	CAACAGCTTCCCACAAGTTA	28	8973	8992	450
590344	n/a	n/a	CAAATGTGAAAGTTGTCCCT	62	3412	3431	451
590345	n/a	n/a	GCTACCTTCTCTGCCCTTGC	73	1689	1708	452
590346	n/a	n/a	TCTTAGCAGAACAGTGTTCT	51	8743	8762	453
590347	n/a	n/a	ATACATTCTAAAAAGAAACA	41	7563	7582	454
590348	n/a	n/a	GCACATATTTACAAGTAGTA	58	7762	7781	455
590349	n/a	n/a	GGGTCACCAGCACAGCACAA	35	5079	5098	456
590350	n/a	n/a	GTGCAAGGGCCAAGGCTGCT	66	6881	6900	457
590351	n/a	n/a	ACCTGGGTTCATGCATGGAT	72	2902	2921	458

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590352	n/a	n/a	ATCACTATTTGAACTAAAT	0	6569	6588	459
590353	n/a	n/a	ATACAATAAAGTTGACCTCT	64	5483	5502	460
590354	n/a	n/a	TTTTAAACTTAACAAAATGT	10	8885	8904	461
590355	n/a	n/a	CTCCCCGCGCTCCCGCCACG	15	1268	1287	462
590356	n/a	n/a	GAAGGCTCAGTATGAAGAGA	65	3188	3207	463

Table 6

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTGCCCCCTTCAGCACGCA	87	973	992	21
590357	n/a	n/a	AGAAAACAGCTGATTTACCT	40	4915	4934	464
590358	n/a	n/a	CCACAAGTTAAACAAGTCAT	n.d.	8963	8982	465
590359	n/a	n/a	CAAATTTGCAAACAAGTAGC	61	8331	8350	466
590360	n/a	n/a	CCTAATTTGAACTGCAAGTA	n.d.	8665	8684	467
590361	n/a	n/a	AAAAAACTCATCTCCCCAGC	70	6969	6988	468
590362	n/a	n/a	AGGCTCAGTATGAAGAGATC	67	3186	3205	469
590363	n/a	n/a	TGTTATCAAGAGCACAGGGC	58	3383	3402	470
590364	n/a	n/a	CCTCAAAAGGGAGATGGTAA	41	4768	4787	471
590365	n/a	n/a	AGTATGGGTCACCAGCACAG	71	5084	5103	472
590366	n/a	n/a	TCACAATCTAGTGCAGTTAC	70	5584	5603	473
590367	n/a	n/a	CAAGTGAGAAACCCAATCCT	n.d.	8856	8875	474
590368	n/a	n/a	AGAAAATCTGGCCATTTTAA	n.d.	8832	8851	475
590369	n/a	n/a	ACAGGTAATGGTGCTCCGTG	71	3716	3735	476
590370	n/a	n/a	TGAAAGGCTTTTCAGAAAACA	44	8102	8121	477
590371	n/a	n/a	CAGGCAAGTTACAGGAAGCA	64	6687	6706	478
590372	n/a	n/a	CAGCAAGCTGCTTAACTGCT	65	4800	4819	479
590373	n/a	n/a	TGTTGCAAAGACATTACCTT	n.d.	9455	9474	480
590374	n/a	n/a	GAACTAAATTAGCAAGATG	43	6559	6578	481
590375	n/a	n/a	TCAAGAGCACAGGGCCAAAA	60	3378	3397	482
590376	n/a	n/a	AGGAGGAGGAAAAGGACCTC	53	1717	1736	483
590377	n/a	n/a	CCTCAGCCTTTTTAACCCAA	73	4410	4429	484
590378	n/a	n/a	CTATGTTGTAGACCACCACA	n.d.	9384	9403	485
590379	n/a	n/a	CTCCGTGGCTACATACAGAA	66	3703	3722	486
590380	n/a	n/a	TTTATCTGGATCTTTAGAAA	n.d.	8642	8661	487
590381	n/a	n/a	AAAAAAAGGAAAGTGAAAGT	n.d.	9279	9298	488
590382	n/a	n/a	GGTTCATGCATGGATTCTCA	76	2897	2916	489
590383	n/a	n/a	CTGCAAAGTGTACACAAAC	76	1630	1649	490
590384	n/a	n/a	TTCAGAAGTACCAAAGGGTA	53	8227	8246	491
590385	n/a	n/a	TAAAAGCATTCCAGCATTTG	44	7848	7867	492
590386	n/a	n/a	TAGTATACCATATGAACTCC	73	7747	7766	493
590387	n/a	n/a	TGCATATCTGGAAAGCTGGA	59	3028	3047	494
590388	n/a	n/a	CTTAACTGCTCTAGGCCTGT	54	4790	4809	495

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590389	n/a	n/a	AGGCACCGACCGGGCGGCAC	21	1155	1174	496
590390	n/a	n/a	TGCAAAGTTGGAGAGAGTTT	32	4943	4962	497
590391	n/a	n/a	TCCTCAAAGGGAGATGGTA	37	4769	4788	498
590392	n/a	n/a	AGTATACCATATGAACTCCA	76	7746	7765	499
590393	n/a	n/a	TATTTGTACATGTTGAATAT	2	4554	4573	500
590394	n/a	n/a	ACCCAAAAGGTGTATGTCTC	71	4396	4415	501
590395	n/a	n/a	CTTTGGAAAAAAGGAAAGT	n.d.	9285	9304	502
590396	n/a	n/a	GGGAGAAAGGCAGGCAAGTT	20	6697	6716	503
590397	n/a	n/a	TTAAGCCCAGGAAGTAAAAG	9	7862	7881	504
590398	n/a	n/a	AGACATTACCTTTAAACATT	n.d.	9447	9466	505
590399	n/a	n/a	GTGGCTTAAGAAATGCTCCG	26	2050	2069	506
590400	n/a	n/a	GTGAGAAGGGAACAGAAACA	48	7466	7485	507
590401	n/a	n/a	AAAAGCATCAGATGGATTAG	21	8413	8432	508
590402	n/a	n/a	TTCCACCAGTTGGTAACTTC	78	2251	2270	509
590403	n/a	n/a	TTTTTAGTAAGATCTTCAA	15	1821	1840	510
590404	n/a	n/a	ATCTGTGTCCAAATCCCAGG	59	4847	4866	511
590405	n/a	n/a	TAAGATCTTCAAATAAGCTA	33	1814	1833	512
590406	n/a	n/a	ATCAACTCTTCCCTTTCTT	63	5746	5765	513
590407	n/a	n/a	TGTGTCCTCAAAGGGAGAT	37	4773	4792	514
590408	n/a	n/a	TACCTCCTCCCAACAATACC	n.d.	9590	9609	515
590409	n/a	n/a	TTCTGCTTTACAACTATGGC	n.d.	9133	9152	516
590410	n/a	n/a	GTACATGTTGAATATACATG	35	4549	4568	517
590411	n/a	n/a	TTTGTGGCTAATCTTAAGGT	47	5699	5718	518
590412	n/a	n/a	TCCTGCCTCAGCCTTTTTAA	34	4415	4434	519
590413	n/a	n/a	CGGTGTCCGCGGGACCCTCA	59	1418	1437	520
590414	n/a	n/a	GAAATGGATCAAATCTGATC	50	6596	6615	521
590415	n/a	n/a	GGTAGTTCATGAGCTAAATT	31	8371	8390	522
590416	n/a	n/a	AATGGAGTCTCGACTAGTTT	62	8072	8091	523
590417	n/a	n/a	CAAGTATGGGTCACCAGCAC	57	5086	5105	524
590418	n/a	n/a	GGTGTCCGCGGGACCCTCAG	40	1417	1436	525
590419	n/a	n/a	CGCCACGCGCAGGCCCAGCC	37	1255	1274	526
590420	n/a	n/a	TCTAGGCCTGTGTCCTCAAA	75	4781	4800	527
590421	n/a	n/a	ACTGTCCTGGGCTAATGAAG	36	3204	3223	528
590422	n/a	n/a	AAGCATCTTGTTACCTCTCT	52	7698	7717	529
590423	n/a	n/a	GCCCAGGAAGTAAAAGCATT	38	7858	7877	530
590424	n/a	n/a	GTAAGATCTTCAAATAAGCT	46	1815	1834	531
590425	n/a	n/a	AAAGGGAGATGGTAATCTTG	48	4763	4782	532
590426	n/a	n/a	GCCAAGGCTGCTGCCTTACA	66	6873	6892	533
590427	n/a	n/a	CAGACTAACTGTTCTGTCC	43	2363	2382	534
590428	n/a	n/a	TTTGTCAATTCCTTTAAGCC	39	7875	7894	535
590429	n/a	n/a	ACTACCTCCTCCCAACAATA	n.d.	9592	9611	536
590430	n/a	n/a	TACCTCTCTTCATCCTTTGG	50	7687	7706	537
590431	n/a	n/a	ACTGCTCTAGGCCTGTGTCC	59	4786	4805	538

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590432	n/a	n/a	CCTCCTCCCAACAATACCCA	n.d.	9588	9607	539
590433	n/a	n/a	GGCAGGCAAGTTACAGGAAG	42	6689	6708	540

Table 7

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
592596	2	21	TCGCCCACTCTGGCCCCAAA	86	808	827	541
592597	4	23	CCTCGCCCACTCTGGCCCCA	89	810	829	542
592598	6	25	CGCCTCGCCCACTCTGGCCC	56	812	831	543
592599	8	27	CGCGCCTCGCCCACTCTGGC	68	814	833	544
592600	10	29	TCCGCGCCTCGCCCACTCTG	64	816	835	545
592601	12	31	CCTCCGCGCCTCGCCCACTC	83	818	837	546
592602	14	33	GACCTCCGCGCCTCGCCAC	89	820	839	547
592603	16	35	CAGACCTCCGCGCCTCGCCC	88	822	841	548
592604	18	37	GCCAGACCTCCGCGCCTCGC	79	824	843	549
592605	20	39	AGGCCAGACCTCCGCGCCTC	89	826	845	550
592606	22	41	ATAGGCCAGACCTCCGCGCC	88	828	847	551
592607	24	43	TTATAGGCCAGACCTCCGCG	75	830	849	552
592608	26	45	CTTTATAGGCCAGACCTCCG	21	832	851	553
592609	28	47	TACTTTATAGGCCAGACCTC	76	834	853	554
592610	30	49	ACTACTTTATAGGCCAGACC	60	836	855	555
592611	32	51	CGACTACTTTATAGGCCAGA	0	838	857	556
592612	34	53	CGCGACTACTTTATAGGCCA	0	840	859	557
592613	36	55	TCCGCGACTACTTTATAGGC	0	842	861	558
592614	38	57	TCTCCGCGACTACTTTATAG	7	844	863	559
592615	40	59	CGTCTCCGCGACTACTTTAT	0	846	865	560
592616	42	61	CCCGTCTCCGCGACTACTTT	0	848	867	561
592617	44	63	ACCCCGTCTCCGCGACTACT	0	850	869	562
592618	46	65	GCACCCCGTCTCCGCGACTA	0	852	871	563
592619	48	67	CAGCACCCCGTCTCCGCGAC	0	854	873	564
592620	50	69	ACCAGCACCCCGTCTCCGCG	0	856	875	565
592621	52	71	AAACCAGCACCCCGTCTCCG	2	858	877	566
592622	54	73	GCAAACCAGCACCCCGTCTC	4	860	879	567
592623	56	75	ACGCAAACCAGCACCCCGTC	0	862	881	568
592624	58	77	CGACGCAAACCAGCACCCCG	0	864	883	569
592625	60	79	TACGACGCAAACCAGCACCC	0	866	885	570
592626	62	81	ACTACGACGCAAACCAGCAC	0	868	887	571
592627	64	83	AGACTACGACGCAAACCAGC	1	870	889	572
592628	66	85	GGAGACTACGACGCAAACCA	0	872	891	573
592629	68	87	CAGGAGACTACGACGCAAAC	0	874	893	574
592630	70	89	TGCAGGAGACTACGACGCAA	0	876	895	575
592631	72	91	GCTGCAGGAGACTACGACGC	1	878	897	576

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
150511	74	93	ACGCTGCAGGAGACTACGAC	0	880	899	61
592632	90	109	GCAACGGAAACCCCAGACGC	2	896	915	577
592633	92	111	CTGCAACGGAAACCCCAGAC	0	898	917	578
592634	94	113	GACTGCAACGGAAACCCCAG	0	900	919	579
345715	95	114	GGACTGCAACGGAAACCCCA	0	901	920	580
592635	96	115	AGGACTGCAACGGAAACCCC	1	902	921	581
150437	98	117	CGAGGACTGCAACGGAAACC	6	904	923	62
592636	100	119	TCCGAGGACTGCAACGGAAA	6	906	925	582
592637	102	121	GTTCCGAGGACTGCAACGGA	12	908	927	583
592638	104	123	TGGTTCCGAGGACTGCAACG	0	910	929	584
592639	106	125	CCTGGTTCCGAGGACTGCAA	32	912	931	585
592640	108	127	GTCCTGGTTCCGAGGACTGC	68	914	933	586
345717	110	129	AGGTCCTGGTTCCGAGGACT	65	916	935	587
592641	112	131	CGAGGTCCTGGTTCCGAGGA	84	918	937	588
592642	114	133	GCCGAGGTCCTGGTTCCGAG	86	920	939	589
592643	116	135	ACGCCGAGGTCCTGGTTCCG	78	922	941	590
592644	118	137	CCACGCCGAGGTCCTGGTTC	79	924	943	591
345719	120	139	GGCCACGCCGAGGTCCTGGT	63	926	945	592
150441	122	141	TAGGCCACGCCGAGGTCCTG	81	928	947	63
592645	124	143	GCTAGGCCACGCCGAGGTCC	63	930	949	593
592646	126	145	TCGCTAGGCCACGCCGAGGT	56	932	951	594
592647	128	147	ACTCGCTAGGCCACGCCGAG	48	934	953	595
345721	130	149	TAAGTCGCTAGGCCACGCCG	63	936	955	596
592648	132	151	CATAACTCGCTAGGCCACGC	38	938	957	597
592649	134	153	GCCATAACTCGCTAGGCCAC	52	940	959	598
592650	136	155	TCGCCATAACTCGCTAGGCC	59	942	961	599
592651	138	157	CGTCGCCATAACTCGCTAGG	55	944	963	600
592652	156	175	CAGCACGCACACGGCCTTCG	56	962	981	601
333605	158	177	TTCAGCACGCACACGGCCTT	85	964	983	64
333606	160	179	CCTTCAGCACGCACACGGCC	82	966	985	65
146144	162	181	GCCCTTCAGCACGCACACGG	58	968	987	66
333609	164	183	TCGCCCTTCAGCACGCACAC	79	970	989	67
146145	165	184	GTCGCCCTTCAGCACGCACA	86	971	990	54
333610	166	185	CGTCGCCCTTCAGCACGCAC	79	972	991	68
333611	167	186	CCGTCGCCCTTCAGCACGCA	83	973	992	21
592653	168	187	GCCGTCGCCCTTCAGCACGC	79	974	993	602
592654	169	188	GGCCGTCGCCCTTCAGCACG	72	975	994	603
592655	170	189	GGGCCGTCGCCCTTCAGCAC	51	976	995	604
592656	172	191	CTGGGCCGTCGCCCTTCAGC	45	978	997	605
592657	174	193	CACTGGGCCGTCGCCCTTCA	33	980	999	606
592658	176	195	TGCACTGGGCCGTCGCCCTT	72	982	1001	607
592659	178	197	CCTGCACTGGGCCGTCGCC	76	984	1003	608

Table 8

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	87	973	992	21
150443	180	199	GCCCTGCACTGGGCCGTCGC	65	986	1005	69
592660	182	201	ATGCCCTGCACTGGGCCGTC	52	988	1007	609
592661	184	203	TGATGCCCTGCACTGGGCCG	30	990	1009	610
592662	186	205	GATGATGCCCTGCACTGGGC	38	992	1011	611
592663	188	207	TTGATGATGCCCTGCACTGG	36	994	1013	612
150444	190	209	AATTGATGATGCCCTGCACT	48	996	1015	70
592664	192	211	GAAATTGATGATGCCCTGCA	35	998	1017	15
592665	194	213	TCGAAATTGATGATGCCCTG	40	1000	1019	614
592666	196	215	GCTCGAAATTGATGATGCCC	68	1002	1021	615
592667	198	217	CTGCTCGAAATTGATGATGC	63	1004	1023	616
592668	200	219	TTCTGCTCGAAATTGATGAT	47	1006	1025	617
592669	239	258	TTAATGCTTCCCCACACCTT	68	4993	5012	618
592670	241	260	CTTTAATGCTTCCCCACACC	71	4995	5014	619
592671	243	262	TCCTTTAATGCTTCCCCACA	69	4997	5016	620
150448	245	264	AGTCCTTTAATGCTTCCCCA	76	4999	5018	71
592672	247	266	TCAGTCCTTTAATGCTTCCC	75	5001	5020	621
592673	249	268	AGTCAGTCCTTTAATGCTTC	58	5003	5022	622
592674	251	270	TCAGTCAGTCCTTTAATGCT	46	5005	5024	623
592675	253	272	CTTCAGTCAGTCCTTTAATG	41	5007	5026	624
592676	255	274	GCCTTCAGTCAGTCCTTTAA	62	5009	5028	625
150449	257	276	AGGCCTTCAGTCAGTCCTTT	65	5011	5030	72
592677	259	278	GCAGGCCTTCAGTCAGTCCT	69	5013	5032	626
592678	261	280	ATGCAGGCCTTCAGTCAGTC	65	5015	5034	627
592679	263	282	CCATGCAGGCCTTCAGTCAG	53	5017	5036	628
592680	277	296	CATGAACATGGAATCCATGC	63	5031	5050	629
592681	279	298	CTCATGAACATGGAATCCAT	60	5033	5052	630
592682	281	300	AACTCATGAACATGGAATCC	56	5035	5054	631
592683	284	303	CCAAACTCATGAACATGGAA	60	5038	5057	632
592684	286	305	CTCCAAACTCATGAACATGG	69	5040	5059	633
592685	288	307	ATCTCCAAACTCATGAACAT	40	5042	5061	634
592686	290	309	TTATCTCCAAACTCATGAAC	35	5044	5063	635
592687	292	311	TATTATCTCCAAACTCATGA	26	5046	5065	636
592688	294	313	TGTATTATCTCCAAACTCAT	41	5048	5067	637
150452	296	315	GCTGTATTATCTCCAAACTC	51	5050	5069	73
592689	298	317	CTGCTGTATTATCTCCAAAC	43	5052	5071	638
592690	300	319	GCCTGCTGTATTATCTCCAA	37	n/a	n/a	639
592691	302	321	CAGCCTGCTGTATTATCTCC	33	n/a	n/a	640
592692	304	323	TACAGCCTGCTGTATTATCT	27	n/a	n/a	641
592693	306	325	GGTACAGCCTGCTGTATTAT	21	n/a	n/a	642
592694	308	327	CTGGTACAGCCTGCTGTATT	23	n/a	n/a	643
592695	310	329	CACTGGTACAGCCTGCTGTA	46	n/a	n/a	644

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
592696	312	331	TGCACTGGTACAGCCTGCTG	40	n/a	n/a	645
592697	314	333	CCTGCACTGGTACAGCCTGC	62	n/a	n/a	646
592698	340	359	TTCTGGATAGAGGATTAAAG	41	7656	7675	647
592699	342	361	TTTTCTGGATAGAGGATTAA	29	7658	7677	648
592700	344	363	TGTTTTCTGGATAGAGGATT	51	7660	7679	649
592701	346	365	CGTGTTTTCTGGATAGAGGA	64	7662	7681	650
592702	348	367	ACCGTGTTTTCTGGATAGAG	44	7664	7683	651
592703	350	369	CCACCGTGTTTTCTGGATAG	62	7666	7685	652
592704	352	371	GCCCACCGTGTTTTCTGGAT	60	7668	7687	653
592705	354	373	TGGCCCACCGTGTTTTCTGG	62	7670	7689	654
592706	356	375	TTTGGCCCACCGTGTTTTCT	49	7672	7691	655
592707	358	377	CCTTTGGCCCACCGTGTTTT	52	7674	7693	656
592708	382	401	AGTCTCCAACATGCCTCTCT	53	n/a	n/a	657
592709	384	403	CAAGTCTCCAACATGCCTCT	39	n/a	n/a	658
489501	386	405	CCCAAGTCTCCAACATGCCT	75	8441	8460	659
150454	388	407	TGCCCAAGTCTCCAACATGC	86	8443	8462	74
592710	390	409	ATTGCCCAAGTCTCCAACAT	71	8445	8464	660
592711	392	411	ACATTGCCCAAGTCTCCAAC	64	8447	8466	661
592712	394	413	TCACATTGCCCAAGTCTCCA	59	8449	8468	662
489502	396	415	AGTCACATTGCCCAAGTCTC	70	8451	8470	663
592713	398	417	GCAGTCACATTGCCCAAGTC	70	8453	8472	664
592714	400	419	CAGCAGTCACATTGCCCAAG	84	8455	8474	665
592715	402	421	GTCAGCAGTCACATTGCCCA	83	8457	8476	666
592716	404	423	TTGTCAGCAGTCACATTGCC	59	8459	8478	667
489503	406	425	CTTTGTCAGCAGTCACATTG	47	8461	8480	668
592717	408	427	ATCTTTGTCAGCAGTCACAT	54	8463	8482	669
592718	410	429	CCATCTTTGTCAGCAGTCAC	76	8465	8484	670
592719	412	431	CACCATCTTTGTCAGCAGTC	75	8467	8486	671
592720	414	433	CACACCATCTTTGTCAGCAG	66	8469	8488	672
489504	416	435	GCCACACCATCTTTGTCAGC	60	8471	8490	673
592721	418	437	CGGCCACACCATCTTTGTCA	62	8473	8492	674
592722	420	439	ATCGGCCACACCATCTTTGT	57	8475	8494	675
592723	422	441	ACATCGGCCACACCATCTTT	54	8477	8496	676
150458	424	443	ACACATCGGCCACACCATCT	77	8479	8498	75
489505	426	445	AGACACATCGGCCACACCAT	84	8481	8500	677
592724	428	447	ATAGACACATCGGCCACACC	66	8483	8502	678

Table 9

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	87	n.d.	973	992	21
592725	430	449	CAATAGACACATCGGCCACA	67	65	8485	8504	679

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
592726	432	451	TTCAATAGACACATCGGCCA	62	66	8487	8506	680
592727	434	453	TCTTCAATAGACACATCGGC	56	49	8489	8508	681
489506	436	455	AATCTTCAATAGACACATCG	25	28	8491	8510	682
592728	438	457	AGAATCTTCAATAGACACAT	12	0	8493	8512	683
592729	440	459	ACAGAATCTTCAATAGACAC	24	16	8495	8514	684
592730	442	461	TCACAGAATCTTCAATAGAC	34	24	8497	8516	685
592731	444	463	GATCACAGAATCTTCAATAG	15	14	8499	8518	686
489507	446	465	GAGATCACAGAATCTTCAAT	42	46	8501	8520	687
592732	448	467	GTGAGATCACAGAATCTTCA	n.d.	58	8503	8522	688
592733	450	469	GAGTGAGATCACAGAATCTT	n.d.	45	8505	8524	689
592734	452	471	GAGAGTGAGATCACAGAATC	n.d.	48	8507	8526	690
592735	454	473	CTGAGAGTGAGATCACAGAA	n.d.	66	8509	8528	691
489508	456	475	TCCTGAGAGTGAGATCACAG	n.d.	60	8511	8530	692
333619	458	477	TCTCCTGAGAGTGAGATCAC	n.d.	65	8513	8532	76
592736	460	479	GGTCTCCTGAGAGTGAGATC	n.d.	40	8515	8534	693
592737	462	481	ATGGTCTCCTGAGAGTGAGA	n.d.	37	8517	8536	694
592738	464	483	CAATGGTCTCCTGAGAGTGA	n.d.	41	8519	8538	695
489509	466	485	TGCAATGGTCTCCTGAGAGT	n.d.	43	8521	8540	696
592739	468	487	GATGCAATGGTCTCCTGAGA	n.d.	16	8523	8542	697
592740	470	489	ATGATGCAATGGTCTCCTGA	n.d.	6	8525	8544	698
592741	472	491	CAATGATGCAATGGTCTCCT	n.d.	0	8527	8546	699
592742	474	493	GCCAATGATGCAATGGTCTC	n.d.	25	8529	8548	700
489510	476	495	CGGCCAATGATGCAATGGTC	n.d.	32	8531	8550	701
592743	478	497	TGCGGCCAATGATGCAATGG	n.d.	14	8533	8552	702
592744	480	499	TGTGCGGCCAATGATGCAAT	n.d.	0	8535	8554	703
592745	482	501	AGTGTGCGGCCAATGATGCA	n.d.	7	8537	8556	704
592746	484	503	CCAGTGTGCGGCCAATGATG	n.d.	25	8539	8558	705
489511	486	505	CACCAGTGTGCGGCCAATGA	n.d.	28	8541	8560	706
150460	488	507	ACCACCAGTGTGCGGCCAAT	n.d.	52	8543	8562	77
592747	490	509	GGACCACCAGTGTGCGGCCA	n.d.	44	n/a	n/a	707
592748	492	511	ATGGACCACCAGTGTGCGGC	n.d.	40	n/a	n/a	708
150462	494	513	TCATGGACCACCAGTGTGCG	n.d.	39	n/a	n/a	78
592749	496	515	TTTCATGGACCACCAGTGTG	n.d.	35	n/a	n/a	709
592750	498	517	TTTTTCATGGACCACCAGTG	n.d.	23	n/a	n/a	710
592751	500	519	GCTTTTTTCATGGACCACCAG	n.d.	63	n/a	n/a	711
333636	536	555	GTACTTTCTTCATTTCCACC	n.d.	65	9686	9705	79
333638	538	557	TTGTACTTTCTTCATTTCCA	n.d.	66	9688	9707	80
333640	540	559	CTTTGTACTTTCTTCATTTT	n.d.	37	9690	9709	81
592752	543	562	TGTCTTTGTACTTTCTTCAT	n.d.	63	9693	9712	712
592753	545	564	CCTGTCTTTGTACTTTCTTC	n.d.	74	9695	9714	713
592754	547	566	TTCCTGTCTTTGTACTTTCT	n.d.	72	9697	9716	714
592755	549	568	GTTTCCTGTCTTTGTACTTT	n.d.	57	9699	9718	715

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
592756	568	587	AAGCCAAACGACTTCCAGCG	72	66	9718	9737	716
592757	570	589	ACAAGCCAAACGACTTCCAG	72	74	9720	9739	717
489516	572	591	CCACAAGCCAAACGACTTCC	85	82	9722	9741	718
592758	574	593	CACCACAAGCCAAACGACTT	72	73	9724	9743	719
592759	576	595	TACACCACAAGCCAAACGAC	74	68	9726	9745	720
592760	578	597	ATTACACCACAAGCCAAACG	67	61	9728	9747	721
592761	580	599	CAATTACACCACAAGCCAAA	64	56	9730	9749	722
150466	640	659	GATAACAGATGAGTTAAGGG	66	65	9790	9809	82
489521	642	661	AGGATAACAGATGAGTTAAG	79	78	9792	9811	723
592762	663	682	GGATACATTTCTACAGCTAG	91	87	9813	9832	724
592763	665	684	CAGGATACATTTCTACAGCT	92	89	9815	9834	725
592764	667	686	ATCAGGATACATTTCTACAG	88	83	9817	9836	726
592765	669	688	TTATCAGGATACATTTCTAC	77	72	9819	9838	727
592766	671	690	GTTTATCAGGATACATTTCT	90	89	9821	9840	728
592767	673	692	ATGTTTATCAGGATACATTT	82	76	9823	9842	729
592768	675	694	TAATGTTTATCAGGATACAT	80	79	9825	9844	730
592769	677	696	TTTAATGTTTATCAGGATAC	82	78	9827	9846	731
592770	679	698	TGTTTAATGTTTATCAGGAT	79	75	9829	9848	732
592771	681	700	AGTGTTTAATGTTTATCAGG	84	81	9831	9850	733
489526	692	711	TTTAAGATTACAGTGTTTAA	36	38	9842	9861	734
592772	694	713	CTTTTAAGATTACAGTGTTT	46	47	9844	9863	735
592773	696	715	CACTTTAAAGATTACAGTGT	39	42	9846	9865	736
592774	698	717	TACACTTTTAAAGATTACAGT	21	24	9848	9867	737
592775	700	719	ATTACACTTTTAAAGATTACA	3	0	9850	9869	738
489527	702	721	CAATTACACTTTTAAAGATTA	0	0	9852	9871	739
150467	704	723	CACAATTACACTTTTAAAGAT	58	73	9854	9873	83
592776	706	725	CACACAATTACACTTTTAAAG	29	5	9856	9875	740
592777	708	727	GTCACACAATTACACTTTTA	59	49	9858	9877	741
592778	710	729	AAGTCACACAATTACACTTT	40	34	9860	9879	742
489528	712	731	AAAAGTCACACAATTACACT	31	27	9862	9881	743
592779	714	733	GAAAAAGTCACACAATTACA	21	7	9864	9883	744
592780	716	735	CTGAAAAAGTCACACAATTA	18	13	9866	9885	745
592781	718	737	CTCTGAAAAAGTCACACAAT	32	26	9868	9887	746
592782	720	739	AACTCTGAAAAAGTCACACA	35	20	9870	9889	747

Table 10

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	74	973	992	21
489529	722	741	GCAACTCTGAAAAAGTCACA	41	9872	9891	748
592783	724	743	AAGCAACTCTGAAAAAGTCA	34	9874	9893	749
592784	727	746	TTAAAGCAACTCTGAAAAAG	4	9877	9896	750

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
592785	729	748	CTTTAAAGCAACTCTGAAAA	36	9879	9898	751
592786	731	750	TACTTTAAAGCAACTCTGAA	28	9881	9900	752
592787	733	752	GGTACTTTAAAGCAACTCTG	48	9883	9902	753
592788	735	754	CAGGTACTTTAAAGCAACTC	38	9885	9904	754
592789	737	756	TACAGGTACTTTAAAGCAAC	20	9887	9906	755
592790	739	758	ACTACAGGTACTTTAAAGCA	26	9889	9908	756
592791	741	760	TCACTACAGGTACTTTAAAG	34	9891	9910	757
592792	743	762	TCTCACTACAGGTACTTTAA	50	9893	9912	758
592793	745	764	TTTCTCACTACAGGTACTTT	36	9895	9914	759
592794	747	766	AGTTTCTCACTACAGGTACT	53	9897	9916	760
592795	749	768	TCAGTTTCTCACTACAGGTA	37	9899	9918	761
150470	751	770	AATCAGTTTCTCACTACAGG	30	9901	9920	84
592796	753	772	TAAATCAGTTTCTCACTACA	21	9903	9922	762
150472	755	774	CATAAATCAGTTTCTCACTA	37	9905	9924	85
592797	757	776	ATCATAAATCAGTTTCTCAC	35	9907	9926	763
592798	759	778	TGATCATAAATCAGTTTCTC	35	9909	9928	764
592799	761	780	AGTGATCATAAATCAGTTTC	5	9911	9930	765
592800	763	782	CAAGTGATCATAAATCAGTT	21	9913	9932	766
592801	765	784	TCCAAGTGATCATAAATCAG	41	9915	9934	767
592802	767	786	CTTCCAAGTGATCATAAATC	44	9917	9936	768
592803	769	788	ATCTTCCAAGTGATCATAAA	30	9919	9938	769
592804	771	790	AAATCTTCCAAGTGATCATA	32	9921	9940	770
489534	792	811	CTGAGTTTTATAAAACTATA	4	9942	9961	771
150476	794	813	AACTGAGTTTTATAAAACTA	9	9944	9963	86
592805	796	815	TTAACTGAGTTTTATAAAAC	14	9946	9965	772
592806	798	817	TTTTAACTGAGTTTTATAAA	3	9948	9967	773
592807	800	819	CATTTTAACTGAGTTTTATA	13	9950	9969	774
489535	802	821	GACATTTTAACTGAGTTTTA	34	9952	9971	775
592808	804	823	CAGACATTTTAACTGAGTTT	40	9954	9973	776
592809	806	825	AACAGACATTTTAACTGAGT	36	9956	9975	777
592810	808	827	GAAACAGACATTTTAACTGA	25	9958	9977	778
592811	810	829	TTGAAACAGACATTTTAACT	24	9960	9979	779
592812	835	854	TTTAAGTCTGGCAAATACA	23	9985	10004	780
592813	837	856	GATTTAAGTCTGGCAAATA	31	9987	10006	781
592814	839	858	GTGATTTAAGTCTGGCAAAA	41	9989	10008	782
592815	841	860	CTGTGATTTAAGTCTGGCAA	49	9991	10010	783
592816	843	862	ATCTGTGATTTAAGTCTGGC	53	9993	10012	784
150481	845	864	CCATCTGTGATTTAAGTCTG	51	9995	10014	87
592817	847	866	ACCCATCTGTGATTTAAGTC	51	9997	10016	785
592818	849	868	ATACCCATCTGTGATTTAAG	43	9999	10018	786
592819	851	870	TAATACCCATCTGTGATTTA	42	10001	10020	787
592820	870	889	AAAGAAATTCTGACAAGTTT	22	10020	10039	788
489542	872	891	ACAAAGAAATTCTGACAAGT	13	10022	10041	789

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
592821	874	893	TGACAAAGAAATTCTGACAA	24	10024	10043	790
592822	876	895	AATGACAAAGAAATTCTGAC	25	10026	10045	791
592823	878	897	TGAATGACAAAGAAATTCTG	6	10028	10047	792
592824	880	899	CTTGAATGACAAAGAAATTC	24	10030	10049	793
489543	882	901	GGCTTGAATGACAAAGAAAT	29	10032	10051	794
592825	884	903	CAGGCTTGAATGACAAAGAA	35	10034	10053	795
592826	886	905	CACAGGCTTGAATGACAAAG	32	10036	10055	796
592827	888	907	TTCACAGGCTTGAATGACAA	41	10038	10057	797
592828	890	909	TATTCACAGGCTTGAATGAC	30	10040	10059	798
150492	909	928	AAGTGCCATACAGGGTTTTT	32	10059	10078	88
592829	911	930	ATAAGTGCCATACAGGGTTT	0	10061	10080	799
150493	913	932	TAATAAGTGCCATACAGGGT	24	10063	10082	89
592830	915	934	CATAATAAGTGCCATACAGG	26	10065	10084	800
150495	917	936	CTCATAATAAGTGCCATACA	35	10067	10086	90
150496	919	938	GCCTCATAATAAGTGCCATA	37	10069	10088	91
592831	921	940	TAGCCTCATAATAAGTGCCA	19	10071	10090	801
592832	923	942	AATAGCCTCATAATAAGTGC	0	10073	10092	802
592833	925	944	TTAATAGCCTCATAATAAGT	19	10075	10094	803
150497	927	946	TTTTAATAGCCTCATAATAA	17	10077	10096	92
592834	929	948	TCTTTTAATAGCCTCATAAT	27	10079	10098	804
592835	931	950	ATTCTTTTAATAGCCTCATA	27	10081	10100	805
150498	933	952	GGATTCTTTTAATAGCCTCA	39	10083	10102	93
592836	935	954	TTGGATTCTTTTAATAGCCT	24	10085	10104	806
592837	937	956	ATTTGGATTCTTTTAATAGC	0	10087	10106	807
592838	939	958	GAATTTGGATTCTTTTAATA	10	10089	10108	808
592839	941	960	TTGAATTTGGATTCTTTTAA	13	10091	10110	809
592840	943	962	GTTTGAATTTGGATTCTTTT	29	10093	10112	810
592841	945	964	TAGTTTGAATTTGGATTCTT	31	10095	10114	811
592842	947	966	TTTAGTTTGAATTTGGATTC	8	10097	10116	812
592843	949	968	TTTTTAGTTTGAATTTGGAT	10	n/a	n/a	813
592844	951	970	TTTTTTTAGTTTGAATTTGG	7	n/a	n/a	814

Example 2: Inhibition of human SOD-1 in HepG2 cells by MOE gapmers

[0307] Modified oligonucleotides were designed targeting a superoxide dismutase 1, soluble (SOD-1) nucleic acid and were tested for their effects on SOD-1 mRNA in vitro. ISIS 146143, ISIS 150438-150440, ISIS 150442, ISIS 150450, ISIS 150455-150457, ISIS 150459, ISIS 150461, ISIS 150469, ISIS 150473, ISIS 150478, ISIS 150484, ISIS 150486, ISIS 150494, ISIS 150508-150510, ISIS 333607, ISIS 333608, ISIS 333611, ISIS 333618, previously disclosed in WO 2005/040180, were also included in this assay. The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cultured HepG2 cells at a density of 20,000 cells per well were transfected using electroporation with 5,000 nM modified oligonucleotide. After a treatment period of approximately 24 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR.

[0308] Human primer probe set RTS3898 was used to measure mRNA levels. In cases where the oligonucleotide overlapped the amplicon of the primer probe set, an alternative primer probe set, HTS90, was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells. 'n.d.' indicates that inhibition levels were not measured using the particular primer probe set.

[0309] The newly designed modified oligonucleotides in the Tables below were designed as 5-10-5 MOE gapmers. The 5-10-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of ten 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising five nucleosides each. Each nucleoside in the 5' wing segment and each nucleoside in the 3' wing segment has a 2'-MOE modification. The internucleoside linkages throughout each gapmer are phosphorothioate linkages. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000). 'n/a' indicates that the modified oligonucleotide does not target that particular gene sequence with 100% complementarity.

Table 11

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	64	973	992	21
596301	550	569	CGTTTCCTGTCTTTGTACTT	n.d.	9700	9719	815
596302	569	588	CAAGCCAAACGACTTCCAGC	54	9719	9738	816
596303	571	590	CACAAGCCAAACGACTTCCA	47	9721	9740	817
596304	573	592	ACCACAAGCCAAACGACTTC	28	9723	9742	818
596305	575	594	ACACCACAAGCCAAACGACT	49	9725	9744	819
596306	577	596	TTACACCACAAGCCAAACGA	24	9727	9746	820
596307	641	660	GGATAACAGATGAGTTAAGG	48	9791	9810	821
596308	664	683	AGGATACATTTCTACAGCTA	79	9814	9833	822
596309	666	685	TCAGGATACATTTCTACAGC	70	9816	9835	823
596310	668	687	TAT CAGGATACATTT CTACA	58	9818	9837	824
489524	672	691	TGTTTATCAGGATACATTC	52	9822	9841	825
596311	674	693	AATGTTTATCAGGATACATT	54	9824	9843	826
596312	676	695	TTAATGTTTATCAGGATACA	34	9826	9845	827
596313	678	697	GTTTAATGTTTATCAGGATA	71	9828	9847	828
596314	680	699	GTGTTTAATGTTTATCAGGA	73	9830	9849	829
596315	693	712	TTTTAAGATTACAGTGTTTA	13	9843	9862	830
596316	695	714	ACTTTTAAGATTACAGTGTT	24	9845	9864	831
596317	697	716	ACACTTTTAAGATTACAGTG	15	9847	9866	832
596318	699	718	TTACACTTTTAAGATTACAG	0	9849	9868	833
596319	701	720	AATTACACTTTTAAGATTAC	1	9851	9870	834
596320	705	724	ACACAATTACACTTTTAAGA	0	9855	9874	835
596321	707	726	TCACACAATTACACTTTTAA	15	9857	9876	836
596322	711	730	AAAGTCACACAATTACACTT	15	9861	9880	837
596323	715	734	TGAAAAAGTCACACAATTAC	0	9865	9884	838
596324	717	736	TCTGAAAAAGTCACACAATT	5	9867	9886	839
596325	719	738	ACTCTGAAAAAGTCACACAA	21	9869	9888	840
596326	723	742	AGCAACTCTGAAAAAGTCAC	14	9873	9892	841
596327	730	749	ACTTTAAAGCAACTCTGAAA	0	9880	9899	842

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
489530	732	751	GTACTTTAAAGCAACTCTGA	22	9882	9901	843
596328	734	753	AGGTACTTTAAAGCAACTCT	36	9884	9903	844
596329	740	759	CACTACAGGTACTTTAAAGC	18	9890	9909	845
150469	742	761	CTCACTACAGGTACTTTAAA	25	9892	9911	94
596330	744	763	TTCTCACTACAGGTACTTTA	28	9894	9913	846
596331	746	765	GTTTCTCACTACAGGTACTT	30	9896	9915	847
596332	748	767	CAGTTTCTCACTACAGGTAC	25	9898	9917	848
596333	750	769	ATCAGTTTCTCACTACAGGT	22	9900	9919	849
489531	752	771	AAATCAGTTTCTCACTACAG	0	9902	9921	850
596334	756	775	TCATAAATCAGTTTCTCACT	21	9906	9925	851
596335	760	779	GTGATCATAAATCAGTTTCT	37	9910	9929	852
489532	762	781	AAGTGATCATAAATCAGTTT	8	9912	9931	853
596336	764	783	CCAAGTGATCATAAATCAGT	39	9914	9933	854
436935	766	785	TTCCAAGTGATCATAAATCA	18	9916	9935	855
596337	768	787	TCTTCCAAGTGATCATAAAT	12	9918	9937	856
150473	770	789	AATCTTCCAAGTGATCATAA	4	9920	9939	95
596338	795	814	TAAGTGAGTTTATAAACT	0	9945	9964	857
596339	807	826	AAACAGACATTTTAACTGAG	4	9957	9976	858
596340	809	828	TGAAACAGACATTTTAACTG	0	9959	9978	859
150478	811	830	ATTGAAACAGACATTTTAAAC	0	9961	9980	96
596341	836	855	ATTTAAGTCTGGCAAATAC	16	9986	10005	860
596342	840	859	TGTGATTTAAGTCTGGCAA	34	9990	10009	861
489539	842	861	TCTGTGATTTAAGTCTGGCA	44	9992	10011	862
596343	844	863	CATCTGTGATTTAAGTCTGG	29	9994	10013	863
596344	846	865	CCCATCTGTGATTTAAGTCT	41	9996	10015	864
596345	848	867	TACCCATCTGTGATTTAAGT	50	9998	10017	865
596346	850	869	AATACCCATCTGTGATTAA	0	10000	10019	866
489540	852	871	TTAATACCCATCTGTGATT	11	10002	10021	867
150484	871	890	CAAAGAAATTCTGACAAGTT	7	10021	10040	97
596347	873	892	GACAAAGAAATTCTGACAAG	8	10023	10042	868
596348	877	896	GAATGACAAAGAAATTCTGA	0	10027	10046	869
596349	883	902	AGGCTTGAATGACAAAGAAA	27	10033	10052	870
150486	885	904	ACAGGCTTGAATGACAAAGA	19	10035	10054	98
596350	910	929	TAAGTGCCATACAGGGTTTT	13	10060	10079	871
596351	914	933	ATAATAAGTGCCATACAGGG	18	10064	10083	872
150494	916	935	TCATAATAAGTGCCATACAG	0	10066	10085	99
596352	918	937	CCTCATAATAAGTGCCATAC	23	10068	10087	873
596353	920	939	AGCCTCATAATAAGTGCCAT	6	10070	10089	874
596354	922	941	ATAGCCTCATAATAAGTGCC	19	10072	10091	875
596355	928	947	CTTTTAATAGCCTCATAATA	0	10078	10097	876
596356	930	949	TTCTTTTAATAGCCTCATAA	5	10080	10099	877
596357	932	951	GATTCTTTTAATAGCCTCAT	4	10082	10101	878
596358	934	953	TGGATTCTTTTAATAGCCTC	13	10084	10103	879

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596359	936	955	TTTGGATTCTTTTAATAGCC	14	10086	10105	880
596360	938	957	AATTTGGATTCTTTTAATAG	14	10088	10107	881
596361	940	959	TGAATTTGGATTCTTTTAAT	0	10090	10109	882
596362	946	965	TTAGTTTGAATTTGGATTCT	0	10096	10115	883
596363	948	967	TTTGTAGTTTGAATTTGGATT	0	n/a	n/a	884
596364	950	969	TTTTTTAGTTTGAATTTGGA	0	n/a	n/a	885

Table 12

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO:1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTTCAGCACGCA	66	n.d.	973	992	21
596230	246	265	CAGTCCTTTAATGCTTCCCC	51	40	5000	5019	886
596231	248	267	GTCAGTCCTTTAATGCTTCC	34	34	5002	5021	887
596232	250	269	CAGTCAGTCCTTTAATGCTT	35	29	5004	5023	888
596233	252	271	TTCAGTCAGTCCTTTAATGC	24	21	5006	5025	889
596234	256	275	GGCCTTCAGTCAGTCCTTTA	41	39	5010	5029	890
150450	258	277	CAGGCCTTCAGTCAGTCCTT	56	51	5012	5031	100
596235	260	279	TGCAGGCCTTCAGTCAGTCC	42	46	5014	5033	891
596236	262	281	CATGCAGGCCTTCAGTCAGT	37	33	5016	5035	892
596237	278	297	TCATGAACATGGAATCCATG	24	19	5032	5051	893
596238	280	299	ACTCATGAACATGGAATCCA	27	20	5034	5053	894
596239	295	314	CTGTATTATCTCCAAACTCA	32	28	5049	5068	895
596240	309	328	ACTGGTACAGCCTGCTGTAT	22	28	n/a	n/a	896
596241	311	330	GCACTGGTACAGCCTGCTGT	31	24	n/a	n/a	897
596242	313	332	CTGCACTGGTACAGCCTGCT	38	29	n/a	n/a	898
596243	315	334	ACCTGCACTGGTACAGCCTG	46	48	n/a	n/a	899
596244	341	360	TTTCTGGATAGAGGATTAAA	6	14	7657	7676	900
596245	343	362	GTTTTCTGGATAGAGGATTA	28	39	7659	7678	901
596246	347	366	CCGTGTTTTCTGGATAGAGG	44	37	7663	7682	902
596247	349	368	CACCGTGTTTTCTGGATAGA	24	11	7665	7684	903
596248	351	370	CCCACCGTGTTTTCTGGATA	46	40	7667	7686	904
596249	353	372	GGCCCACCGTGTTTTCTGGA	46	41	7669	7688	905
596250	355	374	TTGGCCCACCGTGTTTTCTG	35	26	7671	7690	906
596251	357	376	CTTTGGCCCACCGTGTTTTCT	31	15	7673	7692	907
596252	359	378	TCCTTTGGCCCACCGTGTTT	30	23	7675	7694	908
596253	383	402	AAGTCTCCAACATGCCTCTC	20	6	n/a	n/a	909
596254	387	406	GCCCAAGTCTCCAACATGCC	61	53	8442	8461	910
596255	389	408	TTGCCCAAGTCTCCAACATG	41	33	8444	8463	911
596256	391	410	CATTGCCCAAGTCTCCAACA	39	25	8446	8465	912
150455	393	412	CACATTGCCCAAGTCTCCAA	36	19	8448	8467	101
596257	397	416	CAGTCACATTGCCCAAGTCT	40	27	8452	8471	913
596258	401	420	TCAGCAGTCACATTGCCCAA	52	42	8456	8475	914

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO:1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596259	403	422	TGTCAGCAGTCACATTGCCC	55	49	8458	8477	915
596260	405	424	TTTGTGTCAGCAGTCACATTGC	26	16	8460	8479	916
596261	407	426	TCTTTGTGTCAGCAGTCACATT	20	11	8462	8481	917
596262	409	428	CATCTTTGTGTCAGCAGTCACA	34	13	8464	8483	918
596263	411	430	ACCATCTTTGTGTCAGCAGTCA	41	30	8466	8485	919
596264	415	434	CCACACCATCTTTGTGTCAGCA	39	20	8470	8489	920
596265	417	436	GGCCACACCATCTTTGTGTCAG	23	5	8472	8491	921
150456	419	438	TCGGCCACACCATCTTTGTC	32	28	8474	8493	102
150457	421	440	CATCGGCCACACCATCTTTG	34	38	8476	8495	103
596266	423	442	CACATCGGCCACACCATCTT	27	13	8478	8497	922
596267	425	444	GACACATCGGCCACACCATC	45	30	8480	8499	923
150459	427	446	TAGACACATCGGCCACACCA	46	36	8482	8501	104
596268	429	448	AATAGACACATCGGCCACAC	30	25	8484	8503	924
596269	431	450	TCAATAGACACATCGGCCAC	35	0	8486	8505	925
596270	433	452	CTTCAATAGACACATCGGCC	39	16	8488	8507	926
596271	435	454	ATCTTCAATAGACACATCGG	16	0	8490	8509	927
596272	437	456	GAATCTTCAATAGACACATC	22	11	8492	8511	928
596273	439	458	CAGAATCTTCAATAGACACA	17	0	8494	8513	929
596274	441	460	CACAGAATCTTCAATAGACA	10	14	8496	8515	930
596275	443	462	ATCACAGAATCTTCAATAGA	11	10	8498	8517	931
596276	445	464	AGATCACAGAATCTTCAATA	14	29	8500	8519	932
596277	447	466	TGAGATCACAGAATCTTCAA	n.d.	30	8502	8521	933
596278	449	468	AGTGAGATCACAGAATCTTC	n.d.	30	8504	8523	934
596279	453	472	TGAGAGTGAGATCACAGAAT	n.d.	18	8508	8527	935
333618	457	476	CTCCTGAGAGTGAGATCACA	n.d.	27	8512	8531	105
596281	459	478	GTCTCCTGAGAGTGAGATCA	n.d.	23	8514	8533	936
596282	461	480	TGGTCTCCTGAGAGTGAGAT	n.d.	24	8516	8535	937
596283	463	482	AATGGTCTCCTGAGAGTGAG	n.d.	22	8518	8537	938
596284	465	484	GCAATGGTCTCCTGAGAGTG	n.d.	57	8520	8539	939
596285	467	486	ATGCAATGGTCTCCTGAGAG	n.d.	0	8522	8541	940
596286	469	488	TGATGCAATGGTCTCCTGAG	n.d.	1	8524	8543	941
596287	471	490	AATGATGCAATGGTCTCCTG	n.d.	0	8526	8545	942
596288	473	492	CCAATGATGCAATGGTCTCC	n.d.	8	8528	8547	943
596289	475	494	GGCCAATGATGCAATGGTCT	n.d.	9	8530	8549	944
596290	477	496	GCGGCCAATGATGCAATGGT	n.d.	13	8532	8551	945
596291	479	498	GTGCGGCCAATGATGCAATG	n.d.	12	8534	8553	946
596292	481	500	GTGTGCGGCCAATGATGCAA	n.d.	15	8536	8555	947
596293	483	502	CAGTGTGCGGCCAATGATGC	n.d.	0	8538	8557	948
596294	485	504	ACCAGTGTGCGGCCAATGAT	n.d.	0	8540	8559	949
596295	487	506	CCACCAGTGTGCGGCCAATG	n.d.	22	8542	8561	950
596296	489	508	GACCACCAGTGTGCGGCCAA	n.d.	16	n/a	n/a	951
596297	491	510	TGGACCACCAGTGTGCGGCC	n.d.	28	n/a	n/a	952
150461	493	512	CATGGACCACCAGTGTGCGG	n.d.	25	n/a	n/a	106

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO:1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition with RTS3898	% inhibition with HTS90	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596298	495	514	TTCATGGACCACCAGTGTGC	n.d.	21	n/a	n/a	953
596299	497	516	TTTTCATGGACCACCAGTGT	n.d.	17	n/a	n/a	954
596300	499	518	CTTTTTCATGGACCACCAGT	n.d.	9	n/a	n/a	955

Example 3: Inhibition of human SOD-1 in HepG2 cells by deoxy, MOE and cEt gapmers

[0310] Modified oligonucleotides were designed targeting a superoxide dismutase 1, soluble (SOD-1) nucleic acid and were tested for their effects on SOD-1 mRNA in vitro. ISIS 333611, which was previously described in WO 2005/040180, was included as a benchmark. ISIS 590067, ISIS 590074, ISIS 590082, ISIS 590130, ISIS 590138, and ISIS 590146, which are 5-10-5 MOE gapmers as described above in Example 1, were also included in this assay. ISIS 590512, which has a similar sequence as ISIS 333611 but with deoxy, MOE, and cEt sugar modifications, was also included in this study.

[0311] The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cultured HepG2 cells at a density of 20,000 cells per well were transfected using electroporation with 3,000 nM modified oligonucleotide. After a treatment period of approximately 24 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR.

[0312] Human primer probe set RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by PIBOGPEEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells. 'n.d.' indicates that inhibition levels were not measured.

[0313] The newly designed modified oligonucleotides in the Tables below were designed as deoxy, MOE, and cEt gapmers. The gapmers are 17 nucleosides in length wherein each nucleoside has a MOE sugar modification, a cEt sugar modification, or a deoxy moiety. The sugar chemistry of each oligonucleotide is denoted as in the Chemistry column, where 'k' indicates a cEt modified sugar; 'd' indicates a 2'-deoxyribose; and 'e' indicates a 2'-MOE modified sugar. The internucleoside linkages throughout each gapmer are phosphorothioate linkages. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000). 'n/a' indicates that the modified oligonucleotide does not target that particular gene sequence with 100% complementarity.

Table 13

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590434	1	17	CCACTCTGGCCC CAAAC	eeekkdddddddkkeee	17	807	823	956
590435	2	18	CCCACTCTGGCC CCAAA	eeekkdddddddkkeee	15	808	824	957
590436	3	19	GCCCACTCTGGC CCCAA	eeekkdddddddkkeee	22	809	825	958
			CCCCACTCTGGC					

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590437	4	20	CGCCCACTCTGG CCCCA	eeekkdddddddkkeee	14	810	826	959
590438	35	51	CGACTACTTTAT AGGCC	eeekkdddddddkkeee	12	841	857	960
590439	36	52	GCGACTACTTTA TAGGC	eeekkdddddddkkeee	12	842	858	961
590440	37	53	CGCGACTACTTT ATAGG	eeekkdddddddkkeee	11	843	859	962
590441	38	54	CCGCGACTACTT TATAG	eeekkdddddddkkeee	5	844	860	963
590442	76	92	CGCTGCAGGAGA CTACG	eeekkdddddddkkeee	0	882	898	964
590443	77	93	ACGCTGCAGGAG ACTAC	eeekkdddddddkkeee	25	883	899	965
590444	167	183	TCGCCCTTCAGC ACGCA	eeekkdddddddkkeee	31	973	989	966
590445	168	184	GTCGCCCTTCAG CACGC	eeekkdddddddkkeee	28	974	990	967
590512	169	185	CGTCGCCCTTCA GCACG	eeekkdddddddkkeee	8	975	991	968
590446	170	186	CCGTCGCCCTTC AGCAC	eeekkdddddddkkeee	27	976	992	969
590447	171	187	GCCGTCGCCCTT CAGCA	eeekkdddddddkkeee	33	977	993	970
590448	202	218	TCTGCTCGAAAT	eeekkdddddddkkeee	34	1008	1024	971
			TGATG					
590449	203	219	TTCTGCTCGAAA TTGAT	eeekkdddddddkkeee	18	1009	1025	972
590450	204	220	CTTCTGCTCGAA ATTGA	eeekkdddddddkkeee	13	1010	1026	973

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590451	205	221	CCTTCTGCTCGA AATTG	eeekkdddddddkkeee	16	1011	1027	974
590452	206	222	TCCTTCTGCTCG AAATT	eeekkdddddddkkeee	14	n/a	n/a	975
590453	207	223	TTCCTTCTGCTCG AAAT	eeekkdddddddkkeee	13	n/a	n/a	976
590454	208	224	TTTCCTTCTGCTC GAAA	eeekkdddddddkkeee	6	n/a	n/a	977
590455	209	225	CTTTCCTTCTGCT CGAA	eeekkdddddddkkeee	0	n/a	n/a	978
590456	210	226	ACTTTCCTTCTGC TCGA	eeekkdddddddkkeee	0	n/a	n/a	979
590457	211	227	TACTTTCCTTCTG CTCG	eeekkdddddddkkeee	n.d.	n/a	n/a	980
590458	212	228	TTACTTTCCTTCT GCTC	eeekkdddddddkkeee	n.d.	n/a	n/a	981
590459	213	229	ATTACTTTCCTTC TGCT	eeekkdddddddkkeee	n.d.	n/a	n/a	982
590461	214	230	CATTACTTTCCTT CTGC	eeekkdddddddkkeee	n.d.	n/a	n/a	983
590462	215	231	CCATTACTTTCCT TCTG	eeekkdddddddkkeee	n.d.	n/a	n/a	984
590463	216	232	TCCATTACTTTCCT TTCT	eeekkdddddddkkeee	n.d.	n/a	n/a	985
590464	217	233	GTCCATTACTTTC CTTC	eeekkdddddddkkeee	n.d.	n/a	n/a	986
590465	218	234	GGTCCATTACTT TCCTT	eeekkdddddddkkeee	n.d.	4972	4988	987
590466	219	235	TGGTCCATTACT TTCCT	eeekkdddddddkkeee	5	4973	4989	988
590467	220	236	CTGGTCCATTAC TTCC	eeekkdddddddkkeee	11	4974	4990	989

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590468	221	237	ACTGGTCCATTA CTTTC	eeekkdddddddkkeee	14	4975	4991	990
590469	222	238	CACTGGTCCATT ACTTT	eeekkdddddddkkeee	12	4976	4992	991
590470	223	239	TCACTGGTCCAT TACTT	eeekkdddddddkkeee	15	4977	4993	992
590471	224	240	TTCACTGGTCCA TTACT	eeekkdddddddkkeee	14	4978	4994	993
590472	225	241	CTTCACTGGTCC ATTAC	eeekkdddddddkkeee	11	4979	4995	994
590473	226	242	CCTTCACTGGTC CATT A	eeekkdddddddkkeee	8	4980	4996	995
590474	227	243	ACCTTCACTGGT CCATT	eeekkdddddddkkeee	44	4981	4997	996
590475	228	244	CACCTTCACTGG TCCAT	eeekkdddddddkkeee	53	4982	4998	997
590476	229	245	ACACCTTCACTG GTCCA	eeekkdddddddkkeee	20	4983	4999	998
590477	230	246	CACACCTTCACT GGTCC	eeekkdddddddkkeee	12	4984	5000	999
590478	231	247	CCACACCTTCAC TGGTC	eeekkdddddddkkeee	36	4985	5001	1000
590479	232	248	CCCACACCTTCA CTGGT	eeekkdddddddkkeee	18	4986	5002	1001
590480	233	249	CCCCACACCTTC ACTGG	eeekkdddddddkkeee	14	4987	5003	1002
590481	235	251	TTCCCCACACCT TCACT	eeekkdddddddkkeee	8	4989	5005	1003
590482	236	252	CTTCCCCACACC TTCAC	eeekkdddddddkkeee	29	4990	5006	1004
590483	237	253	GCTTCCCCACAC CTTCA	eeekkdddddddkkeee	36	4991	5007	1005

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590484	238	254	TGCTTCCCCACA CCTTC	eeekkdddddddkkeee	43	4992	5008	1006
590485	239	255	ATGCTTCCCCAC ACCTT	eeekkdddddddkkeee	41	4993	5009	1007
590486	240	256	AATGCTTCCCCA CACCT	eeekkdddddddkkeee	35	4994	5010	1008
590487	241	257	TAATGCTTCCCC ACACC	eeekkdddddddkkeee	52	4995	5011	1009
590488	264	280	ATGCAGGCCTTC AGTCA	eeekkdddddddkkeee	37	5018	5034	1010
590489	265	281	CATGCAGGCCTT CAGTC	eeekkdddddddkkeee	41	5019	5035	1011
590490	266	282	CCATGCAGGCCT TCAGT	eeekkdddddddkkeee	21	5020	5036	1012
590491	267	283	TCCATGCAGGCC TTCAG	eeekkdddddddkkeee	18	5021	5037	1013
590492	268	284	ATCCATGCAGGC CTTCA	eeekkdddddddkkeee	27	5022	5038	1014
590493	269	285	AATCCATGCAGG CCTTC	eeekkdddddddkkeee	13	5023	5039	1015
590494	270	286	GAATCCATGCAG GCCTT	eeekkdddddddkkeee	9	5024	5040	1016
590495	271	287	GGAATCCATGCA GGCCT	eeekkdddddddkkeee	7	5025	5041	1017
590496	272	288	TGGAATCCATGC AGGCC	eeekkdddddddkkeee	12	5026	5042	1018
590497	273	289	ATGGAATCCATG CAGGC	eeekkdddddddkkeee	9	5027	5043	1019
590498	274	290	CATGGAATCCAT GCAGG	eeekkdddddddkkeee	14	5028	5044	1020

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590499	275	291	ACATGGAATCCA TGCAG	eeekkdddddddkkeee	0	5029	5045	1021
590500	276	292	AACATGGAATCC ATGCA	eeekkdddddddkkeee	10	5030	5046	1022
590501	277	293	GAACATGGAATC CATGC	eeekkdddddddkkeee	9	5031	5047	1023
590502	278	294	TGAACATGGAAT CCATG	eeekkdddddddkkeee	2	5032	5048	1024
590503	279	295	ATGAACATGGAA TCCAT	eeekkdddddddkkeee	8	5033	5049	1025
590504	316	332	CTGCACTGGTAC AGCCT	eeekkdddddddkkeee	3	7632	7648	1026
590505	317	333	CCTGCACTGGTA CAGCC	eeekkdddddddkkeee	17	7633	7649	1027
590506	318	334	ACCTGCACTGGT ACAGC	eeekkdddddddkkeee	12	7634	7650	1028
590507	319	335	GACCTGCACTGG TACAG	eeekkdddddddkkeee	7	7635	7651	1029
590508	320	336	GGACCTGCACTG GTACA	eeekkdddddddkkeee	7	7636	7652	1030
590509	321	337	AGGACCTGCACT GGTAC	eeekkdddddddkkeee	4	7637	7653	1031
590510	322	338	GAGGACCTGCAC TGGTA	eeekkdddddddkkeee	17	7638	7654	1032
590511	323	339	TGAGGACCTGCA CTGGT	eeekkdddddddkkeee	8	7639	7655	1033

Table 14

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590512	169	185	CGTCGCCCTTCA GCACG	eeekkdddddddkkeee	45	975	991	968

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590513	324	340	GTGAGGACCTG CACTGG	eeekkdddddddkkeee	21	7640	7656	1034
590514	325	341	AGTGAGGACCT GCACTG	eeekkdddddddkkeee	21	7641	7657	1035
590515	326	342	AAGTGAGGACC TGCACT	eeekkdddddddkkeee	16	7642	7658	1036
590516	327	343	AAAGTGAGGAC CTGCAC	eeekkdddddddkkeee	20	7643	7659	1037
590517	328	344	TAAAGTGAGGA CCTGCA	eeekkdddddddkkeee	19	7644	7660	1038
590518	329	345	TTAAAGTGAGG ACCTGC	eeekkdddddddkkeee	14	7645	7661	1039
590519	330	346	ATTAAAGTGAG GACCTG	eeekkdddddddkkeee	51	7646	7662	1040
590520	331	347	GATTAAAGTGA GGACCT	eeekkdddddddkkeee	8	7647	7663	1041
590521	332	348	GGATTAAAGTG AGGACC	eeekkdddddddkkeee	30	7648	7664	1042
590522	333	349	AGGATTAAAGT GAGGAC	eeekkdddddddkkeee	23	7649	7665	1043
590523	334	350	GAGGATTAAAG TGAGGA	eeekkdddddddkkeee	40	7650	7666	1044
590524	335	351	AGAGGATTAAA GTGAGG	eeekkdddddddkkeee	16	7651	7667	1045
590525	336	352	TAGAGGATTAA AGTGAG	eeekkdddddddkkeee	21	7652	7668	1046
590526	337	353	ATAGAGGATTA AAGTGA	eeekkdddddddkkeee	9	7653	7669	1047
590527	338	354	GATAGAGGATT AAAGTG	eeekkdddddddkkeee	8	7654	7670	1048
590528	339	355	GGATAGAGGAT TAAAGT	eeekkdddddddkkeee	14	7655	7671	1049

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590530	340	356	TGGATAGAGGA TTAAAG	eeekkdddddddkkeee	23	7656	7672	1050
590531	341	357	CTGGATAGAGG ATTAAA	eeekkdddddddkkeee	26	7657	7673	1051
590532	342	358	TCTGGATAGAG GATTAA	eeekkdddddddkkeee	25	7658	7674	1052
590533	360	376	CTTTGGCCCACC GTGTT	eeekkdddddddkkeee	41	7676	7692	1053
590534	361	377	CCTTTGGCCCAC CGTGT	eeekkdddddddkkeee	46	7677	7693	1054
590535	362	378	TCCTTTGGCCCA CCGTG	eeekkdddddddkkeee	39	7678	7694	1055
590536	363	379	ATCCTTTGGCCC ACCGT	eeekkdddddddkkeee	n.d.	7679	7695	1056
590537	364	380	CATCCTTTGGCC CACCG	eeekkdddddddkkeee	n.d.	7680	7696	1057
590538	365	381	TCATCCTTTGGC CCACC	eeekkdddddddkkeee	n.d.	7681	7697	1058
590539	366	382	TTCATCCTTTGG CCCAC	eeekkdddddddkkeee	n.d.	7682	7698	1059
590540	367	383	CTTCATCCTTTG GCCCA	eeekkdddddddkkeee	n.d.	7683	7699	1060
590541	368	384	TCTTCATCCTTT GGCCC	eeekkdddddddkkeee	n.d.	7684	7700	1061
590542	369	385	CTCTTCATCCTT TGGCC	eeekkdddddddkkeee	n.d.	7685	7701	1062
590543	370	386	TCTCTTCATCCT TTGGC	eeekkdddddddkkeee	n.d.	7686	7702	1063
590544	371	387	CTCTCTTCATCC TTGG	eeekkdddddddkkeee	2	7687	7703	1064

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590545	374	390	TGCCTCTCTTCA TCCTT	eeekkdddddddkkeee	6	n/a	n/a	1065
590546	375	391	ATGCCTCTCTTC ATCCT	eeekkdddddddkkeee	0	n/a	n/a	1066
590547	376	392	CATGCCTCTCTT CATCC	eeekkdddddddkkeee	14	n/a	n/a	1067
590548	377	393	ACATGCCTCTCT TCATC	eeekkdddddddkkeee	0	n/a	n/a	1068
590549	378	394	AACATGCCTCTC TTCAT	eeekkdddddddkkeee	13	n/a	n/a	1069
590550	379	395	CAACATGCCTCT CTTCA	eeekkdddddddkkeee	3	n/a	n/a	1070
590551	380	396	CCAACATGCCTC TCTTC	eeekkdddddddkkeee	0	n/a	n/a	1071
590552	381	397	TCCAACATGCCT CTCTT	eeekkdddddddkkeee	0	n/a	n/a	1072
590553	382	398	CTCCAACATGCC TCTCT	eeekkdddddddkkeee	5	n/a	n/a	1073
590554	383	399	TCTCCAACATGC CTCTC	eeekkdddddddkkeee	10	n/a	n/a	1074
590555	384	400	GTCTCCAACATG CCTCT	eeekkdddddddkkeee	8	n/a	n/a	1075
590556	402	418	AGCAGTCACATT GCCCA	eeekkdddddddkkeee	18	8457	8473	1076
590557	403	419	CAGCAGTCACA TTGCC	eeekkdddddddkkeee	7	8458	8474	1077
590558	429	445	AGACACATCGG CCACAC	eeekkdddddddkkeee	21	8484	8500	1078
590559	436	452	CTTCAATAGACA CATCG	eeekkdddddddkkeee	9	8491	8507	1079
590560	449	465	GAGATCACAGA ATCTTC	eeekkdddddddkkeee	13	8504	8520	1080

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590561	501	517	TTTTTCATGGAC CACCA	eeekkdddddddkkeee	76	n/a	n/a	1081
590562	502	518	CTTTTCATGGA CCACC	eeekkdddddddkkeee	87	n/a	n/a	1082
590563	503	519	GCTTTTCATGG ACCAC	eeekkdddddddkkeee	71	n/a	n/a	1083
590564	504	520	TGCTTTTCATG GACCA	eeekkdddddddkkeee	51	n/a	n/a	1084
590565	505	521	CTGCTTTTCAT GGACC	eeekkdddddddkkeee	65	9655	9671	1085
590566	506	522	TCTGCTTTTCA TGGAC	eeekkdddddddkkeee	55	9656	9672	1086
590567	507	523	ATCTGCTTTTC ATGGA	eeekkdddddddkkeee	42	9657	9673	1087
590568	508	524	CATCTGCTTTT CATGG	eeekkdddddddkkeee	70	9658	9674	1088
590569	509	525	TCATCTGCTTT TCATG	eeekkdddddddkkeee	71	9659	9675	1089
590570	510	526	GTCATCTGCTT TTCAT	eeekkdddddddkkeee	74	9660	9676	1090
590571	511	527	AGTCATCTGCT TTTCA	eeekkdddddddkkeee	76	9661	9677	1091
590572	512	528	AAGTCATCTGCT TTTC	eeekkdddddddkkeee	83	9662	9678	1092
590573	513	529	CAAGTCATCTGC TTTT	eeekkdddddddkkeee	42	9663	9679	1093
590574	514	530	CCAAGTCATCTG CTTT	eeekkdddddddkkeee	50	9664	9680	1094
590575	515	531	CCCAAGTCATCT GCTTT	eeekkdddddddkkeee	72	9665	9681	1095
590576	516	532	GCCCAAGTCATC TGCTT	eeekkdddddddkkeee	93	9666	9682	1096

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590577	517	533	TGCCCAAGTCAT CTGCT	eeekkdddddddkkeee	90	9667	9683	1097
590578	518	534	TTGCCCAAGTCA TCTGC	eeekkdddddddkkeee	92	9668	9684	1098
590579	524	540	CCACCTTTGCCC AAGTC	eeekkdddddddkkeee	91	9674	9690	1099
590580	525	541	TCCACCTTTGCC CAAGT	eeekkdddddddkkeee	88	9675	9691	1100
590581	526	542	TTCCACCTTTGC CCAAG	eeekkdddddddkkeee	87	9676	9692	1101
590582	527	543	TTTCCACCTTTG CCCAA	eeekkdddddddkkeee	78	9677	9693	1102
590583	528	544	ATTTCCACCTTT GCCCA	eeekkdddddddkkeee	63	9678	9694	1103
590584	529	545	CATTTCCACCTT TGCCC	eeekkdddddddkkeee	73	9679	9695	1104
590585	530	546	TCATTTCCACCT TTGCC	eeekkdddddddkkeee	57	9680	9696	1105
590586	531	547	TTCATTTCCACC TTTGC	eeekkdddddddkkeee	33	9681	9697	1106
590587	533	549	TCTTCATTTC CCTTT	eeekkdddddddkkeee	31	9683	9699	1107
590588	536	552	CTTTCTTCATT CCACC	eeekkdddddddkkeee	11	9686	9702	1108
590589	537	553	ACTTTCTTCATT TCCAC	eeekkdddddddkkeee	15	9687	9703	1109
590590	538	554	TACTTTCTTCAT TTCCA	eeekkdddddddkkeee	18	9688	9704	1110

Table 15

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590512	169	185	CGTCGCCCTTCAG CACG	eeekkdddddddkkeee	21	975	991	968
590591	582	598	AATTACACCACA AGCCA	eeekkdddddddkkeee	21	9732	9748	1111
590592	583	599	CAATTACACCAC AAGCC	eeekkdddddddkkeee	33	9733	9749	1112
590593	584	600	CCAATTACACCA CAAGC	eeekkdddddddkkeee	29	9734	9750	1113
590594	585	601	CCCAATTACACC ACAAG	eeekkdddddddkkeee	29	9735	9751	1114
590595	588	604	GATCCCAATTAC ACCAC	eeekkdddddddkkeee	3	9738	9754	1115
590596	589	605	CGATCCCAATTAC ACCA	eeekkdddddddkkeee	12	9739	9755	1116
590597	590	606	GCGATCCCAATT ACACC	eeekkdddddddkkeee	19	9740	9756	1117
590598	591	607	GGCGATCCCAAT TACAC	eeekkdddddddkkeee	9	9741	9757	1118
590599	592	608	GGGCGATCCCAA TTACA	eeekkdddddddkkeee	18	9742	9758	1119
590600	593	609	TGGGCGATCCCA ATTAC	eeekkdddddddkkeee	20	9743	9759	1120
590601	594	610	TTGGGCGATCCC AATTA	eeekkdddddddkkeee	26	9744	9760	1121
590602	595	611	ATTGGGCGATCC CAATT	eeekkdddddddkkeee	19	9745	9761	1122
590603	596	612	TATTGGGCGATCC CAAT	eeekkdddddddkkeee	3	9746	9762	1123
590604	597	613	TTATTGGGCGATC CCAA	eeekkdddddddkkeee	15	9747	9763	1124
590605	598	614	TTTATTGGGCGAT CCCA	eeekkdddddddkkeee	20	9748	9764	1125

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590606	599	615	GTTTATTGGGCGA TCCC	eeekkdddddddkkeee	18	9749	9765	1126
590607	600	616	TGTTTATTGGGCG ATCC	eeekkdddddddkkeee	21	9750	9766	1127
590608	601	617	ATGTTTATTGGGC GATC	eeekkdddddddkkeee	28	9751	9767	1128
590609	602	618	AATGTTTATTGGG CGAT	eeekkdddddddkkeee	30	9752	9768	1129
590610	603	619	GAATGTTTATTGG GCCA	eeekkdddddddkkeee	14	9753	9769	1130
590611	604	620	GGAATGTTTATTG GGCG	eeekkdddddddkkeee	15	9754	9770	1131
590612	607	623	AAGGGAATGTTT ATTGG	eeekkdddddddkkeee	2	9757	9773	1132
590613	608	624	CAAGGGAATGTT TATTG	eeekkdddddddkkeee	n.d.	9758	9774	1133
590614	609	625	CCAAGGGAATGT TTATT	eeekkdddddddkkeee	n.d.	9759	9775	1134
590615	610	626	TCCAAGGGAATG TTTAT	eeekkdddddddkkeee	n.d.	9760	9776	1135
590616	611	627	ATCCAAGGGAAT GTTTA	eeekkdddddddkkeee	n.d.	9761	9777	1136
590617	612	628	CATCCAAGGGAA TGTTT	eeekkdddddddkkeee	n.d.	9762	9778	1137
590618	613	629	ACATCCAAGGGA ATGTT	eeekkdddddddkkeee	n.d.	9763	9779	1138
590619	614	630	TACATCCAAGGG AATGT	eeekkdddddddkkeee	n.d.	9764	9780	1139
590620	615	631	CTACATCCAAGG GAATG	eeekkdddddddkkeee	n.d.	9765	9781	1140

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590621	616	632	ACTACATCCAAG GGAAT	eeekkdddddddkkeee	7	9766	9782	1141
590622	617	633	GACTACATCCAA GGGAA	eeekkdddddddkkeee	19	9767	9783	1142
590623	618	634	AGACTACATCCA AGGGA	eeekkdddddddkkeee	39	9768	9784	1143
590624	619	635	CAGACTACATCC AAGGG	eeekkdddddddkkeee	53	9769	9785	1144
590625	620	636	TCAGACTACATCC AAGG	eeekkdddddddkkeee	57	9770	9786	1145
590626	621	637	CTCAGACTACATC CAAG	eeekkdddddddkkeee	76	9771	9787	1146
590627	622	638	CCTCAGACTACAT CCAA	eeekkdddddddkkeee	58	9772	9788	1147
590628	623	639	GCCTCAGACTAC ATCCA	eeekkdddddddkkeee	43	9773	9789	1148
590629	624	640	GGCCTCAGACTA CATCC	eeekkdddddddkkeee	24	9774	9790	1149
590630	625	641	GGGCCTCAGACT ACATC	eeekkdddddddkkeee	24	9775	9791	1150
590631	643	659	GATAACAGATGA GTTAA	eeekkdddddddkkeee	11	9793	9809	1151
590632	644	660	GGATAACAGATG AGTTA	eeekkdddddddkkeee	32	9794	9810	1152
590633	645	661	AGGATAACAGAT GAGTT	eeekkdddddddkkeee	45	9795	9811	1153
590634	646	662	CAGGATAACAGA TGAGT	eeekkdddddddkkeee	65	9796	9812	1154
590635	647	663	GCAGGATAACAG ATGAG	eeekkdddddddkkeee	58	9797	9813	1155
590636	648	664	AGCAGGATAACA GATGA	eeekkdddddddkkeee	45	9798	9814	1156

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590637	649	665	TAGCAGGATAAC AGATG	eeekkdddddddkkeee	34	9799	9815	1157
590638	650	666	CTAGCAGGATAA CAGAT	eeekkdddddddkkeee	39	9800	9816	1158
590639	651	667	GCTAGCAGGATA ACAGA	eeekkdddddddkkeee	10	9801	9817	1159
590640	652	668	AGCTAGCAGGAT AACAG	eeekkdddddddkkeee	15	9802	9818	1160
590641	653	669	CAGCTAGCAGGA TAACA	eeekkdddddddkkeee	21	9803	9819	1161
590642	654	670	ACAGCTAGCAGG ATAAC	eeekkdddddddkkeee	20	9804	9820	1162
590643	655	671	TACAGCTAGCAG GATAA	eeekkdddddddkkeee	40	9805	9821	1163
590644	656	672	CTACAGCTAGCA GGATA	eeekkdddddddkkeee	55	9806	9822	1164
590645	657	673	TCTACAGCTAGC AGGAT	eeekkdddddddkkeee	51	9807	9823	1165
590646	658	674	TTCTACAGCTAGC AGGA	eeekkdddddddkkeee	31	9808	9824	1166
590647	659	675	TTTCTACAGCTAG CAGG	eeekkdddddddkkeee	38	9809	9825	1167
590648	660	676	ATTTCTACAGCTA GCAG	eeekkdddddddkkeee	45	9810	9826	1168
590649	661	677	CATTTCTACAGCT AGCA	eeekkdddddddkkeee	34	9811	9827	1169
590650	664	680	ATACATTTCTACA GCTA	eeekkdddddddkkeee	57	9814	9830	1170
590651	665	681	GATACATTTCTAC AGCT	eeekkdddddddkkeee	40	9815	9831	1171

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590652	683	699	GTGTTTAATGTTT ATCA	eeekkdddddddkkeee	37	9833	9849	1172
590653	684	700	AGTGTTTAATGTT TATC	eeekkdddddddkkeee	67	9834	9850	1173
590654	685	701	CAGTGTTTAATGT TTAT	eeekkdddddddkkeee	54	9835	9851	1174
590655	686	702	ACAGTGTTTAATG TTTA	eeekkdddddddkkeee	56	9836	9852	1175
590656	687	703	TACAGTGTTTAAT GTTT	eeekkdddddddkkeee	30	9837	9853	1176
590657	688	704	TTACAGTGTTTAA TGTT	eeekkdddddddkkeee	18	9838	9854	1177
590658	689	705	ATTACAGTGTTTA ATGT	eeekkdddddddkkeee	24	9839	9855	1178
590659	690	706	GATTACAGTGTTT AATG	eeekkdddddddkkeee	10	9840	9856	1179
590660	691	707	AGATTACAGTGTT TAAT	eeekkdddddddkkeee	45	9841	9857	1180
590661	692	708	AAGATTACAGTG TTAA	eeekkdddddddkkeee	34	9842	9858	1181
590662	693	709	TAAGATTACAGT GTTA	eeekkdddddddkkeee	54	9843	9859	1182
590663	694	710	TTAAGATTACAGT GTTT	eeekkdddddddkkeee	54	9844	9860	1183
590664	772	788	ATCTTCCAAGTGA TCAT	eeekkdddddddkkeee	7	9922	9938	1184
590665	773	789	AATCTTCCAAGTG ATCA	eeekkdddddddkkeee	23	9923	9939	1185
590666	774	790	AAATCTTCCAAGT GATC	eeekkdddddddkkeee	4	9924	9940	1186
590667	775	791	CAAATCTTCCAA GTGAT	eeekkdddddddkkeee	18	9925	9941	1187

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO

Table 16

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590512	169	185	CGTCGCCCTT CAGCACG	eeekkdddddddkkeee	16	975	991	968
590668	777	793	TACAAATCTT CCAAGTG	eeekkdddddddkkeee	17	9927	9943	1188
590669	778	794	ATACAAATC TTCCAAGT	eeekkdddddddkkeee	15	9928	9944	1189
590670	779	795	TATACAAAT CTTCCAAG	eeekkdddddddkkeee	11	9929	9945	1190
590671	780	796	CTATACAAA TCTTCCAA	eeekkdddddddkkeee	13	9930	9946	1191
590672	781	797	ACTATACAA ATCTTCCA	eeekkdddddddkkeee	10	9931	9947	1192
590673	782	798	AACTATACA AATCTTCC	eeekkdddddddkkeee	28	9932	9948	1193
590674	783	799	AAACTATAC AAATCTTC	eeekkdddddddkkeee	26	9933	9949	1194
590675	786	802	ATAAACTA TACAAATC	eeekkdddddddkkeee	14	9936	9952	1195
590676	791	807	GTTTTATAAA ACTATAC	eeekkdddddddkkeee	22	9941	9957	1196
590677	793	809	GAGTTTATA AAACTAT	eeekkdddddddkkeee	6	9943	9959	1197
590678	814	830	ATTGAAACA GACATTTT	eeekkdddddddkkeee	22	9964	9980	1198
590679	815	831	CATTGAAAC AGACATTT	eeekkdddddddkkeee	11	9965	9981	1199
590680	816	832	TCATTGAAA CAGACATT	eeekkdddddddkkeee	10	9966	9982	1200

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590681	817	833	GTCATTGAA ACAGACAT	eeekkdddddddkkeee	23	9967	9983	1201
590682	818	834	GGTCATTGA AACAGACA	eeekkdddddddkkeee	11	9968	9984	1202
590683	819	835	AGGTCATTG AAACAGAC	eeekkdddddddkkeee	21	9969	9985	1203
590684	820	836	CAGGTCATT GAAACAGA	eeekkdddddddkkeee	14	9970	9986	1204
590685	821	837	ACAGGTCAT TGAAACAG	eeekkdddddddkkeee	14	9971	9987	1205
590686	822	838	TACAGGTCA TTGAAACA	eeekkdddddddkkeee	9	9972	9988	1206
590687	823	839	ATACAGGTC ATTGAAAC	eeekkdddddddkkeee	14	9973	9989	1207
590688	824	840	AATACAGGT CATTGAAA	eeekkdddddddkkeee	6	9974	9990	1208
590689	825	841	AAATACAGG TCATTGAA	eeekkdddddddkkeee	2	9975	9991	1209
590690	826	842	AAAATACAG GTCATTGA	eeekkdddddddkkeee	n.d.	9976	9992	1210
590691	827	843	CAAAATACA GGTCATTG	eeekkdddddddkkeee	n.d.	9977	9993	1211
590692	828	844	GCAAAATAC AGGTCATT	eeekkdddddddkkeee	n.d.	9978	9994	1212
590693	829	845	GGCAAAATA CAGGTCAT	eeekkdddddddkkeee	n.d.	9979	9995	1213
590694	830	846	TGGCAAAAT ACAGGTCA	eeekkdddddddkkeee	n.d.	9980	9996	1214
590695	831	847	CTGGCAAAA TACAGGTC	eeekkdddddddkkeee	n.d.	9981	9997	1215

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590696	832	848	TCTGGCAAA ATACAGGT	eeekkdddddddkkeee	n.d.	9982	9998	1216
590697	833	849	GTCTGGCAA AATACAGG	eeekkdddddddkkeee	n.d.	9983	9999	1217
590698	834	850	AGTCTGGCA AAATACAG	eeekkdddddddkkeee	1	9984	10000	1218
590699	835	851	AAGTCTGGC AAAATACA	eeekkdddddddkkeee	10	9985	10001	1219
590700	836	852	TAAGTCTGG CAAAATAC	eeekkdddddddkkeee	4	9986	10002	1220
590701	837	853	TTAAGTCTGG CAAAATA	eeekkdddddddkkeee	2	9987	10003	1221
590702	853	869	AATACCCAT CTGTGATT	eeekkdddddddkkeee	7	10003	10019	1222
590703	854	870	TAATACCCAT CTGTGAT	eeekkdddddddkkeee	4	10004	10020	1223
590704	855	871	TTAATACCCA TCTGTGA	eeekkdddddddkkeee	2	10005	10021	1224
590705	856	872	TTTAATACCC ATCTGTG	eeekkdddddddkkeee	0	10006	10022	1225
590706	857	873	GTTTAATACC CATCTGT	eeekkdddddddkkeee	17	10007	10023	1226
590707	858	874	AGTTTAATAC CCATCTG	eeekkdddddddkkeee	10	10008	10024	1227
590708	859	875	AAGTTTAAT ACCCATCT	eeekkdddddddkkeee	12	10009	10025	1228
590709	860	876	CAAGTTTAAT ACCCATC	eeekkdddddddkkeee	37	10010	10026	1229
590710	861	877	ACAAGTTTA ATACCCAT	eeekkdddddddkkeee	23	10011	10027	1230
590711	862	878	GACAAGTTT AATACCCA	eeekkdddddddkkeee	24	10012	10028	1231

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590712	863	879	TGACAAGTTT AATACCC	eeekkdddddddkkeee	27	10013	10029	1232
590713	864	880	CTGACAAGT TTAATACC	eeekkdddddddkkeee	10	10014	10030	1233
590714	865	881	TCTGACAAG TTTAATAC	eeekkdddddddkkeee	0	10015	10031	1234
590715	866	882	TTCTGACAA GTTTAATA	eeekkdddddddkkeee	6	10016	10032	1235
590716	867	883	ATTCTGACA AGTTTAAT	eeekkdddddddkkeee	9	10017	10033	1236
590717	868	884	AATTCTGAC AAGTTTAA	eeekkdddddddkkeee	15	10018	10034	1237
590718	869	885	AAATTCTGA CAAGTTTA	eeekkdddddddkkeee	21	10019	10035	1238
590719	870	886	GAAATTCTG ACAAGTTT	eeekkdddddddkkeee	14	10020	10036	1239
590720	871	887	AGAAATTCT GACAAGTT	eeekkdddddddkkeee	8	10021	10037	1240
590721	872	888	AAGAAATTC TGACAAGT	eeekkdddddddkkeee	18	10022	10038	1241
590722	891	907	TTCACAGGCT TGAATGA	eeekkdddddddkkeee	9	10041	10057	1242
590723	892	908	ATTCACAGG CTTGAATG	eeekkdddddddkkeee	11	10042	10058	1243
590724	893	909	TATTCACAG GCTTGAAT	eeekkdddddddkkeee	0	10043	10059	1244
590725	894	910	TTATTCACAG GCTTGAA	eeekkdddddddkkeee	10	10044	10060	1245
590726	895	911	TTTATTCACA GGCTTGA	eeekkdddddddkkeee	29	10045	10061	1246
			TTTTATTGAG					

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590727	896	912	TTTTATTCA AGGCTTG	eeekkdddddddkkeee	28	10046	10062	1247
590728	897	913	TTTTTATTCA CAGGCTT	eeekkdddddddkkeee	31	10047	10063	1248
590729	898	914	GTTTTTATTC ACAGGCT	eeekkdddddddkkeee	10	10048	10064	1249
590731	899	915	GGTTTTTATT CACAGGC	eeekkdddddddkkeee	22	10049	10065	1250
590732	900	916	GGGTTTTTAT TCACAGG	eeekkdddddddkkeee	17	10050	10066	1251
590733	901	917	AGGGTTTTTA TTCACAG	eeekkdddddddkkeee	24	10051	10067	1252
590734	902	918	CAGGGTTTTT ATTCACA	eeekkdddddddkkeee	17	10052	10068	1253
590735	903	919	ACAGGGTTTT TATTCAC	eeekkdddddddkkeee	10	10053	10069	1254
590736	904	920	TACAGGGTTT TTATTCA	eeekkdddddddkkeee	11	10054	10070	1255
590737	905	921	ATACAGGGT TTTTATTC	eeekkdddddddkkeee	3	10055	10071	1256
590738	906	922	CATACAGGG TTTTTATT	eeekkdddddddkkeee	0	10056	10072	1257
590739	907	923	CCATACAGG GTTTTTAT	eeekkdddddddkkeee	1	10057	10073	1258
590740	908	924	GCCATACAG GGTTTTTA	eeekkdddddddkkeee	11	10058	10074	1259
590741	909	925	TGCCATACA GGGTTTTT	eeekkdddddddkkeee	9	10059	10075	1260
590742	910	926	GTGCCATAC AGGGTTTT	eeekkdddddddkkeee	7	10060	10076	1261
590743	911	927	AGTGCCATA CAGGGTTT	eeekkdddddddkkeee	9	10061	10077	1262

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590744	938	954	TTGGATTCTT TTAATAG	eeekkdddddddkkeee	8	10088	10104	1263
590745	951	967	TTTTAGTTTG AATTGG	eeekkdddddddkkeee	12	n/a	n/a	1264

Table 17

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCT TCAGCACGCA	eeeeeddddddddeeeee	66	973	992	21
590067	202	221	CCTTCTGCTCG AAATTGATG	eeeeeddddddddeeeee	53	1008	1027	120
590074	209	228	TTACTTTCCTT CTGCTCGAA	eeeeeddddddddeeeee	30	n/a	n/a	127
590457	211	227	TACTTTCCTTC TGCTCG	eeekkdddddddkkeee	14	n/a	n/a	980
590458	212	228	TTACTTTCCTT CTGCTC	eeekkdddddddkkeee	22	n/a	n/a	981
590459	213	229	ATTACTTTCCT TCTGCT	eeekkdddddddkkeee	15	n/a	n/a	982
590461	214	230	CATTACTTTC TTCTGC	eeekkdddddddkkeee	28	n/a	n/a	983
590462	215	231	CCATTACTTTC CTTCTG	eeekkdddddddkkeee	37	n/a	n/a	984
590463	216	232	TCCATTACTTT CCTTCT	eeekkdddddddkkeee	18	n/a	n/a	985
590082	217	236	CTGGTCCATT ACTTTCCTTC	eeeeeddddddddeeeee	50	n/a	n/a	135
590464	217	233	GTCCATTACTT TCCTTC	eeekkdddddddkkeee	33	n/a	n/a	986
590465	218	234	GGTCCATTAC TTTCCTT	eeekkdddddddkkeee	18	4972	4988	987

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590130	363	382	TTCATCCTTTG GCCACCGT	eeeeeddddddddeeeee	30	7679	7698	194
590536	363	379	ATCCTTTGGC CCACCGT	eeekkdddddddkkeee	51	7679	7695	1056
590537	364	380	CATCCTTTGG CCCACCG	eeekkdddddddkkeee	38	7680	7696	1057
590538	365	381	TCATCCTTTGG CCCACC	eeekkdddddddkkeee	27	7681	7697	1058
590539	366	382	TTCATCCTTTG GCCCAC	eeekkdddddddkkeee	26	7682	7698	1059
590540	367	383	CTTCATCCTTT GGCCCA	eeekkdddddddkkeee	35	7683	7699	1060
590541	368	384	TCTTCATCCTT TGGCCC	eeekkdddddddkkeee	15	7684	7700	1061
590542	369	385	CTCTTCATCCT TTGGCC	eeekkdddddddkkeee	26	7685	7701	1062
590543	370	386	TCTCTTCATCC TTTGGC	eeekkdddddddkkeee	14	7686	7702	1063
590138	371	390	TGCCTCTCTTC ATCCTTTGG	eeeeeddddddddeeeee	32	n/a	n/a	202
590146	505	524	CATCTGCTTTT TCATGGACC	eeeeeddddddddeeeee	46	9655	9674	211
590613	608	624	CAAGGGAATG TTTATTG	eeekkdddddddkkeee	19	9758	9774	1133
590614	609	625	CCAAGGGAAT GTTTATT	eeekkdddddddkkeee	36	9759	9775	1134
590615	610	626	TCCAAGGGAA TGTTTAT	eeekkdddddddkkeee	32	9760	9776	1135
590616	611	627	ATCCAAGGGA ATGTTTA	eeekkdddddddkkeee	42	9761	9777	1136
			CATCGAAGCG					

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
590617	612	628	CATCCAAGG AATGTT	eeekkdddddddkkeee	16	9762	9778	1137
590618	613	629	ACATCCAAGG GAATGT	eeekkdddddddkkeee	30	9763	9779	1138
590619	614	630	TACATCCAAG GGAATGT	eeekkdddddddkkeee	30	9764	9780	1139
590620	615	631	CTACATCCAA GGGAATG	eeekkdddddddkkeee	40	9765	9781	1140
590690	826	842	AAAATACAGG TCATTGA	eeekkdddddddkkeee	28	9976	9992	1210
590691	827	843	CAAAATACAG GTCATTG	eeekkdddddddkkeee	23	9977	9993	1211
590692	828	844	GCAAAATACA GGTCATT	eeekkdddddddkkeee	43	9978	9994	1212
590693	829	845	GGCAAAATAC AGGTCAT	eeekkdddddddkkeee	39	9979	9995	1213
590694	830	846	TGGCAAAATA CAGGTCA	eeekkdddddddkkeee	26	9980	9996	1214
590695	831	847	CTGGCAAAAT ACAGGTC	eeekkdddddddkkeee	18	9981	9997	1215
590696	832	848	TCTGGCAAAA TACAGGT	eeekkdddddddkkeee	0	9982	9998	1216
590697	833	849	GTCTGGCAAA ATACAGG	eeekkdddddddkkeee	24	9983	9999	1217

Example 4: Inhibition of human SOD-1 in HepG2 cells by deoxy, MOE and cEt gapmers

[0314] Modified oligonucleotides were designed targeting a superoxide dismutase 1, soluble (SOD-1) nucleic acid and were tested for their effects on SOD-1 mRNA in vitro. ISIS 333611, a 5-10-5 MOE gapmer which was previously described in WO 2005/040180, was included as a benchmark.

[0315] The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cultured HepG2 cells at a density of 20,000 cells per well were transfected using electroporation with 4,000 nM modified oligonucleotide. After a treatment period of approximately 24 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time

PCR.

[0316] Human primer probe set RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells. 'n.d.' indicates that inhibition levels were not measured.

[0317] The newly designed modified oligonucleotides in the Tables below were designed as deoxy, MOE, and cEt gapmers or 5-10-5 gapmers. The 5-10-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of ten 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' direction comprising five nucleosides each. Each nucleoside in the 5' wing segment and each nucleoside in the 3' wing segment has a 2'-MOE modification. The deoxy, MOE and cEt oligonucleotides are 17 nucleosides in length wherein the nucleoside has a MOE sugar modification, a cEt sugar modification, or a deoxy moiety. The sugar chemistry of each oligonucleotide is denoted as in the Chemistry column, where 'k' indicates a cEt modified sugar; 'd' indicates a 2'-deoxyribose; and 'e' indicates a 2'-MOE modified sugar. The internucleoside linkages throughout each gapmer are phosphorothioate linkages. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000). 'n/a' indicates that the modified oligonucleotide does not target that particular gene sequence with 100% complementarity.

Table 18

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596168	3	22	CTCGCCCACTCTGGCCCCAA	45	809	828	1265
596169	5	24	GCCTCGCCCACTCTGGCCCC	37	811	830	1266
596170	7	26	GCGCCTCGCCCACTCTGGCC	33	813	832	1267
596171	9	28	CCGCGCCTCGCCCACTCTGG	27	815	834	1268
596172	11	30	CTCCGCGCCTCGCCCACTCT	40	817	836	1269
596173	13	32	ACCTCCGCGCCTCGCCCACT	77	819	838	1270
596174	15	34	AGACCTCCGCGCCTCGCCCA	72	821	840	1271
596175	17	36	CCAGACCTCCGCGCCTCGCC	46	823	842	1272
596176	19	38	GGCCAGACCTCCGCGCCTCG	49	825	844	1273
150508	21	40	TAGGCCAGACCTCCGCGCCT	33	827	846	107
596177	23	42	TATAGGCCAGACCTCCGCGC	40	829	848	1274
596178	25	44	TTTATAGGCCAGACCTCCGC	69	831	850	1275
150509	27	46	ACTTTATAGGCCAGACCTCC	64	833	852	108
596179	31	50	GACTACTTTATAGGCCAGAC	74	837	856	1276
596180	33	52	GCGACTACTTTATAGGCCAG	19	839	858	1277
596181	37	56	CTCCGCGACTACTTTATAGG	27	843	862	1278
596182	39	58	GTCTCCGCGACTACTTTATA	22	845	864	1279
596183	41	60	CCGTCTCCGCGACTACTTTA	20	847	866	1280
596184	43	62	CCCCGTCTCCGCGACTACTT	16	849	868	1281
596185	45	64	CACCCCGTCTCCGCGACTAC	13	851	870	1282
596186	47	66	AGCACCCCGTCTCCGCGACT	24	853	872	1283
596187	49	68	CCAGCACCCCGTCTCCGCGA	38	855	874	1284
596188	51	70	AACCAGCACCCCGTCTCCGC	11	857	876	1285
596189	53	72	CAAACCAGCACCCCGTCTCC	13	859	878	1286
596190	55	74	CGCAAACCAGCACCCCGTCT	21	861	880	1287
150510	57	76	GACGCAAACCAGCACCCCGT	45	863	882	109

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596191	59	78	ACGACGCAAACCAGCACCCC	30	865	884	1288
596192	61	80	CTACGACGCAAACCAGCACC	19	867	886	1289
596193	63	82	GACTACGACGCAAACCAGCA	40	869	888	1290
596194	65	84	GAGACTACGACGCAAACCAG	23	871	890	1291
596195	67	86	AGGAGACTACGACGCAAACC	35	873	892	1292
596196	69	88	GCAGGAGACTACGACGCAAA	33	875	894	1293
596197	71	90	CTGCAGGAGACTACGACGCA	36	877	896	1294
596198	73	92	CGCTGCAGGAGACTACGACG	23	879	898	1295
596199	91	110	TGCAACGGAAACCCCAGACG	21	897	916	1296
596200	93	112	ACTGCAACGGAAACCCCAGA	43	899	918	1297
596201	97	116	GAGGACTGCAACGGAAACCC	24	903	922	1298
596202	99	118	CCGAGGACTGCAACGGAAAC	29	905	924	1299
596203	101	120	TTCCGAGGACTGCAACGGAA	5	907	926	1300
150438	103	122	GGTTCCGAGGACTGCAACGG	35	909	928	110
345716	105	124	CTGGTTCCGAGGACTGCAAC	51	911	930	1301
150439	107	126	TCCTGGTTCCGAGGACTGCA	24	913	932	111
596204	109	128	GGTCCTGGTTCCGAGGACTG	14	915	934	1302
150440	111	130	GAGGTCCTGGTTCCGAGGAC	31	917	936	112
596205	113	132	CCGAGGTCCTGGTTCCGAGG	18	919	938	1303
345718	115	134	CGCCGAGGTCCTGGTTCCGA	24	921	940	1304
596206	117	136	CACGCCGAGGTCCTGGTTCC	23	923	942	1305
596207	119	138	GCCACGCCGAGGTCCTGGTT	38	925	944	1306
596208	123	142	CTAGGCCACGCCGAGGTCCT	39	929	948	1307
345720	125	144	CGCTAGGCCACGCCGAGGTC	52	931	950	1308
596209	127	146	CTCGCTAGGCCACGCCGAGG	46	933	952	1309
596210	129	148	AACTCGCTAGGCCACGCCGA	44	935	954	1310
596211	131	150	ATAACTCGCTAGGCCACGCC	12	937	956	1311
596212	133	152	CCATAACTCGCTAGGCCACG	22	939	958	1312
345722	135	154	CGCCATAACTCGCTAGGCCA	59	941	960	1313
150442	137	156	GTCGCCATAACTCGCTAGGC	40	943	962	113
146143	157	176	TCAGCACGCACACGGCCTTC	52	963	982	114
195753	159	178	CTTCAGCACGCACACGGCCT	57	965	984	115
333607	161	180	CCCTTCAGCACGCACACGGC	37	967	986	116
333608	163	182	CGCCCTTCAGCACGCACACG	23	969	988	117
333611	167	186	CCGTCGCCCTTCAGCACGCA	67	973	992	21
596213	171	190	TGGGCCGTGCCCCTTCAGCA	12	977	996	1314
596214	173	192	ACTGGGCCGTGCCCCTTCAG	26	979	998	1315
596215	175	194	GCACTGGGCCGTGCCCCTTC	14	981	1000	1316
596216	177	196	CTGCACTGGGCCGTGCCCCT	24	983	1002	1317
596217	181	200	TGCCCTGCACTGGGCCGTGCG	38	987	1006	1318
596218	183	202	GATGCCCTGCACTGGGCCGT	15	989	1008	1319
596219	185	204	ATGATGCCCTGCACTGGGCC	20	991	1010	1320
596220	189	208	ATTGATGATGCCCTGCACTG	8	995	1014	1321

Percent inhibition of SOD-1 mRNA by 5-10-5 MOE gapmers targeting SEQ ID NO: 1 and/or 2							
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596221	191	210	AAATTGATGATGCCCTGCAC	14	997	1016	1322
596222	193	212	CGAAATTGATGATGCCCTGC	32	999	1018	1323
596223	195	214	CTCGAAATTGATGATGCCCT	31	1001	1020	1324
596224	197	216	TGCTCGAAATTGATGATGCC	20	1003	1022	1325
596225	199	218	TCTGCTCGAAATTGATGATG	14	1005	1024	1326
596226	201	220	CTTCTGCTCGAAATTGATGA	11	1007	1026	1327
596227	240	259	TTTAATGCTTCCCCACACCT	15	4994	5013	1328
596228	242	261	CCTTTAATGCTTCCCCACAC	1	4996	5015	1329
596229	244	263	GTCCTTTAATGCTTCCCCAC	9	4998	5017	1330

Table 19

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596530	164	180	CCCTTCAGCA CGCACAC	eekkdddddddkkeee	74	970	986	1331
596721	164	180	CCCTTCAGCA CGCACAC	eekkdddddddkkee	81	970	986	1331
596531	165	181	GCCCTTCAGC ACGCACA	eekkdddddddkkeee	75	971	987	1332
596722	165	181	GCCCTTCAGC ACGCACA	eekkdddddddkkee	60	971	987	1332
596532	166	182	CGCCCTTCAG CACGCAC	eekkdddddddkkeee	67	972	988	1333
596723	166	182	CGCCCTTCAG CACGCAC	eekkdddddddkkee	73	972	988	1333
333611	167	186	CCGTCGCCCT TCAGCACGCA	eeeeeddddddddeeeee	73	973	992	21
596720	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkeee	56	973	989	966
596911	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkee	63	973	989	966
596533	168	184	GTCGCCCTTC AGCACGC	eekkdddddddkkeee	60	974	990	967
596724	168	184	GTCGCCCTTC AGCACGC	eekkdddddddkkee	72	974	990	967

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596534	169	185	CGTCGCCCTT CAGCACG	eekkdddddddkkeee	52	975	991	968
596725	169	185	CGTCGCCCTT CAGCACG	eekkdddddddkkee	43	975	991	968
596535	170	186	CCGTCGCCCT TCAGCAC	eekkdddddddkkeee	71	976	992	969
596726	170	186	CCGTCGCCCT TCAGCAC	eekkdddddddkkee	75	976	992	969
596536	171	187	GCCGTCGCCC TTCAGCA	eekkdddddddkkeee	64	977	993	970
596727	171	187	GCCGTCGCCC TTCAGCA	eekkdddddddkkee	57	977	993	970
596537	577	593	CACCACAAGC CAAACGA	eekkdddddddkkeee	48	9727	9743	1334
596728	577	593	CACCACAAGC CAAACGA	eekkdddddddkkee	46	9727	9743	1334
596538	578	594	ACACCACAAG CCAAACG	eekkdddddddkkeee	27	9728	9744	1335
596729	578	594	ACACCACAAG CCAAACG	eekkdddddddkkee	45	9728	9744	1335
596539	579	595	TACACCACAA GCCAAAC	eekkdddddddkkeee	56	9729	9745	1336
596730	579	595	TACACCACAA GCCAAAC	eekkdddddddkkee	63	9729	9745	1336
596540	580	596	TTACACCACA AGCCAAA	eekkdddddddkkeee	60	9730	9746	1337
596731	580	596	TTACACCACA AGCCAAA	eekkdddddddkkee	63	9730	9746	1337
596541	581	597	ATTACACCAC AAGCCAA	eekkdddddddkkeee	46	9731	9747	1338

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596732	581	597	ATTACACCAC AAGCCAA	eekkdddddddddkee	63	9731	9747	1338
596542	582	598	AATTACACCA CAAGCCA	eekkdddddddddkeee	62	9732	9748	1111
596733	582	598	AATTACACCA CAAGCCA	eekkdddddddddkee	56	9732	9748	1111
596543	583	599	CAATTACACC ACAAGCC	eekkdddddddddkeee	58	9733	9749	1112
596734	583	599	CAATTACACC ACAAGCC	eekkdddddddddkee	61	9733	9749	1112
596544	584	600	CCAATTACAC CACAAGC	eekkdddddddddkeee	66	9734	9750	1113
596735	584	600	CCAATTACAC CACAAGC	eekkdddddddddkee	73	9734	9750	1113
596545	585	601	CCCAATTACA CCACAAG	eekkdddddddddkeee	63	9735	9751	1114
596736	585	601	CCCAATTACA CCACAAG	eekkdddddddddkee	74	9735	9751	1114
596546	588	604	GATCCCAATT ACACCAC	eekkdddddddddkeee	41	9738	9754	1115
596737	588	604	GATCCCAATT ACACCAC	eekkdddddddddkee	58	9738	9754	1115
596547	589	605	CGATCCCAAT TACACCA	eekkdddddddddkeee	57	9739	9755	1116
596738	589	605	CGATCCCAAT TACACCA	eekkdddddddddkee	59	9739	9755	1116
596548	590	606	GCGATCCCAA TTACACC	eekkdddddddddkeee	31	9740	9756	1117
596739	590	606	GCGATCCCAA TTACACC	eekkdddddddddkee	58	9740	9756	1117
596549	591	607	GGCGATCCCA ATTACAC	eekkdddddddddkeee	33	9741	9757	1118

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596740	591	607	GGCGATCCCA ATTACAC	eekkdddddddkkee	66	9741	9757	1118
596550	592	608	GGGCGATCCC AATTACA	eekkdddddddkkee	30	9742	9758	1119
596741	592	608	GGGCGATCCC AATTACA	eekkdddddddkkee	30	9742	9758	1119
596551	593	609	TGGGCGATCC CAATTAC	eekkdddddddkkee	19	9743	9759	1120
596742	593	609	TGGGCGATCC CAATTAC	eekkdddddddkkee	46	9743	9759	1120
596552	594	610	TTGGGCGATC CCAATTA	eekkdddddddkkee	14	9744	9760	1121
596743	594	610	TTGGGCGATC CCAATTA	eekkdddddddkkee	5	9744	9760	1121
596553	595	611	ATTGGGCGAT CCCAATT	eekkdddddddkkee	2	9745	9761	1122
596744	595	611	ATTGGGCGAT CCCAATT	eekkdddddddkkee	23	9745	9761	1122
596554	596	612	TATTGGGCGA TCCCAAT	eekkdddddddkkee	19	9746	9762	1123
596745	596	612	TATTGGGCGA TCCCAAT	eekkdddddddkkee	6	9746	9762	1123
596555	597	613	TTATTGGGCG ATCCCAA	eekkdddddddkkee	41	9747	9763	1124
596746	597	613	TTATTGGGCG ATCCCAA	eekkdddddddkkee	41	9747	9763	1124
596556	598	614	TTTATTGGGC GATCCCA	eekkdddddddkkee	34	9748	9764	1125
596747	598	614	TTTATTGGGC GATCCCA	eekkdddddddkkee	46	9748	9764	1125

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596557	599	615	GTTTATTGGG CGATCCC	eekkdddddddkkeee	54	9749	9765	1126
596748	599	615	GTTTATTGGG CGATCCC	eekkdddddddkkee	68	9749	9765	1126
596558	600	616	TGTTTATTGG GCGATCC	eekkdddddddkkeee	50	9750	9766	1127
596749	600	616	TGTTTATTGG GCGATCC	eekkdddddddkkee	47	9750	9766	1127
596559	601	617	ATGTTTATTG GGCGATC	eekkdddddddkkeee	76	9751	9767	1128
596750	601	617	ATGTTTATTG GGCGATC	eekkdddddddkkee	64	9751	9767	1128
596560	602	618	AATGTTTATT GGGCGAT	eekkdddddddkkeee	61	9752	9768	1129
596751	602	618	AATGTTTATT GGGCGAT	eekkdddddddkkee	64	9752	9768	1129
596561	603	619	GAATGTTTAT TGGGCGA	eekkdddddddkkeee	47	9753	9769	1130
596752	603	619	GAATGTTTAT TGGGCGA	eekkdddddddkkee	65	9753	9769	1130
596562	604	620	GGAATGTTTA TTGGGCG	eekkdddddddkkeee	37	9754	9770	1131
596753	604	620	GGAATGTTTA TTGGGCG	eekkdddddddkkee	58	9754	9770	1131
596563	608	624	CAAGGGAATG TTTATTG	eekkdddddddkkeee	43	9758	9774	1133
596754	608	624	CAAGGGAATG TTTATTG	eekkdddddddkkee	38	9758	9774	1133
596564	609	625	CCAAGGGAAT GTTTATT	eekkdddddddkkeee	57	9759	9775	1134
596755	609	625	CCAAGGGAAT GTTTATT	eekkdddddddkkee	52	9759	9775	1134

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
			TTTATT					
596565	610	626	TCCAAGGGAA TGTTTAT	eekkdddddddkkeee	27	9760	9776	1135
596756	610	626	TCCAAGGGAA TGTTTAT	eekkdddddddkkee	57	9760	9776	1135
596566	611	627	ATCCAAGGGA ATGTTTA	eekkdddddddkkeee	35	9761	9777	1136
596757	611	627	ATCCAAGGGA ATGTTTA	eekkdddddddkkee	39	9761	9777	1136
596567	616	632	ACTACATCCA AGGGAAT	eekkdddddddkkeee	42	9766	9782	1141
596758	616	632	ACTACATCCA AGGGAAT	eekkdddddddkkee	48	9766	9782	1141

Table 20

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCT TCAGCACGCA	eeeeeddddddddeeeee	64	973	992	21
596720	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkeee	56	973	989	966
596911	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkee	60	973	989	966
596568	617	633	GACTACATCC AAGGGAA	eekkdddddddkkeee	50	9767	9783	1142
596759	617	633	GACTACATCC AAGGGAA	eekkdddddddkkee	57	9767	9783	1142
596569	618	634	AGACTACATC CAAGGGA	eekkdddddddkkeee	53	9768	9784	1143
596760	618	634	AGACTACATC CAAGGGA	eekkdddddddkkee	55	9768	9784	1143
			GAGACTACAT					

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596570	619	635	CAGACTACAT CCAAGGG	eekkdddddddkkeee	81	9769	9785	1144
596761	619	635	CAGACTACAT CCAAGGG	eekkdddddddkkee	78	9769	9785	1144
596571	620	636	TCAGACTACA TCCAAGG	eekkdddddddkkeee	79	9770	9786	1145
596762	620	636	TCAGACTACA TCCAAGG	eekkdddddddkkee	78	9770	9786	1145
596572	621	637	CTCAGACTAC ATCCAAG	eekkdddddddkkeee	85	9771	9787	1146
596763	621	637	CTCAGACTAC ATCCAAG	eekkdddddddkkee	76	9771	9787	1146
596573	622	638	CCTCAGACTA CATCCAA	eekkdddddddkkeee	73	9772	9788	1147
596764	622	638	CCTCAGACTA CATCCAA	eekkdddddddkkee	87	9772	9788	1147
596574	623	639	GCCTCAGACT ACATCCA	eekkdddddddkkeee	69	9773	9789	1148
596765	623	639	GCCTCAGACT ACATCCA	eekkdddddddkkee	82	9773	9789	1148
596575	624	640	GGCCTCAGAC TACATCC	eekkdddddddkkeee	70	9774	9790	1149
596766	624	640	GGCCTCAGAC TACATCC	eekkdddddddkkee	76	9774	9790	1149
596576	625	641	GGGCCTCAGA CTACATC	eekkdddddddkkeee	55	9775	9791	1150
596767	625	641	GGGCCTCAGA CTACATC	eekkdddddddkkee	58	9775	9791	1150
596577	640	656	AACAGATGA GTTAAGGG	eekkdddddddkkeee	73	9790	9806	1339
596768	640	656	AACAGATGA GTTAAGGG	eekkdddddddkkee	86	9790	9806	1339

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596578	641	657	TAACAGATGA GTTAAGG	eekkdddddddkkeee	68	9791	9807	1340
596769	641	657	TAACAGATGA GTTAAGG	eekkdddddddkkee	80	9791	9807	1340
596579	642	658	ATAACAGATG AGTTAAG	eekkdddddddkkeee	27	9792	9808	1341
596770	642	658	ATAACAGATG AGTTAAG	eekkdddddddkkee	42	9792	9808	1341
596580	643	659	GATAACAGAT GAGTTAA	eekkdddddddkkeee	41	9793	9809	1151
596771	643	659	GATAACAGAT GAGTTAA	eekkdddddddkkee	28	9793	9809	1151
596581	644	660	GGATAACAG ATGAGTTA	eekkdddddddkkeee	63	9794	9810	1152
596772	644	660	GGATAACAG ATGAGTTA	eekkdddddddkkee	63	9794	9810	1152
596582	645	661	AGGATAACA GATGAGTT	eekkdddddddkkeee	84	9795	9811	1153
596773	645	661	AGGATAACA GATGAGTT	eekkdddddddkkee	86	9795	9811	1153
596583	646	662	CAGGATAAC AGATGAGT	eekkdddddddkkeee	95	9796	9812	1154
596774	646	662	CAGGATAAC AGATGAGT	eekkdddddddkkee	96	9796	9812	1154
596584	647	663	GCAGGATAA CAGATGAG	eekkdddddddkkeee	79	9797	9813	1155
596775	647	663	GCAGGATAA CAGATGAG	eekkdddddddkkee	86	9797	9813	1155
596585	651	667	GCTAGCAGG ATAACAGA	eekkdddddddkkeee	19	9801	9817	1159
			GCTAGCAGG					

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596776	651	667	GCTAGCAUG ATAACAGA	eekkdddddddkkee	43	9801	9817	1159
596586	652	668	AGCTAGCAG GATAACAG	eekkdddddddkkeee	57	9802	9818	1160
596777	652	668	AGCTAGCAG GATAACAG	eekkdddddddkkee	54	9802	9818	1160
596587	653	669	CAGCTAGCAG GATAACA	eekkdddddddkkeee	71	9803	9819	1161
596778	653	669	CAGCTAGCAG GATAACA	eekkdddddddkkee	61	9803	9819	1161
596588	654	670	ACAGCTAGCA GGATAAC	eekkdddddddkkeee	79	9804	9820	1162
596779	654	670	ACAGCTAGCA GGATAAC	eekkdddddddkkee	83	9804	9820	1162
596589	655	671	TACAGCTAGC AGGATAA	eekkdddddddkkeee	85	9805	9821	1163
596780	655	671	TACAGCTAGC AGGATAA	eekkdddddddkkee	86	9805	9821	1163
596590	656	672	CTACAGCTAG CAGGATA	eekkdddddddkkeee	87	9806	9822	1164
596781	656	672	CTACAGCTAG CAGGATA	eekkdddddddkkee	91	9806	9822	1164
596591	657	673	TCTACAGCTA GCAGGAT	eekkdddddddkkeee	75	9807	9823	1165
596782	657	673	TCTACAGCTA GCAGGAT	eekkdddddddkkee	83	9807	9823	1165
596592	658	674	TTCTACAGCT AGCAGGA	eekkdddddddkkeee	74	9808	9824	1166
596783	658	674	TTCTACAGCT AGCAGGA	eekkdddddddkkee	79	9808	9824	1166
596593	659	675	TTTCTACAGC TAGCAGG	eekkdddddddkkeee	76	9809	9825	1167

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596784	659	675	TTTCTACAGC TAGCAGG	eekkdddddddkkee	84	9809	9825	1167
596594	660	676	ATTTCTACAG CTAGCAG	eekkdddddddkkeee	66	9810	9826	1168
596785	660	676	ATTTCTACAG CTAGCAG	eekkdddddddkkee	75	9810	9826	1168
596595	665	681	GATACATTTT TACAGCT	eekkdddddddkkeee	64	9815	9831	1171
596786	665	681	GATACATTTT TACAGCT	eekkdddddddkkee	77	9815	9831	1171
596596	666	682	GGATACATTT CTACAGC	eekkdddddddkkeee	75	9816	9832	1342
596787	666	682	GGATACATTT CTACAGC	eekkdddddddkkee	84	9816	9832	1342
596597	667	683	AGGATACATT TCTACAG	eekkdddddddkkeee	60	9817	9833	1343
596788	667	683	AGGATACATT TCTACAG	eekkdddddddkkee	77	9817	9833	1343
596598	668	684	CAGGATACAT TTCTACA	eekkdddddddkkeee	79	9818	9834	1344
596789	668	684	CAGGATACAT TTCTACA	eekkdddddddkkee	85	9818	9834	1344
596599	672	688	TTATCAGGAT ACATTTT	eekkdddddddkkeee	57	9822	9838	1345
596790	672	688	TTATCAGGAT ACATTTT	eekkdddddddkkee	67	9822	9838	1345
596600	674	690	GTTTATCAGG ATACATT	eekkdddddddkkeee	85	9824	9840	1346
596791	674	690	GTTTATCAGG ATACATT	eekkdddddddkkee	88	9824	9840	1346
			TTTCTACAGC					

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596601	675	691	TGTTTATCA GATACAT	eekkdddddddkkeee	70	9825	9841	1347
596792	675	691	TGTTTATCA GATACAT	eekkdddddddkkee	83	9825	9841	1347
596602	676	692	ATGTTTATCA GGATACA	eekkdddddddkkeee	85	9826	9842	1348
596793	676	692	ATGTTTATCA GGATACA	eekkdddddddkkee	81	9826	9842	1348
596603	677	693	AATGTTTATC AGGATAC	eekkdddddddkkeee	89	9827	9843	1349
596794	677	693	AATGTTTATC AGGATAC	eekkdddddddkkee	90	9827	9843	1349
596604	678	694	TAATGTTTAT CAGGATA	eekkdddddddkkeee	90	9828	9844	1350
596795	678	694	TAATGTTTAT CAGGATA	eekkdddddddkkee	85	9828	9844	1350
596605	679	695	TTAATGTTTA TCAGGAT	eekkdddddddkkeee	90	9829	9845	1351
596796	679	695	TTAATGTTTA TCAGGAT	eekkdddddddkkee	92	9829	9845	1351

Example 5: Inhibition of human SOD-1 in HepG2 cells by deoxy, MOE and cEt gapmers

[0318] Modified oligonucleotides were designed targeting an SOD-1 nucleic acid and were tested for their effects on SOD-1 mRNA in vitro. ISIS 333611, a 5-10-5 MOE gapmer, which was previously described in WO 2005/040180, was included as a benchmark.

[0319] The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cultured HepG2 cells at a density of 20,000 cells per well were transfected using electroporation with 5,000 nM modified oligonucleotide. After a treatment period of approximately 24 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR.

[0320] Human primer probe set RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells. 'n.d.' indicates that inhibition levels were not measured.

[0321] The newly designed modified oligonucleotides in the Tables below were designed as deoxy, MOE, and cEt gapmers.

The gapmers are 17 nucleosides in length wherein each nucleoside has a MOE sugar modification, a cEt sugar modification, or a deoxy moiety. The sugar chemistry of each oligonucleotide is denoted as in the Chemistry column, where 'k' indicates a cEt modified sugar; 'd' indicates a 2'-deoxyribose; and 'e' indicates a 2'-MOE modified sugar. The internucleoside linkages throughout each gapmer are phosphorothioate linkages. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000). 'n/a' indicates that the modified oligonucleotide does not target that particular gene sequence with 100% complementarity.

Table 21

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO:1 Start Site	SEQ ID NO:1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCTT CAGCACGCA	eeeeeddddddddeeeee	71	973	992	21
596720	167	183	TCGCCCTTCAG CACGCA	eekkdddddddkkeee	53	973	989	966
596911	167	183	TCGCCCTTCAG CACGCA	eekkdddddddkkee	61	973	989	966
596606	681	697	GTTTAATGTTT ATCAGG	eekkdddddddkkeee	87	9831	9847	1352
596797	681	697	GTTTAATGTTT ATCAGG	eekkdddddddkkee	92	9831	9847	1352
596607	683	699	GTGTTTAATGT TTATCA	eekkdddddddkkeee	86	9833	9849	1172
596798	683	699	GTGTTTAATGT TTATCA	eekkdddddddkkee	86	9833	9849	1172
596608	684	700	AGTGTTTAAT GTTTATC	eekkdddddddkkeee	88	9834	9850	1173
596799	684	700	AGTGTTTAAT GTTTATC	eekkdddddddkkee	80	9834	9850	1173
596609	685	701	CAGTGTTTAAT GTTTAT	eekkdddddddkkeee	77	9835	9851	1174
596800	685	701	CAGTGTTTAAT GTTTAT	eekkdddddddkkee	85	9835	9851	1174
596610	686	702	ACAGTGTTTA ATGTTTA	eekkdddddddkkeee	83	9836	9852	1175
596801	686	702	ACAGTGTTTA ATGTTTA	eekkdddddddkkee	84	9836	9852	1175

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO:1 Start Site	SEQ ID NO:1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596611	690	706	GATTACAGTG TTTAATG	eekkdddddddkkeee	54	9840	9856	1179
596802	690	706	GATTACAGTG TTTAATG	eekkdddddddkkee	61	9840	9856	1179
596612	691	707	AGATTACAGT GTTTAAT	eekkdddddddkkeee	68	9841	9857	1180
596803	691	707	AGATTACAGT GTTTAAT	eekkdddddddkkee	63	9841	9857	1180
596613	697	713	CTTTTAAGATT ACAGTG	eekkdddddddkkeee	62	9847	9863	1353
596804	697	713	CTTTTAAGATT ACAGTG	eekkdddddddkkee	53	9847	9863	1353
596614	699	715	CACTTTTAAG ATTACAG	eekkdddddddkkeee	37	9849	9865	1354
596805	699	715	CACTTTTAAG ATTACAG	eekkdddddddkkee	49	9849	9865	1354
596615	710	726	TCACACAATT ACACTTT	eekkdddddddkkeee	28	9860	9876	1355
596806	710	726	TCACACAATT ACACTTT	eekkdddddddkkee	39	9860	9876	1355
596616	711	727	GTCACACAAT TACACTT	eekkdddddddkkeee	28	9861	9877	1356
596807	711	727	GTCACACAAT TACACTT	eekkdddddddkkee	35	9861	9877	1356
596617	713	729	AAGTCACACA ATTACAC	eekkdddddddkkeee	41	9863	9879	1357
596808	713	729	AAGTCACACA ATTACAC	eekkdddddddkkee	37	9863	9879	1357
596618	737	753	AGGTACTTTA AAGCAAC	eekkdddddddkkeee	35	9887	9903	1358

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO:1 Start Site	SEQ ID NO:1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596809	737	753	AGGTACTTTA AAGCAAC	eekkdddddddkkee	42	9887	9903	1358
596619	739	755	ACAGGTACTT TAAAGCA	eekkdddddddkkeee	14	9889	9905	1359
596810	739	755	ACAGGTACTT TAAAGCA	eekkdddddddkkee	20	9889	9905	1359
596620	740	756	TACAGGTACT TTAAAGC	eekkdddddddkkeee	23	9890	9906	1360
596811	740	756	TACAGGTACT TTAAAGC	eekkdddddddkkee	26	9890	9906	1360
596621	741	757	CTACAGGTAC TTAAAG	eekkdddddddkkeee	2	9891	9907	1361
596812	741	757	CTACAGGTAC TTAAAG	eekkdddddddkkee	16	9891	9907	1361
596622	743	759	CACTACAGGT ACTTTAA	eekkdddddddkkeee	27	9893	9909	1362
596813	743	759	CACTACAGGT ACTTTAA	eekkdddddddkkee	38	9893	9909	1362
596623	744	760	TCACTACAGG TACTTTA	eekkdddddddkkeee	27	9894	9910	1363
596814	744	760	TCACTACAGG TACTTTA	eekkdddddddkkee	35	9894	9910	1363
596624	745	761	CTCACTACAG GTACTTT	eekkdddddddkkeee	40	9895	9911	1364
596815	745	761	CTCACTACAG GTACTTT	eekkdddddddkkee	54	9895	9911	1364
596625	746	762	TCTCACTACA GGTACTT	eekkdddddddkkeee	42	9896	9912	1365
596816	746	762	TCTCACTACA GGTACTT	eekkdddddddkkee	46	9896	9912	1365
596626	747	763	TTCTCACTACA GGTACT	eekkdddddddkkeee	26	9897	9913	1366

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO:1 Start Site	SEQ ID NO:1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596817	747	763	TTCTCACTACA GGTACT	eekkdddddddddkee	37	9897	9913	1366
596627	748	764	TTTCTCACTAC AGGTAC	eekkdddddddddkeee	35	9898	9914	1367
596818	748	764	TTTCTCACTAC AGGTAC	eekkdddddddddkee	45	9898	9914	1367
596628	749	765	GTTTCTCACTA CAGGTA	eekkdddddddddkeee	25	9899	9915	1368
596819	749	765	GTTTCTCACTA CAGGTA	eekkdddddddddkee	38	9899	9915	1368
596629	750	766	AGTTTCTCACT ACAGGT	eekkdddddddddkeee	33	9900	9916	1369
596820	750	766	AGTTTCTCACT ACAGGT	eekkdddddddddkee	50	9900	9916	1369
596630	751	767	CAGTTTCTCAC TACAGG	eekkdddddddddkeee	38	9901	9917	1370
596821	751	767	CAGTTTCTCAC TACAGG	eekkdddddddddkee	38	9901	9917	1370
596631	752	768	TCAGTTTCTCA CTACAG	eekkdddddddddkeee	25	9902	9918	1371
596822	752	768	TCAGTTTCTCA CTACAG	eekkdddddddddkee	43	9902	9918	1371
596632	753	769	ATCAGTTTCTC ACTACA	eekkdddddddddkeee	31	9903	9919	1372
596823	753	769	ATCAGTTTCTC ACTACA	eekkdddddddddkee	44	9903	9919	1372
596633	754	770	AATCAGTTTCT CACTAC	eekkdddddddddkeee	34	9904	9920	1373
596824	754	770	AATCAGTTTCT CACTAC	eekkdddddddddkee	53	9904	9920	1373

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO:1 Start Site	SEQ ID NO:1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596634	761	777	GATCATAAAT CAGTTTC	eekkdddddddkkeee	34	9911	9927	1374
596825	761	777	GATCATAAAT CAGTTTC	eekkdddddddkkee	38	9911	9927	1374
596635	762	778	TGATCATAAA TCAGTTT	eekkdddddddkkeee	49	9912	9928	1375
596826	762	778	TGATCATAAA TCAGTTT	eekkdddddddkkee	38	9912	9928	1375
596636	763	779	GTGATCATAA ATCAGTT	eekkdddddddkkeee	33	9913	9929	1376
596827	763	779	GTGATCATAA ATCAGTT	eekkdddddddkkee	48	9913	9929	1376
596637	764	780	AGTGATCATA AATCAGT	eekkdddddddkkeee	23	9914	9930	1377
596828	764	780	AGTGATCATA AATCAGT	eekkdddddddkkee	32	9914	9930	1377
596638	766	782	CAAGTGATCA TAAATCA	eekkdddddddkkeee	47	9916	9932	1378
596829	766	782	CAAGTGATCA TAAATCA	eekkdddddddkkee	29	9916	9932	1378
596639	767	783	CCAAGTGATC ATAAATC	eekkdddddddkkeee	40	9917	9933	1379
596830	767	783	CCAAGTGATC ATAAATC	eekkdddddddkkee	48	9917	9933	1379
596640	768	784	TCCAAGTGAT CATAAAT	eekkdddddddkkeee	42	9918	9934	1380
596831	768	784	TCCAAGTGAT CATAAAT	eekkdddddddkkee	39	9918	9934	1380
596641	770	786	CTTCCAAGTG ATCATAA	eekkdddddddkkeee	40	9920	9936	1381
596832	770	786	CTTCCAAGTG ATCATAA	eekkdddddddkkee	54	9920	9936	1381

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO:1 Start Site	SEQ ID NO:1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596642	771	787	TCTTCCAAGTG ATCATA	eekkdddddddkkeee	33	9921	9937	1382
596833	771	787	TCTTCCAAGTG ATCATA	eekkdddddddkkee	43	9921	9937	1382
596643	772	788	ATCTTCCAAGT GATCAT	eekkdddddddkkeee	38	9922	9938	1184
596834	772	788	ATCTTCCAAGT GATCAT	eekkdddddddkkee	38	9922	9938	1184

Table 22

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCT TCAGCACGCA	eeeeeddddddddeeeee	62	973	992	21
596720	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkeee	53	973	989	966
596911	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkee	58	973	989	966
596644	773	789	AATCTTCCAA GTGATCA	eekkdddddddkkeee	19	9923	9939	1185
596835	773	789	AATCTTCCAA GTGATCA	eekkdddddddkkee	38	9923	9939	1185
596645	774	790	AAATCTTCCA AGTGATC	eekkdddddddkkeee	46	9924	9940	1186
596836	774	790	AAATCTTCCA AGTGATC	eekkdddddddkkee	48	9924	9940	1186
596646	782	798	AACTATACAA ATCTTCC	eekkdddddddkkeee	60	9932	9948	1193
596837	782	798	AACTATACAA ATCTTCC	eekkdddddddkkee	63	9932	9948	1193
596647	783	799	AAACTATACA AATCTTC	eekkdddddddkkeee	55	9933	9949	1194

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596838	783	799	AAACTATACA AATCTTC	eekkdddddddkkee	55	9933	9949	1194
596648	806	822	AGACATTTTA ACTGAGT	eekkdddddddkkeee	46	9956	9972	1383
596839	806	822	AGACATTTTA ACTGAGT	eekkdddddddkkee	53	9956	9972	1383
596649	817	833	GTCATTGAAA CAGACAT	eekkdddddddkkeee	2	9967	9983	1201
596840	817	833	GTCATTGAAA CAGACAT	eekkdddddddkkee	15	9967	9983	1201
596650	819	835	AGGTCATTGA AACAGAC	eekkdddddddkkeee	40	9969	9985	1203
596841	819	835	AGGTCATTGA AACAGAC	eekkdddddddkkee	44	9969	9985	1203
596651	822	838	TACAGGTCAT TGAAACA	eekkdddddddkkeee	26	9972	9988	1206
596842	822	838	TACAGGTCAT TGAAACA	eekkdddddddkkee	38	9972	9988	1206
596652	823	839	ATACAGGTCA TTGAAAC	eekkdddddddkkeee	33	9973	9989	1207
596843	823	839	ATACAGGTCA TTGAAAC	eekkdddddddkkee	22	9973	9989	1207
596653	825	841	AAATACAGGT CATTGAA	eekkdddddddkkeee	28	9975	9991	1209
596844	825	841	AAATACAGGT CATTGAA	eekkdddddddkkee	47	9975	9991	1209
596654	827	843	CAAAATACAG GTCATTG	eekkdddddddkkeee	44	9977	9993	1211
596845	827	843	CAAAATACAG GTCATTG	eekkdddddddkkee	56	9977	9993	1211

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596655	830	846	TGGCAAATA CAGGTCA	eekkdddddddkkee	33	9980	9996	1214
596846	830	846	TGGCAAATA CAGGTCA	eekkdddddddkkee	43	9980	9996	1214
596656	831	847	CTGGCAAAT ACAGGTC	eekkdddddddkkee	25	9981	9997	1215
596847	831	847	CTGGCAAAT ACAGGTC	eekkdddddddkkee	53	9981	9997	1215
596657	833	849	GTCTGGCAA ATACAGG	eekkdddddddkkee	30	9983	9999	1217
596848	833	849	GTCTGGCAA ATACAGG	eekkdddddddkkee	38	9983	9999	1217
596658	836	852	TAAGTCTGG AAAATAC	eekkdddddddkkee	24	9986	10002	1220
596849	836	852	TAAGTCTGG AAAATAC	eekkdddddddkkee	46	9986	10002	1220
596659	837	853	TTAAGTCTG CAAATA	eekkdddddddkkee	27	9987	10003	1221
596850	837	853	TTAAGTCTG CAAATA	eekkdddddddkkee	42	9987	10003	1221
596660	840	856	GATTTAAGTC TGGCAA	eekkdddddddkkee	19	9990	10006	1384
596851	840	856	GATTTAAGTC TGGCAA	eekkdddddddkkee	35	9990	10006	1384
596661	841	857	TGATTTAAGT CTGGCAA	eekkdddddddkkee	52	9991	10007	1385
596852	841	857	TGATTTAAGT CTGGCAA	eekkdddddddkkee	52	9991	10007	1385
596662	842	858	GTGATTTAAG TCTGGCA	eekkdddddddkkee	54	9992	10008	1386
596853	842	858	GTGATTTAAG TCTGGCA	eekkdddddddkkee	69	9992	10008	1386

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596663	843	859	TGTGATTTAA GTCTGGC	eekkdddddddkkeee	45	9993	10009	1387
596854	843	859	TGTGATTTAA GTCTGGC	eekkdddddddkkee	58	9993	10009	1387
596664	844	860	CTGTGATTTA AGTCTGG	eekkdddddddkkeee	n.d.	9994	10010	1388
596855	844	860	CTGTGATTTA AGTCTGG	eekkdddddddkkee	61	9994	10010	1388
596665	845	861	TCTGTGATTT AAGTCTG	eekkdddddddkkeee	49	9995	10011	1389
596856	845	861	TCTGTGATTT AAGTCTG	eekkdddddddkkee	49	9995	10011	1389
596666	846	862	ATCTGTGATT TAAGTCT	eekkdddddddkkeee	35	9996	10012	1390
596857	846	862	ATCTGTGATT TAAGTCT	eekkdddddddkkee	37	9996	10012	1390
596667	847	863	CATCTGTGAT TTAAGTC	eekkdddddddkkeee	42	9997	10013	1391
596858	847	863	CATCTGTGAT TTAAGTC	eekkdddddddkkee	48	9997	10013	1391
596668	848	864	CCATCTGTGA TTTAAGT	eekkdddddddkkeee	46	9998	10014	1392
596859	848	864	CCATCTGTGA TTTAAGT	eekkdddddddkkee	47	9998	10014	1392
596669	849	865	CCCATCTGTG ATTTAAG	eekkdddddddkkeee	49	9999	10015	1393
596860	849	865	CCCATCTGTG ATTTAAG	eekkdddddddkkee	49	9999	10015	1393
596670	850	866	ACCCATCTGT GATTAA	eekkdddddddkkeee	33	10000	10016	1394

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596861	850	866	ACCCATCTGT GATTAA	eekkdddddddkkee	44	10000	10016	1394
596671	851	867	TACCCATCTG TGATTTA	eekkdddddddkkeee	29	10001	10017	1395
596862	851	867	TACCCATCTG TGATTTA	eekkdddddddkkee	45	10001	10017	1395
596672	854	870	TAATACCCAT CTGTGAT	eekkdddddddkkeee	25	10004	10020	1223
596863	854	870	TAATACCCAT CTGTGAT	eekkdddddddkkee	28	10004	10020	1223
596673	855	871	TTAATACCCA TCTGTGA	eekkdddddddkkeee	28	10005	10021	1224
596864	855	871	TTAATACCCA TCTGTGA	eekkdddddddkkee	26	10005	10021	1224
596674	858	874	AGTTTAATAC CCATCTG	eekkdddddddkkeee	29	10008	10024	1227
596865	858	874	AGTTTAATAC CCATCTG	eekkdddddddkkee	43	10008	10024	1227
596675	859	875	AAGTTTAATA CCCATCT	eekkdddddddkkeee	54	10009	10025	1228
596866	859	875	AAGTTTAATA CCCATCT	eekkdddddddkkee	59	10009	10025	1228
596676	860	876	CAAGTTTAAT ACCCATC	eekkdddddddkkeee	52	10010	10026	1229
596867	860	876	CAAGTTTAAT ACCCATC	eekkdddddddkkee	62	10010	10026	1229
596677	861	877	ACAAGTTTAA TACCCAT	eekkdddddddkkeee	58	10011	10027	1230
596868	861	877	ACAAGTTTAA TACCCAT	eekkdddddddkkee	61	10011	10027	1230
596678	862	878	GACAAGTTTA ATACCCA	eekkdddddddkkeee	54	10012	10028	1231

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596869	862	878	GACAAGTTTA ATACCCA	eekkdddddddkkee	59	10012	10028	1231
596679	863	879	TGACAAGTTT AATACCC	eekkdddddddkkeee	43	10013	10029	1232
596870	863	879	TGACAAGTTT AATACCC	eekkdddddddkkee	52	10013	10029	1232
596680	864	880	CTGACAAGTT TAATACC	eekkdddddddkkeee	30	10014	10030	1233
596871	864	880	CTGACAAGTT TAATACC	eekkdddddddkkee	36	10014	10030	1233
596681	865	881	TCTGACAAGT TTAATAC	eekkdddddddkkeee	33	10015	10031	1234
596872	865	881	TCTGACAAGT TTAATAC	eekkdddddddkkee	20	10015	10031	1234

Table 23

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
333611	167	186	CCGTCGCCCT TCAGCACGCA	eeeeeddddddddeeeee	68	973	992	21
596720	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkeee	64	973	989	966
596911	167	183	TCGCCCTTCA GCACGCA	eekkdddddddkkee	71	973	989	966
596682	884	900	GCTTGAATGA CAAAGAA	eekkdddddddkkeee	24	10034	10050	1396
596873	884	900	GCTTGAATGA CAAAGAA	eekkdddddddkkee	32	10034	10050	1396
596683	885	901	GGCTTGAATG ACAAAGA	eekkdddddddkkeee	54	10035	10051	1397
596874	885	901	GGCTTGAATG ACAAAGA	eekkdddddddkkee	44	10035	10051	1397

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596684	889	905	CACAGGCTTG AATGACA	eekkdddddddkkeee	34	10039	10055	1398
596875	889	905	CACAGGCTTG AATGACA	eekkdddddddkkee	47	10039	10055	1398
596685	890	906	TCACAGGCTT GAATGAC	eekkdddddddkkeee	28	10040	10056	1399
596876	890	906	TCACAGGCTT GAATGAC	eekkdddddddkkee	46	10040	10056	1399
596686	891	907	TTCACAGGCT TGAATGA	eekkdddddddkkeee	20	10041	10057	1242
596877	891	907	TTCACAGGCT TGAATGA	eekkdddddddkkee	16	10041	10057	1242
596687	892	908	ATTCACAGGC TTGAATG	eekkdddddddkkeee	19	10042	10058	1243
596878	892	908	ATTCACAGGC TTGAATG	eekkdddddddkkee	29	10042	10058	1243
596688	893	909	TATTCACAGG CTTGAAT	eekkdddddddkkeee	24	10043	10059	1244
596879	893	909	TATTCACAGG CTTGAAT	eekkdddddddkkee	11	10043	10059	1244
596689	894	910	TTATTCACAG GCTTGAA	eekkdddddddkkeee	26	10044	10060	1245
596880	894	910	TTATTCACAG GCTTGAA	eekkdddddddkkee	30	10044	10060	1245
596690	895	911	TTTATTCACA GGCTTGA	eekkdddddddkkeee	44	10045	10061	1246
596881	895	911	TTTATTCACA GGCTTGA	eekkdddddddkkee	55	10045	10061	1246
596691	896	912	TTTTATTCAC AGGCTTG	eekkdddddddkkeee	43	10046	10062	1247

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596882	896	912	TTTTATTCAC AGGCTTG	eekkdddddddkkee	48	10046	10062	1247
596692	899	915	GGTTTTTATT CACAGGC	eekkdddddddkkeee	38	10049	10065	1250
596883	899	915	GGTTTTTATT CACAGGC	eekkdddddddkkee	57	10049	10065	1250
596693	903	919	ACAGGGTTTT TATTCAC	eekkdddddddkkeee	29	10053	10069	1254
596884	903	919	ACAGGGTTTT TATTCAC	eekkdddddddkkee	47	10053	10069	1254
596694	904	920	TACAGGGTTT TTATTCA	eekkdddddddkkeee	13	10054	10070	1255
596885	904	920	TACAGGGTTT TTATTCA	eekkdddddddkkee	31	10054	10070	1255
596695	907	923	CCATACAGGG TTTTTAT	eekkdddddddkkeee	13	10057	10073	1258
596886	907	923	CCATACAGGG TTTTTAT	eekkdddddddkkee	34	10057	10073	1258
596696	908	924	GCCATACAGG GTTTTTA	eekkdddddddkkeee	13	10058	10074	1259
596887	908	924	GCCATACAGG GTTTTTA	eekkdddddddkkee	26	10058	10074	1259
596697	909	925	TGCCATACAG GGTTTTT	eekkdddddddkkeee	21	10059	10075	1260
596888	909	925	TGCCATACAG GGTTTTT	eekkdddddddkkee	22	10059	10075	1260
596698	910	926	GTGCCATACA GGGTTTT	eekkdddddddkkeee	20	10060	10076	1261
596889	910	926	GTGCCATACA GGGTTTT	eekkdddddddkkee	28	10060	10076	1261
596699	911	927	AGTGCCATAC AGGGTTT	eekkdddddddkkeee	20	10061	10077	1262

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596890	911	927	AGTGCCATAC AGGGTTT	eekkdddddddkkee	27	10061	10077	1262
596700	912	928	AAGTGCCATA CAGGGTT	eekkdddddddkkeee	15	10062	10078	1400
596891	912	928	AAGTGCCATA CAGGGTT	eekkdddddddkkee	21	10062	10078	1400
596701	913	929	TAAGTGCCAT ACAGGGT	eekkdddddddkkeee	26	10063	10079	1401
596892	913	929	TAAGTGCCAT ACAGGGT	eekkdddddddkkee	35	10063	10079	1401
596702	914	930	ATAAGTGCCA TACAGGG	eekkdddddddkkeee	36	10064	10080	1402
596893	914	930	ATAAGTGCCA TACAGGG	eekkdddddddkkee	46	10064	10080	1402
596703	915	931	AATAAGTGCC ATACAGG	eekkdddddddkkeee	40	10065	10081	1403
596894	915	931	AATAAGTGCC ATACAGG	eekkdddddddkkee	36	10065	10081	1403
596704	916	932	TAATAAGTGC CATACAG	eekkdddddddkkeee	22	10066	10082	1404
596895	916	932	TAATAAGTGC CATACAG	eekkdddddddkkee	30	10066	10082	1404
596705	917	933	ATAATAAGTG CCATACA	eekkdddddddkkeee	27	10067	10083	1405
596896	917	933	ATAATAAGTG CCATACA	eekkdddddddkkee	27	10067	10083	1405
596706	918	934	CATAATAAGT GCCATAC	eekkdddddddkkeee	32	10068	10084	1406
596897	918	934	CATAATAAGT GCCATAC	eekkdddddddkkee	34	10068	10084	1406

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596707	919	935	TCATAATAAG TGCCATA	eekkdddddddkkeee	28	10069	10085	1407
596898	919	935	TCATAATAAG TGCCATA	eekkdddddddkkee	34	10069	10085	1407
596708	920	936	CTCATAATAA GTGCCAT	eekkdddddddkkeee	30	10070	10086	1408
596899	920	936	CTCATAATAA GTGCCAT	eekkdddddddkkee	44	10070	10086	1408
596709	921	937	CCTCATAATA AGTGCCA	eekkdddddddkkeee	29	10071	10087	1409
596900	921	937	CCTCATAATA AGTGCCA	eekkdddddddkkee	31	10071	10087	1409
596710	922	938	GCCTCATAAT AAGTGCC	eekkdddddddkkeee	41	10072	10088	1410
596901	922	938	GCCTCATAAT AAGTGCC	eekkdddddddkkee	33	10072	10088	1410
596711	923	939	AGCCTCATAA TAAGTGC	eekkdddddddkkeee	16	10073	10089	1411
596902	923	939	AGCCTCATAA TAAGTGC	eekkdddddddkkee	11	10073	10089	1411
596712	924	940	TAGCCTCATA ATAAGTG	eekkdddddddkkeee	11	10074	10090	1412
596903	924	940	TAGCCTCATA ATAAGTG	eekkdddddddkkee	27	10074	10090	1412
596713	925	941	ATAGCCTCAT AATAAGT	eekkdddddddkkeee	20	10075	10091	1413
596904	925	941	ATAGCCTCAT AATAAGT	eekkdddddddkkee	27	10075	10091	1413
596714	926	942	AATAGCCTCA TAATAAG	eekkdddddddkkeee	20	10076	10092	1414
596905	926	942	AATAGCCTCA TAATAAG	eekkdddddddkkee	25	10076	10092	1414

Percent inhibition of SOD-1 mRNA by deoxy, MOE and cEt gapmers targeting SEQ ID NO: 1 and/or 2								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Chemistry	% inhibition	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
596715	931	947	CTTTTAATAG CCTCATA	eekkdddddddkkeee	45	10081	10097	1415
596906	931	947	CTTTTAATAG CCTCATA	eekkdddddddkkee	34	10081	10097	1415
596716	932	948	TCTTTAATA GCCTCAT	eekkdddddddkkeee	52	10082	10098	1416
596907	932	948	TCTTTAATA GCCTCAT	eekkdddddddkkee	56	10082	10098	1416
596717	936	952	GGATTCTTT AATAGCC	eekkdddddddkkeee	14	10086	10102	1417
596908	936	952	GGATTCTTT AATAGCC	eekkdddddddkkee	19	10086	10102	1417
596718	938	954	TTGGATTCTT TTAATAG	eekkdddddddkkeee	23	10088	10104	1263
596909	938	954	TTGGATTCTT TTAATAG	eekkdddddddkkee	8	10088	10104	1263
596719	949	965	TTAGTTTGAA TTTGAT	eekkdddddddkkeee	31	10099	10115	1418
596910	949	965	TTAGTTTGAA TTTGAT	eekkdddddddkkee	16	10099	10115	1418

Example 6: Dose-dependent inhibition of human SOD-1 with modified oligonucleotides in HepG2 cells

[0322] Gapmers from the studies described above exhibiting significant *in vitro* inhibition of SOD-1 mRNA were selected and tested at various doses in HepG2 cells. Benchmark compound ISIS 333611 and other compounds previously disclosed in WO 2005/040180, including ISIS 146144, 146145, 150445, 150446, 150447, 150454, 150463, 150465, 333606, 333609, and 333611 were also tested.

[0323] The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cells were plated at a density of 20,000 cells per well and transfected using electroporation with 0.813 μ M, 1.625 μ M, 3.250 μ M, 6.500 μ M, and 13.000 μ M concentrations of modified oligonucleotide, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR. Human primer probe set RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells.

[0324] The half maximal inhibitory concentration (IC₅₀) of each oligonucleotide is also presented. SOD-1 mRNA levels were significantly reduced in a dose-dependent manner in modified oligonucleotide treated cells.

Table 24

Dose-dependent inhibition of SOD-1 mRNA						
ISIS No	0.813 μM	1.625 μM	3.250 μM	6.500 μM	13.000 μM	IC ₅₀ (μM)
150445	7	21	44	56	82	4.4
150446	15	32	47	71	87	3.2
150447	26	43	68	81	93	2.0
150463	16	38	51	66	85	3.1
333611	18	39	57	66	79	3.0
393336	18	34	53	69	83	3.1
393343	24	32	53	73	42	5.1
436863	18	42	58	72	89	2.6
590089	28	59	70	82	90	1.5
590090	34	56	76	82	51	1.1
590091	30	44	68	84	88	1.9
590094	16	35	57	73	76	3.0
590113	34	35	57	73	84	2.3

Table 25

Dose-dependent inhibition of SOD-1 mRNA						
ISIS No	0.813 μM	1.625 μM	3.250 μM	6.500 μM	13.000 μM	IC ₅₀ (μM)
150465	42	59	77	82	87	1.0
333611	17	26	40	64	82	3.8
378879	14	35	63	72	86	2.8
393371	28	42	57	74	80	2.3
489520	28	44	64	72	84	2.2
590177	53	59	69	85	88	0.7
590178	40	53	71	73	87	1.3
590180	18	42	51	64	73	3.3
590187	34	51	68	80	92	1.6
590188	30	46	61	76	88	2.0
590189	37	49	68	78	88	1.6
590190	38	58	77	84	89	1.1
590191	29	56	71	77	84	1.6
590192	37	59	72	80	87	1.2

Table 26

Dose-dependent inhibition of SOD-1 mRNA						
ISIS No	0.813 μM	1.625 μM	3.250 μM	6.500 μM	13.000 μM	IC ₅₀ (μM)
146144	15	58	67	78	64	2.2
146145	31	53	67	81	90	1.6
333606	11	39	62	75	91	2.7
333609	13	37	57	71	85	2.9
333611	14	30	53	68	86	3.2
590250	8	19	47	64	84	3.9
590626	61	72	84	84	87	0.2
592630	24	33	58	70	85	2.7
592631	19	48	59	74	88	2.3

Dose-dependent inhibition of SOD-1 mRNA						
ISIS No	0.813 μ M	1.625 μ M	3.250 μ M	6.500 μ M	13.000 μ M	IC ₅₀ (μ M)
592645	20	31	53	74	89	2.8
592649	14	32	56	69	82	3.2

Table 27

Dose-dependent inhibition of SOD-1 mRNA						
ISIS No	0.813 μ M	1.625 μ M	3.250 μ M	6.500 μ M	13.000 μ M	IC ₅₀ (μ M)
150454	13	24	49	69	83	3.5
333611	28	28	53	68	82	3.0
489505	13	24	38	56	81	4.5
489516	25	16	39	61	79	4.3
592652	11	31	52	74	46	5.1
592714	8	25	45	69	82	3.8
592715	18	35	50	70	83	3.1
592762	44	66	74	81	89	0.8
592763	50	68	74	86	95	0.7
592764	26	43	48	76	87	2.5
592766	36	53	66	77	89	1.5
592767	25	31	54	70	79	2.9
592769	35	31	56	73	80	2.5
592771	34	43	58	70	80	2.2

Example 7: Dose-dependent inhibition of human SOD-1 with modified oligonucleotides in HepG2 cells

[0325] Gapmers from the studies described above exhibiting significant *in vitro* inhibition of SOD-1 mRNA were selected and tested at various doses in HepG2 cells. Benchmark compound, ISIS 333611, and ISIS 333625, both of which were previously disclosed in WO 2005/040180 were also tested.

[0326] The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cells were plated at a density of 20,000 cells per well and transfected using electroporation with 0.148 μ M, 0.444 μ M, 1.330 μ M, 4.000 μ M, and 12.000 μ M concentrations of modified oligonucleotide, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR. Human primer probe sets RTS3898 or HTS90 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells.

[0327] The half maximal inhibitory concentration (IC₅₀) of each oligonucleotide is also presented. SOD-1 mRNA levels were significantly reduced in a dose-dependent manner in modified oligonucleotide treated cells.

Table 28

Dose response assay with primer probe set RTS3898						
ISIS No	0.148 μ M	0.444 μ M	1.330 μ M	4.000 μ M	12.000 μ M	IC ₅₀ (μ M)
333611	6	14	29	51	78	3.2
596911	8	12	23	54	74	3.6
596720	7	14	31	55	71	3.4
596800	44	60	75	84	82	0.2
596801	33	49	69	79	83	0.5
596610	16	44	65	78	84	0.8
596799	20	45	64	75	84	0.8

Dose response assay with primer probe set RTS3898						
ISIS No	0.148 μ M	0.444 μ M	1.330 μ M	4.000 μ M	12.000 μ M	IC ₅₀ (μ M)
596609	17	54	65	75	81	0.7
596883	13	22	36	45	51	8.6
489523	16	40	62	78	90	0.9
590181	5	17	46	70	89	1.7
436868	10	35	47	69	82	1.4
596768	16	37	62	82	89	0.9
596775	36	50	66	83	89	0.4

Table 29

Dose response assay with primer probe set HTS90						
ISIS No	0.148 μ M	0.444 μ M	1.330 μ M	4.000 μ M	12.000 μ M	IC ₅₀ (μ M)
333625	0	4	17	56	84	3.3
489532	54	70	78	86	96	0.1
590154	0	14	25	56	86	2.7
596173	0	5	25	63	92	2.4
596174	7	12	37	46	84	2.8
596178	2	16	40	68	82	2.1
596179	0	17	41	64	80	2.3
596308	0	5	22	56	80	3.3
596572	18	35	62	83	90	0.9
596589	10	45	61	77	91	0.9
596600	41	56	71	85	92	0.3
596602	14	51	74	86	95	0.6
596789	22	55	69	86	91	0.5
596795	16	43	64	82	93	0.8

Example 8: Dose-dependent inhibition of human SOD-1 with modified oligonucleotides in HepG2 cells

[0328] Gapmers from the studies described above exhibiting significant *in vitro* inhibition of SOD-1 mRNA were selected and tested at various doses in HepG2 cells. Benchmark compound, ISIS 333611, and additional compounds including, ISIS 146143, 150442, 195753, 333607, and 333608, were previously disclosed in WO 2005/040180 were also tested.

[0329] The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cells were plated at a density of 20,000 cells per well and transfected using electroporation with 0.1875 μ M, 0.7500 μ M, 3.0000 μ M, and 12.0000 μ M concentrations of modified oligonucleotide, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR. Human primer probe sets RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells.

[0330] The half maximal inhibitory concentration (IC₅₀) of each oligonucleotide is also presented. SOD-1 mRNA levels were significantly reduced in a dose-dependent manner in modified oligonucleotide treated cells.

Table 30

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 μ M	0.75 μ M	3.00 μ M	12.00 μ M	IC ₅₀ (μ M)
333611	0	27	60	91	2
596572	38	65	87	96	0.3

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 µM	0.75 µM	3.00 µM	12.00 µM	IC ₅₀ (µM)
596583	62	89	95	95	<0.1
596590	40	79	89	94	0.2
596602	40	75	92	98	0.2
596603	51	79	92	96	0.1
596604	48	78	91	95	0.1
596605	50	86	90	97	0.1
596764	11	67	89	94	0.7
596768	27	49	82	92	0.7
596773	32	62	89	98	0.4
596774	56	89	93	96	<0.1
596775	31	75	90	97	0.3
596780	24	71	85	98	0.5
596781	30	80	93	97	0.3
596791	38	74	89	95	0.3
596794	43	75	91	97	0.2
596795	28	66	91	98	0.4
596796	43	78	93	98	0.2

Table 31

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 µM	0.75 µM	3.00 µM	12.00 µM	IC ₅₀ (µM)
333611	0	15	68	95	2.1
596589	35	70	90	97	0.3
596789	38	71	89	97	0.3
596600	41	73	89	95	0.2
596582	30	71	87	95	0.4
596784	26	68	89	95	0.4
596787	44	67	89	94	0.2
596779	29	71	89	97	0.4
596792	37	63	83	95	0.4
596782	27	61	85	96	0.5
596765	34	59	87	95	0.4
596793	27	65	88	96	0.5
596570	25	60	84	91	0.6
596769	21	64	85	96	0.6
596783	10	57	84	94	0.9
596584	26	67	84	93	0.5
596571	37	71	81	92	0.3
596598	30	62	81	94	0.5
596588	11	64	87	95	0.7

Table 32

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 µM	0.75 µM	3.00 µM	12.00 µM	IC ₅₀ (µM)
146143	6	12	51	88	2.5
150442	10	21	39	90	2.5

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 μ M	0.75 μ M	3.00 μ M	12.00 μ M	IC ₅₀ (μ M)
195753	13	23	48	77	2.8
333607	17	26	59	83	1.9
333608	0	2	28	92	3.7
333611	0	13	52	91	2.4
596573	26	51	77	91	0.8
596577	32	55	78	93	0.6
596591	23	51	74	91	0.8
596592	18	48	66	86	1.1
596593	16	58	78	87	0.8
596596	4	49	72	87	1.3
596761	28	55	74	91	0.7
596762	0	47	75	90	1.3
596763	0	40	78	92	1.5
596766	4	50	68	86	1.3
596785	10	47	77	91	1.1
596786	0	45	75	97	1.3
596788	9	52	81	95	1

Table 33

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 μ M	0.75 μ M	3.00 μ M	12.00 μ M	IC ₅₀ (μ M)
333611	3	22	60	92	2
596302	9	27	59	89	1.9
596308	29	47	82	96	0.7
596309	13	42	75	92	1.1
596310	13	16	48	81	2.8
596313	15	37	70	88	1.3
596314	18	45	74	92	1
596606	55	78	87	93	0.1
596607	44	71	83	84	0.2
596608	46	74	84	81	0.1
596609	30	61	79	87	0.5
596610	39	69	82	86	0.3
596612	16	50	62	77	1.4
596797	67	84	94	96	<0.1
596798	42	68	86	89	0.2
596799	35	66	83	87	0.4
596800	45	73	84	87	0.2
596801	40	67	86	88	0.3
596803	28	41	63	71	1.4

Table 34

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 μ M	0.75 μ M	3.00 μ M	12.00 μ M	IC ₅₀ (μ M)
333611	0	30	56	69	3.1
590475	19	39	69	88	1.2
590625	19	51	74	85	1.0

Dose-dependent inhibition of SOD-1 mRNA					
ISIS No	0.1875 μM	0.75 μM	3.00 μM	12.00 μM	IC ₅₀ (μM)
590626	42	72	88	90	0.2
590627	16	42	70	84	1.0
590634	45	72	86	92	0.2
590635	39	60	80	90	0.4
590644	44	62	80	86	0.3
590650	34	56	82	93	0.5
590653	52	78	86	85	0.1
590655	35	71	79	82	0.3
596530	25	22	72	79	2.0
596531	8	38	74	96	1.2
596559	15	36	79	95	1.1
596721	14	47	82	97	0.9
596723	12	47	79	94	1.0
596726	24	42	80	94	0.9
596735	7	32	77	96	1.3
596736	25	52	82	97	0.7

Example 9: Dose-dependent inhibition of human SOD-1 in HepG2 cells by gapmers with mixed backbone chemistry

[0331] Additional gapmers were designed based on the sequences of the oligonucleotides disclosed in studies described above. The oligonucleotides were designed as 5-10-5 MOE, 5-8-5 MOE, and deoxy, MOE and cEt oligonucleotides. The 5-10-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of ten 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' direction comprising five nucleosides each. The 5-8-5 MOE gapmers are 18 nucleosides in length, wherein the central gap segment is comprised of eight 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' direction comprising five nucleosides each. Each nucleoside in the 5' wing segment and each nucleoside in the 3' wing segment has a 2'-MOE modification. The deoxy, MOE and cEt oligonucleotides are 16 or 17 nucleosides in length wherein each nucleoside has a MOE sugar modification, a cEt sugar modification, or a deoxy moiety. The sugar chemistry of each oligonucleotide is denoted as in the Chemistry column, where 'k' indicates a cEt modified sugar; 'd' indicates a 2'-deoxyribose; and 'e' indicates a 2'-MOE modified sugar. The internucleoside linkages throughout each gapmer are either phosphodiester or phosphorothioate linkages. The internucleoside linkages of each oligonucleotide are denoted in the Backbone Chemistry column, where 'o' indicates a phosphodiester linkage and 's' denotes a phosphorothioate linkage. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000).

Table 35

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
611458	226	245	ACACCTTCAC TGGTCCATTA	eeeeeddddddddeeeee	sooooooooooooo	4980	4999	23
			GGACAGCTT					

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
654335	233	248	CCCACACCTT CACTGG	ekddddddddekekee	sossssssssoooss	4987	5002	1420
611474	234	253	GCTTCCCCAC ACCTTCACTG	eeeeeddddddddeeeee	s000ssssssssssso00s	4988	5007	149
654301	234	251	TTCCCCACAC CTTCACTG	eeeeeddddddddeeeee	s000ssssssssssso0ss	4988	5005	1421
654336	234	249	CCCCACACCT TCACTG	ekddddddddekekee	sossssssssoooss	4988	5003	1422
654302	235	252	CTTCCCCACA CCTTCACT	eeeeeddddddddeeeee	s000ssssssssssso0ss	4989	5006	1423
654319	235	250	TCCCCACACC TTCAC	kekeddddddddekek	s000sssssssssooss	4989	5004	1424
654337	235	250	TCCCCACACC TTCAC	ekddddddddekekee	sossssssssoooss	4989	5004	1424
654303	236	253	GCTTCCCCAC ACCTTCAC	eeeeeddddddddeeeee	s000ssssssssssso0ss	4990	5007	1425
654320	236	251	TTCCCCACAC CTTCAC	kekeddddddddekek	s000sssssssssooss	4990	5005	1426
654321	237	252	CTTCCCCACA CCTTCA	kekeddddddddekek	s000sssssssssooss	4991	5006	1427
611475	321	340	GTGAGGACCT GCACTGGTAC	eeeeeddddddddeeeee	s000ssssssssssso00s	7637	7656	172
611460	588	607	GGCGATCCCA ATTACACCAC	eeeeeddddddddeeeee	s000ssssssssssso00s	9738	9757	47
654304	663	680	ATACATTCT ACAGCTAG	eeeeeddddddddeeeee	s000ssssssssssso0ss	9813	9830	1429
654305	664	681	GATACATTTC TACAGCTA	eeeeeddddddddeeeee	s000ssssssssssso0ss	9814	9831	1430
654340	664	679	TACATTCTA CAGCTA	ekddddddddekekee	sossssssssoooss	9814	9829	1431
611492	665	684	CAGGATACAT TTCTACAGCT	eeeeeddddddddeeeee	s000ssssssssssso00s	9815	9834	725

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
654306	665	682	GGATACATTT CTACAGCT	eeeeeddddddddeeeee	s000ssssssssss00ss	9815	9832	1432
654323	665	680	ATACATTTCT ACAGCT	kekeddddddddekek	s000ssssssssss0ss	9815	9830	1433
654341	665	680	ATACATTTCT ACAGCT	ekdddddddekekee	s0ssssssss000ss	9815	9830	1433
611500	666	685	TCAGGATACA TTCTACAGC	eeeeeddddddddeeeee	s000ssssssssss000s	9816	9835	823
612941	666	682	GGATACATTT CTACAGC	eekdddddddkkee	s000ssssssssss0ss	9816	9832	1342
654307	666	683	AGGATACATT TCTACAGC	eeeeeddddddddeeeee	s000ssssssssss00ss	9816	9833	1434
654324	666	681	GATACATTTT TACAGC	kekeddddddddekek	s000ssssssssss0ss	9816	9831	1435
654342	666	681	GATACATTTT TACAGC	ekdddddddekekee	s0ssssssss000ss	9816	9831	1435
654308	667	684	CAGGATACAT TTCTACAG	eeeeeddddddddeeeee	s000ssssssssss00ss	9817	9834	1436
612925	676	692	ATGTTTATCA GGATACA	eekdddddddkkee	s00ssssssss00ss	9826	9842	1348
612944	676	692	ATGTTTATCA GGATACA	eekdddddddkkee	s000ssssssssss0ss	9826	9842	1348
654343	677	692	ATGTTTATCA GGATAC	ekdddddddekekee	s0ssssssss000ss	9827	9842	1437
612927	678	694	TAATGTTTAT CAGGATA	eekdddddddkkee	s00ssssssss00ss	9828	9844	1350
654309	678	695	TTAATGTTTA TCAGGATA	eeeeeddddddddeeeee	s000ssssssssss00ss	9828	9845	1438
612928	679	695	TTAATGTTTA TCAGGAT	eekdddddddkkee	s00ssssssss00ss	9829	9845	1351
654310	679	696	TTTAATGTTT ATCAGGAT	eeeeeddddddddeeeee	s000ssssssssss00ss	9829	9846	1439

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
			TTCAATGTT					
654311	680	697	GTTTAATGTT TATCAGGA	eeeeeddddddddeeeee	s000ssssssssss00ss	9830	9847	1440
654327	680	695	TTAATGTTTA TCAGGA	kekeddddddddekek	s000ssssssssss0ss	9830	9845	1441
654346	680	695	TTAATGTTTA TCAGGA	ekdddddddekekee	s0ssssssss000ss	9830	9845	1441
611497	681	700	AGTGTTTAAT GTTTATCAGG	eeeeeddddddddeeeee	s000ssssssssss000s	9831	9850	733
612948	681	697	GTTTAATGTT TATCAGG	eekdddddddddkee	s000ssssssssss0ss	9831	9847	1352
654312	681	698	TGTTTAATGT TTATCAGG	eeeeeddddddddeeeee	s000ssssssssss00ss	9831	9848	1442
654328	681	696	TTTAATGTTT ATCAGG	kekeddddddddekek	s000ssssssssss0ss	9831	9846	1443
654347	681	696	TTTAATGTTT ATCAGG	ekdddddddekekee	s0ssssssss000ss	9831	9846	1443
654313	682	699	GTGTTTAATG TTTATCAG	eeeeeddddddddeeeee	s000ssssssssss00ss	9832	9849	1444
654329	682	697	GTTTAATGTT TATCAG	kekeddddddddekek	s000ssssssssss0ss	9832	9847	1445
654348	682	697	GTTTAATGTT TATCAG	ekdddddddekekee	s0ssssssss000ss	9832	9847	1445
612949	683	699	GTGTTTAATG TTTATCA	eekdddddddddkee	s000ssssssssss0ss	9833	9849	1172
654314	683	700	AGTGTTTAAT GTTTATCA	eeeeeddddddddeeeee	s000ssssssssss00ss	9833	9850	1446
654330	683	698	TGTTTAATGT TTATCA	kekeddddddddekek	s000ssssssssss0ss	9833	9848	1447
612931	684	700	AGTGTTTAAT GTTTATC	eekdddddddddkeee	s00ssssssssss00ss	9834	9850	1173

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
654315	684	701	CAGTGTTTAA TGTTTATC	eeeeeddddddddeeeee	s000ssssssssss00ss	9834	9851	1448
654331	684	699	GTGTTTAATG TTTATC	kekeddddddddekek	s000ssssssssss0ss	9834	9849	1449
654350	684	699	GTGTTTAATG TTTATC	ekdddddddekekee	s0ssssssss000ss	9834	9849	1449
654316	685	702	ACAGTGTTTA ATGTTTAT	eeeeeddddddddeeeee	s000ssssssssss00ss	9835	9852	1450
612918	686	702	ACAGTGTTTA ATGTTTA	eeekkdddddddkkee	s00ssssssssss00ss	9836	9852	1175
612932	686	702	ACAGTGTTTA ATGTTTA	eekkdddddddkkee	s00ssssssssss00ss	9836	9852	1175
654317	686	703	TACAGTGTTT AATGTTTA	eeeeeddddddddeeeee	s000ssssssssss00ss	9836	9853	1451
654333	686	701	CAGTGTTTAA TGTTTA	kekeddddddddekek	s000ssssssssss0ss	9836	9851	1452
654352	686	701	CAGTGTTTAA TGTTTA	ekdddddddekekee	s0ssssssss000ss	9836	9851	1452
654318	687	704	TTACAGTGT TAATGTTT	eeeeeddddddddeeeee	s000ssssssssss00ss	9837	9854	1453
654334	687	702	ACAGTGTTTA ATGTTT	kekeddddddddekek	s000ssssssssss0ss	9837	9852	1454

[0332] The newly designed oligonucleotides were tested at various doses in HepG2 cells. The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cells were plated at a density of 20,000 cells per well and transfected using electroporation with 0.222 μ M, 0.667 μ M, 2.000 μ M, and 6.000 μ M concentrations of modified oligonucleotide, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR. Human primer probe sets RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells.

[0333] The half maximal inhibitory concentration (IC₅₀) of each oligonucleotide is also presented. SOD-1 mRNA levels were significantly reduced in a dose-dependent manner in modified oligonucleotide treated cells.

Table 36

Dose response assay					
ISIS No	0.222 µM	0.667 µM	2.000 µM	6.000 µM	IC ₅₀ µM
333611	0	28	53	77	1.9
611458	0	21	50	79	2.0
611460	24	34	55	79	1.3
611474	14	32	55	79	1.5
611475	0	16	35	70	3.0
611492	38	70	88	95	0.3
611497	28	55	80	89	0.6
611500	25	50	73	92	0.7
612918	51	70	74	80	<0.2
612925	53	73	90	89	<0.2
612927	64	89	92	94	<0.2
612928	67	90	94	97	<0.2
612931	68	76	84	86	<0.2
612932	61	73	88	91	<0.2
612941	62	78	91	95	<0.2
612944	47	71	82	92	0.2
612948	76	90	93	94	<0.2
612949	58	68	83	96	<0.2
654301	7	4	17	42	>6.0

Table 37

Dose response assay					
ISIS No	0.222 µM	0.667 µM	2.000 µM	6.000 µM	IC ₅₀ µM
333611	14	20	35	69	3.0
611458	11	27	36	68	2.9
654302	0	8	38	48	6.2
654303	8	29	46	76	1.9
654304	7	28	54	79	1.7
654305	28	59	73	85	0.6
654306	38	62	82	94	0.4
654307	9	43	65	86	1.1
654308	14	31	54	84	1.4
654309	0	17	47	72	2.4
654310	10	24	28	53	6.6
654311	45	73	78	87	0.2
654312	14	39	59	77	1.3
654313	20	43	56	81	1.2
654314	33	58	74	86	0.5
654315	21	47	64	84	0.9
654316	19	30	46	70	2.0
654317	13	46	57	70	1.4
654318	17	42	54	76	1.4

Table 38

Dose response assay					
ISIS No	0.222 μM	0.667 μM	2.000 μM	6.000 μM	IC ₅₀ μM
333611	14	19	50	73	2.1
611458	9	22	39	72	2.5
654319	19	9	31	61	5.1
654320	6	16	20	59	5.9
654321	8	14	51	76	2.1
654323	55	73	89	95	<0.2
654324	54	78	89	96	<0.2
654327	53	82	91	96	<0.2
654328	73	90	93	97	<0.2
654329	58	78	86	94	<0.2
654330	42	54	69	86	0.4
654331	53	78	82	90	<0.2
654333	50	67	81	86	0.2
654334	55	68	78	88	<0.2
654335	15	31	58	81	1.4
654336	21	36	60	75	1.3
654337	16	34	58	80	1.4
654340	36	69	83	95	0.4
654341	43	58	79	91	0.3

Table 39

Dose response assay					
ISIS No	0.222 μM	0.667 μM	2.00 μM	6.00 μM	IC ₅₀ μM
333611	0	6	38	64	3.6
611458	3	14	36	63	3.6
654342	40	60	80	93	0.4
654343	64	81	90	94	<0.2
654346	52	73	84	93	<0.2
654347	21	38	58	81	1.2
654348	44	63	82	94	0.3
654350	40	63	76	86	0.3
654352	54	79	84	88	<0.2

Example 10: Dose-dependent inhibition of human SOD-1 by gapmers with mixed backbone chemistry

[0334] Additional gapmers were designed based on the sequences of the oligonucleotides disclosed in studies described above. The oligonucleotides were designed as deoxy, MOE and cEt oligonucleotides. The deoxy, MOE and cEt oligonucleotides are 16 or 17 nucleosides in length wherein each nucleoside has a MOE sugar modification, a cEt sugar modification, or a deoxy moiety. The sugar chemistry of each oligonucleotide is denoted as in the Chemistry column, where 'k' indicates a cEt modified sugar; 'd' indicates a 2'-deoxyribose; and 'e' indicates a 2'-MOE modified sugar. The internucleoside linkages throughout each gapmer are either phosphodiester or phosphorothioate linkages. The internucleoside linkages of each oligonucleotide are denoted in the Backbone Chemistry column, where 'o' indicates a phosphodiester linkage and 's' indicates a phosphorothioate linkage. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession

No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000).

Table 40

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry								
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
612916	664	680	ATACATTTCTA CAGCTA	eeekkdddddddkkeee	soossssssssooss	9814	9830	1170
612947	679	695	TTAATGTTTAT CAGGAT	eekkdddddddkkee	soossssssssooss	9829	9845	1351
654322	664	679	TACATTTCTAC AGCTA	kekedddddddekek	soossssssssooss	9814	9829	1431
654325	667	682	GGATACATTT CTACAG	kekedddddddekek	soossssssssooss	9817	9832	1455
654326	679	694	TAATGTTTATC AGGAT	kekedddddddekek	soossssssssooss	9829	9844	1456
654332	685	700	AGTGTTTAAT GTTTAT	kekedddddddekek	soossssssssooss	9835	9850	1457
654338	662	677	CATTTCTACAG CTAGC	ekdddddddekekee	soossssssooss	9812	9827	1458
654339	663	678	ACATTTCTACA GCTAG	ekdddddddekekee	soossssssooss	9813	9828	1459
654344	678	693	AATGTTTATCA GGATA	ekdddddddekekee	soossssssooss	9828	9843	1460
654345	679	694	TAATGTTTATC AGGAT	ekdddddddekekee	soossssssooss	9829	9844	1456
654349	683	698	TGTTTAATGTT TATCA	ekdddddddekekee	soossssssooss	9833	9848	1447
654351	685	700	AGTGTTTAAT GTTTAT	ekdddddddekekee	soossssssooss	9835	9850	1457

[0335] The newly designed oligonucleotides were tested at various doses in A431 cells. The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cells were plated at a density of 5,000 cells per well and modified oligonucleotides were added to the media at 0.12 µM, 0.60 µM, 3.00 µM, and 15.00 µM concentrations of modified oligonucleotide for free uptake by the cells, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR. Human primer probe sets RTS3898 was used

to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells.

Table 41

Dose response assay				
ISIS No	0.12 μ M	0.60 μ M	3.00 μ M	15.00 μ M
333611	0	7	17	31
611458	5	4	4	10
612916	4	13	26	37
612918	12	26	45	47
612944	1	4	21	29
612947	12	48	54	72
654305	7	15	39	52
654306	0	25	29	50
654313	1	15	36	50
654314	2	35	52	67
654321	0	8	8	18
654322	0	13	36	59
654329	7	7	41	66
654330	6	14	15	32
654337	0	0	7	21
654338	3	3	2	11
654345	1	9	22	46
654346	0	7	21	46

Table 42

Dose response assay				
ISIS No	0.12 μ M	0.60 μ M	3.00 μ M	15.00 μ M
333611	0	0	0	2
611460	0	0	0	30
611474	0	0	11	0
612925	2	4	12	52
612927	0	38	54	68
612948	25	69	89	95
612949	22	57	73	84
654307	42	23	26	45
654308	2	31	9	18
654315	0	8	39	52
654316	0	18	26	45
654323	15	14	16	52
654324	12	22	21	34
654331	7	35	66	78
654332	2	31	47	61
654339	1	27	32	47
654340	37	0	22	12
654347	20	5	12	33
654348	2	19	33	62

Table 43

Dose response assay				
ISIS No	0.12 µM	0.60 µM	3.00 µM	15.00 µM
333611	0	0	0	1
611475	0	17	0	16
611492	13	24	41	62
612928	12	36	49	72
612931	31	68	83	86
654301	2	0	0	9
654302	0	8	3	0
654309	18	7	11	9
654310	13	19	22	7
654317	3	0	1	20
654318	4	0	33	17
654325	0	0	0	14
654326	0	15	17	48
654333	19	18	36	55
654334	0	0	0	6
654341	0	9	0	25
654342	0	0	0	18
654349	0	13	31	49
654350	10	32	66	79

Table 44

Dose response assay				
ISIS No	0.12 µM	0.60 µM	3.00 µM	15.00 µM
333611	5	0	7	3
611497	16	49	60	75
611500	9	8	21	49
612932	17	8	26	37
612941	4	12	36	51
654303	0	1	0	5
654304	9	10	27	43
654311	15	51	68	84
654312	6	26	29	33
654319	3	44	2	8
654320	4	12	5	12
654327	3	45	65	81
654328	15	44	73	85
654335	2	0	0	12
654336	0	0	0	0
654343	0	7	26	59
654344	10	30	51	72
654351	10	22	48	77
654352	8	26	57	76

Example 11: Dose-dependent inhibition of human SOD-1 by gapmers with mixed backbone chemistry

[0336] Additional gapmers were designed based on the sequences of the oligonucleotides disclosed in studies described above. The oligonucleotides were designed as 5-10-5 MOE gapmers, 4-8-5 MOE gapmers, 5-8-5 MOE gapmers, 5-8-7 MOE gapmers, 6-8-6 MOE gapmers, 6-9-5 MOE gapmers, or deoxy, MOE and cEt oligonucleotides.

[0337] The 5-10-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of ten 2'-deoxynucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising five nucleosides each. The 4-8-5 MOE gapmers are 17 nucleosides in length, wherein the central gap segment is comprised of eight 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising four and five nucleosides respectively. The 5-8-5 MOE gapmers are 18 nucleosides in length, wherein the central gap segment is comprised of eight 2'-deoxynucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising five nucleosides each. The 5-8-7 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of eight 2'-deoxynucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising five and seven nucleosides respectively. The 6-8-6 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of eight 2'-deoxynucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising six nucleosides each. The 6-9-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of nine 2'-deoxynucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising six and five nucleosides respectively. Each nucleoside in the 5' wing segment and each nucleoside in the 3' wing segment has a 2'-MOE modification.

[0338] The deoxy, MOE and cEt oligonucleotides are 17 nucleosides in length wherein each nucleoside has a MOE sugar modification, a cEt sugar modification, or a deoxy moiety. The sugar chemistry of each oligonucleotide is denoted as in the Chemistry column, where 'k' indicates a cEt modified sugar; 'd' indicates a 2'-deoxyribose; and 'e' indicates a 2'-MOE modified sugar.

[0339] The internucleoside linkages throughout each gapmer are either phosphodiester or phosphorothioate linkages. The internucleoside linkages of each oligonucleotide are denoted in the Backbone Chemistry column, where 'o' indicates a phosphodiester linkage and 's' indicates a phosphorothioate linkage. All cytosine residues throughout each gapmer are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted human gene sequence. Each gapmer listed in the Tables below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000).

Table 45

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry									
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Motif	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
666846	665	684	CAGGATACAT TTCTACAGCT	5-10-5 MOE	eeeeeddddddddeeeee	s0000ssssssssss00ss	9815	9834	725
666849	665	684	CAGGATACAT TTCTACAGCT	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss00ss	9815	9834	725
666853	665	684	CAGGATACAT TTCTACAGCT	5-10-5 MOE	eeeeeddddddddeeeee	sos0ssssssssss0sos	9815	9834	725
666859	679	695	TTAATGTTTA TCAGGAT	Deoxy, MOE and cEt	eeeeddddddddkkee	s00ssssssss00ss	9829	9845	1351
666861	679	695	TTAATGTTTA TCAGGAT	Deoxy, MOE and cEt	ekekdddddddeeeee	s00ssssssss00ss	9829	9845	1351

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry									
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Motif	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
666867	684	700	AGTGTTTAAT GTTTATC	Deoxy, MOE and cEt	eekdddddddeeeee	s00ssssssssss00ss	9834	9850	1173
666869	684	700	AGTGTTTAAT GTTTATC	Deoxy, MOE and cEt	ekekdddddddkkeee	s00ssssssssss00ss	9834	9850	1173
666870	684	700	AGTGTTTAAT GTTTATC	Deoxy, MOE and cEt	ekekdddddddeeeee	s00ssssssssss00ss	9834	9850	1173
666919	666	682	GGATACATTT CTACAGC	Deoxy, MOE and cEt	eeeeeeeeeeeee	s00ssssssssss00ss	9816	9832	1342
666921	666	682	GGATACATTT CTACAGC	Deoxy, MOE and cEt	eeeeeeeeeeeee	s00ssssssssss00ss	9816	9832	1342
666922	666	682	GGATACATTT CTACAGC	Deoxy, MOE and cEt	eeeeekeeeeeee	s00ssssssssss00ss	9816	9832	1342
684059	676	692	ATGTTTATCA GGATACA	Deoxy, MOE and cEt	eeekdddddddkkeee	s00ssssssssss00ss	9826	9842	1348
684064	676	692	ATGTTTATCA GGATACA	Deoxy, MOE and cEt	eeeeeeeeeeeee	s00ssssssssss00ss	9826	9842	1348
684068	676	692	ATGTTTATCA GGATACA	4-8-5 MOE	eeeeeeeeeeeee	s00ssssssssss00ss	9826	9842	1348
684087	590	607	GGCGATCCCA ATTACACC	5-8-5 MOE	eeeeeeeeeeeee	s00ssssssssss00ss	9740	9757	613
684088	167	184	GTCGCCCTTC AGCACGCA	5-8-5 MOE	eeeeeeeeeeeee	s00ssssssssss00ss	973	990	1419
684095	167	186	CCGTCGCCCT TCAGCACGCA	5-10-5 MOE	eeeeeeeeeeeee	s000ssssssssss00ss	973	992	21
684097	167	186	CCGTCGCCCT TCAGCACGCA	5-8-7 MOE	eeeeeeeeeeeee	s000ssssssssss000ss	973	992	21
684101	588	607	GGCGATCCCA ATTACACCAC	6-8-6 MOE	eeeeeeeeeeeee	s000ssssssssss000ss	9738	9757	47

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry									
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Motif	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
684102	588	607	GGCGATCCCA ATTACACCAC	5-8-7 MOE	eeeeeddddddddeeeeeee	s000ssssssssss000ss	9738	9757	47
684104	588	607	GGCGATCCCA ATTACACCAC	6-9-5 MOE	eeeeeddddddddeeeeeee	s000ssssssssss00ss	9738	9757	47

[0340] The newly designed oligonucleotides were tested at various doses in A431 cells. The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cells were plated at a density of 5,000 cells per well and modified oligonucleotides were added to the media at 0.062 μ M, 0.185 μ M, 0.556 μ M, 1.667 μ M, 5.000 μ M, and 15.000 μ M concentrations of modified oligonucleotide for free uptake by the cells, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR. Human primer probe sets RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells.

Table 46

Dose response assay							
ISIS No	0.062 μ M	0.185 μ M	0.556 μ M	1.667 μ M	5.000 μ M	15.000 μ M	IC ₅₀ (μ M)
666846	18	28	45	70	69	81	0.8
666919	0	1	13	28	42	55	11.0
666849	33	29	52	62	74	82	0.6
666921	2	4	15	19	37	44	>15
666853	20	29	49	69	76	83	0.7
666922	8	7	30	33	66	59	4.1
666859	26	30	58	64	68	78	0.6
666861	6	21	44	76	68	77	1.1
666867	16	43	65	68	79	83	0.5
666869	52	68	79	88	89	91	<0.06
666870	24	37	57	77	81	86	0.4

Table 47

Dose response assay							
ISIS No	0.062 μ M	0.185 μ M	0.556 μ M	1.667 μ M	5.000 μ M	15.000 μ M	IC ₅₀ (μ M)
684059	7	18	38	53	68	79	1.5
684102	0	9	0	0	4	0	>15
684064	12	19	29	38	51	61	5.0
684104	0	0	0	0	0	4	>15
684068	0	4	10	33	50	56	8.0
684087	3	1	29	0	0	27	>15
684088	10	11	11	3	4	18	>15
684095	12	13	14	4	7	18	>15
684097	8	4	5	4	3	9	>15
684101	7	0	0	23	6	14	>15

[0341] The newly designed oligonucleotides were also tested at various doses in SH-SY5Y cells. The modified oligonucleotides were tested in a series of experiments that had similar culture conditions. The results for each experiment are presented in separate tables shown below. Cells were plated at a density of 20,000 cells per well and modified oligonucleotides transfected using electroporation at 0.062 μM , 0.185 μM , 0.556 μM , 1.667 μM , 5.000 μM , and 15.000 μM concentrations of modified oligonucleotide, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA levels were measured by quantitative real-time PCR. Human primer probe set RTS3898 was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells.

Table 48

Dose response assay							
ISIS No	0.062 μM	0.185 μM	0.556 μM	1.667 μM	5.000 μM	15.000 μM	IC ₅₀ (μM)
666846	0	17	49	62	83	91	0.9
666919	10	3	23	35	77	78	2.2
666849	10	10	33	61	81	92	1.1
666921	0	0	12	30	56	68	4.8
666853	0	17	39	59	85	82	1.3
666922	9	0	12	33	65	76	3.2
666859	11	44	53	75	77	93	0.5
666861	0	0	34	61	81	90	1.4
666867	33	10	43	61	81	77	0.9
666869	38	49	61	83	81	84	0.2
666870	3	6	48	69	77	87	1.1

Table 49

Dose response assay							
ISIS No	0.062 μM	0.185 μM	0.556 μM	1.667 μM	5.000 μM	15.000 μM	IC ₅₀ (μM)
684059	4	30	51	68	88	92	0.7
684102	5	2	16	25	36	61	12.0
684064	15	27	52	63	79	92	0.7
684104	0	3	20	38	61	84	2.6
684068	0	4	32	37	61	83	2.3
684087	0	3	21	31	47	66	5.8
684088	13	4	5	40	52	77	3.9
684095	16	5	19	36	68	80	2.4
684097	11	15	9	30	59	76	3.6
684101	0	0	8	23	49	66	6.6

Example 12: Inhibition of human SOD-1 in a transgenic rat model

[0342] Gapmers from the studies described above, including benchmark compound ISIS 333611, which was previously disclosed in WO 2005/040180, were tested in an SOD-1 transgenic rat model (Taconic, Cat# 2148-F and 2148-M). These hemizygous rats express mutant human SOD-1 in the spinal cord.

[0343] Additional gapmers were designed based on the sequences of the oligonucleotides disclosed in studies described above. The oligonucleotides were designed as 5-9-5 MOE gapmers, 5-10-5 MOE gapmers or deoxy, MOE and cEt oligonucleotides. The 5-9-5 MOE gapmers are 19 nucleosides in length, wherein the central gap segment is comprised of nine 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising five nucleosides each. The 5-10-5 MOE gapmers are 20 nucleosides in length, wherein the central gap segment is comprised of

ten 2'-deoxyribonucleosides and is flanked by wing segments on the 5' direction and the 3' directions comprising five nucleosides each. Each nucleoside in the 5' wing segment and each nucleoside in the 3' wing segment has a 2'-MOE modification. The deoxy, MOE and cEt oligonucleotides are 17 nucleosides in length wherein each nucleoside has a MOE sugar modification, a cEt sugar modification, or a deoxy moiety The sugar chemistry of each oligonucleotide is denoted as in the Chemistry column, where 'k' indicates a cEt modified sugar; 'd' indicates a 2'-deoxyribose; and 'e' indicates a 2'-MOE modified sugar. The internucleoside linkages throughout each gapmer are either phosphodiester or phosphorothioate linkages. The internucleoside linkages of each oligonucleotide is denoted in the Backbone Chemistry column, where 'o' indicates a phosphodiester linkage and 's' indicates a phosphorothioate linkage. All cytosine residues throughout each oligonucleotide are 5-methylcytosines. "Start site" indicates the 5'-most nucleoside to which the gapmer is targeted in the human gene sequence. "Stop site" indicates the 3'-most nucleoside to which the gapmer is targeted human gene sequence. Each gapmer listed in the Table below is targeted to either the human SOD-1 mRNA, designated herein as SEQ ID NO: 1 (GENBANK Accession No. NM_000454.4) or the human SOD-1 genomic sequence, designated herein as SEQ ID NO: 2 (GENBANK Accession No. NT_011512.10 truncated from nucleotides 18693000 to 18704000).

Table 50

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry									
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Motif	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
383872	167	186	CCGTCGCCCTT CAGCACGCA	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	973	992	21
611457	165	184	GTCGCCCTTCA GCACGCACA	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	971	990	54
611464	164	183	TCGCCCTTCAG CACGCACAC	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	970	989	67
611467	656	675	TTTCTACAGCT AGCAGGATA	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	9806	9825	272
611468	583	602	TCCCAATTACA CCACAAGCC	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	9733	9752	227
611472	230	249	CCCCACACCTT CACTGGTCC	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	4984	5003	145
611473	231	250	TCCCCACACCT TCACTGGTC	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	4985	5004	146
611478	644	663	GCAGGATAAC AGATGAGTTA	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	9794	9813	260
611479	645	664	AGCAGGATAA CAGATGAGTT	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	9795	9814	261
611481	655	674	TTCTACAGCTA GCAGGATAA	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	9805	9824	271
611484	660	679	TACATTCTAC AGCTAGCAG	5-10-5 MOE	eeeeeddddddddeeeee	soooSSSSSSSSSSsooos	9810	9829	276

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry									
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Motif	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
611485	661	680	ATACATTCTA CAGCTAGCA	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss000s	9811	9830	277
611488	124	143	GCTAGGCCAC GCCGAGGTCC	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss000s	930	949	593
611490	402	421	GTCAGCAGTCA CATTGCCCA	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss000s	8457	8476	666
611494	671	690	GTTTATCAGGA TACATTCT	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss000s	9821	9840	728
611495	673	692	ATGTTTATCAG GATACATT	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss000s	9823	9842	729
611498	569	588	CAAGCCAAAC GACTTCAGC	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss000s	9719	9738	816
611499	664	683	AGGATACATT CTACAGCTA	5-10-5 MOE	eeeeeddddddddeeeee	s000ssssssssss000s	9814	9833	822
612912	621	637	CTCAGACTACA TCCAAG	Deoxy, MOE, and cEt	eeekkkddddddkkee	s00ssssssssss00ss	9771	9787	1146
612915	656	672	CTACAGCTAGC AGGATA	Deoxy, MOE, and cEt	eeekkkddddddkkee	s00 sssssssss00ss	9806	9822	1164
612917	684	700	AGTGTTTAATG TTTATC	Deoxy, MOE, and cEt	eeekkkddddddkkee	s00ssssssssss00ss	9834	9850	1173
612919	621	637	CTCAGACTACA TCCAAG	Deoxy, MOE, and cEt	eeekkkddddddkkee	s00ssssssssss00ss	9771	9787	1146
612923	656	672	CTACAGCTAGC AGGATA	Deoxy, MOE, and cEt	eeekkkddddddkkee	s00 sssssssss00ss	9806	9822	1164
612924	674	690	GTTTATCAGGA TACATT	Deoxy, MOE, and cEt	eeekkkddddddkkee	s00 sssssssss00ss	9824	9840	1346
612934	170	186	CCGTCGCCCTT CAGCAC	Deoxy, MOE, and cEt	eeekkkddddddkkee	s000ssssssssss00ss	976	992	969
				Deoxy,					

Modified oligonucleotides targeting human SOD-1 with mixed backbone chemistry									
ISIS NO	SEQ ID NO: 1 Start Site	SEQ ID NO: 1 Stop Site	Sequence	Motif	Sugar Modifications	Backbone Chemistry	SEQ ID NO: 2 Start Site	SEQ ID NO: 2 Stop Site	SEQ ID NO
612935	585	601	CCCAATTACAC CACAAG	MOE, and cEt	eekkkdddddskkee	s000ssssssssoss	9735	9751	1114
612940	659	675	TTTCTACAGCT AGCAGG	Deoxy, MOE, and cEt	eekkkdddddskkee	s000ssssssssoss	9809	9825	1167
612942	668	684	CAGGATACATT TCTACA	Deoxy, MOE, and cEt	eekkkdddddskkee	s000ssssssssoss	9818	9834	1344
612943	674	690	GTTTATCAGGA TACATT	Deoxy, MOE, and cEt	eekkkdddddskkee	s000ssssssssoss	9824	9840	1346
666854	665	681	AGGATACATT CTACAGCT	5-9-5 MOE	eeeeedddddeeeee	s000ssssssssoss	9815	9831	1428
666855	666	682	CAGGATACATT TCTACAGC	5-9-5 MOE	eeeeedddddeeeee	s000ssssssssoss	9816	9832	1461
666857	679	695	TTAATGTTTAT CAGGAT	Deoxy, MOE, and cEt	eeekkkdddskkee	s00ssssssssoss	9829	9845	1351
666858	679	695	TTAATGTTTAT CAGGAT	Deoxy, MOE, and cEt	eekkkddddddeeeee	s00ssssssssoss	9829	9845	1351
666864	679	695	TTAATGTTTAT CAGGAT	Deoxy, MOE, and cEt	kekkddddddeeeee	s00ssssssssoss	9829	9845	1351
666865	679	695	TTAATGTTTAT CAGGAT	Deoxy, MOE, and cEt	eeeedddddekeke	s00ssssssssoss	9829	9845	1351
666866	684	700	AGTGTTTAATG TTTATC	Deoxy, MOE, and cEt	eeekkkdddskkee	s00ssssssssoss	9834	9850	1173
666908	686	702	ACAGTGTTTAA TGTTTA	Deoxy, MOE, and cEt	eeeekkkdddskkee	s000ssssssssoss	9836	9852	1175
666923	666	682	GGATACATTTC TACAGC	Deoxy, MOE, and cEt	eeekkkdddskkee	s000ssssssssoss	9816	9832	1342

[0344] The modified oligonucleotides were tested in a series of experiments that had similar conditions. The results for each

experiment are presented in separate tables shown below. Rats were injected intrathecally with 30µL of a 16.67mg/ml solution of modified oligonucleotide diluted in PBS (500 µg final dose). A control group of rats was injected intrathecally with PBS. Inhibition levels of SOD-1 in the lumbar spinal cord, thoracic spinal cord and cervical spinal cord were assessed. The data is presented below and indicate that several modified oligonucleotides inhibited human SOD-1 levels in this model.

Table 51

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
333611	5-10-5 MOE with phosphorothioate backbone chemistry	51	51	47	21
383872	5-10-5 MOE with mixed backbone chemistry	29	36	26	21
611460	5-10-5 MOE with mixed backbone chemistry	55	53	25	1428
611464	5-10-5 MOE with mixed backbone chemistry	52	54	26	67
611468	5-10-5 MOE with mixed backbone chemistry	46	44	19	227
611481	5-10-5 MOE with mixed backbone chemistry	39	44	33	271

Table 52

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
611473	5-10-5 MOE with mixed backbone chemistry	47	42	5	146
611474	5-10-5 MOE with mixed backbone chemistry	75	65	65	149
611479	5-10-5 MOE with mixed backbone chemistry	24	13	20	261
611484	5-10-5 MOE with mixed backbone chemistry	51	31	41	276
611485	5-10-5 MOE with mixed backbone chemistry	52	40	35	277
611492	5-10-5 MOE with mixed backbone chemistry	57	44	43	725

Table 53

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
611472	5-10-5 MOE with mixed backbone chemistry	0	19	15	145
611478	5-10-5 MOE with mixed backbone chemistry	16	33	24	260
611490	5-10-5 MOE with mixed backbone chemistry	53	55	44	666
611494	5-10-5 MOE with mixed backbone chemistry	34	39	38	728
611495	5-10-5 MOE with mixed backbone chemistry	33	19	38	729
611498	5-10-5 MOE with mixed backbone chemistry	30	43	27	816
611499	5-10-5 MOE with mixed backbone chemistry	45	56	40	822
611500	5-10-5 MOE with mixed backbone chemistry	56	58	52	823

Table 54

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
611457	5-10-5 MOE with mixed backbone chemistry	56	46	43	54

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
611467	5-10-5 MOE with mixed backbone chemistry	21	28	22	272
611488	5-10-5 MOE with mixed backbone chemistry	14	23	4	593
612917	Deoxy, MOE, and cEt with mixed backbone chemistry	47	55	37	1173
612923	Deoxy, MOE, and cEt with mixed backbone chemistry	53	63	45	1164
612925	Deoxy, MOE, and cEt with mixed backbone chemistry	67	69	63	1348
612928	Deoxy, MOE, and cEt with mixed backbone chemistry	84	85	81	1351

Table 55

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
612912	Deoxy, MOE, and cEt with mixed backbone chemistry	59	60	48	1146
612919	Deoxy, MOE, and cEt with mixed backbone chemistry	60	60	58	1146
612916	Deoxy, MOE, and cEt with mixed backbone chemistry	72	69	69	1170
612931	Deoxy, MOE, and cEt with mixed backbone chemistry	81	79	72	1173
612932	Deoxy, MOE, and cEt with mixed backbone chemistry	21	26	24	1175

Table 56

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
612915	Deoxy, MOE, and cEt with mixed backbone chemistry	54	48	52	1164
612918	Deoxy, MOE, and cEt with mixed backbone chemistry	73	69	64	1175
612927	Deoxy, MOE, and cEt with mixed backbone chemistry	82	75	62	1350
612934	Deoxy, MOE, and cEt with mixed backbone chemistry	59	44	48	969
612935	Deoxy, MOE, and cEt with mixed backbone chemistry	64	54	62	1114
612940	Deoxy, MOE, and cEt with mixed backbone chemistry	11	26	17	1167
612941	Deoxy, MOE, and cEt with mixed backbone chemistry	81	75	71	1342
612942	Deoxy, MOE, and cEt with mixed backbone chemistry	40	42	41	1344
612943	Deoxy, MOE, and cEt with mixed backbone chemistry	61	54	51	1346
612944	Deoxy, MOE, and cEt with mixed backbone chemistry	59	52	51	1348

Table 57

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats					
ISIS No	Chemistry	Lumbar	Thoracic	Cervical	SEQ ID NO
612924	Deoxy, MOE, and cEt with mixed backbone chemistry	42	64	53	1346
612947	Deoxy, MOE, and cEt with mixed backbone chemistry	68	75	74	1351
612948	Deoxy, MOE, and cEt with mixed backbone chemistry	80	90	87	1352
612949	Deoxy, MOE, and cEt with mixed backbone chemistry	73	82	85	1172

Table 58

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats				
ISIS No	Chemistry	Lumbar	Cervical	SEQ ID NO
654304	5-8-5 MOE with mixed backbone chemistry	28	6	1429
654305	5-8-5 MOE with mixed backbone chemistry	14	0	1430
654306	5-8-5 MOE with mixed backbone chemistry	36	0	1432
654307	5-8-5 MOE with mixed backbone chemistry	17	0	1432

Table 59

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats				
ISIS No	Chemistry	Lumbar	Cervical	SEQ ID NO
654334	Deoxy, MOE, and cEt with mixed backbone chemistry	39	19	1454
666854	5-9-5 MOE with mixed backbone chemistry	52	39	1428
666855	5-9-5 MOE with mixed backbone chemistry	37	17	1461
666857	Deoxy, MOE, and cEt with mixed backbone chemistry	59	39	1351
666858	Deoxy, MOE, and cEt with mixed backbone chemistry	38	22	1351
666859	Deoxy, MOE, and cEt with mixed backbone chemistry	79	64	1351
666864	Deoxy, MOE, and cEt with mixed backbone chemistry	50	40	1351
666865	Deoxy, MOE, and cEt with mixed backbone chemistry	73	44	1351
666866	Deoxy, MOE, and cEt with mixed backbone chemistry	67	56	1173
666908	Deoxy, MOE, and cEt with mixed backbone chemistry	38	13	1175
666923	Deoxy, MOE, and cEt with mixed backbone chemistry	45	26	1342

Table 60

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats				
ISIS No	Chemistry	Lumbar	Cervical	SEQ ID NO
654323	Deoxy, MOE, and cEt with mixed backbone chemistry	53	35	1433
666846	5-10-5 MOE with mixed backbone chemistry	64	50	725
666849	5-10-5 MOE with mixed backbone chemistry	63	55	725
666853	5-10-5 MOE with mixed backbone chemistry	81	74	725
666861	Deoxy, MOE, and cEt with mixed backbone chemistry	55	47	1351
666867	Deoxy, MOE, and cEt with mixed backbone chemistry	59	48	1173

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats				
ISIS No	Chemistry	Lumbar	Cervical	SEQ ID NO
666869	Deoxy, MOE, and cEt with mixed backbone chemistry	82	81	1173
666870	Deoxy, MOE, and cEt with mixed backbone chemistry	76	68	1173
666919	Deoxy, MOE, and cEt with mixed backbone chemistry	76	68	1342
666921	Deoxy, MOE, and cEt with mixed backbone chemistry	71	65	1342
666922	Deoxy, MOE, and cEt with mixed backbone chemistry	67	62	1342

Table 61

Percent inhibition of human SOD-1 in the spinal cord regions of transgenic rats			
ISIS No	Chemistry	Lumbar	SEQ ID NO
684059	Deoxy, MOE, and cEt with mixed backbone chemistry	54	1348
684064	Deoxy, MOE, and cEt with mixed backbone chemistry	51	1348
684068	4-8-5 MOE with mixed backbone chemistry	18	1348
684087	5-8-5 MOE with mixed backbone chemistry	37	613
684088	5-8-5 MOE with mixed backbone chemistry	31	1419
684095	5-10-5 MOE with mixed backbone chemistry	34	21
684097	5-8-7 MOE with mixed backbone chemistry	22	21
684101	6-8-6 MOE with mixed backbone chemistry	22	47
684104	6-9-5 MOE with mixed backbone chemistry	11	47

Example 13: Dose-dependent inhibition of human SOD-1 with modified oligonucleotides in LLC-MK2 cells

[0345] Gapmers from the studies described above, including benchmark compound ISIS 333611, exhibiting significant *in vitro* inhibition of SOD-1 mRNA were selected and tested at various doses in LLC-MK2 cells. The cross-reactivity of the human modified oligonucleotides tested in this study with the rhesus monkey genomic sequence (the complement of GENBANK Accession No. NW_001114168.1 truncated from nucleotides 2258000 to 2271000, designated herein as SEQ ID NO: 3) is shown in the Table below.

Table 62

Cross-reactivity of antisense oligonucleotides targeting human SOD1 with SEQ ID NO: 3		
ISIS No	Start Site of SEQ ID NO: 3	Mismatches
333611	1572	2
436839	1564	0
436854	9049	0
436867	10347	0
666853	10375	1
666859	10389	1
666919	10376	1
666921	10376	1

[0346] Cells were plated at a density of 20,000 cells per well and transfected using electroporation with 0.078 μ M, 0.156 μ M, 0.313 μ M, 0.625 μ M, 1.25 μ M, 2.50 μ M, 5.00 μ M, and 10.000 μ M concentrations of modified oligonucleotide, as specified in the Tables below. After a treatment period of approximately 16 hours, RNA was isolated from the cells and SOD-1 mRNA

levels were measured by quantitative real-time PCR. Primer/probe set RTS3121 (forward sequence TGGAGATAATACACAAGGCTGTACCA, designated herein as SEQ ID NO: 17; reverse sequence CAACATGCCTCTCTTCATCCTTT, designated herein as SEQ ID NO: 18; probe sequence ATCCTCTATCCAGACAACACGGTGGGC, designated herein as SEQ ID NO: 19) was used to measure mRNA levels. SOD-1 mRNA levels were adjusted according to total RNA content, as measured by RIBOGREEN®. Results are presented as percent inhibition of SOD-1, relative to untreated control cells. The half maximal inhibitory concentration (IC₅₀) of each oligonucleotide is also presented. As presented in the Table, several of the newly designed oligonucleotides were more potent than the benchmark, ISIS 336611.

Table 63

Dose-dependent inhibition of SOD-1 rhesus monkey mRNA									
ISIS No	0.078 μM	0.156 μM	0.313 μM	0.625 μM	1.25 μM	2.50 μM	5.00 μM	10.00 μM	IC ₅₀ (μM)
333611	3	2	0	0	17	15	19	40	>10
436839	0	0	5	0	20	22	37	61	7.1
436854	34	34	40	39	52	65	69	84	1.2
436867	3	0	11	18	34	49	70	87	2.2
666853	7	34	20	39	60	80	79	92	1.0
666859	0	9	20	18	15	25	30	44	>10
666919	11	15	16	36	51	65	73	84	1.4
666921	0	13	28	37	50	52	62	74	1.8

Example 14: Tolerability of SOD-1 modified oligonucleotides in a rat model

[0347] Gapmers from the studies described above, including benchmark compound ISIS 333611, which was previously disclosed in WO 2005/040180, were tested for tolerability in Sprague-Dawley rats.

[0348] The modified oligonucleotides were tested in a series of experiments that had similar conditions. Rats were injected intrathecally with 3 mg of a single dose of ISIS oligonucleotide. A control group of rats was injected intrathecally with PBS. Acute tolerability was assessed 3 hours post-dose using a functional observational battery (FOB). This score is used to evaluate the acute tolerability of a compound with lower scores denoting better tolerated compounds. Control animals usually have a score of '0' or '1'. At 3 hours post injection, the rats are observed by placing each rat on the cage top and evaluating certain functions, assigning a number of '0' or '1' depending on whether the rat exhibits normal function in the region of interest (0) or does not (1) for each function, and then adding the total scores. Seven regions are assessed, including tail, hind paws, hind legs, hind end, front posture, fore paws, and head. The results of the scoring are presented in the Table below. As presented in the Table, several newly designed oligonucleotides demonstrated more acute tolerability compared to the benchmark, ISIS 333611.

Table 64

FOB scores in Sprague-Dawley rats			
ISIS No	Target Start Site on SEQ ID NO: 1	Chemistry	FOB score
333611	167	5-10-5 MOE with phosphorothioate backbone	4
684073	167	Deoxy, MOE, and cEt with mixed backbone	3
684081	167	Deoxy, MOE, and cEt with mixed backbone	1
684088	167	5-8-5 MOE with mixed backbone	0
684093	167	5-9-5 MOE with mixed backbone	0
684095	167	5-10-5 MOE with mixed backbone	0
684096	167	6-8-6 MOE with mixed backbone	0
684097	167	5-8-7 MOE with mixed backbone	0
684098	167	7-8-5 MOE with mixed backbone	0
684099	167	6-9-5 MOE with mixed backbone	0
684074	168	Deoxy, MOE, and cEt with mixed backbone	0

FOB scores in Sprague-Dawley rats			
ISIS No	Target Start Site on SEQ ID NO: 1	Chemistry	FOB score
684082	168	Deoxy, MOE, and cEt with mixed backbone	1
684089	168	5-8-5 MOE with mixed backbone	0
684094	168	5-9-5 MOE with mixed backbone	1
684075	169	Deoxy, MOE, and cEt with mixed backbone	3
684083	169	Deoxy, MOE, and cEt with mixed backbone	3
684090	169	5-8-5 MOE with mixed backbone	2
684076	170	Deoxy, MOE, and cEt with mixed backbone	2
684084	170	Deoxy, MOE, and cEt with mixed backbone	4
611474	234	5-10-5 MOE with mixed backbone	4
654301	234	5-8-5 MOE with mixed backbone	3
654302	235	5-8-5 MOE with mixed backbone	1
654303	236	5-8-5 MOE with mixed backbone	0
684069	588	Deoxy, MOE, and cEt with mixed backbone	0
684077	588	Deoxy, MOE, and cEt with mixed backbone	1
684085	588	5-8-5 MOE with mixed backbone	0
684091	588	5-9-5 MOE with mixed backbone	0
684100	588	5-10-5 MOE with mixed backbone	0
684101	588	6-8-6 MOE with mixed backbone	0
684102	588	5-8-7 MOE with mixed backbone	0
684103	588	7-8-5 MOE with mixed backbone	0
684104	588	6-9-5 MOE with mixed backbone	0
684070	589	Deoxy, MOE, and cEt with mixed backbone	0
684078	589	Deoxy, MOE, and cEt with mixed backbone	0
684086	589	5-8-5 MOE with mixed backbone	0
684092	589	5-9-5 MOE with mixed backbone	0
684071	590	Deoxy, MOE, and cEt with mixed backbone	0
684079	590	Deoxy, MOE, and cEt with mixed backbone	0
684087	590	5-8-5 MOE with mixed backbone	0
684072	591	Deoxy, MOE, and cEt with mixed backbone	1
684080	591	Deoxy, MOE, and cEt with mixed backbone	1
654304	663	5-8-5 MOE with mixed backbone	3
612916	664	Deoxy, MOE, and cEt with mixed backbone	0
654305	664	5-8-5 MOE with mixed backbone	2
611492	665	5-10-5 MOE with mixed backbone	0
654306	665	5-8-5 MOE with mixed backbone	3
654323	665	Deoxy, MOE, and cEt with mixed backbone	0
654341	665	Deoxy, MOE, and cEt with mixed backbone	0
666846	665	5-10-5 MOE with mixed backbone	0
666849	665	5-10-5 MOE with mixed backbone	0
666851	665	5-10-5 MOE with mixed backbone	1
666853	665	5-10-5 MOE with mixed backbone	0
666854	665	5-9-5 MOE with mixed backbone	1
611500	666	5-10-5 MOE with mixed backbone	0
612941	666	Deoxy, MOE, and cEt with mixed backbone	3
654307	666	5-8-5 MOE with mixed backbone	2

FOB scores in Sprague-Dawley rats			
ISIS No	Target Start Site on SEQ ID NO: 1	Chemistry	FOB score
654342	666	Deoxy, MOE, and cEt with mixed backbone	2
666845	666	5-10-5 MOE with mixed backbone	0
666848	666	5-10-5 MOE with mixed backbone	1
666850	666	5-10-5 MOE with mixed backbone	0
666852	666	5-10-5 MOE with mixed backbone	1
666855	666	5-9-5 MOE with mixed backbone	1
666917	666	Deoxy, MOE, and cEt with mixed backbone	3
666918	666	Deoxy, MOE, and cEt with mixed backbone	3
666919	666	Deoxy, MOE, and cEt with mixed backbone	2
666920	666	Deoxy, MOE, and cEt with mixed backbone	1
666921	666	Deoxy, MOE, and cEt with mixed backbone	2
666922	666	Deoxy, MOE, and cEt with mixed backbone	3
666923	666	Deoxy, MOE, and cEt with mixed backbone	2
666856	667	5-9-5 MOE with mixed backbone	3
612925	676	Deoxy, MOE, and cEt with mixed backbone	4
684059	676	Deoxy, MOE, and cEt with mixed backbone	4
684060	676	Deoxy, MOE, and cEt with mixed backbone	3
684061	676	Deoxy, MOE, and cEt with mixed backbone	4
684062	676	Deoxy, MOE, and cEt with mixed backbone	4
684063	676	Deoxy, MOE, and cEt with mixed backbone	5
684064	676	Deoxy, MOE, and cEt with mixed backbone	4
684065	676	Deoxy, MOE, and cEt with mixed backbone	4
684066	676	Deoxy, MOE, and cEt with mixed backbone	4
684067	676	Deoxy, MOE, and cEt with mixed backbone	5
684068	676	4-8-5 MOE with mixed backbone	4
612927	678	Deoxy, MOE, and cEt with mixed backbone	4
654309	678	5-8-5 MOE with mixed backbone	4
612928	679	Deoxy, MOE, and cEt with mixed backbone	2
612947	679	Deoxy, MOE, and cEt with mixed backbone	7
654310	679	5-8-5 MOE with mixed backbone	3
666857	679	Deoxy, MOE, and cEt with mixed backbone	1
666858	679	Deoxy, MOE, and cEt with mixed backbone	1
666859	679	Deoxy, MOE, and cEt with mixed backbone	1
666860	679	Deoxy, MOE, and cEt with mixed backbone	0
666861	679	Deoxy, MOE, and cEt with mixed backbone	5
666862	679	Deoxy, MOE, and cEt with mixed backbone	1
666863	679	Deoxy, MOE, and cEt with mixed backbone	4
666864	679	Deoxy, MOE, and cEt with mixed backbone	4
666865	679	Deoxy, MOE, and cEt with mixed backbone	5
611497	681	5-10-5 MOE with mixed backbone	5
612948	681	Deoxy, MOE, and cEt with mixed backbone	3
666847	681	5-10-5 MOE with mixed backbone	7
612949	683	Deoxy, MOE, and cEt with mixed backbone	4
612931	684	Deoxy, MOE, and cEt with mixed backbone	4
666866	684	Deoxy, MOE, and cEt with mixed backbone	6

FOB scores in Sprague-Dawley rats			
ISIS No	Target Start Site on SEQ ID NO: 1	Chemistry	FOB score
666867	684	Deoxy, MOE, and cEt with mixed backbone	6
666868	684	Deoxy, MOE, and cEt with mixed backbone	6
666869	684	Deoxy, MOE, and cEt with mixed backbone	6
666870	684	Deoxy, MOE, and cEt with mixed backbone	6
666871	684	Deoxy, MOE, and cEt with mixed backbone	6
666872	684	Deoxy, MOE, and cEt with mixed backbone	6
666873	684	Deoxy, MOE, and cEt with mixed backbone	6
666874	684	Deoxy, MOE, and cEt with mixed backbone	5
612918	686	Deoxy, MOE, and cEt with mixed backbone	4
612932	686	Deoxy, MOE, and cEt with mixed backbone	2
666906	686	Deoxy, MOE, and cEt with mixed backbone	2
666907	686	Deoxy, MOE, and cEt with mixed backbone	3
666908	686	Deoxy, MOE, and cEt with mixed backbone	1
666909	686	Deoxy, MOE, and cEt with mixed backbone	0
666910	686	Deoxy, MOE, and cEt with mixed backbone	2
666911	686	Deoxy, MOE, and cEt with mixed backbone	0
666912	686	Deoxy, MOE, and cEt with mixed backbone	0
666913	686	Deoxy, MOE, and cEt with mixed backbone	0
666914	686	Deoxy, MOE, and cEt with mixed backbone	0
666915	686	Deoxy, MOE, and cEt with mixed backbone	1
666916	686	Deoxy, MOE, and cEt with mixed backbone	1
654318	687	5-8-5 MOE with mixed backbone	1
654334	687	Deoxy, MOE, and cEt with mixed backbone	3

[0349] Tolerability was also assessed 8 weeks post-dose by measuring the levels of IBA1, a microglial marker, and GFAP, an astrocytic marker, in the lumbar spinal cord region. Both IBA1 and GFAP are markers of CNS inflammation (Frank, MG, Brain Behav. Immun. 2007, 21, 47-59), hence the higher the level of either marker, the less tolerable the antisense oligonucleotide is deemed to be in this rat model.

[0350] IBA1 mRNA levels were measured with primer probe set rAIF1_LTS00219 (forward sequence AGGAGAAAAACAAAGAACACCAGAA, designated herein as SEQ ID NO: 5; reverse sequence CAATTAGGGCAACTCAGAAATAGCT, designated herein as SEQ ID NO: 6; probe sequence CCAACTGGTCCCCCAGCCAAGA, designated herein as SEQ ID NO: 7). GFAP mRNA levels were measured with primer probe set mGFAP_LTS00370 (forward sequence GAAACCAGCCTGGACACCAA, designated herein as SEQ ID NO: 8; reverse sequence TCCACAGTCTTTACCACGATGTTC, designated herein as SEQ ID NO: 9; probe sequence TCCGTGTCAGAAGGCCACCTCAAGA, designated herein as SEQ ID NO: 10).

[0351] The results are presented in the Table below. As presented in the Table, several newly designed oligonucleotides were more tolerable compared to the benchmark, ISIS 333611.

Table 65

IBA1 and GFAP mRNA levels (% control) in the lumbar regions of Sprague-Dawley rats		
ISIS No.	IBA1	GFAP
333611	341	314
654301	149	137
654302	261	129
654303	110	80
654304	143	130

IBA1 and GFAP mRNA levels (% control) in the lumbar regions of Sprague-Dawley rats		
ISIS No.	IBA1	GFAP
654305	185	158
654306	110	106
654307	152	144
654309	195	169
654310	119	141
654318	93	81
654323	125	113
654334	114	75
654341	209	224
654342	473	485
666845	389	416
666846	173	171
666847	271	297
666848	399	377
666849	140	150
666850	246	252
666851	246	199
666852	282	266
666853	168	147
666854	135	123
666855	238	221
666856	253	209
666857	242	182
666858	169	134
666859	185	162
666861	161	152
666862	254	285
666863	216	185
666864	174	154
666865	251	232
666866	281	135
666867	132	112
666868	199	211
666869	262	207
666870	201	189
666871	192	214
666872	441	136
666873	340	277
666874	204	199
666917	292	244
666919	115	85
666920	155	102
666921	108	82
666922	123	82
666923	118	93

IBA1 and GFAP mRNA levels (% control) in the lumbar regions of Sprague-Dawley rats		
ISIS No.	IBA1	GFAP
684059	168	162
684060	158	141
684061	335	263
684062	218	265
684064	191	168
684065	245	304
684066	313	376
684067	171	151
684068	157	135
684085	459	586
684086	187	227
684087	215	263
684088	151	183
684089	507	667
684090	130	170
684091	350	426
684092	366	333
684093	412	264
684094	294	373
684095	213	215
684096	404	335
684097	217	206
684098	378	438
684099	534	473
684100	276	259
684101	153	125
684102	237	242
684103	588	416
684104	221	193

Example 15: Dose dependent inhibition of human SOD-1 in a transgenic rat model

[0352] Gapmers from the studies described above, including benchmark compound ISIS 333611, were tested in an SOD-1 transgenic rat model (Taconic, Cat# 2148-F and 2148-M). These hemizygous rats express mutant human SOD-1 in the spinal cord, many brain regions, and peripheral organs.

[0353] Rats were injected intrathecally with 10, 30, 100, 300, 1000, or 3000 µg of a gapmer listed in the table below or with only PBS. Two weeks later, the animals were sacrificed. Inhibition of SOD-1 mRNA in the lumbar spinal cord, cervical spinal cord, rostral cortex, and caudal cortex was assessed by RT-PCR using primer probe set RTS3898, described in Example 1. The data is presented below as ED₅₀ values, and indicates that the oligonucleotides inhibited SOD1 mRNA in multiple CNS tissues more potently than Isis 333611. Indeed, ED₅₀ values for Isis No. 333611 could not even be calculated, as indicated by an entry of "n/a," because even the highest concentration tested (3000 µg) did not inhibit SOD-1 mRNA greater than 55-65%. "n.d." indicates that there is no data available for the indicated sample.

Table 66

Inhibition of human SOD1 in transgenic rats					
Isis No.	ED ₅₀ (μg)				SEQ ID NO.
	Lumbar	Cervical	Rostral	Caudal	
333611	n/a	n/a	n.d.	n.d.	21
666853	81.3	242.6	6434	931	725
666859	74.0	358.8	2360	1113	1351
666870	139.4	1111	5511	2105	1173
666919	104.1	613.5	> 6000	2655	1342

Example 16: Tolerability of SOD-1 modified oligonucleotides in rats

[0354] Gapmers from the studies described above, including benchmark compound ISIS 333611, were tested for tolerability in Sprague-Dawley rats. Groups of 4 to 6 rats were injected intrathecally with 1 mg or 3 mg of a single dose of an ISIS oligonucleotide. A control group of rats was injected intrathecally with PBS. Acute tolerability was assessed 3 hours post-dose, as described in Example 14. The results for the 1 mg dose are the averages for each group following one experiment. The results for the 3 mg dose are the averages for each group across two replicate experiments. The results of the study, presented in the table below, indicate that several newly designed oligonucleotides were more tolerable than the benchmark, ISIS 333611.

Table 67

FOB values				
Isis No.	3 hour FOB		8 week FOB	
	1 mg	3 mg	1 mg	3 mg
333611	3.0	4.9	0.0	1.2
666853	0.0	0.5	0.0	0.0
666859	0.0	2.1	0.0	0.3
666870	2.3	5.8	0.0	0.8
666919	1.3	3.5	0.0	0.1

Example 17: Dose dependent inhibition of human SOD-1 in a transgenic mouse model

[0355] In order to confirm the results obtained in transgenic rats in another species, gapmers from the studies described above were tested in an SOD-1 transgenic mouse model that expresses the same G93A human mutant SOD1 gene that the transgenic rat expresses (see Examples 12 and 15).

[0356] Mice received an intracerebral ventricular bolus (ICVB) of 10, 30, 100, 300, or 700 μg of a gapmer listed in the table below, or PBS. Two weeks later, the animals were sacrificed. Inhibition of SOD-1 mRNA in the lumbar spinal cord and cortex was assessed by RT-PCR using primer probe set RTS3898, described in Example 1. The data is presented below as ED₅₀ values, and indicates that the oligonucleotides inhibited SOD1 mRNA more potently than Isis 333611 in both rats and mice.

Table 68

Inhibition of human SOD1 in transgenic mice		
Isis No.	Lumbar ED ₅₀ (μg)	Cortex ED ₅₀ (μg)
333611	401	786
666853	136	188
666859	106	206
666870	148	409
666919	168	1211

Example 18: Tolerability of SOD-1 modified oligonucleotides in mice

[0357] Gapmers from the studies described above, including benchmark compound ISIS 333611, were tested for tolerability in C57bl6 mice. Mice were injected stereotaxically into the cerebral ventricles with 700ug of a single dose of ISIS oligonucleotide. A control group of mice was injected into the cerebral ventricle with PBS. Acute tolerability was assessed at 3 hours post injection using a functional observation battery (FOB) different from that used for the rats. Each mouse was evaluated according to 7 different criteria. The 7 criteria are (1) the mouse was bright, alert, and responsive; (2) the mouse was standing or hunched without stimuli; (3) the mouse shows any movement without stimuli (4) the mouse demonstrates forward movement after its lifted; (5) the mouse demonstrates any movement after its lifted; (6) the mouse responds to a tail pinch; (7) regular breathing. For each of the 7 different criteria, each mouse was given a sub-score of 0 if it met the criteria or 1 if it did not. After all of the 7 criteria were evaluated, the sub-scores were summed for each mouse and then averaged for each group. For example, if a mouse was bright, alert, and responsive 3 hours after the 700 µg ICV dose, and met all other other criteria, it would get a summed score of 0. If another mouse was not bright, alert, and responsive 3 hours after the 700 µg ICV dose but met all other criteria, it would receive a score of 1. Saline treated mice generally receive a score of 0. A score at the top end of the range would be suggestive of acute toxicity.

[0358] Body weights were measured throughout the study and are reported below as percent change at 8 weeks relative to baseline. Long term tolerability was assessed 8 weeks post-dose by measuring the levels of IBA1 and GFAP, as described in Example 14. IBA1 and GFAP mRNA levels are reported relative to PBS treated animals. The results of the study, presented in the tables below, indicate that several newly designed oligonucleotides were more tolerable, in rats and mice, compared to the benchmark, ISIS 333611.

Table 69

FOB values and body weight change		
Isis No.	3 hour FOB	Body weight (% change)
333611	6.5	3.8
666853	1.25	8.0
666859	1.75	14.0
666870	4.75	7.3
666919	0.0	5.2

Table 70

Inflammation markers				
Isis No.	IBA1 (% PBS)		GFAP (% PBS)	
	Lumbar	Cortex	Lumbar	Cortex
333611	130.3	134.3	117.5	207.7
666853	102.8	109.3	103.3	103.7
666859	110.4	98.2	109.0	72.8
666870	158.8	117.8	106.7	128.6
666919	115.0	97.9	99.8	84.3

Example 19: Dose dependent inhibition of monkey SOD-1 in cynomolgus monkey

[0359] Isis No. 666853 was tested in cynomolgus monkey. There is one mismatch between Isis No. 666853 and cynomolgus monkey SOD-1, and there are 17 contiguous bases in Isis No. 666853 that are 100% complementary to cynomolgus monkey SOD-1.

[0360] Groups of 6-10 male and female monkeys received an intrathecal lumbar bolus of PBS or 4, 12, or 35 mg of Isis No. 666853 on days 1, 14, 28, 56, and 84 of the study. Each group received the same dose on all five dosing days. On day 91, the animals were sacrificed. Inhibition of SOD-1 mRNA in the lumbar, thoracic, and cervical spinal cord and frontal cortex, motor cortex, hippocampus, pons, and cerebellum was assessed by RT-PCR using primer probe set RTS3898. The data is

presented below as the average percent inhibition for each treatment group, relative to the PBS treated group. The results indicate that Isis No. 666853 inhibited SOD-1 mRNA in multiple target tissues in cynomolgus monkey.

[0361] Treatment with 666853 was well tolerated for the duration of the 13 week study and there were no clinical observations of adverse reactions in monkeys.

Table 71

Inhibition of SOD-1 mRNA in monkeys								
Amount of 666853 per dose (mg)	Inhibition (%)							
	Lumbar	Thoracic	Cervical	Frontal cortex	Motor cortex	Hippocampus	Pons	Cerebellum
4	44.4	27.1	20.1	21.5	21.6	32.0	6.8	15.4
12	75.4	69.0	42.1	56.7	55.7	31.8	13.2	33.3
35	87.0	74.8	72.1	80.5	82.6	80.1	48.6	48.4

SEQUENCE LISTING

[0362]

<110> Isis Pharmaceuticals, Inc.

<120> COMPOSITIONS FOR MODULATING SOD-1 EXPRESSION

<130> BIOL0240WO

<150> 61/973,803

<151> 2014-04-01

<160> 1461

<170> PatentIn version 3.5

<210> 1

<211> 981

<212> DNA

<213> Homo sapiens

<400> 1

gtttggggcc agagtgggcg aggcgcggag gtctggccta taaagtagtc gcggagacgg	60
ggtgctggtt tgcgtcgtag tctcctgcag cgtctggggt ttccgttgca gtccctcgaa	120
ccaggacctc ggcgtaggct agcgagttat ggcgacgaag gccgtgtgcg tgctgaaggg	180
cgacggccca gtgcagggca tcatcaattt cgagcagaag gaaagtaatg gaccagtga	240
ggtgtgggga agcattaaag gactgactga aggcctgcat ggattccatg ttcattgagt	300
tggagataat acagcaggct gtaccagtgc aggtcctcac tttaatctc tatccagaaa	360
acacggtggg ccaaaggatg aagagaggca tgttgagagc ttgggcaatg tgactgctga	420
caaagatggt gtggccgatg tgtctattga agattctgtg atctcactct caggagacca	480
ttgcatcatt ggccgcacac tggtaggtcca tgaaaaagca gatgacttgg gcaaagggtg	540
aatgaagaa agtacaaaga caggaaacgc tggagtcgt ttggcttgtg gtgtaattgg	600
gatcgcccaa taaacattcc cttggatgta gtctgaggcc ccttaactca tctgttatcc	660
tgctagctgt agaatgtat cctgataaac attaaacact gtaatcttaa aagtgtatt	720
gtgtgacttt ttcagagttg ctttaaagta cctgtagtga gaaactgatt tatgatcact	780
tggagatttt gtatagtttt ataaaactca gttaaatgt ctgtttcaat gacctgtatt	840
ttgccagact taaatcacag atgggtatta aacttgtcag aatttctttg tcattcaagc	900
ctgtgaataa aaaccctgta tggcacttat tatgaggcta ttaaaagaat ccaaattcaa	960
actaaaaaaaa aaaaaaaaaa a	981

<210> 2

<211> 11001

<212> DNA

<213> Homo sapiens

<400> 2

cactgcactc cagcctgggt gacagagcga gaccctgtct caaaaatcaa acaaacaacc	60
ccctcgcccc ggacaaaagt agtttgactt attttctcat ttcacaatat gtttttgaaa	120
tatttccctt gaaaggtaag tcatatttat cattcctgtt gtatggaggc atcataaatt	180
atttcaccat tctaccctcc ttgagtgttg tggccttttag gccagacaaa aacgcaggtg	240
atgcctagaa gccaaactagt tgccgttttg ttatctgtag ggttgtggcc ttgccaaaca	300
ggaaaaatat aaaaagaata ccgaattctg ccaaccaaat aagaaactct atactaagga	360
ctaagaaaat tgcaggggaa gaaaaggtaa gtcccgggat tgagggttag cgactttcta	420
taccctcaga aaactaaaaa acaagacaaa aaaatgaaaa ctacaaaagc atccatcttg	480
gggcgtccca attgctgagt aacaaatgag acgctgtggc caaactcagt cataactaat	540
gacattttcta gacaaagtga cttcagattt tcaaagcgta ccctgtttac atcattttgc	600
caatttcgag tactgcaacc ggccggccac gccccgtga aaagaagggt gttttctcca	660
catttcgggg ttctggacgt ttcccggctg cggggcgggg ggagtctccg gcgcacgcgg	720
ccccttggcc ccgccccag tcattcccg ccactcgcga cccgaggctg ccgcaggggg	780
cgggctgagc gcgtgcgagg cgattggttt ggggccagag tgggcgaggc gcggaggtct	840
ggcctataaa gtagtcgcgg agacggggtg ctggtttgcg tcgtagtctc ctgcagcgtc	900
tggggtttcc gttgcagtcc tcggaaccag gacctcggcg tggcctagcg agttatggcg	960
acgaaggccg tgtgcgtgct gaaggcgac ggcccagtgc agggcatcat caatttcgag	1020
cagaaggcaa gggtgggac ggaggcttgt ttgcgaggcc gctcccacc ctcgtcccc	1080
ccgcgcacct ttgctaggag cgggtcgccc gccaggcctc ggggccgccc tggtcacgcg	1140
cccgggtccc gcccggtccg cccggtcggg gccttcgccc ccagcgggtg ggtgcccaag	1200
tgctgagtca ccggggcggc ccgggcgcgg ggcgtgggac cgaggccgcc gcggggctgg	1260
gcctgcgcgt gccgggagcg cggggaggga ttgccgcggg ccggggaggg gcgggggcgg	1320
gcgtgctgcc ctctgtggtc cttgggcgcg cgcgcgggt ctgtcgtggt gcctggagcg	1380
gctgtgctcg tcccttgctt ggccgtgttc tcgttcctga gggccccgcg gacaccgagt	1440
ggcgcagtgc caggcccagc ccggggatgg cgaactgcgc tgggccccgc tgggtgtctc	1500
gcatccctct ccgctttccg gcttcagcgc tctaggtcag ggagtcttcg cttttgtaca	1560
gctctaaggc taggaatggt ttttatattt ttaaaaggct ttggaaaaca aaaatacgca	1620
acagagaccg tttgtgtgac actttgcagg gaagtttgct ggcctctgtt ctaggtcagt	1680
attgggctgc aagggcagag aaggtagcct tgaacagagg tccttttcc cctcctaagc	1740
tccgggagcc agagggttaa ctgacccttt tggggatttt tgagggcagt gatcttaact	1800
ttgggtgcac agttagctta tttgaagatc ttactaaaaa tacaccagag cccaacctcc	1860
gaccaattac atcaaaacct gtctagtgc agggtgagta ttgctgtttt ttgaaagttt	1920
ccaaaagtga ttttgatgtg cacctacgat tgagaactgt cgtttgagga cagtgggtgg	1980
agtttcgtat ttggaaatta gaagacctgg agtttcatt acaccgaatt ggcacttaat	2040
aactgttgtc ggagcatttc ttaagccaca ttttcgtaaa gtggctttta aattgctctg	2100
ccagtaggca ggttgctaag atggtcagag acaaacttct gaacgactct tgtaaaatat	2160
acagaaatat tttcagaact tttatcagta aaattacaaa acgtgttgca aggaagggtc	2220
ttgtgataac actgtcccca gaaccttagt gaagttacca actggtggaa aattttctct	2280
tgcactcggc ttaaaaatca tgagggaata ttactatac gaatgagatt cagtctttaa	2340
aggggtttac agaaacgtga gaggacagga acagtttagt tgtgtaaatg tctgaaatat	2400
atgtgagggg gataatgagt ttagcctttt tctttaatag gtctccagat tttctggaaa	2460
aggttctttg gcatttgact ccattttgct gtttcatttg tcagacttct ttttgtccct	2520
ctttacttct cccacataa ttcaccagta ctagtgtttt gtttttcaga ccaagtctcg	2580
ctctgtcgcc caggctggag tgcagtggcg cgatctcagc tcaactgcaac ctccgcctcc	2640

caggttcaag caattctcct gcctcagcct cccgggtagc tgggactaca ggcgcgcgcc	2700
gccacgcctg gctaattttt tatatttttag tagagacggc gtttcaccat gttggccagg	2760
atggtctcga tctgttgacg tcgtgatcca cccgcctcgg cctcccaaag tgctgggatt	2820
acaggcgtga gccaccccg cgggccacca gtgctattct taagacgcct ctgaggaatc	2880
ccttctccct ggccattgag aatccatgca tgaaccagg tttccacct tccctgagca	2940
gcttgcatag ttccttcttt taagcgctg acttcgtttt gtttggtgcc cgttgtacct	3000
gagaatgagc ctiggatagt ggagcattcc agctttccag atatgcagag ataatacatt	3060
ggctatcagc tacttggctt ggctattcc gtgtttaaaa tcttggactc tttgctagtt	3120
tttacagatc agaatttttc acgtattaat ccagttttcc tagcttctct tgaagaattt	3180
ttggagatct cttcatactg agccttcatt agcccaggac agtactgctg tagcagttca	3240
tataattttt cgcttcccag gcctgtgtta ttcacttaag ttcatagcct ggtccctgca	3300
gggttgtacc cgagcacagc taacttagatg tctcgaatgt attacgggtt aaatggagggt	3360
ttcaaagaac ctgctgtttt tggccctgtg ctcttgataa cagagtgttt gagggacaac	3420
tttcacattt gagtttttcc aaaattaaag gttgtagaag agtcacagta tctattgtca	3480
aaaagaaaag aatttaaaaa ggcagcaatt gccaggatac ttcatttgag caatgatatt	3540
ttccagtggg aagtcacatc ttaagggtta atgcccctta actgttggcc gtatttgaaa	3600
acaaaccaag ctaaaaacaa gagacactga catgttgtat gacggtgtgg tgtggatgtt	3660
gtgtttattt tagtctgag atctagttgt aacttccttg atttctgtat gtagccacgg	3720
agcaccatta cctgtcacca ttacctgaat ggctatactg ctgcttttca ttttggtaga	3780
gtggaaaggt tacctagggt tcagtgcctg aaaagatttc agaaagcagt agtacgtctg	3840
gttagactag aatcagtcct ctccctggggg cagtggaata taatattttc tgactgctaa	3900
ttaaaaatac ctgtgatagc cgggcgtgggt ggcttacgcc tgtaatccca gcactttggg	3960
aggccgagac ggggtgatca cgaggtcagc agatggagac catcctggct aacacgggtga	4020
aaccccgctc ctactaaaaa tgcaaaaaaa ttagccgggt gtggtggtgg gcgcctgtag	4080
tcccagctac tcaggaggct gaggcaggag aatggcatga acctgggagg cggagcttgc	4140
agtgaaccca gatcatgtca ctgcactcca gcctgggcga cagagcgaga ctcgtctcaa	4200
aaaaaaaaag aaaaaaactt atgatggaca cttaaaaaca ctcaactgagt ggggagtgga	4260
gagcaggggt cccagggtag cctgttggac atttccaggg cgactttttc ttttttttt	4320
tttaaagtca agtgagtatg ccatatggaa aagggtgtgc gtggagaaaa agcaaggggc	4380
tccagagtgt aggatgagac atacaccttt tgggttaaaa aggctgaggc aggagaatgg	4440
cgtgaacccg ggaggcggag ctgtcagtga gctgagatca tgccactgca ctccagcctg	4500
ggcgacagag cgagactctt gtctcaaaat aaaaaacgtt tacatgtaca tgtatattca	4560
acatgtacaa atataaccta ttcaaaagta ttactacat aaataggtac ttacattacc	4620
tatttactgt aatagtcaaa gcctatgaag tatctaacac tgatgtgtag gtactcactt	4680
tgcttgccac tctattaggt gctttttatg ttatttaatc atgaagcctg gccacagggt	4740
gcttgtgcat tgagtgtggg aacaagatta ccatctccct tttgaggaca caggcctaga	4800
gcagttaagc agcttgctgg aggttcactg gctagaaagt ggtcagcctg ggatttgga	4860
acagattttt ccactcccaa gtctggctgc tttttacttc actgtgaggg gtaaaggtaa	4920
atcagctgtt ttctttgttc agaaactctc tccaactttg cacttttctt aaaggaaagt	4980
aatggaccag tgaagggtgtg gggaagcatt aaaggactga ctgaaggcct gcatggattc	5040
catgttcatg agtttgga taatacagca ggtgggtgtt gtgctgtgct ggtgacccat	5100
acttgttcac cctagttaga taaacagtag agtagcccct aaacgttaa acccctcaac	5160
ttgtttttgt ttttgagaaa gggctctgct ctgtcgctca ggctggagtg cagtggcgct	5220
gtgcgatcat ggctgacctt agccttgacc tcccaggctc cattgatcct catgccttgg	5280
cccgtagctg ggactacagg tacacaccac cacgcctggc taatttttgt atttttttct	5340
agagggtggg tttcatcatg ttgccaggc tggctctgaa ctgctgggct caagtggctc	5400
atcctcctcg acctcccaa gtgctgggat tacatgtgtg agccactgtg cctgggaaaa	5460
ccctcaactt ttcttttaaa aaagaggtca actttattgt atataagcac tgtgctaaaa	5520
ttgcaggaac tgggaccata tcctgatttt tgtaataatg ccagcagagt acacacaaga	5580

aaagtaactg cactagattg tgaagactgg ggtggacctg cttctgaagg tccagtgcc 5640
 tttgtcttaa gatttggtgt agtgtgtctt tagaaaccaa aaaaagagaa gaagatcaac 5700

 cttagatta gccacaaaac tgggctttga tacctaggtg tggaaaagaa agggaaagag 5760
 ttgatgtttt gtcttacagc atcattgtag aagaggggtgt ttttttgttt gtttgttttt 5820
 tgagacggag tcttactctg tggcccaggc tggagtgcag tggcgcgatc tgggtcact 5880
 gcaagctccg cctcccgggt tcatgccatt ctctgcctc agccccctga gtagctggga 5940
 ctacaggtgc ccgccacccc gcctggctaa ttttttgat ttttagtaga gacggggttt 6000
 cactgtgtta gccaaagtgg tctctctctt gacctctga tccgctgtc tcagcctccc 6060
 aaagtgtgtg gattacaggc atgagccacc gcacccagcc agaagaggggt gttttttaa 6120
 gaaggcaaat aggaaataaa aacttgggt ctttaactttt gtaatgatcc caggtgtttg 6180
 agctgggggt tgaggggtgg tgctcagc aaaggggtg catttatttg cataatgcca 6240
 tgtaagagta gctctacacc ccaaacacag gcttcttagt gggaccaaag tatgatacaa 6300
 actgaagatg gaatgcagag gattatttgt actttggaat atgcttaaaa aaaatTTTT 6360
 taaagtattt ttaaaaaatc aggcaacccc tgaaccagag taggttcaga gaaactgcca 6420
 aattttattt tcttaatttg ggattggaag caagttaaca gaagtttatg agttaagttg 6480
 catttagtga tcttttgcca tatttgagta ataactgat ttttttgttt atagatttct 6540
 tcttaaatta actttattca tcttgctaatt ttagtttcaa atagtattt gtaatgatca 6600
 gatttgatcc atttctgtaa ttgtgaaat tccccgagt tgcttttttg ctttaccgcc 6660
 tctggtctgg gaggtgattg ctctgctgct tctgttaact tgctgcctt tctccctgtg 6720
 tgggactcct gcgggtgaga gcgtggctga agacagccgt gttatgaaag ggcctcctgt 6780
 gctgtcagag ttgtgctctg tgaatgtcat cccctggtgc acagcagcac cttctacaca 6840
 ggatacagtt ggaatgcgc cccctcagat tgtgtaaggc agcagccttg gcccttgcac 6900
 ataagatgct gttgaatatt ctgcctgcac caagtaaagg gcacagatag aactgcttg 6960
 catatgttgc tggggagatg agttttttgt aaagtatact acgttcttaa gaatttggat 7020
 cataaccatg ggattttaat aatagaaaaa ctgttgaaaga tcagtctggt ccttatttt 7080
 tacagtgaag aagccaaagc ccagagaagg gtgttaactt tacaagtgtc agacagtagt 7140
 tagaacttgg tggggttttt tttttttttt ttttgagatg gagtcttgct ctgttgcca 7200
 ggctggagtg cagtgtgctg atctcagctc actgcaacct ctgcctccca ggttcaagcg 7260
 attctcctgc ctacagctac taagtagctg ggactatagg tgcgcaccac cagcctagc 7320
 taatttttgt attttttcag tagagacagg gttttgctat gctggccagg ctggtctcaa 7380
 actcctgacc tcagatgatc cagccacctc agcttcccaa agtgcgtggg ttccaggtgt 7440
 tagccaccat gcctggccat agacttgttt ctgttccctt ctactgttg ctgtaccaag 7500
 gtgttgctta tcccagaagt cgtgatgcag gtcagcactt tctccatggg aagttttagc 7560
 agtgtttctt tttagaatgt atttgggaac ttttaattcat aatttagctt tttttcttc 7620

 ttcttataaa taggtgtac cagtgcaggc cctcacttta atcctctatc cagaaaacac 7680
 ggtgggcca aagatgaaga gaggtaacaa gatgcttaac tcttgtaata atggcgatag 7740
 ctttctggag ttcatatggt atactacttg taaatatgtg ctaagataat tccgtgtttc 7800
 cccacacttt gcttttgaac ttgctgactc atctaaacct ctgctcccaa atgctggaat 7860
 gcttttactt cctgggctta aaggaattga caaatgggga cacttaaaac gatttggttt 7920
 tgtagcattt attgaatata gaactaatac aagtgcctaa ggggaactaa tacaggaaat 7980
 gtcatgaaca gtactgtcaa ccactagcaa aatcaatcat cattgtgaaa cataggaagc 8040
 ttctgtagat aaaaaaaaa attgatactg aaaactagtc gagactccat ttatatgtgt 8100
 atgttttctg aaagcctttc agaaaaatat taaatttaag gacaagattt ttatatcaga 8160
 ggcttggga catagctttg ttagctatgc cagtaattaa caggcataac tcagtaactg 8220
 agagtttacc ctttggtact tctgaaatca ggtgcagccc catctttctt ccagagcat 8280
 tagtgtgtag acgtgaagcc ttgtttgaag agctgtattt agaatgccta gctactgtt 8340
 tgcaaatttg tgtctactca gtcaagtttt aatttagctc atgaactacc ttgatgttta 8400
 gtggcatcag ccctaataca tctgatgctt ttctattatt aggcattgtg gagacttggg 8460
 caatgtgact gctgacaaag atggtgtggc cgatgtgtct attgaagatt ctgtgatctc 8520
 actctcagga gaccattgca tcattggccg cacactggtg gtaagttttc ataaaaggat 8580

atgcataaaa cttcttctaa catcacgtca tgtatctttt cactttgatt gttagtgcgc	8640
gtttctaaag atccagataa actgtacttg cagttcaaag taggaaaagc aattttattg	8700
gacaattacg gtgaaaatga attattttat ctaggtcagt taagaacact gttctgctaa	8760
gatgcagtaa aaagcagggt acatttgacc atattagatc tgagtttgga aaacagaagt	8820
agtcttttagt tttaaaatgg ccagattttc ttgccaggat tgggtttctc acttggttaa	8880
cagaacattt tgttaagttt aaaacctggg atggacttaa gtattcatgt tcattcatgt	8940
tcattcagga ctgcaggtta tcatgacttg tttacttggt gggaagctgt tgtcccaagt	9000
tatcctgggg aactgcatct ggttcttgca aaacaccaag tagacaggct ctcttttacc	9060
tccccttgag ggcattaaca ttacagtagc acttccattc agttaaccct ttatttttat	9120
ggtttttctt gagccatagt tgtaaagcag aaaaatcatt tataaagggt tgttgaacaa	9180
aattcaaaat actgttgctt aaagtattaa gatttttttag gattatacct tacttatagg	9240
cccgctattc atttggcatg aaattttgag ttttattcac tttcacttcc ctttttttcc	9300
aaagcaatta aaaaaactgc caaagtaaga gtgactgcgc aactaagggt actgtaactt	9360
accatggagg attaagggtg gcgtgtggtg gtctacaaca tagttatttg ggttttagta	9420
tttcatttag acagcaacac ttacctaatg tttaaaggta atgtctttgc aacaccaaga	9480
aaaagctttg agtagtagtt tctactttta aactactaaa tattagtata tctctctact	9540
aggattaatg ttatttttct aatattatga ggttcttaaa catcttttgg gtattgttgg	9600
gaggaggtag tgattacttg acagcccaaa gttatcttct taaaattttt tacagggtcca	9660
tgaaaaagca gatgacttgg gcaaagggtg aaatgaagaa agtacaaga caggaaacgc	9720
tgggaagtct ttggcttggt gtgtaattgg gatcgcccaa taaacattcc ctgggatgta	9780
gtctgaggcc ccttaactca tctgttatcc tgctagctgt agaaatgtat cctgataaac	9840
attaacact gtaatcttaa aagtgtaat gtgtgacttt ttacaggttg ctttaaagta	9900
cctgtagtga gaaactgatt tatgatcact tggaagattt gtatagtttt ataaaactca	9960
gttaaaatgt ctgtttcaat gacctgtatt ttgccagact taaatcacag atgggtatta	10020
aacttgtcag aatttctttg tcattcaagc ctgtgaataa aaacctgta tggcacttat	10080
tatgaggcta ttaaaagaat ccaaattcaa actaaattag ctctgatact tatttatata	10140
aacagcttca gtggaacaga tttagtaata ctaacagtga tagcatttta ttttgaaagt	10200
gttttgagac catcaaatg catactttaa aacagcaggc cttttagcta aaactaacac	10260
aactctgctt agacaaatag gctgtccttt gaaagcttta gggaaatgtt cctgcttagt	10320
catttttagca ttttgattca taaagtacct cctcatttta aaaagacatt atgatgtaag	10380
agagccattt gataactttt tagtgagctt tgaaaggcaa gttacagcct cagctagcta	10440
gtaagattat ctacctgcca gaatggcaca aattctacat tcaagggtag acgctggcac	10500
aacctactta cagattagcc ctttaaagca atctgtagca ttagaagatg gaaccaagga	10560
aatgtttgac tgtgggttct ggctgttgag aaataattta cacaccgaat tagtgaaatg	10620
agtcactttc tcttaatgta tttatgtacc tgagagaatg cttttcaatg ttaacctaac	10680
tcaggtttga ctaaattatt caattggaaa ttgtagaata ttatttctga taaaccagaa	10740
ataagtgaat tgctgtttgt tcataaatat gtactttatc aaatgtagga gagatcattt	10800
aggagaggaa aagctaaatt ggaagacaaa tctgtagtgt ttccaaagtt ttaaaattat	10860
ggtaacaac agtatgttca cagtaagtgg ttaaaacaac cattctttaa atctcagtag	10920
agaattttta aaaagcagta tttaacacat ttccctaata tagtttggtt cctatgtgga	10980
ataactcaat tagagactca c	11001

<210> 3

<211> 13001

<212> DNA

<213> Macaca mulata

<400> 3

cctggaacct agagaaactt cagccttggg caaaggccgt ttggccagca tttgcactgt	60
ttatgcaacc gtttagaata tacgaattat ctggaaacta ctactaaata caacacgcaa	120

aactgcaaat atgtatactt cctagaggat gataaaaaaa atgtgaattg tgtttttctt	180
gatagaggat gcattagagt ctgaggggtct aaataacata aataataaat aagtaaataa	240
atagatagta gtgtactcca aacgaggctg gaatagcttc tatcgttggt tcacgctgga	300
cttgaattaa gtctgagtat tttgccatgc tcagtacgaa atactaggct ggacgtggtg	360
gcttatgtct gtaatcccag cactttggga ggccgagggt ggacagactgg cttgagctca	420
agagtttgaa accagcctgg gcaacatggt aaaaccccat ctctacccaa aatacaaaaa	480
tcagccaggt gtggtgccac atgcctgtgg tctcaggtac ttgggaggct gaggcagcag	540
gatgactttt gaaccagga ggtcgaggct gcagtgagct atgatcgtgc cactgcactc	600
cagcctgggt gacagagcaa taccctgtct caaaaatcaa ataaacaacc ccttcgcccc	660
ggactaaagt agtttgtact attttctcat ttcatacaag tttttgaaat atttcccttg	720
aaaggttaagt catatttatc attcctgttg tatggagaca tcacaaatta tttcaccatt	780
ctaccctcct tgagtgttgt ggcttgggg ccaggcaaaa acgcaggaga tgcctagaag	840
ccaactagtt gccgttttgg ttatctgtgg ggtgtagcg ttgccaaaca ggaaaaatat	900
aaaaagaata ccgaattctg ccaaccaa atagaaactat gtgctaagga ctaaaacaac	960
tgcaggggaa gaaaagggtga ggccagggt tgaggtgtag cgactttcta tgcctcaga	1020
aaattaaaaa acaagacaaa aaaaaaaaaa gaaaactaca aaagcatcca tcttgggccc	1080
tcctaatttc tgagtaacaa atgagatgct gtggcgaaag tcagtcataa ccaatgacat	1140
ttctagacaa agtgacttca gattttcaag gcgtaccttg tttacatcat tttgccaatt	1200
tcgcgtcctg caaccgtcgg gccacgcccc cgtgaaaaaa aggtgtgtt ttttccaca	1260
tttcggggtt ctggaccttt ccggctgctg ggccgggggg aagtctgagg cgcacggggc	1320
cccttggccc cgccccagct catttcctgc cactcgcgtc ccgaggctgc cgcagggggc	1380
gggctgagcg cgtgcgctgt gactggtttg ggccagagt ggccggggcg cggaggtccg	1440
gcctataaag tagtcgcggc gccgtgttac cgttttgcgg cgtagtctcc tgcagcgttt	1500
gcggtcagtc tcgcaatatt cggaagcagg acccgggcgt gccctagcaa gtcattggcg	1560
tgaaggccgt gtgcgtgttg aagggcgaca gccagtgca ggccaccatc aatttcgagc	1620
agaaggcaag ggccggggcg gaggttgtt tgcgaggccg ctcccgccc cttgtcgccc	1680
cgagcacctg tgctaggagc ggggtggccag ccaggcctcg ggaccgccct ggtcccgcg	1740
ccggcctcgg cccgtgccgc ccggtcgggt cctttgcccc cagcgggtgc gtgccggcta	1800
agtgtcagat catcgggcg gcccggtgc gggtgtggg accgaggccg ccgcggggct	1860
gggcctgcgc gtggcgggag cgcggggagg gattgccgcg gggcggggcg tgggcgtgct	1920
gccctccggg gtccgtgggc ggccgcgcg ggcctgtcgc tgggtccttg agcagctgtg	1980
ctcctccctt gcttggctgt gttctcgttc ctgagggtcc cgcggacacc gagtggcgca	2040
gtgacaggcc cggccccggg tggcgactgc gcctgggccc ggctggtgtc ttagcatccc	2100
tctccgcgtt ccggcttcag cgctctgggt caggagctct ccgcttttgt acagctctaa	2160
ggctaagtat ggtttttata tttttaaag gctttggtaa acaaaaatac gcaacagaga	2220
ccgttttgtt gacactttgc aggagtttgt tggcctctgt tctaggtcat ggttgggctg	2280
caagggcaga gaaggtagcc ttggatagag gtccctttcc tcctcctaag ctccgagagc	2340
cagagtttta actgaccgtt ttggggactt tcgagggcaa tgattottaa ctttgggtgc	2400
acaattagct tatttgaaga tcttactaaa aatacaccag agcccaacct cagaccaatt	2460
acatcaaaac ctgtcccagc gcaggtgatt attgctgttt ttttaagttc caaatgtgat	2520
tttgatgtgc acctacgatt gaggactgtt gtttgaggac agtgggtggg gtttggaatt	2580
tggaaattgg gaagacctga agtttccatt acacggaatt ggtacttagt aactcttgc	2640
ggagcatttc ttaagccaca ttttctgtga agtggcttta aaattgctct gccagtaggc	2700
aggttgctaa gatggtcaga gacaaacttc tgaacgactc ttgtaaaatg tagtacagaa	2760
atattttcat aactattatc agtaaaattg caaacgtct tgcaagggaag gtgcttgtga	2820
taacactgtc ccagagcct tagtgaagtt accaactggt ggaaaattgt ctggtactcg	2880
gcttaaaagt catgagagaa tatttatcat atgaatgaga ttcagtcttt aaaggggttt	2940
acagaaagggt gagaggacag gaacagttag tctgtgcaag tgtctgaaat gtgtatgag	3000
gagatacgag ttagctttt ttctttaata cgtctccaga ttttctggaa aaggttcttt	3060
cccatctgac tccattttgc tatttcattt ctacagcttc cttttctccc tctttactta	3120

ygcattcyac cccattctgc tattccattt gcagagcttc gttctgccc cttccactta 3120
 ttcccacata attcactagt actagtgtgtg tgttttgttt ctgagaccga gtcttgctct 3180
 cttgcccagg ctggagtgcg gtggcgcgat ctcggtcac tgcaacctcc gcttcctggg 3240
 ttcaagcaat tctcctgcct caggctcccg ggtagctggg attacaggcg cgtgccacca 3300
 cgccagcta attttttgta ttttagtagg gaccgggttt caccatgttg gccaggatgg 3360
 tcacgatctc ttgacctggt gatccacccg cctcggttc ccagagtggg gggattacag 3420
 gcgtgagcca ccgcgcccgg ccaccagtac tagtcttaag acgcctctgt ggaattcctt 3480
 ctccctggcc ttgagaatc catgcatgaa ccagggttc tgtcattttc caccttcct 3540
 gagcagcgag catagtctct tcttttaagc gcctgacttc gttttggttg gtgccccttg 3600
 tacctgagaa agagccttgg atagtggagc attccagctt tccagatatg cagagataat 3660
 aaattggcta taaactacct ggcgtggcct attccgtgtt taaaatctta gactcgtggc 3720
 tagtttttac aaatcagaat ctttcaccta atagtccagt tttcctagct tctcttgaag 3780
 aattgttga gatctcttca tactgagcct tcattagccc aggacagtac tgctggagct 3840
 ttccaggcct gtgttactca cttgagttca cagcctggtc cctgtagggt tgtacctaa 3900

 cacaactact tacatgttcc caatgtatta cccgttaa at ggaggtttga aagaacctcc 3960
 tctttttggc cctgtgctct tgataacaca gcatatttga gggacaactt tcacatttga 4020
 gtttttccaa aattagaggt tgtagaagag tcacagtgtc tattctgaaa aagaaaagaa 4080
 tttttaaaag gccgcaattg ccagaatcct tcgtttgagc agtggatatt tccagtggaa 4140
 agtcatgtct taagggttaa tgccccttaa ctgttgtccc tatttgaaaa ccaagctaaa 4200
 aacaagagac acaaacatgt atgacggtgt ggtgtggatg atgtgttat tttagtctg 4260
 agatctactc gtaacgtcct tgatttctgt atgtagccac ggagcaccat tacctgtcac 4320
 cattgcctga atggcgatac tgcttgcttt ctttttggtg gagtggaaag gttatctagg 4380
 tttcagtgtc tgaaaagatt tcagaaaaca gtagtacctc tggttagact agaatcagtc 4440
 ctctcctgag ggcagtga aa taggatattt tctgactgct aattaaaaat acctatgata 4500
 gccggacgtg gtggctcacg cctgtaatcc cagcagtttg ggagggcgaa ggggcggatc 4560
 acgaggtcat gagatcgaga ccactcctggc taacacggtg aaaccccgtc tctgctaaaa 4620
 atacaaaaaa ttaactgggc ttggtggtgg ttggcgcttg tagtccagc tactcaggag 4680
 gctgagggag gagaatggca tgaacctggg aggcggagct tgcagtgagc cgagatcatg 4740
 ccactgctct tcagcctggg cgacagagct agactccatc tcaaaaaaaa aaaaaaaca 4800
 aaaaaacttt gatgaaaact taaaaacaca cactgagtgg ggagtggaga gcaggggtcc 4860
 tagggtagcc tgttggaagt ctccagggtg ctttttctt tgttttaaag tgtgtatgct 4920
 gtatggaaga gtgtctatat ggagaagcag caaggggcta aagagcatat gatgagacat 4980
 acaccttttg ggttaaaaag gctgaggcag gagaatggcg tgaacccggg aggtggagct 5040
 tgcagtgagc cgagatcgcg ccactgccct ccagcctggg tgacagagcg agactctgtc 5100
 tcaaaacaaa ccaaaaagggt ttacgtgtac atgtatatc aacatgtaca aatatgacct 5160
 attcaagtgt ctactaataa ggtacttata ttacatattt actgtaatag tcaaacctta 5220
 tgaagtatct aactctgatg tgtaggtact cactttgctt accactctat ttggtgcttt 5280
 ttatgtttta tcacgaagcc tggccacagg gcgcttgtgc attgagtgtg ggaacaagat 5340
 taccatctcc cttttgagga cacaggccta gacagttaa gcagcttgct ggaggtaccc 5400
 tggctagaaa gtggtcggcc tgggatttgg acacagattt ttccactccc gagtctggct 5460
 tctttttact ttactctgag gggtaaagggt aaatcagctg tttctttgt tcagaaactc 5520
 tctccaactt tgcacttttc tttgattaaa ggaagtaaat ggaccagtga aggtgtgggg 5580
 aagcattaca ggattgactg aaggcctgca tggattccat gttcatcagt ttggagataa 5640
 tacacaaggt ggggtgtgtg ctgtgctggt gaccatact tgttcaacct agttagataa 5700
 acagtagagt agcccctaaa tgttaaaact cctcaacttg gttttgtttt tgagacaggg 5760
 tcttgctctg tcaccagggc tggagtgcag tgggtgctgt cgatcatggc tcaccttagc 5820

 ctcgacctcc caggctccag ttatcctcat gcottggcct gtagctggga ctacaggcat 5880
 acgccaccac acctggctac tttctgtatt ttttctagc cgtgggggtt catgttgtcc 5940
 aggcctagct tgaactgctg ggctcaagtg gtttatctc ctgcacctcc caaagtgtg 6000
 ggattacagg tgtgagccac tgtgcctggc aaaacctca acttttcttt taaaaaaga 6060

gggtcaacttt attgtataaa cactgtgcta aaatggcaga aactaggacc atatcttgg	6120
ttttgtaata atgccagcag agtatacaca agaagaaaag taactgcact agattgtgaa	6180
gactggggtg gacctgcttc ttaatgccc gtgccctttg tcttaagatt tgggtgtagta	6240
tatcttttaga aaccaaaaaa aaaaaaaaag tgaagttaaa ataactttga agatcaacct	6300
taagattagc cacaaaactg gtttttgtca cctaggtgtg gaaaagaaag ggaaagagtt	6360
gatgtttttt gtcttatggc atcattgtag aagaggattt tttttttttt tttggagaca	6420
agtcttactc tgtcgcccag gctggagcgc agtggcgcca tcttggtctg ctgcaagctg	6480
tgcctcctgg gttcacgcca ttctcttgcc tcagcctcct gagtagctgg gactacaggc	6540
gccgccacca cgcctggtta atttttttgt ttttttagta gagatggggg ttcactgtgt	6600
tagccaagat ggtcttgatc tctgacctc gtgatccacc catctcgcc tcccaaagt	6660
ctgggattac aggcattgag cactgtgccc agccagaaga aagtgttttt taaagaaggc	6720
aataggaaat aacttgggtt cttactttt gtaatgatcc cagggtgttg agctgggggt	6780
tgagggtggg tgcctcaagc gaaggggctg cattogtttg cataatgtca tgtaagagta	6840
gctccacacc gcaaacacag gctccttagt gggacaaaag taggatacaa cctggagatg	6900
gaatgcagag gatcactggt actttggaat atgcttaaaa aattttttta gtatttttaa	6960
aaaatcaggc agcccctgaa cctgagtagg ttcagagaaa ctgccaaagt ttatattctt	7020
aatttgggat tggagcaag ttaacaaaag tttatgagtt aaattgcatt tagtggctct	7080
ttgccatatt tgagttatct gaattttttg tttataggtt tcttcttaaa ttaacttcat	7140
tcactctgct aatttagttt caaatagtga tttgtagtga tcagatttga tccatttctg	7200
taattgctga aattccccaa gttgcttttt ggttcccgcc ctctggtttg ggaggtgatt	7260
gcgctgctgc ttccctgtaac ttgcctgcct ttctcccggt gtgggactcc tgggggtgag	7320
aggacttggt acgaaggcag ccgtgttacg aaagggcctc ctgtgccgtc gaggttgctc	7380
tctgtgaatg tcaccccctg gccacagga gcaccttcta cacagggtac agtcggaatg	7440
ccgccccctg gagttgtgta aggcagcagc cttggccctt gcacataaga tgetgttgaa	7500
tattctgctc gcaccaagta aagggcacag gtagaactgc ttggcagtat gttgctgggg	7560
agatgagttt tttgtagtta aagtgtacta cattcttaca aatttggatc ttaaccatgg	7620
gattttaatg atagaaaaac tgttgaagat gagtctggtc ccttattgta cagtgaagca	7680
gcagaagccc cgaggaaggg tgttgacttt acgagtgtca gatagtagtt agaacttgct	7740
tttttttttg agacgcagcc ttgctctgtt gcctaggctg gactacagtg gtgcaatctc	7800
agcttactgc aatctctgcc tcccaggttc aagcgattct cctgcctctg cctatcaggt	7860
agctgggact acacgtgcac accaccatgc ctagctaatt tttgtatttt tcagtagaga	7920
cagggtttcg ccatgttggc caggctggtc tcaaaactct gacctcagat gattcaccca	7980
cctcagcttc ccaaagtgtc gggattccag gtgttagcca ccatgcccg ccatagactt	8040
gtttctgttc ccttctcacc atgcctggac caaggtgttg cttatcccag aagttgtgat	8100
gcagggtccct gctctctcca tgggaagttt tagcaatgtt tctttttaga atgtatttgg	8160
gaactttaat tcataattta gctttttttt ttttctttt tcttgtaa at aggtgttacc	8220
agtgcaggtc ctcaacttta tcctctatcc agacaacacg gtgggccaaa ggatgaagag	8280
aggtaacaag atgcttaact cttgtaataa tggcgatagc tttctggagt tcatatggta	8340
tactacttgt aaatatgtgc taagataatt ccgtgttctc cccaccttt gtttttgaac	8400
ttgctgactc atctaaacct ctgctcccaa atgctggaat gcttttactt cctgggctta	8460
aaggaattga caaatgggga cacttaaaac gatttggttt tgtagcattt attgaatata	8520
gaactaatac aggtgccaaa ggggaactta tacaggaaat gtcattgagta acagtactgt	8580
caaccactag cagaatcaat catcgtgaaa cataggaagc gtctgtagat aaaaaaaaa	8640
ttgatattga aaactagtgc agactccatt tgtatgtgta tgttttctga aagcctttca	8700
ggaaaatact aaatctaagg acaagatttt tatatcagag gcctcgggac atagctttgt	8760
tagctatgcc aataattaac aggcataact cagtaactga gagtctaccc tttgtactt	8820
ctgaaatgag gtgcaccccc atctttcttc ccagagcatg agttttaga cttgaagcct	8880
tgtttgaaga gctgtgttta gaatgccag ctacttgttt gcaaatttgt gtttgcacag	8940
tcaagtttta atttagctca tgaactacct tgatgttcag tggagtcagc cctaatacat	9000
ctctactttt tcaattttta caactttta caactttta caactttta caactttta	9060

ctgatgcttc tccattatta ggcattgttg agacctgggc aatgtgactg ctggcaaaga	9060
tggtgtggcc aaggtgtcct tcgaagattc tgtgatctcg ctctcaggag accattccat	9120
cattggccgc acattggttg tgagttttca taaaaggatc tacataaaac ttcgtctaac	9180
atacagtcac gtatctcttc actttatgat tgttagtcgt ggtttctaaa gatccagata	9240
aattatactt gcagttcaaa ttaggaaaag caattttatt ggacaattat ggtgaaaac	9300
aattatttta tctgggtcag tcaagaacac tgttctgcta agatgcagta gaaagcaggt	9360
tacatttgac catattagat ctgagtttg aaaacagagt agtctttaqt tttaaaatgg	9420
ccagattttc ttgccaggat tgggtttctc acttgtgaaa cagaacattt tgttaagttt	9480
aaaacctggg atggacttca gtattcatgt tcatccagga ctgcaggtta tcatgacttg	9540
tttaacttgt gggaagctgt tgccccaagt tattctgggg aatgcatctg gttcatgcaa	9600
aacaccaggt agactggctc tcttttacct ccctttgagg gcattaacat tcattagtca	9660
cttccactca gtaaacctt ttatttttta ggttttcttg agccatagtt gtaaagcaga	9720
aaaattgttt acaaaggttt gttgaacaaa attcaaaata ctggtgctaa agtattaagg	9780
tttttttaga ttatgtctta tttataggcc tgtcattcat ttggtatgaa attttgagcg	9840
ttactcactt tcactttcct ttttttccaa agcaattaaa ttgccaaaga gtgactgctg	9900
aactacagtt actgtaactt atcatggagg actaagggtg gtgtgtggtg gtctacaaca	9960
tagttatttg ggtttttagt atttcattta gagatagcaa cacttaccta atgtttaaag	10020
gtaatgtcct tgcaacacca agaaaaagct ttgaatagta gtttttactt ttaaactact	10080
aagtattagt atatctacta ggattaatgt ttttttcta atattatgag gttcttaaac	10140
tatcttttgg gtattgttg gaggaggtag tgattacttg acagcccaa gttatcttct	10200
tacaattttt tacagggtcca tgaaaaagca gatgacttgg gcaaagggtg aatgaagaa	10260
agtaaaaaga caggaaacgc tggaggtcgt ctggcttggt gtgtaattgg gatcgcccaa	10320
taaacattcc ctgggatgta gtctgaggcc cattaactca tctgttatcc tgctagctgt	10380
agaaatgtat ctgataaac attaaacact gtaatcttaa gagtgtaatt gtgtgacgtt	10440
tgcttagtac ctgtaatgag aaactggttg atgatcactt ggaagatttg tatagtttta	10500
taaaactcaa ttaaaatgtc tgtttcaatg acctgtattt tgccagactt aatcacagat	10560
gggtattaaa ctgttcagaa tttcttcaat tctcattcaa gcctgtgaat aaaaacctg	10620
tatggcactc attttgagtc tattaaga atccaagttc aaactaaatt agctctgata	10680
cttatttata taaacagctt cagtggaaca gatttagtaa tgctaacagt gatagcattt	10740
tactttgaaa gtgttttgag atcatcaaaa tgcatacttt taaaacagca ggtcttttag	10800
ctaatacgaa cacaactctg cttagacaac aggcgtgcct ttgaaagctt tagggaaatg	10860
ttcttgctta gtcattttag cattttgatt cataaagtac ctcatthtaaa aaagacgtta	10920
tcgtgtaaga gagccatttg ataacttagt gagtttaaaa ggcaagttac agcctcagct	10980
agctaataag attatctacc tgccagaatg gcacaaattg tacattcaag ggtggacgtt	11040
ggcacaacct acttaacaga ttagcccttt aaagaaatct atagcatttg aagatagaac	11100
caaggaaatg tttgactgtg ggttctggct gtttattaat ttacacaccg aattagtga	11160
atgagtcact ttcaatgtat ttacgtacct gagagagagt gcttttaaat gttattgact	11220
attcaattgg aaattgtaaa ttgtagaata tttctgataa accatgaata agtgacaatc	11280
tgttcataaa tacgtacttt atcaaatgta ggagaggaaa agctaatttg ggaagacaaa	11340
tctgtagtgt ttccaaagt ttaaaattat gtaaagaac aatatgctta cagtaagtgg	11400
ttaaaaccac cattctthta atctcggtta tgtttaaaaa aactattta acccatttcc	11460
ctgatgtagt ttgttgcta tgtggaatta gagactcacg cctttcaaac ttcaaata	11520
atcatgctac cagttaggag tagtcatttc atgtgcatat aggatgctct taagttggaa	11580
atacaggctg taagtcttcc aagtctggat gttgagtaat cacgttttct tccagaagcc	11640
atthgttagg actttttttt ggccagtggt aaaattaagg acaagtttta taatttaaat	11700
ttacagatac aacaattttc tctcattttc taaaggcagg aatataagga cattgcccta	11760
gatataattc ccccatcaaa ccaaaggcct tgctgctgag tattatttaa aaaccagagt	11820
aataaagcag ctttgctga ggatgacggc aaagacaaag ttaactgcta agcatactga	11880
aaccaagagt ttaaaaaagt aattcaaac aacttgaagg ccataaatat ttggatagt	11940

tgacatcagg tcttggcact ggatttcctg caatttcaga taaaggcttg acttggcttt 12000
ggatgtcttc atgtaattct tggataacct acaacaattt ttcctagtta acccaccaac 12060
tttaagcaaa agaaaaaaag tgtatgtggg ggaaaagttc agtttacctc tgcccagcag 12120
gggaattaaa aaactggtaa agaaaggcaa taggcaaggc ttatataagg aaacaataat 12180
aggttgcact gaagtcctca aacacaacaa aaagctttta gattgcaaat gttaaccttg 12240
attctttttac ccttttgaag aattcagtggt gatggttgga aaaaaaaaaa caacacacac 12300
acacatgcaa ccttctaacg taatacccac gcagtcagat aatttatagt acaacatgta 12360
acactggaat taacttttcc cccagcaaaa tcttacaat taattagggc aacatatacc 12420
acaaagccaa tggggaaaaa aaaaaacctc gattgaattg caaacacagc ttttcaattg 12480
acattaaaac aactaacctt taccttatga ctgaaacact aaaattcaaa agtattacat 12540
atgaaagtga gaataactac ataaaatgtc tattttcatc aaataagtct aatttagact 12600
ccaatacagt attaacagct caaactttga tgggtgaacaa tccttttcca ccttaatgca 12660
gtgtaggaag aatagcacac attaaagttt gttacgaaaa tagagtttat taaaaacatc 12720
cctattgttt tgaggagctt tcaccgttac cttgtcttaa attaaaaaaa aaaaaaata 12780
gagagcactt ctaattacga tttgtaaact ttttaaagtc aaaactttta aaaagttaca 12840
gcaaaaaggg taatatttat tcatattttc agtatttttt gttattttgt ggctattttt 12900
aatagaagg gaagcaatca aattgcttac agttccccac cagctggcgc ggggctgcag 12960
tacagcggga gcggatataa tacagcatct gtacacctca a 13001

<210> 4

<400> 4

000

<210> 5

<211> 25

<212> DNA

<213> Artificial sequence

<220>

<223> Primer

<400> 5

aggagaaaaa caaagaacac cagaa 25

<210> 6

<211> 25

<212> DNA

<213> Artificial sequence

<220>

<223> Primer

<400> 6

caattagggc aactcagaaa tagct 25

<210> 7

<211> 22

<212> DNA

<213> Artificial sequence

<220>

<223> Probe

<400> 7

ccaactggtc cccagccaa ga 22

<210> 8

<211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Primer

 <400> 8
 gaaaccagcc tggacaccaa 20

 <210> 9
 <211> 24
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Primer

 <400> 9
 tccacagtct ttaccacgat gttc 24

 <210> 10
 <211> 25
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Probe

 <400> 10
 tccgtgtcag aaggccacct caaga 25

 <210> 11
 <211> 22
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Primer

 <400> 11
 ctctcaggag accattgcat ca 22

 <210> 12
 <211> 27
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Primer

 <400> 12
 tcctgtcttt gtactttctt catttcc 27

 <210> 13
 <211> 24
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Probe

 <400> 13

ccgcacactg gtggtccatg aaaa 24

<210> 14
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Primer

<400> 14
 cgtggcctag cgagttatgg 20

<210> 15
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Primer

<400> 15
 gaaattgatg atgccctgca 20

<210> 16
 <211> 21
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Probe

<400> 16
 acgaaggccg tgtgcgtgct g 21

<210> 17
 <211> 26
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Primer

<400> 17
 tggagataat acacaaggct gtacca 26

<210> 18
 <211> 23
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Primer

<400> 18
 caacatgcct ctctcatcc tt 23

<210> 19
 <211> 27
 <212> DNA
 <213> Artificial sequence

<220>

<223> Probe

<400> 19

atcctctatc cagacaacac ggtgggc 27

<210> 20

<400> 20

000

<210> 21

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 21

ccgtgccct tcagcacgca 20

<210> 22

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 22

cactggcca ttacttcct 20

<210> 23

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 23

acacctcac tggccatta 20

<210> 24

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 24

ccacacctc actggtccat 20

<210> 25

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 25

caacatgcct ctctcatcc 20

<210> 26
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 26
 ccaacatgcc tctctcatc 20

 <210> 27
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 27
 tccaacatgc ctctctcat 20

 <210> 28
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 28
 ctccaacatg cctctctca 20

 <210> 29
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 29
 tctccaacat gcctctcttc 20

 <210> 30
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 30
 gtctccaaca tgcctctctt 20

 <210> 31
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 31
cacctttgcc caagtcacat 20

<210> 32
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 32
ccacctttgc ccaagtcac 20

<210> 33
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 33
tccacctttg cccaagtcac 20

<210> 34
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 34
ttccaccttt gcccaagtca 20

<210> 35
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 35
tttccacctt tgccaagtc 20

<210> 36
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 36
atttccacct ttgccaagt 20

<210> 37
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 37

catttccacc ttgccaag 20

<210> 38

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 38

tcatttccac ctttgccaa 20

<210> 39

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 39

ttcatttcca ccttgccca 20

<210> 40

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 40

cttcatttcc accttgccc 20

<210> 41

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 41

tttcatttc caccttgcc 20

<210> 42

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 42

ttcttcattt ccaccttgc 20

<210> 43

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 43
 ttcttcatt tccaccttg 20

 <210> 44
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 44
 ctttctcat ttccacctt 20

 <210> 45
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 45
 actttctca ttccacctt 20

 <210> 46
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 46
 tactttcttc atttccacct 20

 <210> 47
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 47
 ggcatccca attacaccac 20

 <210> 48
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 48
 ggaatgttta ttggcgatc 20

<210> 49
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 49
cctcagacta catccaaggg 20

<210> 50
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 50
atacaaatct tccaagtgat 20

<210> 51
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 51
tgagttttat aaaactatac 20

<210> 52
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 52
tcattgaaac agacatttta 20

<210> 53
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 53
atacaggtca ttgaaacaga 20

<210> 54
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 54
gtcgcccttc agcacgcaca 20

<210> 55
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 55
ttaataccc atctgtgatt 20

<210> 56
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 56
agtttaatac ccatctgtga 20

<210> 57
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 57
ggtttttatt cacaggcttg 20

<210> 58
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 58
agggttttta ttcacaggct 20

<210> 59
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 59
atacagggtt ttattcaca 20

<210> 60
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 60

ccatacaggg ttttattca 20

<210> 61

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 61

acgctgcagg agactacgac 20

<210> 62

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 62

cgaggactgc aacggaaacc 20

<210> 63

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 63

taggccacgc cgaggtcctg 20

<210> 64

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 64

ttcagcacgc acacggcctt 20

<210> 65

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 65

ccttcagcac gcacacggcc 20

<210> 66

<211> 20

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 66
gcccttcagc acgcacacgg 20

<210> 67
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 67
tcgcccttca gcaacgcacac 20

<210> 68
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 68
cgtcgccctt cagcacgcac 20

<210> 69
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 69
gccctgcact gggccgctgc 20

<210> 70
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 70
aattgatgat gccctgcact 20

<210> 71
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 71
agtcctttaa tgcttcccca 20

<210> 72
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 72
aggccttcag tcagtccttt 20

<210> 73
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 73
gctgtattat ctccaaactc 20

<210> 74
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 74
tgcccaagtc tccaacatgc 20

<210> 75
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 75
acacatcggc cacaccatct 20

<210> 76
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 76
tctcctgaga gtgagatcac 20

<210> 77
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 77
accaccagtg tgcggccaat 20

<210> 78
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 78
tcatggacca ccagtgtgcg 20

<210> 79
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 79
gtactttctt cattccacc 20

<210> 80
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 80
ttgtactttc ttcattcca 20

<210> 81
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 81
ctttgtactt tcttcatttc 20

<210> 82
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 82
gataacagat gagttaaggg 20

<210> 83
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 83
cacaattaca cttttaagat 20

<210> 84
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 84
aatcagtttc tcactacagg 20

<210> 85
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 85
cataaatcag ttctcacta 20

<210> 86
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 86
aactgagttt tataaaaacta 20

<210> 87
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 87
ccatctgtga ttaagtctg 20

<210> 88
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 88
aagtgccata cagggtttt 20

<210> 89
<211> 20

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 89
taataagtc catcacgggt 20

<210> 90
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 90
ctcataataa gtgccataca 20

<210> 91
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 91
gcctcataat aagtgcata 20

<210> 92
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 92
ttttaatagc ctcataataa 20

<210> 93
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 93
ggattctttt aatagcctca 20

<210> 94
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 94
ctcactacag gtactttaa 20

<210> 95
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 95
aatcttccaa gtgatcataa 20

<210> 96
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 96
attgaaacag acattttaac 20

<210> 97
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 97
caaagaaatt ctgacaagtt 20

<210> 98
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 98
acaggcttga atgacaaaga 20

<210> 99
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 99
tcataataag tgccatacag 20

<210> 100
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 100
caggccttca gtcagtcctt 20

<210> 101
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 101
cacattgccc aagtctcaa 20

<210> 102
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 102
tcggccacac catctttgtc 20

<210> 103
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 103
catcggccac accatctttg 20

<210> 104
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 104
tagacacatc ggccacacca 20

<210> 105
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 105
ctcctgagag tgagatcaca 20

<210> 106
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 106

catggaccac cagtgtgcgg 20

<210> 107

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 107

taggccagac ctccgcgcct 20

<210> 108

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 108

actttatagg ccagacctcc 20

<210> 109

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 109

gacgcaaacc agcaccgccgt 20

<210> 110

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 110

ggttccgagg actgcaacgg 20

<210> 111

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 111

tcctgggtcc gaggactgca 20

<210> 112

<211> 20

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 112
gaggtcctgg ttccgaggac 20

<210> 113
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 113
gtcgccataa ctgctaggc 20

<210> 114
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 114
tcagcacgca cacggcctc 20

<210> 115
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 115
cttcagcacg cacacggcct 20

<210> 116
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 116
cccttcagca cgcacacggc 20

<210> 117
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 117
cgcccttcag cacgcacacg 20

<210> 118
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 118
cgcccactct ggccccaaac 20

<210> 119
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 119
ccgcgactac ttataggcc 20

<210> 120
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 120
ccttctgctc gaaattgatg 20

<210> 121
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 121
tccttctgct cgaaattgat 20

<210> 122
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 122
ttccttctgc tcgaaattga 20

<210> 123
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 123
tttccttctg ctcgaaattg 20

<210> 124
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 124
ctttccttct gctcgaaatt 20

<210> 125
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 125
actttccttc tgctcgaaat 20

<210> 126
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 126
tactttcctt ctgctgaaa 20

<210> 127
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 127
ttactttcct tctgctcgaa 20

<210> 128
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 128
attactttcc ttctgctcga 20

<210> 129
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 129

cattactttc cttctgctcg 20

<210> 130

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 130

ccattacttt ccttctgctc 20

<210> 131

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 131

tccattactt tccttctgct 20

<210> 132

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 132

gtccattact ttcttctgct 20

<210> 133

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 133

ggtccattac ttcttctgct 20

<210> 134

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 134

tggtcatta ctttcttct 20

<210> 135

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 135

ctggtccatt actttccttc 20

<210> 136

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 136

actggtccat tactttcctt 20

<210> 137

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 137

tcactggtcc attactttcc 20

<210> 138

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 138

ttcactggtc cattactttc 20

<210> 139

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 139

cttcactggt ccattacttt 20

<210> 140

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 140

ccttcactgg tcattactt 20

<210> 141
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 141
 accttcactg gtccattact 20

 <210> 142
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 142
 caccttcact ggtccattac 20

 <210> 143
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 143
 cacaccttca ctggtccatt 20

 <210> 144
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 144
 cccacacctt cactggtcca 20

 <210> 145
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 145
 cccacacct tcactggtcc 20

 <210> 146
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 146
tccccacacc ttcactggtc 20

<210> 147
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 147
ttccccacac cttcactggt 20

<210> 148
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 148
cttccccaca ccttcactgg 20

<210> 149
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 149
gcttccccac accttcactg 20

<210> 150
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 150
tgcttcccca caccttcact 20

<210> 151
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 151
atgcttcccc acaccttcac 20

<210> 152
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 152
 aatgcttccc cacaccttca 20

<210> 153
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 153
 taatgcttcc ccacaccttc 20

<210> 154
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 154
 tccatgcagg ccttcagtca 20

<210> 155
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 155
 atccatgcag gcccttcagtc 20

<210> 156
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 156
 aatccatgca ggccttcagt 20

<210> 157
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 157
 gaatccatgc aggcccttcag 20

<210> 158
 <211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 158
 ggaatccatg caggccttca 20

 <210> 159
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 159
 tggaatccat gcaggccttc 20

 <210> 160
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 160
 atggaatcca tgcaggcctt 20

 <210> 161
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 161
 catggaatcc atgcaggcct 20

 <210> 162
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 162
 acatggaatc catgcaggcc 20

 <210> 163
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 163
 aacatggaat ccatgcaggc 20

<210> 164
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 164
gaacatggaa tccatgcagg 20

<210> 165
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 165
tgaacatgga atccatgcag 20

<210> 166
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 166
atgaacatgg aatccatgca 20

<210> 167
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 167
gacctgcact ggtacagcct 20

<210> 168
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 168
ggacctgcac tggtagagcc 20

<210> 169
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 169
aggacctgca ctggtacagc 20

<210> 170
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 170
gaggacctgc actggtacag 20

<210> 171
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 171
tgaggacctg cactggtaca 20

<210> 172
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 172
gtgaggacct gcactggtac 20

<210> 173
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 173
agtgaggacc tgcactggta 20

<210> 174
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 174
aagtgaggac ctgcactggt 20

<210> 175
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 175

aaagtgagga cctgcactgg 20

<210> 176

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 176

taaagtgagg acctgcactg 20

<210> 177

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 177

ttaaagtgag gacctgcact 20

<210> 178

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 178

attaaagtga ggacctgcac 20

<210> 179

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 179

gattaaagtg aggacctgca 20

<210> 180

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 180

ggattaaagt gaggacctgc 20

<210> 181

<211> 20

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 181
aggattaaag tgaggacctg 20

<210> 182
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 182
gaggattaaa gtgaggacct 20

<210> 183
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 183
agaggattaa agtgaggacc 20

<210> 184
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 184
tagaggatta aagtgaggac 20

<210> 185
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 185
atagaggatt aaagtgagga 20

<210> 186
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 186
gatagaggat taaagtgagg 20

<210> 187
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 187
ggatagagga ttaaagtgag 20

<210> 188
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 188
tggatagagg attaaagtga 20

<210> 189
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 189
ctggatagag gattaaagtg 20

<210> 190
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 190
tctggataga ggattaaagt 20

<210> 191
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 191
atcctttggc ccaccgtgtt 20

<210> 192
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 192
catcctttgg cccaccgtgt 20

<210> 193
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 193
tcatcctttg gcccaccgtg 20

<210> 194
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 194
ttcatccttt ggcccaccgt 20

<210> 195
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 195
cttcatcctt tggcccaccg 20

<210> 196
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 196
tcttcatcct ttgcccacc 20

<210> 197
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 197
cttcatcc tttgcccac 20

<210> 198
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 198
tctcttcac ctttgccca 20

<210> 199
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 199
ctctctcat ccttgccc 20

<210> 200
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 200
cctctctca tccttgcc 20

<210> 201
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 201
gcctctctc atccttgcc 20

<210> 202
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 202
tgcctctct catccttg 20

<210> 203
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 203
atgcctctc tcaccttg 20

<210> 204
<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 204
 catgcctctc ttcacacctt 20

 <210> 205
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 205
 acatgcctct cttcacacctt 20

 <210> 206
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 206
 aacatgcctc tcttcacctt 20

 <210> 207
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 207
 tgctttttca tggaccacca 20

 <210> 208
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 208
 ctgctttttc atggaccacc 20

 <210> 209
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 209
 tctgcttttt catggaccac 20

<210> 210
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 210
atctgctttt tcatggacca 20

<210> 211
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 211
catctgcttt tcatggacc 20

<210> 212
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 212
tcatctgctt tttcatggac 20

<210> 213
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 213
gtcatctgct ttttcatgga 20

<210> 214
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 214
agtcatctgc ttttcatgg 20

<210> 215
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 215
 aagtcacatg cttttcatg 20

 <210> 216
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 216
 caagtcacat gcttttcat 20

 <210> 217
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 217
 ccaagtcac tgcttttca 20

 <210> 218
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 218
 cccaagtcac ctgcttttc 20

 <210> 219
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 219
 gcccaagtc tctgctttt 20

 <210> 220
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 220
 tgccaagtc atctgcttt 20

 <210> 221
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 221

ttgcccaagt catctgctt 20

<210> 222

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 222

tttgccaag tcatctgctt 20

<210> 223

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 223

cttgcccaa gtcactgct 20

<210> 224

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 224

cctttgccca agtcactgc 20

<210> 225

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 225

acctttgcc aagtcactg 20

<210> 226

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 226

ccaattaca ccacaagcca 20

<210> 227

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 227

tccaattac accacaagcc 20

<210> 228

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 228

atccaatta caccacaagc 20

<210> 229

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 229

gatccaatt acaccacaag 20

<210> 230

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 230

cgatccaat tacaccacaa 20

<210> 231

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 231

gcatcccaa ttacaccaca 20

<210> 232

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 232

gggcgatccc aattacacca 20

<210> 233
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 233
tgggcatcc caattacacc 20

<210> 234
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 234
ttggcgatc ccaattacac 20

<210> 235
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 235
attggcgat cccaattaca 20

<210> 236
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 236
tattggcga tccaattac 20

<210> 237
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 237
ttattggcg atccaatta 20

<210> 238
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 238
 ttattgggc gatccaatt 20

 <210> 239
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 239
 gttattggg cgatccaat 20

 <210> 240
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 240
 tgttattgg gcgatccaa 20

 <210> 241
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 241
 atgtttattg ggcgatcca 20

 <210> 242
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 242
 aatgtttatt gggcgatccc 20

 <210> 243
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 243
 gaatgttat tggcgatcc 20

 <210> 244
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 244
 tccaagggaa tgttattgg 20

<210> 245
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 245
 atccaaggga atgtttattg 20

<210> 246
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 246
 catccaaggg aatgtttatt 20

<210> 247
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 247
 acatccaagg gaatgtttat 20

<210> 248
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 248
 tacatccaag ggaatgttta 20

<210> 249
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 249
 ctacatccaa gggaatgttt 20

<210> 250
 <211> 20

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 250
 actacatcca agggaatgtt 20

<210> 251
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 251
 gactacatcc aagggaatgt 20

<210> 252
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 252
 agactacatc caagggaatg 20

<210> 253
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 253
 cagactacat ccaagggaat 20

<210> 254
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 254
 tcagactaca tccaaggga 20

<210> 255
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 255
 ctcagactac atccaaggga 20

<210> 256
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 256
gcctcagact acatccaagg 20

<210> 257
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 257
ggcctcagac tacatccaag 20

<210> 258
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 258
gggcctcaga ctacatccaa 20

<210> 259
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 259
caggataaca gatgagttaa 20

<210> 260
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 260
gcaggataac agatgagtta 20

<210> 261
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 261
agcaggataa cagatgagtt 20

<210> 262
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 262
tagcaggata acagatgagt 20

<210> 263
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 263
ctagcaggat aacagatgag 20

<210> 264
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 264
gctagcagga taacagatga 20

<210> 265
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 265
agctagcagg ataacagatg 20

<210> 266
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 266
cagctagcag gataacagat 20

<210> 267
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 267
 acagctagca ggataacaga 20

<210> 268
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 268
 tacagctagc aggataacag 20

<210> 269
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 269
 ctacagctag caggataaca 20

<210> 270
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 270
 tctacagcta gcaggataac 20

<210> 271
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 271
 ttctacagct agcaggataa 20

<210> 272
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 272
 tttctacagc tagcaggata 20

<210> 273
 <211> 20

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 273
 atttctacag ctagcaggat 20

<210> 274
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 274
 catttctaca gctagcagga 20

<210> 275
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 275
 acatttctac agctagcagg 20

<210> 276
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 276
 tacatttcta cagctagcag 20

<210> 277
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 277
 atacatttct acagctagca 20

<210> 278
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 278
 gatacatttc tacagctagc 20

<210> 279
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 279
 acagtgttta atgtttatca 20

 <210> 280
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 280
 tacagtgttt aatgtttatc 20

 <210> 281
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 281
 ttacagtgtt taatgtttat 20

 <210> 282
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 282
 attacagtgt ttaatgttta 20

 <210> 283
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 283
 gattacagtg tttaatgttt 20

 <210> 284
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 284
 agattacagt gtttaatgtt 20

 <210> 285
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 285
 aagattacag tgtttaatgt 20

 <210> 286
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 286
 taagattaca gtgtttaatg 20

 <210> 287
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 287
 ttaagattac agtgtttaat 20

 <210> 288
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 288
 caaatcttc aagtgatcat 20

 <210> 289
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 289
 acaaatcttc caagtgatca 20

 <210> 290
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 290
 taaaaatctt ccaagtgatc 20

<210> 291
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 291
 tatacaaadc ttccaagtga 20

<210> 292
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 292
 ctatacaaat cttccaagtg 20

<210> 293
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 293
 actatacaaaa tcttccaagt 20

<210> 294
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 294
 aactatacaa atcttccaag 20

<210> 295
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 295
 aaactataca aatcttccaa 20

<210> 296
 <211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 296
 aaaactatac aaatcttcca 20

 <210> 297
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 297
 taaaactata caaatcttcc 20

 <210> 298
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 298
 ataaaactat acaaattctc 20

 <210> 299
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 299
 tataaaacta tacaaattct 20

 <210> 300
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 300
 ttataaaact atacaaattct 20

 <210> 301
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 301
 ttataaaac tatacaaatc 20

<210> 302
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 302
ttttataaaa ctatacaaat 20

<210> 303
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 303
gttttataaa actatacaaa 20

<210> 304
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 304
agttttataa aactatacaa 20

<210> 305
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 305
gagttttata aaactataca 20

<210> 306
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 306
cattgaaaca gacattttaa 20

<210> 307
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 307
gtcattgaaa cagacatttt 20

<210> 308
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 308
ggtcattgaa acagacattt 20

<210> 309
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 309
aggtcattga aacagacatt 20

<210> 310
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 310
caggtcattg aaacagacat 20

<210> 311
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 311
acaggtcatt gaaacagaca 20

<210> 312
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 312
tacaggtcat tgaaacagac 20

<210> 313
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 313

aatacaggtc attgaaacag 20

<210> 314

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 314

aaatacaggc cattgaaaca 20

<210> 315

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 315

aaaatacagg tcattgaaac 20

<210> 316

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 316

caaaatacag gtcattgaaa 20

<210> 317

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 317

ccttgccttc tgctcgaaat 20

<210> 318

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 318

aataaagttg acctcttttt 20

<210> 319

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 319

ctctgatata aaaatcttgt 20

<210> 320

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 320

gccccgcggc ggcctcggtc 20

<210> 321

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 321

gctatcgcca ttattacaag 20

<210> 322

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 322

ctcaaattgt aaagttgtcc 20

<210> 323

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 323

gttctatatt caataaatgc 20

<210> 324

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 324

aattaaagtt cccaataca 20

<210> 325
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 325
gatcattaca aaagttaaga 20

<210> 326
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 326
ccttctctgc ccttgcagcc 20

<210> 327
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 327
acccaaataa ctatgttgta 20

<210> 328
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 328
ccaggtttta aacttaacaa 20

<210> 329
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 329
atctcaggac taaaataaac 20

<210> 330
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 330
aaataactat gttgtagacc 20

<210> 331
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 331
aagaaccttt tccagaaaat 20

<210> 332
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 332
ggaacagaaa caagtctatg 20

<210> 333
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 333
agaaagctat cgccattatt 20

<210> 334
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 334
ttcccaaata cattctaaaa 20

<210> 335
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 335
aactgctcta ggctgtgtc 20

<210> 336
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 336

aaatggatca aatctgatca 20

<210> 337

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 337

gtaggtgcac atcaaaatca 20

<210> 338

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 338

tctgatataa aaatcttgtc 20

<210> 339

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 339

accatatgaa ctccagaaag 20

<210> 340

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 340

aacatcaagg tagttcatga 20

<210> 341

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 341

gcaattacag aaatggatca 20

<210> 342

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 342
 tttaagcat attccaaagt 20

 <210> 343
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 343
 tcaaccccca gctcaaacac 20

 <210> 344
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 344
 agaaaaataa cattaatcct 20

 <210> 345
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 345
 aagattttaa acacggaata 20

 <210> 346
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 346
 agcagtcaca ttgcccaagt 20

 <210> 347
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 347
 cagtgtttaa tgttatcag 20

<210> 348
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 348
gcaaaataca ggtcattgaa 20

<210> 349
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 349
ggcaaaatac aggtcattga 20

<210> 350
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 350
tggcaaaata caggtcattg 20

<210> 351
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 351
ctggcaaaat acaggtcatt 20

<210> 352
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 352
tctggcaaaa tacaggtcat 20

<210> 353
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 353
gtctggcaaa atacaggtca 20

<210> 354
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 354
agtctggcaa aatacaggtc 20

<210> 355
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 355
aagtctggca aaatacaggt 20

<210> 356
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 356
taagtctggc aaaatacagg 20

<210> 357
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 357
ttaagtctgg caaaatacag 20

<210> 358
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 358
gtttaatacc catctgtgat 20

<210> 359
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 359
 aagtttaata cccatctgtg 20

<210> 360
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 360
 caagtttaat acccatctgt 20

<210> 361
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 361
 acaagtttaa tacccatctg 20

<210> 362
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 362
 gacaagttta atacccatct 20

<210> 363
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 363
 tgacaagttt aatacccatc 20

<210> 364
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 364
 ctgacaagtt taatacccat 20

<210> 365
 <211> 20

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 365
 tctgacaagt ttaataccca 20

<210> 366
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 366
 ttctgacaag ttaataccc 20

<210> 367
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 367
 attctgacaa gttaatacc 20

<210> 368
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 368
 aattctgaca agttaatac 20

<210> 369
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 369
 aaattctgac aagttaata 20

<210> 370
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 370
 gaaattctga caagttaat 20

<210> 371
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 371
agaaattctg acaagtttaa 20

<210> 372
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 372
aagaaattct gacaagttta 20

<210> 373
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 373
ttattcacag gcttgaatga 20

<210> 374
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 374
tttattcaca ggcttgaatg 20

<210> 375
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 375
ttttattcac aggcttgaat 20

<210> 376
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 376
 tttttattca caggcttgaa 20

 <210> 377
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 377
 gtttttattc acaggcttga 20

 <210> 378
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 378
 ggggttttat tcacaggctt 20

 <210> 379
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 379
 cagggttttt attcacaggc 20

 <210> 380
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 380
 acagggtttt tattcacagg 20

 <210> 381
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 381
 tacagggttt ttattcacag 20

 <210> 382
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 382

catacagggt tttattcac 20

<210> 383

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 383

gccatacagg gtttttattc 20

<210> 384

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 384

tgccatacag gggttttatt 20

<210> 385

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 385

gtgccataca ggggttttat 20

<210> 386

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 386

agtgccatac aggggtttta 20

<210> 387

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 387

tggaaaaact caaatgtgaa 20

<210> 388

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 388

tttcccttc tttccacac 20

<210> 389

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 389

tctttccctt tctttccac 20

<210> 390

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 390

taccttctct gccctgcag 20

<210> 391

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 391

gcaagggcca aggctgctgc 20

<210> 392

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 392

aaagctaaat tatgaattaa 20

<210> 393

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 393

ctaatgaagg ctcagtatga 20

<210> 394
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 394
ggagtcaaat gccaaagaac 20

<210> 395
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 395
tgaattaaag ttcccaaata 20

<210> 396
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 396
acttggtgca ggcagaatat 20

<210> 397
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 397
cctctgatat aaaaatcttg 20

<210> 398
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 398
aaagttggag agagtttctg 20

<210> 399
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 399
tctctgccct tgcagcccaa 20

<210> 400
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 400
ttacttggtg caggcagaat 20

<210> 401
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 401
aatggagtca aatgccaaag 20

<210> 402
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 402
tatgaattaa agttcccaaa 20

<210> 403
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 403
agttctatat tcaataaatg 20

<210> 404
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 404
tacaagtagt ataccatatg 20

<210> 405
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 405

tagccttaga gctgtacaaa 20

<210> 406

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 406

gtccccattt gtcaattcct 20

<210> 407

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 407

aacctgccta ctggcagagc 20

<210> 408

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 408

cttgttcca cactcaatgc 20

<210> 409

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 409

acaagtcatg ataacctgca 20

<210> 410

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 410

tgttttccaa actcagatct 20

<210> 411

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 411
 agaacctcat aatattagaa 20

 <210> 412
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 412
 ggttttaaac ttaacaaaat 20

 <210> 413
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 413
 ctctggtgta ttttagtaa 20

 <210> 414
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 414
 tatctctgca tatctggaaa 20

 <210> 415
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 415
 cagcctttt aaccctaaaag 20

 <210> 416
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 416
 tggaatgctc cactatccaa 20

<210> 417
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 417
 cgttcagaag ttgtctctg 20

<210> 418
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 418
 ctgctcaggg aaggtggaaa 20

<210> 419
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 419
 tcaagagaag ctaggaaaac 20

<210> 420
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 420
 tcccttctt ttccacacct 20

<210> 421
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 421
 ttgttccac actcaatgca 20

<210> 422
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 422
tcaccagcac agcacaacac 20

<210> 423
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 423
cctgggatca ttacaaaagt 20

<210> 424
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 424
agtagtatac catatgaact 20

<210> 425
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 425
tctaatatgg tcaaatgtaa 20

<210> 426
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 426
ggttgggctc tgggtattt 20

<210> 427
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 427
tgccctttac ttggtgcagg 20

<210> 428
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 428

agagagtttc tgaacaaaga 20

<210> 429

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 429

gaatttcagc aattacagaa 20

<210> 430

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 430

acaagttaaa caagtcatga 20

<210> 431

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 431

tgtgcccttt acttggtgca 20

<210> 432

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 432

ttaggaggag gaaaaggacc 20

<210> 433

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 433

actggcagag caattttaa 20

<210> 434

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 434
 agtcaaatgc caaagaacct 20

 <210> 435
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 435
 aagcatcaga tggattaggg 20

 <210> 436
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 436
 gtccgcggga ccctcaggaa 20

 <210> 437
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 437
 caattacaga aatggatcaa 20

 <210> 438
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 438
 gctgtcaagt aatcactacc 20

 <210> 439
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 439
 agtgcaaagt tggagagagt 20

<210> 440
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 440
acttgcttcc aatcccaaat 20

<210> 441
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 441
aactcaaatg tgaaagttgt 20

<210> 442
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 442
ttttagtaag atcttcaaat 20

<210> 443
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 443
atttcagcaa ttacagaaat 20

<210> 444
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 444
ttaagtgctc ccatttgtca 20

<210> 445
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 445
ttagcaacct gcctactggc 20

<210> 446
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 446
tattacaaga gttaagcatc 20

<210> 447
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 447
atgttgaata tacatgtaca 20

<210> 448
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 448
tttgtctctg accatcttag 20

<210> 449
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 449
tttccacca gttggtact 20

<210> 450
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 450
caacagcttc ccacaagtta 20

<210> 451
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 451

caaatgtgaa agttgtccct 20

<210> 452

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 452

gctaccttct ctgcccttgc 20

<210> 453

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 453

tcttagcaga acagtgttct 20

<210> 454

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 454

atacattcta aaaagaaaca 20

<210> 455

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 455

gcacatattt acaagtagta 20

<210> 456

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 456

gggtcaccag cacagcaca 20

<210> 457

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 457

gtgcaagggc caaggctgct 20

<210> 458

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 458

acctgggttc atgcatggat 20

<210> 459

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 459

atcactattt gaaactaat 20

<210> 460

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 460

atacaataaa gttgacctct 20

<210> 461

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 461

ttttaactt aacaaaatgt 20

<210> 462

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 462

ctccccgcgc tccgccacg 20

<210> 463
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 463
gaaggctcag tatgaagaga 20

<210> 464
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 464
agaaaacagc tgattacct 20

<210> 465
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 465
ccacaagtta aacaagtcac 20

<210> 466
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 466
caaatttgca aacaagtagc 20

<210> 467
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 467
cctaatttga actgcaagta 20

<210> 468
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 468
aaaaaactca tctcccagc 20

<210> 469
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 469
aggctcagta tgaagagatc 20

<210> 470
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 470
tgttatcaag agcacagggc 20

<210> 471
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 471
cctcaaaagg gagatggtaa 20

<210> 472
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 472
agtatgggtc accagcacag 20

<210> 473
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 473
tcacaatcta gtgcagttac 20

<210> 474
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 474
caagtgagaa acccaatcct 20

<210> 475
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 475
agaaaatctg gccattttaa 20

<210> 476
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 476
acaggtaatg gtgctccgtg 20

<210> 477
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 477
tgaaaggctt tcagaaaaca 20

<210> 478
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 478
caggcaagtt acaggaagca 20

<210> 479
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 479
cagcaagctg cttaactgct 20

<210> 480
<211> 20

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 480
tggtgcaaag acattacctt 20

<210> 481
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 481
gaaactaaat tagcaagatg 20

<210> 482
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 482
tcaagagcac agggccaaaa 20

<210> 483
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 483
aggaggagga aaaggacctc 20

<210> 484
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 484
cctcagcctt ttaacccaa 20

<210> 485
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 485
ctatgttgta gaccaccaca 20

<210> 486
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 486
ctcogtggct acatacagaa 20

<210> 487
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 487
tttatctgga tcttagaaa 20

<210> 488
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 488
aaaaaaagga aagtgaaagt 20

<210> 489
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 489
ggttcatgca tggattctca 20

<210> 490
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 490
ctgcaaagtg tcacacaaac 20

<210> 491
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 491
ttcagaagta ccaaagggta 20

<210> 492
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 492
taaaagcatt ccagcatttg 20

<210> 493
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 493
tagtatacca tatgaactcc 20

<210> 494
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 494
tgcatactcg gaaagctgga 20

<210> 495
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 495
cttaactgct ctaggcctgt 20

<210> 496
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 496
aggcaccgac cgggcggcac 20

<210> 497
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 497

tgcaaagttg gagagagttt 20

<210> 498

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 498

tcctcaaaag ggagatggta 20

<210> 499

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 499

agtataccat atgaactcca 20

<210> 500

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 500

tatttgta tggtgaatat 20

<210> 501

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 501

accctaaaagg tgtatgtctc 20

<210> 502

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 502

ctttggaaaa aaaggaaagt 20

<210> 503

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 503
 gggagaaagg caggcaagtt 20

 <210> 504
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 504
 ttaagcccag gaagtaaaag 20

 <210> 505
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 505
 agacattacc tttaaacatt 20

 <210> 506
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 506
 gtggcttaag aaatgctccg 20

 <210> 507
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 507
 gtgagaaggg aacagaaaca 20

 <210> 508
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 508
 aaaagcatca gatggattag 20

<210> 509
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 509
ttccaccagt tggtaacttc 20

<210> 510
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 510
tttttagtaa gatcttcaaa 20

<210> 511
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 511
atctgtgtcc aaatcccagg 20

<210> 512
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 512
taagatcttc aaataagcta 20

<210> 513
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 513
atcaactctt tccctttctt 20

<210> 514
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 514
tgtgtcctca aaagggagat 20

<210> 515
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 515
tacctcctcc caacaatacc 20

<210> 516
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 516
ttctgcttca caactatggc 20

<210> 517
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 517
gtacatgttg aatatacatg 20

<210> 518
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 518
tttgtggcta atcttaaggt 20

<210> 519
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 519
tcctgcctca gcctttttaa 20

<210> 520
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 520
 cgggtgtccgc gggaccctca 20

<210> 521
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 521
 gaaatggatc aaatctgatc 20

<210> 522
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 522
 ggtagttcat gagctaaatt 20

<210> 523
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 523
 aatggagtct cgactagttt 20

<210> 524
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 524
 caagtatggg tcaccagcac 20

<210> 525
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 525
 ggtgtccgcg ggaccctcag 20

<210> 526
 <211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 526
 cgccacgcg aggccagcc 20

 <210> 527
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 527
 tctaggcctg tgcctcaaa 20

 <210> 528
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 528
 actgtcctgg gctaatgaag 20

 <210> 529
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 529
 aagcatcttg ttacctctt 20

 <210> 530
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 530
 gccaggaag taaaagcatt 20

 <210> 531
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 531
 gtaagatctt caaataagct 20

<210> 532
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 532
aaagggagat ggtaatttg 20

<210> 533
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 533
gccaaggctg ctgccttaca 20

<210> 534
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 534
cagactaact gttcctgtcc 20

<210> 535
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 535
tttgtcaatt cctttaagcc 20

<210> 536
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 536
actacctcct cccaacaata 20

<210> 537
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 537
 tacctctctt catcctttgg 20

<210> 538
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 538
 actgctctag gcctgtgtcc 20

<210> 539
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 539
 cctcctccca acaataccca 20

<210> 540
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 540
 ggcaggcaag ttacaggaag 20

<210> 541
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 541
 tcgcccactc tggcccacaa 20

<210> 542
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 542
 cctcgccac tctggccca 20

<210> 543
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 543

cgctcgccc actctggccc 20

<210> 544

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 544

cgcgctcgc ccactctggc 20

<210> 545

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 545

tccgcgctc gccactctg 20

<210> 546

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 546

cctccgcgc tcgcccactc 20

<210> 547

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 547

gacctccgc cctgcccac 20

<210> 548

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 548

cagacctccg cgctcgccc 20

<210> 549

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 549

gccagacctc cgcgctcgc 20

<210> 550

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 550

aggccagacc tccgcgctc 20

<210> 551

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 551

ataggccaga cctccgcgcc 20

<210> 552

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 552

ttataggcca gacctccgcg 20

<210> 553

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 553

ctttataggc cagacctccg 20

<210> 554

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 554

tactttatag gccagacctc 20

<210> 555
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 555
actactttat aggccagacc 20

<210> 556
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 556
cgactacttt ataggccaga 20

<210> 557
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 557
cgcgactact ttataggcca 20

<210> 558
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 558
tccgcgacta ctttataggc 20

<210> 559
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 559
tctccgcgac tactttatag 20

<210> 560
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 560
cgtctccgcg actactttat 20

<210> 561
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 561
cccgtctccg cgactacttt 20

<210> 562
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 562
accccgcttc cgcgactact 20

<210> 563
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 563
gcaccccgtc tccgcgacta 20

<210> 564
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 564
cagcaccccg tctccgcgac 20

<210> 565
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 565
accagcacc cgtctccgcg 20

<210> 566
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 566

aaaccagcac cccgtctccg 20

<210> 567

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 567

gcaaaccagc acccgtctc 20

<210> 568

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 568

acgcaaacca gcaccccgtc 20

<210> 569

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 569

cgacgcaaac cagcaccccg 20

<210> 570

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 570

tacgacgcaa accagcacc 20

<210> 571

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 571

actacgacgc aaaccagcac 20

<210> 572

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 572

agactacgac gcaaaccagc 20

<210> 573

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 573

ggagactacg acgcaaacca 20

<210> 574

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 574

caggagacta cgacgcaaac 20

<210> 575

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 575

tgcaggagac tacgacgcaa 20

<210> 576

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 576

gctgcaggag actacgacgc 20

<210> 577

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 577

gcaacggaaa cccagacgc 20

<210> 578
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 578
ctgcaacgga aaccccagac 20

<210> 579
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 579
gactgcaacg gaaacccag 20

<210> 580
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 580
ggactgcaac ggaaaccca 20

<210> 581
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 581
aggactgcaa cggaaacccc 20

<210> 582
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 582
tccgaggact gcaacggaaa 20

<210> 583
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 583
gttccgagga ctgcaacgga 20

<210> 584
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 584
tggttccgag gactgcaacg 20

<210> 585
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 585
cctggttccg aggactgcaa 20

<210> 586
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 586
gtcctgggtc cgaggactgc 20

<210> 587
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 587
aggctctggt tccgaggact 20

<210> 588
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 588
cgaggctctg gttccgagga 20

<210> 589
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 589
gccgagggtcc tgggtccgag 20

<210> 590
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 590
acgccgagggt cctgggtccg 20

<210> 591
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 591
ccacgccgag gtcctgggtc 20

<210> 592
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 592
ggccacgccg aggtcctggt 20

<210> 593
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 593
gctaggccac gccgagggtcc 20

<210> 594
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 594
tcgctaggcc acgccgagggt 20

<210> 595
<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 595
 actcgctagg ccacgccgag 20

 <210> 596
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 596
 taactcgcta ggccacgccg 20

 <210> 597
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 597
 cataactcg taggccacgc 20

 <210> 598
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 598
 gccataactc gctaggccac 20

 <210> 599
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 599
 tcgccataac tcgctaggcc 20

 <210> 600
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 600
 cgtcgccata actcgctagg 20

<210> 601
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 601
cagcacgcac acggccttcg 20

<210> 602
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 602
gccgtcgccc ttcagcacgc 20

<210> 603
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 603
ggccgtcgcc cttcagcacg 20

<210> 604
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 604
gggccgtcgc ccttcagcac 20

<210> 605
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 605
ctgggccgtc gcccttcagc 20

<210> 606
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 606
cactgggccg tcgcccttca 20

<210> 607
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 607
tgactgggc cgcgccctt 20

<210> 608
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 608
cctgcactgg gccgtcgccc 20

<210> 609
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 609
atgccctgca ctgggccgtc 20

<210> 610
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 610
tgatgccctg cactgggccg 20

<210> 611
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 611
gatgatgcc tgactgggc 20

<210> 612
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 612
 ttgatgatgc cctgcactgg 20

<210> 613
 <211> 18
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 613
 ggcgatccca attacacc 18

<210> 614
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 614
 tcgaaattga tgatgccctg 20

<210> 615
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 615
 gctcgaaatt gatgatgccc 20

<210> 616
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 616
 ctgctcgaaa ttgatgatgc 20

<210> 617
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 617
 ttctgctcga aattgatgat 20

<210> 618
 <211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 618

ttaatgcttc cccacacctt 20

<210> 619

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 619

ctttaatgct tccccacacc 20

<210> 620

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 620

tcctttaatg ctccccaca 20

<210> 621

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 621

tcagtccttt aatgcttccc 20

<210> 622

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 622

agtcagtcct ttaatgcttc 20

<210> 623

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 623

tcagtcagtc ctttaatgct 20

<210> 624
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 624
cttcagtcag tcctttaatg 20

<210> 625
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 625
gccttcagtc agtcctttaa 20

<210> 626
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 626
gcaggccttc agtcagtcct 20

<210> 627
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 627
atgcaggcct tcagtcagtc 20

<210> 628
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 628
ccatgcaggc cttcagtcag 20

<210> 629
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 629
catgaacatg gaatccatgc 20

<210> 630
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 630
ctcatgaaca tggaatccat 20

<210> 631
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 631
aactcatgaa catggaatcc 20

<210> 632
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 632
ccaaactcat gaacatggaa 20

<210> 633
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 633
ctccaaactc atgaacatgg 20

<210> 634
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 634
atctccaaac tcatgaacat 20

<210> 635
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 635

ttatctcaa actcatgaac 20

<210> 636

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 636

tattatctcc aaactcatga 20

<210> 637

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 637

tgtattatct ccaaactcat 20

<210> 638

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 638

ctgctgtatt atctcaaac 20

<210> 639

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 639

gcctgctgta ttatctcaa 20

<210> 640

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 640

cagcctgctg tattatctcc 20

<210> 641

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 641
 tacagcctgc tgtattatct 20

 <210> 642
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 642
 ggtacagcct gctgtattat 20

 <210> 643
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 643
 ctggtacagc ctgctgtatt 20

 <210> 644
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 644
 cactggtaca gcctgctgta 20

 <210> 645
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 645
 tgcactggta cagcctgctg 20

 <210> 646
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 646
 cctgcactgg tacagcctgc 20

<210> 647
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 647
ttctggatag aggattaaag 20

<210> 648
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 648
tttctggat agaggattaa 20

<210> 649
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 649
tgtttctgg atagaggatt 20

<210> 650
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 650
cgtgttttct ggatagagga 20

<210> 651
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 651
accgtgtttt ctggatagag 20

<210> 652
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 652
ccaccgtgtt ttctggatag 20

<210> 653
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 653
gcccaccgtg ttttctggat 20

<210> 654
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 654
tggccccaccg tgttttctgg 20

<210> 655
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 655
tttggcccac cgtgttttct 20

<210> 656
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 656
cctttggccc accgtgtttt 20

<210> 657
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 657
agtctccaac atgcctctct 20

<210> 658
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 658
caagtctcca acatgcctct 20

<210> 659
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 659
cccaagtctc caacatgcct 20

<210> 660
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 660
attgcccaag tctccaacat 20

<210> 661
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 661
acattgccca agtctccaac 20

<210> 662
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 662
tcacattgcc caagtctcca 20

<210> 663
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 663
agtcacattg cccaagtctc 20

<210> 664
<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 664

gcagtcacat tgcccaagtc 20

<210> 665

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 665

cagcagtcac attgccaag 20

<210> 666

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 666

gtcagcagtc acattgccca 20

<210> 667

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 667

ttgtcagcag tcacattgcc 20

<210> 668

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 668

ctttgtcagc agtcacattg 20

<210> 669

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 669

atctttgtca gcagtcacat 20

<210> 670
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 670
 ccatctttgt cagcagtcac 20

 <210> 671
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 671
 caccatcttt gtcagcagtc 20

 <210> 672
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 672
 cacaccatct ttgtcagcag 20

 <210> 673
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 673
 gccacaccat cttgtcagc 20

 <210> 674
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 674
 cggccacacc atctttgtca 20

 <210> 675
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 675
atcggccaca ccatctttgt 20

<210> 676
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 676
acatcggccca caccatcttt 20

<210> 677
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 677
agacacatcg gccacacat 20

<210> 678
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 678
atagacacat cggccacacc 20

<210> 679
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 679
caatagacac atcggccaca 20

<210> 680
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 680
ttcaatagac acatcggccca 20

<210> 681
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 681
 tcttcaatag acacatcggc 20

<210> 682
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 682
 aatcttcaat agacacatcg 20

<210> 683
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 683
 agaatcttca atagacacat 20

<210> 684
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 684
 acagaatctt caatagacac 20

<210> 685
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 685
 tcacagaatc ttcaatagac 20

<210> 686
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 686
 gatcacagaa tcttcaatag 20

<210> 687
 <211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 687
 gagatcacag aatcttcaat 20

 <210> 688
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 688
 gtgagatcac agaatttca 20

 <210> 689
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 689
 gagtgagatc acagaattt 20

 <210> 690
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 690
 gagagtgaga tcacagaatc 20

 <210> 691
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 691
 ctgagagtga gatcacagaa 20

 <210> 692
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 692
 tcctgagagt gagatcacag 20

<210> 693
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 693
ggtctcctga gagtgagatc 20

<210> 694
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 694
atggtctcct gagagtgaga 20

<210> 695
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 695
caatggtctc ctgagagtga 20

<210> 696
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 696
tgcaatggtc tctgagagt 20

<210> 697
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 697
gatgcaatgg tctcctgaga 20

<210> 698
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 698
atgatgcaat ggtctcctga 20

<210> 699
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 699
caatgatgca atggtctcct 20

<210> 700
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 700
gccaatgatg caatggtctc 20

<210> 701
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 701
cggccaatga tgcaatggtc 20

<210> 702
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 702
tgcggccaat gatgcaatgg 20

<210> 703
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 703
tgtgcgcca atgatgcaat 20

<210> 704
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 704
agtgtgcggc caatgatgca 20

<210> 705
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 705
ccagtgtgcg gccaatgatg 20

<210> 706
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 706
caccagtgtg cggccaatga 20

<210> 707
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 707
ggaccaccag tgtgcggcca 20

<210> 708
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 708
atggaccacc agtgtgcggc 20

<210> 709
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 709
tttcatggac caccagtgtg 20

<210> 710
<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 710

ttttcatgg accaccagtg 20

<210> 711

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 711

gcttttcat ggaccaccag 20

<210> 712

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 712

tgtctttgta cttcttcat 20

<210> 713

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 713

cctgtctttg tactttcttc 20

<210> 714

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 714

ttcctgtctt tgtactttct 20

<210> 715

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 715

gtttcctgtc ttgtacttt 20

<210> 716
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 716
aagccaaacg acttcagcg 20

<210> 717
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 717
acaagccaaa cgacttcag 20

<210> 718
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 718
ccacaagcca aacgacttc 20

<210> 719
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 719
caccacaagc caaacgactt 20

<210> 720
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 720
tacaccacaa gccaaacgac 20

<210> 721
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 721
 attacaccac aagccaaacg 20

<210> 722
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 722
 caattacacc acaagccaaa 20

<210> 723
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 723
 aggataacag atgagttaag 20

<210> 724
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 724
 ggatacattt ctacagctag 20

<210> 725
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 725
 caggatacat ttctacagct 20

<210> 726
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 726
 atcaggatac atttctacag 20

<210> 727
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 727
ttatcaggat acatttctac 20

<210> 728
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 728
gtttatcagg atacatttct 20

<210> 729
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 729
atgtttatca ggatacattt 20

<210> 730
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 730
taatgtttat caggatacat 20

<210> 731
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 731
tttaatgttt atcaggatac 20

<210> 732
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 732
tgtttaatgt ttatcaggat 20

<210> 733
<211> 20

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 733
 agtgtttaat gtttatcagg 20

<210> 734
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 734
 ttttaagatta cagtgtttaa 20

<210> 735
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 735
 cttttaagat tacagtgtt 20

<210> 736
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 736
 cacttttaag attacagtgt 20

<210> 737
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 737
 tacactttta agattacagt 20

<210> 738
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 738
 attacacttt taagattaca 20

<210> 739
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 739
caattacact tttaagatta 20

<210> 740
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 740
cacacaatta cacttttaag 20

<210> 741
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 741
gtcacacaat tacacttta 20

<210> 742
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 742
aagtcacaca attacactt 20

<210> 743
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 743
aaaagtcaca caattacact 20

<210> 744
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 744
gaaaaagtca cacaattaca 20

<210> 745
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 745
ctgaaaaagt cacacaatta 20

<210> 746
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 746
ctctgaaaaa gtcacacaat 20

<210> 747
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 747
aactctgaaa aagtcacaca 20

<210> 748
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 748
gcaactctga aaaagtcaca 20

<210> 749
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 749
aagcaactct gaaaaagtca 20

<210> 750
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 750
 ttaaagcaac tctgaaaag 20

<210> 751
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 751
 ctttaaagca actctgaaa 20

<210> 752
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 752
 tactttaaag caactctgaa 20

<210> 753
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 753
 ggtactttaa agcaactctg 20

<210> 754
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 754
 cagg tactt aaagcaactc 20

<210> 755
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 755
 tacagg tact ttaaagcaac 20

<210> 756
 <211> 20

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 756
 actacaggta ctttaaagca 20

<210> 757
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 757
 tcactacagg tactttaag 20

<210> 758
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 758
 tctcactaca ggtacttta 20

<210> 759
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 759
 ttctcacta caggacttt 20

<210> 760
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 760
 agtttctcac tacaggact 20

<210> 761
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 761
 tcagtttctc actacaggta 20

<210> 762
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 762
taaatcagtt tctactaca 20

<210> 763
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 763
atcataaatc agtttctcac 20

<210> 764
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 764
tgatcataaa tcagtttctc 20

<210> 765
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 765
agtgatcata aatcagtttc 20

<210> 766
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 766
caagtgatca taaatcagtt 20

<210> 767
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 767
tccaagtgat cataaatcag 20

<210> 768
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 768
cttccaagtg atcataaatc 20

<210> 769
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 769
atctccaag tgatcataaa 20

<210> 770
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 770
aaatctcca agtgatcata 20

<210> 771
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 771
ctgagtttta taaaactata 20

<210> 772
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 772
ttaactgagt ttataaaaac 20

<210> 773
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 773
 tttaactga gttttataaa 20

<210> 774
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 774
 cattttaact gagttttata 20

<210> 775
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 775
 gacattttaa ctgagtttta 20

<210> 776
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 776
 cagacatttt aactgagttt 20

<210> 777
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 777
 aacagacatt ttaactgagt 20

<210> 778
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 778
 gaaacagaca tttaactga 20

<210> 779
 <211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 779
 ttgaaacaga cattttaact 20

 <210> 780
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 780
 tttaagtctg gcaaaataca 20

 <210> 781
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 781
 gatttaagtc tggcaaaata 20

 <210> 782
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 782
 gtgatttaag tctggcaaaa 20

 <210> 783
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 783
 ctgtgattta agtctggcaa 20

 <210> 784
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 784
 atctgtgatt taagtctggc 20

<210> 785
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 785
accatctgt gatttaagtc 20

<210> 786
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 786
ataccatct gtgatttaag 20

<210> 787
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 787
taatacccat ctgtgattta 20

<210> 788
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 788
aaagaaattc tgacaagttt 20

<210> 789
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 789
acaaagaaat tctgacaagt 20

<210> 790
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 790
tgacaaagaa attctgacaa 20

<210> 791
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 791
aatgacaaag aaattctgac 20

<210> 792
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 792
tgaatgacaa agaaattctg 20

<210> 793
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 793
cttgaatgac aaagaaattc 20

<210> 794
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 794
ggcttgaatg acaaagaaat 20

<210> 795
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 795
caggcttgaa tgacaaagaa 20

<210> 796
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 796
 cacaggcttg aatgacaaag 20

<210> 797
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 797
 ttcacaggct tgaatgacaa 20

<210> 798
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 798
 tattcacagg ctggaatgac 20

<210> 799
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 799
 ataagtgccacacagggttt 20

<210> 800
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 800
 cataataagt gccatacagg 20

<210> 801
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 801
 tagcctcata ataagtgccac 20

<210> 802
 <211> 20

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 802
 aatagcctca taataagtgc 20

<210> 803
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 803
 ttaatagcct cataataagt 20

<210> 804
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 804
 tctttaata gcctcataat 20

<210> 805
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 805
 attctttaa tagcctcata 20

<210> 806
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 806
 ttggattctt ttaatagcct 20

<210> 807
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 807
 atttggattc ttttaatagc 20

<210> 808
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 808
 gaatttggat tctttaata 20

 <210> 809
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 809
 ttgaattgg attctttaa 20

 <210> 810
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 810
 gtttgaattt ggattcttt 20

 <210> 811
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 811
 tagtttgaat ttggattctt 20

 <210> 812
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 812
 tttagtttga atttgattc 20

 <210> 813
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 813
 ttttagttt gaatttgat 20

<210> 814
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 814
 ttttttagt ttgaatttg 20

<210> 815
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 815
 cgtttctgt cttgtactt 20

<210> 816
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 816
 caagccaaac gacttcagc 20

<210> 817
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 817
 cacaagcaa acgactcca 20

<210> 818
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 818
 accacaagcc aaacgactc 20

<210> 819
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 819

acaccacaag ccaaacgact 20

<210> 820

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 820

ttacaccaca agccaaacga 20

<210> 821

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 821

ggataacaga tgagttaagg 20

<210> 822

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 822

aggatacatt tctacagcta 20

<210> 823

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 823

tcaggataca ttctacagc 20

<210> 824

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 824

tatcaggata catttctaca 20

<210> 825

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 825
 tgttatcag gatacattc 20

 <210> 826
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 826
 aatgtttatc aggatacatt 20

 <210> 827
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 827
 ttaatgttta tcaggataca 20

 <210> 828
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 828
 gtttaatgtt tatcaggata 20

 <210> 829
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 829
 gtgtttaatg ttatcagga 20

 <210> 830
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 830
 ttttaagatt acagtgttta 20

<210> 831
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 831
actttaaga ttacagtgtt 20

<210> 832
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 832
acactttaa gattacagtg 20

<210> 833
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 833
ttacactttt aagattacag 20

<210> 834
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 834
aattacactt ttaagattac 20

<210> 835
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 835
acacaattac actttaaga 20

<210> 836
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 836
tcacacaatt acacttttaa 20

<210> 837
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 837
aaagtcacac aattacactt 20

<210> 838
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 838
tgaaaaagtc acacaattac 20

<210> 839
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 839
tctgaaaaag tcacacaatt 20

<210> 840
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 840
actctgaaaa agtcacacaa 20

<210> 841
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 841
agcaactctg aaaaagtcac 20

<210> 842
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 842

actttaagc aactctgaaa 20

<210> 843

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 843

gtactttaaa gcaactctga 20

<210> 844

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 844

aggtacttta aagcaactct 20

<210> 845

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 845

cactacaggt actttaagc 20

<210> 846

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 846

ttctcactac aggtacttta 20

<210> 847

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 847

gtttctcact acaggtactt 20

<210> 848

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 848
 cagtttctca ctacaggtac 20

 <210> 849
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 849
 atcagtttct cactacaggt 20

 <210> 850
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 850
 aaatcagttt ctactacag 20

 <210> 851
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 851
 tcataaatca gtttctcact 20

 <210> 852
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 852
 gtgatcataa atcagtttct 20

 <210> 853
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 853
 aagtgatcat aaatcagttt 20

<210> 854
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 854
ccaagtgatc ataatcagt 20

<210> 855
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 855
ttccaagtga tcataaatca 20

<210> 856
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 856
tctccaagt gatcataaat 20

<210> 857
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 857
taactgagtt ttataaaact 20

<210> 858
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 858
aaacagacat ttaactgag 20

<210> 859
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 859
tgaaacagac attttaactg 20

<210> 860
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 860
atttaagtct ggcaaaatac 20

<210> 861
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 861
tgtgatttaa gtctggcaaa 20

<210> 862
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 862
tctgtgattt aagtctggca 20

<210> 863
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 863
catctgtgat ttaagtctgg 20

<210> 864
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 864
cccatctgtg atttaagtct 20

<210> 865
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 865
taccatctg tgatttaagt 20

<210> 866
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 866
aataccatc tgtgatttaa 20

<210> 867
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 867
ttaatacca tctgtgattt 20

<210> 868
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 868
gacaaagaaa ttctgacaag 20

<210> 869
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 869
gaatgacaaa gaaattctga 20

<210> 870
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 870
aggcttgaat gacaaagaaa 20

<210> 871
<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 871
 taagtgccat acagggtttt 20

 <210> 872
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 872
 ataataagtg ccatacaggg 20

 <210> 873
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 873
 cctcataata agtgccatac 20

 <210> 874
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 874
 agcctcataa taagtgccat 20

 <210> 875
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 875
 atagcctcat aataagtgcc 20

 <210> 876
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 876
 cttttaatag cctcataata 20

<210> 877
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 877
ttcttttaat agcctcataa 20

<210> 878
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 878
gattctttta atagcctcat 20

<210> 879
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 879
tgattcttt taatagcctc 20

<210> 880
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 880
tttggattct ttaatagcc 20

<210> 881
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 881
aatttggatt ctttaatag 20

<210> 882
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 882
tgaatttgga ttctttaat 20

<210> 883
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 883
ttagtttgaa ttggattct 20

<210> 884
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 884
ttttagttg aatttgatt 20

<210> 885
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 885
tttttagtt tgaattgga 20

<210> 886
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 886
cagtcctta atgctcccc 20

<210> 887
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 887
gtcagtcctt taatgcttc 20

<210> 888
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 888
cagtcagtc ttaatgctt 20

<210> 889
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 889
ttcagtcagt cctttaatgc 20

<210> 890
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 890
ggccttcagt cagtccttta 20

<210> 891
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 891
tgcaggcctt cagtcagtc 20

<210> 892
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 892
catgcaggcc ttcagtcagt 20

<210> 893
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 893
tcatgaacat ggaatccatg 20

<210> 894
<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 894
 actcatgaac atggaatcca 20

 <210> 895
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 895
 ctgtattatc tccaaactca 20

 <210> 896
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 896
 actggtacag cctgctgtat 20

 <210> 897
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 897
 gcactggtac agcctgctgt 20

 <210> 898
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 898
 ctgcactggt acagcctgct 20

 <210> 899
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 899
 acctgcactg gtacagcctg 20

<210> 900
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 900
tttctggata gaggattaaa 20

<210> 901
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 901
gttttctgga tagaggatta 20

<210> 902
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 902
ccgtgttttc tggatagagg 20

<210> 903
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 903
cacctgttt tctggataga 20

<210> 904
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 904
cccacctgt tttctggata 20

<210> 905
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 905
ggcccaccgt gtttctgga 20

<210> 906
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 906
ttggcccacc gtgtttctg 20

<210> 907
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 907
cttggccca ccgtgtttc 20

<210> 908
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 908
tcctttggcc caccgtgtt 20

<210> 909
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 909
aagtctcaa catgccttc 20

<210> 910
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 910
gccaagtct ccaacatgcc 20

<210> 911
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 911
 ttgcccaagt ctccaacatg 20

<210> 912
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 912
 cattgcccaa gtctcaaca 20

<210> 913
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 913
 cagtcacatt gcccaagtct 20

<210> 914
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 914
 tcagcagtca cattgcccaa 20

<210> 915
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 915
 tgtcagcagt cacattgccc 20

<210> 916
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 916
 tttgtcagca gtcacattgc 20

<210> 917
 <211> 20

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 917
tctttgtcag cagtcacatt 20

<210> 918
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 918
catctttgtc agcagtcaca 20

<210> 919
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 919
accatctttg tcagcagtca 20

<210> 920
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 920
ccacaccatc ttgtcagca 20

<210> 921
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 921
ggccacacca tctttgtcag 20

<210> 922
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 922
cacatcggcc acaccatctt 20

<210> 923
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 923
gacacatcgg ccacaccatc 20

<210> 924
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 924
aatagacaca tcggccacac 20

<210> 925
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 925
tcaatagaca catcggccac 20

<210> 926
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 926
cttcaataga cacatcggcc 20

<210> 927
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 927
atcttcaata gacacatcgg 20

<210> 928
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 928
gaatcttcaa tagacacatc 20

<210> 929
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 929
cagaatcttc aatagacaca 20

<210> 930
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 930
cacagaatct tcaatagaca 20

<210> 931
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 931
atcacagaat ctccaataga 20

<210> 932
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 932
agatcacaga atcttcaata 20

<210> 933
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 933
tgagatcaca gaatcttcaa 20

<210> 934
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 934

agtgagatca cagaatcttc 20

<210> 935

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 935

tgagagtgag atcacagaat 20

<210> 936

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 936

gtctcctgag agtgagatca 20

<210> 937

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 937

tggctctctg agagtgagat 20

<210> 938

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 938

aatggtctcc tgagagtgag 20

<210> 939

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 939

gcaatggtct cctgagagtg 20

<210> 940

<211> 20

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 940
 atgcaatggt ctctgagag 20

 <210> 941
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 941
 tgatgcaatg gtctcctgag 20

 <210> 942
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 942
 aatgatgcaa tggctcctg 20

 <210> 943
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 943
 ccaatgatgc aatggtctcc 20

 <210> 944
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 944
 ggccaatgat gcaatggtct 20

 <210> 945
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 945
 gcggccaatg atgcaatggt 20

<210> 946
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 946
gtgcggccaa tgatgcaatg 20

<210> 947
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 947
gtgtgcggcc aatgatgcaa 20

<210> 948
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 948
cagtgtgcgg ccaatgatgc 20

<210> 949
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 949
accagtgtgc ggccaatgat 20

<210> 950
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 950
ccaccagtgt gcggccaatg 20

<210> 951
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 951
gaccaccagt gtgcggccaa 20

<210> 952
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 952
tggaccacca gtgtgcggcc 20

<210> 953
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 953
ttcatggacc accagtgtgc 20

<210> 954
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 954
ttttcatgga ccaccagtgt 20

<210> 955
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 955
cttttcatg gaccaccagt 20

<210> 956
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 956
ccactctggc cccaac 17

<210> 957
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 957

cccactctgg ccccaaa 17

<210> 958

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 958

gcccactctg gcccaca 17

<210> 959

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 959

cgcccactct ggcccaca 17

<210> 960

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 960

cgactacttt ataggcc 17

<210> 961

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 961

gcgactactt tataggc 17

<210> 962

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 962

cgcgactact ttatagg 17

<210> 963

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 963
 ccgcgactac tttatag 17

 <210> 964
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 964
 cgctgcagga gactacg 17

 <210> 965
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 965
 acgctgcagg agactac 17

 <210> 966
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 966
 tcgcccttca gcacgca 17

 <210> 967
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 967
 gtcgcccttc agcacgc 17

 <210> 968
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 968
 cgtcgccctt cagcacg 17

<210> 969
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 969
ccgtgccct tcagcac 17

<210> 970
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 970
gccgtgccc ttcagca 17

<210> 971
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 971
tctgctgaa attgatg 17

<210> 972
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 972
ttctgctga aattgat 17

<210> 973
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 973
cttctgctg aaattga 17

<210> 974
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 974
ccttctgctc gaaattg 17

<210> 975
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 975
tccttctgct cgaaatt 17

<210> 976
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 976
ttccttctgc tcgaaat 17

<210> 977
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 977
tttccttctg ctgaaa 17

<210> 978
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 978
cttccttct gctcgaa 17

<210> 979
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 979
actttccttc tgctcga 17

<210> 980
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 980

tacttcctt ctgctcg 17

<210> 981

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 981

ttactttcct tctgctc 17

<210> 982

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 982

attactttcc ttctgct 17

<210> 983

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 983

cattactttc cttctgc 17

<210> 984

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 984

ccattacttt ccttctg 17

<210> 985

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 985

tccattactt tccttct 17

<210> 986

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 986
 gtccattact ttccttc 17

 <210> 987
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 987
 ggtccattac ttcctt 17

 <210> 988
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 988
 tggtcatta cttcct 17

 <210> 989
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 989
 ctggtcatt actttcc 17

 <210> 990
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 990
 actggtccat tactttc 17

 <210> 991
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 991
 cactggtcca ttacttt 17

<210> 992
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 992
 tcactggtcc attactt 17

 <210> 993
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 993
 ttcactggtc cattact 17

 <210> 994
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 994
 cttcactggt ccattac 17

 <210> 995
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 995
 ccttcactgg tccatta 17

 <210> 996
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 996
 accttcactg gtccatt 17

 <210> 997
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 997
 caccttcact ggtccat 17

 <210> 998
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 998
 acaccttcac tggcca 17

 <210> 999
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 999
 cacacctca ctggcc 17

 <210> 1000
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1000
 ccacaccttc actggtc 17

 <210> 1001
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1001
 cccacacctt cactggt 17

 <210> 1002
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1002
 cccacacct tcactgg 17

 <210> 1003
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1003

ttccccacac cttcact 17

<210> 1004

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1004

cttccccaca ccttcac 17

<210> 1005

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1005

gcttccccac accttca 17

<210> 1006

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1006

tgcttcccca caccttc 17

<210> 1007

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1007

atgcttcccc acacctt 17

<210> 1008

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1008

aatgcttccc cacacct 17

<210> 1009

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1009
 taatgcttcc ccacacc 17

 <210> 1010
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1010
 atgcaggcct tcagtca 17

 <210> 1011
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1011
 catgcaggcc ttcagtc 17

 <210> 1012
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1012
 ccatgcaggc cttcagt 17

 <210> 1013
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1013
 tccatgcagg ccttcag 17

 <210> 1014
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1014
 atccatgcag gccttca 17

<210> 1015
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1015
 aatccatgca ggccttc 17

 <210> 1016
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1016
 gaatccatgc aggcctt 17

 <210> 1017
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1017
 ggaatccatg caggcct 17

 <210> 1018
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1018
 tggaatccat gcaggcc 17

 <210> 1019
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1019
 atggaatcca tgcaggc 17

 <210> 1020
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1020
 catggaatcc atgcagg 17

 <210> 1021
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1021
 acatggaatc catgcag 17

 <210> 1022
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1022
 aacatggaat ccatgca 17

 <210> 1023
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1023
 gaacatggaa tccatgc 17

 <210> 1024
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1024
 tgaacatgga atccatg 17

 <210> 1025
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1025
 atgaacatgg aatccat 17

 <210> 1026
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1026
ctgcactggt acagcct 17

<210> 1027
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1027
cctgcactgg tacagcc 17

<210> 1028
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1028
acctgcactg gtacagc 17

<210> 1029
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1029
gacctgcact ggtacag 17

<210> 1030
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1030
ggacctgcac tggtaga 17

<210> 1031
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1031
aggacctgca ctggtac 17

<210> 1032
<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1032
 gaggacctgc actggt 17

 <210> 1033
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1033
 tgaggacctg cactggt 17

 <210> 1034
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1034
 gtgaggacct gcactgg 17

 <210> 1035
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1035
 agtgaggacc tgactg 17

 <210> 1036
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1036
 aagtgaggac ctgcact 17

 <210> 1037
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1037
 aaagtgagga cctgcac 17

<210> 1038
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1038
 taaagtgagg acctgca 17

 <210> 1039
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1039
 ttaaagtgag gacctgc 17

 <210> 1040
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1040
 attaaagtga ggacctg 17

 <210> 1041
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1041
 gattaaagtg aggacct 17

 <210> 1042
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1042
 ggattaaagt gaggacc 17

 <210> 1043
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1043
aggattaaag tgaggac 17

<210> 1044
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1044
gaggattaaa gtagga 17

<210> 1045
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1045
agaggattaa agtgagg 17

<210> 1046
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1046
tagaggatta aagtgag 17

<210> 1047
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1047
atagaggatt aaagtga 17

<210> 1048
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1048
gatagaggat taaagtg 17

<210> 1049
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1049
ggatagagga ttaaagt 17

<210> 1050
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1050
tggatagagg attaaag 17

<210> 1051
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1051
ctggatagag gattaa 17

<210> 1052
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1052
tctggataga ggattaa 17

<210> 1053
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1053
ctttggccca ccgtgtt 17

<210> 1054
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1054
cctttggccc accgtgt 17

<210> 1055
<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1055

tcctttggcc caccgtg 17

<210> 1056

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1056

atcctttggc ccaccgt 17

<210> 1057

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1057

catcctttgg cccaccg 17

<210> 1058

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1058

tcatcctttg gccacc 17

<210> 1059

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1059

ttcatccttt ggccac 17

<210> 1060

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1060

cttcatcctt tggcca 17

<210> 1061
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1061
tcttcacct ttggccc 17

<210> 1062
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1062
ctctcatcc ttggcc 17

<210> 1063
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1063
tctctcatc cttggc 17

<210> 1064
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1064
ctcttcat ccttgg 17

<210> 1065
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1065
tgcctctctt catcctt 17

<210> 1066
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1066
 atgcctctct tcatcct 17

 <210> 1067
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1067
 catgcctctc tcatcc 17

 <210> 1068
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1068
 acatgcctct cttcatc 17

 <210> 1069
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1069
 aacatgcctc tcttcat 17

 <210> 1070
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1070
 caacatgcct ctcttca 17

 <210> 1071
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1071
 ccaacatgcc tctcttc 17

 <210> 1072
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1072

tccaacatgc ctctctt 17

<210> 1073

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1073

ctccaacatg cctctct 17

<210> 1074

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1074

tctccaacat gcctctc 17

<210> 1075

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1075

gtctccaaca tgcctct 17

<210> 1076

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1076

agcagtcaca ttgccca 17

<210> 1077

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1077

cagcagtcac attgccc 17

<210> 1078

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1078
 agacacatcg gccacac 17

 <210> 1079
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1079
 cttcaataga cacatcg 17

 <210> 1080
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1080
 gagatcacag aatcttc 17

 <210> 1081
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1081
 ttttcatgg accacca 17

 <210> 1082
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1082
 cttttcatg gaccacc 17

 <210> 1083
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1083
 gcttttcat ggaccac 17

<210> 1084
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1084
tgctttttca tggacca 17

<210> 1085
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1085
ctgctttttc atggacc 17

<210> 1086
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1086
tctgcttttt catggac 17

<210> 1087
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1087
atctgctttt tcatgga 17

<210> 1088
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1088
catctgcttt tcatgg 17

<210> 1089
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1089
tcatctgctt ttcatg 17

<210> 1090
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1090
gtcatctgct ttttcat 17

<210> 1091
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1091
agtcactctgc ttttca 17

<210> 1092
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1092
aagtcactctg ctttttc 17

<210> 1093
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1093
caagtcactct gcttttt 17

<210> 1094
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1094
ccaagtcatc tgctttt 17

<210> 1095
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1095

cccaagtcac ctgctt 17

<210> 1096

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1096

gcccaagtca tctgctt 17

<210> 1097

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1097

tgccaagtc atctgct 17

<210> 1098

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1098

ttgccaagt catctgc 17

<210> 1099

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1099

ccacctttgc ccaagtc 17

<210> 1100

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1100

tccacctttg cccaagt 17

<210> 1101

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1101
 ttccacctt gcccaag 17

 <210> 1102
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1102
 tttccacctt tgcccaa 17

 <210> 1103
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1103
 atttccacct ttgcca 17

 <210> 1104
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1104
 catttccacc ttgccc 17

 <210> 1105
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1105
 tcatttccac ctttgcc 17

 <210> 1106
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1106
 ttcattcca cctttgc 17

<210> 1107
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1107
 tcttcatttc caccttt 17

 <210> 1108
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1108
 ctttcttcat ttccacc 17

 <210> 1109
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1109
 actttcttca ttccac 17

 <210> 1110
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1110
 tactttcttc attcca 17

 <210> 1111
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1111
 aattacacca caagcca 17

 <210> 1112
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1112
caattacacc acaagcc 17

<210> 1113
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1113
ccaattacac cacaagc 17

<210> 1114
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1114
ccaattaca ccacaag 17

<210> 1115
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1115
gatcccaatt acaccac 17

<210> 1116
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1116
cgatcccaat tacacca 17

<210> 1117
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1117
gcgatcccaa ttacacc 17

<210> 1118
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1118

ggc gatcca attacac 17

<210> 1119

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1119

ggg gatccc aattaca 17

<210> 1120

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1120

tggg gatcc caattac 17

<210> 1121

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1121

ttggg gatc ccaatta 17

<210> 1122

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1122

attggg gat cccaatt 17

<210> 1123

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1123

tattggg cga tccaat 17

<210> 1124

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1124
 ttattgggcg atcccaa 17

 <210> 1125
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1125
 ttattgggc gatccca 17

 <210> 1126
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1126
 gtttattggg cgatccc 17

 <210> 1127
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1127
 tgtttattgg gcgatcc 17

 <210> 1128
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1128
 atgtttattg ggcgatc 17

 <210> 1129
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1129
 aatgtttatt gggcgat 17

<210> 1130
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1130
 gaatgtttat tgggcga 17

 <210> 1131
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1131
 ggaatgttta ttgggcg 17

 <210> 1132
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1132
 aagggaatgt ttattgg 17

 <210> 1133
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1133
 caagggaatg ttattg 17

 <210> 1134
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1134
 ccaagggaat gtttatt 17

 <210> 1135
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1135
tccaagggaa tgtttat 17

<210> 1136
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1136
atccaaggga atgttta 17

<210> 1137
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1137
catccaaggg aatgttt 17

<210> 1138
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1138
acatccaagg gaatgtt 17

<210> 1139
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1139
tacatccaag ggaatgt 17

<210> 1140
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1140
ctacatccaa gggaatg 17

<210> 1141
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1141
actacatcca agggaat 17

<210> 1142
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1142
gactacatcc aaggga 17

<210> 1143
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1143
agactacatc caaggga 17

<210> 1144
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1144
cagactacat ccaagg 17

<210> 1145
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1145
tcagactaca tccaagg 17

<210> 1146
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1146
ctcagactac atccaag 17

<210> 1147
<211> 17

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1147
 cctcagacta catcaa 17

<210> 1148
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1148
 gcctcagact acatcca 17

<210> 1149
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1149
 ggccctcagac tacatcc 17

<210> 1150
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1150
 gggcctcaga ctacatc 17

<210> 1151
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1151
 gataacagat gagttaa 17

<210> 1152
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1152
 ggataacaga tgagtta 17

<210> 1153
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1153
 aggataacag atgagtt 17

 <210> 1154
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1154
 caggataaca gatgagt 17

 <210> 1155
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1155
 gcaggataac agatgag 17

 <210> 1156
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1156
 agcaggataa cagatga 17

 <210> 1157
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1157
 tagcaggata acagatg 17

 <210> 1158
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1158
 ctagcaggat aacagat 17

 <210> 1159
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1159
 gctagcagga taacaga 17

 <210> 1160
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1160
 agctagcagg ataacag 17

 <210> 1161
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1161
 cagctagcag gataaca 17

 <210> 1162
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1162
 acagctagca ggataac 17

 <210> 1163
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1163
 tacagctagc aggataa 17

 <210> 1164
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1164
ctacagctag caggata 17

<210> 1165
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1165
tctacagcta gcaggat 17

<210> 1166
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1166
ttctacagct agcagga 17

<210> 1167
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1167
tttctacagc tagcagg 17

<210> 1168
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1168
atttctacag ctagcag 17

<210> 1169
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1169
catttctaca gctagca 17

<210> 1170
<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1170

atacatttct acagcta 17

<210> 1171

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1171

gatacatttc tacagct 17

<210> 1172

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1172

gtgtttaatg ttatca 17

<210> 1173

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1173

agtggttaat gtttatc 17

<210> 1174

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1174

cagtgtttaa tgtttat 17

<210> 1175

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1175

acagtgttta atgttta 17

<210> 1176
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1176
tacagtgttt aatgttt 17

<210> 1177
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1177
ttacagtgtt taatgtt 17

<210> 1178
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1178
attacagtg ttaatgt 17

<210> 1179
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1179
gattacagtg tttaatg 17

<210> 1180
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1180
agattacagt gtttaat 17

<210> 1181
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1181
aagattacag tgtttaa 17

<210> 1182
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1182
taagattaca gtgttta 17

<210> 1183
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1183
ttaagattac agtgttt 17

<210> 1184
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1184
atctccaag tgatcat 17

<210> 1185
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1185
aatcttcaa gtgatca 17

<210> 1186
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1186
aaatctcca agtgatc 17

<210> 1187
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1187
caaatcttc aagtgat 17

<210> 1188
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1188
tacaaatctt ccaagtg 17

<210> 1189
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1189
atacaaactt tccaagt 17

<210> 1190
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1190
tatacaaatc ttccaag 17

<210> 1191
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1191
ctatacaaat ctccaa 17

<210> 1192
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1192
actatacaaa tcttcca 17

<210> 1193
<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1193
 aactatacaa atcttcc 17

 <210> 1194
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1194
 aaactataca aatcttc 17

 <210> 1195
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1195
 ataaaactat acaaatc 17

 <210> 1196
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1196
 gttttataaa actatac 17

 <210> 1197
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1197
 gagttttata aaactat 17

 <210> 1198
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1198
 attgaaacag acatttt 17

<210> 1199
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1199
cattgaaaca gacattt 17

<210> 1200
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1200
tcattgaaac agacatt 17

<210> 1201
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1201
gtcattgaaa cagacat 17

<210> 1202
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1202
ggtcattgaa acagaca 17

<210> 1203
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1203
aggtcattga aacagac 17

<210> 1204
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1204
caggtcattg aaacaga 17

<210> 1205
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1205
acaggtcatt gaaacag 17

<210> 1206
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1206
tacaggtcac tgaaaca 17

<210> 1207
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1207
atacaggcca ttgaaac 17

<210> 1208
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1208
aatacaggcc attgaaa 17

<210> 1209
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1209
aaatacaggc cattgaa 17

<210> 1210
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1210

aaaatacagg tcattga 17

<210> 1211

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1211

caaaatacag gtcattg 17

<210> 1212

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1212

gcaaaataca ggtcatt 17

<210> 1213

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1213

ggcaaaatac aggtcat 17

<210> 1214

<211> 17

<212> **DNA**

<213> **Artificial** sequence

<220>

<223> Synthetic oligonucleotide

<400> **1214**

tggcaaaata caggcca 17

<210> 1215

<211> 17

<212> **DNA**

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1215

ctggcaaaat acaggcca 17

<210> 1216

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1216
 tctggcaaaa tacaggt 17

 <210> 1217
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1217
 gtctggcaaa atacagg 17

 <210> 1218
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1218
 agtctggcaa aatacag 17

 <210> 1219
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1219
 aagtctggca aaataca 17

 <210> 1220
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1220
 taagtctggc aaaatac 17

 <210> 1221
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1221
 ttaagtctgg caaaata 17

<210> 1222
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1222
 aatacccatc tgtgatt 17

 <210> 1223
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1223
 taatacccat ctgtgat 17

 <210> 1224
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1224
 ttaataccca tctgtga 17

 <210> 1225
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1225
 ttaataccc atctgtg 17

 <210> 1226
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1226
 gtttaatacc catctgt 17

 <210> 1227
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1227
agtttaatac ccatctg 17

<210> 1228
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1228
aagtttaata cccatct 17

<210> 1229
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1229
caagtttaat acccatc 17

<210> 1230
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1230
acaagtttaa tacccat 17

<210> 1231
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1231
gacaagttta ataccca 17

<210> 1232
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1232
tgacaagttt aataccc 17

<210> 1233
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1233
ctgacaagtt taatacc 17

<210> 1234
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1234
tctgacaagt ttaatac 17

<210> 1235
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1235
ttctgacaag ttaata 17

<210> 1236
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1236
attctgacaa gttaata 17

<210> 1237
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1237
aattctgaca agtttaa 17

<210> 1238
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1238
aaattctgac aagttta 17

<210> 1239
<211> 17

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1239
 gaaattctga caagtt 17

<210> 1240
 <211> 17
 <212> **DNA**
 <213> **Artificial** sequence

<220>
 <223> Synthetic oligonucleotide

<400> **1240**
 agaaattctg acaagtt 17

<210> 1241
 <211> 17
 <212> **DNA**
 <213> **Artificial** sequence

<220>
 <223> Synthetic oligonucleotide

<400> **1241**
 aagaaattct gacaagt 17

<210> 1242
 <211> 17
 <212> **DNA**
 <213> **Artificial** sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1242
 ttcacaggct tgaatga 17

<210> 1243
 <211> 17
 <212> **DNA**
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1243
 attcacaggc ttgaatg 17

<210> 1244
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1244
 tattcacagg cttgaat 17

<210> 1245
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1245
ttattcacag gcttgaa 17

<210> 1246
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1246
tttattcaca ggcttga 17

<210> 1247
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1247
ttttattcac aggcttg 17

<210> 1248
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1248
tttttattca caggctt 17

<210> 1249
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1249
gtttttattc acaggct 17

<210> 1250
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1250
ggtttttatt cacaggc 17

<210> 1251
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1251
gggtttttat tcacagg 17

<210> 1252
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1252
agggttttta ttcacag 17

<210> 1253
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1253
cagggttttt attcaca 17

<210> 1254
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1254
acagggtttt tattcac 17

<210> 1255
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1255
tacagggttt ttattca 17

<210> 1256
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1256

atacagggtt ttattc 17

<210> 1257

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1257

catacagggt ttttatt 17

<210> 1258

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1258

ccatacaggg tttttat 17

<210> 1259

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1259

gccatacagg gttttta 17

<210> 1260

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1260

tgccatacag ggttttt 17

<210> 1261

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1261

gtgccataca gggtttt 17

<210> 1262

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1262
 agtgccatac agggttt 17

 <210> 1263
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1263
 ttggattctt ttaatag 17

 <210> 1264
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1264
 ttttagtttg aatttg 17

 <210> 1265
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1265
 ctgcccact ctggcccaa 20

 <210> 1266
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1266
 gcctcgcca ctctggccc 20

 <210> 1267
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1267
 gcgcctgcc cactctggcc 20

<210> 1268
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1268
 ccgcgcctcg cccactctgg 20

 <210> 1269
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1269
 ctccgcgcct cgcccactct 20

 <210> 1270
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1270
 acctccgcgc ctgcccact 20

 <210> 1271
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1271
 agacctccgc gcctgcca 20

 <210> 1272
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1272
 ccagacctcc gcgcctcgcc 20

 <210> 1273
 <211> 20
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1273
ggccagacct ccgcgcctcg 20

<210> 1274
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1274
tataggccag acctccgcgc 20

<210> 1275
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1275
tttataggcc agacctccgc 20

<210> 1276
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1276
gactacttta taggccagac 20

<210> 1277
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1277
gcgactactt tataggccag 20

<210> 1278
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1278
ctccgcgact actttatagg 20

<210> 1279
<211> 20
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1279

gtctccgcga ctactttata 20

<210> 1280

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1280

ccgtctccgc gactacttta 20

<210> 1281

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1281

ccccgtctcc gcgactactt 20

<210> 1282

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1282

caccccgtct ccgcgactac 20

<210> 1283

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1283

agcaccccgt ctccgcgact 20

<210> 1284

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1284

ccagcacccc gtctccgcga 20

<210> 1285

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1285

aaccagcacc ccgtctccgc 20

<210> 1286

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1286

caaaccagca ccccgctctc 20

<210> 1287

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1287

cgcaaaccag caccctgtct 20

<210> 1288

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1288

acgacgcaaa ccagcacccc 20

<210> 1289

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1289

ctacgacgca aaccagcacc 20

<210> 1290

<211> 20

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1290

gactacgacg caaaccagca 20

<210> 1291
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1291
gagactacga cgcaaaccag 20

<210> 1292
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1292
aggagactac gacgcaaacc 20

<210> 1293
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1293
gcaggagact acgacgcaaa 20

<210> 1294
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1294
ctgcaggaga ctacgacgca 20

<210> 1295
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1295
cgctgcagga gactacgacg 20

<210> 1296
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1296
tgcaacggaa accccagacg 20

<210> 1297
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1297
actgcaacgg aaaccccaga 20

<210> 1298
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1298
gaggactgca acggaaacc 20

<210> 1299
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1299
ccgaggactg caacggaaac 20

<210> 1300
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1300
ttccgaggac tgcaacggaa 20

<210> 1301
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1301
ctggttccga ggactgcaac 20

<210> 1302
<211> 20
<212> DNA
<213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1302
 ggtcctgggt ccgaggactg 20

<210> 1303
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1303
 ccgaggtcct gggtccgagg 20

<210> 1304
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1304
 cgccgaggtc ctgggtccga 20

<210> 1305
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1305
 cacgccgagg tcctgggtcc 20

<210> 1306
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1306
 gccacgccga ggtcctgggt 20

<210> 1307
 <211> 20
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1307
 ctaggccacg ccgaggtcct 20

<210> 1308
 <211> 20

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1308
cgctaggcca cgccgaggtc 20

<210> 1309
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1309
ctcgctaggc cagccgagg 20

<210> 1310
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1310
aactcgctag gccacgccga 20

<210> 1311
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1311
ataactcgct aggccacgcc 20

<210> 1312
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1312
ccataactcg ctaggccacg 20

<210> 1313
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1313
cgccataact cgctaggcca 20

<210> 1314
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1314
tgggccgtcg cccttcagca 20

<210> 1315
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1315
actgggccgt cgcccttcag 20

<210> 1316
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1316
gcactgggcc gtcgcccttc 20

<210> 1317
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1317
ctgcactggg ccgtcgccct 20

<210> 1318
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1318
tgccctgcac tgggccgtcg 20

<210> 1319
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1319
gatgccctgc actgggccgt 20

<210> 1320
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1320
atgatgccct gcactgggcc 20

<210> 1321
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1321
attgatgatg ccctgcactg 20

<210> 1322
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1322
aaattgatga tgccctgcac 20

<210> 1323
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1323
cgaaattgat gatgccctgc 20

<210> 1324
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1324
ctcgaaattg atgatgccct 20

<210> 1325
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1325
tgctcgaaat tgatgatgcc 20

<210> 1326
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1326
tctgctcgaa attgatgatg 20

<210> 1327
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1327
cttctgctcg aaattgatga 20

<210> 1328
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1328
tttaatgctt cccacacct 20

<210> 1329
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1329
cctttaatgc ttccccacac 20

<210> 1330
<211> 20
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1330
gtcctttaat gcttccccac 20

<210> 1331
<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1331
 cccttcagca cgcacac 17

 <210> 1332
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1332
 gcccttcagc acgcaca 17

 <210> 1333
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1333
 cgcccttcag cacgcac 17

 <210> 1334
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1334
 caccacaagc caaacga 17

 <210> 1335
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1335
 acaccacaag ccaaacg 17

 <210> 1336
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1336
 tacaccacaa gccaaac 17

<210> 1337
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1337
 ttacaccaca agccaaa 17

 <210> 1338
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1338
 attacaccac aagccaa 17

 <210> 1339
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1339
 aacagatgag ttaaggg 17

 <210> 1340
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1340
 taacagatga gttaagg 17

 <210> 1341
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1341
 ataacagatg agttaag 17

 <210> 1342
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

<400> 1342
ggatacattt ctacagc 17

<210> 1343
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1343
aggatacatt tctacag 17

<210> 1344
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1344
caggatacat ttctaca 17

<210> 1345
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1345
ttatcaggat acatttc 17

<210> 1346
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1346
gtttatcagg atacatt 17

<210> 1347
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1347
tgtttatcag gatacat 17

<210> 1348
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1348

atgtttatca ggataca 17

<210> 1349

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1349

aatgtttatc aggatac 17

<210> 1350

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1350

taatgtttat caggata 17

<210> 1351

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1351

ttaatgttta tcaggat 17

<210> 1352

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1352

gtttaatgtt ttcagg 17

<210> 1353

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1353

ctttaagat tacagtg 17

<210> 1354

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1354
 cactttaag attacag 17

 <210> 1355
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1355
 tcacacaatt acactt 17

 <210> 1356
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1356
 gtcacacaat tacactt 17

 <210> 1357
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1357
 aagtcacaca attacac 17

 <210> 1358
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1358
 aggtacttta aagcaac 17

 <210> 1359
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1359
 acaggtactt taaagca 17

<210> 1360
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1360
tacaggtact ttaaagc 17

<210> 1361
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1361
ctacaggtac tttaaag 17

<210> 1362
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1362
cactacaggt actttaa 17

<210> 1363
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1363
tcactacagg tacttta 17

<210> 1364
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1364
ctcactacag gtacttt 17

<210> 1365
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1365
tctcactaca ggtactt 17

<210> 1366
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1366
ttctcactac aggtact 17

<210> 1367
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1367
tttctcacta caggtac 17

<210> 1368
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1368
gtttctcact acaggta 17

<210> 1369
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1369
agtttctcac tacaggt 17

<210> 1370
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1370
cagtttctca ctacagg 17

<210> 1371
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1371

tcagtttctc actacag 17

<210> 1372

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1372

atcagtttct cactaca 17

<210> 1373

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1373

aatcagtttc tcactac 17

<210> 1374

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1374

gatcataaat cagtttc 17

<210> 1375

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1375

tgatcataaa tcagttt 17

<210> 1376

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1376

gtgatcataa atcagtt 17

<210> 1377

<211> 17

<212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1377
 agtgatcata aatcagt 17

 <210> 1378
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1378
 caagtgatca taaatca 17

 <210> 1379
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1379
 ccaagtgatc ataaatc 17

 <210> 1380
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1380
 tccaagtgat cataaat 17

 <210> 1381
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1381
 cttccaagtg atcataa 17

 <210> 1382
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1382
 tctccaagt gatcata 17

<210> 1383
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1383
agacatttta actgagt 17

<210> 1384
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1384
gatttaagtc tggcaaa 17

<210> 1385
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1385
tgatttaagt ctggcaa 17

<210> 1386
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1386
gtgatttaag tctggca 17

<210> 1387
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1387
tgtgatttaa gtctggc 17

<210> 1388
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1388
 ctgtgattta agtctgg 17

 <210> 1389
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1389
 tctgtgattt aagtctg 17

 <210> 1390
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1390
 atctgtgatt taagtct 17

 <210> 1391
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1391
 catctgtgat ttaagtc 17

 <210> 1392
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1392
 ccatctgtga ttaagt 17

 <210> 1393
 <211> 17
 <212> DNA
 <213> Artificial sequence

 <220>
 <223> Synthetic oligonucleotide

 <400> 1393
 cccatctgtg atttaag 17

 <210> 1394
 <211> 17
 <212> DNA
 <213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1394

acccatctgt gatttaa 17

<210> 1395

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1395

tacccatctg tgattta 17

<210> 1396

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1396

gcttgaatga caaagaa 17

<210> 1397

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1397

ggcttgaatg acaaaga 17

<210> 1398

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1398

cacaggcttg aatgaca 17

<210> 1399

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1399

tcacaggctt gaatgac 17

<210> 1400

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1400

aagtgccata cagggtt 17

<210> 1401

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1401

taagtgccat acagggt 17

<210> 1402

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1402

ataagtcca tacaggg 17

<210> 1403

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1403

aataagtgcc atacagg 17

<210> 1404

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1404

taataagtc catacag 17

<210> 1405

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1405

ataataagtg ccataca 17

<210> 1406
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1406
cataataagt gccatac 17

<210> 1407
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1407
tcataataag tgccata 17

<210> 1408
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1408
ctcataataa gtgcat 17

<210> 1409
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1409
cctcataata agtgcca 17

<210> 1410
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1410
gcctcataat aagtgcc 17

<210> 1411
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1411
agcctcataa taagtgc 17

<210> 1412
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1412
tagcctcata ataagtg 17

<210> 1413
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1413
atagcctcat aataagt 17

<210> 1414
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1414
aatagcctca taataag 17

<210> 1415
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1415
ctttaatag cctcata 17

<210> 1416
<211> 17
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1416
tctttaata gcctcat 17

<210> 1417
<211> 17
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1417

ggattctttt aatagcc 17

<210> 1418

<211> 17

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1418

ttagtttgaa tttggat 17

<210> 1419

<211> 18

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1419

gtcgcccttc agcacgca 18

<210> 1420

<211> 16

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1420

cccacacctt cactgg 16

<210> 1421

<211> 18

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1421

ttccccacac cttcactg 18

<210> 1422

<211> 16

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1422

ccccacacct tcactg 16

<210> 1423

<211> 18

<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1423
cttccccaca ccttcact 18

<210> 1424
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1424
tccccacacc ttcact 16

<210> 1425
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1425
gcttccccac accttcac 18

<210> 1426
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1426
ttccccacac cttcac 16

<210> 1427
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1427
cttccccaca ccttca 16

<210> 1428
<211> 19
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1428
aggatacatt tctacagct 19

<210> 1429
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1429
atacatttct acagctag 18

<210> 1430
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1430
gatacatttc tacagcta 18

<210> 1431
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1431
tacatttcta cagcta 16

<210> 1432
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1432
ggatacattt ctacagct 18

<210> 1433
<211> 16
<212> **DNA**
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1433
atacatttct acagct 16

<210> 1434
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1434
aggatacatt tctacagc 18

<210> 1435
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1435
gatacatttc tacagc 16

<210> 1436
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1436
caggatacat ttctacag 18

<210> 1437
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1437
atgtttatca ggatac 16

<210> 1438
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1438
ttaatgttta tcaggata 18

<210> 1439
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1439
tttaatgttt atcaggat 18

<210> 1440
<211> 18
<212> DNA
<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1440

gtttaatggt tatcagga 18

<210> 1441

<211> 16

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1441

ttaatgttta tcagga 16

<210> 1442

<211> 18

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1442

tgtttaatgt ttatcagg 18

<210> 1443

<211> 16

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1443

tttaatgttt atcagg 16

<210> 1444

<211> 18

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1444

gtgtttaatg ttatcag 18

<210> 1445

<211> 16

<212> DNA

<213> Artificial sequence

<220>

<223> Synthetic oligonucleotide

<400> 1445

gtttaatggt tatcag 16

<210> 1446

<211> 18

<212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1446
 agtggttaat gtttatca 18

<210> 1447
 <211> 16
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1447
 tgtttaatgt ttatca 16

<210> 1448
 <211> 18
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1448
 cagtgtttaa tgttatc 18

<210> 1449
 <211> 16
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1449
 gtgtttaatg ttatc 16

<210> 1450
 <211> 18
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1450
 acagtgttta atgtttat 18

<210> 1451
 <211> 18
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Synthetic oligonucleotide

<400> 1451
 tacagtgttt aatgttta 18

<210> 1452
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1452
cagtgtttaa tgttta 16

<210> 1453
<211> 18
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1453
ttacagtgtt taatgttt 18

<210> 1454
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1454
acagtgttta atgttt 16

<210> 1455
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1455
ggatacattt ctacag 16

<210> 1456
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1456
taatgtttat caggat 16

<210> 1457
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1457
agtgtttaat gtttat 16

<210> 1458
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1458
catttctaca gctagc 16

<210> 1459
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1459
acatttctac agctag 16

<210> 1460
<211> 16
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1460
aatgtttatc aggata 16

<210> 1461
<211> 19
<212> DNA
<213> Artificial sequence

<220>
<223> Synthetic oligonucleotide

<400> 1461
caggatacat ttctacagc 19

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- WG2009102427A [0006]

- [WO2006066203A \[0007\]](#)
- [US2009130195A \[0008\]](#)
- [WO2008101157A \[0180\] \[0206\]](#)
- [US20050130923A \[0180\] \[0206\]](#)
- [WO2007134181A \[0180\] \[0183\] \[0206\]](#)
- [US7399845B \[0182\] \[0183\]](#)
- [US2008068922W \[0182\] \[0183\]](#)
- [WO2009006478A \[0182\]](#)
- [US2008054591W \[0182\] \[0183\]](#)
- [WO2008150729A \[0182\]](#)
- [US20040171570A \[0182\] \[0183\]](#)
- [US7427672B \[0182\]](#)
- [US2008066154W \[0182\] \[0183\]](#)
- [WO2008154401A \[0182\]](#)
- [US7053207B \[0183\]](#)
- [US7034133B \[0183\]](#)
- [US6794499B \[0183\]](#)
- [US6770748B \[0183\]](#)
- [US6670461B \[0183\]](#)
- [US6525191B \[0183\]](#)
- [US6268490B \[0183\]](#)
- [US20080039618A \[0183\]](#)
- [US20070287831A \[0183\]](#)
- [US129154 \[0183\]](#)
- [US61099844B \[0183\]](#)
- [US61097787B \[0183\]](#)
- [US61086231B \[0183\]](#)
- [US61056564B \[0183\]](#)
- [US61026998B \[0183\]](#)
- [US61026995B \[0183\]](#)
- [US60989574B \[0183\]](#)
- [WO2005021570A \[0183\]](#)
- [WO2004106356A \[0183\]](#)
- [WO9414226A \[0183\]](#)
- [DK9800393W \[0183\]](#)
- [WO9914226A \[0183\] \[0196\] \[0197\]](#)
- [WO9839352A \[0196\]](#)
- [US5598665A \[0204\]](#)
- [US5166315A \[0204\]](#)
- [US5185444A \[0204\]](#)
- [US5034506A \[0204\]](#)
- [WO2010036696A \[0207\]](#)
- [WO06047842A \[0207\]](#)
- [WO01049687A \[0207\]](#)
- [US4981957A \[0214\]](#)
- [US5118800A \[0214\]](#)
- [US5319080A \[0214\]](#)
- [US5359044A \[0214\]](#)
- [US5393878A \[0214\]](#)
- [US5446137A \[0214\]](#)
- [US5466786A \[0214\]](#)
- [US5514785A \[0214\]](#)
- [US5519134A \[0214\]](#)
- [US5567811A \[0214\]](#)
- [US5576427A \[0214\]](#)
- [US5591722A \[0214\]](#)
- [US5597909A \[0214\]](#)
- [US5610300A \[0214\]](#)

- [US5627053A \[0214\]](#)
- [US5639873A \[0214\]](#)
- [US5646265A \[0214\]](#)
- [US5670633A \[0214\]](#)
- [US5700920A \[0214\]](#)
- [US5792847A \[0214\]](#)
- [US6600032B \[0214\]](#)
- [US2005019219W \[0214\]](#)
- [WO2005121371A \[0214\]](#)
- [WO03004602A \[0223\]](#)
- [WO2005040180A \[0244\] \[0245\] \[0246\] \[0303\] \[0307\] \[0310\] \[0314\] \[0318\] \[0322\] \[0325\] \[0328\] \[0342\] \[0347\]](#)
- [WO61973803A \[0362\]](#)

Non-patent literature cited in the description

- FRIDOVICH *Annu. Rev. Biochem.*, 1995, vol. 64, 97-112 [\[0002\]](#)
- TURRENS *J. Physiol.*, 2003, vol. 552, 335-344 [\[0002\]](#)
- ROWLAND *N. Engl. J. Med.*, 2001, vol. 344, 1688-1700 [\[0003\]](#)
- ROSEN *Nature*, 1993, vol. 362, 59-62 [\[0003\]](#)
- SAU *Hum. Mol. Genet.*, 2007, vol. 16, 1604-1618 [\[0003\]](#)
- WOOLF et al. *Proc. Natl. Acad. Sci. USA*, 1992, vol. 89, 7305-7309 [\[0134\]](#)
- GAUTSCHI et al. *J. Natl. Cancer Inst.*, 2001, vol. 93, 463-471 [\[0135\]](#)
- MAHER *DOLNICK Nuc. Acid. Res.*, 1988, vol. 16, 3341-3358 [\[0136\]](#)
- ALTSCHUL et al. *J. Mol. Biol.*, 1990, vol. 215, 403-410 [\[0163\]](#)
- ZHANG *MADDEN Genome Res.*, 1997, vol. 7, 649-656 [\[0163\]](#)
- SMITH *WATERMAN Adv. Appl. Math.*, 1981, vol. 2, 482-489 [\[0163\]](#)
- CHATTOPADHYAYA et al. *J. Org. Chem.*, 2009, vol. 74, 118-134 [\[0182\]](#)
- SRIVASTAVA et al. *J. Am. Chem. Soc.*, 2007, vol. 129, 268362-8379 [\[0183\] \[0199\] \[0206\]](#)
- FRIEDEN et al. *Nucleic Acids Research*, 2003, vol. 21, 6365-6372 [\[0183\] \[0188\]](#)
- ELAYADI et al. *Curr. Opin. Inven. Drugs*, 2001, vol. 2, 558-561 [\[0183\]](#)
- BRAASCH et al. *Chem. Biol.*, 2001, vol. 8, 1-7 [\[0183\]](#)
- ORUM et al. *Curr. Opin. Mol. Ther.*, 2001, vol. 3, 239-243 [\[0183\]](#)
- WAHLESTEDT et al. *Proc. Natl. Acad. Sci. U. S. A.*, 2000, vol. 97, 5633-5638 [\[0183\]](#)
- SINGH et al. *Chem. Commun.*, 1998, vol. 4, 455-456 [\[0183\]](#)
- KOSHKIN et al. *Tetrahedron*, 1998, vol. 54, 3607-3630 [\[0183\] \[0196\]](#)
- KUMAR et al. *Bioorg. Med. Chem. Lett.*, 1998, vol. 8, 2219-2222 [\[0183\] \[0197\]](#)
- SINGH et al. *J. Org. Chem.*, 1998, vol. 63, 10035-10039 [\[0183\] \[0197\]](#)
- FRIER et al. *Nucleic Acids Research*, 1997, vol. 25, 224429-4443 [\[0199\]](#)
- ALBAEK et al. *J. Org. Chem.*, 2006, vol. 71, 7731-7740 [\[0199\]](#)
- LEUMANN *Bioorg. Med. Chem.*, 2002, vol. 10, 841-854 [\[0201\]](#)
- BRAASCH et al. *Biochemistry*, 2002, vol. 41, 4503-4510 [\[0204\]](#)
- ROBEYNS et al. *J. Am. Chem. Soc.*, 2008, vol. 130, 61979-1984 [\[0207\]](#)
- HORVÁTH et al. *Tetrahedron Letters*, 2007, vol. 48, 3621-3623 [\[0207\]](#)
- NAUWELAERTS et al. *J. Am. Chem. Soc.*, 2007, vol. 129, 309340-9348 [\[0207\]](#)
- GU et al. *Nucleosides, Nucleotides & Nucleic Acids*, 2005, vol. 24, 5-7993-998 [\[0207\]](#)
- NAUWELAERTS et al. *Nucleic Acids Research*, 2005, vol. 33, 82452-2463 [\[0207\]](#)
- ROBEYNS et al. *Acta Crystallographica, Section F: Structural Biology and Crystallization Communications*, 2005, vol. F61, 6585-586 [\[0207\]](#)
- GU et al. *Tetrahedron*, 2004, vol. 60, 92111-2123 [\[0207\]](#)
- GU et al. *Oligonucleotides*, 2003, vol. 13, 6479-489 [\[0207\]](#)
- WANG et al. *J. Org. Chem.*, 2003, vol. 68, 4499-4505 [\[0207\]](#)
- VERBEURE et al. *Nucleic Acids Research*, 2001, vol. 29, 244941-4947 [\[0207\]](#)
- WANG et al. *J. Org. Chem.*, 2001, vol. 66, 8478-82 [\[0207\]](#)
- WANG et al. *Nucleosides, Nucleotides & Nucleic Acids*, 2001, vol. 20, 4-7785-788 [\[0207\]](#)

- **WANG et al.**J. Am. Chem., 2000, vol. 122, 8595-8602 [\[0207\]](#)
- **LEUMANNCHRISTIAN J.**Bioorg. & Med. Chem., 2002, vol. 10, 841-854 [\[0208\]](#)
- **BAKER et al.**J. Biol. Chem., 1997, vol. 272, 11944-12000 [\[0209\]](#)
- **MARTIN**Helv. Chim. Acta, 1995, vol. 78, 486-504 [\[0209\]](#)
- **ALTMANN et al.**Chimia, 1996, vol. 50, 168-176 [\[0209\]](#)
- **ALTMANN et al.**Biochem. Soc. Trans., 1996, vol. 24, 630-637 [\[0209\]](#)
- **ALTMANN et al.**Nucleosides Nucleotides, 1997, vol. 16, 917-926 [\[0209\]](#)
- **JONES, L.J. et al.**Analytical Biochemistry, 1998, vol. 265, 368-374 [\[0236\]](#)
- **MILLER et al.**An antisense oligonucleotide against SOD1 delivered intrathecally for patients with SOD1 familial amyotrophic lateral sclerosis: a phase 1, randomised, first-in-man studyLancet Neurol, 2013, vol. 12, 5435-442 [\[0245\]](#)
- **MILLER et al.**An antisense oligonucleotide against SOD1 delivered intrathecally for patients with SOD1 familial amyotrophic lateral sclerosis: a phase 1, randomised, first-in-man studyLancet Neurol., 2013, vol. 12, 5435-442 [\[0303\]](#)
- **FRANK, MGB**Brain Behav. Immun., 2007, vol. 21, 47-59 [\[0349\]](#)

Patentkrav

1. Antisense-forbindelse ifølge følgende formel:

mCes Aeo Ges Geo Aes Tds Ads mCds Ads Tds Tds Tds mCds Tds Ads mCeo Aes
Geo mCes Te (nukleobasesekvens ifølge SEQ ID NO: 725), hvor

A = en adenin,

mC = en 5-methylcytosin,

G = en guanin,

T = en thymin,

e = en 2'-O-methoxyethylribose-modificeret sukker,

d = en 2'-deoxyribose-sukker,

s = en phosphorthioatinternukleosidbinding og

o = en phosphodiesterinternukleosidbinding;

eller et farmaceutisk acceptabelt salt deraf.

2. Antisense-forbindelse ifølge krav 1.

3. Farmaceutisk acceptabelt salt af antisense-forbindelsen ifølge krav 1.

4. Farmaceutisk sammensætning, der omfatter antisense-forbindelsen eller det farmaceutisk acceptable salt deraf ifølge krav 1, antisense-forbindelsen ifølge krav 2 eller det farmaceutisk acceptable salt ifølge krav 3 og mindst én af en farmaceutisk acceptabel bærer eller diluent.

5. Farmaceutisk sammensætning ifølge krav 4, hvor den farmaceutisk acceptable diluent er phosphatbufret saltvandsopløsning.

6. Antisense-forbindelse eller farmaceutisk acceptabelt salt deraf ifølge krav 1, antisense-forbindelse ifølge krav 2, farmaceutisk acceptabelt salt ifølge krav 3 eller farmaceutisk sammensætning ifølge krav 4 eller 5 til anvendelse ved terapi hos et menneskeindivid.

7. Antisense-forbindelse eller farmaceutisk acceptabelt salt deraf ifølge krav 1, antisense-forbindelse ifølge krav 2, farmaceutisk acceptabelt salt ifølge krav 3 eller farmaceutisk sammensætning ifølge krav 4 eller 5 til anvendelse ved behandling af en SOD-1-associeret sygdom.

8. Antisense-forbindelse eller farmaceutisk acceptabelt salt deraf ifølge krav 1, antisense-forbindelse ifølge krav 2, farmaceutisk acceptabelt salt ifølge krav 3 eller farmaceutisk sammensætning ifølge krav 4 eller 5 til anvendelse ved forebyggelse af en SOD-1-associeret sygdom.

9. Antisense-forbindelse, farmaceutisk acceptabelt salt eller farmaceutisk sammensætning til anvendelse ifølge krav 7 eller 8, hvor den SOD-1-associerede sygdom er en neurodegenerativ lidelse.

10. Antisense-forbindelse, farmaceutisk acceptabelt salt eller farmaceutisk sammensætning til anvendelse ifølge krav 7 eller 8, hvor den SOD-1-associerede sygdom er amyotrofisk lateral sklerose.