

(12) United States Design Patent (10) Patent No.:

Tullney

US D764.628 S

(45) **Date of Patent:**

** Aug. 23, 2016

(54) SPRAY GUN

Applicant: Wagner Spray Tech Corporation,

Plymouth, MN (US)

Inventor: Heiko Tullney, Hamburg (DE)

Assignee: Wagner Spray Tech Corporation,

Plymouth, MN (US)

(**) Term: 14 Years

Appl. No.: 29/524,410

Apr. 20, 2015 (22) Filed:

(51) LOC (10) Cl. 23-01

(52) U.S. Cl.

USPC D23/226

Field of Classification Search

USPC D23/213, 225, 226; 239/290, 291, 690,

CPC B05B 5/1691; B05B 9/01; B05B 7/241; B05B 7/2405; B05B 7/2408; B05B 9/08; B05B 5/043

See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

D412,965 S	*	8/1999	Kieffer D23/226
D545,943 S	*	7/2007	Rodgers D23/226
D573,227 S	*	7/2008	Mirazita D23/226
D581,483 S	*	11/2008	Bass D23/223
D641,067 S	*	7/2011	Wang D23/226
D689,593 S	yk)	9/2013	Schmon D23/226
D692,531 S	*	10/2013	Li D23/225
D734,429 S	*	7/2015	Wang D23/226

OTHER PUBLICATIONS

"G15/G40 Manual Air-Assist Spray guns designed for exceptional spray quality and ease of use", available at least as of Apr. 19, 2015, 8 pages, www.graco.com/content/dam/graco/ipd/literature/flyers/ 336937/336937EN-e.pdf.

(Continued)

Primary Examiner — Robin V Webster

(74) Attorney, Agent, or Firm — Christopher J. Volkmann; Kelly, Holt & Christenson, PLLC

(57) **CLAIM**

The ornamental design for a spray gun, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the spray gun, in accordance with a first embodiment.

FIG. 2 is a left side view of the spray gun, in accordance with the first embodiment.

FIG. 3 is a right side view of the spray gun, in accordance with the first embodiment.

FIG. 4 is a front view of the spray gun, in accordance with the first embodiment.

FIG. 5 is a back view of the spray gun, in accordance with the

first embodiment. FIG. 6 is a bottom view of the spray gun, in accordance with the first embodiment.

FIG. 7 is a top view of the spray gun, in accordance with the first embodiment.

FIG. 8 is a perspective view of the spray gun, in accordance with a second embodiment.

FIG. 9 is a left side view of the spray gun, in accordance with the second embodiment.

FIG. 10 is a right side view of the spray gun, in accordance with the second embodiment.

FIG. 11 is a front view of the spray gun, in accordance with the second embodiment.


FIG. 12 is a back view of the spray gun, in accordance with the second embodiment.


FIG. 13 is a bottom view of the spray gun, in accordance with the second embodiment; and,

FIG. 14 is a top view of the spray gun, in accordance with the second embodiment.

The details shown in broken lines form no part of the claimed design.

1 Claim, 10 Drawing Sheets





(56) References Cited


OTHER PUBLICATIONS


"AA1600M & AA4400M, Air Assist Airless Spray Guns, Flat Tip, Fine Finish Tip, or Twist Tip Options", available at least as of Apr. 19, 2015, 6 pages, www.binks.com.


"Milwaukee Airless/Finish Paint Sprayer M4910-20", available at least as of Apr. 19, 2015, 3 pages, www.milwaukeetool.com/powertools/corded/m4910-20.

Prior Wagner Gun, available at least as of Apr. 19, 2015. 1 page.

* cited by examiner










Fig. 4




Fig. 5




Fig. 6







Fig. 7










Fig. 11 Fig. 12




Fig. 13




Fig. 14