



US00D721663S

(12) **United States Design Patent**
Chen et al.

(10) **Patent No.:** **US D721,663 S**
(45) **Date of Patent:** **** Jan. 27, 2015**

(54) **LIGHT-EMITTING DIODE DEVICE**

(71) Applicant: **Epistar Corporation**, Hsinchu (TW)

(72) Inventors: **Chao Hsing Chen**, Hsinchu (TW); **Tsun Kai Ko**, Hsinchu (TW); **Chien Fu Shen**, Hsinchu (TW); **Jia Kuen Wang**, Hsinchu (TW); **Hung Che Chen**, Hsinchu (TW); **Chun Teng Ko**, Hsinchu (TW); **Chien Chih Liao**, Hsinchu (TW)

(73) Assignee: **Epistar Corporation**, Hsinchu (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/462,404**

(22) Filed: **Aug. 2, 2013**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**

USPC **D13/180**

(58) **Field of Classification Search**

CPC ... H01L 25/167; H01L 25/0753; H01L 27/15;
H01L 27/156; H01L 31/02; H01L 33/00;
H01L 33/04; H01L 33/08; H01L 33/10;
H01L 33/20; H01L 33/38; H01L 33/42;
H01L 33/483; H01L 33/486

USPC D13/180; D26/1; 257/79, 80, 81, 88,
257/89, 95, 98, 99, 100, E33.058; 313/483,
313/498, 500; 362/249.01, 49.02, 555

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,844,571 B2 * 1/2005 Krames et al. 257/81
7,696,522 B2 * 4/2010 Ono et al. 257/88
7,795,610 B2 * 9/2010 Kim et al. 257/35
D653,630 S * 2/2012 Liu D13/180
8,188,493 B2 * 5/2012 Li et al. 257/91
D674,356 S * 1/2013 Inoue et al. D13/180

D681,567 S * 5/2013 Wang et al. D13/180
D687,396 S * 8/2013 Chen et al. D13/180
D698,743 S * 2/2014 Hon et al. D13/180
2003/0107053 A1 * 6/2003 Uemura et al. 257/200
2008/0210972 A1 * 9/2008 Ko et al. 257/99
2011/0121329 A1 * 5/2011 Chen et al. 257/91
2012/0241808 A1 * 9/2012 Akiyama et al. 257/99

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.


(57) **CLAIM**

The ornamental design for a light-emitting diode device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a light-emitting diode device showing our first example of the new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a perspective view of a light-emitting diode device showing our second example of the new design;
FIG. 10 is another perspective view thereof;
FIG. 11 is a front elevational view thereof;
FIG. 12 is a rear elevational view thereof;
FIG. 13 is a left side view thereof;
FIG. 14 is a right side view thereof;
FIG. 15 is a top plan view thereof; and,
FIG. 16 is a bottom plan view thereof.
The broken line showing is for the purpose of illustrating environmental structure only and forms no part of the claimed design.

1 Claim, 12 Drawing Sheets






FIG.1




FIG.2




FIG.3



FIG.4




FIG.5



FIG.6



FIG. 7



FIG. 8




FIG.9




FIG.10




FIG.11



FIG.12




FIG.13



FIG.14



FIG.15




FIG.16