



US00D343582S

**United States Patent** [19]  
**Maruyama**

[11] **Patent Number: Des. 343,582**  
[45] **Date of Patent: \*\* Jan. 25, 1994**

- [54] **WATCHCASE**
- [75] **Inventor: Tetsuro Maruyama, Tokyo, Japan**
- [73] **Assignee: Seiko Instruments Inc., Japan**
- [\*\*] **Term: 14 Years**
- [21] **Appl. No.: 640,953**
- [22] **Filed: Jan. 14, 1991**
- [30] **Foreign Application Priority Data**
  - Jul. 13, 1990 [JP] Japan ..... D2-23886
- [52] **U.S. Cl. .... D10/30; D10/38**
- [58] **Field of Search .... 368/276-278, 368/280-282, 285, 318, 322, 323; D10/1-39, 122-126, 128, 129**
- [56] **References Cited**
  - U.S. PATENT DOCUMENTS**
  - D. 066,660 2/1925 Wadsworth ..... D10/37
  - D. 165,599 1/1952 Newhouse ..... D10/38

- D. 249,874 10/1978 Lawrence ..... D10/38
- D. 279,172 6/1985 Hysek ..... D10/39 X
- D. 312,579 12/1990 Aikawa ..... D10/39 X
- D. 323,125 1/1992 Atagi et al. .... D10/39

*Primary Examiner*—Nelson C. Holtje  
*Assistant Examiner*—Martha Thompson  
*Attorney, Agent, or Firm*—Bruce L. Adams; Van C. Wilks

[57] **CLAIM**

The ornamental design for a watchcase, as shown and described.

**DESCRIPTION**

FIG. 1 is a front right perspective view of a watchcase showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a top plan view thereof;  
 FIG. 5 is a bottom plan view thereof;  
 FIG. 6 is a left side elevational view thereof; and,  
 FIG. 7 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 6



FIG. 7



FIG. 5

