



US00D413585S

United States Patent [19]
Sakuta et al.

[11] **Patent Number:** **Des. 413,585**
[45] **Date of Patent:** **** Sep. 7, 1999**

[54] **IMAGE READING DEVICE**

[75] Inventors: **Kazuaki Sakuta; Kiyoshi Otani**, both
of Kawasaki; **Minoru Sashida**,
Chichibu, all of Japan

[73] Assignee: **Canon Denshi Kabushiki Kaisha**,
Saitama-ken, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/093,428**

[22] Filed: **Sep. 10, 1998**

[30] **Foreign Application Priority Data**

Mar. 13, 1998 [JP] Japan 10-7153

[51] **LOC (6) Cl.** **14-02**

[52] **U.S. Cl.** **D14/107**

[58] **Field of Search** D14/100, 107,
D14/114, 118; D18/36, 37, 39, 54; D16/208,
214, 223, 232; 250/556; 355/64, 65, 75,
81; 235/454, 441

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 316,563 4/1991 Frenkler et al. D18/54
D. 381,328 7/1997 Nguyen et al. D14/118

Primary Examiner—Freda Nunn

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper &
Scinto

[57]

CLAIM

The ornamental design for an image reading device, as
shown and described.

DESCRIPTION

FIG. 1 is a front view of an image reading device showing
our new design;

FIG. 2 is a rear view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a perspective view thereof.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7