



US00D714726S

(12) **United States Design Patent**  
**Byrne et al.**

(10) **Patent No.:** **US D714,726 S**  
(45) **Date of Patent:** **\*\* Oct. 7, 2014**

- (54) **ELECTRICAL POWER UNIT FOR A WORK SURFACE**
- (71) Applicants: **Daniel P. Byrne**, Lowell, MI (US);  
**Chad Zimmerman**, Hastings, MI (US);  
**William F. Schacht**, Grand Rapids, MI (US); **Randell E. Pate**, Jenison, MI (US); **Brent A. Reame**, Grand Rapids, MI (US); **Timothy J. Warwick**, Sparta, MI (US)

5,888,093 A	3/1999	Polgar et al.
D409,980 S	5/1999	Byrne
D418,815 S	1/2000	Byrne
6,024,599 A	2/2000	Stathis et al.
6,081,356 A	6/2000	Branc et al.
6,307,152 B1	10/2001	Bonilla et al.
6,492,591 B1	12/2002	Metcalf
6,923,684 B2	8/2005	Strayer
D514,518 S *	2/2006	Strayer ..... D13/139.4
7,053,296 B2	5/2006	Drane et al.
D534,495 S *	1/2007	Gershfeld ..... D13/139.4
D537,039 S *	2/2007	Pincek ..... D13/139.4
D553,306 S	10/2007	Hansen
7,806,723 B2	10/2010	Chong et al.

- (72) Inventors: **Daniel P. Byrne**, Lowell, MI (US);  
**Chad Zimmerman**, Hastings, MI (US);  
**William F. Schacht**, Grand Rapids, MI (US); **Randell E. Pate**, Jenison, MI (US); **Brent A. Reame**, Grand Rapids, MI (US); **Timothy J. Warwick**, Sparta, MI (US)

(Continued)

*Primary Examiner* — Ian Simmons  
*Assistant Examiner* — Rhea Shields  
(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhart & Flory, LLP

- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/452,251**

(57) **CLAIM**  
The ornamental design for an electrical power unit for a work surface, as shown and described.

- (22) Filed: **Apr. 15, 2013**
- (51) **LOC (10) Cl.** ..... **13-03**
- (52) **U.S. Cl.**  
USPC ..... **D13/137.1**
- (58) **Field of Classification Search**  
USPC ..... D13/139.1, 107, 109, 110, 112, 114,  
D13/130, 131, 132, 133, 137, 137.1, 137.2,  
D13/137.3, 137.4, 138.1, 139.2, 139.4,  
D13/139.5, 139.7, 139.8, 146, 147, 151,  
D13/152, 160, 161, 162, 164, 199; D26/2,  
D26/3, 64, 75; 313/331, 357, 422; D14/304;  
D25/16

**DESCRIPTION**


FIG. 1 is a top perspective view of an electrical power unit for a work surface showing our new design;  
FIG. 2 is another top perspective view of the electrical power unit of FIG. 1, shown with it fastening collar engaged;  
FIG. 3 is a top plan view of the electrical power unit of FIG. 2;  
FIG. 4 is a bottom plan view of the electrical power unit of FIG. 2;  
FIG. 5 is a right side elevation of the electrical power unit of FIG. 2;  
FIG. 6 is a left side elevation of the electrical power unit of FIG. 2;  
FIG. 7 is a front elevation of the electrical power unit of FIG. 2; and,  
FIG. 8 is a rear elevation of the electrical power unit of FIG. 2.

See application file for complete search history.

In the drawings, the broken lines depict environmental subject matter only and form no part of the claimed design.

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
D78,966 S 7/1929 Conner  
4,453,059 A 6/1984 Fukushima  
D325,723 S \* 4/1992 Gary et al. .... D13/139.4  
D389,459 S 1/1998 Byrne  
5,705,772 A 1/1998 Brown  
D405,416 S 2/1999 Byrne

**1 Claim, 2 Drawing Sheets**



# US D714,726 S

Page 2

---

(56)


## References Cited

### U.S. PATENT DOCUMENTS


D647,853 S *	11/2011	Kan .....	D13/139.4	2006/0258195 A1	11/2006	Schwartz et al.
D653,215 S	1/2012	Lam		2007/0275594 A1	11/2007	Greenberg
D682,212 S *	5/2013	Udagawa et al. ....	D13/139.4	2012/0031888 A1	2/2012	Byrne

\* cited by examiner

**FIG. 1**



**FIG. 2**






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8