

(19) **DANMARK**

(10) **DK/EP 3723858 T3**



Patent- og
Varemærkestyrelsen

(12) Oversættelse af
europæisk patentskrift

-
- (51) Int.Cl.: **A 61 P 7/02 (2006.01)** **C 07 K 16/36 (2006.01)**
- (45) Oversættelsen bekendtgjort den: **2022-01-24**
- (80) Dato for Den Europæiske Patentmyndigheds bekendtgørelse om meddelelse af patentet: **2021-10-27**
- (86) Europæisk ansøgning nr.: **19836806.0**
- (86) Europæisk indleveringsdag: **2019-12-20**
- (87) Den europæiske ansøgnings publiceringsdag: **2020-10-21**
- (86) International ansøgning nr.: **EP2019086808**
- (87) Internationalt publikationsnr.: **WO2020128049**
- (30) Prioritet: **2018-12-21 GB 201820977** **2019-05-15 GB 201906816**
2019-06-07 GB 201908190
- (84) Designerede stater: **AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR**
- (73) Patenthaver: **Kymab Limited, The Bennet Building (B930) , Babraham Research Campus, Cambridge CB22 3AT, Storbritannien**
- (72) Opfinder: **WANG, Wei, c/o Kymab Limited, The Bennet Building B930, Babraham Research Campus, Cambridge CB22 3AT, Storbritannien**
LEE, E-Chiang, c/o Kymab Limited, The Bennet Building B930, Babraham Research Campus, Cambridge CB22 3AT, Storbritannien
BLACKWOOD, John, Kenneth, c/o Kymab Limited, The Bennet Building B930, Babraham Research Campus, Cambridge CB22 3AT, Storbritannien
MAGLIOZZI, Roberto, c/o Kymab Limited, The Bennet Building B930, Babraham Research Campus, Cambridge CB22 3AT, Storbritannien
- (74) Fuldmægtig i Danmark: **Patrade A/S, Ceresbyen 75, 8000 Århus C, Danmark**
- (54) Benævnelse: **FIXAFX BISPECIFIK ANTISTOF MED FÆLLES LET KÆDE**
- (56) Fremdragne publikationer:
WO-A2-2018/098363
CA-A1- 3 027 018
US-A1- 2005 058 640
US-A1- 2016 222 129
ZENJIRO SAMPEI ET AL: "Identification and Multidimensional Optimization of an Asymmetric Bispecific IgG Antibody Mimicking the Function of Factor VIII Cofactor Activity", PLOS ONE, vol. 8, no. 2, 28 February 2013 (2013-02-28), pages 1-13, XP055553036, DOI: 10.1371/journal.pone.0057479
NAOKI UCHIDA ET AL: "A first-in-human phase 1 study of ACE910, a novel factor VIII-mimetic bispecific antibody, in healthy subjects", BLOOD, vol. 127, 1 December 2015 (2015-12-01), pages 1633-1641, XP055442821, DOI: 10.1182/blood-2015-06-

Fortsættes ...

IDO PAZ-PRIEL ET AL: "Immunogenicity of Emicizumab in People with Hemophilia A (PwHA): Results from the HAVEN 1-4 Studies", BLOOD, vol. 132, 29 November 2018 (2018-11-29), page 633, XP055683059,
HOAD R B ET AL: "Characterisation of monoclonal antibodies to human factor X/Xa initial observations with a quantitative ELISA procedure", JOURNAL OF IMMUNOLOGICAL METHODS, ELSEVIER SCIENCE PUBLISHERS B.V.,AMSTERDAM, NL, vol. 136, no. 2, 15 February 1991 (1991-02-15), pages 269-278, XP023974087, ISSN: 0022-1759, DOI: 10.1016/0022-1759(91)90013-6 [retrieved on 1991-02-15]

Description**Field of the Invention**

[0001] This invention relates to bispecific antigen-binding molecules (e.g., antibodies) that bind factor IXa and factor X clotting factors in the blood coagulation cascade. Such bispecifics functionally substitute for factor VIII by activating factor X, restoring blood clotting ability to patients who are deficient in FVIII, i.e., patients who have type A haemophilia.

Background

[0002] Haemophilia is an inherited condition in which the blood has a reduced ability to clot, owing to loss of function (partial or total) of one of the many clotting factors. Haemophilia A is a deficiency in blood clotting factor VIII (FVIII). The disease has mild, moderate and severe forms, depending on the degree to which the patient retains any residual FVIII function and on the balance of other components in the blood coagulation cascade. If untreated, haemophilia A leads to uncontrolled bleeding, which can result in severe disability, especially through damage to joints from haemarthrosis events. The disease is often life-limiting and can be life-threatening. The global incidence of haemophilia A is believed to be around 1:10,000. Haemophilia B (deficiency of a different blood clotting factor, factor IX) is less common, with an incidence of around 1:50,000. Both diseases are X-linked so are usually found in males, the incidence of haemophilia A in male births thus being around 1 in 5,000.

[0003] Preventing bleeding episodes is essential to improving patients' quality of life and reducing the risk of fatal blood loss. For haemophilia A, the missing co-factor can be replaced by administration of FVIII. FVIII for administration to a patient may be recombinantly expressed or it may be purified from blood plasma. Typically, patients on this treatment self-inject with FVIII every 48 hours or 3x per week.

[0004] Treatment with FVIII is not a perfect solution. A serious drawback is that it can trigger production of allo-antibodies in the body. This renders treatment with FVIII ineffective, as the allo-antibodies bind the FVIII and prevent its activity, putting the patient in a dangerous situation if a bleed occurs. Such inhibitory antibodies develop in about 30 % of patients treated with FVIII for severe haemophilia.

[0005] Treatment with plasma-derived FVIII, rather than the recombinant form, has been reported to have a lower risk of triggering inhibitory antibodies in patients. This may be due to the plasma-derived form retaining Von Willebrand factor (VWF), which is found naturally in association with FVIII and may mask immunogenic epitopes. However, no form of FVIII has yet been produced that completely avoids the risk of inhibitory antibodies.

[0006] Despite being possibly more immunogenic, recombinant FVIII offers some advantages over the plasma-derived form, since being more stable it is easier and cheaper to store and transport. The risk of transmitting infections via products from donated blood plasma is now much reduced compared with the 1980s when viruses such as hepatitis C and HIV were inadvertently spread to recipients of infected blood products, but of course the need for strict safety controls remains.

[0007] New recombinant forms of FVIII have been developed, such as the B-domain truncated polypeptide turoctocog alfa (NovoEight®). However, such products are ineffective for patients that develop neutralising antibodies against FVIII. Some patients successfully undergo immune tolerance induction to prevent anti-FVIII antibodies from developing. However, there remains a substantial demand for alternatives to FVIII for use in patients who have, or are at risk of developing, inhibitory antibodies.

[0008] One such alternative is recombinant factor VIIa, known as activated eptacog alfa (NovoSeven®). However, it has a short half-life and must be injected every few hours. Its use is largely restricted to rescue therapy or providing haemostatic cover during surgery in haemophiliacs who have inhibitory antibodies, rather than being a viable option for long term protective treatment.

[0009] Another available product is FEIBA (Factor Eight Inhibitor Bypassing Activity), an activated prothrombin complex concentrate (aPCC), which similarly can be used to control bleeding episodes and to prevent bleeding during surgical interventions in haemophiliac patients who have inhibitors to factor VIII.

[0010] A variety of other alternative therapies are currently being pursued, such as gene therapy, suppression of anti-thrombin using siRNA, and an antibody to TFPI (Tissue factor Pathway Inhibitor), concizumab.

[0011] One approach is a humanised bispecific IgG antibody targeting both factor IXa (FIXa) and factor X (FX). The bispecific antibody binds FIXa with one arm and FX with the other arm, bringing these two co-factors together and thereby promoting FIXa-catalysed activation of FX in the same way that FVIII does. Thus, the antibody functionally replaces FVIII in the blood coagulation cascade (Figure 1). As its structure is completely different from FVIII, the antibody cannot be neutralised by anti-FVIII antibodies and so is suitable for patients who have developed, or are at risk of developing, allo-antibodies to administered FVIII.

[0012] In 2012, Kitazawa et al reported isolation of a FIXa/X bispecific antibody which was able to activate FX, from a screen of approximately 40,000 anti-FIXa/X bispecific antibodies that had been produced by immunising 92 laboratory

animals with human FIXa or FX and co-transfecting the anti-FIXa and anti-FX antibody genes into host cells for expression [1]. The selected antibody was refined to generate a humanised antibody designated hBS23, which showed coagulation activity in FVIII-deficient plasma and *in vivo* haemostatic activity in primates [1]. A more potent version of this antibody, designated hBS910 [2], entered clinical trials under the investigational drug name ACE910, INN emicizumab [3]. The development of ACE910 took place in one of the leading antibody groups globally. Nevertheless, it took more than 7 years to engineer a molecule with the appropriate *in vivo* efficacy and with biochemical and biophysical properties suitable for clinical scale manufacturing.

[0013] In a phase I study of 48 healthy male subjects receiving ACE910 subcutaneously at doses up to 1 mg/kg, 2 subjects tested positive for anti-ACE910 antibodies [4]. The antibody was reported to have a linear pharmacokinetic profile and a half-life of about 4-5 weeks [4]. Emicizumab was subsequently administered to 18 Japanese patients with severe haemophilia A, at weekly subcutaneous doses of up to 3 mg/kg, and was reported to reduce the episodic use of clotting factors to control bleeding in these patients [5]. In December 2016, emicizumab was reported to have met its primary endpoint in a phase III clinical trial for reducing bleeding in patients with haemophilia A (the "HAVEN 1" study). A statistically significant reduction in the number of bleeds was reported for patients treated with emicizumab prophylaxis compared with those receiving no prophylactic treatment. The study was also reported to have met all secondary endpoints, including a statistically significant reduction in the number of bleeds over time with emicizumab prophylaxis treatment in an intra-patient comparison in people who had received prior bypassing agent prophylaxis treatment. The efficacy data on emicizumab are therefore encouraging, although safety concerns were heightened by the death of a patient on the HAVEN 1 study. The approved drug carries a boxed warning regarding the risk of thrombotic microangiopathy and thromboembolism in patients receiving aPCC in combination with emicizumab. As noted above, aPCC is used to control bleeding in patients who have inhibitory antibodies to FVIII, a key patient group for treatment with the bispecific antibody.

[0014] It is important to note that management of haemophilia requires continuous treatment for a patient's lifetime, beginning at the point of diagnosis - which is usually in infancy - and calls for a therapy that will be tolerated without adverse effects and that will remain effective over several decades or even a century. Long term safety, including low immunogenicity, is therefore of greater significance for an anti-haemophilia antibody compared with antibodies that are intended to be administered over a shorter duration such as a period of weeks, months or even a few years.

[0015] WO2018/098363 described bispecific antibodies binding to FIX and FX, isolated from a human antibody yeast library (Adimab). WO2018/098363 disclosed that increasing the affinity of the anti-FIXa arm of a bispecific antibody results in an increase in FVIIIa activity (represented by decreased blood clotting time in an assay). A bispecific antibody "BS-027125" was generated by affinity maturation of an initially selected "parent" antibody, which increased the affinity of its FIXa-binding arm. BS-027125 was reported to achieve approximately 90 % FVIIIa-like activity in a one-stage clotting assay. When compared with emicizumab, BS-027125 was reported to exhibit much higher affinity binding to factor FIX zymogen, FIXa and FX zymogen, and much lower binding (no detected binding) to FXa. The FIX-binding arm, "B1B-9-1336" reportedly showed selective binding for FIXa (activated FIX) in preference to FIX zymogen (mature FIX prior to proteolytic activation), and was found to bind an epitope overlapping with the FIXa epitope bound by FVIIIa. The FX-binding arm, "B1B-12-917", reportedly showed selective binding to FX zymogen, lacked detectable binding to (activated) FXa, and bound an epitope of FX that lies within the activation peptide (which is present in FX zymogen but not FXa). Further mutations were then introduced into selected FIX-binding antibodies, including B1B-9-1336, to generate libraries from which to select for antibodies with even further increased specificity and/or affinity for FIXa.

[0016] WO2018/141863 and WO2018/145125 also described anti-FIXaFX bispecific antibodies and their use as procoagulants for treating or reducing bleeding.

[0017] US 2016/222129 also described anti-FIXaFX bispecific antibodies that function as substitutes for FVIII, promoting coagulation, and pharmaceutical compositions comprising such molecules.

[0018] CA 3027018 A1 described anti-FIXaFX bispecific antibodies that have enhanced FVIII substituting activity, higher than that of ACE910 (emicizumab).

[0019] US 2005/058640 described ligands (including antibodies) that can bind to FIX/FIXa and activate the procoagulant activity of FIXa.

[0020] Paz-Priel et al in a follow up to 'HAVEN 1' study, including HAVEN 2, 3 and 4, reported a low observed rate of anti-drug antibody (ADA) formation and risk of clinical consequences in patients treated with emicizumab [Paz-Priel et al, Blood 132(supplement 1):633].

[0021] Hoad and Gaczy described the discovery and selection of monoclonal antibodies to FX and FXa [Hoad, R & Geczy, C, Journal of Immunological Methods 136:269-278 1991].

Summary of the Invention

[0022] The present invention relates to improved bispecific antigen-binding molecules that bind blood clotting factors FIXa and FX. The bispecific antigen-binding molecules of the present invention enhance the FIXa-catalysed activation

of FX to FXa, and can effectively replace the natural cofactor FVIIIa which is missing in patients with haemophilia A, to restore the ability of the patients' blood to clot. See Figure 2.

[0023] As reported here, the inventors succeeded in generating a number of bispecific antigen-binding molecules having suitable qualities for development as therapeutic products, including very high potency in enhancing FX activation. Described are bispecific antigen-binding molecules having novel binding sites for anti-FIXa and anti-FX, which can be used to effectively substitute for FVIIIa in the blood clotting cascade. In particular, an anti-FIXa binding site is described which is highly active in combination with an array of different anti-FX binding sites and can thus be incorporated into a variety of different FIXa-FX bispecifics, providing flexibility for selection of bispecific antibodies with further desired characteristics such as ease of manufacture.

[0024] The inventors have designed bispecific antibodies which combine a potent FVIII mimetic activity (as indicated by high performance in *in vitro* assays) with robust biochemical and biophysical properties suitable for clinical scale manufacturing (including expression, bispecific molecular assembly, purification and formulation), and which are of fully human origin, thereby minimising the risk of immunogenicity in human *in vivo* therapy.

[0025] Aspects of the invention are set out in the appended claims, and further embodiments and preferred features of the invention are described below.

[0026] In a first aspect, the present invention relates to bispecific antigen-binding molecules comprising (i) a FIXa binding polypeptide arm comprising a FIXa binding site, and (ii) a FX binding polypeptide arm comprising a FX binding site. The FIXa and/or the FX binding polypeptide arm may comprise an antibody Fv region comprising the FIXa or FX binding site respectively. An antibody Fv region is an antibody VH-VL domain pair. The VH domain comprises HCDR1, HCDR2 and HCDR3 in a VH domain framework, and the VL domain comprises LCDR1, LCDR2 and LCDR3 in a VL domain framework. The polypeptide arm may comprise an antibody heavy chain (optionally one comprising an IgG constant region) and/or an antibody light chain.

[0027] Antigen-binding molecules of the present invention may thus comprise

first and second antibody Fv regions, the first and second antibody Fv regions comprising binding sites for FIXa and for FX respectively, and
a half-life extending region for prolonging the half-life of the molecule *in vivo*.

[0028] The half-life extending region may be a heterodimerisation region, comprising a first polypeptide covalently linked (e.g., as a fusion protein) to the first antibody Fv region and a second polypeptide covalently linked (e.g., as a fusion protein) to the second antibody Fv region, wherein the two polypeptides pair covalently and/or non-covalently with one another. The first and second polypeptides of the heterodimerisation region may have identical or different amino acid sequences. The heterodimerisation region may comprise one or more antibody constant domains, e.g., it may be an antibody Fc region.

[0029] Bispecific antigen-binding molecules of the present invention are able to bind FIXa through the FIXa binding site of the FIXa binding polypeptide arm and to bind FX through the FX binding site of the FX binding polypeptide arm, and thereby enhance the FIXa-catalysed activation of FX to FXa. This may be determined in an *in vitro* FX activation assay as described herein.

[0030] The FIXa binding site may be provided by a set of complementarity determining regions (CDRs) in the FIXa binding polypeptide arm, the set of CDRs comprising HCDR1, HCDR2, HCDR3 and LCDR1, LCDR2 and LCDR3.

[0031] The set of HCDRs in the FIXa binding polypeptide arm are the N1280 CDRs, wherein HCDR1 is SEQ ID NO: 441, HCDR2 is SEQ ID NO: 436 and HCDR3 is SEQ ID NO: 433.

[0032] The set of LCDRs in the FIXa binding polypeptide arm are the LCDRs of 0128L as shown in Table S-50. LCDR1 is SEQ ID NO: 6, LCDR2 is SEQ ID NO: 7 and LCDR3 is SEQ ID NO: 8.

[0033] The antibody Fv region of the FIXa binding polypeptide arm may comprise a VH domain generated through recombination of immunoglobulin heavy chain v, d and j gene segments, wherein the v gene segment is VH3-7 (e.g., VH3-7*01), wherein the j gene segment is JH6 (e.g. JH6*02), and optionally wherein the d gene segment is DH1-26 (e.g., DH1-26*01), and/or it may comprise a VL domain generated through recombination of immunoglobulin light chain v and j gene segments, wherein the v gene segment is VL3-21 (e.g., VL3-21*d01) and the j gene segment is JL2 (e.g., JL2*01).

[0034] The amino acid sequence of the VH domain of a FIXa polypeptide binding arm may share at least 95 % sequence identity with a VH domain shown in Figure 20, e.g., the N1280H VH domain. Sequence identity may be at least 96 %, at least 97 %, at least 98 % or at least 99 %. Optionally the VH domain is one of the anti-FIX VH domains shown herein, such as any shown in Table S-9A, any identified in Table N, or any of the VH domains N0128H, N0436H, N0511H, N1091H, N1172H, N1280H, N1314H, N1327H or N1333H shown in Figure 20. Optionally the VH domain is N1280H, N1333H, N1441, N1442 or N1454. Optionally the anti-FIXa VH domain comprises the amino acid sequence of any of said VH domains (e.g., N1280H) with up to 5 amino acid substitutions, i.e., 1, 2, 3, 4 or 5 substitutions. Substitutions may optionally be in one or more framework regions, e.g., there may be 1 or 2 substitutions in FR3, optionally at IMGT

position 84 and/or IMGT position 86.

[0035] The amino acid sequence of the VL domain may share at least 95 % sequence identity with SEQ ID NO: 10 (0128L). Sequence identity may be at least 96 %, at least 97 %, at least 98 % or at least 99 %. Optionally the VL domain amino acid sequence is SEQ ID NO: 10. The VL domain amino acid sequence may alternatively be SEQ ID NO: 416.

[0036] The FX binding site may be provided by a set of CDRs in the FX binding polypeptide arm. The FX binding polypeptide arm may comprise an antibody VH-VL domain pair (i.e., an antibody Fv region), the VH domain comprising HCDR1, HCDR2 and HCDR3 in a framework, and the VL domain comprising LCDR1, LCDR2 and LCDR3 in a framework.

[0037] The FX binding site may be provided by the HCDRs of the T0999H VH domain shown in Table S10-C and the 0128L LCDRs.

[0038] The FX binding polypeptide arm may comprise a VH domain having at least 95 % amino acid sequence identity with the T0999H VH domain. Sequence identity may be at least 96 %, at least 97 %, at least 98 % or at least 99 %. Optionally the VH domain comprises the amino acid sequence of said VH domain with up to 5 amino acid substitutions, i.e., 1, 2, 3, 4 or 5 substitutions. Substitutions may optionally be in one or more framework regions.

[0039] The FX binding polypeptide arm may comprise the VH domain amino acid sequence of T0201H, T0687H, T0736H or T0999H.

[0040] The FX binding polypeptide arm may comprise a VL domain having at least 95 % amino acid sequence identity with the 0128L VL domain SEQ ID NO: 10. Sequence identity may be at least 96 %, at least 97 %, at least 98 % or at least 99 %. Optionally the VL domain comprises the amino acid sequence of the 0128L VL domain with up to 5 amino acid substitutions, i.e., 1, 2, 3, 4 or 5 substitutions. Optionally the VL domain amino acid sequence is SEQ ID NO: 10. Alternatively the VL domain sequence is SEQ ID NO: 416.

[0041] The FX binding polypeptide arm may comprise an antibody Fv region comprising

a VH domain generated through recombination of immunoglobulin heavy chain v, d and j gene segments, wherein the v and j gene segments are IGHV1-46 (e.g., VH1-46*03) and IGHJ1 (e.g., JH1*01), and optionally wherein the d gene segment is IGHD6-6 (e.g., DH6-6*01), and

a VL domain generated through recombination of immunoglobulin light chain v and j gene segments, wherein the v and j gene segments are IGLV3-21 (e.g., VL3-21*d01) and IGLJ2 (e.g., JL2*01).

[0042] Also described is a bispecific antibody that binds FIXa and FX and catalyses FIXa-mediated activation of FX, wherein the antibody comprises two immunoglobulin heavy-light chain pairs, wherein

a first heavy-light chain pair comprises a FIXa binding Fv region comprising a first VH domain paired with a first VL domain, and

a second heavy-light chain pair comprises a FX binding Fv region comprising a second VH domain paired with a second VL domain, wherein

the first VH domain is a product of recombination of human immunoglobulin heavy chain v, d and j gene segments, wherein the v gene segment is IGHV3-7 (e.g., VH3-7*01) and the j gene segment is IGHJ6 (e.g., JH6*02),

the second VH domain is a product of recombination of human immunoglobulin heavy chain v, d and j gene segments, wherein the v gene segment is IGHV1-46 (e.g., VH1-46*03) and the j gene segment is IGHJ1 (e.g., JH1*01), and

optionally wherein the d gene segment is IGHD6-6 (e.g., DH6-6*01), and

the first VL domain and the second VL domain are both products of recombination of human immunoglobulin light chain v and j gene segments, wherein the v gene segment is IGLV3-21 (e.g., VL3-21*d01) and the j gene segment is IGLJ2 (e.g., JL2*01).

[0043] Amino acid sequences of example VH domains and sets of VH CDRs are shown in Figure 20 and/or in Table S-9A. The first VH domain of the bispecific antibody may be, or may have at least 95 %, at least 96 %, at least 97 %, at least 98 % or at least 99 % amino acid sequence identity to, any of these VH domains. Optionally it may comprise a VH domain amino acid sequence having up to 5 amino acid substitutions, i.e., 1, 2, 3, 4 or 5 substitutions compared with said VH domain. Substitutions are optionally in framework regions.

[0044] Examples of residues and substitutions that may be retained or introduced in the first VH domain include the following (defined with reference to N1280H, with IMGT numbering as shown in Figure 14):

Substitution of another residue (e.g., Asp, Glu, His, Asn, Gin, Met, Thr, Gly, Ser, Ala, Ile, Leu, Val or Tyr) at Lys84 in FR3, e.g., Lys84Asp or Lys84Glu; and

Substitution of another residue at Ser86 in FR3, e.g., a negatively charged residue such as Glu (Ser86Glu).

[0045] Further examples include:

Substitution of a negatively charged residue (e.g., Asp or Glu) or His at one or more of Gln3, Val5, Gly9, Gly11, Gly16, Gly17 and Leu21 FR1, such as any of Gln3Asp, Gln3Glu, Gln3His, Val5Glu, Gly9Glu, Gly11Asp, Gly11Glu, Gly11His, Gly16Glu, Gly17Asp, Gly17Glu or Leu21Asp;

Substitution of a negatively charged residue at Val68 and/or Val71 in FR3, e.g., Val68Asp, Val68Glu or Val71Glu;

Substitution of His, Gln or Leu at Arg75 in FR3;

Substitution of Ser, Thr, Gly, Leu or Lys at Arg80 in FR3; and

Substitution of Asp or His at Asn82 in FR3.

[0046] Any one or more of the above-listed sequence features may be included.

[0047] The second VH domain may be, or may have at least 95 %, at least 96 %, at least 97 %, at least 98 % or at least 99 % amino acid sequence identity to the T0999H VH domain shown in Table S-10C. Optionally it may comprise a VH domain amino acid sequence having up to 5 amino acid substitutions, i.e., 1, 2, 3, 4 or 5 substitutions compared with said VH domain. Substitutions are optionally in framework regions.

[0048] Examples of residues and substitutions that may be retained or introduced in the second VH domain include the following (defined with reference to T0201H, with IMGT numbering as shown in Figure 13):

Substitution of another amino acid residue at Cys114, e.g., wherein the substituted residue is Ile, Gln, Arg, Val or Trp, (preferably Ile, Val or Leu);

Substitution of another positively charged residue for Gln3 in FR1, e.g., Gln3Arg or Gln3Lys;

Germlining of residues in framework regions, e.g., Ile5Val (substitution of valine for isoleucine at residue 5 in FR1), or replacement of a non-germline residue in a framework region by a different non-germline residue, e.g., Ile5Arg (substitution of arginine for isoleucine at residue 5 in FR1);

Substitution of another amino acid residue (e.g., Lys, Ala or Gly) at Glu11 in FR1, e.g., Glu11Lys;

Substitution of a positively charged amino acid residue for Gly16 in FR1, e.g., Gly16Arg;

Presence of Met at position 39 in FR2, or alternatively Leu at this position;

Presence of Ser at position 62 and/or position 64 in CDR2;

Substitution of Tyr at Phe71 in FR3;

Substitution of a positively charged residue at Thr82 in FR3, e.g., Thr82Arg or Thr82Lys; Presence of Ser at position 85 in FR3, or alternatively Thr at this position;

Substitution of a positively charged residue at Thr86 in FR3, e.g., Thr86Arg or Thr86Lys.

[0049] Any one or more of the above-listed sequence features may be included.

[0050] The FIXa binding polypeptide arm and the FX binding polypeptide arm may each comprise an antibody Fv, wherein the VL domain of each Fv has an identical amino acid sequence, i.e. the bispecific antigen-binding molecule has a common VL domain. The molecule may have a common light chain comprising a variable region and a constant region, optionally a human lambda constant region.

[0051] The bispecific antigen-binding molecule may be a tetrameric immunoglobulin comprising

a first pair of antibody heavy and light chains (heavy-light chain pair) comprising a FIXa binding Fv region,

a second heavy-light chain pair comprising a FX binding Fv region,

wherein each heavy chain comprises a VH domain and a constant region, and each light chain comprises a VL domain and a constant region, and wherein the first and second heavy-light chain pairs associate through heterodimerisation of their heavy chain constant regions to form the immunoglobulin tetramer.

[0052] As noted, the light chain may be a common light chain, i.e., the light chain of the first and second heavy-light chain pairs has an identical amino acid sequence. Each heavy-light chain pair may comprise the 0128L CL constant domain paired with a CH1 domain. The sequence of the light chain may be SEQ ID NO: 405. Alternatively the sequence of the light chain may be SEQ ID NO: 414. Exemplary immunoglobulin isotypes include human IgG, e.g., IgG4, optionally with engineered constant domains such as IgG4 PE.

[0053] The Fc domain of a bispecific antibody may be engineered to promote heterodimerisation over homodimerisation. For example, the heavy chain constant region of the first heavy-light chain pair may comprise a different amino acid sequence from the heavy chain constant region of the second heavy-light chain pair, wherein the different amino acid sequences are engineered to promote heterodimerisation of the heavy chain constant regions. Examples include knobs-into-holes mutations or charge pair mutations. Alternatively, the heavy chain constant region of the first heavy-light chain pair may be identical to the heavy chain constant region of the second heavy-light chain pair, in which case it is expected that both homodimers and heterodimers will assemble, and these will be subsequently separated using one or more purification steps in the antibody manufacturing process to isolate the desired heterodimer comprising one anti-FIXa arm and one anti-FX arm.

[0054] An advantageous feature of bispecific antibodies exemplified here is that they have been generated from human immunoglobulin gene segments, using the Kymouse platform. Unlike antibodies generated from immunisation of normal laboratory animals, which may require "humanisation" steps such as grafting of mouse CDRs into human antibody variable domains and iterative refinement of the engineered variable domains to mitigate a loss of function resulting from these changes, the antibodies of the present invention were generated and selected from the outset with fully human antibody variable domains. The use of a fully human antibody is of special relevance in the context of haemophilia treatment, where low immunogenicity is paramount, as noted above. The low immunogenicity of the bispecific antibodies of the present invention renders them suitable for treatment of haemophilia A patients, including those with or without inhibitory antibodies to other treatments such as FVIII. Patients receiving antigen-binding molecules of the present invention should be at minimal risk of developing an immunogenic response to the therapy.

[0055] The mode of action of the bispecific molecules is also associated with a good safety profile, with low risk of complications such as deep vein thrombosis and pulmonary embolism. Activity of the bispecific molecules is comparable with that of natural FVIII and a mechanism of action that is integrated within the existing blood coagulation pathway, being activated only in the context of upstream triggering of the natural clotting cascade.

[0056] Bispecific antibodies according to the present invention have shown strong activity in a number of functionally relevant assays for FVIII mimetic activity, including factor Xase assay, activated partial thromboplastin time (aPTT) assay and thrombin generation assay (TGA), as exemplified herein.

[0057] Other desirable features include long-half life (reducing the required frequency of administration) and amenability of the molecules to formulation at high concentration (facilitating subcutaneous injection in the home setting).

[0058] Patient compliance is recognised to be a significant issue for long term self-administered therapy, especially among teenage and young adult patients. For a treatment to succeed in the field, its administration schedule should be simple for the patient to understand and follow with minimum inconvenience. Long intervals between administered doses are desirable, but reducing dose frequency without sacrificing therapeutic activity requires a product with both a long *in vivo* half life and a sufficient efficacy at "trough" concentrations towards the end of a dosing period. Antigen-binding molecules according to the present invention desirably have a long *in vivo* half life. This can be facilitated by inclusion of an Fc region which undergoes recycling *in vivo* via FcRn. Antigen-binding molecules according to the present invention also preferably maintain high functional activity at low concentration. We found that bispecific antibodies according to the present invention have a thrombogenic activity similar to that of emicizumab but with an increase in thrombogenic activity that is most pronounced at lower concentrations. Data disclosed herein indicate that bispecific antibodies according to the present invention possess a thrombogenic activity that is the same as or surpasses that of emicizumab at concentrations in at least the range of 1 to 300 nM, for example when the antibody and emicizumab are tested at the following concentrations:

1 - 30 nM, e.g., at 1 nM, at 3 nM, at 10 nM and/or at 30 nM;

100 - 300 nM, e.g., at 100 nM and/or at 300 nM.

[0059] Activity can be measured in the thrombin generation assay described herein. Effective activity at low concentrations may help to ensure that protection against bleeds is maintained towards the end of a dosing period - the *in vivo* concentration of the antibody being lowest in the final days before the next dose is due. It may also assist in protecting areas of the body which are relatively poorly perfused by the circulation - including the joints, which are a common site of problematic bleeding in haemophilic patients.

[0060] Further aspects of the invention relate to pharmaceutical compositions comprising the bispecific antigen-binding molecules and their use in medicine including for the treatment of haemophilia A, as set out in the appended claims and described in the present disclosure.

[0061] Monospecific antibodies are also provided as aspects of the present invention. Thus, an anti-FIXa antibody may comprise two copies of a first heavy-light chain pair as defined herein. An anti-FX antibody may comprise two copies of a second heavy-light chain pair as defined herein.

[0062] Further aspects include nucleic acid molecules encoding sequences of the antibodies described herein, host cells containing such nucleic acids, and methods of producing the antibodies by culturing the host cells and expressing and optionally isolating or purifying the antibodies. The expressed antibody is thereby obtained. VH and VL domains of antibodies described herein may similarly be produced and are aspects of the present invention. Suitable production methods of antibodies include large-scale expression from host cells (e.g. mammalian cells) in a bioreactor by continuous or batch culture (e.g., fed batch culture).

Brief Description of the Drawings

[0063] Aspects and embodiments of the invention will now be described in more detail, with reference to the drawings, in which:

Figure 1 illustrates the blood coagulation cascade [6].

Figure 2 shows (A) co-factor action of FVIIIa interacting with FIXa and FX; (B) co-factor action of bispecific antibody interacting with FIXa and FX; and (C) bispecific antibody interacting with FIXa (9a) and FX (10) on the surface of a platelet. Bispecific antibody in this embodiment is a four chain molecule having two disulphide-linked heavy chains each comprising (N to C) domains VH1-CH1-CH2-CH3 and two identical light chains (common light chain) comprising (N to C) domains VL-CL. In this illustration, binding site comprising VH1-VL binds to FX and binding site comprising VH2-VL binds to FXa.

Figure 3 shows the amino acid sequence (SEQ ID NO: 334) of factor IX, with residue numbering for the mature protein. The signal peptide (straight underlined) is cleaved after secretion. The propeptide (wave underlined) is cleaved on maturation. Mature factor IX contains a light chain (residues 1-145) and a heavy chain (residues 146-415). The activation peptide (boxed) is cleaved on activation, generating activated factor IXa which contains a light chain (residues 1-145) and a heavy chain (residues 181-415, bold) joined by a disulphide bridge between Cys132 and Cys289.

Figure 4 shows the amino acid sequence (SEQ ID NO: 335) of factor X, with residue numbering. Residues 1-31 are a signal peptide (straight underlined). Residues 32-40 are a propeptide (wave underlined). The FX light chain is residues 41 - 179. The FX heavy chain is residues 183 - 488. The FXa heavy chain is residues 235 - 488 (bold).

Figure 5 shows an embodiment of the invention: bispecific IgG with common light chain.

Figure 6 summarises the process of optimising the anti-FIXa VH domain sequence N0436H and the anti-FX VH domain sequence T0200 for functional combination with each other and for pairing with the N0128L common VL domain.

Figure 7 illustrates (A) principles of *in vitro* assay for FVIII mimetic activity of a bispecific molecule (FXase or tenase assay); and (B) example data from the assay showing positive result for FIXa-FX bispecific molecule compared with negative control.

Figure 8 shows the results of screening bispecific antibodies having various anti-FX arms in the FXase assay (standard reaction conditions). The bispecific antibody panel comprises a range of anti-FX VH test domains, each in combination with the N0128H anti-FIX VH domain and 0128L common VL domain.

Figure 9 illustrates the B cell cluster identified for the lineage of the anti-FX T0200H domain.

Figure 10 shows the results of screening optimised bispecific antibodies in the FXase assay. (A) FXase activity for IgG4 bispecific antibodies comprising named anti-FX VH domain combined with the N0128H, N1172H or N1280H anti-FIX VH domain and 0128L common light chain. OD at 405 nm at 10 minutes (600s). (B) FXase activity for IgG4 bispecific antibodies comprising named anti-FX VH domain combined with the N1280H anti-FIX VH domain and N0128L common light chain.

Figure 11 is an amino acid sequence alignment of a selection of anti-FX VH domains from the T0200H B cell cluster. Germline sequence (SEQ ID NO: 518) is shown for comparison. CDRs are boxed.

Figure 12 identifies mutants of the T0201H VH domain in which the terminal four residues of CDR3 were individually mutated to other amino acids. For example the T0590H VH domain is a Cys114Ala mutant of the T0201H VH domain, i.e., in which the cysteine at IMGT position 114 is replaced by alanine.

Figure 13 shows the amino acid sequence of VH domain T0201H, annotated in (A) to show FR1, CDR1, FR2, CDR2, FR3, CDR3 and FR4, and in (B) to show IMGT numbering.

Figure 14 shows the amino acid sequence of VH domain N0128H, aligned against N192H and N1280H and annotated in (A) to show FR1, CDR1, FR2, CDR2, FR3, CDR3 and FR4, and in (B) to show IMGT numbering.

Figure 15 shows the kinetics of activity of (A) IXAX-1280.0201.0128 and of (B) the comparator antibody AbE in the FXase assay. Antibody was purified by Protein A and is composed of a homodimer/heterodimer mixture.

Figure 16 shows results of bispecific antibodies in Xase assay. "E" is Antibody E positive control. FXase activities are plotted as OD405nm at 10 minutes for samples normalised to 12.5 µg/mL (10.4 nM) final concentration. Bispecific antibodies are ranked in order of activity.

Figure 17 shows the effect of bispecific antibody optimisation on FVIII mimetic activity (FXase). Results are shown for of bispecific antibodies, each having the named VH domain in the anti-FIXa arm and T0638H VH domain in the anti-FX arm, both paired with the 0128L common light chain VL domain. FVIII mimetic activity (FXase) was measured using an in vitro chromogenic Factor X activation assay at 405 nm (Y-axis) as a function of time in seconds (X-axis). Optimised bispecific antibodies are individually labelled. A human IgG4 isotype control demonstrates no FVIII mimetic activity. The key shows the name of the VH domain in the antibody to the right of its corresponding graph in order of maximal FXase activity, i.e., N1333H > N1280H > N1172H > N1091H > N0511H > N0436H > N0128H > control.

Figure 18 shows aPTT assay results for IgG4 bispecific antibodies comprising named anti-FX VH domain combined with the N0128H, N1172H or N1280H anti-FIX VH domain and 0128L common light chain.

Figure 19 shows a dose response for IXAX-1280.0201.0128 bispecific antibody (purified on Protein A) in a one-stage activated aPTT clotting assay using FVIII-depleted human plasma.

Figure 20 shows VH domain amino acid sequences of N0128H, N0436H, N0511 H, N1091H, N1172H, N1280H, N1314H, N1327H and N1333H, annotated to identify their framework regions and CDRs.

Figure 21 is an SPR sensorgram of bispecific antibody binding to antigen, where simultaneous binding to FIX and FX is demonstrated, compared with sensorgram of (A) isotype control antibody or (B) monospecific antibody.

Figure 22 presents summary results of FXase assays for selected CDR1 and CDR2 sequence variants of T0681H. Except where indicated for AbE controls, samples were purified by Protein A chromatography and their final concentrations normalised to 12.5 µg/mL (10.4 nM). 3 samples of AbE positive control antibody are included: (i) protein A purified; 12.5 µg/mL; (ii) protein A purified; 37.5 µg/mL; (iii) protein A purified followed by further purification by ion exchange chromatography; 37.5 µg/mL. All data shown were sampled at the 10 minute time-point.

Figure 23 summarises the effect of T0201H CDR1, CDR2 and CDR3 mutagenesis on bispecific antibody FXase activity in vitro. Bispecific antibody anti-FX T0201H variant VH domains were expressed with anti-FIX N01280H arm and N128_IgL common light chain in HEK cells, purified by Protein A chromatography and normalised by concentration to 0.15 mg/ml (125 nM final concentration). In vitro FXase assay was performed using 5 µl of purified material. Data shown are at 10 minute time point. Dotted line represents FXase activity of T0201H.

Figure 24 presents summary results of aPTT clotting assays investigating the effect of sequence variation in the anti-FX T0201H VH domain on bispecific antibody activity. Clotting time (seconds) was recorded after spiking FVIII deficient plasma with bispecific antibodies comprising the named anti-FX VH arm, anti-FIX N01280H arm and N128_IgL common light chain. Bispecific antibodies were expressed in HEK cells, purified by Protein A chromatography and analysed at three different concentrations 0.1 mg/ml, 0.3 mg/ml and 0.5 mg/ml. Dotted lines indicate the clotting times of FVIII deficient plasma spiked with a human IgG4 isotype control or normal pooled human plasma spiked with PBS.

Figure 25 identifies CDRs of VH domains which were progressively improved for FVIII mimetic activity during the mutagenesis process. Black shading identifies VH domains better than those in the same sub-table.

Figure 26 shows the thrombin generation curve of normal pooled plasma using factor IXa as a trigger in a thrombin generation assay (TGA). The thrombogram depicts the generation of thrombin over time in sample plasma, plotted as the concentration (nM) of thrombin generated during clotting over time (minutes).

Figure 27 describes the thrombin generation of FVIII deficient plasma spiked with bispecific antibodies at final concentration of 133 nM comprising CDR1, CDR2 and CDR3 single and combinatorial variants of T0201H, compared with AbE, isotype control, normal plasma and emicizumab calibrator. FIXa trigger at 0.3 nM. (A) 80 minute thrombogram. (B) 25 minute thrombogram.

Figure 28 shows thrombin Cmax (nM) and Tmax (min) from TGA carried out on FVIII deficient plasma spiked with bispecific antibodies comprising CDR1, CDR2 and CDR3 single and combinatorial mutants of T0201H, compared

with AbE, isotype control, normal plasma and emicizumab calibrator. Test antibodies were purified by Protein A chromatography only and therefore represent a mixture of heterodimer and homodimer. (A) Antibody concentration 133 nM. (B) Antibody concentration 80 nM.

Figure 29 illustrates Cmax (nM) and Tmax (min) dose responses from TGA carried out on FVIII deficient plasma spiked with (A) bispecific antibody IXAX-1280.0999.0128 and (B) emicizumab calibrator. Isotype control (plus sign) used was a human IgG4 and was spiked into FVIII deficient plasma. Normal pooled plasma (cross sign) was spiked with PBS.

Figure 30 shows dose response curves for Cmax of IXAX-1280.0999.0325 and AbE in TGA. Vertical dotted lines indicate final antibody concentration corresponding to 4.5 µg/ml (30 nM), 10 µg/ml (66.6 nM) and 45 µg/ml (300 nM). Horizontal lines represent Cmax of normal pooled plasma collected from healthy volunteers.

Figure 31 shows thrombograms of (A) IXAX-1280.0999.0325 "BiAb_1" and (B) AbE, in human FVIII-depleted plasma, at antibody concentrations of 0.1 nM, 1 nM, 10 nM, 100 nM and 300 nM. Thrombogram of a normal human plasma sample is shown in shadow.

Figure 32 shows dose response curves for Tmax of IXAX-1280.0999.0325 and AbE in TGA. Vertical dotted lines indicate antibody concentration corresponding to 4.5 µg/ml (30 nM), 10 µg/ml (66.6 nM) and 45 µg/ml (300 nM). Horizontal lines represent Tmax of normal pooled plasma collected from healthy volunteers.

Figure 33 shows thrombin generation abilities in terms of (A) Cmax and (B) Tmax of BiAb_1 (IXAX-1280.0999.0325), BiAb_2 (IXAX-1454.0999.0325), BiAb_3 (IXAX-1441.0999.0325) and BiAb_4 (IXAX-1442.0736.0325) compared with commercially available emicizumab calibrator in a TGA assay in commercially available human FVIII-depleted plasma.

Figure 34 shows thrombin generation abilities in terms of (A) Cmax and (B) Tmax of BiAb_1 (IXAX-1280.0999.0325) compared with commercially available emicizumab calibrator in a TGA assay in human FVIII-depleted plasma.

Figure 35 shows purification yield and % heterodimer for bispecific antibody IXAX-1172.0201.0128 expressed from 8 independent minipools of stably transfected CHO cells.

Figure 36 plots the correlation between bispecific antibody activity by FXase assay (activity at 10 min) and % heterodimer for bispecific antibody IXAX-1172.0201.0128 normalised to 0.3 mg/ml expressed from 8 independent minipools. Pearson's correlation coefficient was calculated as 0.9939.

Figure 37 (A) shows separation of IXAX-1280.0999.0128 by ion exchange chromatography on a 1 ml CaptoSP ImpRes column and a linear NaCl gradient up to 500 nM in 20 nM sodium phosphate, pH 6.0. Absorbance, mAU (milli absorbance unit); conductivity, mS/cm (milli Siemens per centimetre). Peak 1 is NINA-1280.0128 monospecific anti-FIX antibody. Peak 2 is IXAX-1280.0999.0128 bispecific antibody. Peak 3 is TINA-0999.0128 monospecific anti-FX antibody. (B) shows separation of IXAX-0436.0202.0128 by ion exchange chromatography with stepwise elution. Peak 1 is NINA-0436.0128 monospecific anti-FIX antibody. Peak 2 is IXAX-0436.0202.0128 bispecific antibody. Peak 3 is TINA-0202.0128 monospecific anti-FX antibody. (C) shows separation of IXAX-1172.0201.0128 by ion exchange chromatography. Peak 1 is NINA-1172.0128 anti-FIX monospecific antibody. Peak 2 is IXAX-1172.0201.0128 bispecific antibody.

Figure 38 shows cation exchange purification of purified FIX/FX heterodimers for each of bispecific antibodies (A) IXAX-1280.0999.0325 (B) IXAX-1454.0999.0325 (C) IXAX-1441.0999.0325 and (D) IXAX-1442.0736.0325.

Figure 39 shows dose response in the FXase assay with IXAX-1280.0999.0325 and AbE. Dotted lines indicate antibody concentration corresponding to 4.5 µg/ml, 10 µg/ml and 45 µg/ml.

Figure 40 shows dose response in a chromogenic FVIII mimetic activity Hyphen assay with IXAX-1280.0999.0325 and AbE.

Figure 41 shows dose response in the aPTT assay with IXAX-1280.0999.0325 and AbE. Vertical dotted lines represent 66.6 nM (10 µg/ml) and 300 nM (45 µg/ml) final antibody concentration; horizontal lines represent aPTT value of normal pooled plasma collected from healthy volunteers.

Figure 42 presents results of aPTT clotting time assays investigating the effect of bispecific antibodies IXAX-1280.0999.0325 (circle), IXAX-1441.0999.0325 (diamond) and AbE (cross) in inhibitor plasma. Dose responses are shown for these antibodies in a one-stage aPTT clotting assay using plasma obtained from a patient with haemophilia A demonstrating a specific inhibitor level of 70 BU to FVIII. Dotted horizontal line indicates the clotting time of the inhibitor plasma spiked with a human IgG4 isotype control.

Figure 43 shows a thrombin peak height (Cmax) dose response for IgG4 bispecific antibodies IXAX-1280.0999.0325, IXAX-1441.0999.0325 and AbE (all purified on Protein A, followed by cation exchange chromatography) in a thrombin generation assay with plasma obtained from a patient with haemophilia A demonstrating a specific inhibitor level of 70 BU to FVIII. Bispecific antibody concentrations in nM are indicated for each dilution.

Figure 44 shows a dose response for IgG4 bispecific antibodies (A) IXAX-1280.0999.0325, (B) IXAX-1441.0999.0325 and (C) AbE (all purified on Protein A, followed by cation exchange chromatography) in a thrombin generation assay with plasma obtained from a patient with haemophilia A demonstrating a specific inhibitor level of 70 BU to FVIII. Bispecific antibody concentrations analysed are 100, 33.3, 11.1, 3.7 and 1.23 nM. Grey shaded area indicates thrombin generation of normal pooled plasma. TGA trigger is FIXa.

Detailed Description

Blood coagulation

[0064] The blood coagulation cascade is diagrammed in Figure 1. Coagulation or clotting is one of the most important biological processes which stops blood loss from a damaged vessel to allow the vessel to be repaired. The mechanism of coagulation involves activation, adhesion, and aggregation of platelets along with deposition and maturation of fibrin. Misregulation of coagulation can result in excessive bleeding (haemophilia) or obstructive clotting (thrombosis). Coagulation is highly conserved in all mammals. It is controlled by a complex network of coagulation factors. Coagulation is initiated when the endothelium lining the blood vessel is damaged. The exposure of subendothelial tissue factor (TF) to plasma factor VII (FVII) leads to primary haemostasis (extrinsic pathway): a loose plug is formed at the site of injury. Activation of additional coagulation factors, especially factor IX (FIX) and factor VIII (FVIII), leads to secondary haemostasis (intrinsic pathway): fibrin strands are formed to strengthen the plug. Extrinsic and intrinsic pathways ultimately converge to a common point: the formation of the factor Xa/Va complex which together with calcium and bound on a phospholipid surface generate thrombin (factor IIa) from prothrombin (factor II).

[0065] FVIII is cleaved by thrombin or factor Xa (FXa), and the resultant factor VIIIa (FVIIIa) presents a heterotrimeric structure consisting of the A1 subunit, the A2 subunit, and the light chain. Upon activation and in the presence of calcium ions and a phospholipid surface (on platelets), FVIIIa binds via its light chain and A2 subunit to FIXa and simultaneously binds via its A1 subunit to FX, forming an active intrinsic "tenase" or "Xase" complex in which the FVIIIa cofactor brings FIXa and FX into proximity and also allosterically enhances the catalytic rate constant of FIXa. See Figure 2a. Factor X is activated by the serine protease activity of FIXa, and the clotting cascade continues, culminating in the deposition of fibrin, the structural polymer of the blood clot.

[0066] Haemophilia arise through a deficiency in the Xase complex, due either to a lack of FVIII cofactor activity (haemophilia A) or a lack of FIX enzyme activity (haemophilia B).

Factor IX (FIX)

[0067] Factor IX is a serine protease which requires factor VIII as a cofactor. It circulates in blood as an inactive precursor, which is activated through intrinsic or extrinsic pathway at the time of haemostatic challenge, as discussed above.

[0068] Unless the context requires otherwise, factor IX referred to herein is human factor IX, and factor IXa is human factor IXa.

[0069] The amino acid sequence of human factor IX is shown in Figure 3. The factor IX gene is approximately 34 kb in length and contains 8 exons. The transcript comprises a short 5' untranslated region, an open reading frame plus stop codon and a 3' untranslated region. The ORF encodes a 461 amino acid pre-pro-protein in which the pre-sequence (signal peptide) directs factor IX for secretion, the propeptide sequence provides a binding domain for a vitamin K dependent carboxylase, which carboxylates certain glutamic acid residues in the adjacent GLA domain, and the remainder represents the factor IX zymogen, which enters into circulation after removal of the pre- and pro-sequences. The mature 415 residue FIX protein contains, from N to C terminus: a GLA domain in which 12 glutamic acid residues are post-translationally γ -carboxylated, two epidermal growth factor (EGF)-like domains, an activation peptide sequence and a catalytic serine protease domain. FIX is activated by either activated factor XI generated through the intrinsic pathway,

or by the TF/FVIIIa complex of the extrinsic pathway. Either way, activation involves cleavage of the peptide bond following R145 (α -cleavage) and of the peptide bond following R180 (β -cleavage), releasing an activation peptide corresponding to the intervening sequence, and thereby generating the activated FIXa molecule, which has an N terminal light chain (GLA-EGF-EGF) and a C terminal heavy chain (catalytic domain) joined by a disulphide bridge between C132 of the light chain and C289 of the heavy chain. Residue numbering refers to amino acids in the mature FIX polypeptide sequence. On the phospholipid surface where the Xase complex forms, it is the GLA domain of FIXa which associates with the phospholipid, while the catalytic domain stands high (>70 Å) above the phospholipid surface and is modulated by the A2 domain of FVIIIa [7, 8].

[0070] The molecular basis of haemophilia B - deficiency in FIXa activity - is diverse, including a variety of point mutations, nonsense mutations, mRNA splice site mutations, deletions, insertions, or mis-sense mutations at activation cleavage sites [9].

[0071] The catalytic (protease) domain of activated FIX (FIXa) is involved in binding to FVIIIa. Residue E245 in this domain binds calcium ions, and mutations at this position may reduce binding to FVIII and lead to haemophilia B, for example the substitution E245V. Mutations within the FIX helix formed by residues 330-338 are also linked with reduced binding to FVIII and consequently to haemophilia B.

[0072] Non-pathogenic mutations in factor IX have also been reported, including single nucleotide polymorphisms (SNPs) and length polymorphisms - reviewed in [9]. These include the MnlI SNP in exon 6, resulting in T/A substitution at residue 148 (Malmö polymorphism), which is relatively common among white and black American populations [9].

Factor X (FX)

[0073] Unless the context requires otherwise, factor X referred to herein is human factor X, and factor Xa is human factor Xa. The amino acid sequence of human FX is shown in Figure 4.

[0074] FX is also known as Stuart-Prower factor. It is a serine endopeptidase. FX can be activated, by hydrolysis, into factor Xa by either factor IX (together with its cofactor, factor FVIII, as described above) or factor VII (with its cofactor, tissue factor). FX acts by cleaving prothrombin in two places - at an Arg-Thr bond and then at an Arg-Ile bond, to yield the active thrombin.

Antigen-binding

[0075] A desirable feature of the bispecific antigen-binding molecule is that it binds FIXa and FX in a manner that allows the bound FIXa to activate the bound FX.

[0076] To bring FIXa and FX together and thereby promote the activation of FX by FIXa, the bispecific antigen-binding molecule may bind these two cofactors simultaneously. Binding may occur sequentially, e.g., an initial binary complex may form between a first binding arm and its cognate antigen, followed by binding of the second binding arm to its cognate antigen. In principle these two binding events may occur in either sequence, i.e., FIXa followed by FX, or FX followed by FIXa. The molecular choreography is influenced by the relative affinities of the two binding sites for their respective antigens. In a population of bispecific antigen-binding molecules, FIXa and FX, a number of different complexes are expected to exist in parallel. Thus the pool will comprise free antigen-binding molecule, free FIXa, free FX, FIXa complexed with antigen-binding molecule, FX complexed with antigen-binding molecule, and a tertiary complex of FIX, FX and antigen-binding molecule, with each of these species being present in different proportions according to the relative on-rates and off-rates of the individual interactions.

[0077] It may be preferable for a bispecific antigen-binding molecule to have a higher affinity for FIXa than for FX. Such a bispecific molecule would be envisaged to form an initial complex with FIXa, which in turn would bind and activate FX. The relatively low affinity for FX reduces the proportion of FX that is bound in incomplete antibody-antigen complexes (i.e., without FIXa). A potential advantage of this is that it allows a greater proportion of FX to remain free to engage with any FVIII that may be present in a patient's blood. Haemophilia A encompasses a range of deficiencies in FVIII, ranging from mild deficiency to total absence of functional FVIII. For those patients who retain some functional FVIII, it may be desirable to retain this natural activity as far as possible. Thus, it may be desirable to provide a bispecific antigen-binding molecule in which the FX binding arm does not compete with FVIII for binding to FX.

[0078] Preferably the FX binding arm has a higher affinity for FX than for FXa. A low affinity for FXa promotes release of the activated product, completing the role of the FVIII-mimetic molecule in the coagulation cascade and freeing the FX binding site for re-use. In various embodiments, a bispecific described herein (e.g., antibody IXAX-1280.0999.0325 or antibody IXAX-1441.0999.0325), the FX binding arm of such a bispecific (e.g., binding arm comprising T0999H VH domain), or an anti-FX monospecific antibody comprising a homodimer of two such arms, has at least 2-fold higher, at least 3-fold higher, at least 4-fold higher, at least 5-fold higher, at least 10-fold higher, at least 100-fold higher affinity for FX than for FXa, e.g., at least 1000-fold higher affinity for FX than for FXa, and optionally does not show significant binding to FXa, e.g., as measured by ELISA. For example, in various embodiments the bispecific, FX binding arm or

anti-FX monospecific antibody (e.g., TINA-0999.0325) does not bind human FXa as determined by ELISA and with reference to a negative control IgG. As an alternative to ELISA, affinity may be measured by SPR and the affinity for FX compared with affinity for FXa.

5 - FIXa binding

[0079] The FIXa binding arm of a bispecific antigen-binding molecule may bind the light chain and/or the heavy chain of FIXa. Initial studies indicated that FIXa binding arms of the N128 lineage described in the Examples do not bind the FIXa light chain in isolation (in the absence of the heavy chain).

10 **[0080]** A bispecific antigen-binding molecule of the present invention (or FIXa binding polypeptide arm thereof) may thus be one which binds a FIXa molecule comprising a heavy chain and a light chain, and which does not bind the FIX light chain in the absence of the heavy chain. Optionally, the FIXa binding arm recognises an epitope formed by, or stabilised by, the combination of the FIXa heavy and light chains. It may for example make contact only with the light chain in the FIXa molecule, binding an epitope that is exposed or stabilised only when the light chain is present in
15 combination with the heavy chain in the FIXa molecule. Alternatively, it may contact an epitope comprising one or more residues from both the light chain and the heavy chain, or comprising residues of the heavy chain alone.

[0081] An antigen-binding molecule according to the present invention, or a FIXa-binding polypeptide arm thereof, may bind the EC domain of human FIXa with an affinity (measured as K_D) of 10 nM or less, preferably 5 nM or less, more preferably 1 nM or less. For example, K_D may be between 1 nM and 3 μ M.

20 **[0082]** The K_D for binding human FIXa may be between 0.1 μ M and 1 μ M, e.g., between 0.15 and 0.3 μ M. The K_D may be 0.6 μ M or less, 0.5 μ M or less, 0.4 μ M or less, 0.3 μ M or less, 0.25 μ M or less, or 2 μ M or less. The K_D may be at least 0.1 μ M, for example at least 0.2 μ M. It may be 0.1 μ M - 0.5 μ M.

[0083] The K_D may be between 10 and 100 nM, e.g., between 25 and 75 nM.

25 **[0084]** The K_D may be 50 nM or less, 10 nM or less, 5 nM or less, 2 nM or less, or 1 nM or less. The K_D may be 0.9 nM or less, 0.8 nM or less, 0.7 nM or less, 0.6 nM or less, 0.5 nM or less, 0.4 nM or less, 0.3 nM or less, 0.2 nM or less, or 0.1 nM or less. The K_D may be at least 0.001 nM, for example at least 0.01 nM or at least 0.1 nM. The K_D may be between 0.1 — 10 nM.

30 **[0085]** An antigen-binding molecule according to the present invention, or a FIXa-binding polypeptide arm thereof, may bind human FIX with an affinity (measured as K_D) between 0.1 μ M and 1 μ M, e.g., between 0.15 and 0.3 μ M. The K_D may be 0.6 μ M or less, 0.5 μ M or less, 0.4 μ M or less, 0.3 μ M or less, 0.25 μ M or less, or 2 μ M or less. The K_D may be at least 0.1 μ M, for example at least 0.2 μ M.

[0086] The K_D of interaction with FIX may be comparable to the K_D of interaction with FIXa, e.g., there may be difference of less than 25 %, optionally less than 10 %, in the FIXa-binding arm's affinity for FIX compared with the affinity for FIXa. There may be no statistically significant difference in K_D of interaction with FIX compared with FIXa.

35 **[0087]** As described elsewhere herein, affinity may be determined using surface plasmon resonance (SPR), e.g., with the binding arm coupled to a solid surface, optionally as a dimer (e.g., as monospecific IgG), with the antigen in solution as analyte, at 25 °C.

40 - FX binding

[0088] An antigen-binding molecule according to the present invention, or a FX-binding polypeptide arm thereof, may bind the EC domain of human FX with a K_D of 10 nM or less, preferably 5 nM or less, more preferably 1 nM or less. For example, K_D may be between 5 μ M and 1 nM, e.g., between 5 μ M and 10 nM.

45 **[0089]** The K_D may be between 0.1 μ M and 2 μ M, e.g., between 0.1 μ M and 1 μ M, e.g., between 0.15 and 0.3 μ M. The K_D may be 0.6 μ M or less, 0.5 μ M or less, 0.4 μ M or less, 0.3 μ M or less, or 0.25 μ M or less. The K_D may be at least 0.1 μ M.

[0090] The K_D may be 50 nM or less, 10 nM or less, 5 nM or less, 2 nM or less, or 1 nM or less. The K_D may be 0.9 nM or less, 0.8 nM or less, 0.7 nM or less, 0.6 nM or less, 0.5 nM or less, 0.4 nM or less, 0.3 nM or less, 0.2 nM or less, or 0.1 nM or less. The K_D may be at least 0.001 nM, for example at least 0.01 nM or at least 0.1 nM. For example, the K_D may be between 1 - 100 nM. K_D may be between 1 - 10 nM.

50 **[0091]** As described elsewhere herein, affinity may be determined using surface plasmon resonance (SPR), e.g., with the binding arm coupled to a solid surface, optionally as a dimer (e.g., as monospecific IgG), with the antigen in solution as analyte, at 25 °C.

55 - Measurement of antigen-binding affinity

[0092] The affinity of an antigen-binding molecule for binding FIX, FIXa, FX and FXa may be quantified in terms of the equilibrium dissociation constant K_D , the ratio K_a/K_d of the association or on-rate (K_a) and the dissociation or off-rate (k_d) of the binding interaction. K_D , K_a and K_d for antigen binding can be measured using surface plasmon resonance

(SPR). Example SPR procedure and conditions are set out in Example 10.

[0093] Quantification of affinity may be performed using SPR with the antigen-binding polypeptide arm in monovalent form, e.g., antibody Fab or Fv comprising the antigen binding site, or heterodimeric immunoglobulin (e.g., IgG) having a single antigen-binding arm for the antigen in question. Alternatively, it may be convenient to determine affinity for the antigen-binding polypeptide arm in bivalent form, for example IgG comprising homodimeric antigen-binding arms. SPR may comprise coating dimers of the antigen-binding polypeptide arm on to a biosensor chip (directly or indirectly), exposing the antigen-binding polypeptide arms to antigen in buffered solution at a range of concentrations, detecting binding, and calculating the equilibrium dissociation constant K_D for the binding interaction. SPR may be performed at 25°C. A suitable buffered solution is 150 mM NaCl, 0.05 % detergent (e.g., P20) and 3 mM EDTA, pH 7.6. HBS-P 1X (10 mM HEPES pH 7.4, 150 mM NaCl, 3 mM EDTA, 0.05 % polysorbate 20 pH 7.6) with 2.5 mM CaCl_2 is an example buffer. The binding data can be fitted to a 1:1 model using standard algorithms, which may be inherent to the instrument used. A variety of SPR instruments are known, such as Biacore™, ProteOn XPR36™ (Bio-Rad®), and KinExA® (Sapidyne Instruments, Inc).

15 - Cross-reactivity

[0094] Regulatory bodies may require candidate therapeutic molecules to have demonstrated therapeutic efficacy in laboratory animals before they advance to human clinical trials. An example of an acquired haemophilia A animal model is a cynomolgus monkey that is rendered deficient in blood clotting through administration of a FVIII-neutralising antibody or a small molecule inhibitor against FVIII, thereby replicating the phenotype of a human haemophilia A patient. To enable testing of bispecific antigen-binding molecules in animal models, it is desirable for the binding site of each arm to be cross-reactive with the corresponding antigen from one or more non-human mammals. Thus, the FIXa binding site of the antigen-binding molecule may bind murine (e.g., mouse or rat), rabbit or non-human primate (e.g., cynomolgus monkey) FIXa as well as human FIXa, and the FX binding site may bind murine (e.g., mouse or rat), rabbit or non-human primate (e.g., cynomolgus monkey) FXa as well as human FXa.

[0095] One way to quantify the extent of species cross-reactivity of an antigen-binding molecule (or, more precisely, of its antigen binding site) is as the fold-difference in its affinity for antigen or one species compared with antigen of another species, e.g., fold difference in affinity for human antigen vs cynomolgus antigen. Affinity may be quantified as K_D , referring to the equilibrium dissociation constant of the binding of the antigen to the antigen-binding molecule. K_D may be determined by SPR as described elsewhere herein.

[0096] A species cross-reactive binding molecule may have a fold-difference in affinity for binding human and non-human antigen that is 30-fold or less, 25-fold or less, 20-fold or less, 15-fold or less, 10-fold or less or 5-fold or less. To put it another way, the K_D of binding the extracellular domain of the human antigen may be within 30-fold, 25-fold, 20-fold, 15-fold, 10-fold or 5-fold of the K_D of binding the extracellular domain of the non-human antigen.

[0097] Preferably, the binding affinities of human and non-human antigen are within a range of 10-fold or less, more preferably within 5-fold or within 2-fold. K_D for binding non-human FIXa, e.g., as determined by surface plasmon resonance, may be up to 10-fold (preferably up to 5-fold or up to 2-fold) greater or up to 10-fold lower (preferably up to 5-fold or up to 2-fold lower) than the K_D for binding human FIXa. Similarly, K_D for binding non-human FX, e.g., as determined by SPR, may be up to 10-fold (preferably up to 5-fold or up to 2-fold) greater or up to 10-fold (preferably up to 5-fold or up to 2-fold) lower than the K_D for binding human FX. Methods of determining affinity are described elsewhere herein.

[0098] Binding molecules can also be considered species cross-reactive if the K_D for binding antigen of both species meets a threshold value, e.g., if the K_D of binding human antigen and the K_D of binding non-human antigen are both 10 nM or less, preferably 5 nM or less, more preferably 1 nM or less. The K_D may be 10 nM or less, 5 nM or less, 2 nM or less, or 1 nM or less. The K_D may be 0.9 nM or less, 0.8 nM or less, 0.7 nM or less, 0.6 nM or less, 0.5 nM or less, 0.4 nM or less, 0.3 nM or less, 0.2 nM or less, or 0.1 nM or less.

[0099] While species cross-reactivity for binding antigen of different species may be advantageous, selectivity of the FIXa binding arm and the FX binding arm for their respective antigens is nevertheless desirable to avoid unwanted side effects. Thus, within the body, FIX/FIXa and FX/FXa are preferably the only antigens bound by the antigen-binding molecule.

Enhancement of FIXa-mediated activation of FX

[0100] The ability of a bispecific antigen-binding molecule to enhance the FIXa-mediated activation of FX to FXa may be determined in assays *in vitro* or *in vivo*.

[0101] A suitable *in vitro* assay is the FX activation assay exemplified in Example 3 and Example 7 and illustrated in Figure 7. The assay comprises

- (i) contacting the bispecific antigen-binding molecule with FIXa and FX under conditions suitable for formation of

FXa (e.g., in the presence of phospholipid, in buffered solution at 37°C)

(ii) adding substrate that is cleavable by FXa to generate a detectable product, and

(iii) detecting, and optionally quantifying, the presence of the detectable product.

[0102] A detailed protocol is set out in Example 7.

[0103] The level of product may be compared with a control assay in which FIXa-FX bispecific antigen-binding molecule is absent from the reaction mixture. Significant difference in product level in the assay with the bispecific compared with control indicates that the bispecific is able to enhance FIXa-mediated activation of FX. FVIII may be included as a positive control.

[0104] The level of product may be compared with an assay in which the FIXa-FX bispecific antigen-binding molecule is emicizumab. A bispecific according to the present invention may enhance the FIXa-mediated activation of FX to FXa to the same or similar extent (e.g., within 10 % difference or within 5 % difference) as emicizumab, or to a greater extent (e.g., more than 10 % more activation of FX to FXa than is achieved with emicizumab as measured by the level of detectable product). Preferably the bispecific antibody enhances the FIXa-mediated activation of FX to FXa to at least the same extent as emicizumab. The assay is typically performed at physiological temperature of 37 degrees C. Suitable concentrations of bispecific for use in the assay are indicated in the Examples herein, e.g., 12.5 µg/ml (10.4 nM) or 125 nM.

[0105] Another suitable assay is to measure the activated partial thromboplastin time (aPTT) in FVIII-deficient plasma, which may be performed in the presence or the absence of inhibitors and can be used to compare the activity of bispecific molecules with recombinant human FVIII. This assay is exemplified in Example 8. aPTT is an end point assay which provides a global overview of blood clot formation and provides coagulation time as the assay read-out. FVIII-deficient plasma would typically have a coagulation time of around 80 - 90 seconds in the aPTT assay. Bispecific antigen binding molecules of the present invention are effective to reduce the coagulation time in an aPTT assay (compared with a negative control). The coagulation time of human FVIII-deficient in an aPTT assay with a bispecific antigen binding molecule according to the present invention may for example be the same as or less than that of the coagulation time with recombinant human FVIIIa. Physiological clotting time for normal (FVIII+) human plasma is typically < 40 seconds, e.g., in the range of 37 - 34 s. Similar values are achievable with FVIII-deficient plasma upon provision of activated FVIIIa, which provides a convenient way of standardising the assay through calibration of the apparatus/measurement against reference values. Alternatively, coagulation time of normal (FVIII+) human plasma may be used for reference, the aPTT assay being begun by induction of coagulation through the addition of calcium. The assay is typically performed at physiological temperature of 37 degrees C. Suitable concentrations of bispecific for use in the assay are indicated in the Examples herein, and include 0.1 mg/ml (44 nM), 0.3 mg/ml (133 nM) and 0.5 mg/ml (222 nM).

[0106] A bispecific antigen-binding molecule of the present invention may give a coagulation time in the aPTT assay of within 10 seconds of that of FVIIIa (i.e., up to 10 seconds more than or up to 10 seconds less than the coagulation time of the aPTT assay with FVIIIa). Preferably, the coagulation time in the aPTT assay with a bispecific antigen binding molecule of the invention is less than that with FVIIIa. The bispecific antigen-binding molecule may reduce the coagulation time to less than 40 seconds, less than 35 seconds, or less than 30 seconds. The coagulation time may be between 20 and 40 seconds, e.g., between 20 and 30 seconds. Preferably the coagulation time is 22 - 28 seconds, e.g., 24 - 26 seconds.

[0107] Another measure of function is the rate at which thrombin is generated in FVIII-deficient blood plasma in the presence of the bispecific antigen-binding molecule. Activity of a bispecific antibody may be measured in a thrombin generation assay (TGA) [10]. A number of thrombin generation assays have been described, as recently reviewed [11]. Essentially, a TGA comprises measuring the conversion (activation) of prothrombin to thrombin over time following addition of a test molecule (here, the candidate bispecific antibody), where thrombin is detected via its cleavage of a substrate to form a detectable product.

[0108] With reference to Figure 1, it will be remembered that the extrinsic tissue factor (TF) pathway exists to initiate the coagulation cascade. Cells expressing TF normally reside outside of the vasculature, and upon tissue damage such TF-bearing cells come into contact with circulating platelets. TF acts as a co-factor to facilitate the activation of small amounts of factors IX and X by factor VIIa. Activated factor Xa and factor V form a prothrombinase complex on TF-bearing cells, generating a limited amount of thrombin. The newly generated thrombin activates platelets which have accumulated at the site of injury and factor XI which is present on the platelets. Platelet bound FXIa is required to ensure further activation of FIXa. Given the TGA is an ex vivo assay, TF-bearing cells are absent and a coagulation trigger must be supplied to initiate the cascade. Commercial assays typically use a recombinant TF/phospholipid mixture to initiate coagulation [11]. The TGA method exemplified herein (see Example 13) uses a factor IXa/phospholipid mixture as the trigger, although other upstream activators such as FXIa could be used.

[0109] To perform the TGA, FVIII-deficient plasma is contacted with (i) the trigger reagent, (ii) a substrate convertible by thrombin to a detectable product, e.g., a fluorogenic or chromogenic substrate which produces a visually detectable product on cleavage by thrombin, and (iii) the test molecule (e.g., bispecific antibody), to create conditions under which the presence of FVIII-mimetic activity would result in thrombin generation and hence a signal from the detectable product.

Typically, the plasma will lack free metal ions such as calcium, which are required in the blood clotting cascade (Figure 1). Ca^{2+} ions may be supplied (e.g., as CaCl_2 in solution) to initiate the assay, e.g., it may be contained within the substrate solution. Following initiation, generation of the detectable product (representing generation of thrombin) is monitored (preferably continuously, or at frequent intervals, e.g., about every 20 seconds) over time, e.g., by detecting fluorescence or colour. A plate reader may be used, e.g., to monitor conversion of a fluorogenic substrate into a fluorophore. TGA is performed at physiological temperature of 37 degrees C.

[0110] Fluorescence may be converted to thrombin concentration by calibrating against known concentrations of thrombin added to control plasma. A thrombogram may then be generated (Figure 26, Figure 27).

[0111] Preferably, bispecific antibodies (or other test molecules) are suitably purified for use in the TGA (e.g., by protein A chromatography and ion exchange chromatography or hydrophobic interaction chromatography), e.g., to provide the bispecific in a composition of at least 95 % bispecific heterodimer (i.e., no more than 5 % homodimeric or other antibody contaminants should be present). Preferably the test molecule is provided as close to 100 % purity as possible. It may be about 98, 99 % or 100 % pure bispecific.

[0112] Approximate reference ranges for plasma from healthy individuals in a fluorogenic TGA are Cmax 200 to 450 nM and Tmax 5 to 8 minutes [11]. Activity in a TGA can also be compared against published representative thrombin generation curves for plasma from healthy individuals, patients with severe FVIII deficiency and patients with severe FVIII deficiency after FVIII infusion [12]. For standardisation, performance in the TGA may also be compared against a calibrator which represents a positive control molecule at known concentration. A dilution series of the test bispecific may be compared against the calibrator at a series of known fixed concentrations. A suitable calibrator is an emicizumab calibrator. Emicizumab calibrator is available commercially, prepared from FVIII immunodepleted citrated human plasma spiked with 100 $\mu\text{g/mL}$ emicizumab (Hemlibra®) and further comprising buffer and stabilisers. It is supplied in lyophilised form and is reconstituted in water before use in the TGA. The exact concentration of emicizumab in the calibrator phial is known, so the activity of a test bispecific molecule in the assay can be compared against the activity of the calibrator after normalising for concentration. As an alternative control for comparison of a bispecific antibody against emicizumab, performance of the test bispecific antibody in the TGA may be compared against performance of a control bispecific antibody having the amino acid sequence of emicizumab, wherein the test bispecific antibody and the bispecific antibody having the amino acid sequence of emicizumab are tested under identical conditions in the TGA.

[0113] The TGA may be used to characterise six aspects of thrombin generation: lag time (lag), time to peak (Tmax), maximal peak height (Cmax), endogenous thrombin potential (ETP), velocity index (VI) and the "tail start" or return to baseline. The lag time represents the initiation phase before the thrombin peak begins to be generated, where addition of a trigger results in the activation of the coagulation cascade. Once initiated, large amounts of thrombin are quickly generated during the propagation phase. The time to peak represents the time taken (Tmax) to reach maximal thrombin peak height (Cmax), the ETP represents the total amount of thrombin generated and the velocity index characterises the slope between the lag time and the time to peak. The return to baseline (tail start) reflects the inhibition (by activated protein C) of thrombin formation and the inactivation (by antithrombin) of thrombin already formed. The Cmax and/or Tmax is typically the key measure used to represent activity in the TGA. Reference values in the TGA (e.g., Cmax, Tmax, lagtime etc.) may be determined for the bispecific at a fixed concentration, e.g., 1 nM, 3 nM, 10 nM, 30 nM, 100 nM or 300 nM. Parameters may be measured a series of concentrations, e.g., at 1 nM, 3 nM, 10 nM, 30 nM, 100 nM and 300 nM and/or other concentrations to obtain a complete dose response curve, allowing EC50 values to then be determined. The dose response curve can be fitted using a non-linear log(antibody) vs response variable slope model (e.g., variable slope 4 parameter logistic regression model, which may be performed using GraphPad Prism v8.0.0). EC50 is the concentration of test molecule (e.g., antibody) at which half-maximal effect is reached (half way between baseline and maximal value of the measured parameter). EC50 can be determined from the dose response curve. Worked examples with EC50 data are presented in Example 14 herein.

[0114] In one embodiment, the TGA comprises:

(a) contacting FVIII-deficient plasma lacking free calcium ions with

- (i) a trigger reagent comprising a factor IXa/phospholipid mixture,
- (ii) a solution comprising a fluorogenic substrate (e.g., 2 nM ZGGR-AMC fluorogenic substrate) which produces a visually detectable fluorophore on cleavage by thrombin, and calcium ions (e.g., 100 mM CaCl_2), (for example, the FluCa reagent from Stago), and
- (iii) the bispecific antibody (e.g., at a purity of 95 % - 100 %, e.g., 99 % - 100 %),

(b) incubating the plasma at 37 degrees C under conditions in which the presence of FVIII-mimetic activity would result in thrombin generation and hence a signal from the fluorophore,

(c) detecting fluorescence over time to monitor conversion of the fluorogenic substrate to fluorophore,

(d) calibrating detected fluorescence against fluorescence from solutions of thrombin at predetermined concentra-

tions, and

(e) determining one or more parameters of a thrombogram, wherein said parameters are:

maximal thrombin peak height (Cmax) that is reached,
time taken (Tmax) to reach maximal thrombin peak height, and/or
length of the initiation phase before the thrombin peak begins to be generated (lag time).

[0115] Said one or more parameters are determined at a series of concentrations of the bispecific antibody to obtain a complete dose response curve including baseline and top plateau (maximal value) of response. A dose response curves may be fitted to the data points using a non-linear log[antibody] vs response parameter variable slope model (4 parameter logistic regression model). EC50 is determined from said dose response curve. Said one or more parameters, or EC50 for said one or more parameters, may be compared between the test bispecific antibody and emicizumab (e.g., emicizumab calibrator, as available from Enzyme Research Laboratories).

[0116] A bispecific antibody according to the present invention preferably exhibits a potency that is similar to or greater than that of emicizumab in a fluorimetric TGA. Higher potency may be represented by lower EC50 for one or more parameters in said assay, e.g., Cmax, Tmax or lagtime. As demonstrated in the Examples herein, embodiments of the present invention consistently demonstrated greater potency than emicizumab at lower concentrations. See, for example, the results presented in Figure 29, Figure 30, Figure 31, Figure 33 and Figure 34.

[0117] The maximal response (e.g., highest Cmax, lowest Tmax, shortest lagtime, etc) in the fluorimetric TGA is also noteworthy. Maximal response is the level at which the measured parameter (e.g., Cmax) plateaus with increasing antibody concentration, and represents the maximum achievable level (e.g., the maximal Cmax). An excessive maximal response may be associated with increased risks of overdosing the bispecific molecule, including risk of consumption coagulopathy or disseminated intravascular coagulation (DIC) which is characterised by abnormally increased activation of procoagulant pathways. Hypercoagulability may compromise patient safety through coagulopathy events such as arterial/venous thrombosis, embolism and thrombotic microangiopathy, and would thus narrow the therapeutic window, i.e., the range of dose or plasma concentration at which a beneficial effect is achieved without unacceptable side effects or risk of adverse events.

[0118] Since emicizumab has received regulatory approval based on a safety profile deemed acceptable in human clinical trials, the maximal response of emicizumab in the TGA represent established safe limits. Optionally, bispecifics of the present invention have a maximal Cmax and/or maximal Tmax response in the TGA which is not more than 20 % (e.g., not more than 15 % or not more than 10 %) different from that of emicizumab. These reference values may be determined using an emicizumab calibrator or a sequence identical analogue of emicizumab.

[0119] Bispecifics of the present invention may demonstrate maximal responses in the TGA as follows:

- Cmax in the TGA not exceeding 500 nM. Optionally the maximal response for Cmax does not exceed 450 nM, e.g., does not exceed 400 nM. Maximal response for Cmax may be between 200 and 450 nM, e.g., between 250 and 350 nM; and/or
- Tmax in the TGA not lower than a maximal response of 1 minute. Optionally the maximal response for Tmax is not less than 5 minutes, not less than 4 minutes, not less than 3 minutes or not less than 2 minutes. Maximal response for Tmax may be between 2 and 10 minutes, e.g., between 2 and 8 minutes or between 5 and 8 minutes.

[0120] A bispecific antigen-binding molecule according to the present invention may have a Cmax in the range of 100 to 450 nM (e.g., 200 to 450 nM) as determined by fluorimetric TGA, e.g., wherein the bispecific antibody is at a concentration of 100 nM or 300 nM in said assay. The Cmax is preferably at least 200 nM, more preferably at least 250 nM or at least 300 nM. The Cmax of the bispecific may be the same or similar to (e.g., within 10 % difference from) the Cmax of emicizumab, or it may be greater than that of emicizumab. The bispecific may have a Cmax EC50 in said assay that is within 10 % of the Cmax EC50 of emicizumab, or that is lower. Where the EC50 is lower than that of emicizumab, there may be at least a 2-fold, at least a 3-fold, at least a 4-fold or at least a 5-fold difference in Cmax EC50 in the TGA between the bispecific of the present invention and emicizumab. Optionally the Cmax EC50 in the TGA may be up to 10-fold, up to 15-fold or up to 20-fold different. EC50 of the Cmax for the bispecific antigen-binding molecule in the fluorimetric TGA may be less than 50 nM, e.g., between 1 nM and 50 nM, between 5 nM and 20 nM, or between 5 nM and 10 nM.

[0121] A bispecific antigen-binding molecule according to the present invention may have a Tmax of 8 minutes or under, e.g., in the range of 4 to 8 minutes, as determined by fluorimetric TGA, e.g., wherein the bispecific antibody is at a concentration of 100 nM or 300 nM in said assay. The Tmax of the bispecific may be the same or similar to (e.g., within 10 % difference from) the Tmax of emicizumab, or it may be less than that of emicizumab. The bispecific may have a Tmax EC50 in said assay that is within 10 % of the Tmax EC50 of emicizumab, or that is lower.

[0122] EC50 of the Tmax for the bispecific antigen-binding molecule in the fluorimetric TGA may be less than 5 nM,

e.g., less than 3 nM or less than 2 nM. It may be between 1 nM and 5 nM, e.g., between 1 nM and 2 nM.

[0123] A bispecific antigen-binding molecule according to the present invention may have a lag time of 2 - 6 minutes as determined by fluorometric TGA, e.g., wherein the bispecific antibody is at a concentration of 100 nM or 300 nM in said assay. The lagtime of the bispecific may be the same or similar to (e.g., within 10 % difference from) the lagtime of emicizumab, or it may be lower than that of emicizumab. The bispecific may have a lagtime EC50 in said assay that is within 10 % of the lagtime EC50 of emicizumab, or that is lower.

Bispecific antigen-binding molecules

[0124] The bispecific antigen-binding molecule comprises a FIXa binding polypeptide arm and a FX binding polypeptide arm. It may be a multi-chain or single-chain polypeptide molecule. While the FIXa binding polypeptide arm and the FX binding polypeptide arm represent different moieties of the bispecific molecule, one polypeptide can optionally form all or part of both the FIXa binding arm and the FX binding arm.

[0125] A polypeptide binding arm is the region of the bispecific molecule that comprises the binding site for one of the antigens (FIXa or FX). One or both antigen-binding sites of a bispecific molecule can be provided by a set of complementarity determining regions (or peptide loops) in a polypeptide arm, wherein the polypeptide arm is any suitable scaffold polypeptide whether that of an antibody (e.g., an antibody Fv region) or a non-antibody molecule. A binding arm may comprise one or more than one (e.g., two) polypeptides or parts (e.g., domains) thereof.

[0126] The invention is described in detail herein with reference to bispecific antibodies, wherein at least one of the antigen binding polypeptide arms is provided by a set of CDRs in an antibody VH and/or VL domain, optionally an Fv region.

[0127] Antibodies are immunoglobulins or molecules comprising immunoglobulin domains. Antibodies may be IgG, IgM, IgA, IgD or IgE molecules or molecules including antigen-specific antibody fragments thereof. The term "antibody" covers any polypeptide or protein comprising an antibody antigen-binding site. An antibody antigen-binding site (paratope) is the part of an antibody that binds to and is complementary to the epitope of its target antigen. The term "epitope" refers to a region of an antigen that is bound by an antibody. Epitopes may be defined as structural or functional. Functional epitopes are generally a subset of the structural epitopes and have those residues that directly contribute to the affinity of the interaction. Epitopes may also be conformational, that is, composed of non-linear amino acids. In certain embodiments, epitopes may include determinants that are chemically active surface groupings of molecules such as amino acids, sugar side chains, phosphoryl groups, or sulphonyl groups, and, in certain embodiments, may have specific three-dimensional structural characteristics, and/or specific charge characteristics.

[0128] An antibody antigen-binding site is provided by a set of complementarity determining regions (CDRs) in an antibody VH and/or VL domain, and is capable of binding the antigen. In an example, the antibody binding site is provided by a single variable domain, e.g., a heavy chain variable domain (VH domain) or a light chain variable domain (VL domain). In another example, the binding site is provided by a VH/VL pair (an Fv) or two or more such pairs.

[0129] The antibody variable domains are the portions of the light and heavy chains of antibodies that include amino acid sequences of complementarity determining regions (CDRs; ie., CDR1, CDR2, and CDR3), and framework regions (FRs). Thus, within each of the VH and VL domains are CDRs and FRs. A VH domain comprises a set of HCDRs, and a VL domain comprises a set of LCDRs. VH refers to the variable domain of the heavy chain. VL refers to the variable domain of the light chain. Each VH and VL is typically composed of three CDRs and four FRs, arranged from amino-terminus to carboxy-terminus in the following order: FR1, CDR1, FR2, CDR2, FR3, CDR3, FR4. Amino acid positions assigned to CDRs and FRs may be defined according to IMGT nomenclature. An antibody may comprise an antibody VH domain comprising a VH CDR1, CDR2 and CDR3 and a framework. It may alternatively or also comprise an antibody VL domain comprising a VL CDR1, CDR2 and CDR3 and a framework. Example sequences of antibody VH and VL domains and CDRs form part of the present disclosure. The CDRs are defined according to the IMGT system [13]. All VH and VL sequences, CDR sequences, sets of CDRs and sets of HCDRs and sets of LCDRs disclosed herein represent aspects and embodiments of the invention. As described herein, a "set of CDRs" comprises CDR1, CDR2 and CDR3. Thus, a set of HCDRs refers to HCDR1, HCDR2 and HCDR3, and a set of LCDRs refers to LCDR1, LCDR2 and LCDR3. Unless otherwise stated, a "set of CDRs" includes HCDRs and LCDRs.

[0130] An antibody may comprise one or more CDRs, e.g. a set of CDRs, within an antibody framework. The framework regions may be of human germline gene segment sequences. Thus, the antibody may be a human antibody having a VH domain comprising a set of HCDRs in a human germline framework. Normally the antibody also has a VL domain comprising a set of LCDRs, e.g. in a human germline framework. An antibody "gene segment", e.g., a VH gene segment, D gene segment, or JH gene segment refers to oligonucleotide having a nucleic acid sequence from which that portion of an antibody is derived, e.g., a VH gene segment is an oligonucleotide comprising a nucleic acid sequence that corresponds to a polypeptide VH domain from FR1 to part of CDR3. Human v, d and j gene segments recombine to generate the VH domain, and human v and j segments recombine to generate the VL domain. The D domain or region refers to the diversity domain or region of an antibody chain. J domain or region refers to the joining domain or region of an antibody chain. Somatic hypermutation may result in an antibody VH or VL domain having framework regions that

do not exactly match or align with the corresponding gene segments, but sequence alignment can be used to identify the closest gene segments and thus identify from which particular combination of gene segments a particular VH or VL domain is derived. When aligning antibody sequences with gene segments, the antibody amino acid sequence may be aligned with the amino acid sequence encoded by the gene segment, or the antibody nucleotide sequence may be aligned directly with the nucleotide sequence of the gene segment. Germline gene segments corresponding to framework regions of example antibodies described herein are indicated in Table S-12.

[0131] An antibody may be a whole immunoglobulin, including constant regions, or may be an antibody fragment. An antibody fragment is a portion of an intact antibody, for example comprising the antigen binding and/or variable region of the intact antibody. The antibody fragment may include one or more constant region domains.

[0132] An antibody of the invention may be a human antibody or a chimaeric antibody comprising human variable regions and non-human (e.g., mouse) constant regions. The antibody of the invention for example has human variable regions, and optionally also has human constant regions.

[0133] Thus, antibodies optionally include constant regions or parts thereof, e.g., human antibody constant regions or parts thereof, such as a human IgG4 constant region. For example, a VL domain may be attached at its C-terminal end to antibody light chain kappa or lambda constant domains. Similarly, an antibody VH domain may be attached at its C-terminal end to all or part (e.g. a CH1 domain or Fc region) of an immunoglobulin heavy chain constant region derived from any antibody isotype, e.g. IgG, IgA, IgE and IgM and any of the isotype subclasses, such as IgG1 or IgG4.

[0134] Digestion of whole (bivalent) immunoglobulins with the enzyme papain results in two identical (monovalent) antigen-binding fragments known as "Fab" fragments, and an "Fc" fragment. The Fc has no antigen-binding activity but has the ability to crystallize. "Fab" when used herein refers to a fragment of an antibody that includes one constant and one variable domain of each of the heavy and light chains. The term "Fc region" herein is used to define a C-terminal region of an immunoglobulin heavy chain, including native-sequence Fc regions and variant Fc regions. The "Fc fragment" refers to the carboxy-terminal portions of both H chains held together by disulphides.

[0135] Digestion of antibodies with the enzyme pepsin results in a bivalent F(ab')₂ fragment in which the two arms of the antibody molecule remain linked. The F(ab')₂ fragment is a bivalent fragment including two Fab fragments linked by a disulphide bridge at the hinge region. Single-chain antibodies (e.g., scFv) are another fragment. Two different monovalent monospecific antibody fragments such as scFv may be linked together to form a bivalent bispecific antibody.

[0136] "Fv" when used herein refers to the minimum fragment of an antibody that retains both antigen-recognition and antigen-binding sites. This region consists of a dimer of one heavy and one light chain variable domain in tight, non-covalent or covalent association. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the VH-VL dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognise and bind antigen, although usually at a lower affinity than the entire binding site.

[0137] Preferably, the bispecific antibody is a dual binding antibody, i.e., a bispecific antibody in which both antigen binding domains are formed by a VH/VL pair. Dual binding antibodies include FIT-Ig (see WO2015/103072, incorporated herein by reference), mAb-dAb, dock and lock, Fab-arm exchange, SEEDbody, Triomab, LUZ-Y, Fcab, κλ-body, orthogonal Fab, scDiabody-Fc, diabody-Fc, tandem scFv-Fc, Fab-scFv-Fc, Fab-scFv, intrabody, BiTE, diabody, DART, TandAb, scDiabody, scDiabody-CH3, Diabody-CH3, Triple body, Miniantibody, minibody, scFv-CH3 KIH, scFv-CH-CL-scFv, F(ab')₂-scFv, scFv-KIH, Fab-scFv-Fc, tetravalent HCab, ImmTAC, knobs-in-holes, knobs-in-holes with common light chain, knobs-in-holes with common light chain and charge pairs, charge pairs, charge pairs with common light chain, DT-IgG, DutaMab, IgG(H)-scFv, scFv(H)-IgG, IgG(L)-scFv, scFv(L)-IgG, IgG(L,H)-Fv, IgG(H)-V, V(H)-IgG, IgG(L)-V, V(L)-IgG, KIH IgG-scFab, 2scFv-IgG, IgG-2scFv and scFv4-Ig.

[0138] In one embodiment, the bispecific antibody is a bispecific IgG comprising a FIXa-binding polypeptide arm and a FX-binding polypeptide arm, each polypeptide arm comprising a heavy chain and a light chain. The IgG is a tetrameric immunoglobulin comprising

a first pair of antibody heavy and light chains (heavy-light chain pair) comprising a FIXa binding Fv region,
a second heavy-light chain pair comprising a FX binding Fv region,
wherein each heavy chain comprises a VH domain and a constant region, and each light chain comprises a VL domain and a constant region, and wherein the first and second heavy-light chain pairs associate through heterodimerisation of their heavy chain constant regions to form the immunoglobulin tetramer.

[0139] Optionally, the two polypeptide arms comprise a common light chain, so the light chain of the first and second heavy-light chain pairs has an identical amino acid sequence (Figure 5). Alternatively the two polypeptide arms may comprise different light chains.

[0140] Bispecific antibody may be monovalent for binding FIXa and for binding FX.

Antibody constant regions

[0141] As discussed above, antibodies can be provided in various isotypes and with different constant regions. The Fc region of antibodies is recognised by Fc receptors and determines the ability of the antibody to mediate cellular effector functions, including antibody-dependent cell-mediated cytotoxicity (ADCC) activity, complement dependent cytotoxicity (CDC) activity and antibody-dependent cell phagocytosis (ADCP) activity. These cellular effector functions involve recruitment of cells bearing Fc receptors to the site of the target cells, resulting in killing of the antibody-bound cell.

[0142] In the context of the present invention it is desirable to avoid cellular effector functions such as ADCC, ADCP and/or CDC. Therefore, bispecific antigen-binding molecules according to the present invention may lack Fc effector function, for example they may contain Fc regions that do not mediate ADCC, ADCP and/or CDC, or they may lack Fc regions or lack antibody constant regions entirely. An antibody may have a constant region which is effector null.

[0143] An antibody may have a heavy chain constant region that binds one or more types of Fc receptor but does not induce cellular effector functions, i.e., does not mediate ADCC, CDC or ADCP activity. Such a constant region may be unable to bind the particular Fc receptor(s) responsible for triggering ADCC, CDC or ADCP activity.

[0144] An antibody may have a heavy chain constant region that does not bind Fc γ receptors, for example the constant region may comprise a Leu235Glu mutation (i.e., where the wild type leucine residue is mutated to a glutamic acid residue), which may be referred to as an "E" mutation, e.g., IgG4-E. Another optional mutation for a heavy chain constant region is Ser228Pro ("P" mutation), which increases stability by reducing Fab arm exchange. A heavy chain constant region may be an IgG4 comprising both the Leu235Glu mutation and the Ser228Pro mutation (EU numbering). This "IgG4-PE" heavy chain constant region is effector null. An alternative effector null human constant region is a disabled IgG1.

[0145] Antibody constant regions may be engineered to have an extended half life in vivo. Examples include "YTE" mutations and other half-life extending mutations (Dall'Acqua, Kiener & Wu, JBC 281(33):23514-23524 2006 and WO02/060919, incorporated by reference herein). The triple mutation YTE is a substitution of 3 amino acids in the IgG CH2 domain, these mutations providing tyrosine at residue 252, threonine at residue 254 and glutamic acid at residue 256, numbered according to the EU index of Kabat. As described in the referenced publications, the YTE modification increases the half-life of the antibody compared with the half-life of a corresponding antibody having a human CH2 wild type domain. To provide an increased duration of efficacy in vivo, antibodies of the present invention may include antibody constant regions (e.g., IgG constant regions, e.g., IgG CH2 domains) that have one or more mutations that increase the half life of the antibody compared with the corresponding wild type human constant region (e.g., IgG, e.g., IgG CH2 domain). Half-life may be determined by standard methods, such as are described in WO02/060919.

[0146] In some embodiments, a gamma-carboxyglutamic acid-rich (Gla) domain or other membrane-binding domain is included in the bispecific antibody (e.g., at the C terminus of the Fc), to promote localisation of the antibody to the phospholipid membrane at the platelet surface (via interaction between the Gla domain and the membrane), thereby increasing the local concentration of bispecific antibody where FIX and FX are naturally present *in vivo*. WO2018/145125 described a FVIII mimetic protein comprising a FIX/FX bispecific antibody and a membrane binding domain, e.g., a platelet binding domain such as a C1, C2 domain, a PH domain, a GLA domain or a membrane binding domain of a platelet membrane glycoprotein. As described therein, the membrane-binding domain may be linked to the C terminal of one or both of the heavy chain constant domains of the bispecific antibody. Bispecific antigen binding molecules of the present invention may optionally include the features and molecular formats described in WO2018/145125.

[0147] As discussed below, in bispecific IgG formats or other antibody formats where the different antigen binding arms are heterodimerised via constant regions, the constant regions may be engineered to promote heterodimer formation over homodimer formation and/or to facilitate purification of heterodimers from a mixture of different species.

[0148] The anti-FIXa/FX bispecific antibody emicizumab contains a heavy chain constant region which includes features designed to promote its assembly, purification and/or therapeutic performance. A bispecific antibody according to the present invention may comprise any one or more of these features. Thus it may comprise a human IgG4 (e.g., IgHG4*03) heavy chain constant region amino acid sequence comprising one or more of the following changes (EU numbering):

Lys196Gln in CH1;
Ser228Pro in the hinge region (P mutation);
Phe296Tyr in the DE turn of CH2;
Glu356Lys in CH3;
Lys439Glu in CH3;
Leu445Pro in CH3;
Deletion of Gly446;
Deletion of Lys447.

[0149] One each of the mutations Glu356Lys and Lys439Glu are included in the two oppositely paired heavy chain constant regions within the Fc of the heterodimeric bispecific, i.e., one heavy chain constant region comprises Glu356 and Lys439Glu and the other heavy chain constant region comprises Glu356Lys and Lys439 (see the discussion on charge pairing below).

[0150] A bispecific antibody according to the present invention may comprise an Fc region that has any one or more of the features that are present in the Fc region of emicizumab. It may comprise the Fc region of emicizumab. In one embodiment, the amino acid sequences of the heavy chain constant regions are the amino acid sequences of the emicizumab heavy chain constant regions.

[0151] Example amino acid sequences for heavy chain constant regions are shown in Table S-100.

Engineering of bispecific antibodies to facilitate heterodimer formation and/or purification

[0152] One of the difficulties with using bispecific antibodies in the clinic has historically been the difficulty of producing them in large quantities and at pharmaceutical grade purity. The "traditional" bispecific IgG format comprises two different pairs of heavy and light chains, thus 4 different polypeptide chains, which if expressed together could assemble into 10 different potential antibody molecules. The mixture of species will include homodimers (homodimeric anti-FIXa binding arms and homodimeric anti-FX binding arms), molecules in which one or both light chains are swapped between the H-L pairs, as well as the "correct" bispecific heterodimeric structure.

[0153] Alternative molecular formats have been developed which avoid this potential mis-pairing, and several examples are provided herein. These include F(ab')₂, e.g., prepared by chemical coupling or leucine zipper (fos:jun) assembly, diabodies, and scFv heterodimers. Nevertheless, it remains desirable to be able to use bispecific IgG, to reflect the native structure of antibodies in the bloodstream and to minimise immunogenicity of the administered therapeutic molecule. Additionally, a full length bispecific antibody may have a longer serum half-life.

[0154] "Knobs into holes" technology for making bispecific antibodies was described in [14] and in US5,731,168, both incorporated herein by reference. The principle is to engineer paired CH3 domains of heterodimeric heavy chains so that one CH3 domain contains a "knob" and the other CH3 domains contains a "hole" at a sterically opposite position. Knobs are created by replacing small amino acid side chain at the interface between the CH3 domains, while holes are created by replacing large side chains with smaller ones. The knob is designed to insert into the hole, to favour heterodimerisation of the different CH3 domains while destabilising homodimer formation. In a mixture of antibody heavy and light chains that assemble to form a bispecific antibody, the proportion of IgG molecules having paired heterodimeric heavy chains is thus increased, raising yield and recovery of the active molecule.

[0155] Mutations Y349C and/or T366W may be included to form "knobs" in an IgG CH3 domain. Mutations E356C, T366S, L368A and/or Y407V may be included to form "holes" in an IgG CH3 domain. Knobs and holes may be introduced into any human IgG CH3 domain, e.g., an IgG1, IgG2, IgG3 or IgG4 CH3 domain. A preferred example is IgG4. As noted, the IgG4 may include further modifications such as the "P" and/or "E" mutations. An example IgG4-PE sequence and other example constant regions including knobs-into-holes mutations are shown in Table S-100. The IgG4 type a ("ra") sequence contains substitutions Y349C and T366W ("knobs"), and the IgG4 type b ("yb") sequence contains substitutions E356C, T366S, L368A, and Y407V ("holes"). Both ra and yb also contain the "P" substitution at position 228 in the hinge (S228P), to stabilise the hinge region of the heavy chain. Both ra and yb also contain the "E" substitution in the CH2 region at position 235 (L235S), to abolish binding to FcγR. Thus the relevant sequence of the IgG4-PE heavy chain is ppcpPcpapefEggs (SEQ ID NO: 401). A bispecific antigen binding molecule of the present invention may contain an IgG4 PE human heavy chain constant region (e.g., SEQ ID NO: 143), optionally two such paired constant regions, optionally wherein one has "knobs" mutations and one has "holes" mutations, e.g., wherein one heavy chain constant region has a sequence SEQ ID NO: 144 (knobs) and one heavy chain constant region has a sequence SEQ ID NO: 145 (holes).

[0156] A further advance in bispecific IgG engineering was the idea of using a common light chain, as described in WO98/50431. Bispecific antibodies comprising two heavy-light chain pairs were described, in which the variable light chains of both heavy-light chain pairs had a common sequence. WO98/50431 described combining the common light chain approach with specific complementary interactions in the heavy chain heterodimerisation interface (such as knobs-into-holes) to promote heterodimer formation and hinder homodimer formation. In combination, these approaches enhance formation of the desired heterodimer relative to undesired heterodimers and homodimers.

[0157] While knobs-into-holes technology involves engineering amino acid side chains to create complementary molecular shapes at the interface of the paired CH3 domains in the bispecific heterodimer, another way to promote heterodimer formation and hinder homodimer formation is to engineer the amino acid side chains to have opposite charges. Association of CH3 domains in the heavy chain heterodimers is favoured by the pairing of oppositely charged residues, while paired positive charges or paired negative charges would make homodimer formation less energetically favourable. WO2006/106905 described a method for producing a heteromultimer composed of more than one type of polypeptide (such as a heterodimer of two different antibody heavy chains) comprising a substitution in an amino acid residue forming

an interface between said polypeptides such that heteromultimer association will be regulated, the method comprising:

- (a) modifying a nucleic acid encoding an amino acid residue forming the interface between polypeptides from the original nucleic acid, such that the association between polypeptides forming one or more multimers will be inhibited in a heteromultimer that may form two or more types of multimers;
- (b) culturing host cells such that a nucleic acid sequence modified by step (a) is expressed; and
- (c) recovering said heteromultimer from the host cell culture,

wherein the modification of step (a) is modifying the original nucleic acid so that one or more amino acid residues are substituted at the interface such that two or more amino acid residues, including the mutated residue(s), forming the interface will carry the same type of positive or negative charge.

[0158] An example of this is to suppress association between heavy chains by introducing electrostatic repulsion at the interface of the heavy chain homodimers, for example by modifying amino acid residues that contact each other at the interface of the CH3 domains, including:

- positions 356 and 439
- positions 357 and 370
- positions 399 and 409,
- the residue numbering being according to the EU numbering system.

[0159] By modifying one or more of these pairs of residues to have like charges (both positive or both negative) in the CH3 domain of a first heavy chain, the pairing of heavy chain homodimers is inhibited by electrostatic repulsion. By engineering the same pairs or pairs of residues in the CH3 domain of a second (different) heavy chain to have an opposite charge compared with the corresponding residues in the first heavy chain, the heterodimeric pairing of the first and second heavy chains is promoted by electrostatic attraction.

[0160] Amino acids at the heavy chain constant region CH3 interface were modified to introduce charge pairs, the mutations being listed in Table 1 of WO2006/106905. It was reported that modifying the amino acids at heavy chain positions 356, 357, 370, 399, 409 and 439 to introduce charge-induced molecular repulsion at the CH3 interface had the effect of increasing efficiency of formation of the intended bispecific antibody. For example, one heavy chain constant region may be an IgG4 constant region containing mutation K439E (positively charged Lys replaced by negatively charged Glu) and the other heavy chain constant region may be an IgG4 constant region containing mutation E356K (negatively charged Glu replaced by positively charged Lys), using EU numbering. "Charge pairing" results from spatial proximity of residues 439 and 356 in an Fc region assembled from heterodimerisation of these two constant regions.

[0161] Where two different heavy chain constant regions are used, these may be connected to the two different VH domains of the antibody in either orientation. For example,

- a first heavy chain may comprise an anti-FIX VH domain and a constant region comprising K439E, and a second heavy chain may comprise an anti-FX VH domain and a constant region comprising E356K, or
- a first heavy chain may comprise an anti-FIX VH domain and a constant region comprising E356K, and a second heavy chain may comprise an anti-FX VH domain and a constant region comprising K439E.

[0162] WO2006/106905 also exemplified bispecific IgG antibodies binding FX and FIXa in which the CH3 domains of IgG4 were engineered with knobs-into-holes mutations. Type a (IgG4_{γa}) was an IgG4 substituted at Y349C and T366W, and type b (IgG4_{γb}) was an IgG4 substituted at E356C, T366S, L368A, and Y407V.

[0163] In another example, introduction of charge pairs in the antibody VH and VL domains was used to inhibit the formation of "incorrect" VH-VL pairs (pairing of VH from one antibody with VL of the other antibody). In one example, Q residues in the VH and VL were changed to K or R (positive), or to E or D (negative), to inhibit hydrogen bonding between the Q side chains and to introduce electrostatic repulsion.

[0164] Further examples of charge pairs were disclosed in WO2013/157954, which described a method for producing a heterodimeric CH3 domain-comprising molecule from a single cell, the molecule comprising two CH3 domains capable of forming an interface. The method comprised providing in the cell

- (a) a first nucleic acid molecule encoding a first CH3 domain-comprising polypeptide chain, this chain comprising a K residue at position 366 according to the EU numbering system and
- (b) a second nucleic acid molecule encoding a second CH3 domain-comprising polypeptide chain, this chain comprising a D residue at position 351 according to the EU numbering system,

the method further comprising the step of culturing the host cell, allowing expression of the two nucleic acid molecules

and harvesting the heterodimeric CH3 domain-comprising molecule from the culture.

[0165] Further methods of engineering electrostatic interactions in polypeptide chains to promote heterodimer formation over homodimer formation were described in WO2011/143545.

[0166] Another example of engineering at the CH3-CH3 interface is strand-exchange engineered domain (SEED) CH3 heterodimers. The CH3 domains are composed of alternating segments of human IgA and IgG CH3 sequences, which form pairs of complementary SEED heterodimers referred to as "SEED-bodies" [15; WO2007/110205].

[0167] Bispecifics have also been produced with heterodimerised heavy chains that are differentially modified in the CH3 domain to alter their affinity for binding to a purification reagent such as Protein A. WO2010/151792 described a heterodimeric bispecific antigen-binding protein comprising

a first polypeptide comprising, from N-terminal to C-terminal, a first epitope-binding region that selectively binds a first epitope, an immunoglobulin constant region that comprises a first CH3 region of a human IgG selected from IgG1, IgG2, and IgG4; and

a second polypeptide comprising, from N-terminal to C-terminal, a second epitope-binding region that selectively binds a second epitope, an immunoglobulin constant region that comprises a second CH3 region of a human IgG selected from IgG1, IgG2, and IgG4, wherein the second CH3 region comprises a modification that reduces or eliminates binding of the second CH3 domain to Protein A.

[0168] The Fc region may thus comprise one or more mutations to promote differential purification of the active heterodimer from homodimer species. The CH3 of one heavy chain constant region may comprise the mutation His435Arg and/or Tyr436Phe (EU numbering) [16] while the CH3 of the other heavy chain constant region lacks said mutations. Emicizumab, for example, comprises an Fc region in which one CH3 comprises His435 and the other CH3 comprises His435Arg.

[0169] The bispecifics of the present invention may employ any of these techniques and molecular formats as desired.

Generating and modifying antibodies

[0170] Methods for identifying and preparing antibodies are well known. Isolated (optionally mutated) nucleic acid encoding antibodies (or heavy-light chain pairs or polypeptide binding arms thereof) described herein may be introduced into host cells, e.g., CHO cells as discussed. Host cells are then cultured under conditions for expression of the antibody (or of the antibody heavy and/or light chain variable domain, heavy-light chain pair, or polypeptide binding arm) to produce the desired antibody format. Some possible antibody formats are described herein, e.g., whole immunoglobulins, antigen-binding fragments, and other designs.

[0171] Variable domain amino acid sequence variants of any of the VH and VL domains or CDRs whose sequences are specifically disclosed herein and may be employed in accordance with the present invention, as discussed.

[0172] Alterations to nucleic acid encoding the antibody heavy and/or light chain variable domain may be performed, such as mutation of residues and generation of variants, as described herein. There are many reasons why it may be desirable to create variants, which include optimising the antibody sequence for large-scale manufacturing, facilitating purification, enhancing stability or improving suitability for inclusion in a desired pharmaceutical formulation. Protein engineering work can be performed at one or more target residues in the antibody sequence, e.g., to substituting one amino acid with an alternative amino acid (optionally, generating variants containing all naturally occurring amino acids at this position, with the possible exception of Cys and Met), and monitoring the impact on function and expression to determine the best substitution. It is in some instances undesirable to substitute a residue with Cys or Met, or to introduce these residues into a sequence, as to do so may generate difficulties in manufacturing - for instance through the formation of new intramolecular or intermolecular cysteine-cysteine bonds. Where a lead candidate has been selected and is being optimised for manufacturing and clinical development, it will generally be desirable to change its antigen-binding properties as little as possible, or at least to retain the affinity and potency of the parent molecule. However, variants may also be generated in order to modulate key antibody characteristics such as affinity, cross-reactivity or neutralising potency.

[0173] One or more amino acid mutations may optionally be made in framework regions of an antibody VH or VL domain disclosed herein. For example, one or more residues that differ from the corresponding human germline segment sequence may be reverted to germline. Human germline gene segment sequences corresponding to VH and VL domains of example antibodies herein are indicated in Table S-12.

[0174] In a bispecific antigen binding molecule, an antigen-binding site may comprise a set of H and/or L CDRs of any of the disclosed anti-FIX or anti-FX antibodies with one or more amino acid mutations within the disclosed set of H and/or L CDRs. The mutation may be an amino acid substitution, deletion or insertion. Thus for example there may be one or more amino acid substitutions within the disclosed set of H and/or L CDRs. For example, there may be up to 12, 11, 10, 9, 8, 7, 6, 5, 4, 3 or 2 mutations e.g. substitutions, within the set of H and/or L CDRs. For example, there may be up to

6, 5, 4, 3 or 2 mutations, e.g. substitutions, in HCDR3 and/or there may be up to 6, 5, 4, 3, or 2 mutations, e.g. substitutions, in LCDR3.

[0175] An antibody may comprise a VH domain that has at least 60, 70, 80, 85, 90, 95, 98 or 99 % amino acid sequence identity with a VH domain as shown in the Tables, and/or comprising a VL domain that has at least 60, 70, 80, 85, 90, 95, 98 or 99 % amino acid sequence identity with a VL domain of any of those antibodies. Algorithms that can be used to calculate % identity of two amino acid sequences include e.g. BLAST, FASTA, or the Smith-Waterman algorithm, e.g. employing default parameters. Particular variants may include one or more amino acid sequence alterations (addition, deletion, substitution and/or insertion of an amino acid residue).

[0176] Alterations may be made in one or more framework regions and/or one or more CDRs. Variants are optionally provided by CDR mutagenesis. The alterations normally do not result in loss of function, so an antibody comprising a thus-altered amino acid sequence may retain an ability to bind its antigen. It may retain the same quantitative binding ability as an antibody in which the alteration is not made, e.g. as measured in an assay described herein. The antibody comprising a thus-altered amino acid sequence may have an improved ability to bind its antigen.

[0177] Alteration may comprise replacing one or more amino acid residue with a non-naturally occurring or non-standard amino acid, modifying one or more amino acid residue into a non-naturally occurring or non-standard form, or inserting one or more non-naturally occurring or non-standard amino acid into the sequence. Examples of numbers and locations of alterations in sequences of the invention are described elsewhere herein. Naturally occurring amino acids include the 20 "standard" L-amino acids identified as G, A, V, L, I, M, P, F, W, S, T, N, Q, Y, C, K, R, H, D, E by their standard single-letter codes. Non-standard amino acids include any other residue that may be incorporated into a polypeptide backbone or result from modification of an existing amino acid residue. Non-standard amino acids may be naturally occurring or non-naturally occurring.

[0178] The term "variant" as used herein refers to a peptide or nucleic acid that differs from a parent polypeptide or nucleic acid by one or more amino acid or nucleic acid deletions, substitutions or additions, yet retains one or more specific functions or biological activities of the parent molecule. Amino acid substitutions include alterations in which an amino acid is replaced with a different naturally-occurring amino acid residue. Such substitutions may be classified as "conservative", in which case an amino acid residue contained in a polypeptide is replaced with another naturally occurring amino acid of similar character either in relation to polarity, side chain functionality or size. Such conservative substitutions are well known in the art. Substitutions encompassed by the present invention may also be "non-conservative", in which an amino acid residue which is present in a peptide is substituted with an amino acid having different properties, such as naturally-occurring amino acid from a different group (e.g., substituting a charged or hydrophobic amino acid with alanine), or alternatively, in which a naturally-occurring amino acid is substituted with a non-conventional amino acid. In some embodiments amino acid substitutions are conservative. Also encompassed within the term variant when used with reference to a polynucleotide or polypeptide, refers to a polynucleotide or polypeptide that can vary in primary, secondary, or tertiary structure, as compared to a reference polynucleotide or polypeptide, respectively (e.g., as compared to a wild-type polynucleotide or polypeptide).

[0179] In some aspects, one can use "synthetic variants", "recombinant variants", or "chemically modified" polynucleotide variants or polypeptide variants isolated or generated using methods well known in the art. "Modified variants" can include conservative or non-conservative amino acid changes, as described below. Polynucleotide changes can result in amino acid substitutions, additions, deletions, fusions and truncations in the polypeptide encoded by the reference sequence. Some aspects include insertion variants, deletion variants or substituted variants with substitutions of amino acids, including insertions and substitutions of amino acids and other molecules) that do not normally occur in the peptide sequence that is the basis of the variant, for example but not limited to insertion of ornithine which do not normally occur in human proteins. The term "conservative substitution," when describing a polypeptide, refers to a change in the amino acid composition of the polypeptide that does not substantially alter the polypeptide's activity. For example, a conservative substitution refers to substituting an amino acid residue for a different amino acid residue that has similar chemical properties (e.g., acidic, basic, positively or negatively charged, polar or nonpolar, etc.). Conservative amino acid substitutions include replacement of a leucine with an isoleucine or valine, an aspartate with a glutamate, or a threonine with a serine. Conservative substitution tables providing functionally similar amino acids are well known in the art. For example, the following six groups each contain amino acids that are conservative substitutions for one another: 1) Alanine (A), Serine (S), Threonine (T); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); and 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W). (See also Creighton, Proteins, W. H. Freeman and Company (1984), incorporated by reference in its entirety.) In some embodiments, individual substitutions, deletions or additions that alter, add or delete a single amino acid or a small percentage of amino acids can also be considered "conservative substitutions" if the change does not reduce the activity of the peptide. Insertions or deletions are typically in the range of about 1 to 5 amino acids. The choice of conservative amino acids may be selected based on the location of the amino acid to be substituted in the peptide, for example if the amino acid is on the exterior of the peptide and expose to solvents, or on the interior and not exposed to solvents.

[0180] One can select the amino acid that will substitute an existing amino acid based on the location of the existing

amino acid, including its exposure to solvents (i.e., if the amino acid is exposed to solvents or is present on the outer surface of the peptide or polypeptide as compared to internally localized amino acids not exposed to solvents). Selection of such conservative amino acid substitutions are well known in the art, for example as disclosed in Dordo et al, J. Mol Biol, 1999, 217, 721-739 and Taylor et al, J. Theor. Biol. 119(1986);205-218 and S. French and B. Robson, J. Mol. Evol. 19(1983)171. Accordingly, one can select conservative amino acid substitutions suitable for amino acids on the exterior of a protein or peptide (i.e. amino acids exposed to a solvent), for example, but not limited to, the following substitutions can be used: substitution of Y with F, T with S or K, P with A, E with D or Q, N with D or G, R with K, G with N or A, T with S or K, D with N or E, I with L or V, F with Y, S with T or A, R with K, G with N or A, K with R, A with S, K or P.

[0181] In alternative embodiments, one can also select conservative amino acid substitutions encompassed suitable for amino acids on the interior of a protein or peptide, for example one can use suitable conservative substitutions for amino acids is on the interior of a protein or peptide (i.e. the amino acids are not exposed to a solvent), for example but not limited to, one can use the following conservative substitutions: where Y is substituted with F, T with A or S, I with L or V, W with Y, M with L, N with D, G with A, T with A or S, D with N, I with L or V, F with Y or L, S with A or T and A with S, G, T or V. In some embodiments, non-conservative amino acid substitutions are also encompassed within the term of variants.

[0182] The invention includes methods of producing polypeptide binding arms containing VH and/or VL domain variants of the antibody VH and/or VL domains shown in the Tables herein. FIXa binding polypeptide arms comprising variant VH domains may be produced by a method comprising

- (i) providing, by way of addition, deletion, substitution or insertion of one or more amino acids in the amino acid sequence of a parent antibody VH domain, an antibody VH domain that is an amino acid sequence variant of the parent antibody VH domain, wherein the parent antibody VH domain is a VH domain shown in Figure 20, e.g., N1280H, or is a VH domain comprising the heavy chain complementarity determining regions of any of those VH domains,
- (ii) optionally combining the VH domain thus provided with a VL domain, to provide a VH/VL combination, and
- (iii) testing the VH domain or VH/VL domain combination thus provided to identify an antibody with one or more desired characteristics.

[0183] The VH domain may be any VH domain whose sequence is shown in Table S-9A or Figure 20, or any VH domain comprising a set of HCDRs (HCDR1, HCDR2 and HCDR3) of a VH domain shown in Table S-9A or Figure 20.

[0184] Desired characteristics of FIXa-binding polypeptide arms, and of bispecific anti-FIXa/FX binding molecules comprising them, are detailed elsewhere herein. For example, the method may comprise confirming that the VH domain or VH/VL domain combination binds FIXa as described herein.

[0185] When VL domains are included in the method, the VL domain may be the N0128L VL domain or may be a variant provided by way of addition, deletion, substitution or insertion of one or more amino acids in the amino acid sequence of the N0128L VL domain, or may be a VL domain comprising the light chain complementarity determining regions of the N0128L VL domain. The VL domain may be the 0325L VL domain.

[0186] Methods of generating variant antibodies may optionally comprise producing copies of the antibody or VH/VL domain combination. Methods may further comprise producing a bispecific antibody comprising the FIXa binding polypeptide arm, for example by expression of encoding nucleic acid. Suitable methods of expression, including recombinant expression in host cells, are set out in detail herein.

Encoding nucleic acids and methods of expression

[0187] Isolated nucleic acid may be provided, encoding bispecific antigen binding molecules, e.g., bispecific antibodies, according to the present invention. Nucleic acid may be DNA and/or RNA. Genomic DNA, cDNA, mRNA or other RNA, of synthetic origin, or any combination thereof can encode an antibody.

[0188] The present invention provides constructs in the form of plasmids, vectors, transcription or expression cassettes which comprise at least one polynucleotide as above. Exemplary nucleotide sequences are included in the Tables. Reference to a nucleotide sequence as set out herein encompasses a DNA molecule with the specified sequence, and encompasses a RNA molecule with the specified sequence in which U is substituted for T, unless context requires otherwise.

[0189] The present invention also provides a recombinant host cell that comprises one or more nucleic acids encoding the antigen binding molecule. Methods of producing the encoded molecule may comprise expression from the nucleic acid, e.g., by culturing recombinant host cells containing the nucleic acid. The bispecific molecule may thus be obtained, and may be isolated and/or purified using any suitable technique, then used as appropriate. A method of production may comprise formulating the product into a composition including at least one additional component, such as a pharmaceutically acceptable excipient.

[0190] Systems for cloning and expression of a polypeptide in a variety of different host cells are well known. Suitable host cells include bacteria, mammalian cells, plant cells, filamentous fungi, yeast and baculovirus systems and transgenic plants and animals.

[0191] The expression of antibodies and antibody fragments in prokaryotic cells is well established in the art. A common bacterial host is *E. coli*. Expression in eukaryotic cells in culture is also available to those skilled in the art as an option for production. Mammalian cell lines available in the art for expression of a heterologous polypeptide include Chinese hamster ovary (CHO) cells, HeLa cells, baby hamster kidney cells, NSO mouse melanoma cells, YB2/0 rat myeloma cells, human embryonic kidney cells, human embryonic retina cells and many others.

[0192] Vectors may contain appropriate regulatory sequences, including promoter sequences, terminator sequences, polyadenylation sequences, enhancer sequences, marker genes and other sequences as appropriate. Nucleic acid encoding an antibody can be introduced into a host cell. Nucleic acid can be introduced to eukaryotic cells by various methods, including calcium phosphate transfection, DEAE-Dextran, electroporation, liposome-mediated transfection and transduction using retrovirus or other virus, e.g. vaccinia or, for insect cells, baculovirus. Introducing nucleic acid in the host cell, in particular a eukaryotic cell may use a viral or a plasmid based system. The plasmid system may be maintained episomally or may be incorporated into the host cell or into an artificial chromosome. Incorporation may be either by random or targeted integration of one or more copies at single or multiple loci. For bacterial cells, suitable techniques include calcium chloride transformation, electroporation and transfection using bacteriophage. The introduction may be followed by expressing the nucleic acid, e.g., by culturing host cells under conditions for expression of the gene, then optionally isolating or purifying the antibody.

[0193] Nucleic acid of the invention may be integrated into the genome (e.g. chromosome) of the host cell. Integration may be promoted by inclusion of sequences that promote recombination with the genome, in accordance with standard techniques. Nucleic acid encoding a bispecific may be integrated into genomic DNA of a host (e.g., CHO) cell, e.g., into chromosomal DNA, and the resulting recombinant cell may be cultured to express the bispecific. A cell line development process may comprise introducing nucleic acid encoding the bispecific into multiple host cells, and selecting a cell line which expresses a desired level of bispecific antibody (e.g., at least 95% heterodimer, with no more than 5% homodimeric contaminants) at the desired yield (e.g., at least 0.5 g/L or at least 1 g/L). Preferably the cell line will retain stable expression over a number of generations in cell culture, and thus it may maintain these levels of production over a at least 60 generations for example.

[0194] The present invention also provides a method that comprises using nucleic acid described herein in an expression system in order to express the bispecific antigen binding molecule. Desirably, the antigen-binding molecules are expressed at a yield of at least 0.5 g/L in the cell supernatant after initial fermentation, preferably at a yield of >2 g/L. Solubility should be >10 mg/ml, preferably >50 mg/ml, without significant aggregation or degradation of the molecules.

[0195] To provide medicines suitable for global treatment, antibodies can be produced on a large scale, for instance in cell culture volumes of at least 100 litres or at least 200 litres, e.g., between 100-250 litres. Batch culture, particularly fed-batch culture, is now commonly used for production of biotherapeutics for clinical and commercial use, and such methods may suitably be used in the present invention to generate the antibodies, followed by purification and formulation steps as noted herein. Bioreactors may be metal (e.g., stainless steel) vessels or may be single-use bioreactors.

Formulation and administration

[0196] The bispecific antigen-binding molecules ("bispecifics") according to the present invention, and their encoding nucleic acid molecules, will usually be provided in isolated form. The bispecifics VH and/or VL domains, and nucleic acids may be provided purified from their natural environment or their production environment. Isolated antigen-binding molecules and isolated nucleic acid will be free or substantially free of material with which they are naturally associated, such as other polypeptides or nucleic acids with which they are found in vivo, or the environment in which they are prepared (e.g., cell culture) when such preparation is by recombinant DNA technology in vitro. Optionally an isolated antigen-binding molecule or nucleic acid (1) is free of at least some other proteins with which it would normally be found, (2) is essentially free of other proteins from the same source, e.g., from the same species, (3) is expressed by a cell from a different species, (4) has been separated from at least about 50 percent of polynucleotides, lipids, carbohydrates, or other materials with which it is associated in nature, (5) is operably associated (by covalent or noncovalent interaction) with a polypeptide with which it is not associated in nature, or (6) does not occur in nature.

[0197] Bispecific antibody may be purified (e.g., from cell culture supernatant) by protein A chromatography and/or ion exchange chromatography. The bispecific antibody may be produced by a method comprising

expressing two antibody heavy chains and common light chain from cultured host cells comprising encoding nucleic acids,
obtaining cell culture comprising the bispecific antibody and monospecific antibodies assembled from the antibody heavy chains and common light chain,

isolating the bispecific antibody and monospecific antibodies from the cell culture (e.g., using protein A chromatography), and
purifying the bispecific antibody from the monospecific antibodies (e.g., using cation exchange chromatography).

[0198] Bispecifics or their encoding nucleic acids may be formulated with diluents or adjuvants and still for practical purposes be isolated - for example they may be mixed with carriers if used to coat microtitre plates for use in immunoassays, and may be mixed with pharmaceutically acceptable carriers or diluents when used in therapy. As described elsewhere herein, other active ingredients may also be included in therapeutic preparations. The antigen binding molecules may be glycosylated, either naturally *in vivo* or by systems of heterologous eukaryotic cells such as CHO cells, or they may be (for example if produced by expression in a prokaryotic cell) unglycosylated. The invention encompasses antibodies having a modified glycosylation pattern.

[0199] Typically, an isolated product constitutes at least about 5%, at least about 10%, at least about 25%, or at least about 50% of a given sample. A bispecific may be substantially free from proteins or polypeptides or other contaminants that are found in its natural or production environment that would interfere with its therapeutic, diagnostic, prophylactic, research or other use.

[0200] As discussed elsewhere herein, expression of antibody heavy and light chains for a bispecific antibody may generate unwanted homodimeric species (anti-FIX and anti-FX antibodies) in addition to the active heterodimeric bispecific antibody. Preferably a bispecific is provided in a composition in which the heterodimeric bispecific antibody is represents at least 95 % of the total antibody, with homodimeric antibody contaminants being present at 5 % or less. The composition may comprise at least 98 % or at least 99 % heterodimeric bispecific, with homodimeric contaminants representing 0 - 2 % or 0 - 1 % respectively.

[0201] The invention provides therapeutic compositions comprising the bispecifics described herein. Therapeutic compositions comprising nucleic acid encoding such bispecifics are also provided. Encoding nucleic acids are described in more detail elsewhere herein and include DNA and RNA, e.g., mRNA. In therapeutic methods described herein, use of nucleic acid encoding the bispecific, and/or of cells containing such nucleic acid, may be used as alternatives (or in addition) to compositions comprising the bispecific molecule itself. Cells containing nucleic acid encoding the bispecific, optionally wherein the nucleic acid is stably integrated into the genome, thus represent medicaments for therapeutic use in a patient. Nucleic acid encoding the bispecific may be introduced into human cells derived from the intended patient and modified *ex vivo*. Administration of cells containing the encoding nucleic acid to the patient provides a reservoir of cells capable of expressing the bispecific, which may provide therapeutic benefit over a longer term compared with administration of isolated nucleic acid or the isolated bispecific molecule. Nucleic acid encoding the bispecific may be provided for use in gene therapy, comprising introducing the encoding nucleic acid into cells of the patient *in vivo*, so that the nucleic acid is expressed in the patient's cells and provides a therapeutic effect such as compensating for hereditary factor VIII deficiency.

[0202] Compositions may contain suitable carriers, excipients, and other agents that are incorporated into formulations to provide improved transfer, delivery, tolerance, and the like. A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: Remington's Pharmaceutical Sciences, Mack Publishing Company, Easton, Pa. These formulations include, for example, powders, pastes, ointments, jellies, waxes, oils, lipids, lipid (cationic or anionic) containing vesicles (such as LIPOFECTINT™), DNA conjugates, anhydrous absorption pastes, oil-in-water and water-in-oil emulsions, emulsions carbowax (polyethylene glycols of various molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax. See also Powell et al. "Compendium of excipients for parenteral formulations" PDA (1998) J Pharm Sci Technol 52:238-311. Compositions may comprise the antibody or nucleic acid in combination with medical injection buffer.

[0203] Bispecifics, or their encoding nucleic acids, may be formulated for the desired route of administration to a patient, e.g., in liquid (optionally aqueous solution) for injection. An example buffer in which to formulate the bispecific for injection is an aqueous solution of 20 mM sodium acetate, 150 mM arginine hydrochloride, 0.05% w/v polysorbate 80 pH 5.2.

[0204] Various delivery systems are known and can be used to administer the pharmaceutical composition of the invention. Methods of introduction include, but are not limited to, intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The composition may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. The antigen-binding molecules are preferably administered by subcutaneous injection.

[0205] The pharmaceutical composition can be also delivered in a vesicle, in particular a liposome (see Langer (1990) Science 249:1527-1533 ; Treat et al. (1989) in Liposomes in the Therapy of Infectious Disease and Cancer, Lopez Berestein and Fidler (eds.), Liss, New York, pp. 353-365 ; Lopez-Berestein, *ibid.*, pp. 317-327 ; see generally *ibid.*).

[0206] In certain situations, the pharmaceutical composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, *supra*; Sefton (1987) CRC Crit. Ref. Biomed. Eng. 14:201). In another

embodiment, polymeric materials can be used; see, Medical Applications of Controlled Release, Langer and Wise (eds.), CRC Pres., Boca Raton, Fla. (1974). In yet another embodiment, a controlled release system can be placed in proximity of the composition's target, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in Medical Applications of Controlled Release, supra, vol. 2, pp. 115-138, 1984).

[0207] The injectable preparations may include dosage forms for intravenous, subcutaneous, intracutaneous and intramuscular injections, drip infusions, etc. These injectable preparations may be prepared by methods publicly known. For example, the injectable preparations may be prepared, e.g., by dissolving, suspending or emulsifying the antibody or its salt described above in a sterile aqueous medium or an oily medium conventionally used for injections. As the aqueous medium for injections, there are, for example, physiological saline, an isotonic solution containing glucose and other auxiliary agents, etc., which may be used in combination with an appropriate solubilizing agent such as an alcohol (e.g., ethanol), a polyalcohol (e.g., propylene glycol, polyethylene glycol), a nonionic surfactant [e.g., polysorbate 80, HCO-50 (polyoxyethylene (50 mol) adduct of hydrogenated castor oil)], etc. As the oily medium, there are employed, e.g., sesame oil, soybean oil, etc., which may be used in combination with a solubilizing agent such as benzyl benzoate, benzyl alcohol, etc. The injection thus prepared can be filled in an appropriate ampoule. A pharmaceutical composition of the present invention can be delivered subcutaneously or intravenously with a standard needle and syringe. It is envisaged that treatment will not be restricted to use in the clinic. Therefore, subcutaneous injection using a needle-free device is also advantageous. With respect to subcutaneous delivery, a pen delivery device readily has applications in delivering a pharmaceutical composition of the present invention. Such a pen delivery device can be reusable or disposable. A reusable pen delivery device generally utilizes a replaceable cartridge that contains a pharmaceutical composition. Once all of the pharmaceutical composition within the cartridge has been administered and the cartridge is empty, the empty cartridge can readily be discarded and replaced with a new cartridge that contains the pharmaceutical composition. The pen delivery device can then be reused. In a disposable pen delivery device, there is no replaceable cartridge. Rather, the disposable pen delivery device comes prefilled with the pharmaceutical composition held in a reservoir within the device. Once the reservoir is emptied of the pharmaceutical composition, the entire device is discarded. Numerous reusable pen and autoinjector delivery devices have applications in the subcutaneous delivery of a pharmaceutical composition of the present invention. Examples include, but certainly are not limited to AUTOPEN™ (Owen Mumford, Inc., Woodstock, UK), DISETRONIC™ pen (Disetronic Medical Systems, Burghdorf, Switzerland), HUMALOG MIX 75/25™ pen, HUMALOG™ pen, HUMALIN 70/30™ pen (Eli Lilly and Co., Indianapolis, Ind.), NOVO-PEN™, II and III (Novo Nordisk, Copenhagen, Denmark), NOVOPEN JUNIOR™ (Novo Nordisk, Copenhagen, Denmark), BD™ pen (Becton Dickinson, Franklin Lakes, N.J.), OPTIPEN™, OPTIPEN PRO™, OPTIPEN STARLET™, and OPTICLIK™ (Sanofi-Aventis, Frankfurt, Germany), to name only a few. Examples of disposable pen delivery devices having applications in subcutaneous delivery of a pharmaceutical composition of the present invention include, but certainly are not limited to the SOLOSTAR™ pen (Sanofi-Aventis), the FLEXPEN™ (Novo Nordisk), and the KWIK-PEN™ (Eli Lilly).

[0208] Advantageously, the pharmaceutical compositions for oral or parenteral use described above are prepared into dosage forms in a unit dose suited to fit a dose of the active ingredients. Such dosage forms in a unit dose include, for example, tablets, pills, capsules, injections (ampoules), suppositories, etc. The amount of the aforesaid antibody contained is generally about 5 to about 500 mg per dosage form in a unit dose; especially in the form of injection, the aforesaid antibody may be contained in about 5 to about 100 mg and in about 10 to about 250 mg for the other dosage forms.

[0209] The bispecific, nucleic acid, or composition comprising it, may be contained in a medical container such as a phial, syringe, IV container or an injection device. In an example, the bispecific, nucleic acid or composition is in vitro, and may be in a sterile container. In an example, a kit is provided comprising the bispecific, packaging and instructions for use in a therapeutic method as described herein.

[0210] One aspect of the invention is a composition comprising a bispecific or nucleic acid of the invention and one or more pharmaceutically acceptable excipients, examples of which are listed above. "Pharmaceutically acceptable" refers to approved or approvable by a regulatory agency of the USA Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, including humans. A pharmaceutically acceptable carrier, excipient, or adjuvant can be administered to a patient, together with a bispecific agent, e.g., any antibody or polypeptide molecule described herein, and does not destroy the pharmacological activity thereof and is nontoxic when administered in doses sufficient to deliver a therapeutic amount of the agent.

[0211] In some embodiments, the bispecific will be the sole active ingredient in a composition according to the present invention. Thus, a composition may consist of the antibody or it may consist of the bispecific with one or more pharmaceutically acceptable excipients. However, compositions according to the present invention optionally include one or more additional active ingredients.

[0212] Where required (for example, for management of acute bleeds), the bispecific may be combined with one or more other treatments for haemophilia, including recombinant factor VIII (e.g., turoctocog alfa) or recombinant factor VIIa (e.g., eptacog alfa). The functional properties and safety profile of bispecifics described herein are believed to be

suitable for their safe combination with such further therapeutic agents. The bispecific may be combined with recombinant factor Va (FVa), for example an activated variant FVa as described in US10407488.

[0213] Other therapeutic agents that it may be desirable to administer with bispecific or nucleic acids according to the present invention include analgaesic agents. Any such agent or combination of agents may be administered in combination with, or provided in compositions with antibodies or nucleic acids according to the present invention, whether as a combined or separate preparation. The bispecific or nucleic acid according to the present invention may be administered separately and sequentially, or concurrently and optionally as a combined preparation, with another therapeutic agent or agents such as those mentioned.

[0214] Multiple compositions can be administered separately or simultaneously. Separate administration refers to the two compositions being administered at different times, e.g. at least 10, 20, 30, or 10-60 minutes apart, or 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12 hours apart. One can also administer compositions at 24 hours apart, or even longer apart. Alternatively, two or more compositions can be administered simultaneously, e.g. less than 10 or less than 5 minutes apart. Compositions administered simultaneously can, in some aspects, be administered as a mixture, with or without similar or different time release mechanism for each of the components.

[0215] Bispecifics, and their encoding nucleic acids, can be used as therapeutic agents. Patients herein are generally mammals, typically humans. A bispecific or nucleic acid may be administered to a mammal, e.g., by any route of administration mentioned herein.

[0216] Administration is normally in a "therapeutically effective amount", this being an amount that produces the desired effect for which it is administered, sufficient to show benefit to a patient. The exact amount will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (see, for example, Lloyd (1999) The Art, Science and Technology of Pharmaceutical Compounding). Prescription of treatment, e.g. decisions on dosage etc, is within the responsibility of general practitioners and other medical doctors and may depend on the severity of the symptoms and/or progression of a disease being treated. A therapeutically effective amount or suitable dose of bispecific or nucleic acid can be determined by comparing its in vitro activity and in vivo activity in an animal model.

Methods for extrapolation of effective dosages in mice and other test animals to humans are known.

[0217] Bispecifics may be administered in an amount in one of the following ranges per dose:

about 10 µg/kg body weight to about 100 mg/kg body weight,
about 50 µg/kg body weight to about 5 mg/kg body weight,
about 100 µg/kg body weight to about 10 mg/kg body weight,
about 100 µg/kg body weight to about 20 mg/kg body weight,
about 0.5 mg/kg body weight to about 20 mg/kg body weight, or
about 5 mg/kg body weight or lower, for example less than 4, less than 3, less than 2, or less than 1 mg/kg of the antibody.

[0218] The dose of antigen-binding molecule administered may be up to 1 mg/kg. It may be formulated at lower strength for paediatric populations, for example 30 - 150 mg/mL. The bispecific molecule may be packaged in smaller quantities for a paediatric population, e.g., it may be provided in phials of 25-75 mg, e.g., 30 or 60 mg.

[0219] In methods of treatment described herein, one or more doses may be administered. In some cases, a single dose may be effective to achieve a long-term benefit. Thus, the method may comprise administering a single dose of the bispecific, its encoding nucleic acid, or the composition. Alternatively, multiple doses may be administered, usually sequentially and separated by a period of days, weeks or months. Optionally, the bispecific may be administered to a patient once a month, or less frequently, e.g., every two months or every three months.

[0220] As used herein, the terms "treat," "treatment," "treating," or "amelioration" refer to therapeutic treatments, wherein the object is to reverse, alleviate, ameliorate, inhibit, slow down or stop the progression or severity of a condition associated with a disease or disorder. The term "treating" includes reducing or alleviating at least one adverse effect or symptom of a condition, disease or disorder. Treatment is generally "effective" if one or more symptoms or clinical markers are reduced. Alternatively, treatment is "effective" if the progression of a disease is reduced or halted. That is, "treatment" includes not just the improvement of symptoms or markers, but also a cessation of, or at least slowing of, progress or worsening of symptoms compared to what would be expected in the absence of treatment. Beneficial or desired clinical results include, but are not limited to, alleviation of one or more symptom(s), diminishment of extent of disease, stabilised (i.e., not worsening) state of disease, delay or slowing of disease progression, amelioration or palliation of the disease state, remission (whether partial or total), and/or decreased mortality, whether detectable or undetectable. The term "treatment" of a disease also includes providing relief from the symptoms or side-effects of the disease (including palliative treatment). For treatment to be effective a complete cure is not contemplated. The method can in certain aspects include cure as well. In the context of the invention, treatment may be preventative treatment.

[0221] Long half-life is a desirable feature in the bispecifics of the present invention. Extended half-life translates to less frequent administration, with fewer injections being required to maintain a therapeutically effective concentration of

the molecule in the bloodstream. The *in vivo* half life of antigen-binding molecules of the present invention in humans may be 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or 21 days, or longer. The *in vivo* half life of antigen-binding molecules in non-human primates such as cynomolgus monkeys may be 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 or 21 days, or longer.

[0222] Maintenance of 1 % of normal FVIII activity is considered to be a minimum for prophylactic use in haemophilia [1]. In a paper reporting a human clinical trial with ACE910 (emicizumab), *in silico* population pharmacokinetic modelling and simulations suggested that a weekly dose of 1 mg/kg resulted in a plasma concentration of at least about 300 nM (45 µg/ml), producing a continuous haemostatic effect of at least 10 % of normal FVIII activity [4]. This dose was also reported to be well tolerated in patients.

[0223] Based on that data, a plasma concentration range of approximately 30 nM (~4.5 µg/ml) to 300 nM (~45 µg/ml) would correspond to effective FVIII activity of 1 - 10 %, assuming a linear relationship between antibody concentration and FVIII activity and comparable antibody activity.

[0224] Bispecifics according to the present invention exhibit exceptionally high activity at concentrations in the range of 30 nM (~4.5 µg/ml) to 300 nM (~45 µg/ml), maintaining strong thrombin generation activity even at relatively low doses. As evidenced by its high potency (see, e.g., Example 14), a bispecific antibody according to the present invention may exhibit therapeutic efficacy at a lower plasma concentration than emicizumab. Therefore it may provide greater therapeutic benefit at an equivalent dose, and it may provide equivalent therapeutic benefit at a lower dose, compared with emicizumab. Patients can thus benefit from smaller and/or less frequent injections, and healthcare providers can benefit from lower associated costs.

[0225] The US FDA currently (in guidance issued October 2018) recommends that emicizumab be administered at a loading dose of 3 mg/kg by subcutaneous injection once weekly for the first 4 weeks, followed by a maintenance dose of:

1.5 mg/kg once every week, or
3 mg/kg once every 2 weeks, or
6 mg/kg once every 4 weeks.

[0226] Antigen-binding molecules according to the present invention may be provided for administration at regular intervals of one week, two weeks, three weeks, four weeks, or one month.

[0227] In a preferred embodiment, the bispecific is administered by subcutaneous injection.

Therapeutic use

[0228] The bispecific antigen-binding molecules of the present invention may be used in a method of treatment of the human or animal body by therapy. Therapeutic indications for the molecules include:

use to treat haemophilia A,
use to treat hereditary factor VIII deficiency,
use to significantly decrease the number of bleeding incidents in haemophilia A patients,
use to substitute for factor VIII function,
and/or
use to promote blood coagulation.

[0229] Patients are typically human patients. The patient may be a human diagnosed with haemophilia A or hereditary factor VIII deficiency, or a human who has lower (or absent) factor VIII expression or activity compared with wild type. The patient may be a paediatric patient (e.g., from 2 to less than 18 years of age) or may be an adult. The patient may be a human male. The patient may or may not have inhibitors to factor VIII.

[0230] A bispecific molecule of the present invention, or a composition comprising such a bispecific molecule or its encoding nucleic acid, may be used or provided for use in any such method. Use of the bispecific molecule, or of a composition comprising it or its encoding nucleic acid, for the manufacture of a medicament for use in any such method is also envisaged. The method typically comprises administering the antibody or composition to a mammal, e.g., a human patient. Suitable formulations and methods of administration are described elsewhere herein.

[0231] There is a presently unmet need for treatment of haemophilia A patients who develop inhibitory allo-antibodies to FVIII. Antigen-binding molecules of the present invention are suitable for use in such patients. Accordingly, in some aspects, a patient treated with a bispecific antigen binding molecule according to the present invention may be resistant to treatment with FVIII owing to the presence of inhibitory antibodies in the bloodstream. Resistance to treatment can be manifested in a reduction of efficacy of the therapy. Such resistance may be detected in *in vitro* assays (e.g. aPTT assay) with a blood plasma sample from the patient, wherein the therapeutic molecule does not reduce coagulation time to the same level as in an assay with control FVIII-deficient plasma (the latter lacking inhibitory antibodies to the therapeutic

molecule).

[0232] Patients receiving other treatments for haemophilia, such as bispecific antibodies to FIXa and FX, may also develop inhibitory antibodies to those therapeutic antibodies. As noted, use of human antibodies such as those of the present invention should minimise the risk of this, but inhibitory antibodies may nevertheless be generated in some patients who receive antigen binding molecules of the present invention or other bispecific antigen binding molecules to FIXa and FX. A patient treated with a bispecific antigen binding molecule according to the present invention may be resistant to treatment to a different bispecific antigen binding molecule for FIXa and FX owing to the presence of inhibitory antibodies in the bloodstream. The patient may be resistant to treatment with emicizumab.

[0233] Since inhibitory antibodies may be generated through long term therapeutic administration of a drug product, it may be beneficial for patients to alternate or cycle between multiple different treatments, to reduce the risk of their developing inhibitory antibodies. Thus, a bispecific antigen binding molecule of the present invention may be administered to a patient who has previously received treatment with a different FVIIIa-activity replacing polypeptide drug, e.g., a bispecific antigen binding molecule for FIXa and FX, optionally emicizumab, even where the patient has not (yet) developed inhibitory antibodies. Similarly, emicizumab or other bispecific antigen binding molecules for FIXa and FX, and other FVIIIa-activity replacing polypeptide drugs generally, may be administered to patients who were previously treated with a bispecific antigen binding molecule of the present invention. Regimens of treatment may comprise administration of a first FVIII-activity replacing polypeptide drug for a first period (e.g., between one and six months, or between six months and one year), followed by switching to a different FVIII-activity replacing polypeptide drug for a second period (e.g. between one and six months, or between six months and one year), followed by switching back to the first drug or switching to yet another FVIII-activity replacing polypeptide drug. The different amino acid sequences of the different drug treatments should ensure that a patient at risk of developing inhibitory antibodies to one drug is no longer at risk of developing inhibitory antibodies to the first drug (e.g., emicizumab) following switching to a different drug (e.g., a molecule of the present invention). The cycling period may be varied or shortened, according to convenience and the preferences of the patient and doctor.

[0234] It will be recognised that administration of the encoding nucleic acid represents an alternative therapy, and may be performed in place of administering the polypeptide drug directly.

[0235] As noted, the bispecific antigen-binding molecules of the present invention are believed to have a strong safety profile, associated with no (or minimal) incidents of hypersensitivity reactions, development of allo-antibodies, organ toxicity or other adverse events leading to discontinuation of the therapy.

[0236] Equivalents: Those skilled in the art will recognise, or be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein.

Examples

[0237] Bispecific IgG antibodies comprising Fv binding sites for human FIXa and human FX were generated as described in PCT/EP2018/066836 filed on 22 June 2018 entitled "Bispecific antibodies for factor IX and factor X" (WO2018/234575). As described therein, an extensive campaign of immunisation and screening led to the identification of an anti-FIXa antibody NINA-0128 which, when paired in IgG format with any of a selection of different anti-FX binding Fvs, showed outstanding activity in functional screens including a tenase assay and aPTT assay. NINA-0128 comprises VH domain N0128H and VL domain 0128L. A number of variants of the N0128H VH domain were generated and tested, resulting in further improvements in function in a bispecific format, including for example the N0436H VH domain.

[0238] Building on that work, bispecific IgG were designed with the VL domain of NINA-0128 as a common light chain. A panel of anti-FX antibodies were generated in vivo in a transgenic mouse comprising human immunoglobulin genes. These were co-expressed with NINA-0128 as the anti-FIX binding arm, using the 0128L VL domain in a common light chain including a human constant region. One VH domain, T0200, showed outstanding activity in the bispecific format and was selected for further development. Structurally related antibodies obtained from the same immunised animal as the T0200H clone, included further anti-FX VH domains that performed even better than the T0200H VH domain in bispecific IgG4 with an anti-FIX VH domain and the 0128L common light chain.

[0239] Meanwhile, further anti-FIXa antibody variants were generated, introducing mutations in the VH domain while retaining the common 0128L VL domain. The anti-FIXa N0436H VH domain sequence was optimised by substituting all possible amino acids at each position in CDR1, CDR2 and CDR3, expressing the resulting VH domain variants in the context of bispecific antibodies comprising the common light chain, evaluating the variant bispecific antibodies in a range of functional assays, identifying mutations associated with increased functional activity, and generating further variants including combinations of mutations associated with increased functional activity.

[0240] Improved T0200H VH domain variants were combined with improved N0436H VH domain variants, each paired with the N0128L common light chain, and repeated rounds of optimisation, screening and selection were conducted.

[0241] Figure 6 shows a simplified overview of the screening program.

[0242] Very strong FVIII mimetic activity was achieved with common light chain bispecific antibodies including the

optimised sequences. The following bispecific antibodies are examples of strong performers, as indicated by functional characterisation in a range of disease-relevant assays. Nomenclature of the bispecific antibodies which have a common light chain is IXAX-nnnn.tttt.llll, wherein nnnn is a 4 digit numerical identifier of the anti-FIX VH domain, tttt is a 4 digit identifier of the anti-FX VH domain, and llll is a 4 digit numerical identifier of the common VL domain:

IXAX-0128.0201.0128 (anti-FIXa VH domain N0128H; anti-FX VH domain T0201H; 0128L common light chain)
 IXAX-0436.0201.0128
 IXAX-0511.0201.0128
 IXAX-1091.0201.0128
 IXAX-1172.0201.0128
 IXAX-1280.0201.0128
 IXAX-1341.0201.0128
 IXAX-1327.0201.0128
 IXAX-1333.0201.0128

[0243] Other high performing anti-FX VH domains which combine well with the above and other anti-FIX VH domains in bispecific antibodies were those of the T0201H lineage and variants thereof such as those listed in Figure 11 and other related sequences. Particularly good results were obtained with bispecific antibodies including an anti-FIX VH domain, an anti-FX VH domain and a common light chain selected from the following:

anti-FIX VH domain:	anti-FX VH domain:	common VL domain
N0436H	T0201H	0128L
N0511H	T0596H	0325L
N1091H	T0616H	
N1172H	T0638H	
N1280H	T0666H	
N1327H	T0678H	
N1333H	T0681H	
N1341H	T0687H	
N1441H	T0736H	
N1442H	T0999H	
N1454H		

[0244] For example,

IXAX-1280.0999.0325
 IXAX-1454.0999.0325
 IXAX-1441.0999.0325
 IXAX-1441.0736.0325
 IXAX-1442.0687.0325

[0245] The bispecific antibodies described here represent candidate pharmaceutical drug molecules for therapeutic use as described herein. They may offer a vital healthcare option for patients by providing an alternative to existing treatments such as emicizumab, especially in patients for whom such existing treatments are no longer effective due to the presence of anti-drug antibodies.

[0246] In these Examples, the reference antibody AbE or Antibody E is a bispecific antibody having the heavy and light chain amino acid sequences of emicizumab [3].

Example 1. Creation of anti-FX antibody panel with common light chain

[0247] Transgenic mice expressing a common light chain comprising the 0128L VL domain of were immunised with human factor X. Antigen specific B cells were single cell sorted by flow cytometry and the VH and VL sequences were retrieved by next generation sequencing (NGS). 200 anti-FX heavy chains were identified by NGS analysis of the single cell sorted lymphocytes. Further bulk NGS analysis was performed on bone marrow and lymph node tissues harvested from the same transgenic animals.

Example 2. Creation of anti-FIXaxFIX bispecific antibodies with common light chain

[0248] Each anti-FX heavy chain was expressed in HEK293 cells as bispecific antibody comprising the anti-FIX N0128H heavy chain and the 0128L common light chain. The bispecific antibodies were purified by Protein A substantially as described in PCT/EP2018/066836 filed on 22 June 2018 entitled "Bispecific antibodies for factor IX and factor X", which is incorporated by reference herein.

Example 3. Initial screening of anti-FX arms using activation coagulation factor VIII (FVIIIa)-like activity assay (FXase or tenase assay)

[0249] 200 bispecific antibodies comprising a range of different anti-FX heavy chains, each in combination with the N0128H anti-FIX heavy chain and 0128L common VL domain, were screened using a factor Xa generation assay. This functional screening detects FVIIIa-mimetic activity, i.e., ability to enhance (catalyse) the FIXa-mediated activation of FX to FXa, in vitro by enzymatic "FXase" assay. In this assay, the test bispecific molecule is contacted with FIXa and FX in the presence of phospholipid, under conditions suitable for formation of FXa. A substrate for FXa is added which, when cleaved by FXa, generates a detectable product. Detection of this product in the presence of test bispecific antibody is compared with a negative control in which no test antibody is present (a control antibody may be included). The detected signal is quantified by recording absorbance of the reaction solution at 405 nm. Absorbance is measured across a range of antibody concentrations in the assay and an EC50 value is calculated as a measure of the bispecific antibody potency in this assay. Significant difference of EC50 between test antibody and control indicates that the test antibody is able to enhance FIXa-mediated activation of FX. Figure 7.

Results

[0250] Among all the bispecific antibodies assayed, a single one showed outstanding FXase activity: the N0128H anti-FIX heavy chain and T0200H anti-FX heavy chain, paired with 0128L common VL domain, had markedly higher FXase activity than all others in the panel. Figure 8.

Materials & Methods - Standard FXase Reaction Conditions

[0251] 7.5 μ L FIX (3.75 μ g/mL) and 5 μ L supernatant from the Expi293 cells producing the recombinant antibodies (Example 8) were added to each well of an assay plate and incubated at room temperature for 1 hour. A mixture of 2.5 μ L FXIa (10 ng/mL), 5 μ L FX (50 ng/mL), 0.05 μ L phospholipid (10 mg/mL) and 5 μ L TBSB-S buffer was added to each well to initiate enzymatic reaction (FIXa cleavage of FX to generate FXa), and incubated at 37 °C for 1 hour. After 60 minutes, the reaction was terminated by adding 5 μ L of 0.5 M EDTA. After adding 10 μ L S2765 substrate solution to each well, absorbance at 405 nm (reference wavelength 655 nm) was measured for 30 minutes (one reading per 10 minutes). All reactions were performed at 37°C unless otherwise stated.

TBSB:

Tris buffered saline containing 0.1 % bovine serum albumin
To make 7.5 mL TBSB:

0.1 mL 7.5% BSA solution (Sigma)
7.4 mL 1X TBS solution (diluted from 20X TBS solution ThermoFisher)

TBSB-S:

TBSB containing 5 mM CaCl₂ and 1 mM MgCl₂
To make 100 mL TBSB-S:

99.4 mL TBSB
0.5 mL 1M CaCl₂ (Sigma)
0.1 mL 1M MgCl₂ (Sigma)

FXIa stock solution (10 μ g/mL):

Add 10 mL TBSB-S to 0.1 mg FXIa (Enzyme Research Laboratories) to make 10 μ g/mL stock solution.

Dilute to 10 ng/mL (1:1,000) working solution before use.

F.IXa stock solution (5 µg/mL)

Add 100 mL TBSB-S to 0.5 mg FIXa (HFIXa 1080) (Enzyme Research Laboratories) to make 5 µg/mL stock solution.

Dilute to 1.0 µg/mL (1:5) working solution before use.

FIX stock solution (37.5 µg/mL):

Add 13.3 mL TBSB-S to 0.5 mg FIX (Enzyme Research Laboratories) to make 37.5 µg/mL stock solution.

Dilute to 3.75 µg/mL (1:10) working solution before use.

FX working solution (50 µg/mL):

Add 16 mL TBSB-S to 0.8 mg FX (Enzyme Research Laboratories) to make 50 µg/mL working solution.

No further dilution is needed before use.

S2765 stock solution:

25 mg S2765 (Chromogenix) chromogenic substrate (0.035 mmol)

To make 2 mM stock solution:

Add 17.493 mL water to the vial and dissolve with shaking.

Polybrene solution:

To make 0.6 g/L hexadimethrine bromide stock solution:

Add 0.15 g hexadimethrine bromide (Sigma) to 250 mL water.

Dilute to 0.6 mg/L (1:1,000) working solution before use.

S2765 substrate working solution

A 1:1 mixture of 2mM S-2765 stock solution and 0.6 mg/L polybrene solution.

Example 4. Identification of anti-FX T0200H VH domain

[0252] The bispecific antibody designated IXAX.0128.0200.0128, comprising N0128H anti-FIX VH domain, T0200H anti-FX VH domain and 0128L common light chain, demonstrated high FXase activity compared with the other bispecific antibodies. The T0200H VH domain was chosen for further development to attempt production of yet further improved bispecific antibodies.

Example 5. Optimisation of anti-FX T0200H VH domain

Phylogenetic analysis

[0253] From the bulk NGS (Example 1) and phylogenetic analysis, 113 anti-FX heavy chains were identified as belonging to the same lymphocyte cluster as the anti-FX heavy chain T0200H. The cluster represents B cells that appear to share a common evolutionary lineage. The anti-FX heavy chains within the cluster shared approximately 95% sequence identity with T0200H at the amino acid level. Figure 9.

[0254] The 113 anti-FX heavy chains were expressed in bispecific antibodies with a panel of different anti-FIX heavy chains and the 0128L common light chain, and screened by FXase assay.

[0255] We identified several anti-FX-heavy chains that showed increased FXase activity compared with the T0200H VH domain when assayed as bispecific antibodies. Figure 10 shows example data from the Xase assay.

[0256] A selection of the most active FX arm sequences is shown in Figure 11. These VH domains were designated T0201H to T0217H respectively. Those with the strongest activity in bispecific format were T0204, T0207, T0205 and T0201 (Figure 10b).

[0257] Using amino acid sequence comparisons, and supported by the functional data, we identified several amino

acid residues in frameworks and CDR regions of the anti-FX heavy chains that differ in the most active VH domains and may contribute to the enhanced biological activity compared with T0200H. For example, one or more of the following amino acid features of the VH domain may increase the FVIII-mimetic activity of bispecific antibodies containing the VH domain (IMGT residue numbering):

- Replacement of valine (V) by isoleucine (I) at position 5 in FR1;
- Replacement of lysine (K) by glutamine (Q) at position 13 in FR1;
- Replacement of leucine (L) by methionine (M) at position 39 in FR2;
- Replacement of threonine (T) by serine (S) at position 62 in CDR2;
- Replacement of aspartate (D) by serine (S) at position 64 in CDR2;
- Replacement of threonine (T) by serine (S) at position 85 in FR3;
- Replacement of alanine (A) by serine (S) at position 112 in the CDR3.

[0258] Nevertheless it is clear that activity is high even without these amino acid substitutions, since T0200H itself shows strong activity in a bispecific antibody, and none of these substitutions was consistently present in all of the top VH domains (Figure 11).

Targeted mutagenesis for functional optimisation

[0259] The CDR3 of VH domain T0201H was systematically mutated to provide a library of VH domains in which the residue at each position was individually replaced by another amino acid. The resulting VH domains were named T0XXXH, where XXX numbers are shown in Figure 12 for the mutants of IMGT positions 114 (Cys), 115 (Leu), 116 (Gln) and 117 (Leu). Refer to Figure 13 for IMGT numbering.

Removal of potential developmental liability

[0260] An unpaired cysteine (C) residue present in CDR3 was identified as a high-risk sequence motif. This unpaired cysteine, present at position 114 in the CDR3 of T0200H and all 113 further anti-FX VH domains identified from the bulk NGS analysis, represents a liability for the development of the bispecific antibody. We screened VH domains containing substitutions of all other amino acids for the cysteine at this position in T0201H. These new variants were expressed with N1280H (see Example 6) and 0128L common light chain as IgG4 bispecific antibodies, purified by Protein A and screened for FVIII mimetic activity by FXase assay. Replacement of cysteine at position 114 with isoleucine (I), glutamine (Q), arginine (R), valine (V) or tryptophan (W) resulted in bispecifics antibodies with FVIII mimetic activity similar to bispecific antibodies having the T0201H or T0202H VH domains. We conclude C114 can be replaced with a variety of other amino acids and still maintain FVIII mimetic activity.

Example 6. Systematic sequence optimisation of anti-FIX VH

[0261] Each amino acid residue in CDR1, CDR2 and CDR3 was individually mutated to generate single position mutants of the anti-FIX N0128H heavy chain. The anti-FIX heavy chain variants thus generated were expressed in bispecific format, paired with anti-FX heavy chain T0201H and N0128L common VL domain in HEK293.

[0262] Protein A purified bispecific antibodies were assayed for biological activity by FXase (Example 7) and aPTT to look for amino acid changes that improved the FVIII-mimetic activity of the bispecific antibody. Improved variants were then combined to generate double or triple mutants in the CDR1, CDR2 and CDR3 regions.

[0263] Table N identifies mutants of the N0128H VH domain in which one or more residues of the CDRs are mutated to other amino acids. For example the N0436H VH domain is a Ser->Ile mutant of the N0128H VH domain, i.e., in which the serine at IMGT position 111A in CDR3 is replaced by isoleucine. Further residue mutations were introduced on top of initial single mutations. For example the N0511H VH domain is a Ser112Ala mutant of the N0436H VH domain, i.e., in which the serine at IMGT position 112A in CDR3 is replaced by lysine. N1172H is a Glu64Arg mutant of the N0511H VH domain, i.e., in which the glutamate at IMGT position 64 in CDR2 is replaced by arginine. N1280H is a Thr29Arg mutant of the N1172H VH domain, i.e., in which the Thr at IMGT position 29 in CDR1 is replaced by arginine. The other named VH domains can be identified from Table N in the same manner.

[0264] Refer to Figure 14 for IMGT numbering.

Example 7. Screening of improved bispecific antibodies in FXase assay

[0265] Anti-FX arms comprising the VH domain variants generated as described in Example 5 were combined with anti-FIX arms comprising the VH domain variants generated as described in Example 6, each paired with the 0128L

common VL domain, to generate FIXaFX bispecific antibodies, and screened for functional activity in the tenase assay.

Results

[0266] Example data are shown:

Figure 10.
Figure 15.
Figure 16.

[0267] Highly active bispecific antibodies were identified for several combinations of anti-FIX VH and anti-FX VH domains, each paired with the 0128L common VL domain. Examples of anti-FIX VH and anti-FX VH domain combinations are shown in Figure 16.

[0268] The identity of the anti-FX VH domain appeared to have a stronger influence than the identity of the anti-FIX VH domain for these bispecific arm combinations, with T0638H, T0616H, T0596H and T0663H being among the highest-performing anti-FX VH domains. These anti-FX domains performed well in combination with a variety of anti-FIX arms, including variants of N1280H such as those indicated in Figure 16. Anti-FIX VH domain sequences are identified by reference to appended Table N. Anti-FX VH domain sequences are identified by reference to Figure 12.

[0269] FVIII-mimetic activity of N128 bispecific antibody was sequentially optimised by modifying amino acid residues in any of the three CDRs. Several amino acid residues were identified to increase FVIII mimetic activity across the CDRs and these mutations were combined to maximise activity. The FVIII mimetic activity of antibodies with the N0128H VH domain was progressively improved with further VH domains in the following order: N0128H -> N0436H -> N0511H -> N1091H -> N01172H -> N1280H -> N1333H. Figure 17.

Materials & Methods - Modified FXase Reaction Conditions.

[0270] Initial screening for bispecific antibody FVIII mimetic activity was assessed using the Standard FXase Reaction Conditions set out above in Example 3. As the FVIII mimetic activity of the bispecific antibody increased, the Standard FXase reaction conditions were no longer sufficient to detect improvements in FXase activity. Therefore, more sensitive Modified FXase Reaction Conditions were established.

[0271] This modified assay differs from the Standard FXase Reaction Conditions in the following ways: FXIa is not used, the activated form of Factor IX (FIXa) is used and there is no incubation step. All FXase reagents are mixed with a bispecific antibody and the generation of FXa is detected by recording the absorbance of the reaction solution 40 to 50 times every 30 seconds at 405 nm using an Envision plate reader set to 37 °C.

[0272] 18.45 µl TBSB-S buffer was mixed with 0.05 µl phospholipid (10 mg/ml) and mixed vigorously by pipetting to disperse the phospholipid. To this mixture 1.5 µl FIXa (1 µg/ml) and 5 µl of FX (50 µg/ml), was combined with 5 µl of polybrene (0.6 mg/L) and 5 µl S2765 (4 mM), all pre-warmed to 37 °C. Finally, 5 µl of bispecific antibody being investigated for FXase activity was added. Absorbance at 405 nm (reference wavelength 655 nm) was recorded 40 to 50 times every 30 seconds.

Example 8. Screening of improved bispecific antibodies in plasma coagulation assay

[0273] Anti-FX arms comprising the VH domain variants generated as described in Example 5 were combined with anti-FIX arms comprising the VH domain variants generated as described in Example 6, each paired with the 0128L common VL domain, to generate FIXaFX bispecific antibodies. To determine the ability of the bispecific antibodies of the present invention to correct the coagulation ability of the blood of haemophilia A patients, the effect of these antibodies on the activated partial thromboplastin time (aPTT) using FVIII deficient plasma was examined.

[0274] A mixture of 5 µL of bispecific antibody solution having a variety of concentrations, 20 µL of FVIII deficient plasma (Helena Biosciences), and 25 µL of aPTT reagent (APTT Si L Minus, Helena Biosciences) was warmed at 37°C for 3 minutes. The coagulation reaction was initiated by adding 25 µL of 25 mM CaCl₂ (Helena Biosciences) to the mixture. The time period until coagulation was measured. Apparatus used for this was C-4 4 channel coagulation analyser (Helena Biosciences).

[0275] A sample of results is shown in Figure 18.

[0276] Concentration dependency was subsequently determined for bispecific antibodies that exhibited the highest coagulation time-reducing effect.

[0277] For example, IXAX-1280.0201.0128 IgG4 antibody demonstrated a dose dependent decrease in aPTT, comparable to the reference antibody AbE (positive control). Figure 19. No reduction in aPTT was observed for an isotype control antibody. Note that the antibody preparation used for this assay was the result of a one-step purification on

Protein A and as such contained residual anti-FIX monospecific antibodies and residual anti-FX monospecific antibodies in addition to the desired bispecific fraction.

Example 9. Analysis of anti-FIX VH domains in bispecific antibodies

[0278] Considering data from a variety of functional assays including those described in Example 7 and Example 8, it was noted that the anti-FX VH domain T0201 and its sequence variants performed well in combination with a variety of anti-FIX VH domains in bispecific antibodies with the common light chain. For example, anti-FIX VH domains N0128H, N0436H, N0511H, N1091H, N1172H, N1280H, N1314H, N1327H and N1333H all gave good functional activity in the bispecific antibodies. These anti-FIX VH domains share a close structural relationship. Figure 20. Their performance could be further enhanced by fine tuning of residues through substitution (Table N) and combining substitutions associated with improved activity.

Example 10. Affinity for antigen-binding

[0279] Binding affinity and the kinetics of antibody-antigen interaction were determined using SPR. Affinity and kinetics of purified test antibodies (all IgG4PE) were compared to comparator anti-FIX antibody AbN or comparator anti-FX antibody AbT as positive control and to an isotype control (ISTC) as negative control.

Binding affinity for FIX

[0280] The anti-FIX antibodies analysed showed binding to FIX in the affinity range of approximately 0.18 μM to 0.3 μM and fast association (k_{on}) and dissociation (k_{off}) rates for FIX. The anti-FIX antibodies analysed showed slightly higher binding affinity to FIX and higher association rate compared to the comparator antibody AbN. No binding to FIX was observed with ISTC. Table E-10-1.

Table E-10-1. Binding affinity and kinetic constants on-rate (k_{on}) and off-rate (k_{off}) of anti-FIX antibodies. Anti-FIXa monospecific antibody nomenclature: NINA-hhhh.III, wherein hhhh is the numeric identifier of the VH domain (e.g., N0436H) and III is the numeric identifier of the VL domain (e.g., 0128L).

Captured anti-FIX antibody	k_{on} (1/Ms)	k_{off} (1/s)	K_{D} (M)
NINA-0128 (n=2 average)	2.92×10^5	5.76×10^{-2}	1.98×10^{-7}
NINA-0436.0128	2.46×10^5	4.53×10^{-2}	1.84×10^{-7}
NINA-0438.0128	2.30×10^5	6.73×10^{-2}	2.93×10^{-7}
NINA-0440.0128	1.85×10^5	5.35×10^{-2}	2.89×10^{-7}
NINA-0442.0128	1.94×10^5	4.71×10^{-2}	2.42×10^{-7}
NINA-0444.0128	2.16×10^5	4.45×10^{-2}	2.06×10^{-7}
NINA-0445.0128	2.04×10^5	5.44×10^{-2}	2.67×10^{-7}
NINA-0456.0128	1.51×10^5	3.96×10^{-2}	2.63×10^{-7}
NINA-0460.0128	1.75×10^5	3.18×10^{-2}	1.81×10^{-7}
AbN	3.06×10^4	4.26×10^{-2}	1.39×10^{-6}
ISTC	No binding	No binding	No binding

Binding affinity for FX

[0281] The anti-FX antibodies analysed showed binding to FX in the affinity range of approximately 0.1 μM to 1.4 μM and fast association (k_{on}) and dissociation (k_{off}) rate for FX. No binding to FX was observed with ISTC.

[0282] The anti-FX antibodies analysed similar binding affinity to FX compared to the benchmark antibody AbT.

Table E-10-2. Binding affinity and kinetic constants on-rate (k_{on}) and off-rate (k_{off}) of anti-FX antibodies. Anti-FX monospecific antibody nomenclature: TINA-hhhh.III, wherein hhhh is the numeric identifier of the VH domain (e.g., N0201H) and III is the numeric identifier of the VL domain (e.g., 0128L).

Captured anti-FX antibody (IgG4PE)	k_{on} (1/Ms)	k_{off} (1/s)	K_D (M)
TINA-0200.0128 (n=2 average)	1.03×10^5	1.15×10^{-1}	1.13×10^{-6}
TINA-0215.0128	6.84×10^4	7.87×10^{-2}	1.15×10^{-6}
TINA-0211.0128	6.57×10^4	4.47×10^{-2}	6.80×10^{-7}
TINA-0210.0128	7.64×10^4	7.44×10^{-2}	9.74×10^{-7}
TINA-0203.0128	6.80×10^4	5.98×10^{-2}	8.80×10^{-7}
TINA-0206.0128	6.72×10^4	6.67×10^{-2}	9.92×10^{-7}
TINA-0205.0128	6.26×10^4	8.53×10^{-2}	1.36×10^{-7}
TINA-0219.0128	1.01×10^5	9.11×10^{-2}	9.05×10^{-7}
TINA-0217.0128	1.02×10^5	5.74×10^{-2}	5.64×10^{-7}
TINA-0209.0128	5.90×10^4	6.79×10^{-2}	1.15×10^{-6}
TINA-0204.0128	1.09×10^5	7.85×10^{-2}	7.18×10^{-7}
TINA-0220.0128	5.38×10^4	5.60×10^{-2}	1.04×10^{-6}
TINA-0201.0128	8.67×10^4	5.02×10^{-2}	5.79×10^{-7}
TINA-0202.0128	8.87×10^4	7.20×10^{-2}	8.12×10^{-7}
TINA-0213.0128	9.69×10^4	1.33×10^{-1}	1.37×10^{-6}
TINA-0207.0128	1.66×10^5	1.41×10^{-1}	8.47×10^{-7}
TINA-0214.0128	1.20×10^5	5.58×10^{-2}	4.66×10^{-7}
AbN	No binding	No binding	No binding
AbT	4.13×10^4	2.72×10^{-2}	6.60×10^{-7}
hlgG4PE ISTC	No binding	No binding	No binding

Materials & Methods

[0283] SPR was used to determine the binding affinity (K_D) to FIX or FX respectively, the kinetic constants on-rate (k_{on}) and off-rate (k_{off}). Analyses was performed using a Biacore 8K (GE Healthcare) system.

[0284] Anti-human IgG Fc antibody was immobilised on CM4 chip (GE Healthcare) according to the manufacturer's instructions. The chip surface was activated by amine coupling and subsequently blocked with 1M ethanolamine. The immobilisation run was performed at 25°C using HBS-EP as immobilisation running buffer.

[0285] Monospecific antibodies (referred as ligand) which had been purified on Protein A were captured onto the anti-human IgG Fc CM4 surface at approximately 2 µg/ml. The ligands were injected for 60 seconds at 10 µl/min in all the active channels of all 8 flow channels. The run was performed at 25°C using neutral pH HBS-P 1X + CaCl₂ 2.5 mM as running buffer.

[0286] Human FIX (MW ~55 KDa) or human FX (MW ~58 KDa) was reconstituted at 1 mg/ml in the running buffer and used as analyte. The analyte was injected in multiple cycle kinetics (MCK) mode at 3 concentrations (1.5 µM, 500 nM and 166.7 nM) with 120 seconds association phase and 200 seconds (for FIX) or 300 seconds (for FX) dissociation phase, at flow rate 30 µl/sec in both active and reference channels. Three injections of 10 mM Glycine pH 1.5 for 60 sec. at 10 µl/min were used for the regeneration phase.

[0287] For the anti-FIX analysis, ISTC antibody hlgG4PE was captured at 1 µg/ml for 60 seconds at 10 µl/min in the reference channel. hlgG4PE ISTC and hlgG1 ISTC were also captured in the active channel as a negative control. The monospecific antibody AbN was used as positive control.

[0288] For the anti-FX analysis, the hlgG4PE ISTC was also captured in the active channel as a negative control. The monospecific antibody AbT was used as positive control.

[0289] The values for association rate constant (k_{on}), dissociation rate constant (k_{off}) and dissociation constant (K_D) were calculated from the binding data by BIAevaluation software. Data were reference and buffer subtracted and fitted

into one step biomolecular reaction (Langmuir 1:1) model. The first 30 seconds of dissociation were evaluated in the model.

Example 11. Simultaneous binding of bispecific antibody to FIX and FX

[0290] The ability of FIXxFX bispecific antibody IXAX-0436.0202.0128 to bind simultaneously to FIX and FX was demonstrated using SPR. The binding kinetics of the purified bispecific antibody was compared to an isotype control (ISTC). Sensorgrams of the binding indicated that the bispecific antibody bound simultaneously to FIX and FX while no binding to FIX and FX was observed with ISTC. Figure 21A.

[0291] FIX was flown over the surface captured with the bispecific antibody to allow the binding with the first analyte. The interaction between the bispecific antibody generated a baseline response as indicated in the sensogram Figure 21. The following injection of the second analyte, FX, generated a further increase in signal indicating that FX binds the bispecific antibody already in complex with FIX.

[0292] Contrarily no binding to FIX or FX was observed when FIX and FX were flown over the surface where an isotype control was captured, demonstrating the specificity of interaction between FI and FX to the bispecific antibody. Figure 21A.

[0293] Sensorgram for the bispecific antibody can also be compared with sensorgram for monospecific antibody. When the antibody captured is an anti-FX monospecific the same series of injection does not give any significant response when FIX is flown over instead when the second injection is performed (1:1 mixture) approximately 50 response units (RU) are observed while with the bispecific the response is 25 RU higher. Figure 21B.

[0294] A key feature of the FVII-mimetic bispecific antibody is the ability to bind simultaneously FIX and FX, to promote the conversion of FX into FXa by FIXa. The binding observed represents a biophysical confirmation that the bispecific antibodies described herein can interact simultaneously with Factor IX and Factor IX, which is in agreement with the functional data described in the accompanying Examples.

Materials & Methods

[0295] SPR analysis was performed using a Biacore 8K (GE Healthcare) system.

[0296] An anti-human IgG Fc antibody was immobilised on CM4 chip (GE Healthcare) according to the manufacturer's instructions. The chip surface was activated by amine coupling and subsequently blocked with 1M ethanolamine. The immobilisation run was performed at 25°C using HBS-EP as immobilisation running buffer.

[0297] Bispecific antibody (ligand), which had been purified by Protein A capture followed by ion exchange chromatography, was captured on to the anti-human IgG Fc CM4 surface at approximately 2 µg/ml. The ligand was injected at 10 µg/ml for 60 seconds at 10 µl/min in one active channel. The run was performed at 25°C using neutral pH HBS-P 1X + CaCl₂ 2.5 mM as running buffer.

[0298] Human FIX and human FX (analytes) were reconstituted at 1.15 mg/ml in the running buffer and used as analytes. Analytes were injected at 10 µM alone or mixed 1:1 (10 µM 10 µM) at 10 µl/min for 180 seconds.

[0299] An isotype control hlgG4PE antibody was captured at 10 µg/ml for 60 seconds at 10 µl/min in the reference channel as negative control. A blank injection of buffer was performed for all the samples to be used in the double referencing process. Three injections of 10 mM glycine pH 1.5 for 30 seconds at 30 µl/min were used for the regeneration phase. The data were referenced and buffer subtracted and fitted into Langmuir 1:1 model.

Example 12. Further optimisation of anti-FX VH

[0300] The anti-FIX binding arm of the bispecific antibody was "fixed" as a VH domain comprising the CDRs of N1280H and a VL domain comprising the CDRs of 0128L, while further refinements were made to the anti-FX VH domain to improve performance. 0128L was used as a common light chain.

[0301] Table T identifies mutants of the T0201H VH domain in which one or more residues of the CDRs are mutated to other amino acids. The table shows the name given to each variant VH domain having the identified mutation. In each case, residues other than those indicated are left unchanged. For example, the T0616H VH domain is a Leu115Ile mutant of the T0201H VH domain, i.e., in which the leucine (L) at IMGT position 115 in CDR3 is replaced by isoleucine (I). Further residue changes were introduced to the variants containing the single mutations in the T0201H VH domain, resulting in further variants representing combinations of different mutations in the T0201H VH domain. For example, the T0687H VH domain is a Ser111APhe, Cys114Val, Leu115Ile mutant of the T0201H VH domain, i.e., in which the serine at IMGT position 111A in CDR3 is replaced by phenylalanine (T0537H mutation), the cysteine at IMGT position 114 in CDR3 is replaced by valine (T0606H mutation), and the leucine at IMGT position 115 is replaced by isoleucine (T0616H mutation). Sequences of other named anti-FX VH domains can be identified from Table T in the same manner. Refer to Figure 13 for IMGT numbering.

[0302] Bispecific antibodies, purified by Protein A chromatography, were tested for functional activity to look for improvement over the parent bispecific comprising T0201H VH domain.

[0303] Improved antibodies were identified in the FXase assay (using Modified FXase Reaction Conditions as detailed in Example 7) and aPTT assay (method as detailed in Example 8).

[0304] Mutagenesis of HCDR3 produced improvements in FVIII mimetic activity. HCDRs of VH domains demonstrating improved activity are indicated in Figure 25. For example, each of the following substitutions and combinations of substitutions in the T0201H VH domain CDR3 was found to improve FVIII mimetic activity (name of resulting VH domain indicated in brackets) (non-exhaustive list):

Gln116Met in CDR3 (T0638H VH);
 Leu115Ile in CDR3 (T0616H VH);
 Ser111APhe in CDR3 (T0537H VH);
 Cys114Ile Leu115Ile (T0666H VH);
 Ser111APhe Cys114Ile Leu115Ile (T0678H VH);
 Ser111APhe Cys114Leu Leu115Ile (T0681H VH);
 Ser111APhe Cys114Val Leu115Ile (T0687H).

[0305] Concluding the HCDR3 mutagenesis of T0201H, the VH domains T0687H, T0678H and T0681H demonstrated the strongest activity in the bispecific antibodies.

[0306] Functional activity of the bispecific antibodies was still further improved through mutagenesis of HCDR1 and HCDR2 in the anti-FX arm. Starting with T0681H, each amino acid residue of CDR1 and CDR2 was systematically replaced by all other possible amino acids, generating the VH domains numbered T0690H to T0993H identified in Table T.

[0307] aPTT and TGA analyses were also conducted to support functional assessment of HCDR1 variants. The VH domains T0736 (S29K mutation), T0713, T0734, T0742, T0774 and T0785 showed improved activity compared with T0681H. Based on the functional analyses of HCDR1 variants of T0681H, VH domain T0736H was selected as the top performer. As compared with T0201H, T0736H combines a Ser29Lys substitution in CDR1 with the Ser111APhe Cys114Val and Leu115Ile substitutions in CDR3.

[0308] FXase, aPTT and TGA analyses were also conducted to support functional assessment of HCDR2 variants. Based on the functional analyses of HCDR2 variants of T0681H, the following VH domains were identified to have improved activity compared with T0681 H: T0926H (S62K), T850H (I56L), T0925H (S62L), T0951H (G63S), T0958H (S64D), T0989 (T65R) and T0990H (T65S).

[0309] Selected CDR1 and CDR2 variants were then combined with selected CDR3, generating further VH domain variants to investigate possible further improvements in activity.

[0310] FXase assay data for high-performing antibodies are summarised in Figure 22 and Figure 23. The aPTT assay data are summarised in Figure 24.

[0311] Bispecific antibodies comprising the VH domains shown in Figures 22 and 23 demonstrated improved or similar clotting times compared with bispecific antibodies comprising T0201H, with T0999H demonstrating the shortest clotting time in aPTT assay.

[0312] FXase activity and clotting times were comparable with the comparator bispecific antibody AbE.

[0313] Figure 25 identifies CDRs of VH domains which were progressively improved for FVIII mimetic activity during the mutagenesis process.

Example 13. Strong activity of bispecific antibodies in a thrombin generation assay

[0314] The thrombin generation assay (TGA) detects the activation of prothrombin to thrombin in blood plasma. As thrombin is generated it converts a fluorogenic substrate into a fluorophore, which is continuously monitored by a plate reader. The TGA provides a robust measure of the ability of bispecific antibodies to substitute for FVIII in the coagulation cascade in FVIII-deficient plasma, and kinetics of thrombin generation in the TGA are believed to be highly reliable as an indicator of in vivo therapeutic performance of FVIII-mimetic drugs.

Results

[0315] To establish a suitable concentration for factor IXa as a TGA trigger, we initially performed TGAs with a fixed concentration of bispecific antibody whilst varying the concentration of FIXa present in the trigger reagent. We determined that a stock solution of 1 ml MP reagent containing 222 nM FIXa is sufficient to trigger thrombin generation for normal pooled human plasma (final concentration, 0.33 nM FIXa) with a Cmax of 418.11 nM thrombin, a Tmax of 7.67 minutes and a lagtime of 5.83 minutes. Figure 26. These values are comparable with the reference range in healthy adults (see, e.g., Table 3 of ref [11]) and validate the use of FIXa as a TGA trigger.

[0316] Bispecific antibody VH domain T0201H and CDR1, CDR2 and CDR3 combinatorial variants of T0201H were expressed with FIX N1280H arm and N0128 common light chain in HEK cells, purified by protein A chromatography

and analysed at a final concentration of 133 nM and 80 nM. The VH domain variants exhibited shortening lagtime, increasing C_{max} and shorter time to peak compared with T0201H, with T0999 demonstrating the largest thrombin peak height and shortest time to peak at both concentrations analysed. Performance of at least IXAX-1280.0999.0128 was comparable with that of AbE and of the emicizumab calibrator. AbE demonstrated a lagtime, peak height and time to peak of 2.5 mins, 291.8 nM and 6.0 minutes respectively, and IXAX-1280.0999.0128 demonstrated a lagtime, peak height and time to peak of 2.0 mins, 317.2 nM and 5 minutes. Figure 27. Figure 28. As illustrated in Figure 27 and in order of increasing T_{max}, we observed a T_{max} of 5, 6.83, 6.83, 7, 7.67, 13.17, 15 and 15.67 minutes for bispecific antibodies comprising T0999, T0687, T0736, T0678, T0681, T0666, T0201 and T0596 respectively.

10

15

20

25

30

35

40

45

50

55

Table E13-1. Recorded parameters from TGA carried out on FVIII deficient plasma spiked with CDR1, CDR2 and CDR3 single and combinatorial mutants of T0201H in bispecific antibody IXAX-1280.0201.0128 at final concentration of 133 nM. ETP = endogenous thrombin potential.

<u>VH</u>	<u>T0201</u>	<u>T0596</u>	<u>T0666</u>	<u>T0678</u>	<u>T0681</u>	<u>T0687</u>	<u>T0736</u>	<u>T0999</u>	<u>AbE</u>	<u>Isotype Control</u>
<u>Lagtime (min)</u>	<u>5.0</u>	<u>5.2</u>	<u>4.5</u>	<u>2.7</u>	<u>3.0</u>	<u>2.7</u>	<u>2.7</u>	<u>2.0</u>	<u>2.5</u>	<u>18.0</u>
<u>ETP (nmol/L thrombin × min)</u>	<u>1774.4</u>	<u>1724.2</u>	<u>1883.6</u>	<u>2053.5</u>	<u>1932.4</u>	<u>2077.5</u>	<u>1805.4</u>	<u>2099.8</u>	<u>1951.9</u>	<u>-1.0</u>
<u>Maximal Peak Height (nM)</u>	<u>134.9</u>	<u>126.4</u>	<u>160.4</u>	<u>259.6</u>	<u>235.6</u>	<u>267.8</u>	<u>237.5</u>	<u>317.2</u>	<u>291.8</u>	<u>19.9</u>
<u>Time to peak (min) Velocity Index (nM/min)</u>	<u>15.0</u>	<u>15.7</u>	<u>13.2</u>	<u>7.0</u>	<u>7.7</u>	<u>6.8</u>	<u>6.8</u>	<u>5.0</u>	<u>6.0</u>	<u>38.3</u>
	<u>13.5</u>	<u>12.0</u>	<u>18.5</u>	<u>59.9</u>	<u>50.5</u>	<u>64.4</u>	<u>57.1</u>	<u>105.7</u>	<u>83.6</u>	<u>1.0</u>
<u>Tail Start (min)</u>	<u>39.0</u>	<u>39.8</u>	<u>37.0</u>	<u>29.8</u>	<u>30.2</u>	<u>29.5</u>	<u>28.2</u>	<u>26.7</u>	<u>27.3</u>	<u>-1.0</u>

Table E13-2. Recorded parameters from TGA carried out on FVIII deficient plasma spiked with CDR1, CDR2 and CDR3 single and combinatorial mutants of T0201H in bispecific antibody IXAX-1280.0201.0128 at final concentration of 80 nM. ETP = endogenous thrombin potential. Refer to Figure 27.

VH	T0201	T0596	T0666	T0678	T0681	T0687	T0736	T0999	AbE	Isotype Control
Lagtime (min)	5.0	5.3	4.7	2.7	3.0	2.7	2.7	2.0	3.0	19.0
ETP (nmol/L thrombin × min)	1766.2	1793.8	1757.9	1975.4	1891.7	1927.1	1933.3	1986.1	1878.6	-1.0
Maximal Peak Height (nM)	126.6	125.9	148.2	269.7	231.4	266.2	248.9	308.0	255.8	19.7
Time to peak (min)	15.7	16.0	13.5	6.7	7.8	6.7	6.7	4.8	7.2	39.0
Velocity Index (nM/min)	11.9	11.8	16.8	67.4	47.9	66.5	62.2	109.2	61.6	1.0
Tail Start (min)	41.0	41.5	37.0	28.7	29.8	29.5	30.0	26.8	29.8	-1.0

Table E13-2. Recorded parameters from TGA carried out with (i) emicizumab calibrator and (ii) normal pooled plasma spiked with PBS. The emicizumab calibrator is originally 100 ug/ml = 0.1 mg/ml = 666.666 nM. Dilution 125/80 = 1.5625 (80 plasma, 20 Calibrator/MP, 20 FluCa, 5 PBS spike) provides final emicizumab concentration of 426.6 nM for the calibrator. Refer to Figure 27.

	Calibrator	Normal Plasma
Lagtime (min)	2.0	4.8
Endogenous Thrombin Potential (ETP) (nmol/L thrombin × min)	1538.0	1425.7
Maximal Peak Height (nM)	308.6	371.2
Time to peak (min)	4.5	6.5
Velocity Index (nM/min)	124.1	222.7
Tail Start (min)	23.7	22.7

[0317] For a dose response TGA, bispecific antibody IXAX-1280.0999.0128 was expressed in HEK cells, purified by Protein A chromatography and bispecific heterodimer purified by ion exchange chromatography. Using 0.3 nM FIXa trigger, dose response of Cmax (nM) and Tmax (min) in the TGA was carried out on FVIII deficient plasma spiked with bispecific antibody IXAX-1280.0999.0128 and compared against emicizumab calibrator. Both bispecific antibodies demonstrated a linear decrease in Cmax with increasing antibody concentration. IXAX-1280.0999.0128 achieved a greater Cmax than the calibrator antibody, this increase being more pronounced at lower bispecific antibody concentrations. See Figure 29.

Table E13-3. Recorded parameters from TGA carried out on FVIII deficient plasma spiked with CDR1, CDR2 and CDR3 single and combinatorial mutants of T0201H in bispecific antibody IXAX-1280.0201.0128. Refer to Figure 29.

	IXAX-1280.0999.0128 Dose Response Fixa Trigger (0.3 nM)							
	300 nM	100 nM	30 nM	10 nM	3 nM	1 nM	Normal Plasma	Isotype Control
Lagtime (min)	2	1.83	2.17	3.33	4.5	5.83	6.17	18
Endogenous Thrombin Potential (ETP) (nmol/L thrombin × min)	2703	2170	2266	2311	2208	2088	1629	-1
Maximal Peak Height (nM)	377.14	348.38	327.7	274.76	208.45	124.11	466.31	23.47
Time to peak (min)	5.33	4.33	5.5	8	12	18.83	7.83	39.17
Velocity Index (nM/min)	113.14	140.01	98.31	58.88	27.82	9.62	279.78	1.11
Tail Start (min)	28.67	26.83	28.67	31.5	35.33	44.5	23.33	-1

Table E13-4. Recorded parameters from TGA carried out with emicizumab calibrator. Refer to Figure 29.

	Emicizumab Calibrator Dose Response Fixa Trigger (0.3 nM)							
	300 nM	100 nM	30 nM	10 nM	3 nM	1 nM	Normal Plasma	Isotype Control
Lagtime (min)	2	2.33	3	4.33	5.5	6.67	6.17	18
Endogenous Thrombin Potential (ETP) (nmol/L thrombin × min)	1884	2363	2075	1733	1524	1634	1629	-1
Maximal Peak Height (nM)	343.94	351.58	255.87	152.08	89.33	67.38	466.31	23.47

(continued)

	Emicizumab Calibrator Dose Response FIXa Trigger (0.3 nM)							
	300 nM	100 nM	30 nM	10 nM	3 nM	1 nM	Normal Plasma	Isotype Control
Time to peak (min)	4.17	5.5	8.17	12.5	18.33	23	7.83	39.17
Velocity Index (nM/min)	160.26	111.69	50.03	18.67	6.96	4.13	279.78	1.11
Tail Start (min)	25	27.67	29.33	35.33	43.33	58.17	23.33	-1

Materials & Methods

[0318] For the initial experimental work to establish a suitable concentration of factor IXa as a TGA trigger, 80 µl normal pooled plasma, taken from healthy individuals (Helena Biosciences), was mixed with 20 µl of trigger reagent (Microparticle (MP) reagent which is composed of phospholipids only containing varying amounts of FIXa) in Immulon 2HB transparent U-bottom 96 well plates (ThermoFisher # 3665). All reagents were used according to manufacturer's instructions, pre-warmed to 37°C in a water bath.

[0319] Once a final concentration of 0.33 nM FIXa was determined to be sufficient to trigger thrombin generation for normal plasma, the same assay conditions including 0.3 nM FIXa were applied with FVIII-depleted plasma in calibrated automated thrombogram assays.

[0320] FVIII immunodepleted plasma (Helena Biosciences) was mixed with 20 µl of trigger reagent (Microparticle (MP) reagent which is composed of phospholipids only containing 222 nM FIXa, final concentration 0.33 nM) in Immulon 2HB transparent U-bottom 96 well plates. All reagents were used according to manufacturer's instructions, pre-warmed to 37°C in a water bath. A TGA dose response was carried out starting at 300 nM of test bispecific antibody or of emicizumab calibrator ((emicizumab spiked into FVIII deficient plasma (Enzyme Research Laboratories)) with a 1 in 3 dilution series over five points. A human IgG4 isotype control antibody was used as negative control, and normal (FVIII+ve) pooled plasma spiked with PBS was used as positive control.

[0321] Samples were measured in duplicate, accompanied by duplicate calibrator wells containing a thrombin calibrator (containing a pre-determined quantity of thrombin) in the same plasma. The 96 well plate was warmed to 37 °C in a Fluoroskan Ascent plate reader (Thermo) for 10 minutes. Thrombin generation commenced upon addition of 20 µl FluCa reagent (fluorogenic substrate, ZGGR-AMC (2.5 mM), in buffer containing 100 mM CaCl₂). TGA reagents were obtained from Stago. Increase in fluorescence over time was monitored by the plate reader.

[0322] A thrombin calibrator curve was run alongside each sample being investigated. Using a calibrator, with a known concentration of thrombin, the amount of thrombin generated in a sample under investigation can be calculated from the fluorescent signal obtained using software ThrombinoscopeBV. Fluorescence from test wells was calibrated against fluorescence from the thrombin calibrator wells, to determine the equivalent thrombin generated in the test wells.

[0323] Run data were analysed using Stago analysis software. The amount of thrombin generated was determined using the thrombin calibrator curve with known activity. The following aspects of the thrombogram were determined: lag time (minutes), endogenous thrombin potential (ETP; area under the thrombogram, nM thrombin/minute), peak height (Cmax; nM thrombin), time to peak (Tmax/ minutes), velocity index (VI; nM/minute, slope between lag time and time to peak) and tail start (minutes; time at which the thrombin generation has come to an end).

Example 14. Dose response and potency in thrombin generation assay

[0324] To evaluate the maximal thrombin peak height (Cmax, nM Thrombin) and time to peak (Tmax, minutes) of bispecific antibody IXAX-1280.0999.0325 we performed thrombin generation assays (TGA) in human FVIII-depleted plasma using a full antibody concentration dose response according to the method set out in Example 13. Data generated from dose response curves was fitted using a non-linear log[antibody] vs response parameter variable slope model (4 parameter logistic regression model). AbE was included for comparison. IXAX-1280.0999.0325 and AbE used in this assay were determined by mass spectrometry to be close to 100 % heterodimer, with no homodimeric contaminants detected.

[0325] Over a prospective therapeutic window spanning 300 to 30 nM, equivalent to 45 to 4.5 µg/ml, we observed equivalent (within 10 %) or greater Cmax (nM Thrombin) values for IXAX-1280.0999.0325 compared to AbE at all concentrations analysed (Figure 30). Cmax of IXAX-1280.0999.0325 was close to that of a normal plasma control when the concentrations of the bispecific antibody were between 100 and 300 nM (Figure 30 and Figure 31). In contrast, Cmax of AbE only reached the normal level when IgG concentration is 300 nM. In this study, the EC50 of IXAX-1280.0999.0325 (8.0 nM) was approximately 15% of the EC50 of AbE (54.4 nM).

[0326] Using the Cmax curve, it can be predicted that IXAX-1280.0999.0325 can achieve the same activity as 45 µg/mL of emicizumab when its concentration is equal to or greater than 8 µg/mL, which suggests a potential efficacy advantage with IXAX-1280.0999.0325 compared with emicizumab.

[0327] Analysis of the same dose response but with respect to Tmax, we observed equivalent (within 10 %) or less than (or reduced) Tmax values for IXAX-1280.0999.0325 compared to AbE at all concentrations analysed (Figure 32). Calculated EC50 values based on Tmax values obtained are 1.65 nM for IXAX-1280.0999.0325 (circle) compared to 2.8 nM for AbE (square).

[0328] In respect to the therapeutic ranges indicated in Figures 30 and 32, we observe with IXAX-1280.0999.0325 Cmax and Tmax dose response curves which are greater and lower compared to AbE, respectively.

Table E14-1. Non-linear fit of Cmax. Best fit values for log of antibody concentration vs Cmax. Variable slope (4 parameters).

	IXAX-1280.0999.0325	Ab_E
Bottom	18.20	4.053
Top	392.0	399.9
LogEC50	-8.098	-7.264
HillSlope	1.111	1.135
EC50	7.984e-009	5.440e-008
Span	373.8	395.8

Table E14-2. Non-linear fit of Tmax. Best fit values for log of antibody concentration vs Cmax. Variable slope (4 parameters).

	IXAX-1280.0999.0325	Ab_E
Bottom	2.888	-0.2454
Top	37.14	62.16
LogEC50	-8.781	-8.548
HillSlope	-0.7713	-0.5577
EC50	1.654e-009	2.829e-009
Span	34.25	62.41

[0329] The activities of three further bispecific antibodies (BiAb 2, 3 and 4) were also assessed in the TGA and compared against the performance of IXAX-1280.0999.0325 (BiAb 1) and commercially available emicizumab calibrator (Enzyme Research Laboratories) in commercially available human FVIII-depleted plasma (Helena Biosciences). BiAbs were as follows, each including heavy chain constant regions SEQ ID NO: 409 and SEQ ID NO: 410 respectively in the two heavy chains, and lambda light chain constant region SEQ ID NO: 146 in the common light chain:

1. IXAX-1280.0999.0325. Anti-FIX heavy chain SEQ ID NO: 419, anti-FX heavy chain SEQ ID NO: 421, common light chain SEQ ID NO: 414.
2. IXAX-1454.0999.0325. Anti-FIX heavy chain SEQ ID NO: 424, anti-FX heavy chain SEQ ID NO: 421, common light chain SEQ ID NO: 414.
3. IXAX-1441.0999.0325. Anti-FIX heavy chain SEQ ID NO: 426, anti-FX heavy chain SEQ ID NO: 421, common light chain SEQ ID NO: 414.
4. IXAX-1442.0736.0325. Anti-FIX heavy chain SEQ ID NO: 428, anti-FX heavy chain SEQ ID NO: 430, common light chain SEQ ID NO: 414.

[0330] BiAb_1, 2, 3 and 4 dose-dependently increased thrombin peak height (Cmax), and dose-dependently decreased time to peak (Tmax) in the same manner as emicizumab. The top of Cmax curve of BiAb_1 was measured at about 368 nM, higher than that of emicizumab (334.8 nM). EC50 (Cmax) of BiAb_1, 2, 3, and 4 were similar to each other and had calculated EC50s of 6.45 nM, 5.87 nM, 5.2 nM and 4.81 nM respectively, representing EC50s between 26% and 35%

of the EC50 of emicizumab (18.33 nM). Figure 33A. Calculated EC50 (Tmax) values for BiAb_1 to BiAb_4 were 0.56 nM, 0.65 nM, 1.08 nM and 0.93 nM respectively, compared with 2.53 nM for emicizumab. Figure 33B.

[0331] In a third study, BiAb_1 (IXAX-1280.0999.0325) was again compared with commercially available emicizumab calibrator by using TGA assay in human FVIII-depleted plasma. BiAb_1 dose-dependently increased thrombin peak height (Cmax), and dose-dependently decreased time to peak (Tmax). Figure 34. The top of Cmax curve for BiAb_1 was about 396.5 nM, higher than that of emicizumab (286.3 nM). EC50 of BiAb_1 was 7.7 nM, approximately 30% of the EC50 of emicizumab (25.9 nM).

[0332] Assay to assay variation is observed between the TGA as shown in Figure 34, Figure 33 and Figure 30, in which BiAb_1 exhibited Cmax of approximately 400 nM, 375 nM and 375 nM respectively and in which emicizumab exhibited Cmax of 275 nM, 300 nM and 350 nM. Despite variation in the absolute readings, the trends observed were the same in each instance of the TGA.

[0333] In summary, TGA data with either the commercially available emicizumab calibrator or the generated reference antibody AbE consistently indicated an efficacy advantage for BiAb_1 (IXAX-1280.0999.0325) compared with emicizumab. An advantage was also observed with the other antibodies tested (BiAb_2, BiAb_3 and BiAb_4).

[0334] According to an FDA multi-disciplinary review of emicizumab, a median annualized bleeding rate (ABR) of 0 would be achieved at emicizumab steady state trough plasma concentration $\geq 45 \mu\text{g/mL}$ [17]. Using the Cmax curves from the TGA described above, it is predicted that BiAb_1 can achieve the same activity as $45 \mu\text{g/mL}$ of emicizumab when its concentration is equal to or greater than about 2 - 4 $\mu\text{g/mL}$. This observation suggests a potential efficacy and/or dosing advantage with respect to emicizumab. The differences in activity potentially mean that the bispecific antibody can achieve the same therapeutic effect when administered at lower dose and/or less frequently than emicizumab, representing a clinical advantage. Although the higher Cmax indicates the potential for a more powerful procoagulant capability, the magnitude of this increase is unlikely to be associated with safety concerns.

Example 15. Affinities of optimised antibody arms

[0335] Affinity and kinetics of purified anti-FIX and anti-FX antibodies for binding to their respective antigens was determined by SPR as described in Example 10 above.

[0336] The anti-FIX antibodies showed binding to FIX with an affinity range of approximately 0.05 μM - 0.3 μM (50 - 300 nM), with a general trend of increasing affinity (lower K_D) and faster off-rate correlating with greater activity in the bispecific antibody. Table E15-1.

Table E15-1.

Captured anti-FIX IgG	k_{on} (1/Ms)	k_{off} (1/s)	K_D (M)
Isotype control antibody	No binding	No binding	No binding
AbN	3.64×10^4	6.48×10^{-2}	1.78×10^{-6}
NINA-0128	1.37×10^5	4.92×10^{-2}	3.59×10^{-7}
NINA-0436.0128	1.46×10^5	5.23×10^{-2}	3.59×10^{-7}
NINA-0511.0128	1.34×10^5	1.75×10^{-2}	1.31×10^{-7}
NINA-1091.0128	1.61×10^5	3.52×10^{-2}	2.18×10^{-7}
NINA-1172.0128	2.25×10^5	1.71×10^{-2}	7.64×10^{-8}
NINA-1280.0128	1.92×10^5	1.00×10^{-2}	5.23×10^{-8}

[0337] The anti-FX antibodies showed binding to FX with an affinity range of approximately 0.3 - 3 μM . Table E15-2. Anti-FX antibody MONA was included as a control low affinity antibody with VH and VL domains from an IgM clone obtained from the single cell sorting (Example 1).

Table E15-2.

Captured anti-FX IgG	k_{on} (1/Ms)	k_{off} (1/s)	K_D (M)
Isotype control antibody	No binding	No binding	No binding
AbT	2.50×10^4	3.85×10^{-2}	1.54×10^{-6}
TINA-0200.0128	4.43×10^4	1.12×10^{-1}	2.52×10^{-6}

(continued)

Captured anti-FX IgG	k_{on} (1/Ms)	k_{off} (1/s)	K_D (M)
Isotype control antibody	No binding	No binding	No binding
TINA-0201.0128	5.90×10^4	4.82×10^{-2}	8.16×10^{-7}
TINA-0202.0128	5.13×10^4	7.09×10^{-2}	1.38×10^{-6}
TINA-0616.0128	4.19×10^4	2.22×10^{-2}	5.30×10^{-7}
TINA-0638.0128	6.99×10^4	2.32×10^{-2}	3.33×10^{-7}
TINA-0666.0128	4.49×10^4	4.17×10^{-2}	9.27×10^{-7}
MONA_IgG4PE	5.36×10^4	5.24×10^{-2}	9.78×10^{-7}

Example 16. Initial biophysical assessment

[0338] To evaluate expression of the bispecific antibodies, IXAX-1172.0201.0128 was chosen as a representative antibody for minipool analysis. Minipool analysis allows screening of CHO stably transfected cells expressing large amounts (at least 1 g/l) of heterodimeric bispecific antibody and represents a means of evaluating stable bispecific antibody expression.

[0339] Using standard Lonza fed-batch overgrowth protocols for stably transfected CHO-K1 cells, bispecific antibodies were expressed. After transfection, 5000 viable cells were aliquoted per well to generate multiple minipools. 8 were taken forward based on antibody titres as measured by Octet.

[0340] Cells were harvested, filtered and purified by Protein A chromatography to isolate the antibodies from the supernatant. Antibody concentration (mg) was quantified by OD280, total amount of antibody (mg) was calculated accordingly based on volume of sample and a purification yield (mg/L) assigned according to cell culture volume. The relative percentages of heterodimer and homodimers in each of the 8 minipool samples was determined using imaged capillary isoelectric focusing (icIEF) (Protein Simple, Maurice). Homodimer and heterodimer peaks were assigned using transiently expressed reference homodimer arms for FIX and FX.

[0341] We were able to isolate stably transfected cells expressing approximately 1 g/L bispecific antibody with up to approximately 95 % heterodimer (e.g., as shown for MP_1 and MP_7, Figure 35).

[0342] Bispecific antibody activity in FXase assay correlated with % heterodimer with a Pearson's correlation coefficient of 0.99 (Figure 36).

Example 17. Purification of bispecific antibody

[0343] Co-expression of the two heavy chains and one common light chain of a bispecific antibody generates a composition comprising the bispecific antibody plus monospecific antibody byproducts. These may be separated by ion exchange chromatography, exploiting differences in the isoelectric point of the bispecific heterodimer compared with the monospecific homodimers.

[0344] Bispecific antibody IXAX-1280.0999.0128 comprises anti-FIX heavy chain SEQ ID NO: 419, anti-FX heavy chain SEQ ID NO: 421 and common light chain SEQ ID NO: 405. The bispecific antibody was purified following co-expression of these polypeptides in HEK cells, using protein A chromatography to isolate the antibodies from cell supernatant, followed by ion exchange chromatography to isolate the heterodimer.

[0345] Bispecific antibody IXAX-0436.0201.0128 comprises anti-FIX heavy chain comprising VH domain SEQ ID NO: 324 and an IgG4 human heavy chain constant region with P (hinge) mutation and K439E, anti-FX heavy chain comprising VH domain SEQ ID NO: 470 and IgG4 human heavy chain constant region with P (hinge) mutation and E356K, and common light chain SEQ ID NO: 405.

[0346] Bispecific antibody IXAX-0436.0202.0128 comprises anti-FIX heavy chain comprising VH domain SEQ ID NO: 324 and an IgG4 human heavy chain constant region with P (hinge) mutation and K439E, anti-FX heavy chain comprising VH domain SEQ ID NO: 472 and IgG4 human heavy chain constant region with P (hinge) mutation and E356K, and common light chain SEQ ID NO: 405.

[0347] Bispecific antibody IXAX-1172.0201.0128 comprises anti-FIX heavy chain comprising VH domain SEQ ID NO: 440 and an IgG4 human heavy chain constant region with P (hinge) mutation and K439E, anti-FX heavy chain comprising VH domain SEQ ID NO: 470 and an IgG4 human heavy chain constant region with P (hinge) mutation and E356K, and common light chain SEQ ID NO: 405.

[0348] Ion exchange chromatography cleanly separated each antibody composition into its component parts. Baseline

separation was observed. Anti-FIXxFX heterodimeric bispecific antibody is separated from homodimeric contaminant anti-FIX and/or anti-FX monospecific antibodies.

[0349] Figure 37a shows successful purification of IXAX-1280.0999.0128 from a composition comprising the bispecific antibody mixed with anti-FIX homodimer NINA-1280.0128 and anti-FX homodimer TINA-0999.0128.

[0350] Figure 37b shows successful purification of IXAX-0436.0202.0128 from a composition comprising the bispecific antibody mixed with anti-FIX homodimer NINA-0436.0128 and anti-FX homodimer TINA-0202.0128. The chromatogram represents cation ion exchange purification of N436 bispecific antibody from homodimer contaminants using a series of stepwise elutions using increasing concentrations of NaCl up to 500 nM in Sodium acetate pH 5. Peak 1 represents anti-FIX homodimer antibody; peak 2, anti-FIX/FX bispecific antibody and peak 3 represents anti-FX homodimer antibody. Peak 1, 2 and 3 make up 18 %, 79 % and 3 % total peak area respectively.

[0351] Figure 37c shows successful purification of IXAX-1172.0201.0128 from a composition comprising the bispecific antibody and anti-FIX homodimer NINA-1172.0128. The column purification here yielded 31.5 % anti-FIX homodimer and 68.5 % bispecific heterodimer. The chromatogram represents cation ion exchange purification of N1172 bispecific antibody from anti-FIX homodimer contaminants using an initial stepwise elution to remove weakly bound Peak 1 (anti-FIX homodimer) followed by a gradient elution using increasing concentrations of NaCl to elute the anti-FIX/FX bispecific. The presence of anti-FX homodimer was not detected.

Materials & Methods

[0352] For IXAX-1280.0999.0128 purification, bispecific antibody was transiently expressed in Expi293F HEK cells. Cell culture supernatant was harvested, filtered and loaded on to a 5 ml HiTrap MabSelect Sure (MSS) column (GE Healthcare) equilibrated with 1x phosphate buffered saline (PBS). The column was washed with 5 column volumes of PBS and bound antibody was eluted using IgG elute (ThermoFisher). Eluted bispecific antibody was dialysed into 1x PBS overnight at 4 °C and concentrated using a centrifugal filter unit with a 10 kDa molecular weight cut off.

[0353] Chromatography was performed at room temperature. A 1 ml HiTrap Capto SP column (GE Healthcare) was equilibrated with 20 mM sodium phosphate, pH 6.0 and 0.5 mg of Protein A purified material, diluted 1:20 in equilibration buffer (20 mM sodium phosphate, pH 6.0), was loaded on to the column. The column was subsequently washed with 10 column volumes of equilibration buffer followed by a linear gradient (100 % B over 90 column volumes to 500 mM NaCl) to elute the bispecific antibody and monospecific contaminants. In this process, buffer is progressively changed from A (20 mM sodium phosphate, pH 6.0, no salt) to B (buffer A with the addition of 500 mM NaCl) over 90 cv at a flow rate of 1 ml/min for the 1 ml column.

[0354] For IXAX-0436.0202.0128 purification, a stepwise gradient including washes at three different ionic strengths was applied using varied proportions of Buffer A (50 mM sodium acetate, pH 5) and Buffer B (50 nM sodium acetate and 500 mM sodium chloride).

[0355] For IXAX-1172.0201.0128 purification, an initial stepwise elution was used to remove weakly bound Peak 1 (anti-FIX homodimer) followed by a gradient elution using increasing concentrations of NaCl to elute the anti-FIX/FX bispecific.

[0356] Subsequently, the following bispecific antibodies were expressed in CHO cells:

5. IXAX-1280.0999.0325. Anti-FIX heavy chain SEQ ID NO: 419, anti-FX heavy chain SEQ ID NO: 421, common light chain SEQ ID NO: 414.

6. IXAX-1454.0999.0325. Anti-FIX heavy chain SEQ ID NO: 424, anti-FX heavy chain SEQ ID NO: 421, common light chain SEQ ID NO: 414.

7. IXAX-1441.0999.0325. Anti-FIX heavy chain SEQ ID NO: 426, anti-FX heavy chain SEQ ID NO: 421, common light chain SEQ ID NO: 414.

8. IXAX-1442.0736.0325. Anti-FIX heavy chain SEQ ID NO: 428, anti-FX heavy chain SEQ ID NO: 430, common light chain SEQ ID NO: 414.

9. IXAX-1442.0687.0325. Anti-FIX heavy chain SEQ ID NO: 428, anti-FX heavy chain SEQ ID NO: 421, common light chain SEQ ID NO: 414.

[0357] Each of these bispecific antibodies includes heavy chain constant regions SEQ ID NO: 409 and SEQ ID NO: 410 respectively for the two heavy chains, and lambda light chain constant region SEQ ID NO: 146 in the common light chain.

[0358] The titres observed from transient expression of each of antibodies 1 to 5 above in CHO cells were comparable to titres for a monospecific isotype control antibody. Stable pools and mini-pools (up to 4,000 cells seeded after transfection) were also generated. Although the stable pools produced low percentages (11 - 19 %) of heterodimeric antibody, mini-pools with titres up to 4.9 g/l and percentages of heterodimers up to 82 % were established from a limited number of screened mini-pools.

[0359] After protein A purification, cation exchange chromatography was used to remove homodimeric by-products to generate high-purity materials suitable for use in functional assays and for developability screening.

[0360] Using a gradient cation exchange method, antibodies 1 to 4 were separated from the homodimeric by-products, providing 91 - 96 % heterodimer in the eluted material. Thus, even with this preliminary purification method we were able to obtain 91 - 96 % pure heterodimer. Figure 38. No comparable homodimer/heterodimer separation was observed for antibody 5 using this technique.

Example 18. Quality assessment by mass spectrometry

[0361] The structural integrity of therapeutic monoclonal antibodies can be compromised by multiple types of post-translational modifications which result in product heterogeneity. Mass spectrometry (MS) was used to characterize and evaluate the quality of the bispecific antibodies after cation exchange purification.

[0362] After cation exchange separation as described in Example 17, the three different species (anti-FIX/anti-FX heterodimer, anti-FIX homodimer and anti-FX homodimer respectively) in the eluted composition of BiAb_1 IXAX-1280.0999.0325 were analysed by MS. Molecular weights (MW) of the three molecules determined by MS matched the theoretical MW predicted by amino acid sequences of BiAb_1. MS results thus confirmed the identity and the purity of FIX/FX heterodimer after cation exchange purification.

Example 19. Stability assessment

[0363] After purification as described in Example 17, BiAb_1, 2, 3 and 4 respectively were buffer exchanged to either buffer 1 (sodium acetate, pH 5.5) or buffer 2 (citrate/phosphate, pH 6.0), stored for 2 weeks at 4°C, for 4 weeks at 25°C, or underwent 1X freeze/thaw cycle. The concentration of IgG was measured before and after treatment to calculate the loss of antibodies due to the treatment. SEC-HPLC was also performed before and after treatment to monitor for bispecific antibody degradation and aggregation. No obvious loss or degradation of BiAb_1, 2, 3 or 4 was observed. These four bispecific antibodies were thus all stable in both buffer 1 and buffer 2.

Example 20. Dose response and potency in FXase assay

[0364] A FXase kinetic assay was conducted to measure the factor VIII mimetic activity of IXAX-1280.0999.0325 and AbE in a dose response to determine their EC₅₀ values as per Example 7. Data generated from dose response curves was fitted using a non-linear log[antibody] vs response parameter variable slope model (4 parameter logistic regression model). Figure 39. The y-axis are plotted OD₄₀₅ nm values at a 600 second assay timepoint. The EC₅₀ values for both IXAX-1280.0999.0325 and AbE were calculated from a non-linear regression curve of the data, giving an EC₅₀ of 3.99 nM for IXAX-1280.0999.0325 and EC₅₀ of 261.2 nM for AbE. These are approximations since the dose response curve was incomplete. Despite this it is evident that IXAX-1280.0999.0325 has a significantly lower EC₅₀ than AbE. The activity of IXAX-1280.0999.0325 and AbE is dose dependent. IXAX-1280.0999.0325 demonstrated higher FVIII mimetic activity, in particular at lower concentrations, compared with AbE.

Table E20-1. Kinetic FXase best fit values for log of antibody concentration vs response. Variable slope (4 parameters).

	IXAX-1280.0999.0325	Ab_E
Bottom	0.1620	0.1103
Top	0.6872	0.9858
LogEC ₅₀	-8.399	-6.583
HillSlope	2.707	1.087
EC ₅₀	3.993e-009	2.612e-007
Span	0.5252	0.8756

Example 21. Hyphen assay dose response

[0365] A chromogenic assay (HYPHEN BioMed), which analyses factor Xa production in human plasma, was used to measure the factor VIII mimetic activity of IXAX-1280.0999.0325 and AbE. In this assay, FXa generation is proportional to the OD₄₀₅ measured after chromogenic substrate addition. Antibody concentration dose response curves were

generated and fitted using a non-linear log[antibody] vs response parameter variable slope model (4 parameter logistic regression model). EC50 values based on the dose responses were calculated. An EC50 value of 5.92 nM was calculated for IXAX-1280.0999.0325 compared with 15.43 nM for AbE.

[0366] IXAX-1280.0999.0325 consistently achieved greater FVIII mimetic ability than AbE over almost all concentrations. At 60 nM the A405nm had saturated at 4.988 for both molecules. IXAX-1280.0999.0325 retained this saturation at 20 nM while AbE presented with a decreased A405nm of 3.457. At the lowest concentration of 0.028 nM, IXAX-1280.0999.0325 displayed over 4-fold greater absorbance than AbE. The calculated EC50 values confirm that IXAX-1280.0999.0325 shows a superior potency when comparing to AbE across a dose response assay. Figure 40.

Table E21-1. Hyphen FXase EC50. Best fit values for log of antibody concentration vs response. Variable slope (4 parameters).

	IXAX-1280.0999.0325	Ab_E
Bottom	0.7007	0.2581
Top	5.195	5.861
LogEC50	-8.227	-7.812
HillSlope	1.848	1.231
EC50	5.924e-009	1.543e-008
Span	4.495	5.603

Materials & Methods

[0367] The BIOPHEN FVIII:C (Ref. 221402) kit was used following manufacture's assay protocol. Briefly, FVIII deficient plasma (Helena Biosciences Europe) was diluted 1:40 using Tris-BSA buffer (R4) and 45 µl was added to a clear bottom 96-well plate. 5 µl of bispecific antibody was added to the diluted plasma. 50 µl each of reagent R1 (FX) and R2 (FIXa), preincubated to 37 °C, was added to each well and incubated at 37 °C for five minutes. Subsequently, 50 µl of reagent R3 (SXA-11, chromogenic reagent) was added, mixed and incubated for an additional five minutes, exactly. Addition of 50 µl 20 % acetic acid terminated the reaction. Generation of Factor Xa was monitored through the ability of factor Xa to cleave a specific factor Xa substrate (SXA-11). Cleavage of this substrate releases the coloured product, pNA, which can be monitored using a spectrophotometer at 405 nM and compared to a blank sample.

[0368] IXAX-1280.0999.0325 and AbE used in this assay were determined by mass spectrometry to be close to 100 % heterodimer, with no (or low levels of) homodimeric contaminants detected.

[0369] IXAX-1280.0999.0325 and AbE samples were diluted using a 1:3 dilution series with PBS as diluent. 5 µL volume was added to 45 µL factor VIII deficient plasma. The final concentrations (nM) of each sample in the dilution series (when assayed) were: 60.0, 20.0, 6.67, 2.22, 0.741, 0.247, 0.082, and 0.028. Concentrations were converted to log(M) and plotted. A non-linear regression was plotted on the graph to enable EC50 calculation.

Example 22. Dose response and potency in plasma coagulation assay

[0370] We evaluated the activated partial thromboplastin time (aPTT) of bispecific antibody AbE against IXAX-1280.0999.0325 using a full antibody concentration dose response (method according to Example 8). Data generated from dose response curves were fitted using a non-linear log[antibody] vs response parameter variable slope model (4 parameter logistic regression model).

[0371] Over the concentration values analysed we observed equivalent aPTT values (within 10 %) for IXAX-1280.0999.0325 compared to AbE at all concentrations analysed (Figure 41). Dose response curves were compared to a human IgG4 monoclonal antibody isotype control, which demonstrated no haemostatic efficacy. Calculated EC50 values based on aPTT values obtained were 2.1 nM for IXAX-1280.0999.0325 (circle) compared with 2.0 nM for AbE (square).

[0372] With respect to a prospective therapeutic range of 30 - 300 nM, we observe with IXAX-1280.0999.0325 an aPTT dose response curve equivalent to that of AbE.

[0373] IXAX-1280.0999.0325 and AbE used in this assay were determined by mass spectrometry to be 100 % heterodimer, with no homodimeric contaminants detected.

Example 23. Activity in the presence of anti-FVIII inhibitory antibodies

[0374] Factor VIII replacement therapy can become ineffective for treating patients with haemophilia A if the patient develops alloantibodies against the exogenously administered FVIII. Inhibitory anti-FVIII alloantibodies may block the binding of FIX, phospholipid and von Willebrand factor to FVIII, rendering it inactive.

[0375] Advantageously, therapeutic bispecific antibodies are insensitive to the presence of FVIII alloantibodies in a patient's blood, as the alloantibodies have specificity to FVIII. This is confirmed by the ability of a bispecific antibody to functionally restore haemostasis in plasma taken from an inhibitor patient. In this Example, we demonstrate this using two haemostatic assays: activated partial thromboplastin time (aPTT) and Thrombin Generation Assay (TGA) using plasma from a patient with haemophilia A having inhibitory alloantibodies (referred to as "inhibitor plasma"). A restoration of clotting time indicated that the bispecific antibodies analysed are functional in the presence of a FVIII inhibitory alloantibody. Thus, the data presented here indicate that IXAX-1280.0999.0325 and IXAX-1441.0999.0325 will be able to functionally rescue clotting time in patients who have inhibitory alloantibodies against FVIII.

[0376] The Bethesda assay or the Nijmegen-Modified Bethesda assay is used measure the titre of alloantibodies against FVIII. In these assays, different dilutions of patient's plasma are mixed with an equal volume of 'normal' plasma and left to incubate for a period of time and the level of FVIII is measured. Presence of an inhibitor is indicated when a decrease in residual FVIII is observed. The unit of measurement in these assays are known as Bethesda Units (BU) - a higher BU indicating greater inhibition and lower residual FVIII activity. The experiments described here used patient plasma having a specific inhibitor level of 70 BU.

[0377] aPTT

[0378] IgG4 bispecific antibodies IXAX-1280.0999.0325, IXAX-1441.0999.0325 and AbE were expressed in CHO cells then purified by Protein A chromatography followed by cation exchange chromatography to separate active heterodimer from contaminating homodimers and analysed at six different concentrations 300, 100, 33.3, 11.1, 3.7 and 1.23 nM by aPTT. aPTT was carried out as per Example 8. Data generated from dose response curves were fitted using a non-linear log[antibody] vs response parameter variable slope model (4 parameter logistic regression model). Both IXAX-1280.0999.0325 and IXAX-1441.0999.0325 IgG4 antibodies were able to rescue the clotting defect in the inhibitor patient sample in a similar manner to AbE. Figure 42.

Thrombin Generation Assay

[0379] Thrombin generation in inhibitor plasma (70 BU) was determined using for IXAX-1280.0999.0325, IXAX-1441.0999.0325 and AbE IgG4 bispecific antibodies following purification on Protein A followed by cation exchange chromatography. A thrombin generation assay was used as per Example 13. A thrombin peak was observed for all bispecific antibodies, indicating that both IXAX-1280.0999.0325 and IXAX-1441.0999.0325 can functionally restore haemostasis in plasma containing inhibitory alloantibodies to FVIII, in a similar way to AbE.

[0380] A dose response for each bispecific antibody was carried out and the peak thrombin height (Cmax) was determined. Figure 43. In the concentration range analysed, the Cmax dose responses for IXAX-1280.0999.0325 and IXAX-1441.0999.0325 were greater than the Cmax of AbE, indicating greater thrombin burst, and the Tmax dose responses for IXAX-1280.0999.0325 and IXAX-1441.0999.0325 were lower than the Tmax of AbE, indicating faster thrombin burst. Figure 44.

References

[0381]

- 1 Kitazawa et al., A bispecific antibody to factors IXa and X restores factor VIII hemostatic activity in hemophilia A model, *Nat. Med.* 18(10):1570-1574 2012
- 2 Sampei et al., Identification and Multidimensional Optimization of an Asymmetric Bispecific IgG Antibody Mimicking the Function of Factor VIII Cofactor Activity, *PLOS ONE* 8(2) 2013
- 3 WHO Drug Information, Recommended INN List 75, Vol 30 No 1 2016
- 4 Uchida et al., A first-in-human phase 1 study of ACE910, a novel factor VIII-mimetic bispecific antibody, in healthy subjects, *Blood* 127(13):1633-1641 2015
- 5 Shima et al., Factor VIII-Mimetic Function of Humanized Bispecific Antibody in Hemophilia A, *N Engl J Med* 374:2044-2053 2016
- 6 Diagram by Dr Graham Beards, based on information in Pallister CJ and Watson MS (2010) *Haematology*, UK: Scion Publishing, pp. 336-347 ISBN: 1-904842-39-9
- 7 Fay, Activation of factor VIII and mechanisms of cofactor action, *Blood Reviews*, 18:1-15 2004
- 8 Brandstetter et al., X-ray structure of clotting factor IXa: Active site and module structure related to Xase activity

and hemophilia B, PNAS 92:9796-9800 1995

9 Bowen, Haemophilia A and haemophilia B: molecular insights, Mol. Pathol. 55:1-18 2002

10 Tripodi, A. Thrombin Generation Assay and Its Application in the Clinical Laboratory, Clinical Chemistry 62(5):699-707 2016

5 11 Kintigh, Monagle & Ignjatovic., A review of commercially available thrombin generation assays, Res Pract Thromb Haemost 2:42-48 2018.

12 Young, et al., Thrombin generation and whole blood viscoelastic assays in the management of hemophilia: current state of art and future perspectives, Blood 121(11):1944-1950 2013

10 13 Lefranc MP, IMGT unique numbering for immunoglobulin and T cell receptor variable domains and Ig superfamily V-like domains, Dev Comp Immunol. 27(1):55-77 2003

14 Ridgway et al., Protein Eng. 9:617-621 1996

15 Davis JH et al., PEDS 23:195-202

16 Smith, et al., A novel, native-format bispecific antibody triggering T-cell killing of B-cells is robustly active in mouse tumor models and cynomolgus monkeys, Scientific Reports 5:17943 2015

15 17 FDA multidisciplinary review of emicizumab, Center for Drug Evaluation and Research, application number 761083Orig1s000 (BLA 761083, Hemlibra®, emicizumab-kxwh), currently available at https://www.accessdata.fda.gov/drugsatfda_docs/nda/2017/761083Orig1s000MultidisciplineR.pdf FIXa binding arm VH domain polypeptide sequences

20

25

30

35

40

45

50

55

Table S-9A: Anti-FIXa VH domain sequences and CDRs

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0192H	SEQ ID NO: 11 GFTFSSYW	SEQ ID NO: 12 INQDGSEK IKQDGSEK	SEQ ID NO: 13 AREGYSSYYGMDV	SEQ ID NO: 14 GAGGTGACGTGGTGGAGTCTGGGGGAGGCTTGCTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGTCAGCCTCTGGATTACCTTTAGTAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAGGGGCTGGAGTGGTGGCCCAACATAAGCAA GATGGAAGTGAGAAATACTATCTGGAAGTCTGTGAAAGGCCGATTCAACATCTC CAGAGACAACGCCAAGAACTCACTGTATCTGCAAAATGACACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGCAGTTACTACTAC TACGGTATGGACGTCTGGGGCCAAAGGACCCACGGTCAACCGTCTCTCTCA	SEQ ID NO: 15 EVQLVESGGGLVQPGGSL RLSCAASGFTFSYYMSW VRQAPGKLEWVANIKQD GSEKYYVDSVKGRFTISR DNAKNSLYLQMNSLRAED TAVYYCAREGYSSYYYG MDVWGQGTITVTVSS
N0212H	SEQ ID NO: 11 GFTFSSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSYYGMDV	SEQ ID NO: 16 GAGGTGACGTGGTGGAGTCTGGGGGAGGCTTGCTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGTCAGCCTCTGGATTACCTTTAGTAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAGGGGCTGGAGTGGTGGCCCAACATAAGCAA GATGGAAGTGAGAAATACTATGTGGAAGTCTGTGAAGGGCCGATTCAACATCTC CAGAGACAACGCCAAGAACTCACTGTATCTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCCACGGTCAACCGTCTCTCTCA	SEQ ID NO: 17 EVQLVESGGGLVQPGGSL RLSCAASGFTFSYYMSW VRQAPGKLEWVANINQD GSEKYYVDSVKGRFTISR DNAKNSLYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0205H	SEQ ID NO: 18 GFIFFSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 19 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGTAGCCTCTGGATTTCATCTTTAGTAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGGCCAATATAAATCAA GATGGAAGTGAGAAATACATATGTGGACTCTGTGAAGGGCCGATTCAACCATCTC CAGAGACAACGCCAAGAACTCACTGTATCTGCAAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGCACTTCGTCTCTAT TATGTTATGGACGTCTGGGGCCAAAGGACCCACGGTCACCGTCTCTCTCA	SEQ ID NO: 20 EVQLVESGGGLVQPGGSL RLSCVASFSTSSYYMSW VRQAPGKLEWVANINQD GSEKFYVDSVKGRFTISR DNAKNSVYLQMNLSRAED TAVYYCAREGYSSSSYYG MDVMGQGTTVTVSS
N0211H	SEQ ID NO: 1 GFTFNYSW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 21 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGGCCAATATAAACC GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGGCCGATTCAACCATCTC CAGAGACAACGCCAAGAACTCAGTGTATCTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTCTAT TATGTTATGGACGTCTGGGGCCAAAGGACCCACGGTCACCGTCTCTCTCA	SEQ ID NO: 22 EVQLVESGGGLVQPGGSL RLSCAVSGFTFNSYYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTISR DNAKNSVYLQMNLSRAED TAVYYCAREGYSSSSYYG MDVMGQGTTVTVSS
N0203H	SEQ ID NO: 23 GFTFNYSW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 24 AREGYTDSYYGMDV	SEQ ID NO: 25 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAACTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGGCCAATATAAACC GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGGCCGATTCAACCATCTC CAGAGACAACGCCAAGAAATCAGTGTATCTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATACCGATTCTCTCTAT TATGTTATGGACGTCTGGGGCCAAAGGACCCACGGTCACCGTCTCTCTCA	SEQ ID NO: 26 EVQLVESGGGLVQPGGSL RLSCAVSGFTFNNYYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTISR DNAKNSVYLQMNLSRAED TAVYYCAREGYTDSYYG MDVMGQGTTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0128H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 4 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGTCCCGCAGGCTCCAGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCATGTGTCCTCTGTGAAGGGCCGATTACACCATCTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCCGTCTCTCTCA	SEQ ID NO: 5 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMWISW VRQAPGKGLEWVANIINQD GSEKFYVASVKGRFTISR DNAKKSIVVQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTITVTVSS
N0215H	SEQ ID NO: 11 GFTFNSYW	SEQ ID NO: 12 IKQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 27 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGCCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCCGCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAGCAA GATGGAAGTGAGAAATCTATGTGACTCTGTGAAGGGCCGATTACACCATCTC CAGAGACAACGCCCAAGAACTCACTGTATCTGCAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGCAGTTCTCTCTAC TACGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCCGTCTCTCTCA	SEQ ID NO: 28 EVQLVESGGGLVQPGGSL RLSCAASGFTFSSYMWISW VRQAPGKGLEWVANIINQD GSEKYYVDSVKGRFTISR DNAKNSLYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTITVTVSS
N0216H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 29 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGTCCCGCAGGCTCCAGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCATGTGTCCTCTGTGAAGGGCCGATTACACCATCTC CAGAGACAACGCCCAAGAACTCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCCGTCTCTCTCA	SEQ ID NO: 30 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMWISW VRQAPGKGLEWVANIINQD GSEKFYVASVKGRFTISR DNAKNSVYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0217H	SEQ ID NO: 1 GFTNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSYGMDV	SEQ ID NO: 31 GAGGTGACGTGGTGGAGTCTGGGGGAGGCTTGGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCTATCTGGCCTCTGTCAAAGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAACTCAGTGTATCTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCAACGGTCACCGTCTCTCTCA	SEQ ID NO: 32 EVQLVESGGGLVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKNSVYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTVTVSS
N0218H	SEQ ID NO: 1 GFTNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSYGMDV	SEQ ID NO: 33 GAGGTGACGTGGTGGAGTCTGGGGGAGGCTTGGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCTATCTGGCCTCTGTGAAGGCCGATTCAACATCTC CAGAGACAACGCCAAGAAATCAGTGTATCTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCAACGGTCACCGTCTCTCTCA	SEQ ID NO: 34 EVQLVESGGGLVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTISR DNAKNSVYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTVTVSS
N0219H	SEQ ID NO: 1 GFTNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSYGMDV	SEQ ID NO: 35 GAGGTGACGTGGTGGAGTCTGGGGGAGGCTTGGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCTATCTGGCCTCTGTGAAGGCCGATTCAACATCTC CAGAGACAACGCCAAGAACTCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCAACGGTCACCGTCTCTCTCA	SEQ ID NO: 36 EVQLVESGGGLVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTISR DNAKNSVYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0220H	SEQ ID NO: 1 GFTNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 37 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTACCATCTTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCTCTTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCGTCTCTCTCA	SEQ ID NO: 38 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKGLEWVANINQD GSEKIFYVASVKGRFTISR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTVTVSS
N0221H	SEQ ID NO: 1 GFTNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 39 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTACCATGTTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCTCTTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCGTCTCTCTCA	SEQ ID NO: 40 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKGLEWVANINQD GSEKIFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTVTVSS
N0222H	SEQ ID NO: 1 GFTNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 41 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTACCATGTTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCTCTTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCGTCTCTCTCA	SEQ ID NO: 42 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKGLEWVANINQD GSEKIFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0223H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 43 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCGGTACCGTCTCTCTCA	SEQ ID NO: 44 EVQLVESGGGLVQPGGSL RLSCAVSGFTFNSYWMW VRQAPFGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTTIVSS
N0224H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 45 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGTGCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAACTCAGTGTATCTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCGGTACCGTCTCTCTCA	SEQ ID NO: 46 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPFGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTTIVSS
N0225H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 47 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTGTGCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCATGTGCCCTCTGTGAAGGGCCGATTACCATCTC CAGAGACAACGCCAAGAAATCAGTGTATCTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCGGTACCGTCTCTCTCA	SEQ ID NO: 48 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPFGKLEWVANINQD GSEKFYVASVKGRFTISR DNAKSVYLQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTTTIVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0226H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 49 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACTTTAATAAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGCCGATTACCATCTC CAGAGACAACGCCAAGAACTCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGGACCACCGTCACCGTCTCCTCA	SEQ ID NO: 50 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTISR DNAKNSVYVQMNSLRAED TAVYICAREGYSSSSYYG MDVWGQGTTVTVSS
N0227H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 51 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACTTTAATAAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGCCGATTACCATGTG CAGAGACAACGCCAAGAAATCAGTGTATCTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGGACCACCGTCACCGTCTCCTCA	SEQ ID NO: 52 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKNSVYVQMNSLRAED TAVYICAREGYSSSSYYG MDVWGQGTTVTVSS
N0228H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 53 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACTTTAATAAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGCCGATTACCATGTG CAGAGACAACGCCAAGAACTCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGGACCACCGTCACCGTCTCCTCA	SEQ ID NO: 54 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKNSVYVQMNSLRAED TAVYICAREGYSSSSYYG MDVWGQGTTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0229H	SEQ ID NO: 1 GFTFNSYW	SEQ ID NO: 2 INQDGSEK	SEQ ID NO: 3 AREGYSSSSYYGMDV	SEQ ID NO: 55 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAAGAAATTCTATGTGGCCTCTGTGAAGGGCCGATTCAACCATCTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTCTAT TATGTTATGGACGTCTGGGGCCAAAGGACCACGGTCAACCGTCTCCTCA	SEQ ID NO: 56 EVQLVESGGGLVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANIQD GSEKFYVASVKGRFTISR DNAKKSIVYQMNSLRAED TAVYYCAREGYSSSSYYG MDVWGQGTITVTVSS
SEQ ID NO: 140 HCDR1 consensus GFTFSSYW I NN GF(T/I)F(S/N)(S/N)YW	SEQ ID NO: 141 HCDR2 consensus INQDGSEK K I(N/K)QDGSEK	SEQ ID NO: 142 HCDR3 consensus AREGYSSSSYYGMDV TDYY AREGY(S/T)(S/D)(S/Y)(S/Y)YIGMDV			
N0420H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 161 AREGYASSSSYYGMDV	SEQ ID NO: 238 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAAGAAATTCTATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATGCCAGTTCGTCTCTAT TATGTTATGGACGTCTGGGGCCAAAGGACCACGGTCAACCGTCTCCTCAG	SEQ ID NO: 314 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANIQD GSEKFYVASVKGRFTISR DNAKKSIVYQMNSLRAED TAVYYCAREGYASSSSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0421H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 162 AREGYSSASYGMDV	SEQ ID NO: 239 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCAACATAAACCAA GATGGAAGTGAGAAATTTATGTGGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTGCCTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCGGTACCGTCTCTCTCAG	SEQ ID NO: 315 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSASYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 163 AREGYSSASYGMDV	SEQ ID NO: 240 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCAACATAAACCAA GATGGAAGTGAGAAATTTATGTGGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGCCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCGGTACCGTCTCTCTCAG	SEQ ID NO: 316 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSASYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 164 AREGYSSASYGMDV	SEQ ID NO: 241 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCAACATAAACCAA GATGGAAGTGAGAAATTTATGTGGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGGCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCGGTACCGTCTCTCTCAG	SEQ ID NO: 317 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSASYG MDVWGQGTITVTVSS
N0422H					
N0423H					

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0430H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 165 AREGYSSCSYYGMDV	SEQ ID NO: 242 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGTCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 313 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMWISW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTYSR DNAKRSVYVQMNSLRAED TAVYYCAREGYSSCSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 166 AREGYSSDSYYGMDV	SEQ ID NO: 243 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGTCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 319 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMWISW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTYSR DNAKRSVYVQMNSLRAED TAVYYCAREGYSSDSYYG MDVWGQGTITVTVSS
N0431H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 167 AREGYSSCSYYGMDV	SEQ ID NO: 244 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGTCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 320 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMWISW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTYSR DNAKRSVYVQMNSLRAED TAVYYCAREGYSSCSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 167 AREGYSSCSYYGMDV	SEQ ID NO: 244 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGTCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 320 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMWISW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTYSR DNAKRSVYVQMNSLRAED TAVYYCAREGYSSCSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0433H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 168 AREGYSSFSYYGMDV	SEQ ID NO: 245 GAGGTGCAGCTGGTGGAGCTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCACACATAAACCAA GATGGAAGTGAGAAAATTCTATGTGGCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTTCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 321 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYYCAREGYSSFSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 169 AREGYSSGSYYGMDV	SEQ ID NO: 246 GAGGTGCAGCTGGTGGAGCTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCACACATAAACCAA GATGGAAGTGAGAAAATTCTATGTGGCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGGCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 322 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYYCAREGYSSGSYYG MDVWGQGTITVTVSS
N0435H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 170 AREGYSSHSYYGMDV	SEQ ID NO: 247 GAGGTGCAGCTGGTGGAGCTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCACACATAAACCAA GATGGAAGTGAGAAAATTCTATGTGGCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTCACTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 323 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYYCAREGYSSHSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2			

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0439H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 174 AREGYSSMSYYGMDV	SEQ ID NO: 251 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATTATGTGGCCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGATTACTGTGCGAGAGAGGGGTATAGTAGTATGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCCAGGTACCGTCTCCTCAG	SEQ ID NO: 327 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSMSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 175 AREGYSSNSYYGMDV	SEQ ID NO: 252 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATTATGTGGCCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGATTACTGTGCGAGAGAGGGGTATAGTAGTAACCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCCAGGTACCGTCTCCTCAG	SEQ ID NO: 328 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSMSYYG MDVWGQGTITVTVSS
N0440H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 176 AREGYSSPSYYGMDV	SEQ ID NO: 253 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATTATGTGGCCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGATTACTGTGCGAGAGAGGGGTATAGTAGTAACCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCCAGGTACCGTCTCCTCAG	SEQ ID NO: 329 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSPSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 176 AREGYSSPSYYGMDV	SEQ ID NO: 253 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCTT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATTATGTGGCCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGATTACTGTGCGAGAGAGGGGTATAGTAGTAACCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCCAGGTACCGTCTCCTCAG	SEQ ID NO: 329 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSPSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0442H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 177 AREGYSQSYYGMDV	SEQ ID NO: 254 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTACCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCACCGTCTCCTCAG	SEQ ID NO: 340 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNLSRAED TAVYYCAREGYSQSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 173 AREGYSRSYYGMDV	SEQ ID NO: 255 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTACCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCACCGTCTCCTCAG	SEQ ID NO: 341 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNLSRAED TAVYYCAREGYSRSYYG MDVWGQGTITVTVSS
N0443H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 179 AREGYSSTSYGMDV	SEQ ID NO: 256 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTACCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCACCGTCTCCTCAG	SEQ ID NO: 342 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNLSRAED TAVYYCAREGYSSTSYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 179 AREGYSSTSYGMDV	SEQ ID NO: 256 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTACCTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCACCGTCTCCTCAG	SEQ ID NO: 342 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNLSRAED TAVYYCAREGYSSTSYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0445H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 180 AREGYSSVYYGMDV	SEQ ID NO: 257 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCACATAAACCAA GATGGAAGTGAGAAATTTCTATCTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACGGTCACCGTCTCCTCAG	SEQ ID NO: 343 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSVSYIG MDVWGQGTFTTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 181 AREGYSSWSYYGMDV	SEQ ID NO: 258 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCACATAAACCAA GATGGAAGTGAGAAATTTCTATCTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACGGTCACCGTCTCCTCAG	SEQ ID NO: 344 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSWSYIG MDVWGQGTFTTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 182 AREGYSSSYYYGMDV	SEQ ID NO: 259 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCACATAAACCAA GATGGAAGTGAGAAATTTCTATCTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACGGTCACCGTCTCCTCAG	SEQ ID NO: 345 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSYIG MDVWGQGTFTTVSS
N0447H					

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0448H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 183 AREGYSSSYYGMDV	SEQ ID NO: 260 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCTCTCCTCAG	SEQ ID NO: 346 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYMW VRQAPKGLEWVAINQD GSEKFYVASVKGRFTMSR DNAKSVVQMNSLRAED TAVYYCAREGYSSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 184 AREGYSSSDYYGMDV	SEQ ID NO: 261 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGGACTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCTCTCCTCAG	SEQ ID NO: 347 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYMW VRQAPKGLEWVAINQD GSEKFYVASVKGRFTMSR DNAKSVVQMNSLRAED TAVYYCAREGYSSSDYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 185 AREGYSSSEYYGMDV	SEQ ID NO: 262 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGGAGTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCTCTCCTCAG	SEQ ID NO: 348 EVQLVESGGGVQPGGSL RLSCAVSGFTFNSYMW VRQAPKGLEWVAINQD GSEKFYVASVKGRFTMSR DNAKSVVQMNSLRAED TAVYYCAREGYSSSEYYG MDVWGQGTITVTVSS
N0450H					

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0451H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 186 AREGYSSSFYYGMDV	SEQ ID NO: 263 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGGCCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTACTTCGTTCTAT TATGGTATGGACGCTCTGGGGCCAAAGGACCACCGGTACCGTCTCCTCAG	SEQ ID NO: 349 EVQLVESGGGFVQPGGSL RLSCAVSGGTFNFSYMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSFYYG MDVWGQGTTVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 187 AREGYSSSFYYGMDV	SEQ ID NO: 264 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGGCCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTACTTCGGCTAT TATGGTATGGACGCTCTGGGGCCAAAGGACCACCGGTACCGTCTCCTCAG	SEQ ID NO: 350 EVQLVESGGGFVQPGGSL RLSCAVSGGTFNFSYMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSFYYG MDVWGQGTTVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 188 AREGYSSSHYYGMDV	SEQ ID NO: 265 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGGCCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTACTTCGCACTAT TATGGTATGGACGCTCTGGGGCCAAAGGACCACCGGTACCGTCTCCTCAG	SEQ ID NO: 351 EVQLVESGGGFVQPGGSL RLSCAVSGGTFNFSYMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSHYYG MDVWGQGTTVTVSS
N0452H					
N0453H					

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0454H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 189 AREGYSSSIYYGMDV	SEQ ID NO: 266 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGTCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGATCTAT TATGGTATGGACGCTCTGGGGCCAAAGGACACCGTCACCGTCTCTCTCAG	SEQ ID NO: 352 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYQMNSLRAED TAVYYCAREGYSSSIYYG MDVWGQGTTVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 190 AREGYSSSIYYGMDV	SEQ ID NO: 267 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGTCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGAAGTAT TATGGTATGGACGCTCTGGGGCCAAAGGACACCGTCACCGTCTCTCTCAG	SEQ ID NO: 353 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYQMNSLRAED TAVYYCAREGYSSSIYYG MDVWGQGTTVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 191 AREGYSSSIYYGMDV	SEQ ID NO: 268 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGTCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGAAGTAT TATGGTATGGACGCTCTGGGGCCAAAGGACACCGTCACCGTCTCTCTCAG	SEQ ID NO: 354 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYQMNSLRAED TAVYYCAREGYSSSIYYG MDVWGQGTTVTVSS
N0456H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 191 AREGYSSSIYYGMDV	SEQ ID NO: 268 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGTCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCATATGTGGCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGATCTAT TATGGTATGGACGCTCTGGGGCCAAAGGACACCGTCACCGTCTCTCTCAG	SEQ ID NO: 354 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYQMNSLRAED TAVYYCAREGYSSSIYYG MDVWGQGTTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0457H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 192 AREGYSSMYYGMDV	SEQ ID NO: 269 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAACCAA GATGGAAGTGAGAAATTCATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGATGTAT TATGGTATGGACGTCTGGGGCCAAGGGACACCGTCACCGTCTCTCCTCAG	SEQ ID NO: 355 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYVCAREGYSSSNYYG MDVWGQGTITVTVSS
N0458H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 193 AREGYSSSNYYGMDV	SEQ ID NO: 270 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAACCAA GATGGAAGTGAGAAATTCATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGAACATAT TATGGTATGGACGTCTGGGGCCAAGGGACACCGTCACCGTCTCTCCTCAG	SEQ ID NO: 356 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYVCAREGYSSSNYYG MDVWGQGTITVTVSS
N0459H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 194 AREGYSSSPYYGMDV	SEQ ID NO: 271 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAACCAA GATGGAAGTGAGAAATTCATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGCCCTAT TATGGTATGGACGTCTGGGGCCAAGGGACACCGTCACCGTCTCTCCTCAG	SEQ ID NO: 357 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYVCAREGYSSSPYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0460H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 195 AREGYSSSYGMDV	SEQ ID NO: 272 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGCAGTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCCTCAG	SEQ ID NO: 358 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 196 AREGYSSSYGMDV	SEQ ID NO: 273 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGAGATAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCCTCAG	SEQ ID NO: 359 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSYG MDVWGQGTITVTVSS
N0462H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 197 AREGYSSSYGMDV	SEQ ID NO: 274 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGAGATAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCCTCAG	SEQ ID NO: 360 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 197 AREGYSSSYGMDV	SEQ ID NO: 274 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTTCGAGATAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCCTCAG	SEQ ID NO: 360 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSSSYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0463H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 198 AREGYSSYYGMDV	SEQ ID NO: 275 GAGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATAGTAGTTCGGTGTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 361 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYVCAREGYSSSWYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 199 AREGYSSSWYYGMDV	SEQ ID NO: 276 GAGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATAGTAGTTCGGTGTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 362 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYVCAREGYSSSWYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 200 AREGYSSSWYYGMDV	SEQ ID NO: 277 GAGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATAGTAGTTCGGTGTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 363 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYVCAREGYSSSWYYG MDVWGQGTITVTVSS
N0465H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 200 AREGYSSSWYYGMDV	SEQ ID NO: 277 GAGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATAGTAGTTCGGTGTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 363 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYVCAREGYSSSWYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0467H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 201 AREGYCSYYGMDV	SEQ ID NO: 273 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCAACATAAACAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATTGACAGTTCGTCTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACACCGTCAACGCTCTCTCTCAG	SEQ ID NO: 364 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VQAPGKGLEWVAVINQD GSEKFYVASVKGRFTMSR DNAKSVVQMNSLRAED TAVYYCAREGYCSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 202 AREGYDSSYYGMDV	SEQ ID NO: 279 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCAACATAAACAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATTGACAGTTCGTCTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACACCGTCAACGCTCTCTCTCAG	SEQ ID NO: 365 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VQAPGKGLEWVAVINQD GSEKFYVASVKGRFTMSR DNAKSVVQMNSLRAED TAVYYCAREGYDSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 203 AREGYESSYYGMDV	SEQ ID NO: 280 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCAACATAAACAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATTGACAGTTCGTCTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACACCGTCAACGCTCTCTCTCAG	SEQ ID NO: 366 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VQAPGKGLEWVAVINQD GSEKFYVASVKGRFTMSR DNAKSVVQMNSLRAED TAVYYCAREGYESSYYG MDVWGQGTITVTVSS
N0468H					
N0469H					

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N04 70H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 204 AREGYFSSYYGMDV	SEQ ID NO: 281 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATTTCACTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCGTCTCTCTCAG	SEQ ID NO: 367 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYYCAREGYFSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 205 AREGYGSSYYGMDV	SEQ ID NO: 282 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATTTCACTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCGTCTCTCTCAG	SEQ ID NO: 368 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYYCAREGYGSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 206 AREGYHSSYYGMDV	SEQ ID NO: 283 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATTTCACTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCGTCTCTCTCAG	SEQ ID NO: 369 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYYCAREGYHSSYYG MDVWGQGTITVTVSS
N04 72H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 206 AREGYHSSYYGMDV	SEQ ID NO: 283 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCTGGGGGTCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTTACTGTGCGAGAGAGGGGTATTTCACTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGGTACCGTCTCTCTCAG	SEQ ID NO: 369 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYYCAREGYHSSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0473H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 207 AREGYISSYYGMDV	SEQ ID NO: 284 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGAAAGTGAGAAATTCTATGTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTAATTACTGTGCGAGAGAGGGGTATATCAGTTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCAACGGTCAACGGTCTCTCTCAG	SEQ ID NO: 370 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFVVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYVCAREGYISSYYG MDVWGQGTFTTVYSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 208 AREGYKSSYYGMDV	SEQ ID NO: 285 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGAAAGTGAGAAATTCTATGTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTAATTACTGTGCGAGAGAGGGGTATAAGAGTTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCAACGGTCAACGGTCTCTCTCAG	SEQ ID NO: 371 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFVVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYVCAREGYKSSYYG MDVWGQGTFTTVYSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 209 AREGYLSSYYGMDV	SEQ ID NO: 286 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGAAAGTGAGAAATTCTATGTGGCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTAATTACTGTGCGAGAGAGGGGTATCTGAGTTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCAACGGTCAACGGTCTCTCTCAG	SEQ ID NO: 372 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFVVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYVCAREGYLSSYYG MDVWGQGTFTTVYSS
N0475H					

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0476H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 210 AREGYNSSYYGMDV	SEQ ID NO: 287 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCAACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATATGATTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACGGTCACCGTCTCCTCAG	SEQ ID NO: 373 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKRSVYVQMNSLRAED TAVYYCAREGYNSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 211 AREGYNSSYYGMDV	SEQ ID NO: 288 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCAACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAACAGTTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACGGTCACCGTCTCCTCAG	SEQ ID NO: 374 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKRSVYVQMNSLRAED TAVYYCAREGYNSSYYG MDVWGQGTITVTVSS
N0478H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 212 AREGYPSSYYGMDV	SEQ ID NO: 289 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTCAACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATCCCAAGTTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACGGTCACCGTCTCCTCAG	SEQ ID NO: 375 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKRSVYVQMNSLRAED TAVYYCAREGYPSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2			

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0479H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 213 AREGYQSSSYGMDV	SEQ ID NO: 290 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATCAGAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACCGTACCGTCTCCTCAG	SEQ ID NO: 376 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYYCAREGYQSSSYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 214 AREGYRSSSYGMDV	SEQ ID NO: 291 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGAAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACCGTACCGTCTCCTCAG	SEQ ID NO: 377 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYYCAREGYRSSSYG MDVWGQGTITVTVSS
N0481H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 215 AREGYTSSSYGMDV	SEQ ID NO: 292 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGCCCTCTGTGAAGGGCCGATTACACCATGTC CAGAGACAAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATACCAAGTTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACCACCGTACCGTCTCCTCAG	SEQ ID NO: 378 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNLSRAED TAVYYCAREGYTSSSYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0482H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 216 AREGYVSSSYGMDV	SEQ ID NO: 293 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCTGTGTCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATGTGAGTTCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCTCTCTCTCAG	SEQ ID NO: 379 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKIFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYVSSSYG MDVWGQGTTVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 217 AREGYWSSSYGMDV	SEQ ID NO: 294 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCTGTGTCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATTGAGTTCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCTCTCTCTCAG	SEQ ID NO: 380 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKIFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYWSSSYG MDVWGQGTTVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 218 AREGYVSSSYGMDV	SEQ ID NO: 295 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCTGTGTCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATTGAGTTCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCTCTCTCTCAG	SEQ ID NO: 381 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKIFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYVSSSYG MDVWGQGTTVTVSS
N0484H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 218 AREGYVSSSYGMDV	SEQ ID NO: 295 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCTGTGTCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGCCAACATAAACCAA GATGGAAGTGAGAAATTCATGTGGCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATTGAGTTCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCCCTCTCTCTCAG	SEQ ID NO: 381 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKIFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYVSSSYG MDVWGQGTTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0485H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 219 AREGYSYSGMDV	SEQ ID NO: 296 GAGGTGAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCGATTACACCATGTC CAGAGACAAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTTGCTCGTCCCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 382 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSYVQMNSLRAED TAVYVCAREGYSYSG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 220 AREGYSYSGMDV	SEQ ID NO: 297 GAGGTGAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCGATTACACCATGTC CAGAGACAAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTGAAGTCTCCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 383 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSYVQMNSLRAED TAVYVCAREGYSYSG MDVWGQGTITVTVSS
N0487H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 221 AREGYSYSGMDV	SEQ ID NO: 298 GAGGTGAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCGATTACACCATGTC CAGAGACAAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTGAAGTCTCCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 384 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSYVQMNSLRAED TAVYVCAREGYSYSG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 221 AREGYSYSGMDV	SEQ ID NO: 298 GAGGTGAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTACACCTTTAATAGCTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCGATTACACCATGTC CAGAGACAAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTGAAGTCTCCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACACCGTCCCGTCTCCTCAG	SEQ ID NO: 384 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSYVQMNSLRAED TAVYVCAREGYSYSG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0488H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 223 AREGYSFSSYYGMDV	SEQ ID NO: 299 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCGGATTCACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTTTCTCGTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCTCTCAG	SEQ ID NO: 385 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSFSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 224 AREGYSFSSYYGMDV	SEQ ID NO: 300 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCGGATTCACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTGGCTCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCTCTCAG	SEQ ID NO: 386 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSFSSYYG MDVWGQGTITVTVSS
N0490H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 225 AREGYSFSSYYGMDV	SEQ ID NO: 301 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCGGATTCACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTGGCTCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCTCTCAG	SEQ ID NO: 387 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSFSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 225 AREGYSFSSYYGMDV	SEQ ID NO: 301 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCACATAAACCAA GATGGAAGTGAGAAATTTCTATGTGGCCTCTGTGAAGGGCGGATTCACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTGGCTCTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCTCTCAG	SEQ ID NO: 387 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSFSSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0491H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 226 AREGYSISSYYGMDV	SEQ ID NO: 302 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGGCCGATTCACCATGTCTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTATCTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCTCTCAG	SEQ ID NO: 388 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSISSYYG MDVWGQGT'TVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 227 AREGYSKSSYYGMDV	SEQ ID NO: 303 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGGCCGATTCACCATGTCTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAACTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCTCTCAG	SEQ ID NO: 389 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSKSSYYG MDVWGQGT'TVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 228 AREGYSLSYYGMDV	SEQ ID NO: 304 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGGCCGATTCACCATGTCTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTCTCTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCTCTCAG	SEQ ID NO: 390 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSLSYYG MDVWGQGT'TVTVSS
N0492H					
N0493H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 228 AREGYSLSYYGMDV	SEQ ID NO: 304 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCTCTGTGAAGGGCCGATTCACCATGTCTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTCTCTCGTCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTACCGTCTCTCTCAG	SEQ ID NO: 390 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMMSW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYYCAREGYSLSYYG MDVWGQGT'TVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0494H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 229 AREGYSMSYYGMDV	SEQ ID NO: 305 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTATGTCGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 391 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYSMSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 230 AREGYSNSYYGMDV	SEQ ID NO: 306 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAACTGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 392 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYSNSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 231 AREGYSPSYYGMDV	SEQ ID NO: 307 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAACTGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 393 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYSPSSYYG MDVWGQGTITVTVSS
N0496H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 231 AREGYSPSYYGMDV	SEQ ID NO: 307 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAACTGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 393 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYSPSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 231 AREGYSPSYYGMDV	SEQ ID NO: 307 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAACTGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 393 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYSPSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 231 AREGYSPSYYGMDV	SEQ ID NO: 307 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGGTGGCCAAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGCCCTCTGTGAAGGGCCGATTACCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAACTGTCCTAT TATGGTATGGACGTCTGGGGCCAAAGGACACCGTCAACCGTCTCCTCAG	SEQ ID NO: 393 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMSW VRQAPGKLEWVANINQD GSEKFYVASVKGRFTMSR DNAKKSIVVQMNSLRAED TAVYYCAREGYSPSSYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0497H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 232 AREGYSQSSYYGMDV	SEQ ID NO: 308 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTCAGAAATTTCTATGTGGCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTCAGTCGTCCTAT TATGGTATGGACGCTCTGGGCCAAGGACCAACCGTCACCGTCTCCTCAG	SEQ ID NO: 394 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWNMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKFSVYVQMNSLRAED TAVYICAREGYSQSSYYG MDVMGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 233 AREGYSRSSYYGMDV	SEQ ID NO: 309 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTCAGAAATTTCTATGTGGCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGATCGTCCTAT TATGGTATGGACGCTCTGGGCCAAGGACCAACCGTCACCGTCTCCTCAG	SEQ ID NO: 395 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWNMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKFSVYVQMNSLRAED TAVYICAREGYSRSSYYG MDVMGQGTITVTVSS
N0498H					
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 234 AREGISTSSYYGMDV	SEQ ID NO: 310 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTCAGAAATTTCTATGTGGCTCTGTGAAGGCCGATTACCATGTC CAGAGACAACGCCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTACCTCGTCCTAT TATGGTATGGACGCTCTGGGCCAAGGACCAACCGTCACCGTCTCCTCAG	SEQ ID NO: 396 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWNMSW VRQAPGKGLEWVANINQD GSEKFYVASVKGRFTMSR DNAKFSVYVQMNSLRAED TAVYICAREGYSSTSSYYG MDVMGQGTITVTVSS
N0499H					
	SEQ ID NO: 1	SEQ ID NO: 2			

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N0500H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 235 AREGYSVSSYYGMDV	SEQ ID NO: 311 GAGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTCTGCGAGAGAGGGGTATAGTGTCTCTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACCACGGTCAACCGTCTCTCTCAG	SEQ ID NO: 397 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYYCAREGYSVSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 236 AREGYSWSSYYGMDV	SEQ ID NO: 312 GAGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTCTGCGAGAGAGGGGTATAGTGTCTCTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACCACGGTCAACCGTCTCTCTCAG	SEQ ID NO: 398 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYYCAREGYSWSSYYG MDVWGQGTITVTVSS
	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 237 AREGYSYSSYYGMDV	SEQ ID NO: 313 GAGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCCT GAGACTCTCCTGTGCACTCTCTGGATTCACTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGAAGTGAGAAATCTATGTGGCCTCTGTGAAGGGCCGATTCAACCATGTC CAGAGACAACGCCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTCTGCGAGAGAGGGGTATAGTGTCTCTCTAT TATGGTATGGAGCTCTGGGGCCAAAGGACCACGGTCAACCGTCTCTCTCAG	SEQ ID NO: 399 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMW VRQAPKGLEWVANIQD GSEKFYVASVKGRFTMSR DNAKKSYYVQMNSLRAED TAVYYCAREGYSYSSYYG MDVWGQGTITVTVSS
N0502H					

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
			SEQ ID NO: 400 Consensus HCDR3 of N436 and selected variants with parent N128H AREGYSSXSYGMDV X is I, L, V, R, W, Q, K, H, E, N, M, S Representing the N436H CDR3 sequence AREGYSSISYGMVDV in which the Ile is retained or replaced by Leu, Val, Arg, Trp, Gln, Lys, His, Glu, Asn, Met or Ser.		
			SEQ ID NO: 401 Consensus HCDR3 of N436 and selected variants AREGYSSXSYGMDV X is I, L, V, R, W, Q, K, H, E, N or M Representing the N436H CDR3 sequence AREGYSSISYGMVDV in which the Ile is retained or replaced by Leu, Val, Arg, Trp, Gln, Lys, His, Glu, Asn or Met.		
			SEQ ID NO: 402 Consensus HCDR3 of N436 and selected hydrophobic or positively charged variants AREGYSSXSYGMDV X is I, L, V, R, W, Q or K Representing the N436H CDR3 sequence AREGYSSISYGMVDV in which the Ile is retained or replaced by Leu, Val, Arg, Trp, Gln or Lys.		
			SEQ ID NO: 403 Consensus HCDR3 of initial most active variants AREGYSSXSYGMDV X is I, L or V Representing the N436H CDR3 sequence AREGYSSISYGMVDV in which the Ile is retained or replaced by Leu or Val.		

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
	SEQ ID NO: 406 Consensus HCDR1 GFXFNSYW X is T or R Representing the N1280H CDR1 sequence GFXFNSYW (SEQ ID NO: 441) in which the Arg is retained or replaced by Thr.				
		SEQ ID NO: 407 Consensus HCDR2 INQX ₁ GX ₂ X ₃ K X ₁ is D, G or W. X ₂ is S or F. X ₃ is E or R. Representing the N1280H CDR2 sequence INQDGSRK (SEQ ID NO: 436) in which the Asp is retained or replaced by Gly or Trp, the Ser is retained or replaced by Phe and the Arg is retained or replaced by Glu.			
		SEQ ID NO: 634 Consensus HCDR2 INQDGSXK X is R or E. Representing the N1280H CDR2 sequence INQDGSRK (SEQ ID NO: 436) in which the Arg is retained or replaced by Glu.			
			SEQ ID NO: 408 Consensus HCDR3 AREGYSSX ₁ X ₂ YYGMDV X ₁ is S or I. X ₂ is S or K. Representing the N1280H CDR3 sequence AREGYSSIKYYGMDV (SEQ ID NO: 433) in which the Ile is retained or replaced by Ser and the Lys is retained or replaced by Ser.		

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
			SEQ ID NO: 635 Consensus HCDR3 AREGYSSIXYYGMDV X is K or S. Representing the N1280H CDR3 sequence AREGYSSIKYYGMDV (SEQ ID NO: 433) in which the Lys is retained or replaced by Ser.		
N0511H	SEQ ID NO: 1	SEQ ID NO: 2	SEQ ID NO: 433	SEQ ID NO: 434 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTGAGAAATTCTATGTGGCCTCTGTGAAGGGCCGATTACCCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGGTATGGACGTCTGGGGCCAAAGGGACACCGTCACTCTCTCA	SEQ ID NO: 435 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMW VRQAPGKGLEWVANIKQD GSEKEFYVASVKGRFTMSR DNAKKSYYVQVNSLRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS
N1091H	SEQ ID NO: 1 436	SEQ ID NO:	SEQ ID NO: 171	SEQ ID NO: 437 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGTGGCCCAACATAAACCAA GATGGAAGTAGAAAATTCTATGTGGCCTCTGTGAAGGGCCGATTACCCATGTC CAGAGACAACGCCAAGAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCTCTAT TATGGTATGGACGTCTGGGGCCAAAGGGACACCGTCACTCTCTCA	SEQ ID NO: 438 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYMW VRQAPGKGLEWVANINQD GSRKFVASVKGRFTMSR DNAKKSYYVQVNSLRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N1172H	SEQ ID NO: 1	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 439 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACCTTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTAGAAAATTCTATCTGGCCTCTGTGAAGGGCCGATTTCACCATGTC CAGAGACAACGCCAAGAAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGGTATGGACGTCTGGGGCCAAAGGGACACCGTCAACCGTCTCCTCA	SEQ ID NO: 440 EVQLVESGGGFVQPGGSL RLSCAVSGFTFNSYWMWSW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAKKSIVYVQMNLSRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS
	SEQ ID NO: 441	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 442 GAGTSCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACAGATTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTAGAAAATTCTATCTGGCCTCTGTGAAGGGCCGATTTCACCATGTC CAGAGACAACGCCAAGAAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGGTATGGACGTCTGGGGCCAAAGGGACACCGTCAACCGTCTCCTCA	SEQ ID NO: 443 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMWSW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAKKSIVYVQMNLSRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS
N1280H	SEQ ID NO: 441	SEQ ID NO: 444 INQGGSRK	SEQ ID NO: 433	SEQ ID NO: 445 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACAGATTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTAGAAAATTCTATCTGGCCTCTGTGAAGGGCCGATTTCACCATGTC CAGAGACAACGCCAAGAAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGGTATGGACGTCTGGGGCCAAAGGGACACCGTCAACCGTCTCCTCA	SEQ ID NO: 446 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMWSW VRQAPGKGLEWVANINQG GSRKFYVASVKGRFTMSR DNAKKSIVYVQMNLSRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS
N1314H	SEQ ID NO: 441	SEQ ID NO: 444 INQGGSRK	SEQ ID NO: 433	SEQ ID NO: 445 GAGGTGCAGCTGGTGGAGTCTGGGGAGGCTTTGTCCAGCCTGGGGGTCCT GAGACTCTCCTGTGCAGTCTCTGGATTACAGATTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGGCTGGAGTGGGTGGCCCAACATAAACCAA GATGGAAGTAGAAAATTCTATCTGGCCTCTGTGAAGGGCCGATTTCACCATGTC CAGAGACAACGCCAAGAAAATCAGTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGGTATGGACGTCTGGGGCCAAAGGGACACCGTCAACCGTCTCCTCA	SEQ ID NO: 446 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMWSW VRQAPGKGLEWVANINQG GSRKFYVASVKGRFTMSR DNAKKSIVYVQMNLSRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N132/H	SEQ ID NO: 441	SEQ ID NO: 44/ INQWGSRK	SEQ ID NO: 433	SEQ ID NO: 448 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTCTGCACTCTCTGGATTCAGATTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA TGGGGAAGTAGAAAATTCTATGTGGCCTCTGTGAAGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGTTATGGACGTCTGGGGCCAAAGGACACGGTCACCGTCTCCTCA	SEQ ID NO: 449 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMSW VRQAPGKGLEWVANINQW GSRKFYVASVKGRFTMSR DNAKSVVQMNLSRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS
	SEQ ID NO: 441	SEQ ID NO: 450 INQDGRK	SEQ ID NO: 433	SEQ ID NO: 451 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTCTGCACTCTCTGGATTCAGATTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGATTCAAAAATTCTATGTGGCCTCTGTGAAGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGTTATGGACGTCTGGGGCCAAAGGACACGGTCACCGTCTCCTCA	SEQ ID NO: 452 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMSW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAKSVVQMNLSRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS
N133H	SEQ ID NO: 441	SEQ ID NO: 450 INQDGRK	SEQ ID NO: 433	SEQ ID NO: 451 GAGGTGCAGCTGGTGGAGTCTGGGGGAGGCTTTGTCCAGCCTGGGGGGTCCCT GAGACTCTCTCTGCACTCTCTGGATTCAGATTTAATAGCTATTGGATGAGCT GGGTCCGCCAGGCTCCAGGGAAGGGCTGGAGTGGTGCCCAACATAAACCAA GATGGATTCAAAAATTCTATGTGGCCTCTGTGAAGGCCGATTCAACCATGTC CAGAGACAACGCCAAGAAATCACTGTATGTACAAATGAACAGCCTGAGAGCCG AGGACACGGCTGTATTACTGTGCGAGAGAGGGGTATAGTAGTATCAAGTAT TATGTTATGGACGTCTGGGGCCAAAGGACACGGTCACCGTCTCCTCA	SEQ ID NO: 452 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMSW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAKSVVQMNLSRAED TAVYYCAREGYSSIKYYG MDVWGQGTITVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
N1454H	SEQ ID NO: 441	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 453 GAGGTGCAGCTGGTTGAATCTGGCGCGGATTGTTTCAGCCTGGCGGCTCTCT GAGACTGAGCTGTGCCGTGTCCGGTTCCGGTTCAACAGCTACTGGATGTCCT GGTCCGACAGGCCCTGGCAAAGGACTTGAGTGGGTGCGCCAAACATCAACCAG GACGCAGCCGGAAGTTTACGTGGCCTCTGTGAAGGGAGATTCAACATGAG CCGGACACACGCCCAAGAAAGAGGTGTACGTGCAGATGAACAGCCTGAGAGCCG AGGACACCCCGGTGTACTATTGTGCCAGAGAGGGCTACAGCAGCATCAAGTAC TACGGCATGGACGTGTGGGGCAGGGCACACAGTGACAGTCTCTTCT	SEQ ID NO: 454 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAKKEYVQMNSLRAED TAVYVCAREGYSSIKYYG MDVWGQGTITVTVSS
	SEQ ID NO: 441	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 455 GAGGTGCAGCTGGTTGAATCTGGCGCGGATTGTTTCAGCCTGGCGGCTCTCT GAGACTGAGCTGTGCCGTGTCCGGTTCCGGTTCAACAGCTACTGGATGTCCT GGTCCGACAGGCCCTGGCAAAGGACTTGAGTGGGTGCGCCAAACATCAACCAG GACGCAGCCGGAAGTTTACGTGGCCTCTGTGAAGGGAGATTCAACATGAG CCGGACACACGCCGACAAAAGCGTGTACGTGCAGATGAACAGCCTGAGAGCCG AGGACACCCCGGTGTACTATTGTGCCAGAGAGGGCTACAGCAGCATCAAGTAC TACGGCATGGACGTGTGGGGCAGGGCACACAGTGACAGTCTCTTCT	SEQ ID NO: 456 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAKSVYVQMNSLRAED TAVYVCAREGYSSIKYYG MDVWGQGTITVTVSS
N1441H	SEQ ID NO: 441	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 457 GAGGTGCAGCTGGTTGAATCTGGCGCGGATTGTTTCAGCCTGGCGGCTCTCT GAGACTGAGCTGTGCCGTGTCCGGTTCCGGTTCAACAGCTACTGGATGTCCT GGTCCGACAGGCCCTGGCAAAGGACTTGAGTGGGTGCGCCAAACATCAACCAG GACGCAGCCGGAAGTTTACGTGGCCTCTGTGAAGGGAGATTCAACATGAG CCGGACACACGCCGACAAAAGCGTGTACGTGCAGATGAACAGCCTGAGAGCCG AGGACACCCCGGTGTACTATTGTGCCAGAGAGGGCTACAGCAGCATCAAGTAC TACGGCATGGACGTGTGGGGCAGGGCACACAGTGACAGTCTCTTCT	SEQ ID NO: 458 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAEKSIVYVQMNSLRAED TAVYVCAREGYSSIKYYG MDVWGQGTITVTVSS
	SEQ ID NO: 441	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 457 GAGGTGCAGCTGGTTGAATCTGGCGCGGATTGTTTCAGCCTGGCGGCTCTCT GAGACTGAGCTGTGCCGTGTCCGGTTCCGGTTCAACAGCTACTGGATGTCCT GGTCCGACAGGCCCTGGCAAAGGACTTGAGTGGGTGCGCCAAACATCAACCAG GACGCAGCCGGAAGTTTACGTGGCCTCTGTGAAGGGAGATTCAACATGAG CCGGACACACGCCGACAAAAGCGTGTACGTGCAGATGAACAGCCTGAGAGCCG AGGACACCCCGGTGTACTATTGTGCCAGAGAGGGCTACAGCAGCATCAAGTAC TACGGCATGGACGTGTGGGGCAGGGCACACAGTGACAGTCTCTTCT	SEQ ID NO: 458 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAEKSIVYVQMNSLRAED TAVYVCAREGYSSIKYYG MDVWGQGTITVTVSS
N1442H	SEQ ID NO: 441	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 457 GAGGTGCAGCTGGTTGAATCTGGCGCGGATTGTTTCAGCCTGGCGGCTCTCT GAGACTGAGCTGTGCCGTGTCCGGTTCCGGTTCAACAGCTACTGGATGTCCT GGTCCGACAGGCCCTGGCAAAGGACTTGAGTGGGTGCGCCAAACATCAACCAG GACGCAGCCGGAAGTTTACGTGGCCTCTGTGAAGGGAGATTCAACATGAG CCGGACACACGCCGACAAAAGCGTGTACGTGCAGATGAACAGCCTGAGAGCCG AGGACACCCCGGTGTACTATTGTGCCAGAGAGGGCTACAGCAGCATCAAGTAC TACGGCATGGACGTGTGGGGCAGGGCACACAGTGACAGTCTCTTCT	SEQ ID NO: 458 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAEKSIVYVQMNSLRAED TAVYVCAREGYSSIKYYG MDVWGQGTITVTVSS
	SEQ ID NO: 441	SEQ ID NO: 436	SEQ ID NO: 433	SEQ ID NO: 457 GAGGTGCAGCTGGTTGAATCTGGCGCGGATTGTTTCAGCCTGGCGGCTCTCT GAGACTGAGCTGTGCCGTGTCCGGTTCCGGTTCAACAGCTACTGGATGTCCT GGTCCGACAGGCCCTGGCAAAGGACTTGAGTGGGTGCGCCAAACATCAACCAG GACGCAGCCGGAAGTTTACGTGGCCTCTGTGAAGGGAGATTCAACATGAG CCGGACACACGCCGACAAAAGCGTGTACGTGCAGATGAACAGCCTGAGAGCCG AGGACACCCCGGTGTACTATTGTGCCAGAGAGGGCTACAGCAGCATCAAGTAC TACGGCATGGACGTGTGGGGCAGGGCACACAGTGACAGTCTCTTCT	SEQ ID NO: 458 EVQLVESGGGFVQPGGSL RLSCAVSGFRFNSYWMW VRQAPGKGLEWVANINQD GSRKFYVASVKGRFTMSR DNAEKSIVYVQMNSLRAED TAVYVCAREGYSSIKYYG MDVWGQGTITVTVSS

Table S-9B: Anti-FIXa VH domain framework sequences

Ab VH	FR1	FR2	FR3	FR4
N0192H	SEQ ID NO: 148 EVQLVESGGGLVQPGGSLRLSCAAS	SEQ ID NO: 133	SEQ ID NO: 149 YYVDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYC	SEQ ID NO: 135
N0212H	SEQ ID NO: 148	SEQ ID NO: 133	SEQ ID NO: 149	SEQ ID NO: 135
N0205H	SEQ ID N: 150 EVQLVESGGGLVQPGGSLRLSCVAS	SEQ ID NO: 133	SEQ ID NO: 149	SEQ ID NO: 135
N0211H	SEQ ID NO: 151 EVQLVESGGGLVQPGGSLRLSCAVS	SEQ ID NO: 133	SEQ ID NO: 152 FYVASVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYC	SEQ ID NO: 135
N0203H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 153 FYVASVKGRFTISRDNAKNSVYLQMNSLRAEDTAVYYC	SEQ ID NO: 154 WGQGTTSVSS
N0128H	SEQ ID NO: 132 EVQLVESGGGFVQPGGSLRLSCAVS	SEQ ID NO: 133 MSWVRQAPGKGLEWWAN	SEQ ID NO: 134 FYVASVKGRFTMSRDNAKKSYYVQMNSLRAEDTAVYYC	SEQ ID NO: 135 WGQGTTSVSS
N0215H	SEQ ID NO: 148	SEQ ID NO: 133	SEQ ID NO: 149	SEQ ID NO: 135
N0216H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 152	SEQ ID NO: 135
N0217H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 155 FYVASVKGRFTMSRDNAKNSVYLQMNSLRAEDTAVYYC	SEQ ID NO: 135
N0218H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 156 FYVASVKGRFTISRDNAKKSYYLQMNSLRAEDTAVYYC	SEQ ID NO: 135
N0219H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 157 FYVASVKGRFTISRDNAKNSVYVQMNSLRAEDTAVYYC	SEQ ID NO: 135
N0220H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 158 FYVASVKGRFTISRDNAKKSYYVQMNSLRAEDTAVYYC	SEQ ID NO: 135
N0221H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 159 FYVASVKGRFTMSRDNAKNSVYVQMNSLRAEDTAVYYC	SEQ ID NO: 135
N0222H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 160 FYVASVKGRFTMSRDNAKKSYYLQMNSLRAEDTAVYYC	SEQ ID NO: 135

(continued)

Ab VH	FR1	FR2	FR3	FR4
N0223H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N0224H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 155	SEQ ID NO: 135
N0225H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 156	SEQ ID NO: 135
N0226H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 157	SEQ ID NO: 135
N0227H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 160	SEQ ID NO: 135
N0228H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 159	SEQ ID NO: 135
N0229H	SEQ ID NO: 151	SEQ ID NO: 133	SEQ ID NO: 158	SEQ ID NO: 135
N0511H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N1091H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N1172H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N1280H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N1314H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N1327H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N1333H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 134	SEQ ID NO: 135
N1441H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 459 FYVASVKGRFTMSRDNADKSVVQMNSLRAEDTAVVY C	SEQ ID NO: 135
N1442H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 460 FYVASVKGRFTMSRDNAEKSVVQMNSLRAEDTAVVY C	SEQ ID NO: 135
N1454H	SEQ ID NO: 132	SEQ ID NO: 133	SEQ ID NO: 461 FYVASVKGRFTMSRDNAKEVVVQMNSLRAEDTAVVY C	SEQ ID NO: 136

FX binding arm VH domain polypeptide sequences

5

10

15

20

25

30

35

40

45

50

55

[0382]

Table S-10A: Anti-FX VH domain sequences and CDRs

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T02	SEQ ID NO: 57 GYTFTNYA	SEQ ID NO: 58 INAGNGFT	SEQ ID NO: 59 ARDWAAAISSYYGMDV	SEQ ID NO: 60 CAGGTCAGACTTGTGCAGTCTGGGGCTCAGGTGAAGAGCCTGGGGC CTCAGTGAAGGTTTCCCTGCAAGGCTTCTGGATACACCTTCACTAACT ATGCTATACATTGGGTGCGCCAGGCCCGGACAGAGGCTTGAGTGG ATGGGATGGATCAACGCTGGCAATGGTTTCACAAAATCTTCACAGAA GTTCCGGGCAGAGTCAACATTACCAGGACACATCCGCGAACACAG CCTACATGGAACCTGAGCAGCCTCAGATCTGAAGACACGGCTATTTAT TACTGTGCGAGAGATTGGGCTGCTGCTATCTTACTACGGTATGGA CGTCTGGGGCCAAAGGACACGGTCACCGTCTCCTCAG	SEQ ID NO: 61 QVQLVQSGAEVKRPGASV KVSCKASGYTFTNYAIHW VRQAPGQRLWMMWINAG NGFTKSSQKFRGRVTITR DTSANTAYMELSSLRSED TAIYYCARDWAAAISSYG MDVWGQGTITVTVSS
T05	SEQ ID NO: 67 GFTFSSYG	SEQ ID NO: 68 IWYDGTNK	SEQ ID NO: 69 ARSGYSSSWYGAMDV	SEQ ID NO: 70 CAGGTGCAGCTGGTGGAGTCTGGGGAGGCGTGGTCCAGCCTGGGAG GTCCCTGAGACTCTCCTGTGCAGCGTCTGGATTCACTTCAGTAGCT ATGGCATGCACTGGGTCCGCCAGGCTCCAGGCGAGGGCTGGAGTGG GTGGCAGTTATATGGTATGATGGAACATAATAAATACTATGCAGACTC CTTGAAAGGGCCGATTCAACCATCTCCAGAGACAAATCCAAGAACACGC TCTATCTGCAAAATGAACAGGCTGAGAGCCGAGGACACGGCTGTGTAT TACTGTGCGAGGTCCGGGTATAGCAGAGCTGGTACGGCGCTATGGA CGTCTGGGGCCAAAGGACACGGTCACCGTCTCCTCAG	SEQ ID NO: 71 QVQLVESGGGVVQGRSL RLSCAASGFTFSYGMHW VRQAPGEGLEWVAIVYD GTNKYYADSLKGRFTISR DNSKNTLYLQMNRLRAED TAVYYCARSGYSSSWYGA MDVWGQGTITVTVSS

(continued)

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T06	SEQ ID NO: 77 GYTFTSYA	SEQ ID NO: 78 INAGNGIT	SEQ ID NO: 79 ARDWAAAIYYGMDV	SEQ ID NO: 80 CAGGTCACGCTTGTGCACTCTGGGGCTGAGGTGAAGAGCCTGGGCG CTCAGTGAAGGTTTCTTCAAGGCTTCTGGATACACCTTACAAGCT ACGCCATACATTGGGTGGCCAGGCCCGCCGACAGAGGCTTGAGTGG ATGGGATGGATCAACGCTGGCAATGGTATCACAAATCTTACAGAA GTTCCAGGCGAGTCAACCATTACCAGGACACATCCGCGAACACAG TTTACCTGAACTGAGCAGCCTCAGATCTGAAGACACAGGCTGTTTAT TATTGTGCGAGAGATTGGGCTGCTGCTATCACCTACTACGGTATGGA CGTCTGGGCCAAGGACCAACGGTCACCGTCTCCTCAG	SEQ ID NO: 81 QVQLVQSGAEVKRPGASV KVSCKASGYFTSYAIHW VRQAPGQRLWMMWINAG NGITKSQKFQGRVTITR DTSANTVYLELSLRSED TAVYYCARDWAAAIYYG MDVWGQGTITVTVSS
T12	SEQ ID NO: 86 EFTFSTAG	SEQ ID NO: 87 ISYDGSNK	SEQ ID NO: 88 AKDFTMVRGVIMDV	SEQ ID NO: 89 CAGGTGCAGCTGGTGGAGTCTGGGGGGCGGTACTCCAGCCTGGGAA GTCCCTGAGACTCTCCTGTGCAGCCTCTGAATTCACCTTCAGTACCG CTGGCATGCACCTGGTCCGCCAGGCTCCAGGCAAGGGCTGGAGTGG GTGACTTTTATATCATATGATGGAAGTAATAAATACTATGCAGACTC CGTGAAGGGCCGATTACCATCTCCAGAGACAAATCCAAGGTGTATC TGCAAATGAACAGCCTGAGAACTGAGGACACAGGCTGTGTATTACTGT GCGAAAGATTTCATATGGTTCCGGGAGTTATTATAATGGACGCTCTG GGGCCAAGGGACCAACGGTCACCGTCTCCTCAG	SEQ ID NO: 90 QVQLVESGGGVLPQKSL RLSCAASEFTFSTAGMHW VRQAPGKGLEWVTFISYD GSNKYYADSVKGRFTISR DNSKVIQMNLSLRTEA VYYCAKDFTMVRGVIIMD VWGQGTITVTVSS
T14	SEQ ID NO: 96 GGSISSYY	SEQ ID NO: 97 IYYSGST	SEQ ID NO: 98 AKGAAGDY	SEQ ID NO: 99 CAGGTGCAGCTGCAGGAGTCGGGGCCAGGACTGGTGAAGCCTTCGGA GACCCCTGTCCTCACCTGCACCTGTCTCTGTGGTCCATCAGTAGTT ATTACTGGAGCTGGATCCGGCAGCCCCCAGGGAAGGACTGGAGTGG ATTGGGTATATCTATTACAGTGGGAGCACCAACTATAACCCCTCCCT CAAGAGTCGAGTCAACATATCAGTAGACACGTCACAGAACCAAGTTCT CCCTGAGGCTGAGTTCTGTGACCGCTGCGGACACGCGCGTGATTAT TGTGCGAAAGGGCAGCTGGGGACTACTGGGGCCAGGGAACCCCTGCT CACCGTCTCCTCAG	SEQ ID NO: 100 QVQLQESGPGLVKPSSETL SLTCTVSGGSISYYWSW IRQPPGKLEWIGYIYYS GSTNYPNPSLKS RVNISVD TSKNQFSLRSSVTAADT AVYYCAKGAAGDYWGQGT LVTVSS

(continued)

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T15	SEQ ID NO: 105 GGISIKYY	SEQ ID NO: 106 IYYSGNT	SEQ ID NO: 107 ARGLGDY	SEQ ID NO: 108 CAGGTGCAGCTGCAGGAGTCGGGCCCCAGGACTGGTGAAGCCTTCGGA GACCCGTGCTCCCTCACCTGCAGCTGTCTCTGGTGGCTCCATCAGTAAAT ACTACTGGAGCTGGATCCGGCAGCCCCCAGGGAAGGAGCTGGAGTGG ATTGGATATATCTATTACAGTGGGAACACCTACCAGAATCCCTCCCT CAAGATCGAGTCACCATATCAATAGACAGTCCAAGAACAGATCT CCCTGAAGGTGAGCTCTGTGACCGCTGCGGACACGGCCGCTCTATTAC TGTGCGAGAGGGCTGGGGACTACTGGGGCCAGGGAAACCCTGGTCAC CGTCTCCTCAG	SEQ ID NO: 109 QVQLQESGPGLVKPSSETL SLTCTVSGGISISKYYWSW IRQPPGKGLEWIGIYYIS GNTYQNPSLKSRTISID TSKNQISLKVSSVTAADT AVYYCARGLDYWGQGT VTVSS
T23	SEQ ID NO: 114 GGISIRYY	SEQ ID NO: 115 IYYSGTT	SEQ ID NO: 116 ARGLGDF	SEQ ID NO: 117 CAGGTGCAGCTGCAGGAGTCGGGCCCCAGGACTGGTGAAGCCTTCGGA GACCCGTGCTCCCTCACCTGCAGTGTCTCTGGTGGCTCCATAGTAGAT ATTACTGGAGCTGGATCCGGCAGCCCCCAGGGAAGGAGCTGGAGTGG ATTGGATATATCTATTACAGTGGGACCCACTACTATAACCCCTCCCT CAAGATCGAGTCACCTTTTTCAGTAGACAGTCCAAGACCCAGTTCT CCCTGAAACTTAACTCTGTGACCGCTGCGGACACGGCCGCTATATTAC TGTGCGAGAGGACTGGGGACTTCTGGGGCCGGGAAACCCTGGTCAC CGTCTCCTCAG	SEQ ID NO: 118 QVQLQESGPGLVKPSSETL SLTCSVSGGISISRYYSW IRQPPGKGLEWIGIYYIS GTTYNPSLKSRTVTFSD TSKTQFSLKLNSTAAADT AVYYCARGLDGDFWGRGTL VTVSS
T25	SEQ ID NO: 122 GGISSGIYY	SEQ ID NO: 123 INNSGNT	SEQ ID NO: 124 ARGSGDY	SEQ ID NO: 125 CAGGTGCAGCTGCAGGAGTCGGGCCCCAGGACTGGTGAAGCCTTCAGA GACCCGTGCTCCCTCACCTGCAGCTGTCTCTGGTGGCTCCATCAGTAGTG GTATATACTACTGGAGTTGGATCCGCCAGCACCCAGGGAAGGCCCTG GAGTGGATTGGATACATCAATAACAGTGGGAACACCTACTACAACCC GTCCCTCAAGGGTCGAGTTAAACATATCAGTAGACACGCTTAAGAAAC AGTTCTCCCTGAAGCTGAGCTCTGTGACTGACCGGACACGGCCCGTC TATTACTGTGCGAGGGGGGATCGGGCGACTACTGGGGCCAGGGAAC CCTGGTCACCGTCTCCTCAG	SEQ ID NO: 126 QVQLQESGPGLVKPSSETL SLTCTVSGGISISSGIYYW SWIRQHPGKLEWIGIYIN NSGNTYNNPSLKGRVNIS VDTSKKQFSLKLSVTD DTAVYYCARGSGSDYWGQ GTLVTVSS

Table S-10B: Anti-FX VL domain sequences and CDRs

Ab VL	LCDR1	LCDR2	LCDR3	VL nucleotide sequence	VL amino acid sequence
T02	SEQ ID NO: 62 SSNIGSNY	SEQ ID NO: 63 RNT	SEQ ID NO: 64 ATWDDSLSAYV	SEQ ID NO: 65 CAGTCTGTCTGACTCAGCCACCCCTCAGCGTCTGGGACCCCGGGC AGAGGGTCACCATCTCTTGTCTGGAAGCAGCTCCAACATCGGAAG TAATTATGTATACTGGTACCAAGCTCCAGGAACGGCCCCCAAA CTCCTCATCTATAGGAATACTCAGCGGCCCTCAGAGGTCCCTGACC GATTCTCTGGCTCCAAGTCTGGCGCCTCAGCCTCCCTGGCCATCAG TGGGCTCCGTCAGAGGATGAGACTGATTATTACTGTGCAACATGG GATGACAGCCTGAGTGCTTATGTCTCGGAACCTGGGACCAAAAGTCA CCGTCTCTAG	SEQ ID NO: 66 QSVLTQPPSASGTFPGQVVT I SCGSSSNIGSNVYVYQ QLPGTAPKLLIYRNTQRP EVPDRFSGSKSASALAI SGLRSEDETYYCATWDDS LSAYVFGTGKVTVL
T05	SEQ ID NO: 72 SSDVGGYYY	SEQ ID NO: 73 EVN	SEQ ID NO: 74 SSYAGSNTWW	SEQ ID NO: 75 CAGTCTGCCCTGACTCAGCCTCCCTCCGCGTCCGGGTCTCTGGAC AGTCAGTCACCATCTCTGCACTGGAACCAAGCAGTACGTTGGTGG TTATTACTATGTCTCTGGTACCAACAGCACCCAGCAAGCCCCC AACTCATGATTATGAGGTCAATAAGCGGCCCTCAGGGGTCCCTG ATCGCTTCTCTGGCTCCAAGTCTGGCATCACGGCTCCCTGACCGT CTCTGGGCTCCAGTCTGAGGATGAGGCTGATTATTACTGACGTCA TATGAGGCAGCAACACTTGGGTGTTCGGCGGAGGACCAAGCTGA CCGTCTCTAG	SEQ ID NO: 76 QSALTQPPSASGSPGQSVT I SCTGTSSDVGGYYVSWY QQHPGKAPKLMYEVNKR SGVPDRFSGSKSGITASLT VSGLQSEDEADYYCSSYAG SNTWVFGGTGKLTVL
T06	SEQ ID NO: 82 SSNIGSNY	SEQ ID NO: 83 RNN	SEQ ID NO: 84 FGAGTKVTVL	SEQ ID NO: 85 CAGTCTGTGCTGACTCAGCCACCCCTCAGTGTCTGGGACCCCGGGC AGAGGGTCACCATCTCTTGTCTGGAAGCAGCTCCAACATCGGAAG TAATTATGTATACTGGTACCAAGCTCCAGGAACGGCCCCCAAA CTCCTCATCTATAGGAATACTCAGCGGCCCTCAGAGGTCCCTGACC GATTCTCTGGCTCCAAGTCTGGCGCCTCAGCCTCCCTGGCCATCAG TGGGCTCCGTCAGAGGATGAGACTGATTATTACTGTGCAACATGG GATGACAGCCTGAGTGCTTATGTCTCGGAACCTGGGACCAAAAGTCA CCGTCTCTAG	SEQ ID NO: 86 QSVLTQPPSASGTFPGQVVT I SCGSSSNIGSNVYVYQ QFPGTAPKLLIYRNNQRP EVPDRFSGSKSASALAI SGLRSEDETYYCATWDDS LSAYVFGAGTKVTVL

(continued)

Table S-10B: Anti-FX VL domain sequences and CDRs

Ab VL	LCDR1	LCDR2	LCDR3	VL nucleotide sequence	VL amino acid sequence
T12	SEQ ID NO: 91 QDISNY	SEQ ID NO: 92 DAS	SEQ ID NO: 93 QQYDNLPIIT	SEQ ID NO: 94 GACATCCAGATGACCCAGTCTCCATCCTCCTGTCTGTATCTGTAG GAGACAGATCACCATCATTGCCAGGCGAGTCAGACATTAGCAA CTATTTAAATTGGTATCAGCAGAAACCAGGAAAGCCCTAAGCTC CTGATCTACGATGCATCCAATTGGAAACAGGGGTCCCATCAAGGT TCAGTGGAACTGGATCTGGACAGATTTTACTTTTCATCATCAGCAG CCTGCAGCCTGAAGATATTGCAACATATTACTGTCAACAGTATGAT AATCTCCCGATCACCTTCGGCCAAGGACACGACTGGAGATCAAAAC	SEQ ID NO: 95 DIQMTQSPSSLSVSVGDRV TITCQASQDISNYLNWYQQ KPGKAPKLLIYDASNLETG VPSRFGSGSGTDFTTIIS SLQPEDIATYYCQQYDNLF ITFGQGTRELEIK
T14	SEQ ID NO: 101 QSVNSY	SEQ ID NO: 92 DAS	SEQ ID NO: 102 QQRNNWPIT	SEQ ID NO: 103 GAAATTGTGTGGCACAGTCTCCAGCCACCTGTCTTTGTCTCCAG GGGAAAGAGCCACGTTCTCTGCAGGGCCAGTCAGAGTGTTAAACAG CTACTTAGCCTGGCACCAACAGAAACCTGGCCAGGCTCCAGGCTC CTCATCTATGATGCATCCAACAGGGCCACTGGCATCCAGCCAGGT TCAGTGGCAGTGGGTCCGGGACAGACTTCACTCTCACCATCAGCAG CCTAGAGCCTGAAGATTTTGCAGTTTATTACTGTGTCAGCAGCGTAAC AACTGGCCTATCACCTTCGGCCAAGGACACGACTGGAGATCAAAAC	SEQ ID NO: 104 EIVLAQSPATLSLSPGERA TFSCRASQSVNSYLAWHQQ KPGQAPRLLIYDASNATG IPARFSGSGSGTDFTTIIS SLEPEDFAVYYCQQRNNWP ITFGQGTRELEIK
T15	SEQ ID NO: 110 QSVSSY	SEQ ID NO: 92 DAS	SEQ ID NO: 111 QQRSNWPLT	SEQ ID NO: 112 GAAATTGTGTGACACAGTCTCCAGCCACCTGTCTTTGTCTCCAG GGGAAAGAGCCACCTCTCTGCAGGGCCAGTCAGAGTGTTAGCAG CTACTTAGCCTGGCACCAACAGAAACCTGGCCAGGCTCCAGGCTC CTCATCTATGATGCATCCAACAGGGCCACTGGCATCCAGCCAGGT TCAGTGGCAGTGGGTCTGGGACAGACTTCACTCTCACCATCAGCAG CCTAGAGCCTGAAGATTTTGCAGTTTATTACTGTGTCAGCAACGTAGC AACTGGCCTCTCACTTCGGCGGAGGGACCAAGGTGGAGATCAAAAC	SEQ ID NO: 113 EIVLTQSPATLSLSPGERA TLSCRASQSVSSYLAWHQQ KPGQAPRLLIYDASNATG IPARFSGSGSGTDFTTIIS SLEPEDFAVYYCQQRNNWP LTFGGGTKEVEIK

(continued)

Table S-10B: Anti-FX VL domain sequences and CDRs

Ab VL	LCDR1	LCDR2	LCDR3	VL nucleotide sequence	VL amino acid sequence
T23	SEQ ID NO: 119 QSVSGY	SEQ ID NO: 92 DAS	SEQ ID NO: 111 QQRNWPPLT	SEQ ID NO: 120 GAAATTGTTGTTGACTCAGTCTCCAGCCACCCTGTCATTGTCTCCAG GGGAAAGGGCCACCCCTCTCCTGCCGGCCAGTCAGAGTGTAGCGG CTACTAGCCTGGCACCACAGAAACCTGGCCAGGCTCCAGGCTC CTCATCTATGATGCATCCAAACAGGGCCACTGGCATCCCAGCCAGAT TCAGTGGCAGTGGTCTGGGACAGACTTCACTCTCACCATCAGCAG CCTAGAGCCTGAAGATTTTGAGTTTATTACTGTGAGCAACGTAGC AACTGGCCTCTCACTTTTCGGCGGAGGGACCAAGTGGAGATCAAAC	SEQ ID NO: 121 EIVLTQSPATLSLSPGERA TILSCRASQSVSVGLAWHQQ KPGQAPRLLIYDASNRATG IPARFSGSGSGTDFTLTIS SLEPEDFAVYYCQQRNWP LTFGGGTKEIK
T25	SEQ ID NO: 128 QSINNY	SEQ ID NO: 92 DAS	SEQ ID NO: 129 QQRNWPPT	SEQ ID NO: 130 GAAATTGTTGTTGACACAGTCTCCAGCCACCCTGTCATTGTCTCCAG GGGAAAGAGCCACCCCTCTCCTGCAGGACCAAGTCAGAGTATTAAACAA CTACTAGCCTGGTCCAAACAGAAACCTGGCCAGGCTCCAGGCTC CTCATCTATGATGCATCCAAACAGGGCCCTGGCATCCAGCCAGGT TCAGTGGCAGTGGTCTGGGACAGACTTCACTCTCACCATCAGCAG CCTGGAGCCTGAAGATTTTGAGTTTATTCTGTGAGCAGCAGCGTAAC AACTGGCCTCCGACATTCGGCCAGGGACCAAGTGGAAATCAAAC	SEQ ID NO: 131 EIVLTQSPATLSLSPGERA TILS CRTSQSINNYLAWFQQ KPGQAPRLLIYDASNRAPG IPARFSGSGSGTDFTLTIS SLEPEDFVYFCQQRNWP PTFGQGTKEIK

Table S-10C: Anti-FX VH domain sequences and CDRs

The following TxxxH VH domains are suitable for pairing with a common light chain VL such as VL domain 0128L or 0325L.

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0200H	SEQ ID NO: 462 RYSFTSYI	SEQ ID NO: 463 INPKTGDT	SEQ ID NO: 464 ARDGYGSSARCLQL	SEQ ID NO: 465 CAGGTGCAGCTGGTGCACTCTGGGGCTGAGGTGAAAAAGCCCTGGGGCCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCCAGCTACTATCTGCATT GGGTGCGACAGGCCCTTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCT AAAACTGGTGACACAAGCTACGCACAGAAGTTCAGGGCAGAGTCACCATGAC CAGGGACACAGTCCACGACCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGGCCCGG TGCCTCCAGCTCTGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 466 QVQLVQSGAEVKKPGASVKYS CKASRYSTSYLHWVRQAPG QGLEWMGIINPKTGDTSYAQK FQGRVTMTRDTSTTTVYMELS SLRSEDVAVYYCARDGYGSSA RCLQLWGQGTIVTVSS
T0201H	SEQ ID NO: 462	SEQ ID NO: 467 INPKSGST	SEQ ID NO: 468 ARDGYGSSSRCLQL	SEQ ID NO: 469 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGTTCACCCAGCTACTATATGCACT GGGTGCGACAGGCCCTTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCT AAAACTGGTAGTACAAGTTACGCACAGAAGTTCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 470 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYIMHWVRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTRDTSTSTVYMELS SLRSEDVAVYYCARDGYGSSS RCLQLWGQGTIVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0202H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 471 CAGGTGCAGTGATACAGTCTGGGCTGAGGTGCAGAACCTGGGGCTCAGT GAAGTTTCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCAGAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTAGGCCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGACACGTCACGACAGCTACATGAGGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 472 QVQLIQSGAEVQKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTITRDITSTSTVYMELS SLRSEDYAVYYCARDGYGSSS RCLQLWGQGTLVTVSS
T0203H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 473 CAGGTGCAGTGGTGCAGTCTGGGCTGAGGTGAAGAAGCTGGGGCTCAGT GAAGTTTCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCAGAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTAGGCCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGACACGTCACGACAGCTACATGAGGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 474 QVQLVQSGAEVKKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTITRDITSTSTVYMELI SLRSEDYAVYYCARDGYGSSS RCLQLWGQGTLVTVSS
T0204H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 475 CAGGTGCAGTGGTGCAGTCTGGGCTGAGGTGCAGAAAGCTGGGGCTCAGT GAAGTTTCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCAGAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTAGGCCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGACACGTCACGACAGCTACATGAGGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 476 QVQLVQSGAEVQKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTITRDITSTSTVYMELS SLRSEDYAVYYCARDGYGSSS RCLQLWGQGTLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0205H	SEQ ID NO: 462	SEQ ID NO: 477 INPKSGDT	SEQ ID NO: 464	SEQ ID NO: 478 CAGGTGCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTGACACAAGCTACGCACAGAAAGTTCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAACAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGGCCCGG TGCCTCCAGCTCTGGGGCCAGGGCCCTGGTCCACCGTCTCCTCA	SEQ ID NO: 479 QVQLVQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMNGLINPKSGDTSYAQK FQGRVTMTPTDSTSTVYMDLN SLRSEDYVYYCARDGYGSSA RCLQLWGGQTLVTSS
T0206H	SEQ ID NO: 462	SEQ ID NO: 477	SEQ ID NO: 464	SEQ ID NO: 480 CAGGTGCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTGACACAAGCTACGCACAGAAAGTTCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGACCTGAGACCCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGGCCCGG TGCCTCCAGCTCTGGGGCCAGGGCCCTGGTCCACCGTCTCCTCA	SEQ ID NO: 481 QVQLVQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMNGLINPKSGDTSYAQK FQGRVTMTPTDSTSTVYMDLS SLRSEDYVYYCARDGYGSSA RCLQLWGGQTLVTSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0207H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 482 CAGGTGCAGCTGGTSCAGTCTGGGCTGAGGTGAAGAAGACTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCACAGGCCCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAACTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGACACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 483 QVQLVQSGAEVKKTKGASVKVS CKASRYSTSYMHVWRQAPG QGLEWMGLINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSSS RCLQLWGQGTLVTVSS
T0208H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 484 CAGGTGCAGCTGGTSCAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCACAGGCCCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGAACAGAACTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGACACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 485 QVQLVQSGAEVKKPKGASVKVS CKASRYSTSYMHVWRQAPG QGLEWMGLINPKSGSTSYEQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSSS RCLQLWGQGTLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0209H	SEQ ID NO: 462	SEQ ID NO: 463	SEQ ID NO: 464	SEQ ID NO: 436 CAGGTGCAGCTGGTGCACTCTGGGCTGAGGTGCAAAAGCCTGGGCGCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCACTACTATCTGCATT GGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCT AAAACTGTTGACACAAGCTACGCACAGAGTTCCAGGGCAGAGTCAACATGAC CAGGACACGTCCACGACCACTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGGAGAGATGGGTATGGCAGCTCGGCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCACTCTCCTCA	SEQ ID NO: 487 QVQLVQSGAEVQKPGASVKVS CKASRYSTSYLHWVRQAPG QGLEWMGIINPKTGDTSYAQK FGGRVTWTRDTSTTVYMELN SLRSEDTAVYVCARDGYGSSA RCLQLWGQGTLVTVSS
T0210H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 438 CAGGTGCAGCTGGTGCACTCTGGGCTGAGGTGAAGAAGCCTGGGCGCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCACTACTATATGCACT GGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCT AAAAGTGGTAGTACAAGTTACGCACAGAGTTCCAGGGCAGAGTCAACATGAC CAGGACACGTCCACGAGCACAGTCTACATGGAGCTGAACAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCACTCTCCTCA	SEQ ID NO: 499 QVQLVQSGAEVQKPGASVKVS CKASRYSTSYMHWVRQAPG QGLEWMGIINPKSGSTSYAQK FGGRVTWTRDTSTSTVIMELN SLRSEDTAVYVCARDGYGSSS RCLQLWGQGTLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0211H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 500 CAGGTGCAGCTGGTGCACTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACACAGCTACTATATGCACT GGGTGCGACACAGGCCCTGGACACAGGCTTGGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAACTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACACAGCAGTCTACATGGACCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTGTCGCCGG TGCCTCCAGCTCTGGGGCAGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 501 QVQLVQSGAEVKRPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSSTVYMDLS SLRSEDTAIVYCARDGYGSSS RCLQLWGGGLIVTVSS
T0212H	SEQ ID NO: 502 GFSFTSY	SEQ ID NO: 503 INPRSGT	SEQ ID NO: 504 ARDGYSSSRCFQY	SEQ ID NO: 505 CAGGTGCAGCTGGTGCACTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTGGATTCTCCTTCACACAGCTACTATATACACT GGGTGCGCCAGGCCCTGGACACGACTTGGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGCTACGCTACGCTCAGAACTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACACGACACAGTCTACATGGACCTGAGCAGCCTGAGATCTG AGGACACGGCCGTATATTACTGTGCGAGAGATGGGTATGGCAGCTGTCGCCGA TGCTTCCAGTACTGGGGCAGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 506 QVQLVQSGAEVKRPGASVKVS CKASGFSTSYIHWVRQAPG QGLEWMGIINPRSGSTSYAQK FQGRVTMTTRDTSSTVYMDLS SLRSEDTAIVYCARDGYGSSS RCFQYWGGLIVTVSS
T0213H	SEQ ID NO: 462	SEQ ID NO: 507 INPKSGT	SEQ ID NO: 468	SEQ ID NO: 508 CAGGTGCAGCTGGTGCACTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACACAGCTACTATATGCACT GGGTGCGACACAGGCCCTGGACACAGGCTTGGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAACTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACACGACACAGTCTACATGGAAGTCCAGGGCAGAGTCACCATGAC AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTGTCGCCGG TGCCTCCAGCTCTGGGGCAGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 509 QVQLVQSGAEVKRPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGTTSYAQK FQGRVTMTTRDTSSTVYMELS SLRSEDTAIVYCARDGYGSSS RCLQLWGGGLIVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0214H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 510 CAGGTGCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGACTGGGGCCTCAGT GAAGGTTTCCTGCCAGGCATCTAGATACAGCTTCACCCAGCTACTATATGCACT GGGTGCACAGGCCCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACAGGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 511 QVQLVQSGAEVKKRTGASVKVS CQASRYSTSYMHWRQAPG QGLEWMGLINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYVELS SLRSEDVAVYCARDGYGSSS RCLQLWGOGTLTVSS
T0215H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 512 CAGGTGCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCCAGCTACTATATGCACT GGGTGCACAGGCCCCCGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACAGGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 513 QVQLVQSGAEVKKRPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGLINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYVELS SLRSEDVAVYCARDGYGSSS RCLQLWGOGTLTVSS
T0216H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 514 CAGGTGCAGCTGGTGCAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCCAGCTACTATTTGCACT GGGTGCACAGGCCCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACAGGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 515 QVQLVQSGAEVKKRTGASVKVS CQASRYSTSYMHWRQAPG QGLEWMGLINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYVELS SLRSEDVAVYCARDGYGSSS RCLQLWGOGTLTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0217H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 468	SEQ ID NO: 516 CAGGTGCAGCTGGTGCACTCTGGGCTGAGGTGACGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTAGTACAAGTTACGCCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG TGCCTCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 517 QVQLVQSGAEVTKPGASVKYS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSSS RLQLWGQGTLLTVSS
T0666H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 520 ARDYGSSRLIQL	SEQ ID NO: 521 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTAGTACAAGTTACGCCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG ATCATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 522 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSSS RIQLWGQGTLLTVSS
T0667H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 523 ARDYGSSRLIQL	SEQ ID NO: 524 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTAGTACAAGTTACGCCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 525 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSSS RLQLWGQGTLLTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0668H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 526 ARDGYGSSSRQIQQL	SEQ ID NO: 527 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCAACAGCTACTATATGCACT GGGTGGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCAACATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCCTGAGATCTG AGGACACGGCCGTGTTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCCGG CAGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 528 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYCARDGYGSSS RQIQLMGQGTLLVTYSS
T0669H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 529 ARDGYGSSSRILML	SEQ ID NO: 530 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCAACAGCTACTATATGCACT GGGTGGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCAACATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCCTGAGATCTG AGGACACGGCCGTGTTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCCGG ATCCTCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 531 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYCARDGYGSSS RILMLMGQGTLLVTYSS
T0670H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 532 ARDGYGSSSRILML	SEQ ID NO: 533 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCAACAGCTACTATATGCACT GGGTGGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCAACATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCCTGAGATCTG AGGACACGGCCGTGTTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCCGG CTGCTCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 534 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYCARDGYGSSS RLMLMGQGTLLVTYSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0671H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 535 ARDGYGSSSRQLML	SEQ ID NO: 536 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACACGACACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGCTGTTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG CAGCTCATGCTCTGGGGCCAGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 537 QVQLIQSGAEVKKPKGASVKYS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYICARDGYGSSS RQLMLWGQGTLVTVSS
T0672H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 538 ARDGYGSSSRILML	SEQ ID NO: 539 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACACGACACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGCTGTTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG ATCATCATGCTCTGGGGCCAGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 540 QVQLIQSGAEVKKPKGASVKYS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYICARDGYGSSS RIIMLWGQGTLVTVSS
T0673H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 541 ARDGYGSSSRILML	SEQ ID NO: 542 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCACACGACACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGCTGTTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG CTGATCATGCTCTGGGGCCAGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 543 QVQLIQSGAEVKKPKGASVKYS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYICARDGYGSSS RLIMLWGQGTLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0674H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 544 ARDGYGSSSRQIML	SEQ ID NO: 545 CAGGTCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAAGCTACTATATGCACT GGGTGGACACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTAGTACAAGTTACGCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG CAGATCATGCTCTGGGCCACGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 546 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTMTDRDTSSTVYMELLS SLRSEDVAVYCARDGYGSSS RQIMLWGQGLTVTVSS
T0675H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 547 ARDGYGSSSRVIQL	SEQ ID NO: 548 CAGGTCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAAGCTACTATATGCACT GGGTGGACACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTAGTACAAGTTACGCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG GTGATCCAGCTCTGGGCCACGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 549 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTMTDRDTSSTVYMELLS SLRSEDVAVYCARDGYGSSS RVQLWGQGLTVTVSS
T0676H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 550 ARDGYGSSSRVLM	SEQ ID NO: 551 CAGGTCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAAGCTACTATATGCACT GGGTGGACACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAGTGGTAGTACAAGTTACGCACAGAAATTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTCGTCCCGG GTGCTCATGCTCTGGGCCACGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 552 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTMTDRDTSSTVYMELLS SLRSEDVAVYCARDGYGSSS RVLMWGQGLTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0677H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 553 ARDGYGSSSRVIML	SEQ ID NO: 554 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCT AAAAGTGGTAGTACAAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCGGTGTAATTAATGTGCGAGAGATGGGTATGGCAGCTCTCCCGG GTGATCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 555 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSSS RVIMLWGQGTLLTVSS
T0678H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 556 ARDGYGSFSRIQL	SEQ ID NO: 557 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCT AAAAGTGGTAGTACAAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCGGTGTAATTAATGTGCGAGAGATGGGTATGGCAGCTCTCCCGG ATCATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 558 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSFS RIQLWGQGTLLTVSS
T0679H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 559 ARDGYGSFSRIIML	SEQ ID NO: 560 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCT AAAAGTGGTAGTACAAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCGGTGTAATTAATGTGCGAGAGATGGGTATGGCAGCTCTCCCGG ATCCTCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 561 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHVWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDTAVYYCARDGYGSFS RIIMLWGQGTLLTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0680H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 562 ARDGYGSFSRIIML	SEQ ID NO: 563 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAAGTGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCACAGCAGCAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG ATCATCATGCTCTGGGGCCAGGCAACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 564 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTRTSTSTVYMELS SLRSEDVAVYICARDGYGSFS RIIMLWGQGLVTVSS
T0681H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 565 ARDGYGSFSRLIQL	SEQ ID NO: 566 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAAGTGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCACAGCAGCAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGCAACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 567 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTRTSTSTVYMELS SLRSEDVAVYICARDGYGSFS RLIQLWGQGLVTVSS
T0682H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 568 ARDGYGSFSRLML	SEQ ID NO: 569 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAAGTGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCACAGCAGCAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGCTCATGCTCTGGGGCCAGGCAACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 570 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTRTSTSTVYMELS SLRSEDVAVYICARDGYGSFS RLIMLWGQGLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0683H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 571 ARDGYGSFSLIML	SEQ ID NO: 572 CAGGTGCAGTTGATACAGTCTGGGGCTGAGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACGACTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTCCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 573 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGILINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYCCARDGYGSFS RLIMLWGQGLIVTVSS
T0684H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 574 ARDGYGSFSLIML	SEQ ID NO: 575 CAGGTGCAGTTGATACAGTCTGGGGCTGAGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACGACTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTCCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CAGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 576 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGILINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYCCARDGYGSFS RQILWGQGLIVTVSS
T0685H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 577 ARDGYGSFSLIML	SEQ ID NO: 578 CAGGTGCAGTTGATACAGTCTGGGGCTGAGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACGACTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTCCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CAGCTCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 579 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWRQAPG QGLEWMGILINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYCCARDGYGSFS RQILWGQGLIVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0686H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 580 ARDGYGSFSPQIML	SEQ ID NO: 581 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CAGATCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 582 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYCCARDGYGSFS RVLMWGQGLTVTVSS
T0687H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 583 ARDGYGSFSPVQL	SEQ ID NO: 584 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG GTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 585 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYCCARDGYGSFS RVLMWGQGLTVTVSS
T0688H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 586 ARDGYGSFSPVLM	SEQ ID NO: 587 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG GTGCTCATGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 588 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYCCARDGYGSFS RVLMWGQGLTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0689H	SEQ ID NO: 462	SEQ ID NO: 467	SEQ ID NO: 589 ARDGYGFSRVIML	SEQ ID NO: 590 CAGGTGCAGTTGATACAGTCTGGGCTGAGTGAAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAGTTCCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG GTGATCATGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 591 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELLS SLRSEDYVYYCARDGYGSFS RLIQLWGQGLTVTVSS
T0713H	SEQ ID NO: 592 RESFTSY	SEQ ID NO: 467	SEQ ID NO: 565	SEQ ID NO: 593 CAGGTGCAGTTGATACAGTCTGGGCTGAGTGAAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATTCACTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAGTTCCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 594 QVQLIQSGAEVKKPGASVKYS CKASRFSTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELLS SLRSEDYVYYCARDGYGSFS RLIQLWGQGLTVTVSS
T0734H	SEQ ID NO: 595 RYHFTSY	SEQ ID NO: 467	SEQ ID NO: 565	SEQ ID NO: 596 CAGGTGCAGTTGATACAGTCTGGGCTGAGTGAAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACCACTTCACCAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAGTTCCAGGGCAGAGTCACCATGAC CAGGGACAGTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 597 QVQLIQSGAEVKKPGASVKYS CKASRYHFTSYMHWRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELLS SLRSEDYVYYCARDGYGSFS RLIQLWGQGLTVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0736H	SEQ ID NO: 598 RYKFTSY	SEQ ID NO: 467	SEQ ID NO: 565	SEQ ID NO: 599 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCTGCAAGGCATCTAGATACAAGTTCCACCGTACTATATGCACT GGGTGCAGACAGGCCCTGGACAAGGGCTTGATGGATGGGAATAATCAACCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTACCACATGAC CAGGGACACGTCCACAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 600 QVQLIQSGAEVKKPGASVKVS CKASRYKFTSYMHWRQAPG QGLEMWGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYICARDGYGSFS RLIQLWGQGTLVTVSS
T0742H	SEQ ID NO: 601 RYRFTSY	SEQ ID NO: 467	SEQ ID NO: 565	SEQ ID NO: 602 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCTGCAAGGCATCTAGATACAAGTTCCACCGTACTATATGCACT GGGTGCAGACAGGCCCTGGACAAGGGCTTGATGGATGGGAATAATCAACCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTACCACATGAC CAGGGACACGTCCACAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 603 QVQLIQSGAEVKKPGASVKVS CKASRYRFTSYMHWRQAPG QGLEMWGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYICARDGYGSFS RLIQLWGQGTLVTVSS
T0774H	SEQ ID NO: 604 RYSFKSY	SEQ ID NO: 467	SEQ ID NO: 565	SEQ ID NO: 605 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCTGCAAGGCATCTAGATACAAGCTTCAAGAGCTACTATATGCACT GGGTGCAGACAGGCCCTGGACAAGGGCTTGATGGATGGGAATAATCAACCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGGCAGAGTACCACATGAC CAGGGACACGTCCACAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCAACCGTCTCCTCA	SEQ ID NO: 606 QVQLIQSGAEVKKPGASVKVS CKASRYSFKSYMHWRQAPG QGLEMWGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYAVYICARDGYGSFS PLIQLWGQGTLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0785H	SEQ ID NO: 607 RYSFTAYY	SEQ ID NO: 467	SEQ ID NO: 565	SEQ ID NO: 608 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAAGTTTCTGCAAGGCATCTAGATACAGCTTCACCGCCTACTATATGCACT GGGTCCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGSCAGAGTCACCATGAC CAGGACACGTCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 609 QVQLIQSGAEVKKPGASVKVS CKASRYSTAYYMHWVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYVYICARDGYGSFS RLQLWGQGTLVTVSS
T0850H	SEQ ID NO: 462 LNPKSGST	SEQ ID NO: 610 LNPKSGST	SEQ ID NO: 565	SEQ ID NO: 611 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAAGTTTCTGCAAGGCATCTAGATACAGCTTCACCGTACTATATGCACT GGGTCCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATACTGAACCCCT AAAAGTGGTAGTACAAGTTACGCACAGAAAGTTCCAGGSCAGAGTCACCATGAC CAGGACACGTCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 612 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWVRQAPG QGLEWMGILNPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYVYICARDGYGSFS RLQLWGQGTLVTVSS
T0925H	SEQ ID NO: 462 INPKIGST	SEQ ID NO: 613 INPKIGST	SEQ ID NO: 565	SEQ ID NO: 614 CAGGTGCAGTTGATACAGTCTGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAAGTTTCTGCAAGGCATCTAGATACAGCTTCACCGTACTATATGCACT GGGTCCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCCT AAAATCGGTAGTACAAGTTACGCACAGAAAGTTCCAGGSCAGAGTCACCATGAC CAGGACACGTCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 615 QVQLIQSGAEVKKPGASVKVS CKASRYSTSYMHWVRQAPG QGLEWMGILNPKIGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDYVYICARDGYGSFS RLQLWGQGTLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0926H	SEQ ID NO: 462	SEQ ID NO: 616 INPKGST	SEQ ID NO: 565	SEQ ID NO: 617 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAAGGTTAGTACAAAGTTACGCACAGAAAGTTCCAGGCAGAGTCACCATGAC CAGGGACACGTTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 618 QVQLIQSGAEVKKPFGASVKVS CKASRYSFYSYMHVVRQAPG QGLEWMGLINPKGSTSYAQK FQGRVTWTRDTSSTVYMELLS SLRSEDYVYICARDGYGSFS RLIQLMGQGLTVVSS
T0951H	SEQ ID NO: 462	SEQ ID NO: 619 INPKSSST	SEQ ID NO: 565	SEQ ID NO: 620 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAAGTACAGTACAAAGTTACGCACAGAAAGTTCCAGGCAGAGTCACCATGAC CAGGGACACGTTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 621 QVQLIQSGAEVKKPFGASVKVS CKASRYSFYSYMHVVRQAPG QGLEWMGLINPKSSSTSYAQK FQGRVTWTRDTSSTVYMELLS SLRSEDYVYICARDGYGSFS RLIQLMGQGLTVVSS
T0958H	SEQ ID NO: 462	SEQ ID NO: 622 INPKSGDT	SEQ ID NO: 565	SEQ ID NO: 623 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTCACCAAGCTACTATATGCACT GGGTGCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCCT AAAAAGTGTGACAAAGTTACGCACAGAAAGTTCCAGGCAGAGTCACCATGAC CAGGGACACGTTCCACGAGCACAGTCTACATGGAGCTGAGCAGCCTGAGATCTG AGGACACGGCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 624 QVQLIQSGAEVKKPFGASVKVS CKASRYSFYSYMHVVRQAPG QGLEWMGLINPKSGDTSYAQK FQGRVTWTRDTSSTVYMELLS SLRSEDYVYICARDGYGSFS RLIQLMGQGLTVVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
T0989H	SEQ ID NO: 462	SEQ ID NO: 625 INPKSGSR	SEQ ID NO: 565	SEQ ID NO: 626 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGTCCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCT AAAAGTGTAGTAGAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCCACGAGCACAGTCTACATGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 627 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHVVRQAPG QGLEWMGIINPKSGSRSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYCARDGYGSFS RLQLWGQGLVTVSS
T0990H	SEQ ID NO: 462	SEQ ID NO: 628 INPKSGSS	SEQ ID NO: 565	SEQ ID NO: 629 CAGGTGCAGTTGATACAGTCTGGGGCTGAGGTGAAGAAGCCTGGGGCCTCAGT GAAGGTTTCCTGCAAGGCATCTAGATACAGCTTACCAGCTACTATATGCACT GGTCCGACAGGCCCTGGACAAGGCTTGAGTGGATGGGAATAATCAACCT AAAAGTGTAGTAGAAGTTACGCACAGAAAGTTCCAGGGCAGAGTCACCATGAC CAGGACACGTCCACGAGCACAGTCTACATGAGCTGAGCAGCCTGAGATCTG AGGACACGGCCGTGTATTACTGTGCGAGAGATGGGTATGGCAGCTTCTCCCGG CTGATCCAGCTCTGGGGCCAGGGCACCCCTGGTCACCGTCTCCTCA	SEQ ID NO: 630 QVQLIQSGAEVKKPGASVKYS CKASRYSTSYMHVVRQAPG QGLEWMGIINPKSGSSSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYCARDGYGSFS RLQLWGQGLVTVSS
T0999H	SEQ ID NO: 598	SEQ ID NO: 467	SEQ ID NO: 565	SEQ ID NO: 631 CAGGTTCAGCTGATTCAGTCCGGGGCCAAAGTGAAGAAACCTGGGGCCTCTGT GAAGGTGTCCTGCAAGGCCTCTCGGTACAAGTTCACTCCTACTACATGCACT GGGTCCGACAGGCCCTGGACAAGGATTGGAGTGGATGGGCATCATCAACCCC AAGTCCGGCTCCACCTCTTAGCCCCAGAAATCCAGGGCAGAGTGACCATGAC CAGAGACACCTCTACCTCCACCGTGTACATGGAACCTGTCCAGCCTGAGATCCG AGGACACCGCCGTGTACTACTGTGCCAGAGATGGTACGGCAGCTTCTCCAGA CTGATCCAGTTGTGGGGCCAGGGCACACTGGTCACAGTGTCTCT	SEQ ID NO: 632 QVQLIQSGAKVKKPGASVKYS CKASRYKFTSYMHVVRQAPG QGLEWMGIINPKSGSTSYAQK FQGRVTMTTRDTSTSTVYMELS SLRSEDVAVYCARDGYGSFS RLQLWGQGLVTVSS

Ab VH	HCDR1	HCDR2	HCDR3	VH nucleotide sequence	VH amino acid sequence
	SEQ ID NO: 636. Consensus HCDR1. RYXFTSY X is K or S Representing the T0201H VH CDR1 RYXFTSY (SEQ ID NO: 462) in which the Ser at IMGT position 29 is retained or replaced by Lys.				
	SEQ ID NO: 637. Consensus HCDR3. ARDGYGSX ₁ SRX ₂ X ₃ QL X ₁ is F or S. X ₂ is any amino acid. X ₃ is I or L. Representing the T0201H CDR3 ARDGYGSSSRCLQL (SEQ ID NO: 468) in which the Ser at IMGT position 111A is retained or replaced by Phe, the Cys at IMGT position 114 is retained or replaced by another amino acid residue, and the Leu at IMGT position 115 is retained or replaced by Ile.				
	SEQ ID NO: 638. Consensus HCDR3. ARDGYGSX ₁ SRX ₂ X ₃ QL X ₁ is F or S. X ₂ is Leu or Val. X ₃ is I or L. Representing the T0201H CDR3 ARDGYGSSSRCLQL (SEQ ID NO: 468) in which the Ser at IMGT position 111A is retained or replaced by Phe, the Cys at IMGT position 114 is replaced by Leu or Val, and the Leu at IMGT position 115 is retained or replaced by Ile.				
	SEQ ID NO: 639. Consensus HCDR3. ARDGYGSFSRXIQL X is Leu or Val. Representing the T0201H CDR3 ARDGYGSSSRCLQL (SEQ ID NO: 468) in which the Ser at IMGT position 111A is replaced by Phe, the Cys at IMGT position 114 is replaced by Leu or Val, and the Leu at IMGT position 115 is replaced by Ile.				

Table S-11: Heavy chain sequences

SEQ ID NO: 418	Nucleic acid encoding N1280H-IgG4-P K439E; N1280 coding sequence underlined.	GAAAGTGAGCTGGTTGAATCTGGCGGCGAATTGTTCAAGCCTGGCGGCTCTCTGAGACTGTCTGTGCTGTGTCTCCGGCTTCAAACCTCTACTGGATGTCCTGGGTCCGACAGGCTCTTGGCAAAGGACTGGAATGGGTGCGCCAAACATCAACAGGACGGTCCCGGAAAGTTCTACGTGGCCTCTGTGAAGGCGAGATTACCATGTCTCGGGACAACGCCAAAGAAATCCGTGTACGTGCAGATGAATCCCTGTAGAGCCGAGGACACCGCCGTGTACTACTGTGTCTAGAGAGGGCTACTCTCCATCAAGTACTACGGCATGGACGTGTGGGGCCAGGGCACAACCGTGACAGTCTCTTCCGCTTCCACC AAGGGACCCAGCGTTTCCCTCTGGCTCCTTGGCTCCAGATCCACCTCCGAGTCTACAGCTGCTCTGGGCTGCCCTGTCAAGGACTACTTTCCTGAGCCTGTGACCGTGTCTGGAACTCTGGCGCTCTGACATCTGGCGTGACACACCTTTCCAGCTGTGCAGTCCCTCGGCCCTGTACTCTGTCTGTGACCGTGCCCTTCCAGCTCTCTGGGAACC CAGACCTACACCTGTAATGTGGACCAACAAGCCTTCCAAACAAAGGTGGACAAGCGCGTGGAATCTAAGTACGGCCCTCTGTCTCCATGTCTGCTCCAGAGTTTCTCGGGGACCCCTCCGTGTTTTCTGTTCCTTCCAAAAGCCTAAGGACACCTGATGATCTCTCGGACCCCTGAAAGTGACCTGCGTGGTGGTGGATGTGTCCCAAGAGGATCCCAGAGGTG CAGTTCAATTGTGTACGTGGACCGCGTGGAAAGTGCACAATGCCAAGACCAAGCCTAGAGAGGAACAGTACAACCTCCACCTACAGAGTGGTGTCCGTGACCGTGGTGCACCAAGAGATTGGCTGAACGGCAAGGCCAGCCTCGAGAAACCCAGGTTTCCAAACAAGGGCCTGCCTAGCTCCATCGAAAAAGACCATCTCCAAGGCCAAGGGCCAGCCTCGAGAAACCCAGGTTTACACCTGCGCTCCAAAGCAAGAGGAAATGACCAAGAAACCAAGGTGTCCCTGACCTGTCTCGTGAAGGGCTTCTAC CCCTCCGATATCGCCGTGGAATGGGAGTCTAATGGCCAGCCAGAGAAACAACACTACAAGACCAACACTCCAGTGCTGACTCCGACGGCTCATTTCTGTACTCCAAAGCTGACAGTGGACAAAGTCCCGGTGGCAAGAGGGCAACGTGTTCTCCTGCTCTGTGATGCACGAGGCCCTGCACAACCACTACACCCAAAGATCCCCTGTCTCTGTCCCCCT
SEQ ID NO: 419	N1280H-IgG4-P K439E amino acid sequence	EVQLVESGGGFVQPGGSLRLSCAVSGFRFNSYWMSWVRQAPGKGLEWVANINQDGSRKFYVASVKGRFTMSRDNAKKSYYVQMNSLRAEDTAVYFCAREGYSSIKYYGMDVWGQGTFTVTVSSASTKGPVFPLAPCSRSTSESTAALGCLVKDYFPEPEPTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSLSLGTQTYTCNVDHKPSNTKVDKRVESKYGPPCPCPAPEFLGGPSVFLFPPKPKDTIMISRTPEVTCVWVDVSDQEDPEVQFNWYVDGVEVHNAKTKPREEQYNS TYRVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTIISKAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPPVLDDSDGSFFLYSKLTVDKSRWQEAGVFCFVSMHEALHNHYTQESLSLSP

(continued)

Table S-11: Heavy chain sequences	
SEQ ID NO: 420 Nucleic acid encoding T0999H-IgG4-P E356K; T0999H coding sequence underlined	CAGGTTCAGCTGATTTCAGTCCGGCGCCAAAGTGAAGAAACCTGGCGCCTCTGTGAAGGTGTCTTGAAGGCCTCT CGGTACAAGTTTACCTCCTACTACATGCACTGGTCCGACAGGCCCTGGACAAGGATTGGAGTGGATGGGCATC ATCAACCCCAAGTCCGGCTCCACCTCTTACGCCCAAGAAATTCAGGGCAGAGTGACCATGACCAGAGACACCTCT ACCTCCACCGTGTACATGGAAGTGTCCAGCCTGAGATCCGAGGACACCGCCGTGTACTACTGTGCCAGAGATGGC TACGGCAGCTTCTCCAGACTGATCCAGTTGTGGGGCCAGGGCACACTGGTCACAGTGTCTCTGCTTCCACCAAG GGACCCAGCGTGTCCCTCTGGCTCCTTGTCTCCAGATCCACCTCCGAGTCTACAGTGTCTGGGCTGCCCTGGTC AAGGACTACTTTCTGAGCCTGTGACCGTGTCTTGAAACTCTGGCGCTCTGACATCTGGCGTGCACACCTTTCCA GCTGTGCTGAGTCTCCGGCCTGTACTCTCTGTCTGTCTGTGACCGTGCCTTCCAGCTCTCTGGGAACCCAG ACCTACACCTGTAATGTGGACCACAAGCCTTCCAACACCAAGGTGGACAAGCGCTGGAATCTAAGTACGGCCCT CCTTGTCTCCATGTCTGCTCCAGAGTTTCTCGGCGGACCTCCGTGTTTCTGTCTCCCTCCAAAGCCTAAGGAC ACCCTGATGATCTCTCGGACCCCTGAAGTGACCTGCGTGGTGGTGTGTCTCCCAAGAGGATCCCGAGGTGCAG TTCAATTGGTACGTGGACGGCGTGAAGTGACAAACGCCAAGACCAAGCCTAGAGAGGAACAGTACAACCTCCACC TACAGAGTGGTGTCCGTGCTGACCGTGTGACCAAGGATTGGCTGAACGGCAAGAGTACAAGTGCAAGGTGTCC AACAAAGGCCTGCCTAGCTCCATCGAAAAGACCATCTCCAAGGCCAAGGCCAGCCTCGAGAACCCACAGGTTTAC ACCCTGCCTCCAAGCCAGAAAGAGATGACCAAGAACCAGGTGTCCCTGACCTGCCTCGTGAAGGGCTTCTACCCCT TCCGATATCGCCGTGGAATGGGAGAGCAATGGCCAGCCAGAGAAACAATAAGAGACCACACCTCCTGTGCTGGAC TCCGATGGCTCATTTCTTCTGTACTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAAGGGGCAACGTTGTTCTCC TGCTCTGTGATGCACGAGGCCCTGCACAACCACTACACCCAGAAAGTCCCTGTCTCTGTCCCCCT
SEQ ID NO: 421 T0999H-IgG4-P E356K amino acid sequence	QVQLIQSGAKVKPGASVKVCKASRYKFTSYMHWVRQAPGQGLEWMGIINPKSGSTSYAQKFQGRVTMTTRDTS TSTVYMELSLRSEDTAVYYCARDGYGSFRLIQLWGQGLTVTVSSASTKGPSVFPLAPCSRSTSESTAALGCLV KDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVATVPSSSLGTQTITCNVDHKPSNTKVDKRVESKYGP PCPPCPAPEFLGGPSVFLFPPKPKDITLMI SRTPEVTCVVDVDSQEDPEVQFNWYVDGVEVHNAKTKPREEQYNST YRVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTI SKAKGQPREPQVYITLPPSQKEMTKNQVSLTCLVKGFYP SDIAVEWESNGQPENNYKTTTPPVLDSGDSFFLYSKLTVDKSRWQEGNVFSCSVMEALHNHYTQKSLSLSP

(continued)

Table S-11: Heavy chain sequences	
SEQ ID NO: 423	Nucleic acid encoding N1454H-IgG4-P K439E
	GAAAGTGACGCTGGTTGAATCTGGCGGGCGGATTTGTTTTCAGCCTGGCGGCTCTCTGAGACTGTCCCTGTGTGTCC GGCTTCCGGTTCAACTCCTACTGGATGTCTTGGTCCGACAGGCTCCTGGCAAAGGACTGGAATGGGTGCGCCAAC ATCAACCAGGACGGCTCCCGGAAGTTCTACGTGGCCTCTGTGAAGGCGAGATTACCATGTCTCGGGACAACGCC AAGAAAGAGGTGTACGTGCAGATGAACTCCCTGAGAGCCGAGGACACCGCCGTGTACTACTGTGCTAGAGAGGGC TACTCTCCATCAAGTACTACGGCATGGACGTGTGGGGCCAGGGCACAAACCGTGACAGTCTCTTCCGCTTCCACC AAGGACCCAGCGTTTTCCCTCTGGCTCCTTGCTCCAGATCCACCTCCGAGTCTACAGTGTCTGGGCTGCCTG GTCAAGGACTACTTTCTGAGCCTGTGACCGTGTCTTGGAACTCTGGCGCTCTGACATCTGGCGTGCACACCTTT CCAGCTGTGTGCAGTCTCCGGCCTGTACTCTCTGTCTCTGTCTGTGACCGTGCCTTCCAGTCTCTGGGAACC CAGACCTACACCTGTAATGTGGACCACAAGCCTTCCAACACCAAGGTGGACAAGCGCGTGAATCTAAGTACGGC CCTCCTTGTCTCCATGTCTCTCCAGAGTTTCTCGGGCGACCCCTCCGTGTTTCTGTTCCTCCAAAGCCTAAG GACACCCCTGATGATCTCTCGGACCCCTGAAAGTGACCTGCGTGGTGGATGTGTCCCAAGAGGATCCCCGAGGTG CAGTTCAATTGGTACGTGGACGGCGTGAAGTGACAATGCCAAGACCAAGCCTAGAGAGGAACAGTACAACTCC ACCTACAGAGTGGTGTCCGTGCTGACCGTGTGCACACAGGATTGGCTGAACGGCAAAAGATACAAAGTCAAAGGTG TCCAAACAAGGGCCTGCCTAGCTCCATCGAAAAGACCATCTCCAAGGCCAAGGCCAGCCTCGAGAACCCCAAGTTT TACACCCCTGCCTCCAAGCCAAGAGGAAATGACCAAGAACCAAGGTGTCCCTGACCTGTCTCGTGAAGGGCTTCTAC CCCTCCGATATCGCCGTGGAATGGAGTCTAATGGCCAGCCAGAGAAACAATAAGAACACACACCTCCAGTGTG GACTCCGACGGCTCATTTCTTCTGTACTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAAGAGGGCAACGTGTTC TCCTGCTCTGTGATGCACGAGGCCCTGCACAACCACTACACCCCAAGAGTCCCTGTCTGTCCCCCT
SEQ ID NO: 424	N1454H-IgG4-P K439E amino acid sequence
	EVQLVESGGGVFPQPGSLRLSCAVSGFRFNSYWMSWVRQAPGKGLEWVANINQDGRKFYVASVKGRFTMSRDNA KKEVYVQMNSLRAEDTAVYYCAREGYSSIKYYGMDVWGQTTVTVSSASTKGPSVFPLAPCSRSTSESTAALGCL VKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSSVTVPSSSLGTQTYTCNVDHKPSNTKVDKRVESKYG PPCPPCPAPEFLGGPSVFLFPPKPKDTLMI SRTPEVT CVVVDVSDQEDPEVFQFNWYVDGVEVHNAKTKPREEQYNS TYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTI SKAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFY PSDIAVEWEESNGQPENNYKTTTPPVLDSDGSFFLYSKLTVDKSRWQEGRVFTCSVMHEALHNHYTQESLSLSLP

(continued)

Table S-11: Heavy chain sequences	
SEQ ID NO: 425	Nucleic acid encoding N1441H-IgG4-P K439E
	GAAAGTGCAGCTGGTTGAATCTGGCGGGCGGATTTGTTTTCAGCCTGGCGGCTCTCTGAGACTGTCTCTGTGCTGTGTCC GGCTTCCGGTTCAACTCCTACTGGATGTCTTGGTCCGACAGGCTCCTGGCAAAGGACTGGAATGGTTCGCCAAC ATCAACCAGGACGGCTCCCGGAAGTTCTACGTGGCCTCTGTGAAGGCGAGATTACCATGTCTCGGGACAACGCC GACAAAGTCCGTGTACGTGCAGATGAACTCCCTGAGAGCCGAGGACACCGCCGTGTACTACTGTGCTAGAGAGGGC TACTCTCCATCAAGTACTACGGCATGGACGTGTGGGGCCAGGGCACAAACCGTGACAGTCTCTTCCGCTTCCACC AAGGACCCAGCGTTTTCCCTCTGGCTCCTTGCTCCAGATCCACCTCCGAGTCTACAGTGTCTGGGCTGCCTTG GTCAAGGACTACTTTCCCTGAGCCTGTGACCGTGTCTTGGAACTCTGGCGCTCTGACATCTGGCGTGCACACCTTT CCAGTGTGTGAGTCTCCGGCCTGTACTCTCTGTCTCTGTCTGTGACCGTGCCTTCCAGTCTCTGGGAACC CAGACCTACACCTGTAATGTGGACCACAAAGCCTTCCAACACCAAGGTGGACAAGCGCGTGAATCTAAGTACGGC CCTCCTTGTCTCCATGTCTGTCTCCAGAGTTTCTCGGGGACCCCTCCGTGTTTCTGTCTCCCTCCAAAGCCTAAG GACACCTGATGATCTCTCGGACCCCTGAAAGTGACCTGCGTGGTGGATGTGTCCCAAGAGGATCCCGAGGTG CAGTTCAATTGGTACGTGGACGGCGTGAAGTGACAACGCCAAGACCAAGCCTAGAGAGGAACAGTACAACTCC ACCTACAGAGTGGTGTCCGTGTGACCGTGTGACACAGGATTGGCTGAACGGCAAGAGTACAAAGTCAAGGTG TCCAAACAAGGGCCTGCCTAGCTCCATCGAAAAGACCATCTCCAAGGCCAAGGCCAGCCTCGAGAACCCCAAGTTT TACACCTGCCTCCAAGCCAAGAGGAAATGACCAAGAACCAAGGTGTCCCTGACCTGTCTCGTGAAGGGCTTCTAC CCCTCCGATATCGCCGTGGAATGGAGTCTAATGGCCAGCCAGAGAACAACTACAAGACCACACCTCCAGTGTG GACTCCGACGGCTCATTTCTTGTACTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAAGAGGGCAACGTGTTC TCCTGCTCTGTGATGCACGAGGCCCTGCACAACCACTACACCCCAAGAGTCCCTGTCTGTCTCCCT
SEQ ID NO: 426	N1441H-IgG4-P K439E amino acid sequence
	EVQLVESGGGVFPQPGSLRLSCAVSGFRFNSYWMNWVRQAPGKLEWVANINQDGRKFYVASVKGRFTMSRDNA DKSIVYQMNSLRAEDTAVYYCAREGYSSIKYYGMDVWGQTTVTVSSASTKGPSVFPLAPCSRSTSESTAALGCL VKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSVVTVPSSSLGTQTYTCNVDHKPSNTKVDKRVESKYG PPCPPCPAPEFLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSDQEDPEVFQFNWYVDGVEVHNAKTKPREEQYNS TYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTI SKAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFY PSDIAVEWEESNGQPENNYKTTTPPVLDSDGSFFLYSKLTVDKSRWQEGRVFTCSVMHEALHNHYTQESLSLSP

(continued)

Table S-11: Heavy chain sequences	
SEQ ID NO: 427	Nucleic acid encoding N1442H-IgG4-P K439E
	GAAAGTGCAGCTGGTTGAATCTGGCGGGCGGATTTGTTTTCAGCCTGGCGGCTCTCTGAGACTGTCCCTGTGTGTCC GGCTTCCGGTTCAACTCCTACTGGATGTCTTGGTCCGACAGGCTCCTGGCAAAGGACTGGAATGGGTGCGCCAAC ATCAACCAGGACGGCTCCCGGAAGTTCTACGTGGCCTCTGTGAAGGCGAGATTACCATGTCTCGGGACAACGCC GAGAAATCCGTGTACGTGCAGATGAACCTCCCTGAGAGCCGAGGACACCGCCGTGTACTACTGTGCTAGAGAGGGC TACTCTCCATCAAGTACTACGGCATGGACGTGTGGGGCCAGGGCACAAACCGTGACAGTCTCTTCCGCTTCCACC AAGGACCCAGCGTTTTCCCTCTGGCTCCTTGCTCCAGATCCACCTCCGAGTCTACAGTGTCTGGGCTGCCTTG GTCAAGGACTACTTTCCCTGAGCCTGTGACCGTGTCTTGGAACTCTGGCGCTCTGACATCTGGCGTGCACACCTTT CCAGTGTGTGCAGTCTCCGGCCTGTACTCTCTGTCTCTGTCTGTGACCGTGCCTTCCAGTCTCTGGGAACC CAGACCTACACCTGTAATGTGGACCACAAGCCTTCCAACACCAAGGTGGACAAGCGCGTGAATCTAAGTACGGC CCTCCTTGTCTCCATGTCTCTCCAGAGTTTCTCGGGGACCCCTCCGTGTTTCTGTCTCCCTCCAAAGCCTAAG GACACCTGATGATCTCTCGGACCCCTGAAGTGACCTGCGTGGTGGATGTGTCCCAAGAGGATCCCGAGGTG CAGTTCAATTGGTACGTGGACGGCGTGGAAGTGACAACGCCAAGACCAAGCCTAGAGAGGAACAGTACAACTCC ACCTACAGAGTGGTGTCCGTGTGACCGTGTGACACAGGATTGGCTGAACGGCAAGAGTACAAGTGCAAGGTG TCCAAACAAGGGCCTGCCTAGCTCCATCGAAAAGACCATCTCCAAGGCCAAGGCCAGCCTCGAGAACCCCAAGTT TACACCTGCCTCCAAGCCAAGAGGAAATGACCAAGAACCAAGGTGTCCCTGACCTGTCTCGTGAAGGGCTTCTAC CCCTCCGATATCGCCGTGGAATGGAGTCTAATGGCCAGCCAGAGAACAACTACAAGACCACACCTCCAGTGCTG GACTCCGACGGCTCATTTCTTCTGTACTCCAAGCTGACAGTGGACAAGTCCCGGTGGCAAGAGGGCAACGTGTTC TCCTGCTCTGTGATGCACGAGGCCCTGCACAACCACTACACCCCAAGAGTCCCTGTCTGTCCCCCT
SEQ ID NO: 428	N1442H-IgG4-P K439E amino acid sequence
	EVQLVESGGGFVQPGGSLRLSCAVSGFRFNSYWMWVRQAPGKLEWVANINQDGRKFYVASVKGRFTMSRDNA EKSIVYQMNSLRAEDTAVYYCAREGYSSIKYYGMDVWGQTTVTVSASTKGPSVFPLAPCSRSTSESTAALGCL VKDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSVVTVPSSSLGTQTYTCNVDHKPSNTKVDKRVESKYG PPCPPCPAPEFLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSDQEDPEVFQFNWYVDGVEVHNAKTKPREEQYNS TYRVVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTI SKAKGQPREPQVYTLPPSQEEMTKNQVSLTCLVKGFY PSDIAVEWEESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQEGRVFTCSVMHEALHNHYTQESLSLS

(continued)

Table S-11: Heavy chain sequences

SEQ ID NO: 429	Nucleic acid encoding T0736H-IgG4-P E356K	CAGGTTCAGCTGATTCAGTCTGGCGCCGGAAGTGAAGAAACCTGGCGCCTCTGTGAAGGTGTCTTGCAAGGCCTCTCGGTACAAGTTACCTTCCTACTACATGCACCTGGGTCGACAGGCCCCCTGGACAAGGATTGGAGTGGATGGGCATCATCAACCCCAAGTCGGGCTCCACCTCTTACGCCCCAGAAATTCAGGGCAGAGTGACCATGACCAGAGACACCTCTACCTCCACCGTGTACATGGAACCTGTCCAGCCTGAGATCCGAGGACACCGCCGTGTACTACTGTGCCAGAGATGGCTACGGCAGCTTCTCCAGGCTGATCCAGTTGTGGGACAGGGCACACTGGTCAACCGTGTCTCTGTCTTCTACCAAGGACCCAGCGTGTCCCTCTGGCTCCTTGTCTCCAGATCCACCTCCGAGTCTACAGTGTCTGTGGCTGCCTGGTCGACACTTTCCAAGACTACTTCCAGCCTGTACTCTCTGTCTGTCTGTCCGTGCCTTCCAGCTCTCTGGGAACCCAGACCTACACCTGTAATGTGGACCAAGCCCTTCCAACACCAAGGTGGACAAGCGCTGGAATCTAAGTACGGCCCTCCTTGCTCCATGTCTGCTCCAGAGTTTCTCGGGGACCCCTCCGTGTTTCTGTTCCCTCCAAAGCCTAAGGACACCTGATGATCTCTCGGACCCCTGAAGTGACCTGCGTGGTGGTGGATGTGTCCCAAGAGGATCCCAGAGGTGCAGTTCAATTGGTACGTGGACGGCGTGGAAAGTGACAACGCCAAGACCAAGCCTAGAGAGGAACAGTACAACCTCCACC
SEQ ID NO: 430	T0736H-IgG4-P E356K amino acid sequence	TACAGAGTGGTGTCCGTGCTGACCGTGTGCAACCAAGGATTGGCTGAACGGCAAGAGTACAAGTGAAGGTGTCCAAAGGGCCTGCCTAGCTCCATCGAAAAGACCATCTCCAAGGCCAAGGGCCAGCCTCGAGAACCCAGGTTTACACCTGCCCTCCAAGCCAGAAAGAGATGACCAAGAACCAAGGTGTCCTGACCTGCTGTGAAGGGCTTCTACCCCTCCGATATCGCCGTGGAATGGGAGAGCAATGGCCAGCCAGAGAACAACTACAAGACCAACCTCCTGTGTGGACTCCGATGGCTCATTTCTGTACTCCAAGCTGACAGTGGACAAAGTCCCGGTGGCAAGAGGGCAACGTGTTCTCC

(continued)

Table S-11: Heavy chain sequences		
SEQ ID NO: 431	Nucleic acid encoding T0687H-IgG4-P E356K	CAGGTTCAGGTGATTTCAGTCTGGGGCCGAAAGTGAAAGAAACCTGGGGCCTCTGTGAAGGTGTCTTGAAAGGCCTCC AGATACTCCTTACCTCCTACTACATGCACTGGGTCCGACAGGCCCCCTGGACAAAGGATTGGAGTGGATGGGCATC ATCAACCCCAAGTCCGGCTCCACCTCTTACGCCACAGAAATTCACGGGACAGATGACCATGACACAGAGACACCTCT ACCTCCACCGTGTACATGGAACTGTCCAGCCTGAGATCCGAGGACACCGCGTGTACTACTGTGCCAGAGATGGC TACGGCTCCTTCAGCAGAGTGCATCCAGTTGTGGGGCCAGGGCACACTGGTCACAGTGTCTCTGTCTCCACCAAG GGACCCAGCGTGTCCCTCTGGCTCCTTGTCTCCAGATCCACCTCCGAGTCTACAGTGTCTTGGGCTGCCTGGTTC AAGGACTACTTTCCTGAGCCTGTGACCGTGTCTTGGAACTCTGGCGCTCTGACATCTGGCGTGCACACCTTTCCA GCTGTGCTGCAGTCTCCGGCCTGTACTCTCTGTCTCTGTCTGTGACCGTGCCTTCCAGCTCTCTGGGAAACCCAG ACCTACACCTGTAATGTGGACCACAAAGCCTTCCAAACCAAGGTGGACAAAGCGGTGGAATCTAAGTACGGCCCT CCTTGTCTCCATGTCTGTCCAGAGTTTCTCGGGGACCCCTCCGTGTTTTCTGTTCCCTCCAAAGCCTAAGGAC ACCTTGATGATCTCTCGGACCCCTGAAAGTGACCTGCTGTGTGTGTGATGTGTCCAAAGAGGATCCCGAGGTGCAG TTCAATTTGTTACGTGGACGGCTGGAAAGTGACAAACGCAAGACCAAGCCTAGAGAGGAACAGTACAACTCCACC TACAGAGTGGTGTCCGTGCTGACCGTGTGTGACCAAGGATTTGGTGAACGGCAAGAGTACAAAGTGAAGGTGTCC AAACAAAGGCGCTGCCTAGCTCCATCGAAAAGACCATCTCCAAAGGCCAAGGCCAGCCTCGAGAACCCACAGGTTTAC ACCTTGCCCTCCAAAGCCAGAAAGAGATGACCAAGAACAGGTGTCCCTGACCTGCCTCGTGAAGGGCTTCTACCCCT TCCGATATCGCCGTGGAATGGGAGAGCAATGGCCAGCCAGAGAAACAACTACAAAGACCACACCTCCTGTGTGGAC TCCGATGGCTCATTTCTTCTGTACTCCAAGCTGACAGTGGACAAAGTCCCGGTGGCAAGTGGCAAGGCAACGTGTCTCC TGCTCTGTGATGCACGAGGCGCTGCACAACCACTACACCCAGAAAGTCCCTGTCTGTGTCCTCCCT
SEQ ID NO: 432	T0687H-IgG4-P E356K amino acid sequence	QVQLIQSGAEVKKPGASVKVSKASRYSTSYMHVVRQAPGQGLEWMGI INPKSGSTSYAQKFQGRVTMTTRDTS TSTVYMEISSLRSEDTAVYYCARDGYGFSRVIQLWGQGLVTVVSSASTKGPSVFPLAPCSRSTSESTAALGCLV KDYFPEPVTVSWNSGALTSGVHTFPAVLQSSGLYSLSVTVVPSSSLGTQTYTICNVVDHKPSNTKVDKRVESKYGP PCPPCPAPEFLGGPSVFLFPPKPKDTLMI SRTPEVTCVVVDVSQEDPEVQFNWYVDGVEVHNAKTKPREEQYNST YRVSVLTVLHQDWLNGKEYKCKVSNKGLPSSIEKTI SKAKGQPREPQVYTLPPSQKEMTKNQVSLTCLVKGFYP SDIAVEWESNGQPENNYKTTTPPVLDSDGSFFLYSKLTVDKSRWQEGNVFSCSVMEALHNHYTQKSLSLSP

Human germline gene segments**[0383]**

5 Table S-12: Corresponding germline v and i gene segments for antibody VH and VL domains

	Anti-FIX heavy chain	V -- J
	N128	IGHV3-7*01--IGHJ6*02
10	N183	IGHV3-48*02--IGHJ6*02
	Anti FX heavy chain	V -- J
	T0200	IGHV1-46*03--IGHJ1*01
	Common light chain	V -- J
15	N0128L	IGLV3-21*d01--IGLJ2*01

Common light chain sequences

20

25

30

35

40

45

50

55

[0384]

Table S-50A: N0128 and N0325 VL domain sequences and CDRs

Ab VL	LCDR1	LCDR2	LCDR3	VL nucleotide sequence	VL amino acid sequence
N128L	SEQ ID NO: 6 NIGRKS	SEQ ID NO: 7 YDS	SEQ ID NO: 8 QVWDGSSDHW	SEQ ID NO: 9 TCCTATGTGCTGACTCAGCCACCCTCAGTGTCACTGGCCCGCAGGAGA GACGGCCAGGATTACCTGTGGGGGAGACAAATTGGAAGAAAAGTG TGTA CTGTTAC CAGCAGAAAGTCAGGCCAGGCCCTGTGCTGTCATC TATTATGATAGGACCGGCCCTCAGGGATCCCTGAGCGATTCTCTGG GTCCAACTCTGGGAACACGGCGACCCCTGACCATCAGCAGGTCGAAG CCGGGATGAGCCGACTATTACTGTCAAGTGTGGATGGAAAGTAGT GATCATTGGGTGTTCCGGCGAGGGACCAAGTTGACCGTCCTAG	SEQ ID NO: 10 SYVLTQPPSVSVAPGETA RITCGGDNIGRKSIVWYQ QKSGQAPVLVIYYDSDRP SGIPERFSGNSGNTATL TISRVEAGDEADYYCQVW DGSSDHWVFGGTKLTVL
N325L	SEQ ID NO: 6	SEQ ID NO: 7	SEQ ID NO: 8	SEQ ID NO: 415 TAGGTGCTGACCCAGCCTCCTTCCGTGTCTGTGTCTCCTGGCGAGAC AGCCAGAAATCACCTGTGGCGCGATAACATCGGCCGGAAGTCCGTGT ACTGGTATCAGCAGAAAGTCCGGCCAGGCTCCTGTGCTGGTCACTAC TACGACTCCGACCGCCCTTCTGGCATCCCTGAGAGATTCTCCGGCTC CAACTCCGGCAATACCGCCACACTGACCATCTCCAGAGTGGAAAGCTG GCGACGAGGCCGACTACTACTGCCAAGTGTGGGACGGCTCCTCTGAC CACTGGGTTTTCCGGCGAGGCACCAAGCTGACAGTGCTG	SEQ ID NO: 416 YVLTQPPSVSVAPGETAR ITCGGDNIGRKSIVWYQQ KSGQAPVLVIYYDSDRPS GIPERFSGNSGNTATLT ISRVEAGDEADYYCQVWD GSSDHWVFGGTKLTVL

Table S-50B: N0128 and N0325 VL domain framework sequences

Ab VL	FR1	FR2	FR3	FR4
N128L	SEQ ID NO: 136 SYVLTQPPSVSVAPGETARITCGGD	SEQ ID NO: 137 VYWYQQKSGQAPVLVIY	SEQ ID NO: 138 DRPSGIPERFSGNSGNTATLTISRVEAGDEADYYC	SEQ ID NO: 139 FGGGTKLTVL
N325L	SEQ ID NO: 417 YVLTQPPSVSVAPGETARITCGGD	SEQ ID NO: 137	SEQ ID NO: 138	SEQ ID NO: 139

Table S-50C N0128 and N0325 light chain sequences

SEQ ID NO: 404	N0128L-IgL Coding nucleic acid	TCCTATGTGC TGACTCAGCC ACCCTCAGTG TCAGTGGCCC CAGGAGAGAC GGCCAGGATT ACCTGTGGGG GAGACAACAT TGGAAGGAAA AGTGTGTACT GTACCAGCA GAAGTCAGGC CAGGCCCTTG TGCTGGTCAT CTATTATGAT AGCGACCGGC CCTCAGGGAT CCTGAGCGA TTCTCTGGGT CCAACTCTGG GAACACGGCG ACCCTGACCA TCAGCAGGGT CGAAGCCGGG GATGAGGCCG ACTATTACTG TCAGGTGTGG GATGGAAGTA GTGATCATTG GGTGTTCCGGC GGAGGGACCA AGTTGACCGT CCTAGGTCAG CCCAAGGCTG CCCCCTCGGT CACTCTGTTT CCACCTCCT CTGAGGAGCT TCAAGCCAAC AAGGCCACAC TGGTGTGTCT CATAAGTGAC TTCTACCCGG GAGCCGTGAC AGTGGCCTGG AAGGCAGATA GCAGCCCCGT CAAGCGGGGA GTGGAGACCA CCACACCTC CAAACAAAAG AACAACAAAGT ACGCGGCCAG CAGCTACCTG AGCCTGACGC CTGAGCAGTG GAAGTCCCAC AAAAGCTACA GCTGCCAGGT CAGGCATGAA GGGAGCACCG TGGAGAAGAC AGTGGCCCCCT ACAGAAATGTT CA
SEQ ID NO: 405	N0128L light chain amino acid sequence (mature)	SYVLTQPPSVSVAPGETARITCGDNIGRKSVYWYQQKSGQAPVLVIYDSDRPSGIPERFSGNSGNTATL TISRVEAGDEADYYCQVWDGSSDHWVFGGKLTVLVGPKAAPSVTLFPPSSEELQANKATLVCLISDFYPG AVTVAWKADSSPVKAGVETTPSKQSNKNKYAASSYLSTLTPQWKSHKSYSCQVTHEGSTVEKTVAPTECS
SEQ ID NO: 413	N0325L-IgL coding nucleic acid; N0325L coding sequence underlined	<u>TACGTGCTGACCCAGCCCTCCTTCCGTGCTGTGCTCCTGGCGAGACAGCCAGAATCACCTGTGGCGCGAT</u> <u>AACATCGGCCGGAAGTCCGTGTACTGGTATCAGCAGAAAGTCCGGCCAGGCTCCTGTGTGTCATCTACTAC</u> <u>GACTCCGACCCGGCCTTCTGGCATCCCTGAGAGATTCTCCGGCTCCAACTCCGGCAATACCGCCACACTGACC</u> <u>ATCTCCAGAGTGGAAGCTGGCGAGAGGCCGACTACTACTGCTCAAGTGTGGACGGCTCCTCTGACCACTGG</u> <u>GTTTTCCGGCGGAGGACCAAGCTGACAGTGTCTGGACAAACCTAAGGCCGCTCCTTCTGTGACCCCTGTTTCT</u> <u>CCATCCTCCGAGGAACCTGCAGGCCAACAAAGCTACCCCTCGTGTGCCCTGATCTCCGACTTTTACCCCTGGCGCT</u> <u>GTGACCGTGGCCCTGGAAGGCTGATAGTTCTCCTGTGAAGGCCGGCGTGGAAACCAACACACACCTTCCAAAGCAG</u> <u>TCCAAACAACAAATACGCCGCCCTCCTCCTACCTGTCTGTGACCCCTGAACAGTGGAAAGTCCCACAAGTCTCTAC</u> <u>TCTTGCCAAAGTGACCCACGAGGGCTCCACCGTGGAAGAACACAGTGGCTCCTACCGAGTGTCTCC</u>

5
10
15
20
25
30
35
40
45
50
55

(continued)

SEQ ID NO: 414	N0325L light chain amino acid sequence (mature)	YVLTQPPSVSVAPGETARITCGGDNIGRKSVYVYQQKSGQAPVLVIYYDSDRPSGIPERFSGSNSGNTATLT ISRVEAGDEADYYCQVWDGSSDHWVFGGGTKLTVLGQPKAAPSVTLFPPSSEELQANKATLVCLISDFYPGA VTVAWKADSSSPVKAGVETTTPSKQSNKYYAASSYLSLTPEQWKSHKSYSCQVTHEGSTVEKTVAPTECS

[0385] Recombinant expression of bispecific antibody using common light chain N0128L with its native human Ig λ leader sequence (v3-21 leader peptide MAWTALLLGLLSHCTGSVT SEQ ID NO: 519) resulted in clipping of the N terminal Ser to produce antibody in which the VL domain was identical to the sequence shown herein for N0325 VL domain. For use with alternative leader sequences in which the mature light chain polypeptide is produced by cleavage after the Ser, the light chain 0325 was generated in order to achieve the same mature product. 0325 omits the N terminal Ser residue of 0128L.

Constant regions

10

15

20

25

30

35

40

45

50

55

[0386]

136

IgG4-P K439E encoding nucleic acid	SEQ ID NO: 411 GCTTCCACCAAGGGACCCAGGGTTTCCCTCTGGCTCCTTGGTCCAGATCCACCTCCGAGTCTACAGCTGCTCTGGGCTGCCTGGTCAAGGAC TACTTTCTGAGCCTGTGACCGTGTCTTGGAACTCTGGCGCTCTGACATCTGGCGTGCACACCTTCCAGCTGTGCTGAGTCTCCGSCCTG TACTCTCTGCTCTGTGTACCGTGCCTTCCAGCTCTCTGGGAACCCAGACCTACACCTGTAAATGTGACACAAAGCCTTCCAACACCAAG GTGGACAAAGCGGTGGAATCTAAGTACGGCGCTCCTTGTCTCCATGCTCTCCAGAGTTTCTGGCGGACCTCCGCTGTTTCTGTTCCCT CCAAAGCCTAAGGACACCTGATGATCTCTCGGACCCCTGAAGTACCTGGTGGTGGTGGTGTGTCCCAAGAGGATCCCGAGGTGCAATT AATTGGTACGTGGACGGCGTGGAAAGTGCAATGCCAAGACCAAGCCTAGAGGAACAGTACAACTCCACCTACAGAGTGGTGTCCGTGCTG ACCGTGTGCACCCAGGATTGGCTGAACGGCAAGAGTACAAAGTGTCCAAAGGGCTGCTAGTCTCCATCGAAAAAGACCATCTCC AAGCCAAAGGGCCAGCCTCGAGAACCCAGGTTTACACCTGCTCCAAAGCCAAAGAGAAATGACCAAGAACAGGTTCCCTGACCTGTCTC GTGAAGGGCTTCTACCCCTCCGATATCGCCGTGGATGGAGTCTAATGGCCAGCCAGAGAACAACTAACAAAGCCACACCTCCAGTGTGGAC TCCGACGGGTCAATTCCTTCTGTACTCCAAAGCTGACAGTGGACAAAGTCCCGGTGGCAAGAGGGCAACGTTTCTCCTGCTCTGTGATGCAAGGAG GCCCTGCACCACTACACCAAGAGTCCCTGTCTGTCCCT
IgG4-P E356K encoding nucleic acid	SEQ ID NO: 412 GCTTCCACCAAGGGACCCAGCGTGTTCCTCTGGCTCCTTGGTCCAGATCCACCTCCGAGTCTACAGTGTCTGGGCTGCCTGGTCAAGGAC TACTTTCTGAGCCTGTGACCGTGTCTTGGAACTCTGGCGCTCTGACATCTGGCGTGCACACCTTCCAGCTGTGCTGCAGTCTCCGSCCTG TACTCTCTGCTCTGTGCTGACCGTGCCTTCCAGCTCTCTGGGAACCCAGACCTACACCTGTAAATGTGACCAAGCCTTCCAACACCAAG GTGGACAAAGCGGTGGAATCTAAGTACGGCGCTCCTTGTCTCCATGTCTCCTGAGTTTCTCGGCGGACCTCCGTGTTTCTGTCCCT CCAAAGCCTAAGGACACCTGATGATCTCTCGGACCCCTGAAGTACCTGCGTGGTGGTGGATGTGTCCCAAGAGGATCCCGAGGTGCAATT AATTGGTACGTGGACGGCGTGGAAAGTGCACCAACGCCAAAGCCTAGAGGAAACAGTACAACTCCACCTACAGAGTGGTGTCCGTGCTG ACCGTGTGCACCCAGGATTGGCTGAACGGCAAGAGTACAACTGAAGGTGTCCAAAGGGCTGCCTAGCTCCATCGAAAAAGACCATCTCC AAGGCCAAGGGCCAGCCTCGAGAACCCAGGTTTACACCTGCTCCAAAGCCAGAAAGAGATGACCAAGAACAGGTTCCCTGACCTGCCCTC GTGAAGGGCTTCTACCCCTTCGATATCGCCGTGGATGGGAGAGCAATGGCCAGCCAGAGAACAACTACAAAGCCACACCTCCCTGTGCTGGAC TCCGATGGCTCATTTCTTCTGTACTCCAAAGCTGACAGTGGACAAAGTCCCGGTGGCAAGAGGGCAACGTTTCTCCTGCTCTGTGATGCAAGGAG GCCCTGCACCACTACACCAAGAGTCCCTGTCTGTCCCT
Nucleic acid encoding IgL human lambda light chain constant region	SEQ ID NO: 633 GGACAACCTAAGGGCGCTCCTTCTGTGACCCCTGTTTCTCCATCTCCGAGGAACCTGCAAGGCAACAAAGGTACCTCGTGTGCTGATCTCC GACTTTTACCCCTGGCGCTGTGACCGTGGCGCTGGAAAGCTGATAGTTCTCCTGTGAGCGCGCGTGGAAACCCACACCTTCCAAGCAGTCC AACAAACAAATACGGCGCTCCTCTCTACCTGTCTGACCCCTGAAACAGTGGAGTCCCAAGTCTTACTCTTTGCCAAGTGAACCCACGAGGGC TCCACCGTGGAAAAGACAGTGGCTCCTACCGAGTGTCTC

5
10
15
20
25
30
35
40
45
50
55

(continued)

Human lambda light chain constant region	SEQ ID NO: 146 GQPKAAPSVTLFPPSSEELQANKATLVCLISDFYPGAVTVAMKADSSPVKAGVETTTFSKQNNKYAASSYLSLTPEQWKSHKSYSCQVTHEG STVEKTVAPTECS
Human kappa light chain constant region	SEQ ID NO: 147 KRTVAAPSVFIFPPSDEQLKSGTASVVCLLNNFYPREAKVQWKVDNALQSGNSQESVTEQDSKDSITYLSSTLTLSKADYERHKVYACEVTHQ GLSSPVTKSENRRGEC

5

N128H Alanine Scanning Mutants																		
CDR1 (GFTFNSYW)	G	F	T	F	N	S	Y	W										
	N400H	N401H	N402H	N403H	N404H	N405H	N406H	N407H										
CDR2 (INQDGS EK)	I	N	Q	D	G	S	E	K										
	N408H	N409H	N410H	N411H	N412H	N413H	N414H	N415H										
CDR3 (AREGYSSSYYGMDV)	A	R	E	G	Y	S	S	S	Y	Y	G	M	D	V				
		N416H	N417H	N418H	N419H	N420H	N421H	N422H	N423H	N424H	N425H	N426H	N427H	N428H	N429H			

10

N128H CDR3 Mutants																				
CDR3	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
AREGYSSSSYGMdV	N420H	N467H	N466H	N469H	N470H	N471H	N472H	N473H	N474H	N475H	N476H	N477H	N478H	N479H	N480H	N128H	N481H	N482H	N483H	N484H
AREGYSSSSYGMdV	N421H	N485H	N486H	N487H	N488H	N489H	N490H	N491H	N492H	N493H	N494H	N495H	N496H	N497H	N498H	N128H	N499H	N500H	N501H	N502H
AREGYSSSSYGMdV	N422H	N430H	N431H	N432H	N433H	N434H	N435H	N436H	N437H	N438H	N439H	N440H	N441H	N442H	N443H	N128H	N444H	N445H	N446H	N447H
AREGYSSSSYGMdV	N423H	N448H	N449H	N450H	N451H	N452H	N453H	N454H	N455H	N456H	N457H	N458H	N459H	N460H	N461H	N128H	N462H	N463H	N464H	N465H
AREGYSSSSYGMdV	N424H	N542H	N543H	N544H	N545H	N546H	N547H	N548H	N549H	N550H	N551H	N552H	N553H	N554H	N555H	N559H	N556H	N557H	N558H	N128H
AREGYSSSSYGMdV	N425H	N561H	N562H	N563H	N564H	N565H	N566H	N567H	N568H	N569H	N570H	N571H	N572H	N573H	N574H	N578H	N575H	N576H	N577H	N128H
AREGYSSSSYGMdV	N426H	N579H	N580H	N581H	N582H	N128H	N583H	N584H	N585H	N586H	N587H	N588H	N589H	N590H	N591H	N592H	N593H	N594H	N595H	N596H
AREGYSSSSYGMdV	N427H	N597H	N598H	N599H	N600H	N601H	N602H	N603H	N604H	N605H	N128H	N606H	N607H	N608H	N609H	N610H	N611H	N612H	N613H	N614H
AREGYSSSSYGMdV	N428H	N615H	N128H	N616H	N617H	N618H	N619H	N620H	N621H	N622H	N623H	N624H	N625H	N626H	N627H	N628H	N629H	N630H	N631H	N632H
AREGYSSSSYGMdV	N429H	N633H	N634H	N635H	N636H	N637H	N638H	N639H	N640H	N641H	N642H	N643H	N644H	N645H	N646H	N647H	N648H	N128H	N649H	N650H
AREGYSSSSYGMdV	N128H	N651H	N652H	N653H	N654H	N655H	N656H	N657H	N658H	N659H	N660H	N661H	N662H	N663H	N664H	N665H	N666H	N667H	N668H	N669H
AREGYSSSSYGMdV	N416H	N670H	N671H	N672H	N673H	N674H	N675H	N676H	N677H	N678H	N679H	N680H	N681H	N682H	N128H	N683H	N684H	N685H	N686H	N687H
AREGYSSSSYGMdV	N417H	N689H	N690H	N128H	N691H	N692H	N693H	N694H	N695H	N696H	N697H	N698H	N699H	N700H	N701H	N702H	N703H	N704H	N705H	N706H
AREGYSSSSYGMdV	N418H	N707H	N708H	N709H	N710H	N128H	N711H	N712H	N713H	N714H	N715H	N716H	N717H	N718H	N719H	N720H	N721H	N722H	N723H	N724H
AREGYSSSSYGMdV	N419H	N725H	N726H	N727H	N728H	N729H	N730H	N731H	N732H	N733H	N734H	N735H	N736H	N737H	N738H	N739H	N740H	N741H	N742H	N128H

20

N436H CDR3 Mutants																				
CDR3	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
AREGYSSYYGMDV	N503H	N504H	N505H	N506H	N507H	N508H	N509H	N510H	N511H	N512H	N513H	N514H	N515H	N516H	N517H	N436H	N518H	N519H	N520H	N521H
AREGYSSYYGMDV	N522H	N523H	N524H	N525H	N526H	N527H	N528H	N529H	N530H	N531H	N532H	N533H	N534H	N535H	N536H	N436H	N537H	N538H	N539H	N540H

25

N436H CDR1 Mutants																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GTFNSYW	N819H	N820H	N821H	N822H	N436H	N823H	N824H	N825H	N826H	N827H	N828H	N829H	N830H	N831H	N832H	N833H	N834H	N835H	N836H	
GTFNSYW	N837H	N838H	N839H	N436H	N840H	N841H	N842H	N843H	N844H	N845H	N846H	N847H	N848H	N849H	N850H	N851H	N852H	N853H	N854H	
GTFNSYW	N856H	N857H	N858H	N859H	N860H	N861H	N862H	N863H	N864H	N865H	N866H	N867H	N868H	N869H	N870H	N436H	N871H	N872H	N873H	
GTFNSYW	N874H	N875H	N876H	N436H	N877H	N878H	N879H	N880H	N881H	N882H	N883H	N884H	N885H	N886H	N887H	N888H	N889H	N890H	N891H	
GTFNSYW	N892H	N893H	N894H	N895H	N896H	N897H	N898H	N899H	N900H	N901H	N436H	N902H	N903H	N904H	N905H	N906H	N907H	N908H	N909H	
GTFNSYW	N910H	N911H	N912H	N913H	N914H	N915H	N916H	N917H	N918H	N919H	N920H	N921H	N922H	N923H	N436H	N924H	N925H	N926H	N927H	
GTFNSYW	N928H	N929H	N930H	N931H	N932H	N933H	N934H	N935H	N936H	N937H	N938H	N939H	N940H	N941H	N942H	N943H	N944H	N945H	N946H	
GTFNSYW	N946H	N947H	N948H	N949H	N950H	N951H	N952H	N953H	N954H	N955H	N956H	N957H	N958H	N959H	N960H	N961H	N962H	N436H	N963H	

30

N436H CDR2 Mutants																				
CDR2	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
iNQDGSEK	N964H	N965H	N966H	N967H	N968H	N969H	N970H	N436H	N971H	N972H	N973H	N974H	N975H	N976H	N977H	N978H	N979H	N980H	N981H	N982H
iNQDGSEK	N983H	N984H	N985H	N986H	N987H	N988H	N989H	N990H	N991H	N992H	N993H	N436H	N994H	N995H	N996H	N997H	N998H	N999H	N1000H	N1001H
iNQDGSEK	N1002H	N1003H	N1004H	N1005H	N1006H	N1007H	N1008H	N1009H	N1010H	N1011H	N1012H	N1013H	N1014H	N436H	N1015H	N1016H	N1017H	N1018H	N1019H	N1020H
iNQDGSEK	N1021H	N1022H	N436H	N1023H	N1024H	N1025H	N1026H	N1027H	N1028H	N1029H	N1030H	N1031H	N1032H	N1033H	N1034H	N1035H	N1036H	N1037H	N1038H	N1039H
iNQDGSEK	N1040H	N1041H	N1042H	N1043H	N1044H	N436H	N1045H	N1046H	N1047H	N1048H	N1049H	N1050H	N1051H	N1052H	N1053H	N1054H	N1055H	N1056H	N1057H	N1058H
iNQDGSEK	N1059H	N1060H	N1061H	N1062H	N1063H	N1064H	N1065H	N1066H	N1067H	N1068H	N1069H	N1070H	N1071H	N1072H	N1073H	N436H	N1074H	N1075H	N1076H	N1077H
iNQDGSEK	N1078H	N1079H	N1080H	N436H	N1081H	N1082H	N1083H	N1084H	N1085H	N1086H	N1087H	N1088H	N1089H	N1090H	N1091H	N1092H	N1093H	N1094H	N1095H	N1096H
iNQDGSEK	N1097H	N1098H	N1099H	N1100H	N1101H	N1102H	N1103H	N1104H	N436H	N1105H	N1106H	N1107H	N1108H	N1109H	N1110H	N1111H	N1112H	N1113H	N1114H	N1115H

35

N511H CDR2 Mutants																				
CDR2	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
INQDGSEK		N1116H															N1117H	N1118H		
INQDGSEK																				
INQDGSEK									N1119H											
INQDGSEK	N1120H	N1121H	N511H	N1122H	N1123H	N1124H	N1125H	N1126H	N1127H	N1128H	N1129H	N1130H	N1131H	N1132H	N1133H	N1134H	N1135H	N1136H	N1137H	N1138H
INQDGSEK	N1139H																			
INQDGSEK	N1140H	N1141H	N1142H	N1143H	N1144H	N1145H	N1146H	N1147H	N1148H	N1149H	N1150H	N1151H	N1152H	N1153H	N1154H	N511H	N1155H	N1156H	N1157H	N1158H
INQDGSEK	N1159H	N1160H	N1161H	N511H	N1162H	N1163H	N1164H	N1165H	N1166H	N1167H	N1168H	N1169H	N1170H	N1171H	N1172H	N1173H	N1174H	N1175H	N1176H	N1177H
INQDGSEK																				

40

45

50

Selected N436H CDR1 Mutants (batch 1)																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFTFNSYW									N825H							N832H	N833H			
GFTFNSYW															N849H					
GFTFNSYW									N863H				N866H							
GFTFNSYW			N875H				N878H											N889H		
GFTFNSYW																				
GFTFNSYW									N917H				N920H	N921H				N925H		
GFTFNSYW								N934H		N936H	N937H			N939H	N940H	N941H	N942H	N943H	N944H	N945H
GFTFNSYW		N946H	N947H	N948H	N949H	N950H	N951H	N952H	N953H	N954H	N955H	N956H	N957H							N963H

55

Table N

5

N511H CDR1 Mutants																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFTFNSYW									N1178H							N1179H	N1180H			
gFTFNSYW															N1181H					
gFTFNSYW									N1182H			N1183H								
GFTFNSYW			N1211H				N1212H											N1213H		
gFTFNsYW																				
GFTFNsYW									N1184H			N1185H	N1186H					N1187H		
GFTFNsYW								N1188H		N1189H	N1190H		N1191H	N1192H	N1193H	N1194H	N1195H	N1196H	N1197H	
GFTFNsYW		N1198H	N1199H	N1200H	N1201H	N1202H	N1203H	N1204H	N1205H	N1206H	N1207H	N1208H	N1209H							N1210H

10

N1172H CDR1 Mutants																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFTFNSYW									N1214H							N1215H	N1216H			
gFTFNSYW															N1217H					
gFTFNSYW									N1218H			N1219H								
GFTFNSYW			N1247H				N1248H											N1249H		
gFTFNsYW																				
GFTFNsYW									N1220H			N1221H	N1222H					N1223H		
GFTFNsYW								N1224H		N1225H	N1226H		N1227H	N1228H	N1229H	N1230H	N1231H	N1232H	N1233H	
GFTFNsYW		N1234H	N1235H	N1236H	N1237H	N1238H	N1239H	N1240H	N1241H	N1242H	N1243H	N1244H	N1245H							N1246H

15

20

Selected N436H CDR1 Mutants (batch 2)																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFTFNSYW																				
gFTFNSYW																				
gFTFNSYW															N869H			N872H	N873H	
GFTFNSYW						N877H									N886H		N888H	N889H		N891H
GFTFNsYW		N892H	N893H	N894H	N895H	N896H	N897H	N898H	N899H	N900H	N901H		N902H	N903H	N904H	N905H	N906H	N907H	N908H	N909H
GFTFNsYW							N915H								N923H				N926H	
GFTFNsYW											N937H									
GFTFNsYW																				

25

30

N511H CDR1 Mutants																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFTFNSYW																				
gFTFNSYW																				
gFTFNSYW																N1250H			N1251H	N1252H
GFTFNSYW						N1253H									N1254H		N1255H	N1256H		N1257H
gFTFNsYW		N1258H	N1259H	N1260H	N1261H	N1262H	N1263H	N1264H	N1265H	N1266H	N1267H		N1268H	N1269H	N1270H	N1271H	N1272H	N1273H	N1274H	N1275H
GFTFNsYW							N1276H								N1277H				N1278H	
GFTFNsYW										N1279H										
GFTFNsYW																				

35

40

N1172H CDR1 Mutants																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFTFNSYW																				
gFTFNSYW																				
gFTFNSYW																N1280H			N1281H	N1282H
GFTFNSYW						N1283H									N1284H		N1285H	N1286H		N1287H
gFTFNsYW		N1288H	N1289H	N1290H	N1291H	N1292H	N1293H	N1294H	N1295H	N1296H	N1297H		N1298H	N1299H	N1300H	N1301H	N1302H	N1303H	N1304H	N1305H
GFTFNsYW							N1306H								N1307H				N1308H	
GFTFNsYW											N1309H									
GFTFNsYW																				

45

N1280H CDR2 Mutants																				
CDR2	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
INQDGSRK	N1310H	N1311H	N1280H	N1312H	N1313H	N1314H	N1315H	N1316H	N1317H	N1318H	N1319H	N1320H	N1321H	N1322H	N1323H	N1324H	N1325H	N1326H	N1327H	N1328H
INQDGSRK	N1329H	N1330H	N1331H	N1332H	N1333H	N1334H	N1335H	N1336H	N1337H	N1338H	N1339H	N1340H	N1341H	N1342H	N1343H	N1280H	N1344H	N1345H	N1346H	N1347H

50

N1280H CDR1 Mutants																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFRFNSYW	N1367H	N1368H	N1369H	N1370H	N1371H	N1372H	N1373H	N1374H	N1375H	N1376H	N1377H	N1378H	N1379H	N1380H	N1381H	N1382H	N1383H	N1384H	N1385H	N1280H

55

N1280H CDR1 Double Mutants (all including Arg29Lys, with Tyr37 mutated as shown)																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
GFKFNSYW	N1348H	N1349H	N1350H	N1351H	N1352H	N1353H	N1354H	N1355H	N1356H	N1357H	N1358H	N1359H	N1360H	N1361H	N1362H	N1363H	N1364H	N1365H	N1366H	

Table N (continued)

Table T

T0201H CDR3 Mutants																				
CDR3	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
ARDGYGSSSRCLQL		T400H	T401H	T402H	T403H	T404H	T405H	T406H	T407H	T408H	T409H	T410H	T411H	T412H	T413H	T414H	T415H	T416H	T417H	T418H
ARDGYGSSSRCLQL	T419H	T420H	T421H	T422H	T423H	T424H	T425H	T426H	T427H	T428H	T429H	T430H	T431H	T432H		T433H	T434H	T435H	T436H	T437H
ARDGYGSSSRCLQL	T438H	T439H		T440H	T441H	T442H	T443H	T444H	T445H	T446H	T447H	T448H	T449H	T450H	T451H	T452H	T453H	T454H	T455H	T456H
ARDGYGSSSRCLQL	T457H	T458H	T459H	T460H	T461H		T462H	T463H	T464H	T465H	T466H	T467H	T468H	T469H	T470H	T471H	T472H	T473H	T474H	T475H
ARDGYGSSSRCLQL	T476H	T477H	T478H	T479H	T480H	T481H	T482H	T483H	T484H	T485H	T486H	T487H	T488H	T489H	T490H	T491H	T492H	T493H	T494H	
ARDGYGSSSRCLQL	T495H	T496H	T497H	T498H	T499H		T500H	T501H	T502H	T503H	T504H	T505H	T506H	T507H	T508H	T509H	T510H	T511H	T512H	T513H
ARDGYGSSSRCLQL	T514H	T515H	T516H	T517H	T518H	T519H	T520H	T521H	T522H	T523H	T524H	T525H	T526H	T527H	T528H		T529H	T530H	T531H	T532H
ARDGYGSSSRCLQL	T533H	T534H	T535H	T536H	T537H	T538H	T539H	T540H	T541H	T542H	T543H	T544H	T545H	T546H	T547H		T548H	T549H	T550H	T551H
ARDGYGSSSRCLQL	T552H	T553H	T554H	T555H	T556H	T557H	T558H	T559H	T560H	T561H	T562H	T563H	T564H	T565H	T566H		T567H	T568H	T569H	T570H
ARDGYGSSSRCLQL	T571H	T572H	T573H	T574H	T575H	T576H	T577H	T578H	T579H	T580H	T581H	T582H	T583H	T584H		T585H	T586H	T587H	T588H	T589H
ARDGYGSSSRCLQL	T590H		T591H	T592H	T593H	T594H	T595H	T596H	T597H	T598H	T599H	T600H	T601H	T602H	T603H	T604H	T605H	T606H	T607H	T608H
ARDGYGSSSRCLQL	T609H	T610H	T611H	T612H	T613H	T614H	T615H	T616H	T617H		T618H	T619H	T620H	T621H	T622H	T623H	T624H	T625H	T626H	T627H
ARDGYGSSSRCLQL	T628H	T629H	T630H	T631H	T632H	T633H	T634H	T635H	T636H	T637H	T638H	T639H	T640H		T641H	T642H	T643H	T644H	T645H	T646H
ARDGYGSSSRCLQL	T647H	T648H	T649H	T650H	T651H	T652H	T653H	T654H	T655H		T656H	T657H	T658H	T659H	T660H	T661H	T662H	T663H	T664H	T665H

VH domain	CDR1	CDR2	CDR3
T0201H	RYSFTSY	INPKSGST	ARDGYGSSSRCLQL
CDR3 compound mutation			
T666H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~I~~ IQL
T667H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~L~~ IQL
T668H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~Q~~ IQL
T669H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~I~~ LM
T670H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~L~~ LM
T671H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~Q~~ LM
T672H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~I~~ IM
T673H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~L~~ IM
T674H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~Q~~ IM
T675H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~V~~ IQL
T676H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~V~~ LM
T677H	RYSFTSY	INPKSGST	ARDGYGSSSR ~~V~~ IM
T678H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~I~~ IQL
T679H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~I~~ LM
T680H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~I~~ IM
T681H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~L~~ IQL
T682H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~L~~ LM
T683H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~L~~ IM
T684H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~Q~~ IQL
T685H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~Q~~ LM
T686H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~Q~~ IM
T687H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~V~~ IQL
T688H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~V~~ LM
T689H	RYSFTSY	INPKSGST	ARDGYGS ~~F~~ SR ~~V~~ IM

Table T (continued)

Table T (continued)

T0681H CDR1 Mutants																				
CDR1	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
R _Y SFTS _Y Y	T690H	T691H	T692H	T693H	T694H	T695H	T696H	T697H	T698H	T699H	T700H	T701H	T702H	T703H		T704H	T705H	T706H	T707H	T708H
R _Y SFTS _Y Y	T709H	T710H	T711H	T712H	T713H	T714H	T715H	T716H	T717H	T718H	T719H	T720H	T721H	T722H	T723H	T724H	T725H	T726H	T727H	
R _Y SFTS _Y Y	T728H	T729H	T730H	T731H	T732H	T733H	T734H	T735H	T736H	T737H	T738H	T739H	T740H	T741H	T742H		T743H	T744H	T745H	T746H
R _Y SFTS _Y Y	T747H	T748H	T749H	T750H		T751H	T752H	T753H	T754H	T755H	T756H	T757H	T758H	T759H	T760H	T761H	T762H	T763H	T764H	T765H
R _Y SFTS _Y Y	T766H	T767H	T768H	T769H	T770H	T771H	T772H	T773H	T774H	T775H	T776H	T777H	T778H	T779H	T780H	T781H		T782H	T783H	T784H
R _Y SFTS _Y Y	T785H	T786H	T787H	T788H	T789H	T790H	T791H	T792H	T793H	T794H	T795H	T796H	T797H	T798H	T799H		T800H	T801H	T802H	T803H
R _Y SFTS _Y Y	T804H	T805H	T806H	T807H	T808H	T809H	T810H	T811H	T812H	T813H	T814H	T815H	T816H	T817H	T818H	T819H	T820H	T821H	T822H	
R _Y SFTS _Y Y	T823H	T824H	T825H	T826H	T827H	T828H	T829H	T830H	T831H	T832H	T833H	T834H	T835H	T836H	T837H	T838H	T839H	T840H	T841H	

T0681H CDR2 Mutants																				
CDR2	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
I _N P _K S _G S _T	T842H	T843H	T844H	T845H	T846H	T847H	T848H		T849H	T850H	T851H	T852H	T853H	T854H	T855H	T856H	T857H	T858H	T859H	T860H
I _N P _K S _G S _T	T861H	T862H	T863H	T864H	T865H	T866H	T867H	T868H	T869H	T870H	T871H		T872H	T873H	T874H	T875H	T876H	T877H	T878H	T879H
I _N P _K S _G S _T	T880H	T881H	T882H	T883H	T884H	T885H	T886H	T887H	T888H	T889H	T890H	T891H		T892H	T893H	T894H	T895H	T896H	T897H	T898H
I _N P _K S _G S _T	T899H	T900H	T901H	T902H	T903H	T904H	T905H	T906H		T907H	T908H	T909H	T910H	T911H	T912H	T913H	T914H	T915H	T916H	T917H
I _N P _K S _G S _T	T918H	T919H	T920H	T921H	T922H	T923H	T924H	T925H	T926H	T927H	T928H	T929H	T930H	T931H	T932H		T933H	T934H	T935H	T936H
I _N P _K S _G S _T	T937H	T938H	T939H	T940H	T941H		T942H	T943H	T944H	T945H	T946H	T947H	T948H	T949H	T950H	T951H	T952H	T953H	T954H	T955H
I _N P _K S _G S _T	T956H	T957H	T958H	T959H	T960H	T961H	T962H	T963H	T964H	T965H	T966H	T967H	T968H	T969H	T970H		T971H	T972H	T973H	T974H
I _N P _K S _G S _T	T975H	T976H	T977H	T978H	T979H	T980H	T981H	T982H	T983H	T984H	T985H	T986H	T987H	T988H	T989H	T990H		T991H	T992H	T993H

T678H			CDR2 mutations							
			T678H	T850H	T925H	T926H	T951H	T958H	T989H	T990H
			INPKSGST	LNPkSGST	INPKlGST	INPKKgST	INPKSSt	INPKSGDt	INPKSGSR	INPKSGSS
CDR1 mutations	T678H	RYSFTSY	T678H	T1015H	T1022H	T1029H	T1036H	T1043H	T1050H	T1057H
	T713H	RFsFTSY	T1009H	T1016H	T1023H	T1030H	T1037H	T1044H	T1051H	T1058H
	T734H	RYHFTSY	T1010H	T1017H	T1024H	T1031H	T1038H	T1045H	T1052H	T1059H
	T736H	RYKFTSY	T1011H	T1018H	T1025H	T1032H	T1039H	T1046H	T1053H	T1060H
	T742H	RYRFTSY	T1012H	T1019H	T1026H	T1033H	T1040H	T1047H	T1054H	T1061H
	T774H	RYSFKSY	T1013H	T1020H	T1027H	T1034H	T1041H	T1048H	T1055H	T1062H
	T785H	RYSFTAyy	T1014H	T1021H	T1028H	T1035H	T1042H	T1049H	T1056H	T1063H

T681H			CDR2 mutations							
			T681H	T850H	T925H	T926H	T951H	T958H	T989H	T990H
			INPKSGST	LNPKSGST	INPKIGST	INPKKGST	INPKSSST	INPKSGDT	INPKSGSR	INPKSGSS
CDR1 mutations	T681H	RYSFTSY	T681H	T850H	T925H	T926H	T951H	T958H	T989H	T990H
	T713H	RFsFTSY	T713H	T1064H	T1070H	T1076H	T1082H	T1088H	T1094H	T1100H
	T734H	RYHFTSY	T734H	T1065H	T1071H	T1077H	T1083H	T1089H	T1095H	T1101H
	T736H	RYKFTSY	T736H	T1066H	T1072H	T1078H	T1084H	T1090H	T1096H	T1102H
	T742H	RYRFTSY	T742H	T1067H	T1073H	T1079H	T1085H	T1091H	T1097H	T1103H
	T774H	RYSFKSY	T774H	T1068H	T1074H	T1080H	T1086H	T1092H	T1098H	T1104H
	T785H	RYSETAY	T785H	T1069H	T1075H	T1081H	T1087H	T1093H	T1099H	T1105H

T687H			CDR2 mutations							
			T687H	T850H	T925H	T926H	T951H	T958H	T989H	T990H
			INPKSGST	LNPkSGST	INPKlGST	INPKKgST	INPKSSt	INPKSGDt	INPKSGSR	INPKSGSS
CDR1 mutations	T687H	RYSFTSY	T687H	T1113H	T1120H	T1127H	T1134H	T1141H	T1148H	T1155H
	T713H	RFsFTSY	T1107H	T1114H	T1121H	T1128H	T1135H	T1142H	T1149H	T1156H
	T734H	RYHFTSY	T1108H	T1115H	T1122H	T1129H	T1136H	T1143H	T1150H	T1157H
	T736H	RYKFTSY	T1109H	T1116H	T1123H	T1130H	T1137H	T1144H	T1151H	T1158H
	T742H	RYRFTSY	T1110H	T1117H	T1124H	T1131H	T1138H	T1145H	T1152H	T1159H
	T774H	RYSFKSY	T1111H	T1118H	T1125H	T1132H	T1139H	T1146H	T1153H	T1160H
	T785H	RYSETAY	T1112H	T1119H	T1126H	T1133H	T1140H	T1147H	T1154H	T1161H

Table T (continued)

SEQUENCE LISTING

[0387]

<110> Kymab Limited

<120> FIXaxFX Bispecific Antibody with Common Light Chain

<130> K00058-1 WO

<150> GB1820977.5

<151> 2018-12-21

5

<150> GB1906816.2

<151> 2019-05-15

<150> GB1908190.0

10

<151> 2019-06-07

<160> 639

<170> PatentIn version 3.5

15

<210> 1

<211> 8

<212> PRT

<213> Homo sapiens

20

<400> 1

Gly Phe Thr Phe Asn Ser Tyr Trp
1 5

25

<210> 2

<211> 8

<212> PRT

<213> Homo sapiens

30

<400> 2

Ile Asn Gln Asp Gly Ser Glu Lys
1 5

35

<210> 3

<211> 15

<212> PRT

<213> Homo sapiens

40

<400> 3

Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

45

<210> 4

<211> 367

<212> DNA

<213> Homo sapiens

50

<400> 4

gagggtgcagc tgggtggagtc tggggggaggc tttgtccagc ctgggggggtc cctgagactc 60

55

tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120

ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 5 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggatggac gtctggggcc aagggaaccac ggtcaccgtc 360
 tcctcag 367

10
 <210> 5
 <211> 122
 <212> PRT
 <213> Homo sapiens
 15
 <400> 5

20 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

25 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

30 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

35 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

40 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

45 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 6
 <211> 6
 50 <212> PRT
 <213> Homo sapiens
 <400> 6

55 Asn Ile Gly Arg Lys Ser
 1 5

<210> 7

<211> 3
 <212> PRT
 <213> Homo sapiens

5 <400> 7

Tyr Asp Ser
 1

10 <210> 8
 <211> 11
 <212> PRT
 <213> Homo sapiens

15 <400> 8

Gln Val Trp Asp Gly Ser Ser Asp His Trp Val
 1 5 10

20 <210> 9
 <211> 325
 <212> DNA
 <213> Homo sapiens

25 <400> 9

	tcctatgtgc tgactcagcc accctcagtgc tcagtggccc caggagagac ggccaggatt	60
30	acctgtgggg gagacaacat tggaaggaaa agtgtgtact ggtaccagca gaagtcaggc	120
	caggcccctg tgctgggtcat ctattatgat agcgaccggc cctcagggat ccctgagcga	180
	ttctctgggt ccaactctgg gaacacggcg accctgacca tcagcagggt cgaagccggg	240
35	gatgaggccg actattactg tcaggtgtgg gatggaagta gtgatcattg ggtgttcggc	300
	ggagggacca agttgaccgt cctag	325

40 <210> 10
 <211> 108
 <212> PRT
 <213> Homo sapiens

45 <400> 10

50

55

Ser Tyr Val Leu Thr Gln Pro Pro Ser Val Ser Val Ala Pro Gly Glu
 1 5 10 15

5 Thr Ala Arg Ile Thr Cys Gly Gly Asp Asn Ile Gly Arg Lys Ser Val
 20 25 30

10 Tyr Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Val Leu Val Ile Tyr
 35 40 45

Tyr Asp Ser Asp Arg Pro Ser Gly Ile Pro Glu Arg Phe Ser Gly Ser
 50 55 60

15 Asn Ser Gly Asn Thr Ala Thr Leu Thr Ile Ser Arg Val Glu Ala Gly
 65 70 75 80

20 Asp Glu Ala Asp Tyr Tyr Cys Gln Val Trp Asp Gly Ser Ser Asp His
 85 90 95

25 Trp Val Phe Gly Gly Gly Thr Lys Leu Thr Val Leu
 100 105

<210> 11
 <211> 8
 <212> PRT
 30 <213> Homo sapiens
 <400> 11

35 Gly Phe Thr Phe Ser Ser Tyr Trp
 1 5

<210> 12
 <211> 8
 <212> PRT
 40 <213> Homo sapiens
 <400> 12

45 Ile Lys Gln Asp Gly Ser Glu Lys
 1 5

<210> 13
 <211> 15
 <212> PRT
 50 <213> Homo sapiens
 <400> 13

55 Ala Arg Glu Gly Tyr Ser Ser Tyr Tyr Tyr Tyr Gly Met Asp Val
 1 5 10 15

<210> 14
 <211> 366

<212> DNA

<213> Homo sapiens

<400> 14

5
 gaggtgcagc tggtggagtc tgggggaggc ttggtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag cctctggatt cacctttagt agctattgga tgagctgggt ccgccaggct 120
 10 ccagggaagg ggctggagtg ggtggccaac ataaagcaag atggaagtga gaaatactat 180
 gtggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtat 240
 ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagcagtt actactacta cggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

<210> 15

<211> 122

<212> PRT

<213> Homo sapiens

<400> 15

30
 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30
 35
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 40
 Ala Asn Ile Lys Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val
 50 55 60
 45
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 50
 Ala Arg Glu Gly Tyr Ser Ser Tyr Tyr Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 55
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 16

<211> 366
 <212> DNA
 <213> Homo sapiens

5 <400> 16

gaggtgcagc tgggtggagtc tgggggaggc ttggtccagc ctgggggggtc cctgagactc 60
 10 tcctgtgcag cctctggatt cacctttagt agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaatactat 180
 gtggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtat 240
 15 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

20 <210> 17
 <211> 122
 <212> PRT
 <213> Homo sapiens

25 <400> 17

30 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30
 35 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 40 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val
 50 55 60
 45 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 50 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 55 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 18

<211> 8
 <212> PRT
 <213> Homo sapiens

5 <400> 18

Gly Phe Ile Phe Ser Ser Tyr Trp
 1 5

10 <210> 19
 <211> 366
 <212> DNA
 <213> Homo sapiens

15 <400> 19

	gaggtgcagc tgggtggagtc tgggggaggc ttgggtccagc ctgggggggtc cctgagactc	60
	tcctgtgtag cctctggatt catctttagt agctattgga tgagctgggt ccgccaggct	120
20	ccaggggaagg ggctggagtg ggtggccaat ataaatcaag atggaagtga gaaatactat	180
	gtggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtat	240
25	ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagcagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctca	366

30 <210> 20
 <211> 122
 <212> PRT
 <213> Homo sapiens

35 <400> 20

40

45

50

55

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Leu	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Val	Ala	Ser	Gly	Phe	Ile	Phe	Ser	Ser	Tyr	
				20					25					30			
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Tyr	Tyr	Val	Asp	Ser	Val	
		50					55					60					
20	Lys	Gly	Arg	Phe	Thr	Ile	Ser	Arg	Asp	Asn	Ala	Lys	Asn	Ser	Leu	Tyr	
	65					70					75					80	
25	Leu	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
30	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
40	<210> 21																
	<211> 366																
	<212> DNA																
	<213> Homo sapiens																
45	<400> 21																
50	gaggtgcagc tgggtggagtc tggggggaggc ttggtccagc ctgggggggtc cctgagactc 60																
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120																
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180																
	gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctcaagtgtat 240																
55	ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300																
	tatagtagtt cgtcctatta tggatatggac gtctggggcc aaggggaccac ggtcaccgtc 360																
	tcctca 366																
60	<210> 22																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
65	<400> 22																

<400> 25

gaggtgcagc tgggtggagtc tgggggaggc ctggtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat aactattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcatcatc tccagagaca acgcaaaaaa ttcagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tataccgatt cgtcctatta tggaatggac gtctggggcc aagggaccac ggtctccgtc 360
 15 tcctca 366

<210> 26

<211> 122

<212> PRT

<213> Homo sapiens

<400> 26

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Asn Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Ile Ile Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80
 45 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Thr Asp Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Ser Val Ser Ser
 115 120

<210> 27

<211> 366

<212> DNA

<213> Homo sapiens

<400> 27

gaggtgcagc tgggtggagtc tgggggaggc ttgggtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag cctctggatt cacctttagt agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaagcaag atggaagtga gaaatactat 180
 10 gtggactctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctactgtat 240
 ctgcaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagcagtt cgtcctacta cggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 28

<211> 122

<212> PRT

<213> Homo sapiens

<400> 28

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 35 Ala Asn Ile Lys Gln Asp Gly Ser Glu Lys Tyr Tyr Val Asp Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
 65 70 75 80
 45 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 29

<211> 366

<212> DNA

<213> Homo sapiens

<400> 29

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctcaagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 30

<211> 122

<212> PRT

<213> Homo sapiens

<400> 30

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80
 45 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 50 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 55 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 31

<211> 366

<212> DNA

<213> Homo sapiens

<400> 31

5 gaggtgcagc tgggtggagtc tgggggaggc ttgggtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa ctcaagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 32

<211> 122

<212> PRT

<213> Homo sapiens

<400> 32

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80
 45 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 33

<211> 366

<212> DNA

<213> Homo sapiens

<400> 33

5 gaggtgcagc tgggtggagtc tgggggaggc ttgggtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa atcagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaaccac ggtcaccgtc 360
 tcctca 366

<210> 34

<211> 122

<212> PRT

<213> Homo sapiens

<400> 34

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 30 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 35 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 45 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 35

<211> 366

<212> DNA

<213> Homo sapiens

<400> 35

gaggtgcagc tgggtggagtc tgggggaggc ttgggtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctcaagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggatatggac gtctggggcc aagggaaccac ggtcaccgtc 360
 15 tcctca 366

<210> 36

<211> 122

<212> PRT

20 <213> Homo sapiens

<400> 36

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 37

<211> 366

<212> DNA

<213> Homo sapiens

<400> 37

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa atcagtgtat 240
 10 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 38

<211> 122

<212> PRT

20 <213> Homo sapiens

<400> 38

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 30 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 45 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 39

<211> 366

<212> DNA

<213> Homo sapiens

<400> 39

gaggtgcagc tggctggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa ctcaagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 40

<211> 122

<212> PRT

<213> Homo sapiens

<400> 40

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 30 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 35 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 40 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 45 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80
 50 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 55 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 60 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 41

<211> 366

<212> DNA

<213> Homo sapiens

<400> 41

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 42

<211> 122

<212> PRT

<213> Homo sapiens

<400> 42

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 30 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 45 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 43

<211> 366

<212> DNA

<213> Homo sapiens

<400> 43

5 gaggtgcagc tgggtggagtc tgggggaggc ttgggtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 44

<211> 122

<212> PRT

<213> Homo sapiens

<400> 44

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 45

<211> 366

<212> DNA

<213> Homo sapiens

<400> 45

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa ctcaagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 46

<211> 122

<212> PRT

<213> Homo sapiens

<400> 46

25 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 30 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 40 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 45 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 47

<211> 366

<212> DNA

<213> Homo sapiens

<400> 47

gaggtgcagc tgggtggagtc tggggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 5 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 10 gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa atcagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 15 tcctca 366

<210> 48

<211> 122

<212> PRT

<213> Homo sapiens

<400> 48

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 25 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 40 65 70 75 80
 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 49

<211> 366

<212> DNA

<213> Homo sapiens

<400> 49

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 5 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa ctcaagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 10 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

15 <210> 50
 <211> 122
 <212> PRT
 <213> Homo sapiens

20 <400> 50

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

25 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr

20 25 30

30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

40 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

55 <210> 51
 <211> 366
 <212> DNA
 <213> Homo sapiens

<400> 51

gaggtgcagc tgggtggagtc tgggggaggc ttggtccagc ctgggggggc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 5 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 ctacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 10 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

15 <210> 52
 <211> 122
 <212> PRT
 <213> Homo sapiens

20 <400> 52

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 25 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 40 Leu Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

50 <210> 53
 <211> 366
 <212> DNA
 <213> Homo sapiens

55 <400> 53

gaggtgcagc tgggtggagtc tgggggaggc ttggtccagc ctgggggggc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 5 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa ctcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 10 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

15 <210> 54
 <211> 122
 <212> PRT
 <213> Homo sapiens

20 <400> 54

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

25 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Asn Ser Val Tyr
 65 70 75 80

40 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Glu Gly Tyr Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

55 <210> 55
 <211> 366
 <212> DNA
 <213> Homo sapiens

<400> 55

gaggtgcagc tgggtggagtc tgggggaggc ttgggtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 5 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatc tccagagaca acgccaagaa atcagtgtat 240
 10 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtcctatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

15 <210> 56
 <211> 122
 <212> PRT
 <213> Homo sapiens

20 <400> 56

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

25 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

35 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

40 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Glu Gly Tyr Ser Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

55 <210> 57
 <211> 8
 <212> PRT
 <213> Homo sapiens

<400> 57

Gly Tyr Thr Phe Thr Asn Tyr Ala
1 5

5 <210> 58
<211> 8
<212> PRT
<213> Homo sapiens

10 <400> 58

Ile Asn Ala Gly Asn Gly Phe Thr
1 5

15 <210> 59
<211> 15
<212> PRT
<213> Homo sapiens

20 <400> 59

Ala Arg Asp Trp Ala Ala Ala Ile Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

25 <210> 60
<211> 367
<212> DNA
<213> Homo sapiens

30 <400> 60

cagggtccagc ttgtgcagtc tggggctgag gtgaagaggc ctggggcctc agtgaaggtt 60
tcctgcaagg cttctggata caccttcact aactatgcta tacattgggt gcgccaggcc 120
35 cccggacaga ggcttgagtg gatgggatgg atcaacgctg gcaatggttt cacaaaatct 180
tcacagaagt tccggggcag agtcaccatt accagggaca catccgcgaa cacagcctac 240
atggaactga gcagcctcag atctgaagac acggctatattt attactgtgc gagagattgg 300
40 gctgctgcta tctcttacta cggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
tcctcag 367

45 <210> 61
<211> 122
<212> PRT
<213> Homo sapiens

50 <400> 61

55

Ala Thr Trp Asp Asp Ser Leu Ser Ala Tyr Val
1 5 10

<210> 65
<211> 331
<212> DNA
<213> Homo sapiens

<400> 65

```

cagtctgtcc tgactcagcc accctcagcg tctgggaccc ccgggcagag ggtcaccatc      60
tcttgtttctg gaagcagctc caacatcgga agtaattatg tatactggta ccagcagctc      120
ccaggaacgg cccccaaact cctcatctat aggaatactc agcggccctc agaggtcctt      180
gaccgattct ctggctccaa gtctggcgcc tcagcctccc tggccatcag tgggctccgg      240
tccgagggatg agactgatta ttactgtgca acatgggatg acagcctgag tgcttatgtc      300
ttcggaaactg ggaccaaagt caccgtccta g                                     331

```

<210> 66
<211> 110
<212> PRT
<213> Homo sapiens

<400> 66

```

Gln Ser Val Leu Thr Gln Pro Pro Ser Ala Ser Gly Thr Pro Gly Gln
1          5          10          15

Arg Val Thr Ile Ser Cys Ser Gly Ser Ser Ser Asn Ile Gly Ser Asn
20        25        30

Tyr Val Tyr Trp Tyr Gln Gln Leu Pro Gly Thr Ala Pro Lys Leu Leu
35        40        45

Ile Tyr Arg Asn Thr Gln Arg Pro Ser Glu Val Pro Asp Arg Phe Ser
50        55        60

Gly Ser Lys Ser Gly Ala Ser Ala Ser Leu Ala Ile Ser Gly Leu Arg
65        70        75        80

Ser Glu Asp Glu Thr Asp Tyr Tyr Cys Ala Thr Trp Asp Asp Ser Leu
85        90        95

Ser Ala Tyr Val Phe Gly Thr Gly Thr Lys Val Thr Val Leu
100       105       110

```

<210> 67
<211> 8
<212> PRT
<213> Homo sapiens

<400> 67

Gly Phe Thr Phe Ser Ser Tyr Gly
1 5

5

<210> 68
<211> 8
<212> PRT
<213> Homo sapiens

10

<400> 68

Ile Trp Tyr Asp Gly Thr Asn Lys
1 5

15

<210> 69
<211> 15
<212> PRT
<213> Homo sapiens

20

<400> 69

Ala Arg Ser Gly Tyr Ser Ser Ser Trp Tyr Gly Ala Met Asp Val
1 5 10 15

25

<210> 70
<211> 367
<212> DNA
<213> Homo sapiens

30

<400> 70

cagggtgcagc tgggtggagtc tgggggaggc gtgggtccagc ctgggaggtc cctgagactc 60

35

tcctgtgcag cgtctggatt caccttcagt agctatggca tgcactgggt ccgccaggct 120

ccaggcgagg ggctggagtg ggtggcagtt atatggtatg atggaactaa taaatactat 180

gcagactcct tgaagggccg attcaccatc tccagagaca attccaagaa cacgctctat 240

40

ctgcaaataga acaggctgag agccgaggac acggctgtgt attactgtgc gaggtccggg 300

tatagcagca gctggtacgg cgctatggac gtctggggcc aagggaccac ggtcaccgtc 360

45

tcctcag 367

<210> 71
<211> 122
<212> PRT
<213> Homo sapiens

50

<400> 71

55

1 Gln Val Gln Leu Val Glu Ser Gly Gly Gly Val Val Gln Pro Gly Arg
 5 Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Thr Phe Ser Ser Tyr
 10 Gly Met His Trp Val Arg Gln Ala Pro Gly Glu Gly Leu Glu Trp Val
 15 Ala Val Ile Trp Tyr Asp Gly Thr Asn Lys Tyr Tyr Ala Asp Ser Leu
 20 Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ser Lys Asn Thr Leu Tyr
 25 Leu Gln Met Asn Arg Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 30 Ala Arg Ser Gly Tyr Ser Ser Ser Trp Tyr Gly Ala Met Asp Val Trp
 35 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 40 Ser Ser Asp Val Gly Gly Tyr Tyr Tyr
 45 Glu Val Asn
 50
 55
 <210> 72
 <211> 9
 <212> PRT
 <213> Homo sapiens
 <400> 72
 <210> 73
 <211> 3
 <212> PRT
 <213> Homo sapiens
 <400> 73
 <210> 74
 <211> 10
 <212> PRT
 <213> Homo sapiens
 <400> 74

Ser Ser Tyr Ala Gly Ser Asn Thr Trp Val
1 5 10

<210> 75
<211> 331
<212> DNA
<213> Homo sapiens

<400> 75

```

cagtctgccc tgactcagcc tccctccgcg tccgggtctc ctggacagtc agtcaccatc      60
tcctgcactg gaaccagcag tgacgttggt ggttattact atgtctcctg gtaccaacag      120
caccagggca aagcccccaa actcatgatt tatgaggtca ataagcggcc ctcagggggtc      180
cctgatcgct tctctggctc caagtctggc atcacggcct ccctgaccgt ctctgggctc      240
cagtctgagg atgaggctga ttattactgc agctcatatg caggcagcaa cacttgggtg      300
ttcggcggag ggaccaagct gaccgtccta g                                     331

```

<210> 76
<211> 110
<212> PRT
<213> Homo sapiens

<400> 76

```

Gln Ser Ala Leu Thr Gln Pro Pro Ser Ala Ser Gly Ser Pro Gly Gln
1          5          10          15

Ser Val Thr Ile Ser Cys Thr Gly Thr Ser Ser Asp Val Gly Gly Tyr
20          25          30

Tyr Tyr Val Ser Trp Tyr Gln Gln His Pro Gly Lys Ala Pro Lys Leu
35          40          45

Met Ile Tyr Glu Val Asn Lys Arg Pro Ser Gly Val Pro Asp Arg Phe
50          55          60

Ser Gly Ser Lys Ser Gly Ile Thr Ala Ser Leu Thr Val Ser Gly Leu
65          70          75          80

Gln Ser Glu Asp Glu Ala Asp Tyr Tyr Cys Ser Ser Tyr Ala Gly Ser
85          90          95

Asn Thr Trp Val Phe Gly Gly Gly Thr Lys Leu Thr Val Leu
100         105         110

```

<210> 77
<211> 8
<212> PRT

<213> Homo sapiens

<400> 77

5 Gly Tyr Thr Phe Thr Ser Tyr Ala
1 5

<210> 78

$\langle 211 \rangle$ 8

10 <212> PRT

<213> Homo sapiens

<400> 78

15 Ile Asn Ala Gly Asn Gly Ile Thr
1 5

<210> 79

<211> 15

20 <212> PRT

<213> Homo sapiens

<400> 79

25 Ala Arg Asp Trp Ala Ala Ala Ile Thr Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 80

<211> 367

30 <212> DNA

<213> Homo sapiens

<400> 80

35	caggtccagc ttgtgcagtc tggggctgag gtgaagaggc ctggggcctc agtgaaggtt	60
	tcctgcaagg cttctggata caccttcaca agctacgcca tacattgggt gcgccaggcc	120
	cccggacaga ggcttgagtg gatgggatgg atcaacgctg gcaatggtat cacaaaatct	180
40	tcacagaagt tccagggcag agtcaccatt accaggggaca catccgcgaa cacagttttac	240
	ctggaactga gcagcctcag atctgaagac acggctgttt attattgtgc gagagattgg	300
45	gctgctgcta tcacctacta cggtatggac gtctggggcc aaggggaccac ggtcaccgtc	360
	tcctcag	367

<210> 81

50 $\langle 211 \rangle$ 122

<212> PRT

<213> Homo sapiens

<400> 81

55

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Arg Pro Gly Ala
1 5 10 15

	Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr	
	20 25 30	
5	Ala Ile His Trp Val Arg Gln Ala Pro Gly Gln Arg Leu Glu Trp Met	
	35 40 45	
10	Gly Trp Ile Asn Ala Gly Asn Gly Ile Thr Lys Ser Ser Gln Lys Phe	
	50 55 60	
15	Gln Gly Arg Val Thr Ile Thr Arg Asp Thr Ser Ala Asn Thr Val Tyr	
	65 70 75 80	
20	Leu Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys	
	85 90 95	
25	Ala Arg Asp Trp Ala Ala Ala Ile Thr Tyr Tyr Gly Met Asp Val Trp	
	100 105 110	
30	Gly Gln Gly Thr Thr Val Thr Val Ser Ser	
	115 120	
35	<210> 82	
	<211> 3	
	<212> PRT	
	<213> Homo sapiens	
40	<400> 82	
45	Arg Asn Asn	
	1	
50	<210> 83	
	<211> 10	
	<212> PRT	
	<213> Homo sapiens	
55	<400> 83	
60	Phe Gly Ala Gly Thr Lys Val Thr Val Leu	
	1 5 10	
65	<210> 84	
	<211> 331	
	<212> DNA	
	<213> Homo sapiens	
70	<400> 84	
75	cagtctgtgc tgactcagcc accctcagtg tctgggaccc ccgggcagag ggtcaccatc	60
80	tcttgtttctg gaagcagctc caacatcgga agtaattatg tatactggta ccagcagttc	120
85	ccaggaacgg cccccaaact cctcatctat aggaataatc agcggccctc agaggtcctt	180

gaccgattct ctggctccaa gtctggcgcc tcagcctccc tggccatcag tgggctccgg 240
 tccgaggatg agactgatta ttactgtgca acatgggatg acagcctgag tgcttatgtc 300
 5 ttcggagctg ggaccaaagt caccgtccta g 331

<210> 85

<211> 110

<212> PRT

10 <213> Homo sapiens

<400> 85

15 Gln Ser Val Leu Thr Gln Pro Pro Ser Val Ser Gly Thr Pro Gly Gln
 1 5 10 15

Arg Val Thr Ile Ser Cys Ser Gly Ser Ser Ser Asn Ile Gly Ser Asn
 20 20 25 30

Tyr Val Tyr Trp Tyr Gln Gln Phe Pro Gly Thr Ala Pro Lys Leu Leu
 35 40 45

25 Ile Tyr Arg Asn Asn Gln Arg Pro Ser Glu Val Pro Asp Arg Phe Ser
 50 55 60

30 Gly Ser Lys Ser Gly Ala Ser Ala Ser Leu Ala Ile Ser Gly Leu Arg
 65 70 75 80

Ser Glu Asp Glu Thr Asp Tyr Tyr Cys Ala Thr Trp Asp Asp Ser Leu
 85 90 95

35 Ser Ala Tyr Val Phe Gly Ala Gly Thr Lys Val Thr Val Leu
 100 105 110

40 <210> 86

<211> 8

<212> PRT

<213> Homo sapiens

45 <400> 86

Glu Phe Thr Phe Ser Thr Ala Gly
 1 5

50 <210> 87

<211> 8

<212> PRT

<213> Homo sapiens

55 <400> 87

Ile Ser Tyr Asp Gly Ser Asn Lys
 1 5

<210> 88
 <211> 15
 <212> PRT
 <213> Homo sapiens

5

<400> 88

Ala	Lys	Asp	Phe	Thr	Met	Val	Arg	Gly	Val	Ile	Ile	Met	Asp	Val
1				5					10				15	

10

<210> 89
 <211> 361
 <212> DNA
 <213> Homo sapiens

15

<400> 89

caggtgcagc	tggtggagtc	tggggggggc	gtactccagc	ctgggaagtc	cctgagactc	60
tcctgtgcag	cctctgaatt	caccttcagt	accgctggca	tgactgggt	ccgccaggct	120
ccaggcaagg	ggctggagtg	ggtgactttt	atatcatatg	atggaagtaa	taaatactat	180
gcagactccg	tgaagggccg	attcaccatc	tccagagaca	attccaaggt	gtatctgcaa	240
atgaacagcc	tgagaactga	ggacacggct	gtgtattact	gtgcgaaaga	tttactatg	300
gttcgggggag	ttattataat	ggacgtctgg	ggccaaggga	ccacggtcac	cgtctcctca	360
g						361

30

<210> 90
 <211> 120
 <212> PRT
 <213> Homo sapiens

35

<400> 90

40

45

50

55

<210> 94
 <211> 322
 <212> DNA
 <213> Homo sapiens

5
 <400> 94

```

gacatccaga tgacccagtc tccatcctcc ctgtctgtat ctgtaggaga cagagtcacc      60
10  atcacttgcc aggcgagtc ggacattagc aactatttaa attggtatca gcagaaacca      120
    gggaaagccc ctaagctcct gatctacgat gcatccaatt tggaaacagg ggtcccatca      180
    aggttcagtg gaagtggatc tgggacagat tttactttca tcatcagcag cctgcagcct      240
15  gaagatattg caacatatta ctgtcaacag tatgataatc tcccgatcac cttcggccaa      300
    gggacacgac tggagatcaa ac                                          322
  
```

<210> 95
 <211> 107
 <212> PRT
 <213> Homo sapiens

25
 <400> 95

```

Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Val Ser Val Gly
1           5           10           15
30
Asp Arg Val Thr Ile Thr Cys Gln Ala Ser Gln Asp Ile Ser Asn Tyr
          20           25           30
35
Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile
          35           40           45
40
Tyr Asp Ala Ser Asn Leu Glu Thr Gly Val Pro Ser Arg Phe Ser Gly
          50           55           60
45
Ser Gly Ser Gly Thr Asp Phe Thr Phe Ile Ile Ser Ser Leu Gln Pro
65           70           75           80
45
Glu Asp Ile Ala Thr Tyr Tyr Cys Gln Gln Tyr Asp Asn Leu Pro Ile
          85           90           95
50
Thr Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys
          100          105
  
```

<210> 96
 <211> 8
 <212> PRT
 <213> Homo sapiens

<400> 96

Gly Gly Ser Ile Ser Ser Tyr Tyr
1 5

5 <210> 97
<211> 7
<212> PRT
<213> Homo sapiens

10 <400> 97

Ile Tyr Tyr Ser Gly Ser Thr
1 5

15 <210> 98
<211> 8
<212> PRT
<213> Homo sapiens

20 <400> 98

Ala Lys Gly Ala Ala Gly Asp Tyr
1 5

25 <210> 99
<211> 343
<212> DNA
<213> Homo sapiens

30 <400> 99

cagggtgcagc tgcaggagtc gggcccagga ctggtgaagc cttcggagac cctgtccctc 60
acctgcactg tctctggtgg ctccatcagt agttattact ggagctggat ccggcagccc 120
35 ccagggaagg gactggagtg gattgggtat atctattaca gtgggagcac caactataac 180
ccctccctca agagtcgagt caacatatca gtagacacgt ccaagaacca gttctccctg 240
aggctgagtt ctgtgaccgc tgcggacacg gccgtgtatt attgtgcgaa aggggcagct 300
40 ggggactact ggggccaggg aaccctggtc accgtctcct cag 343

45 <210> 100
<211> 114
<212> PRT
<213> Homo sapiens

50 <400> 100

55

gaaattgtgt tggcacagtc tccagccacc ctgtctttgt ctccagggga aagagccacg 60
 ttctcctgca gggccagtca gagtgttaac agctacttag cctggcacca acagaaacct 120
 5 gggcaggctc ccaggctcct catctatgat gcatccaaca gggccactgg catcccagcc 180
 aggttcagtg gcagtgggtc cgggacagac ttcactctca ccatcagcag cctagagcct 240
 gaagattttg cagtttatta ctgtcagcag cgtaacaact ggcctatcac cttcggccaa 300
 10 gggacacgac tggagatcaa ac 322

<210> 104

<211> 107

15 <212> PRT

<213> Homo sapiens

<400> 104

20 Glu Ile Val Leu Ala Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
 1 5 10 15

25 Glu Arg Ala Thr Phe Ser Cys Arg Ala Ser Gln Ser Val Asn Ser Tyr
 20 25 30

30 Leu Ala Trp His Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 35 40 45

Tyr Asp Ala Ser Asn Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50 55 60

35 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
 65 70 75 80

40 Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Arg Asn Asn Trp Pro Ile
 85 90 95

Thr Phe Gly Gln Gly Thr Arg Leu Glu Ile Lys
 100 105

45 <210> 105
 <211> 8

<212> PRT

<213> Homo sapiens

50 <400> 105

Gly Gly Ser Ile Ser Lys Tyr Tyr
 1 5

55 <210> 106
 <211> 7

<212> PRT

<213> Homo sapiens

<400> 106

5 Ile Tyr Tyr Ser Gly Asn Thr
 1 5

<210> 107

<211> 7

10 <212> PRT

<213> Homo sapiens

<400> 107

15 Ala Arg Gly Leu Gly Asp Tyr
 1 5

<210> 108

<211> 340

20 <212> DNA

<213> Homo sapiens

<400> 108

25 caggtgcagc tgcaggagtc gggcccagga ctggtgaagc ctcgggagac cctgtccctc 60
 acctgcactg tctctggtgg ctccatcagt aaatactact ggagctggat ccggcagccc 120
 ccaggggaagg gactggagtg gattggatat atctattaca gtgggaacac ctaccagaat 180
30 ccctccctca agagtcgagt caccatatca atagacacgt ccaagaacca gatctccctg 240
 aaggtgagct ctgtgaccgc tgcggacacg gccgtctatt actgtgcgag agggctgggg 300
35 gactactggg gccagggaac cctggtcacc gtctcctcag 340

<210> 109

<211> 113

<212> PRT

40 <213> Homo sapiens

<400> 109

45

50

55

gaaattgtgt tgacacagtc tccagccacc ctgtctttgt ctccagggga aagagccacc 60
 ctctcctgca gggccagtca gagtgtagc agctacttag cctggcacca acagaaacct 120
 5 gggcaggctc ccaggctcct catctatgat gcatccaaca gggccactgg catcccagcc 180
 aggttcagtg gcagtgggtc tgggacagac ttcactctca ccatcagcag cctagagcct 240
 gaagattttg cagtttatta ctgtcagcaa cgtagcaact ggcctctcac tttcggcgga 300
 10 gggaccaagg tggagatcaa ac 322

<210> 113
 <211> 107
 15 <212> PRT
 <213> Homo sapiens
 <400> 113

20 Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
 1 5 10 15
 Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Ser Tyr
 25 20 25 30
 Leu Ala Trp His Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 30 35 40 45
 Tyr Asp Ala Ser Asn Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
 50 55 60
 35 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
 65 70 75 80
 Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Arg Ser Asn Trp Pro Leu
 40 85 90 95
 Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
 45 100 105

<210> 114
 <211> 8
 <212> PRT
 <213> Homo sapiens
 50 <400> 114

Gly Gly Ser Ile Ser Arg Tyr Tyr
 55 1 5
 <210> 115
 <211> 7
 <212> PRT

<213> Homo sapiens

<400> 115

5 Ile Tyr Tyr Ser Gly Thr Thr
 1 5

<210> 116

<211> 7

10 <212> PRT

<213> Homo sapiens

<400> 116

15 Ala Arg Gly Leu Gly Asp Phe
 1 5

<210> 117

<211> 340

20 <212> DNA

<213> Homo sapiens

<400> 117

25 caggtgcagc tgcaggagtc gggcccagga ctggtgaagc cttcggagac cctgtccctc 60
 acctgcagtg tctctggtgg ctccattagt agatattact ggagctggat ccggcagccc 120
 ccagggaagg gactggagtg gattggatat atctattaca gtgggaccac ctactataac 180
30 ccctccctca agagtcgagt caccttttca gtagacacgt ccaagaccca gttctccctg 240
 aaacttaact ctgtgaccgc tgcggacacg gccgtatatt actgtgcgag aggactgggg 300
35 gacttctggg gccggggaac cctgggcacc gtctcctcag 340

<210> 118

<211> 113

<212> PRT

40 <213> Homo sapiens

<400> 118

45 Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
 1 5 10 15

 Thr Leu Ser Leu Thr Cys Ser Val Ser Gly Gly Ser Ile Ser Arg Tyr
50 20 25 30

 Tyr Trp Ser Trp Ile Arg Gln Pro Pro Gly Lys Gly Leu Glu Trp Ile
 35 40 45
55 Gly Tyr Ile Tyr Tyr Ser Gly Thr Thr Tyr Tyr Asn Pro Ser Leu Lys
 50 55 60

Ser Arg Val Thr Phe Ser Val Asp Thr Ser Lys Thr Gln Phe Ser Leu
 65 70 75 80

5 Lys Leu Asn Ser Val Thr Ala Ala Asp Thr Ala Val Tyr Tyr Cys Ala
 85 90 95

10 Arg Gly Leu Gly Asp Phe Trp Gly Arg Gly Thr Leu Val Thr Val Ser
 100 105 110

Ser

15 <210> 119
 <211> 6
 <212> PRT
 <213> Homo sapiens

20 <400> 119

Gln Ser Val Ser Gly Tyr
 1 5

25 <210> 120
 <211> 322
 <212> DNA
 <213> Homo sapiens

30 <400> 120

gaaattgtgt tgactcagtc tccagccacc ctgtcattgt ctccagggga aagggccacc 60
 ctctcctgcc gggccagtca gagtgtagc ggctacttag cctggcacca acagaaacct 120
 35 ggccaggctc ccaggctcct catctatgat gcatccaaca gggccactgg catcccagcc 180
 agattcagtg gcagtggtc tgggacagac ttcactctca ccatcagcag cctagagcct 240
 40 gaagattttg cagtttatta ctgtcagcaa cgtagcaact ggcctctcac tttcggcgga 300
 gggaccaagg tggagatcaa ac 322

45 <210> 121
 <211> 107
 <212> PRT
 <213> Homo sapiens

50 <400> 121

Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
 1 5 10 15

55 Glu Arg Ala Thr Leu Ser Cys Arg Ala Ser Gln Ser Val Ser Gly Tyr
 20 25 30

```

Leu Ala Trp His Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
35 40 45

5 Tyr Asp Ala Ser Asn Arg Ala Thr Gly Ile Pro Ala Arg Phe Ser Gly
50 55 60

10 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
65 70 75 80

15 Glu Asp Phe Ala Val Tyr Tyr Cys Gln Gln Arg Ser Asn Trp Pro Leu
85 90 95

20 Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys
100 105

<210> 122
<211> 10
<212> PRT
<213> Homo sapiens

25 <400> 122

Gly Gly Ser Ile Ser Ser Gly Ile Tyr Tyr
1 5 10

30 <210> 123
<211> 7
<212> PRT
<213> Homo sapiens

35 <400> 123

Ile Asn Asn Ser Gly Asn Thr
1 5

40 <210> 124
<211> 8
<212> PRT
<213> Homo sapiens

45 <400> 124

Ala Arg Gly Gly Ser Gly Asp Tyr
1 5

50 <210> 125
<211> 349
<212> DNA
<213> Homo sapiens

55 <400> 125

```

5 caggtgcagc tgcaggagtc gggcccagga ctggtgaagc cttcagagac cctgtccctc 60
 acctgcactg tctctggtgg ctccatcagt agtggatat actactggag ttggatccgc 120
 10 cagcaccag ggaagggcct ggagtggatt ggatacatca ataacagtgg gaacacctac 180
 tacaacccgt ccctcaaggg tcgagttaac atatcagtag acacgtctaa gaaacagttc 240
 tccctgaagc tgagctctgt gactgacgcg gacacggccg tctattactg tgcgaggggg 300
 ggatcggggc actactgggg ccaggaacc ctggtcaccg tctcctcag 349

15 <210> 126
 <211> 116
 <212> PRT
 <213> Homo sapiens
 20 <400> 126

Gln Val Gln Leu Gln Glu Ser Gly Pro Gly Leu Val Lys Pro Ser Glu
 1 5 10 15
 25 Thr Leu Ser Leu Thr Cys Thr Val Ser Gly Gly Ser Ile Ser Ser Gly
 20 25 30
 30 Ile Tyr Tyr Trp Ser Trp Ile Arg Gln His Pro Gly Lys Gly Leu Glu
 35 40 45
 Trp Ile Gly Tyr Ile Asn Asn Ser Gly Asn Thr Tyr Tyr Asn Pro Ser
 50 55 60
 35 Leu Lys Gly Arg Val Asn Ile Ser Val Asp Thr Ser Lys Lys Gln Phe
 65 70 75 80
 40 Ser Leu Lys Leu Ser Ser Val Thr Asp Ala Asp Thr Ala Val Tyr Tyr
 85 90 95
 45 Cys Ala Arg Gly Gly Ser Gly Asp Tyr Trp Gly Gln Gly Thr Leu Val
 100 105 110
 Thr Val Ser Ser
 115

50 <210> 127
 <211> 28
 <212> PRT
 <213> Homo sapiens
 55 <400> 127

Met Gln Arg Val Asn Met Ile Met Ala Glu Ser Pro Gly Leu Ile Thr
 1 5 10 15

5 Ile Cys Leu Leu Gly Tyr Leu Leu Ser Ala Glu Cys
 20 25

<210> 128

<211> 6

10 <212> PRT

<213> Homo sapiens

<400> 128

15 Gln Ser Ile Asn Asn Tyr
 1 5

<210> 129

<211> 9

20 <212> PRT

<213> Homo sapiens

<400> 129

25 Gln Gln Arg Asn Asn Trp Pro Pro Thr
 1 5

<210> 130

<211> 322

30 <212> DNA

<213> Homo sapiens

<400> 130

35 gaaatttgtgt tgacacagtc tccagccacc ctgtctttgt ctccagggga aagagccacc 60
 ctctcctgca ggaccagtca gagtattaac aactacttag cctgggtcca acagaaacct 120
 ggccaggctc ccaggctcct catctatgat gcatccaaca gggcccctgg catcccagcc 180
 40 aggttcagtg gcagtgggtc tgggacagac ttcactctca ccatcagcag cctggagcct 240
 gaagattttg tagtttattt ctgtcagcag cgtaacaact ggcctccgac attcggccaa 300
 45 gggaccaagg tggaaatcaa ac 322

<210> 131

<211> 107

<212> PRT

50 <213> Homo sapiens

<400> 131

55

Glu Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Leu Ser Pro Gly
 1 5 10 15

5 Glu Arg Ala Thr Leu Ser Cys Arg Thr Ser Gln Ser Ile Asn Asn Tyr
 20 25 30

10 Leu Ala Trp Phe Gln Gln Lys Pro Gly Gln Ala Pro Arg Leu Leu Ile
 35 40 45

Tyr Asp Ala Ser Asn Arg Ala Pro Gly Ile Pro Ala Arg Phe Ser Gly
 50 55 60

15 Ser Gly Ser Gly Thr Asp Phe Thr Leu Thr Ile Ser Ser Leu Glu Pro
 65 70 75 80

20 Glu Asp Phe Val Val Tyr Phe Cys Gln Gln Arg Asn Asn Trp Pro Pro
 85 90 95

Thr Phe Gly Gln Gly Thr Lys Val Glu Ile Lys
 25 100 105

<210> 132
 <211> 25
 <212> PRT
 30 <213> Homo sapiens
 <400> 132

35 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser
 20 25

40 <210> 133
 <211> 17
 <212> PRT
 <213> Homo sapiens
 45 <400> 133

Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val Ala
 50 1 5 10 15

Asn

55 <210> 134
 <211> 38
 <212> PRT
 <213> Homo sapiens

<400> 134

5 Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn
 1 5 10 15

 Ala Lys Lys Ser Val Tyr Val Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

10

 Thr Ala Val Tyr Tyr Cys
 35

<210> 135

15 <211> 11

<212> PRT

<213> Homo sapiens

<400> 135

20

 Trp Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 1 5 10

<210> 136

25 <211> 25

<212> PRT

<213> Homo sapiens

<400> 136

30

 Ser Tyr Val Leu Thr Gln Pro Pro Ser Val Ser Val Ala Pro Gly Glu
 1 5 10 15

35

 Thr Ala Arg Ile Thr Cys Gly Gly Asp
 20 25

<210> 137

40 <211> 17

<212> PRT

<213> Homo sapiens

<400> 137

45

 Val Tyr Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Val Leu Val Ile
 1 5 10 15

50

Tyr

<210> 138

<211> 36

<212> PRT

<213> Homo sapiens

55

<400> 138

```

      Asp Arg Pro Ser Gly Ile Pro Glu Arg Phe Ser Gly Ser Asn Ser Gly
      1           5           10           15

5      Asn Thr Ala Thr Leu Thr Ile Ser Arg Val Glu Ala Gly Asp Glu Ala
      20           25           30

10     Asp Tyr Tyr Cys
      35

      <210> 139
      <211> 10
      <212> PRT
15     <213> Homo sapiens

      <400> 139

20           Phe Gly Gly Gly Thr Lys Leu Thr Val Leu
      1           5           10

      <210> 140
      <211> 8
      <212> PRT
25     <213> Homo sapiens

      <220>
      <221> MISC_FEATURE
      <222> (3) .. (3)
30     <223> Xaa = Thr or Ile

      <220>
      <221> MISC_FEATURE
      <222> (5) .. (5)
35     <223> Xaa = Ser or Asn

      <220>
      <221> MISC_FEATURE
      <222> (6) .. (6)
40     <223> Xaa = Ser or Asn

      <400> 140

45           Gly Phe Xaa Phe Xaa Xaa Tyr Met
      1           5

      <210> 141
      <211> 8
      <212> PRT
50     <213> Homo sapiens

      <220>
      <221> MISC_FEATURE
      <222> (2) .. (2)
55     <223> Xaa = Asn or Lys

      <400> 141

```


Ile Xaa Gln Asp Gly Ser Glu Lys
1 5

5 <210> 142
<211> 13
<212> PRT
<213> Homo sapiens

10 <220>
<221> MISC_FEATURE
<222> (6) .. (6)
<223> Xaa = Ser or Thr

15 <220>
<221> MISC_FEATURE
<222> (7) .. (7)
<223> Xaa = Ser or Asp

20 <220>
<221> MISC_FEATURE
<222> (8) .. (8)
<223> Xaa = Ser or Tyr

25 <220>
<221> MISC_FEATURE
<222> (9) .. (9)
<223> Xaa = Ser or Tyr

30 <400> 142

Ala Arg Glu Gly Tyr Xaa Xaa Xaa Xaa Gly Met Asp Val
1 5 10

35 <210> 143
<211> 327
<212> PRT
<213> Homo sapiens

40 <400> 143

45

50

55

	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	
	1				5					10					15		
5	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
				20					25					30			
10	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
			35					40					45				
15	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
		50					55					60					
20	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	
	65					70					75					80	
25	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	
				85						90					95		
30	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	
				100					105					110			
35	Glu	Phe	Glu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	
			115					120					125				
40	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	
	130						135					140					

	Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp	
	145	150 155 160
5	Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe	
		165 170 175
10	Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp	
		180 185 190
15	Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu	
		195 200 205
20	Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg	
		210 215 220
25	Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys	
		225 230 235 240
30	Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp	
		245 250 255
35	Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys	
		260 265 270
40	Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser	
		275 280 285
45	Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser	
		290 295 300
50	Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser	
		305 310 315 320
55	Leu Ser Leu Ser Leu Gly Lys	
		325
55	<210> 144	
	<211> 327	
	<212> PRT	
	<213> Artificial Sequence	
50	<220>	
	<223> IgG4ra	
	<400> 144	

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
 1 5 10 15

5 Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr

10

15

20

25

30

35

40

45

50

55

	20	25	30
5	Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser 35 40 45		
10	Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser 50 55 60		
15	Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Lys Thr 65 70 75 80		
20	Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys 85 90 95		
25	Arg Val Glu Ser Lys Tyr Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro 100 105 110		
30	Glu Phe Glu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys 115 120 125		
35	Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val 130 135 140		
40	Asp Val Ser Gln Glu Asp Pro Glu Val Gln Phe Asn Trp Tyr Val Asp 145 150 155 160		
45	Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe 165 170 175		
50	Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp 180 185 190		
55	Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu 195 200 205		
	Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg 210 215 220		
	Glu Pro Gln Val Cys Thr Leu Pro Pro Ser Gln Glu Glu Met Thr Lys 225 230 235 240		
	Asn Gln Val Ser Leu Trp Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp 245 250 255		
	Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys 260 265 270		

	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	
			275					280					285				
5	Arg	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	
	290						295					300					
10	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	
	305					310					315					320	
	Leu	Ser	Leu	Ser	Leu	Gly	Lys										
					325												
15																	
	<210> 145																
	<211> 327																
	<212> PRT																
	<213> Artificial Sequence																
20																	
	<220>																
	<223> IgG4yb																
	<400> 145																
25																	
30																	
35																	
40																	
45																	
50																	
55																	

	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	
	1				5					10					15		
5	Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
				20					25					30			
10	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	
			35					40					45				
15	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	
	50						55					60					
20	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Lys	Thr	
	65					70					75					80	
25	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	
				85						90					95		
30	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	
				100					105					110			
35	Glu	Phe	Glu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	
			115					120					125				
40	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	
	130						135					140					
45	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	
50																	
55																	

	145		150		155		160
5	Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Phe	165	170	175			
10	Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp	180	185	190			
15	Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu	195	200	205			
20	Pro Ser Ser Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg	210	215	220			
25	Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Gln Cys Glu Met Thr Lys	225	230	235			240
30	Asn Gln Val Ser Leu Ser Cys Ala Val Lys Gly Phe Tyr Pro Ser Asp	245	250	255			
35	Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys	260	265	270			
40	Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Val Ser	275	280	285			
45	Arg Leu Thr Val Asp Lys Ser Arg Trp Gln Glu Gly Asn Val Phe Ser	290	295	300			
50	Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser	305	310	315			320
55	Leu Ser Leu Ser Leu Gly Lys	325					

<210> 146
 <211> 106
 <212> PRT
 <213> Homo sapiens

<400> 146

	Gly	Gln	Pro	Lys	Ala	Ala	Pro	Ser	Val	Thr	Leu	Phe	Pro	Pro	Ser	Ser		
	1				5					10					15			
5		Glu	Glu	Leu	Gln	Ala	Asn	Lys	Ala	Thr	Leu	Val	Cys	Leu	Ile	Ser	Asp	
				20					25					30				
	Phe	Tyr	Pro	Gly	Ala	Val	Thr	Val	Ala	Trp	Lys	Ala	Asp	Ser	Ser	Pro		
10																		
				35					40					45				
	Val	Lys	Ala	Gly	Val	Glu	Thr	Thr	Thr	Pro	Ser	Lys	Gln	Ser	Asn	Asn		
15		50					55					60						
	Lys	Tyr	Ala	Ala	Ser	Ser	Tyr	Leu	Ser	Leu	Thr	Pro	Glu	Gln	Trp	Lys		
20	65					70					75					80		
	Ser	His	Lys	Ser	Tyr	Ser	Cys	Gln	Val	Thr	His	Glu	Gly	Ser	Thr	Val		
					85					90					95			
25	Glu	Lys	Thr	Val	Ala	Pro	Thr	Glu	Cys	Ser								
				100					105									

<210> 147
 <211> 108
 <212> PRT
 <213> Homo sapiens

<400> 147

Lys Arg Thr Val Ala Ala Pro Ser Val Phe Ile Phe Pro Pro Ser Asp
 1 5 10 15
 5
 Glu Gln Leu Lys Ser Gly Thr Ala Ser Val Val Cys Leu Leu Asn Asn
 20 25 30
 10
 Phe Tyr Pro Arg Glu Ala Lys Val Gln Trp Lys Val Asp Asn Ala Leu
 35 40 45
 15
 Gln Ser Gly Asn Ser Gln Glu Ser Val Thr Glu Gln Asp Ser Lys Asp
 50 55 60
 20
 Ser Thr Tyr Ser Leu Ser Ser Thr Leu Thr Leu Ser Lys Ala Asp Tyr
 65 70 75 80
 25
 Glu Lys His Lys Val Tyr Ala Cys Glu Val Thr His Gln Gly Leu Ser
 85 90 95
 30
 Ser Pro Val Thr Lys Ser Phe Asn Arg Gly Glu Cys
 100 105
 <210> 148
 <211> 25
 <212> PRT
 <213> Homo sapiens
 <400> 148
 35
 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Ala Ser
 20 25
 40
 <210> 149
 <211> 38
 <212> PRT
 <213> Homo sapiens
 45
 <400> 149
 50
 Tyr Tyr Val Asp Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn
 1 5 10 15
 55
 Ala Lys Asn Ser Leu Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30
 60
 Thr Ala Val Tyr Tyr Cys
 35
 <210> 150

<211> 25
 <212> PRT
 <213> Homo sapiens

5 <400> 150

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

10

Ser Leu Arg Leu Ser Cys Val Ala Ser
 20 25

<210> 151
 <211> 25
 <212> PRT
 <213> Homo sapiens

15

<400> 151

20

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Gln Pro Gly Gly
 1 5 10 15

25

Ser Leu Arg Leu Ser Cys Ala Val Ser
 20 25

<210> 152
 <211> 38
 <212> PRT
 <213> Homo sapiens

30

<400> 152

35

Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn

1 5 10 15

40

Ala Lys Asn Ser Val Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

45

Thr Ala Val Tyr Tyr Cys
 35

<210> 153
 <211> 38
 <212> PRT
 <213> Homo sapiens

50

<400> 153

55

Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Ile Ile Ser Arg Asp Asn
 1 5 10 15
 5
 Ala Lys Asn Ser Val Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30
 10
 Thr Ala Val Tyr Tyr Cys
 35
 <210> 154
 <211> 11
 <212> PRT
 15
 <213> Homo sapiens
 <400> 154
 20
 Trp Gly Gln Gly Thr Thr Val Ser Val Ser Ser
 1 5 10
 <210> 155
 <211> 38
 <212> PRT
 25
 <213> Homo sapiens
 <400> 155
 30
 Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn
 1 5 10 15
 35
 Ala Lys Asn Ser Val Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30
 40
 Thr Ala Val Tyr Tyr Cys
 35
 <210> 156
 <211> 38
 <212> PRT
 <213> Homo sapiens
 45
 <400> 156
 50
 Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn
 1 5 10 15
 55
 Ala Lys Lys Ser Val Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30
 Thr Ala Val Tyr Tyr Cys
 35
 <210> 157

<211> 38
 <212> PRT
 <213> Homo sapiens

5 <400> 157

Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn
 1 5 10 15

10

Ala Lys Asn Ser Val Tyr Val Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

15

Thr Ala Val Tyr Tyr Cys
 35

<210> 158
 <211> 38
 <212> PRT
 <213> Homo sapiens

20

<400> 158

25

Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn
 1 5 10 15

30

Ala Lys Lys Ser Val Tyr Val Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

Thr Ala Val Tyr Tyr Cys
 35

35

<210> 159
 <211> 38
 <212> PRT
 <213> Homo sapiens

40

<400> 159

Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn
 1 5 10 15

45

Ala Lys Asn Ser Val Tyr Val Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

50

Thr Ala Val Tyr Tyr Cys
 35

<210> 160
 <211> 38
 <212> PRT
 <213> Homo sapiens

55

<400> 160

Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn
 1 5 10 15

5 Ala Lys Lys Ser Val Tyr Leu Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

10 Thr Ala Val Tyr Tyr Cys
 35

<210> 161
 <211> 15
 <212> PRT
 15 <213> Homo sapiens
 <400> 161

20 Ala Arg Glu Gly Tyr Ala Ser Ser Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15

<210> 162
 <211> 15
 <212> PRT
 25 <213> Homo sapiens
 <400> 162

30 Ala Arg Glu Gly Tyr Ser Ala Ser Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15

<210> 163
 <211> 15
 <212> PRT
 35 <213> Homo sapiens
 <400> 163

40 Ala Arg Glu Gly Tyr Ser Ser Ala Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15

<210> 164
 <211> 15
 <212> PRT
 45 <213> Homo sapiens
 <400> 164

50 Ala Arg Glu Gly Tyr Ser Ser Ser Ala Tyr Tyr Gly Met Asp Val
 1 5 10 15

<210> 165
 <211> 15
 <212> PRT
 55 <213> Homo sapiens
 <400> 165

	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Cys	Ser	Tyr	Tyr	Gly	Met	Asp	Val
	1				5					10					15

5 <210> 166
 <211> 15
 <212> PRT
 <213> Homo sapiens

 10 <400> 166

	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Asp	Ser	Tyr	Tyr	Gly	Met	Asp	Val
	1				5					10					15

15 <210> 167
 <211> 15
 <212> PRT
 <213> Homo sapiens

 20 <400> 167

	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Glu	Ser	Tyr	Tyr	Gly	Met	Asp	Val
	1				5					10					15

25 <210> 168
 <211> 15
 <212> PRT
 <213> Homo sapiens

 30 <400> 168

	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Phe	Ser	Tyr	Tyr	Gly	Met	Asp	Val
	1				5					10					15

35 <210> 169
 <211> 15
 <212> PRT
 <213> Homo sapiens

 40 <400> 169

	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Gly	Ser	Tyr	Tyr	Gly	Met	Asp	Val
	1				5					10					15

45 <210> 170
 <211> 15
 <212> PRT
 <213> Homo sapiens

 50 <400> 170

	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	His	Ser	Tyr	Tyr	Gly	Met	Asp	Val
	1				5					10					15

55 <210> 171
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 171

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

5

<210> 172

<211> 15

<212> PRT

<213> Homo sapiens

10

<400> 172

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Lys	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

15

<210> 173

<211> 15

<212> PRT

<213> Homo sapiens

20

<400> 173

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Leu	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

25

<210> 174

<211> 15

<212> PRT

<213> Homo sapiens

30

<400> 174

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Met	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

35

<210> 175

<211> 15

<212> PRT

<213> Homo sapiens

40

<400> 175

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Asn	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

45

<210> 176

<211> 15

<212> PRT

<213> Homo sapiens

50

<400> 176

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Pro	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

55

<210> 177

<211> 15

<212> PRT

<213> Homo sapiens

<400> 177

5 Ala Arg Glu Gly Tyr Ser Ser Gln Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 178

<211> 15

10 <212> PRT

<213> Homo sapiens

<400> 178

15 Ala Arg Glu Gly Tyr Ser Ser Arg Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 179

<211> 15

20 <212> PRT

<213> Homo sapiens

<400> 179

25 Ala Arg Glu Gly Tyr Ser Ser Thr Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

$\langle 210 \rangle$ 180

<211> 15

30 <212> PRT

<213> Homo sapiens

<400> 180

35 Ala Arg Glu Gly Tyr Ser Ser Val Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 181

<211> 15

40 <212> PRT

<213> Homo sapiens

<400> 181

45 Ala Arg Glu Gly Tyr Ser Ser Trp Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 182

<211> 15

50 <212> PRT

<213> Homo sapiens

<400> 182

55 Ala Arg Glu Gly Tyr Ser Ser Tyr Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 183

```

<211> 15
<212> PRT
<213> Homo sapiens

5      <400> 183

      Ala Arg Glu Gly Tyr Ser Ser Ser Cys Tyr Tyr Gly Met Asp Val
      1          5          10          15

10     <210> 184
      <211> 15
      <212> PRT
      <213> Homo sapiens

15     <400> 184

      Ala Arg Glu Gly Tyr Ser Ser Ser Asp Tyr Tyr Gly Met Asp Val
      1          5          10          15

20     <210> 185
      <211> 15
      <212> PRT
      <213> Homo sapiens

25     <400> 185

      Ala Arg Glu Gly Tyr Ser Ser Ser Glu Tyr Tyr Gly Met Asp Val
      1          5          10          15

30     <210> 186
      <211> 15
      <212> PRT
      <213> Homo sapiens

35     <400> 186

      Ala Arg Glu Gly Tyr Ser Ser Ser Phe Tyr Tyr Gly Met Asp Val
      1          5          10          15

40     <210> 187
      <211> 15
      <212> PRT
      <213> Homo sapiens

45     <400> 187

      Ala Arg Glu Gly Tyr Ser Ser Ser Gly Tyr Tyr Gly Met Asp Val
      1          5          10          15

50     <210> 188
      <211> 15
      <212> PRT
      <213> Homo sapiens

55     <400> 188

      Ala Arg Glu Gly Tyr Ser Ser Ser His Tyr Tyr Gly Met Asp Val
      1          5          10          15

```

<210> 189
 <211> 15
 <212> PRT
 <213> Homo sapiens
 5
 <400> 189

 Ala Arg Glu Gly Tyr Ser Ser Ser Ile Tyr Tyr Gly Met Asp Val
 1 5 10 15
 10
 <210> 190
 <211> 15
 <212> PRT
 <213> Homo sapiens
 15
 <400> 190

 Ala Arg Glu Gly Tyr Ser Ser Ser Lys Tyr Tyr Gly Met Asp Val
 1 5 10 15
 20
 <210> 191
 <211> 15
 <212> PRT
 <213> Homo sapiens
 25
 <400> 191

 Ala Arg Glu Gly Tyr Ser Ser Ser Leu Tyr Tyr Gly Met Asp Val
 1 5 10 15
 30
 <210> 192
 <211> 15
 <212> PRT
 <213> Homo sapiens
 35
 <400> 192

 Ala Arg Glu Gly Tyr Ser Ser Ser Met Tyr Tyr Gly Met Asp Val
 1 5 10 15
 40
 <210> 193
 <211> 15
 <212> PRT
 <213> Homo sapiens
 45
 <400> 193
 50
 Ala Arg Glu Gly Tyr Ser Ser Ser Asn Tyr Tyr Gly Met Asp Val
 1 5 10 15
 55
 <210> 194
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 194

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Pro	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

5

<210> 195

<211> 15

<212> PRT

<213> Homo sapiens

10

<400> 195

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Gln	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

15

<210> 196

<211> 15

<212> PRT

<213> Homo sapiens

20

<400> 196

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Arg	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

25

<210> 197

<211> 15

<212> PRT

<213> Homo sapiens

30

<400> 197

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Thr	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

35

<210> 198

<211> 15

<212> PRT

<213> Homo sapiens

40

<400> 198

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Val	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

45

<210> 199

<211> 15

<212> PRT

<213> Homo sapiens

50

<400> 199

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Trp	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

55

<210> 200

<211> 15

<212> PRT

<213> Homo sapiens

<400> 200

5 Ala Arg Glu Gly Tyr Ser Ser Ser Tyr Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 201

<211> 15

10 <212> PRT

<213> Homo sapiens

<400> 201

15 Ala Arg Glu Gly Tyr Cys Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 202

<211> 15

20 <212> PRT

<213> Homo sapiens

<400> 202

25 Ala Arg Glu Gly Tyr Asp Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 203

<211> 15

30 <212> PRT

<213> Homo sapiens

<400> 203

35 Ala Arg Glu Gly Tyr Glu Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 204

<211> 15

40 <212> PRT

<213> Homo sapiens

<400> 204

45 Ala Arg Glu Gly Tyr Phe Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 205

<211> 15

50 <212> PRT

<213> Homo sapiens

<400> 205

55 Ala Arg Glu Gly Tyr Gly Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 206

<211> 15
 <212> PRT
 <213> Homo sapiens

5 <400> 206

Ala	Arg	Glu	Gly	Tyr	His	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

10 <210> 207
 <211> 15
 <212> PRT
 <213> Homo sapiens

15 <400> 207

Ala	Arg	Glu	Gly	Tyr	Ile	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

20 <210> 208
 <211> 15
 <212> PRT
 <213> Homo sapiens

25 <400> 208

Ala	Arg	Glu	Gly	Tyr	Lys	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

30 <210> 209
 <211> 15
 <212> PRT
 <213> Homo sapiens

35 <400> 209

Ala	Arg	Glu	Gly	Tyr	Leu	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

40 <210> 210
 <211> 15
 <212> PRT
 <213> Homo sapiens

45 <400> 210

Ala	Arg	Glu	Gly	Tyr	Met	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

50 <210> 211
 <211> 15
 <212> PRT
 <213> Homo sapiens

55 <400> 211

Ala	Arg	Glu	Gly	Tyr	Asn	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 212
 <211> 15
 <212> PRT
 <213> Homo sapiens
 5
 <400> 212

 Ala Arg Glu Gly Tyr Pro Ser Ser Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15
 10
 <210> 213
 <211> 15
 <212> PRT
 <213> Homo sapiens
 15
 <400> 213

 Ala Arg Glu Gly Tyr Gln Ser Ser Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15
 20
 <210> 214
 <211> 15
 <212> PRT
 <213> Homo sapiens
 25
 <400> 214

 Ala Arg Glu Gly Tyr Arg Ser Ser Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15
 30
 <210> 215
 <211> 15
 <212> PRT
 <213> Homo sapiens
 35
 <400> 215

 Ala Arg Glu Gly Tyr Thr Ser Ser Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15
 40
 <210> 216
 <211> 15
 <212> PRT
 <213> Homo sapiens
 45
 <400> 216

 Ala Arg Glu Gly Tyr Val Ser Ser Ser Tyr Tyr Gly Met Asp Val
 1 5 10 15
 50
 <210> 217
 <211> 15
 <212> PRT
 <213> Homo sapiens
 55
 <400> 217

Ala Arg Glu Gly Tyr Trp Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 218
<211> 15
<212> PRT
<213> Homo sapiens

<400> 218

Ala Arg Glu Gly Tyr Tyr Ser Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 219
<211> 15
<212> PRT
<213> Homo sapiens

<400> 219

Ala Arg Glu Gly Tyr Ser Cys Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 220
<211> 15
<212> PRT
<213> Homo sapiens

<400> 220

Ala Arg Glu Gly Tyr Ser Asp Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 221
<211> 15
<212> PRT
<213> Homo sapiens

<400> 221

Ala Arg Glu Gly Tyr Ser Glu Ser Ser Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 222
<211> 18
<212> PRT
<213> Homo sapiens

<400> 222

Thr Val Phe Leu Asp His Glu Asn Ala Asn Lys Ile Leu Asn Arg Pro
1 5 10 15

Lys Arg

<210> 223
<211> 15

<212> PRT
 <213> Homo sapiens

<400> 223

5

Ala	Arg	Glu	Gly	Tyr	Ser	Phe	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 224

10

<211> 15
 <212> PRT
 <213> Homo sapiens

<400> 224

15

Ala	Arg	Glu	Gly	Tyr	Ser	Gly	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 225

20

<211> 15
 <212> PRT
 <213> Homo sapiens

<400> 225

25

Ala	Arg	Glu	Gly	Tyr	Ser	His	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 226

30

<211> 15
 <212> PRT
 <213> Homo sapiens

<400> 226

35

Ala	Arg	Glu	Gly	Tyr	Ser	Ile	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val

40

1				5					10					15

<210> 227

45

<211> 15
 <212> PRT
 <213> Homo sapiens

<400> 227

50

Ala	Arg	Glu	Gly	Tyr	Ser	Lys	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 228

55

<211> 15
 <212> PRT
 <213> Homo sapiens

<400> 228

Ala	Arg	Glu	Gly	Tyr	Ser	Leu	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 229
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 229

Ala	Arg	Glu	Gly	Tyr	Ser	Met	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 230
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 230

Ala	Arg	Glu	Gly	Tyr	Ser	Asn	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 231
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 231

Ala	Arg	Glu	Gly	Tyr	Ser	Pro	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 232
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 232

Ala	Arg	Glu	Gly	Tyr	Ser	Gln	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 233
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 233

Ala	Arg	Glu	Gly	Tyr	Ser	Arg	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 234
 <211> 15
 <212> PRT
 <213> Homo sapiens

<400> 234

Ala	Arg	Glu	Gly	Tyr	Ser	Thr	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 235

<211> 15

<212> PRT

<213> Homo sapiens

<400> 235

Ala	Arg	Glu	Gly	Tyr	Ser	Val	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 236

<211> 15

<212> PRT

<213> Homo sapiens

<400> 236

Ala	Arg	Glu	Gly	Tyr	Ser	Trp	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 237

<211> 15

<212> PRT

<213> Homo sapiens

<400> 237

Ala	Arg	Glu	Gly	Tyr	Ser	Tyr	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 238

<211> 367

<212> DNA

<213> Homo sapiens

<400> 238

gaggtgcagc	tggtggagtc	tgggggaggc	tttgtccagc	ctgggggggc	cctgagactc	60
tcctgtgcag	tctctggatt	cacctttaat	agctattgga	tgagctgggt	ccgccaggct	120
ccagggaagg	ggctggagtg	ggtggccaac	ataaaccaag	atggaagtga	gaaattctat	180
gtggcctctg	tgaagggccg	attcaccatg	tccagagaca	acgccaagaa	atcagtgtat	240
gtacaaatga	acagcctgag	agccgaggac	acggctgtgt	attactgtgc	gagagagggg	300
tatgccagtt	cgtcctatta	tggtatggac	gtctggggcc	aagggaccac	ggtcaccgtc	360
tcctcag						367

<210> 239

<211> 367

<212> DNA
 <213> Homo sapiens

<400> 239

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtgcct cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 240
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 240

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tatagtagtg cctcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 241
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 241

50

55

	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagtt cggcctatta tggtagggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
15	<210> 242 <211> 367 <212> DNA <213> Homo sapiens	
20	<400> 242	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagtt gctcctatta tggtagggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
35	<210> 243 <211> 367 <212> DNA <213> Homo sapiens	
40	<400> 243	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagtg actcctatta tggtagggac gtctggggcc aagggaccac ggtcaccgtc	360
55	tcctcag	367
	<210> 244 <211> 367	

<212> DNA
 <213> Homo sapiens

<400> 244

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagtg agtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 245
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 245

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tatagtagtt tctcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 246
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 246

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtg gctcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 247	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 247	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtc actcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 248	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 248	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagta tctcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 249	
		<211> 367	

<212> DNA
 <213> Homo sapiens

<400> 249

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagta agtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20
 <210> 250
 <211> 367
 <212> DNA
 <213> Homo sapiens

25
 <400> 250

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tatagtagtc tgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40
 <210> 251
 <211> 367
 <212> DNA
 <213> Homo sapiens

45
 <400> 251

50

55

	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggc cctgagactc	60
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagta tgcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
15	<210> 252 <211> 367 <212> DNA <213> Homo sapiens	
20	<400> 252	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggc cctgagactc	60
25	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagta actcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
35	<210> 253 <211> 367 <212> DNA <213> Homo sapiens	
40	<400> 253	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggc cctgagactc	60
45	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagtc cctcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55	tcctcag	367
	<210> 254 <211> 367	

<212> DNA
 <213> Homo sapiens

<400> 254

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagtc agtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 255
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 255

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 35 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagta gatcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 256
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 256

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagta cctcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 257	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 257	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtg tgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 258	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 258	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt ggtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 259	
		<211> 367	

<212> DNA

<213> Homo sapiens

<400> 259

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagtt actcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

<210> 260

<211> 367

<212> DNA

<213> Homo sapiens

<400> 260

25
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 30 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 35 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgtgctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

<210> 261

<211> 367

<212> DNA

<213> Homo sapiens

<400> 261

40
 45
 50
 55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cggactatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 262	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 262	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cggagtatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 263	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 263	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cgttctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 264	
		<211> 367	

<212> DNA
 <213> Homo sapiens

<400> 264

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagtt cgggctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20
 <210> 265
 <211> 367
 <212> DNA
 <213> Homo sapiens

25
 <400> 265

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 35 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagtt cgcactatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40
 <210> 266
 <211> 367
 <212> DNA
 <213> Homo sapiens

45
 <400> 266

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cgatctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 267	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 267	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cgaagtatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 268	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 268	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
50		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cgctgtatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 269	
		<211> 367	

<212> DNA
 <213> Homo sapiens

<400> 269

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagtt cgatgtatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20
 <210> 270
 <211> 367
 <212> DNA
 <213> Homo sapiens

25
 <400> 270

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tatagtagtt cgaactatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40
 <210> 271
 <211> 367
 <212> DNA
 <213> Homo sapiens

45
 <400> 271

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cgccctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 272	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 272	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cgagctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 273	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 273	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
50		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtagtt cgagatatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 274	
		<211> 367	

<212> DNA
 <213> Homo sapiens

<400> 274

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagtt cgacctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 275
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 275
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tatagtagtt cggtgtatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 276
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 276

50

55

	gaggtgcagc tggaggagtc tgggggaggc tttgtccagc ctggggggtc cctgagactc	60
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagtt cgtggtatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
15	<210> 277 <211> 367 <212> DNA <213> Homo sapiens	
20	<400> 277	
	gaggtgcagc tggaggagtc tgggggaggc tttgtccagc ctggggggtc cctgagactc	60
25	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagtt cgtactatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
35	<210> 278 <211> 367 <212> DNA <213> Homo sapiens	
40	<400> 278	
	gaggtgcagc tggaggagtc tgggggaggc tttgtccagc ctggggggtc cctgagactc	60
45	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tattgcagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55	tcctcag	367
	<210> 279 <211> 367	

<212> DNA
 <213> Homo sapiens

<400> 279

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatgacagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20
 <210> 280
 <211> 367
 <212> DNA
 <213> Homo sapiens

25
 <400> 280

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tatgagagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40
 <210> 281
 <211> 367
 <212> DNA
 <213> Homo sapiens

45
 <400> 281

50

55

	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatttcagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
15	<210> 282 <211> 367 <212> DNA <213> Homo sapiens	
20	<400> 282	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatggcagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
35	<210> 283 <211> 367 <212> DNA <213> Homo sapiens	
40	<400> 283	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatcacagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc	360
55	tcctcag	367
	<210> 284 <211> 367	

<212> DNA
 <213> Homo sapiens

<400> 284

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatatcagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 285
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 285

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tataagagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 286
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 286

50

55

	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatctgagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
15	<210> 287 <211> 367 <212> DNA <213> Homo sapiens	
20	<400> 287	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatatgagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
35	<210> 288 <211> 367 <212> DNA <213> Homo sapiens	
40	<400> 288	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tataacagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55	tcctcag	367
	<210> 289 <211> 367	

<212> DNA
 <213> Homo sapiens

<400> 289

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatcccagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20
 <210> 290
 <211> 367
 <212> DNA
 <213> Homo sapiens

25
 <400> 290

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 35 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatcagagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40
 <210> 291
 <211> 367
 <212> DNA
 <213> Homo sapiens

45
 <400> 291

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagaagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 292	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 292	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tataccagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 293	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 293	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatgtgagtt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 294	
		<211> 367	

<212> DNA
 <213> Homo sapiens

<400> 294

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tattggagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20
 <210> 295
 <211> 367
 <212> DNA
 <213> Homo sapiens

25
 <400> 295

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tattacagtt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40
 <210> 296
 <211> 367
 <212> DNA
 <213> Homo sapiens

45
 <400> 296

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagttgct cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 297	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 297	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtgact cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 298	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 298	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtgagt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 299	
		<211> 367	

<212> DNA
 <213> Homo sapiens

<400> 299

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtctct cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 300
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 300

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 35 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtggct cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 301
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 301

50

55

	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtcact cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
15	<210> 302 <211> 367 <212> DNA <213> Homo sapiens	
20	<400> 302	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtatct cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctcag	367
35	<210> 303 <211> 367 <212> DNA <213> Homo sapiens	
40	<400> 303	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtaagt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55	tcctcag	367
	<210> 304 <211> 367	

<212> DNA
 <213> Homo sapiens

<400> 304

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtctgt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 305
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 305

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 35 tatagtatgt cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 306
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 306

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtaact cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 307	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 307	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtcct cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 308	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 308	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtcagt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 309	
		<211> 367	

<212> DNA
 <213> Homo sapiens

<400> 309

5
 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 10 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 15 tatagtagat cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

20 <210> 310
 <211> 367
 <212> DNA
 <213> Homo sapiens

25 <400> 310

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120
 30 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 35 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtacct cgtcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctcag 367

40 <210> 311
 <211> 367
 <212> DNA
 <213> Homo sapiens

45 <400> 311

50

55

		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
5		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
10		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagtgtgt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
15		<210> 312	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
20		<400> 312	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
25		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
30		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagttggt cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
		tcctcag	367
35		<210> 313	
		<211> 367	
		<212> DNA	
		<213> Homo sapiens	
40		<400> 313	
		gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
45		tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
		ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
50		gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
		gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
		tatagttact cgtcctatta tggatggac gtctggggcc aagggaccac ggtcaccgtc	360
55		tcctcag	367
		<210> 314	
		<211> 122	

<212> PRT

<213> Homo sapiens

<400> 314

5

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
1 5 10 15

10

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
20 25 30

15

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

20

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
50 55 60

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
65 70 75 80

25

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

30

Ala Arg Glu Gly Tyr Ala Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
100 105 110

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120

35

<210> 315

<211> 122

<212> PRT

<213> Homo sapiens

40

<400> 315

45

50

55

[illegible]

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
40	1				5				10					15		
	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
45																
	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
50																
	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
55																
	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	

	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ala	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
5	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 317															
	<211> 122															
10	<212> PRT															
	<213> Homo sapiens															
	<400> 317															
15	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
20	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
25	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
30	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
35	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
40	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
45	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Ala	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
50	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
55	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
60	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		

	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
5	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
10	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
15	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
20	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Cys	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
25	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 319																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
	<400> 319																
30	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
35	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
40	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
45	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
50	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
55	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Asp	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 320
 <211> 122
 <212> PRT
 <213> Homo sapiens

5

<400> 320

10	Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly	1	5	10	15
15	Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr	20	25	30	
20	Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val	35	40	45	
25	Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val	50	55	60	
30	Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr	65	70	75	80
35	Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys	85	90	95	
40	Ala Arg Glu Gly Tyr Ser Ser Glu Ser Tyr Tyr Gly Met Asp Val Trp	100	105	110	
45	Gly Gln Gly Thr Thr Val Thr Val Ser Ser	115	120		

<210> 321
 <211> 122
 <212> PRT
 <213> Homo sapiens

40

<400> 321

45

50

55

1	5	10	15
20	25	30	
35	40	45	
50	55	60	

	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
5	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
10	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Phe	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
15	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 322																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
20	<400> 322																
25	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
30	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
35	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
40	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
45	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
50	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
55	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Gly	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
60	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 323																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
	<400> 323																

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly

5

1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
20 25 30

10

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

15

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
50 55 60

20

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
65 70 75 80

25

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Gly Tyr Ser Ser His Ser Tyr Tyr Gly Met Asp Val Trp
100 105 110

30

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 324

<211> 122

35

<212> PRT

<213> Homo sapiens

<400> 324

40

45

50

55

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly		
	1				5					10					15			
5		Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20						25					30			
		Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
10			35						40					45				
	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val		
	50						55					60						
15		Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65						70					75					80	
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys		
20				85						90					95			
	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp		
25																		
							100					105				110		
		Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
30			115						120									

<210> 325

<211> 122

<212> PRT

35 <213> Homo sapiens

<400> 325

40

45

50

55

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 5
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 10
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 15
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 20
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Lys Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 25
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 30
 <210> 326
 <211> 122
 <212> PRT
 <213> Homo sapiens
 35
 <400> 326

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 40
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 45
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 50
 55

	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
	50						55					60					
5	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
10	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
15	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Leu	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
20	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 327																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
25	<400> 327																
	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
30	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
35	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
40	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
	50						55					60					
45	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
50	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
55	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Met	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 328																
	<211> 122																
	<212> PRT																

<213> Homo sapiens

<400> 328

```

5      Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
      1          5          10          15

10     Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
      20          25          30

15     Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35          40          45

20     Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
      50          55          60

25     Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
      65          70          75          80

30     Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
      85          90          95

35     Ala Arg Glu Gly Tyr Ser Ser Asn Ser Tyr Tyr Gly Met Asp Val Trp
      100         105         110

38     Gly Gln Gly Thr Thr Val Thr Val Ser Ser
      115         120

```

```

35     <210> 329
      <211> 122
      <212> PRT
      <213> Homo sapiens

```

<400> 329

```

40     Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
      1          5          10          15

45     Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
      20          25          30

50     Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35          40          45

55     Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
      50          55          60

60     Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
      65          70          75          80

```

	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
5	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Pro	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
10	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 330															
	<211> 145															
	<212> PRT															
15	<213> Homo sapiens															
	<400> 330															
20	Tyr	Asn	Ser	Gly	Lys	Leu	Glu	Glu	Phe	Val	Gln	Gly	Asn	Leu	Glu	Arg
	1				5					10					15	
	Glu	Cys	Met	Glu	Glu	Lys	Cys	Ser	Phe	Glu	Glu	Ala	Arg	Glu	Val	Phe
25				20					25					30		
	Glu	Asn	Thr	Glu	Arg	Thr	Thr	Glu	Phe	Trp	Lys	Gln	Tyr	Val	Asp	Gly
			35					40					45			
30	Asp	Gln	Cys	Glu	Ser	Asn	Pro	Cys	Leu	Asn	Gly	Gly	Ser	Cys	Lys	Asp
	50						55					60				
35	Asp	Ile	Asn	Ser	Tyr	Glu	Cys	Trp	Cys	Pro	Phe	Gly	Phe	Glu	Gly	Lys
	65					70					75					80
	Asn	Cys	Glu	Leu	Asp	Val	Thr	Cys	Asn	Ile	Lys	Asn	Gly	Arg	Cys	Glu
40					85					90					95	
	Gln	Phe	Cys	Lys	Asn	Ser	Ala	Asp	Asn	Lys	Val	Val	Cys	Ser	Cys	Thr
				100					105					110		
45	Glu	Gly	Tyr	Arg	Leu	Ala	Glu	Asn	Gln	Lys	Ser	Cys	Glu	Pro	Ala	Val
			115					120					125			
50	Pro	Phe	Pro	Cys	Gly	Arg	Val	Ser	Val	Ser	Gln	Thr	Ser	Lys	Leu	Thr
		130					135					140				
	Arg															
55	145															
	<210> 331															
	<211> 270															
	<212> PRT															

<213> Homo sapiens

<400> 331

5

10

15

20

25

30

35

40

45

50

55

	Ala	Glu	Thr	Val	Phe	Pro	Asp	Val	Asp	Tyr	Val	Asn	Ser	Thr	Glu	Ala		
	1				5					10					15			
5		Glu	Thr	Ile	Leu	Asp	Asn	Ile	Thr	Gln	Ser	Thr	Gln	Ser	Phe	Asn	Asp	
				20						25					30			
10	Phe	Thr	Arg	Val	Val	Gly	Gly	Glu	Asp	Ala	Lys	Pro	Gly	Gln	Phe	Pro		
			35					40					45					
15	Trp	Gln	Val	Val	Leu	Asn	Gly	Lys	Val	Asp	Ala	Phe	Cys	Gly	Gly	Ser		
		50					55					60						
20	Ile	Val	Asn	Glu	Lys	Trp	Ile	Val	Thr	Ala	Ala	His	Cys	Val	Glu	Thr		
	65					70					75					80		
25	Gly	Val	Lys	Ile	Thr	Val	Val	Ala	Gly	Glu	His	Asn	Ile	Glu	Glu	Thr		
				85						90					95			
30	Glu	His	Thr	Glu	Gln	Lys	Arg	Asn	Val	Ile	Arg	Ile	Ile	Pro	His	His		
				100					105					110				
35	Asn	Tyr	Asn	Ala	Ala	Ile	Asn	Lys	Tyr	Asn	His	Asp	Ile	Ala	Leu	Leu		
			115					120					125					
40	Glu	Leu	Asp	Glu	Pro	Leu	Val	Leu	Asn	Ser	Tyr	Val	Thr	Pro	Ile	Cys		
		130					135					140						
45	Ile	Ala	Asp	Lys	Glu	Tyr	Thr	Asn	Ile	Phe	Leu	Lys	Phe	Gly	Ser	Gly		
	145					150					155					160		
50	Tyr	Val	Ser	Gly	Trp	Gly	Arg	Val	Phe	His	Lys	Gly	Arg	Ser	Ala	Leu		
				165						170					175			
55	Val	Leu	Gln	Tyr	Leu	Arg	Val	Pro	Leu	Val	Asp	Arg	Ala	Thr	Cys	Leu		
				180					185					190				
60	Arg	Ser	Thr	Lys	Phe	Thr	Ile	Tyr	Asn	Asn	Met	Phe	Cys	Ala	Gly	Phe		
			195					200					205					
65	His	Glu	Gly	Gly	Arg	Asp	Ser	Cys	Gln	Gly	Asp	Ser	Gly	Gly	Pro	His		
		210					215					220						
70	Val	Thr	Glu	Val	Glu	Gly	Thr	Ser	Phe	Leu	Thr	Gly	Ile	Ile	Ser	Trp		
	225					230					235					240		

	Gly	Glu	Glu	Cys	Ala	Met	Lys	Gly	Lys	Tyr	Gly	Ile	Tyr	Thr	Lys	Val	
					245					250					255		
5	Ser	Arg	Tyr	Val	Asn	Trp	Ile	Lys	Glu	Lys	Thr	Lys	Leu	Thr			
				260					265					270			
	<210> 332																
	<211> 235																
10	<212> PRT																
	<213> Homo sapiens																
	<400> 332																
15	Val	Val	Gly	Gly	Glu	Asp	Ala	Lys	Pro	Gly	Gln	Phe	Pro	Trp	Gln	Val	
	1				5					10					15		
20	Val	Leu	Asn	Gly	Lys	Val	Asp	Ala	Phe	Cys	Gly	Gly	Ser	Ile	Val	Asn	
			20					25						30			
25	Glu	Lys	Trp	Ile	Val	Thr	Ala	Ala	His	Cys	Val	Glu	Thr	Gly	Val	Lys	
		35					40					45					
30	Ile	Thr	Val	Val	Ala	Gly	Glu	His	Asn	Ile	Glu	Glu	Thr	Glu	His	Thr	
	50					55					60						
35	Glu	Gln	Lys	Arg	Asn	Val	Ile	Arg	Ile	Ile	Pro	His	His	Asn	Tyr	Asn	
	65				70					75					80		
40	Ala	Ala	Ile	Asn	Lys	Tyr	Asn	His	Asp	Ile	Ala	Leu	Leu	Glu	Leu	Asp	
				85					90					95			
45	Glu	Pro	Leu	Val	Leu	Asn	Ser	Tyr	Val	Thr	Pro	Ile	Cys	Ile	Ala	Asp	
			100					105					110				
50	Lys	Glu	Tyr	Thr	Asn	Ile	Phe	Leu	Lys	Phe	Gly	Ser	Gly	Tyr	Val	Ser	
		115					120					125					
55	Gly	Trp	Gly	Arg	Val	Phe	His	Lys	Gly	Arg	Ser	Ala	Leu	Val	Leu	Gln	
	130					135					140						
60	Tyr	Leu	Arg	Val	Pro	Leu	Val	Asp	Arg	Ala	Thr	Cys	Leu	Arg	Ser	Thr	
	145				150				155						160		
65	Lys	Phe	Thr	Ile	Tyr	Asn	Asn	Met	Phe	Cys	Ala	Gly	Phe	His	Glu	Gly	
				165					170					175			
70	Gly	Arg	Asp	Ser	Cys	Gln	Gly	Asp	Ser	Gly	Gly	Pro	His	Val	Thr	Glu	
			180					185					190				

Val Glu Gly Thr Ser Phe Leu Thr Gly Ile Ile Ser Trp Gly Glu Glu
195 200 205

5 Cys Ala Met Lys Gly Lys Tyr Gly Ile Tyr Thr Lys Val Ser Arg Tyr
210 215 220

10 Val Asn Trp Ile Lys Glu Lys Thr Lys Leu Thr
225 230 235

<210> 333
<211> 35
<212> PRT
15 <213> Homo sapiens

<400> 333

20 Ala Glu Thr Val Phe Pro Asp Val Asp Tyr Val Asn Ser Thr Glu Ala
1 5 10 15

Glu Thr Ile Leu Asp Asn Ile Thr Gln Ser Thr Gln Ser Phe Asn Asp
20 25 30

25 Phe Thr Arg
35

30 <210> 334
<211> 461
<212> PRT
<213> Homo sapiens

35 <400> 334

Met Gln Arg Val Asn Met Ile Met Ala Glu Ser Pro Gly Leu Ile Thr
1 5 10 15

40 Ile Cys Leu Leu Gly Tyr Leu Leu Ser Ala Glu Cys Thr Val Phe Leu
20 25 30

45 Asp His Glu Asn Ala Asn Lys Ile Leu Asn Arg Pro Lys Arg Tyr Asn
35 40 45

Ser Gly Lys Leu Glu Glu Phe Val Gln Gly Asn Leu Glu Arg Glu Cys
50 55 60

Met Glu Glu Lys Cys Ser Phe Glu Glu Ala Arg Glu Val Phe Glu Asn
65 70 75 80

55 Thr Glu Arg Thr Thr Glu Phe Trp Lys Gln Tyr Val Asp Gly Asp Gln
85 90 95

	Cys	Glu	Ser	Asn	Pro	Cys	Leu	Asn	Gly	Gly	Ser	Cys	Lys	Asp	Asp	Ile	
				100					105					110			
5	Asn	Ser	Tyr	Glu	Cys	Trp	Cys	Pro	Phe	Gly	Phe	Glu	Gly	Lys	Asn	Cys	
			115					120					125				
	Glu	Leu	Asp	Val	Thr	Cys	Asn	Ile	Lys	Asn	Gly	Arg	Cys	Glu	Gln	Phe	
10		130					135					140					
	Cys	Lys	Asn	Ser	Ala	Asp	Asn	Lys	Val	Val	Cys	Ser	Cys	Thr	Glu	Gly	
	145					150					155					160	
15	Tyr	Arg	Leu	Ala	Glu	Asn	Gln	Lys	Ser	Cys	Glu	Pro	Ala	Val	Pro	Phe	
				165						170					175		
	Pro	Cys	Gly	Arg	Val	Ser	Val	Ser	Gln	Thr	Ser	Lys	Leu	Thr	Arg	Ala	
20				180					185					190			
	Glu	Thr	Val	Phe	Pro	Asp	Val	Asp	Tyr	Val	Asn	Ser	Thr	Glu	Ala	Glu	
25			195					200					205				
	Thr	Ile	Leu	Asp	Asn	Ile	Thr	Gln	Ser	Thr	Gln	Ser	Phe	Asn	Asp	Phe	
	210					215						220					
30	Thr	Arg	Val	Val	Gly	Gly	Glu	Asp	Ala	Lys	Pro	Gly	Gln	Phe	Pro	Trp	
	225				230						235					240	
	Gln	Val	Val	Leu	Asn	Gly	Lys	Val	Asp	Ala	Phe	Cys	Gly	Gly	Ser	Ile	
35				245					250					255			
	Val	Asn	Glu	Lys	Trp	Ile	Val	Thr	Ala	Ala	His	Cys	Val	Glu	Thr	Gly	
			260					265						270			
40	Val	Lys	Ile	Thr	Val	Val	Ala	Gly	Glu	His	Asn	Ile	Glu	Glu	Thr	Glu	
		275					280					285					
	His	Thr	Glu	Gln	Lys	Arg	Asn	Val	Ile	Arg	Ile	Ile	Pro	His	His	Asn	
45		290					295					300					
	Tyr	Asn	Ala	Ala	Ile	Asn	Lys	Tyr	Asn	His	Asp	Ile	Ala	Leu	Leu	Glu	
50	305				310					315						320	
	Leu	Asp	Glu	Pro	Leu	Val	Leu	Asn	Ser	Tyr	Val	Thr	Pro	Ile	Cys	Ile	
				325						330				335			
55	Ala	Asp	Lys	Glu	Tyr	Thr	Asn	Ile	Phe	Leu	Lys	Phe	Gly	Ser	Gly	Tyr	
			340					345					350				

	Val	Ser	Gly	Trp	Gly	Arg	Val	Phe	His	Lys	Gly	Arg	Ser	Ala	Leu	Val	
			355					360					365				
5	Leu	Gln	Tyr	Leu	Arg	Val	Pro	Leu	Val	Asp	Arg	Ala	Thr	Cys	Leu	Arg	
		370					375					380					
10	Ser	Thr	Lys	Phe	Thr	Ile	Tyr	Asn	Asn	Met	Phe	Cys	Ala	Gly	Phe	His	
	385					390					395					400	
15	Glu	Gly	Gly	Arg	Asp	Ser	Cys	Gln	Gly	Asp	Ser	Gly	Gly	Pro	His	Val	
				405						410					415		
20	Thr	Glu	Val	Glu	Gly	Thr	Ser	Phe	Leu	Thr	Gly	Ile	Ile	Ser	Trp	Gly	
				420					425					430			
25	Glu	Glu	Cys	Ala	Met	Lys	Gly	Lys	Tyr	Gly	Ile	Tyr	Thr	Lys	Val	Ser	
			435					440					445				
30	Arg	Tyr	Val	Asn	Trp	Ile	Lys	Glu	Lys	Thr	Lys	Leu	Thr				
		450					455					460					
	<210> 335																
	<211> 488																
	<212> PRT																
	<213> Homo sapiens																
	<400> 335																
35	Met	Gly	Arg	Pro	Leu	His	Leu	Val	Leu	Leu	Ser	Ala	Ser	Leu	Ala	Gly	
	1				5					10					15		
40	Leu	Leu	Leu	Leu	Gly	Glu	Ser	Leu	Phe	Ile	Arg	Arg	Glu	Gln	Ala	Asn	
				20					25					30			
45	Asn	Ile	Leu	Ala	Arg	Val	Thr	Arg	Ala	Asn	Ser	Phe	Leu	Glu	Glu	Met	
			35					40					45				
50	Lys	Lys	Gly	His	Leu	Glu	Arg	Glu	Cys	Met	Glu	Glu	Thr	Cys	Ser	Tyr	
		50					55					60					
55	Glu	Glu	Ala	Arg	Glu	Val	Phe	Glu	Asp	Ser	Asp	Lys	Thr	Asn	Glu	Phe	
	65					70					75				80		
	Trp	Asn	Lys	Tyr	Lys	Asp	Gly	Asp	Gln	Cys	Glu	Thr	Ser	Pro	Cys	Gln	
					85					90					95		
	Asn	Gln	Gly	Lys	Cys	Lys	Asp	Gly	Leu	Gly	Glu	Tyr	Thr	Cys	Thr	Cys	
				100					105					110			

	Leu	Glu	Gly	Phe	Glu	Gly	Lys	Asn	Cys	Glu	Leu	Phe	Thr	Arg	Lys	Leu	
			115					120					125				
5	Cys	Ser	Leu	Asp	Asn	Gly	Asp	Cys	Asp	Gln	Phe	Cys	His	Glu	Glu	Gln	
			130				135					140					
	Asn	Ser	Val	Val	Cys	Ser	Cys	Ala	Arg	Gly	Tyr	Thr	Leu	Ala	Asp	Asn	
10						150					155					160	
	Gly	Lys	Ala	Cys	Ile	Pro	Thr	Gly	Pro	Tyr	Pro	Cys	Gly	Lys	Gln	Thr	
					165					170					175		
15	Leu	Glu	Arg	Arg	Lys	Arg	Ser	Val	Ala	Gln	Ala	Thr	Ser	Ser	Ser	Gly	
				180					185					190			
	Glu	Ala	Pro	Asp	Ser	Ile	Thr	Trp	Lys	Pro	Tyr	Asp	Ala	Ala	Asp	Leu	
20			195					200					205				
	Asp	Pro	Thr	Glu	Asn	Pro	Phe	Asp	Leu	Leu	Asp	Phe	Asn	Gln	Thr	Gln	
25			210				215					220					
	Pro	Glu	Arg	Gly	Asp	Asn	Asn	Leu	Thr	Arg	Ile	Val	Gly	Gly	Gln	Glu	
						230					235					240	
30	Cys	Lys	Asp	Gly	Glu	Cys	Pro	Trp	Gln	Ala	Leu	Leu	Ile	Asn	Glu	Glu	
					245					250					255		
	Asn	Glu	Gly	Phe	Cys	Gly	Gly	Thr	Ile	Leu	Ser	Glu	Phe	Tyr	Ile	Leu	
35				260					265					270			
	Thr	Ala	Ala	His	Cys	Leu	Tyr	Gln	Ala	Lys	Arg	Phe	Lys	Val	Arg	Val	
			275					280					285				
40	Gly	Asp	Arg	Asn	Thr	Glu	Gln	Glu	Glu	Gly	Gly	Glu	Ala	Val	His	Glu	
			290				295					300					
	Val	Glu	Val	Val	Ile	Lys	His	Asn	Arg	Phe	Thr	Lys	Glu	Thr	Tyr	Asp	
45						310					315					320	
	Phe	Asp	Ile	Ala	Val	Leu	Arg	Leu	Lys	Thr	Pro	Ile	Thr	Phe	Arg	Met	
50					325					330					335		
	Asn	Val	Ala	Pro	Ala	Cys	Leu	Pro	Glu	Arg	Asp	Trp	Ala	Glu	Ser	Thr	
				340					345					350			
55	Leu	Met	Thr	Gln	Lys	Thr	Gly	Ile	Val	Ser	Gly	Phe	Gly	Arg	Thr	His	
			355					360					365				

Glu Lys Gly Arg Gln Ser Thr Arg Leu Lys Met Leu Glu Val Pro Tyr
 370 375 380

5 Val Asp Arg Asn Ser Cys Lys Leu Ser Ser Ser Phe Ile Ile Thr Gln
 385 390 395 400

10 Asn Met Phe Cys Ala Gly Tyr Asp Thr Lys Gln Glu Asp Ala Cys Gln
 405 410 415

15 Gly Asp Ser Gly Gly Pro His Val Thr Arg Phe Lys Asp Thr Tyr Phe
 420 425 430

Val Thr Gly Ile Val Ser Trp Gly Glu Gly Cys Ala Arg Lys Gly Lys
 435 440 445

20 Tyr Gly Ile Tyr Thr Lys Val Thr Ala Phe Leu Lys Trp Ile Asp Arg
 450 455 460

25 Ser Met Lys Thr Arg Gly Leu Pro Lys Ala Lys Ser His Ala Pro Glu
 465 470 475 480

Val Ile Thr Ser Ser Pro Leu Lys
 485

30 <210> 336
 <211> 31
 <212> PRT
 <213> Homo sapiens

35 <400> 336

40 Met Gly Arg Pro Leu His Leu Val Leu Leu Ser Ala Ser Leu Ala Gly
 1 5 10 15

Leu Leu Leu Leu Gly Glu Ser Leu Phe Ile Arg Arg Glu Gln Ala
 20 25 30

45 <210> 337
 <211> 9
 <212> PRT
 <213> Homo sapiens

50 <400> 337

Asn Asn Ile Leu Ala Arg Val Thr Arg
 1 5

55 <210> 338
 <211> 139
 <212> PRT
 <213> Homo sapiens

<400> 338

5 Ala Asn Ser Phe Leu Glu Glu Met Lys Lys Gly His Leu Glu Arg Glu
 1 5 10 15

 Cys Met Glu Glu Thr Cys Ser Tyr Glu Glu Ala Arg Glu Val Phe Glu
 20 25 30
 10
 Asp Ser Asp Lys Thr Asn Glu Phe Trp Asn Lys Tyr Lys Asp Gly Asp
 35 40 45

 Gln Cys Glu Thr Ser Pro Cys Gln Asn Gln Gly Lys Cys Lys Asp Gly
 50 55 60
 15

 Leu Gly Glu Tyr Thr Cys Thr Cys Leu Glu Gly Phe Glu Gly Lys Asn
 65 70 75 80
 20

 Cys Glu Leu Phe Thr Arg Lys Leu Cys Ser Leu Asp Asn Gly Asp Cys
 85 90 95

 Asp Gln Phe Cys His Glu Glu Gln Asn Ser Val Val Cys Ser Cys Ala
 100 105 110
 25

 Arg Gly Tyr Thr Leu Ala Asp Asn Gly Lys Ala Cys Ile Pro Thr Gly
 115 120 125
 30

 Pro Tyr Pro Cys Gly Lys Gln Thr Leu Glu Arg
 130 135
 35

<210> 339
 <211> 254
 <212> PRT
 <213> Homo sapiens

40

<400> 339

45 Ile Val Gly Gly Gln Glu Cys Lys Asp Gly Glu Cys Pro Trp Gln Ala
 1 5 10 15

 Leu Leu Ile Asn Glu Glu Asn Glu Gly Phe Cys Gly Gly Thr Ile Leu
 20 25 30
 50

 Ser Glu Phe Tyr Ile Leu Thr Ala Ala His Cys Leu Tyr Gln Ala Lys
 35 40 45

 Arg Phe Lys Val Arg Val Gly Asp Arg Asn Thr Glu Gln Glu Glu Gly
 50 55 60
 55

	Gly	Glu	Ala	Val	His	Glu	Val	Glu	Val	Val	Ile	Lys	His	Asn	Arg	Phe	
	65					70					75					80	
5	Thr	Lys	Glu	Thr	Tyr	Asp	Phe	Asp	Ile	Ala	Val	Leu	Arg	Leu	Lys	Thr	
					85					90					95		
	Pro	Ile	Thr	Phe	Arg	Met	Asn	Val	Ala	Pro	Ala	Cys	Leu	Pro	Glu	Arg	
10				100					105					110			
	Asp	Trp	Ala	Glu	Ser	Thr	Leu	Met	Thr	Gln	Lys	Thr	Gly	Ile	Val	Ser	
			115					120					125				
15	Gly	Phe	Gly	Arg	Thr	His	Glu	Lys	Gly	Arg	Gln	Ser	Thr	Arg	Leu	Lys	
	130						135					140					
	Met	Leu	Glu	Val	Pro	Tyr	Val	Asp	Arg	Asn	Ser	Cys	Lys	Leu	Ser	Ser	
20	145					150					155					160	
	Ser	Phe	Ile	Ile	Thr	Gln	Asn	Met	Phe	Cys	Ala	Gly	Tyr	Asp	Thr	Lys	
25					165					170					175		
	Gln	Glu	Asp	Ala	Cys	Gln	Gly	Asp	Ser	Gly	Gly	Pro	His	Val	Thr	Arg	
				180					185					190			
30	Phe	Lys	Asp	Thr	Tyr	Phe	Val	Thr	Gly	Ile	Val	Ser	Trp	Gly	Glu	Gly	
			195					200					205				
	Cys	Ala	Arg	Lys	Gly	Lys	Tyr	Gly	Ile	Tyr	Thr	Lys	Val	Thr	Ala	Phe	
35	210						215					220					
	Leu	Lys	Trp	Ile	Asp	Arg	Ser	Met	Lys	Thr	Arg	Gly	Leu	Pro	Lys	Ala	
40	225					230					235					240	
	Lys	Ser	His	Ala	Pro	Glu	Val	Ile	Thr	Ser	Ser	Pro	Leu	Lys			
				245						250							
45	<210>	340															
	<211>	122															
	<212>	PRT															
	<213>	Homo sapiens															
50	<400>	340															
	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
55	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			

	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
5	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
10	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
15	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
20	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Gln	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
25	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 341																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
	<400> 341																
30	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
35	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
40	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
45	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
50	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
55	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Arg	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 342
 <211> 122
 <212> PRT
 <213> Homo sapiens

5

<400> 342

10

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

20

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

25

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

30

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Glu Gly Tyr Ser Ser Thr Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

35

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

40

<210> 343
 <211> 122
 <212> PRT
 <213> Homo sapiens

<400> 343

45

50

55

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Val Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 344
 <211> 122
 <212> PRT
 <213> Homo sapiens

<400> 344

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Trp Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 <210> 345
 <211> 122
 <212> PRT
 <213> Homo sapiens
 <400> 345
 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

5 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

10 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

15 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

20 Ala Arg Glu Gly Tyr Ser Ser Tyr Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

25 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 346
 <211> 122
 <212> PRT
 30 <213> Homo sapiens
 <400> 346

35 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

40 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

45 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

50 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

55 Ala Arg Glu Gly Tyr Ser Ser Ser Cys Tyr Tyr Gly Met Asp Val Trp
 100 105 110

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 347
<211> 122
<212> PRT
<213> Homo sapiens

<400> 347

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
50 55 60

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Gly Tyr Ser Ser Ser Asp Tyr Tyr Gly Met Asp Val Trp
100 105 110

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 348
<211> 122
<212> PRT
<213> Homo sapiens

<400> 348

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
	50						55					60					
5	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
10					85					90					95		
	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Glu	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
15																	
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210>	349															
20	<211>	122															
	<212>	PRT															
	<213>	Homo sapiens															
	<400>	349															
25																	
	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
30				20					25					30			
	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
35			35					40					45				
	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
40		50					55					60					
	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
45					85					90					95		
	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Phe	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
50				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
55																	
	<210>	350															
	<211>	122															
	<212>	PRT															

<213> Homo sapiens

<400> 350

5 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

10 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

15 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

20 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

25 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

30 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 Ala Arg Glu Gly Tyr Ser Ser Ser Gly Tyr Tyr Gly Met Asp Val Trp
 100 105 110

 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

35 <210> 351
 <211> 122
 <212> PRT
 <213> Homo sapiens

<400> 351

40 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

45 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

50 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

55 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
5	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	His	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
10	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 352															
	<211> 122															
	<212> PRT															
15	<213> Homo sapiens															
	<400> 352															
20	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
25	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
30	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
35	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
	50						55					60				
40	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
45	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
50	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Ile	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
55	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 353															
	<211> 122															
	<212> PRT															
	<213> Homo sapiens															
	<400> 353															

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
					20					25					30		
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
20																	
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
25	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Lys	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
30			115					120									
	<210>	354															
	<211>	122															
	<212>	PRT															
35	<213>	Homo sapiens															
	<400>	354															

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
30	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Leu	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						

35

<210> 355
<211> 122
<212> PRT
<213> Homo sapiens

<400> 355

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 5 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 10 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 15 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 20 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 25 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 30 Ala Arg Glu Gly Tyr Ser Ser Ser Met Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 35 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 <210> 356
 <211> 122
 <212> PRT
 <213> Homo sapiens
 <400> 356

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 40 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 45 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 50 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
5	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
10	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Asn	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
15	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 357															
	<211> 122															
	<212> PRT															
	<213> Homo sapiens															
20	<400> 357															
25	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
30	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
35	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
40	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
45	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
50	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
55	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Pro	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
60	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 358															
	<211> 122															
	<212> PRT															
	<213> Homo sapiens															
	<400> 358															

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
30	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Gln	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
40	<210>	359														
	<211>	122														
	<212>	PRT														
	<213>	Homo sapiens														
45	<400>	359														
50	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
55	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
60	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
65	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
70	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
75	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	

	Ala Arg Glu Gly Tyr Ser Ser Ser Arg Tyr Tyr Gly Met Asp Val Trp
	100 105 110
5	Gly Gln Gly Thr Thr Val Thr Val Ser Ser
	115 120
	<210> 360
	<211> 122
10	<212> PRT
	<213> Homo sapiens
	<400> 360
15	Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
	1 5 10 15
20	Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
	20 25 30
25	Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
	35 40 45
	Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
	50 55 60
30	Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
	65 70 75 80
35	Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
	85 90 95
40	Ala Arg Glu Gly Tyr Ser Ser Ser Thr Tyr Tyr Gly Met Asp Val Trp
	100 105 110
	Gly Gln Gly Thr Thr Val Thr Val Ser Ser
	115 120
45	<210> 361
	<211> 122
	<212> PRT
	<213> Homo sapiens
50	<400> 361
	Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
	1 5 10 15
55	Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
	20 25 30

	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
5	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
10	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
15	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
20	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Val	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
25	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 362																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
	<400> 362																
30	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
35	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
40	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
45	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
50	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
55	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ser	Trp	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 363
 <211> 122
 <212> PRT
 <213> Homo sapiens

5

<400> 363

10

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

20

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

25

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

30

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Glu Gly Tyr Ser Ser Ser Tyr Tyr Tyr Gly Met Asp Val Trp
 100 105 110

35

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

40

<210> 364
 <211> 122
 <212> PRT
 <213> Homo sapiens

<400> 364

45

50

55

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 5 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 10 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 15 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 20 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 25 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 30 Ala Arg Glu Gly Tyr Cys Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 365
 <211> 122
 <212> PRT
 <213> Homo sapiens

<400> 365

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Asp Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 <210> 366
 <211> 122
 <212> PRT
 <213> Homo sapiens
 <400> 366
 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

5 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

10 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

15 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

20 Ala Arg Glu Gly Tyr Glu Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

25 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 367
 <211> 122
 <212> PRT
 30 <213> Homo sapiens
 <400> 367

35 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

40 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

45 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

50 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

55 Ala Arg Glu Gly Tyr Phe Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 368
<211> 122
<212> PRT
<213> Homo sapiens

<400> 368

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
50 55 60

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Gly Tyr Gly Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
100 105 110

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
115 120

<210> 369
<211> 122
<212> PRT
<213> Homo sapiens

<400> 369

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
	50						55					60					
5	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
10	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
15	Ala	Arg	Glu	Gly	Tyr	His	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
20	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 370																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
25	<400> 370																
	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
30	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
35	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
40	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
	50						55					60					
45	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
50	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
55	Ala	Arg	Glu	Gly	Tyr	Ile	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 371																
	<211> 122																
	<212> PRT																

<213> Homo sapiens

<400> 371

```

5      Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
      1          5          10          15

10     Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
      20          25          30

15     Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35          40          45

20     Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
      50          55          60

25     Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
      65          70          75          80

30     Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
      85          90          95

      Ala Arg Glu Gly Tyr Lys Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
      100          105          110

      Gly Gln Gly Thr Thr Val Thr Val Ser Ser
      115          120

```

```

35     <210> 372
      <211> 122
      <212> PRT
      <213> Homo sapiens

```

<400> 372

```

45     Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
      1          5          10          15

50     Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
      20          25          30

      Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35          40          45

55     Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
      50          55          60

      Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
      65          70          75          80

```

	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
5	Ala	Arg	Glu	Gly	Tyr	Leu	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
10	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 373															
	<211> 122															
	<212> PRT															
15	<213> Homo sapiens															
	<400> 373															
20	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
25	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
30	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
35	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
40	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
45	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
50	Ala	Arg	Glu	Gly	Tyr	Met	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
55	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 374															
	<211> 122															
	<212> PRT															
	<213> Homo sapiens															
	<400> 374															

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
					20					25					30		
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
20																	
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
25	Ala	Arg	Glu	Gly	Tyr	Asn	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
30			115					120									
	<210>	375															
	<211>	122															
	<212>	PRT															
35	<213>	Homo sapiens															
	<400>	375															

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
30	Ala	Arg	Glu	Gly	Tyr	Pro	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						

[illegible]

40 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

45

 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

50 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
5	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
10	Ala	Arg	Glu	Gly	Tyr	Arg	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
15	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 378																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
20	<400> 378																
25	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
30	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
35	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
40	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
45	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
50	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
55	Ala	Arg	Glu	Gly	Tyr	Thr	Ser	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
60	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 379																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
	<400> 379																

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Val Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 <210> 380
 <211> 122
 <212> PRT
 <213> Homo sapiens
 <400> 380
 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

	Ala Arg Glu Gly Tyr Trp Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
	100 105 110
5	Gly Gln Gly Thr Thr Val Thr Val Ser Ser
	115 120
	<210> 381
	<211> 122
10	<212> PRT
	<213> Homo sapiens
	<400> 381
15	Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
	1 5 10 15
20	Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
	20 25 30
25	Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
	35 40 45
30	Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
	50 55 60
35	Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
	65 70 75 80
40	Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
	85 90 95
45	Ala Arg Glu Gly Tyr Tyr Ser Ser Ser Tyr Tyr Gly Met Asp Val Trp
	100 105 110
50	Gly Gln Gly Thr Thr Val Thr Val Ser Ser
	115 120
55	<210> 382
	<211> 122
	<212> PRT
	<213> Homo sapiens
	<400> 382
60	Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
	1 5 10 15
65	Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
	20 25 30

	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
5	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
10	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
15	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
20	Ala	Arg	Glu	Gly	Tyr	Ser	Cys	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
25	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 383																
	<211> 105																
	<212> PRT																
	<213> Homo sapiens																
	<400> 383																
30	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
35	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
40	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
45	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
50	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
55	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
	Ala	Arg	Glu	Gly	Tyr	Ser	Asp	Ser	Ser								
				100				105									
	<210> 384																
	<211> 122																
	<212> PRT																

<213> Homo sapiens

<400> 384

5 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

 10 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

 15 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

 20 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

 25 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

 30 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

 35 Ala Arg Glu Gly Tyr Ser Glu Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

 40 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

35 <210> 385
 <211> 122
 <212> PRT
 <213> Homo sapiens

40 <400> 385

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
						85				90				95			
30	Ala	Arg	Glu	Gly	Tyr	Ser	Phe	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
40	<210> 386																
	<211> 122																
	<212> PRT																
45	<213> Homo sapiens																
50	<400> 386																
55																	

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 5 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 10 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 15 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 20 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 25 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 30 Ala Arg Glu Gly Tyr Ser Gly Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 35 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 40 <210> 387
 <211> 122
 <212> PRT
 <213> Homo sapiens
 45 <400> 387
 50 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 55 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
5	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
10	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
15	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
20	Ala	Arg	Glu	Gly	Tyr	Ser	His	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
25	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 388																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
	<400> 388																
30	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
35	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
40	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
45	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
50	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
55	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
	Ala	Arg	Glu	Gly	Tyr	Ser	Ile	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 389
 <211> 122
 <212> PRT
 <213> Homo sapiens

5

<400> 389

10 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

15 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

20 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

25 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

30 Ala Arg Glu Gly Tyr Ser Lys Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110

35 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

<210> 390
 <211> 122
 <212> PRT
 <213> Homo sapiens

40

<400> 390

45

50

55

 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30

 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60

	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
5	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
10	Ala	Arg	Glu	Gly	Tyr	Ser	Leu	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
15	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 391																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
20	<400> 391																
25	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
30	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
35	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
40	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
45	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
50	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
55	Ala	Arg	Glu	Gly	Tyr	Ser	Met	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
60	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 392																
	<211> 122																
	<212> PRT																
	<213> Homo sapiens																
	<400> 392																

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
30	Ala	Arg	Glu	Gly	Tyr	Ser	Asn	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								

<210> 393
<211> 122
<212> PRT
<213> Homo sapiens

<400> 393

40	Glu 1	Val	Gln	Leu 5	Val	Glu	Ser	Gly	Gly 10	Phe	Val	Gln	Pro	Gly 15	Gly	
	Ser	Leu	Arg	Leu 20	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn 30	Ser	Tyr
45	Trp	Met	Ser 35	Trp	Val	Arg	Gln	Ala 40	Pro	Gly	Lys	Gly	Leu 45	Glu	Trp	Val
50	Ala	Asn 50	Ile	Asn	Gln	Asp	Gly 55	Ser	Glu	Lys	Phe	Tyr 60	Val	Ala	Ser	Val
55	Lys 65	Gly	Arg	Phe	Thr	Met 70	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr 80
	Val	Gln	Met	Asn 85	Ser	Leu	Arg	Ala	Glu	Asp 90	Thr	Ala	Val	Tyr	Tyr 95	Cys

	Ala Arg Glu Gly Tyr Ser Pro Ser Ser Tyr Tyr Gly Met Asp Val Trp
	100 105 110
5	Gly Gln Gly Thr Thr Val Thr Val Ser Ser
	115 120
	<210> 394
	<211> 122
10	<212> PRT
	<213> Homo sapiens
	<400> 394
15	Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
	1 5 10 15
20	Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
	20 25 30
25	Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
	35 40 45
	Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
	50 55 60
30	Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
	65 70 75 80
35	Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
	85 90 95
40	Ala Arg Glu Gly Tyr Ser Gln Ser Ser Tyr Tyr Gly Met Asp Val Trp
	100 105 110
	Gly Gln Gly Thr Thr Val Thr Val Ser Ser
	115 120
45	<210> 395
	<211> 122
	<212> PRT
	<213> Homo sapiens
50	<400> 395
55	

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
10																	
				35				40						45			
	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
15		50					55					60					
	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
20																	
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
25	Ala	Arg	Glu	Gly	Tyr	Ser	Arg	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
30	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 396

<211> 122

<212> PRT

<213> Homo sapiens

<400> 396

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
30	Ala	Arg	Glu	Gly	Tyr	Ser	Thr	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 397
 <211> 122
 <212> PRT
 <213> Homo sapiens

<400> 397

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Val Ser Ser Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 <210> 398
 <211> 122
 <212> PRT
 <213> Homo sapiens
 <400> 398
 Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Thr Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Ser Glu Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
5	Ala	Arg	Glu	Gly	Tyr	Ser	Trp	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
10	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 399															
	<211> 122															
	<212> PRT															
15	<213> Homo sapiens															
	<400> 399															
20	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
25	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
30	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
35	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
40	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
45	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
50	Ala	Arg	Glu	Gly	Tyr	Ser	Tyr	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
55	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								
	<210> 400															
	<211> 15															
	<212> PRT															
	<213> Homo sapiens															
	<220>															
	<221> MISC_FEATURE															
	<222> (8) .. (8)															
	<223> Xaa is Ile, Leu, Val, Arg, Trp, Gln, Lys, His, Glu, Asn, Met or Ser															

<400> 400

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Xaa	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 401

<211> 15

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (8) .. (8)

<223> Xaa is Ile, Leu, Val, Arg, Trp, Gln, Lys, His, Glu, Asn or Met

<400> 401

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Xaa	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 402

<211> 15

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (8) .. (8)

<223> Xaa is Ile, Leu, Val, Arg, Trp, Gln or Lys

<400> 402

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Xaa	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 403

<211> 15

<212> PRT

<213> Homo sapiens

<220>

<221> MISC_FEATURE

<222> (8) .. (8)

<223> Xaa is Ile, Leu or Val

<400> 403

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Xaa	Ser	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

<210> 404

<211> 642

<212> DNA

<213> Homo sapiens

<400> 404

tcctatgtgc tgactcagcc accctcagtg tcagtggccc caggagagac ggccaggatt 60
 acctgtgggg gagacaacat tggaaggaaa agtgtgtact ggtaccagca gaagtcaggc 120
 5 caggccccctg tgctggtcat ctattatgat agcgaccggc cctcagggat ccctgagcga 180
 ttctctgggt ccaactctgg gaacacggcg accctgacca tcagcagggt cgaagccggg 240
 gatgaggccg actattactg tcaggtgtgg gatggaagta gtgatcattg ggtgttcggc 300
 10 ggaggggacca agttgaccgt cctaggtcag cccaaggctg cccctcggt cactctgttc 360
 ccaccctcct ctgaggagct tcaagccaac aaggccacac tgggtgtgtct cataagtgc 420
 15 ttctacccgg gagccgtgac agtggcctgg aaggcagata gcagccccgt caaggcggga 480
 gtggagacca ccacaccctc caaacaagc aacaacaagt acgcgccag cagctacctg 540
 agcctgacgc ctgagcagtg gaagtccac aaaagctaca gctgccaggt cacgcatgaa 600
 20 gggagcaccg tggagaagac agtggcccct acagaatgtt ca 642

<210> 405

<211> 214

<212> PRT

25 <213> Homo sapiens

<400> 405

30 Ser Tyr Val Leu Thr Gln Pro Pro Ser Val Ser Val Ala Pro Gly Glu
 1 5 10 15
 Thr Ala Arg Ile Thr Cys Gly Gly Asp Asn Ile Gly Arg Lys Ser Val
 20 25 30
 35 Tyr Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Val Leu Val Ile Tyr
 35 40 45
 40 Tyr Asp Ser Asp Arg Pro Ser Gly Ile Pro Glu Arg Phe Ser Gly Ser
 50 55 60
 45 Asn Ser Gly Asn Thr Ala Thr Leu Thr Ile Ser Arg Val Glu Ala Gly
 65 70 75 80
 Asp Glu Ala Asp Tyr Tyr Cys Gln Val Trp Asp Gly Ser Ser Asp His
 85 90 95
 50 Trp Val Phe Gly Gly Gly Thr Lys Leu Thr Val Leu Gly Gln Pro Lys
 100 105 110
 55 Ala Ala Pro Ser Val Thr Leu Phe Pro Pro Ser Ser Glu Glu Leu Gln
 115 120 125

	Ala	Asn	Lys	Ala	Thr	Leu	Val	Cys	Leu	Ile	Ser	Asp	Phe	Tyr	Pro	Gly
	130						135					140				
5	Ala	Val	Thr	Val	Ala	Trp	Lys	Ala	Asp	Ser	Ser	Pro	Val	Lys	Ala	Gly
	145					150					155					160
10	Val	Glu	Thr	Thr	Thr	Pro	Ser	Lys	Gln	Ser	Asn	Asn	Lys	Tyr	Ala	Ala
					165					170					175	
15	Ser	Ser	Tyr	Leu	Ser	Leu	Thr	Pro	Glu	Gln	Trp	Lys	Ser	His	Lys	Ser
				180					185					190		
20	Tyr	Ser	Cys	Gln	Val	Thr	His	Glu	Gly	Ser	Thr	Val	Glu	Lys	Thr	Val
			195					200					205			
25	Ala	Pro	Thr	Glu	Cys	Ser										
	210															
	<210>	406														
	<211>	8														
	<212>	PRT														
	<213>	Homo sapiens														
	<220>															
	<221>	MISC_FEATURE														
30	<222>	(3) .. (3)														
	<223>	Xaa is Arg or Thr														
	<400>	406														
35								Gly	Phe	Xaa	Phe	Asn	Ser	Tyr	Trp	
								1				5				
	<210>	407														
	<211>	8														
40	<212>	PRT														
	<213>	Homo sapiens														
	<220>															
	<221>	MISC_FEATURE														
45	<222>	(4) .. (4)														
	<223>	Xaa is Asp, Gly or Trp														
	<220>															
	<221>	MISC_FEATURE														
50	<222>	(6) .. (6)														
	<223>	Xaa is Ser or Phe														
	<220>															
	<221>	MISC_FEATURE														
55	<222>	(7) .. (7)														
	<223>	Xaa is Glu or Arg														
	<400>	407														

Ile Asn Gln Xaa Gly Xaa Xaa Lys
1 5

<210> 408
5 <211> 15
<212> PRT
<213> Homo sapiens

<220>
10 <221> MISC_FEATURE
<222> (8) .. (8)
<223> Xaa is Ser or Ile

<220>
15 <221> MISC_FEATURE
<222> (9) .. (9)
<223> Xaa is Ser or Lys

<400> 408
20

Ala Arg Glu Gly Tyr Ser Ser Xaa Xaa Tyr Tyr Gly Met Asp Val
1 5 10 15

<210> 409
25 <211> 325
<212> PRT
<213> Artificial Sequence

<220>
30 <223> IgG4 human heavy chain constant region with P (hinge) mutation and K439E

<400> 409

Ala Ser Thr Lys Gly Pro Ser Val Phe Pro Leu Ala Pro Cys Ser Arg
35 1 5 10 15

Ser Thr Ser Glu Ser Thr Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr
40 20 25 30

Phe Pro Glu Pro Val Thr Val Ser Trp Asn Ser Gly Ala Leu Thr Ser
45 35 40 45

Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser
50 50 55 60

Leu Ser Ser Val Val Thr Val Pro Ser Ser Ser Leu Gly Thr Gln Thr
55 65 70 75 80

Tyr Thr Cys Asn Val Asp His Lys Pro Ser Asn Thr Lys Val Asp Lys
85 90 95

	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	
				100					105					110			
5	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	
			115					120					125				
10	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	
		130					135					140					
15	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	
	145					150					155					160	
20	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	
					165					170					175		
25	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	
				180					185					190			
30	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	
			195					200					205				
35	Pro	Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	
		210					215					220					
40	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	
	225					230					235					240	
45	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	
				245					250						255		
50	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	
			260						265					270			
55	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	
			275				280					285					
60	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	
		290					295					300					
65	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Glu	Ser	
	305					310					315					320	
70	Leu	Ser	Leu	Ser	Pro												
					325												

<210> 410

<211> 325

<212> PRT

<213> Artificial Sequence

<220>

5 <223> IgG4 human heavy chain constant region with P (hinge) mutation and E356K

<400> 410

10

15

20

25

30

35

40

45

50

55

	Ala	Ser	Thr	Lys	Gly	Pro	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg		
	1				5					10					15			
5		Ser	Thr	Ser	Glu	Ser	Thr	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	
				20						25					30			
10	Phe	Pro	Glu	Pro	Val	Thr	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser		
			35					40					45					
15	Gly	Val	His	Thr	Phe	Pro	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser		
	50						55					60						
20	Leu	Ser	Ser	Val	Val	Thr	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr		
	65					70					75					80		
25	Tyr	Thr	Cys	Asn	Val	Asp	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys		
				85						90					95			
30	Arg	Val	Glu	Ser	Lys	Tyr	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro		
				100					105					110				
35	Glu	Phe	Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys		
			115					120					125					
40	Asp	Thr	Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val		
	130						135					140						
45	Asp	Val	Ser	Gln	Glu	Asp	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp		
	145					150					155					160		
50	Gly	Val	Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr		
				165						170					175			
55	Asn	Ser	Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp		
				180					185					190				
60	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu		
			195					200					205					
65	Pro	Ser	Ser	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg		
	210						215					220						

	Glu	Pro	Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Gln	Lys	Glu	Met	Thr	Lys	
	225					230					235					240	
5	Asn	Gln	Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	
					245					250					255		
10	Ile	Ala	Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	
				260					265					270			
15	Thr	Thr	Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	
			275					280					285				
20	Lys	Leu	Thr	Val	Asp	Lys	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	
	290						295					300					
25	Cys	Ser	Val	Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	
	305					310					315					320	
30	Leu	Ser	Leu	Ser	Pro												
					325												

<210> 411

<211> 975

<212> DNA

<213> Artificial Sequence

<220>

<223> IgG4-P E356K encoding nucleic acid

<400> 411

	gcttccacca agggacccag cgttttccct ctggctcctt gctccagatc cacctccgag	60
	tctacagctg ctctgggctg cctgggtcaag gactactttc ctgagcctgt gaccgtgtcc	120
5	tggaaactctg gcgctctgac atctggcgtg cacacctttc cagctgtgct gcagtcctcc	180
	ggcctgtact ctctgtcctc tgtcgtgacc gtgccttcca gctctctggg aaccagacc	240
	tacacctgta atgtggacca caagccttcc aacaccaagg tggacaagcg cgtggaatct	300
10	aagtacggcc ctcttgtcc tccatgtcct gctccagagt ttctcggcgg accctccgtg	360
	tttctgttcc ctccaaagcc taaggacacc ctgatgatct ctcggaaccc tgaagtgacc	420
	tgcgtgggtg tggatgtgtc ccaagaggat cccgaggtgc agttcaattg gtacgtggac	480
15	ggcgtggaag tgcacaatgc caagaccaag cctagagagg aacagtacaa ctccacctac	540
	agagtgggtg cctgtctgac cgtgctgcac caggattggc tgaacggcaa agagtacaag	600
20	tgcaagggtg ccaacaaggg cctgcctagc tccatcgaaa agaccatctc caaggccaag	660
	ggccagcctc gagaacccca ggtttacacc ctgcctccaa gccaagagga aatgaccaag	720
	aaccaggtgt ccctgacctg tctcgtgaag ggcttctacc cctccgatat cgccgtggaa	780
25	tgggagtcta atggccagcc agagaacaac tacaagacca cacctccagt gctggactcc	840
	gacggctcat tctttctgta ctccaagctg acagtggaca agtcccgggtg gcaagagggc	900
30	aacgtgttct cctgctctgt gatgcacgag gccctgcaca accactacac ccaagagtcc	960
	ctgtctctgt cccct	975

<210> 412

35 <211> 975

<212> DNA

<213> Homo sapiens

<400> 412

40

45

50

55

	gcttccacca agggacccag cgtgttccct ctggctcctt gctccagatc cacctccgag	60
	tctacagctg ctctgggctg cctgggtcaag gactactttc ctgagcctgt gaccgtgtct	120
5	tggaaactctg gcgctctgac atctggcgtg cacacctttc cagctgtgct gcagtcctcc	180
	ggcctgtact ctctgtcctc tgtcgtgacc gtgccttcca gctctctggg aaccagacc	240
10	tacacctgta atgtggacca caagccttcc aacaccaagg tggacaagcg cgtggaatct	300
	aagtacggcc ctccttgtcc tccatgtcct gctccagagt ttctcggcgg accctccgtg	360
	tttctgttcc ctccaaagcc taaggacacc ctgatgatct ctcggacccc tgaagtgacc	420
15	tgcgtgggtg tggatgtgtc ccaagaggat cccgagggtc agttcaattg gtacgtggac	480
	ggcgtggaag tgcacaacgc caagaccaag cctagagagg aacagtacaa ctccacctac	540
	agagtgggtg ccgtgctgac cgtgctgcac caggattggc tgaacggcaa agagtacaag	600
20	tgcaagggtg ccaacaaggg cctgcctagc tccatcgaaa agaccatctc caaggccaag	660
	ggccagcctc gagaacccca ggtttacacc ctgcctccaa gccagaaaga gatgaccaag	720
25	aaccaggtgt ccctgacctg cctcgtgaag ggcttctacc cttccgatat cgccgtggaa	780
	tgggagagca atggccagcc agagaacaac tacaagacca cacctcctgt gctggactcc	840
	gatggctcat tctttctgta ctccaagctg acagtggaca agtcccgggtg gcaagagggc	900
30	aacgtgttct cctgctctgt gatgcacgag gccctgcaca accactacac ccagaagtcc	960
	ctgtctctgt cccct	975
35	<210> 413 <211> 639 <212> DNA <213> Homo sapiens	
40	<400> 413	
	tacgtgctga cccagcctcc ttccgtgtct gttgctcctg gcgagacagc cagaatcacc	60
	tgtggcggcg ataacatcgg ccggaagtcc gtgtactggt atcagcagaa gtccggccag	120
45	gctcctgtgc tggatcatcta ctacgactcc gaccggcctt ctggcatccc tgagagattc	180
50		
55		

	tccggctcca actccggcaa taccgccaca ctgaccatct ccagagtgga agctggcgac	240
	gaggccgact actactgcca agtgtgggac ggctcctctg accactgggt ttctggcgga	300
5	ggcaccaagc tgacagtgct gggacaacct aaggccgctc cttctgtgac cctgtttcct	360
	ccatcctccg aggaactgca ggccaacaag gctaccctcg tgtgcctgat ctccgacttt	420
10	taccctggcg ctgtgaccgt ggcctggaag gctgatagtt ctctgtgaa ggccggcgtg	480
	gaaaccacca caccttccaa gcagtccaac aacaaatacg ccgcctcctc ctacctgtct	540
	ctgacccctg aacagtggaa gtcccacaag tcctactctt gccaagtgac ccacgagggc	600
15	tccaccgtgg aaaagacagt ggctcctacc gagtgtctcc	639

<210> 414

<211> 213

<212> PRT

20 <213> Homo sapiens

<400> 414

25

30

35

40

45

50

55

	Tyr	Val	Leu	Thr	Gln	Pro	Pro	Ser	Val	Ser	Val	Ala	Pro	Gly	Glu	Thr	
	1				5					10					15		
5	Ala	Arg	Ile	Thr	Cys	Gly	Gly	Asp	Asn	Ile	Gly	Arg	Lys	Ser	Val	Tyr	
				20				25						30			
10	Trp	Tyr	Gln	Gln	Lys	Ser	Gly	Gln	Ala	Pro	Val	Leu	Val	Ile	Tyr	Tyr	
			35					40					45				
15	Asp	Ser	Asp	Arg	Pro	Ser	Gly	Ile	Pro	Glu	Arg	Phe	Ser	Gly	Ser	Asn	
		50					55					60					
20	Ser	Gly	Asn	Thr	Ala	Thr	Leu	Thr	Ile	Ser	Arg	Val	Glu	Ala	Gly	Asp	
	65					70					75					80	
25	Glu	Ala	Asp	Tyr	Tyr	Cys	Gln	Val	Trp	Asp	Gly	Ser	Ser	Asp	His	Trp	
					85					90					95		
30	Val	Phe	Gly	Gly	Gly	Thr	Lys	Leu	Thr	Val	Leu	Gly	Gln	Pro	Lys	Ala	
				100					105					110			
35	Ala	Pro	Ser	Val	Thr	Leu	Phe	Pro	Pro	Ser	Ser	Glu	Glu	Leu	Gln	Ala	
			115					120					125				
40	Asn	Lys	Ala	Thr	Leu	Val	Cys	Leu	Ile	Ser	Asp	Phe	Tyr	Pro	Gly	Ala	
		130					135					140					
45	Val	Thr	Val	Ala	Trp	Lys	Ala	Asp	Ser	Ser	Pro	Val	Lys	Ala	Gly	Val	
	145					150					155					160	
50	Glu	Thr	Thr	Thr	Pro	Ser	Lys	Gln	Ser	Asn	Asn	Lys	Tyr	Ala	Ala	Ser	
					165					170					175		
55	Ser	Tyr	Leu	Ser	Leu	Thr	Pro	Glu	Gln	Trp	Lys	Ser	His	Lys	Ser	Tyr	
			180						185					190			
60	Ser	Cys	Gln	Val	Thr	His	Glu	Gly	Ser	Thr	Val	Glu	Lys	Thr	Val	Ala	
			195					200					205				
65	Pro	Thr	Glu	Cys	Ser												
			210														

<210> 415

<211> 321

<212> DNA

<213> Homo sapiens

<400> 415

```

tacgtgctga cccagcctcc ttccgtgtct gttgctcctg gcgagacagc cagaatcacc      60
tgtggcgccg ataacatcgg ccggaagtcc gtgtactggg atcagcagaa gtccggccag      120
5  gtcctctgtgc tggatcatcta ctacgactcc gaccggcctt ctggcatccc tgagagattc      180
tccggctcca actccggcaa taccgccaca ctgaccatct ccagagtgga agctggcgac      240
gaggccgact actactgcca agtgtgggac ggctcctctg accactgggt tttcggcgga      300
10 ggcaccaagc tgacagtgct g                                     321

```

<210> 416

<211> 107

<212> PRT

<213> Homo sapiens

<400> 416

```

20      Tyr Val Leu Thr Gln Pro Pro Ser Val Ser Val Ala Pro Gly Glu Thr
      1              5              10              15

      Ala Arg Ile Thr Cys Gly Gly Asp Asn Ile Gly Arg Lys Ser Val Tyr
25              20              25              30

      Trp Tyr Gln Gln Lys Ser Gly Gln Ala Pro Val Leu Val Ile Tyr Tyr
30              35              40              45

      Asp Ser Asp Arg Pro Ser Gly Ile Pro Glu Arg Phe Ser Gly Ser Asn
              50              55              60

35      Ser Gly Asn Thr Ala Thr Leu Thr Ile Ser Arg Val Glu Ala Gly Asp
      65              70              75              80

      Glu Ala Asp Tyr Tyr Cys Gln Val Trp Asp Gly Ser Ser Asp His Trp
40              85              90              95

      Val Phe Gly Gly Gly Thr Lys Leu Thr Val Leu
              100              105

```

<210> 417

<211> 24

<212> PRT

<213> Homo sapiens

<400> 417

```

55      Tyr Val Leu Thr Gln Pro Pro Ser Val Ser Val Ala Pro Gly Glu Thr
      1              5              10              15

      Ala Arg Ile Thr Cys Gly Gly Asp
              20

```

<210> 418
 <211> 1341
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Nucleic acid encoding N1280H-IgG4-P K439E

<400> 418

```

gaagtgcagc tggttgaatc tggcggcgga tttgttcagc ctggcggctc tctgagactg      60
tcctgtgctg tgtccggctt ccggttcaac tcctactgga tgcctctggg cgcacaggct      120
cctggcaaaag gactggaatg ggtcgccaac atcaaccagg acggctcccg gaagttctac      180
gtggcctctg tgaagggcag attcaccatg tctcgggaca acgccaagaa atccgtgtac      240
gtgcagatga actccctgag agccgaggac accgccgtgt actactgtgc tagagagggc      300
tactcctcca tcaagtacta cggcatggac gtgtggggcc agggcacaac cgtgacagtc      360
tcttccgctt ccaccaaggg acccagcgtt ttccctctgg ctccctgtct cagatccacc      420
tccgagtcta cagctgctct gggctgcctg gtcaaggact actttcctga gcctgtgacc      480
gtgtcctgga actctggcgc tctgacatct ggcgtgcaca cctttccagc tgtgctgcag      540
tcctccggcc tgtactctct gtcctctgtc gtgaccgtgc cttccagctc tctgggaacc      600
cagacctaca cctgtaatgt ggaccacaag cttccaaca ccaaggtgga caagcgcgtg      660
gaatctaagt acggccctcc ttgtcctcca tgtcctgtct cagagtttct cggcggaccc      720
tccgtgtttc tgttccctcc aaagcctaag gacaccctga tgatctctcg gaccctgaa      780
gtgacctgcg tgggtgtgga tgtgtcccaa gaggatcccg aggtgcagtt caattggtac      840
gtggacggcg tggaagtgca caatgccaa accaagccta gagaggaaca gtacaactcc      900
acctacagag tgggtgtccgt gctgaccgtg ctgcaccagg attggctgaa cggcaaagag      960

tacaagtgca aggtgtccaa caagggcctg cctagctcca tcgaaaagac catctccaag     1020
gccaaagggcc agcctcgaga accccagggt tacaccctgc ctccaagcca agaggaaatg     1080
accaagaacc aggtgtccct gacctgtctc gtgaagggct tctaccctc cgatatcgcc     1140
gtggaatggg agtctaattg ccagccagag aacaactaca agaccacacc tccagtgtg      1200
gactccgacg gctcattctt tctgtactcc aagctgacag tggacaagtc ccggtggcaa     1260
gagggcaacg tgttctcctg ctctgtgatg cagaggccc tgcacaacca ctacacccaa     1320
gagtcctgtg ctctgtcccc t                                     1341

```

<210> 419
 <211> 447
 <212> PRT

<213> Artificial Sequence

<220>

<223> N1280H-IgG4-P K439E amino acid sequence

5

<400> 419

10

15

20

25

30

35

40

45

50

55

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
1 5 10 15

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Arg Phe Asn Ser Tyr
20 25 30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
35 40 45

Ala Asn Ile Asn Gln Asp Gly Ser Arg Lys Phe Tyr Val Ala Ser Val
50 55 60

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
65 70 75 80

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

Ala Arg Glu Gly Tyr Ser Ser Ile Lys Tyr Tyr Gly Met Asp Val Trp
100 105 110

Gly Gln Gly Thr Thr Val Thr Val Ser Ser Ala Ser Thr Lys Gly Pro
115 120 125

Ser Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr
130 135 140

Ala Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr

	145		150		155		160
5	Val Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro	165		170		175	
10	Ala Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr	180		185		190	
15	Val Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Thr Cys Asn Val Asp	195		200		205	
20	His Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys Tyr	210		215		220	
25	Gly Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro	225		230		235	240
30	Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser	245		250		255	
35	Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp	260		265		270	
40	Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn	275		280		285	
45	Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val	290		295		300	
50	Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu	305		310		315	320
55	Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys	325		330		335	
	Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr	340		345		350	
	Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr	355		360		365	
	Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu	370		375		380	
	Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu	385		390		395	400

Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
405 410 415

5 Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu
420 425 430

10 Ala Leu His Asn His Tyr Thr Gln Glu Ser Leu Ser Leu Ser Pro
435 440 445

<210> 420

<211> 1338

<212> DNA

15 <213> Artificial Sequence

<220>

<223> Nucleic acid encoding T0999H-IgG4-P E356K

20 <400> 420

25

30

35

40

45

50

55

	cagggttcagc tgattcagtc cggcgcaaaa gtgaagaaac ctggcgccctc tgtgaagggtg	60
	tcctgcaagg cctctcggta caagttcacc tcctactaca tgcactgggt cgcacaggcc	120
5	cctggacaag gattggagtg gatgggcatc atcaacccca agtccggctc cacctcttac	180
	gcccagaaat tccagggcag agtgaccatg accagagaca cctctacctc caccgtgtac	240
10	atggaactgt ccagcctgag atccgaggac accgccgtgt actactgtgc cagagatggc	300
	tacggcagct tctccagact gatccagttg tggggccagg gcacactggg cacagtgtcc	360
	tctgcttcca ccaagggacc cagcgtgttc cctctggctc cttgctccag atccacctcc	420
15	gagtctacag ctgctctggg ctgcctggtc aaggactact ttcctgagcc tgtgaccgtg	480
	tcttggaact ctggcgctct gacatctggc gtgcacacct ttccagctgt gctgcagtcc	540
	tccggcctgt actctctgtc ctctgtcgtg accgtgcctt ccagctctct gggaaccag	600
20	acctacacct gtaatgtgga ccacaagcct tccaacacca aggtggacaa gcgcgtggaa	660
	tctaagtacg gccctccttg tcctccatgt cctgctccag agtttctcgg cggaccctcc	720
	gtgtttctgt tccctccaaa gcctaaggac accctgatga tctctcggac ccctgaagtg	780
25	acctgcgtgg tgggtgatgt gtcccaagag gatcccgagg tgcagttcaa ttggtacgtg	840
	gacggcgtgg aagtgcacaa cgccaagacc aagcctagag aggaacagta caactccacc	900
30	tacagagtgg tgtccgtgct gaccgtgctg caccaggatt ggctgaacgg caaagagtac	960
	aagtgcaagg tgtccaacaa gggcctgcct agctccatcg aaaagaccat ctccaaggcc	1020
	aagggccagc ctcgagaacc ccagggttac accctgcctc caagccagaa agagatgacc	1080
35	aagaaccagg tgtccctgac ctgcctcgtg aagggcttct acccttccga tatcgccgtg	1140
	gaatgggaga gcaatggcca gccagagaac aactacaaga ccacacctcc tgtgctggac	1200
	tccgatggct cattctttct gtactccaag ctgacagtgg acaagtcccg gtggcaagag	1260
40	ggcaacgtgt tctcctgtct tgtgatgcac gaggccctgc acaaccacta caccagaag	1320
	tccctgtctc tgtcccct	1338
45	<210> 421	
	<211> 446	
	<212> PRT	
	<213> Artificial Sequence	
50	<220>	
	<223> T0999H-IgG4-P E356K amino acid sequence	
55	<400> 421	

	Gln	Val	Gln	Leu	Ile	Gln	Ser	Gly	Ala	Lys	Val	Lys	Lys	Pro	Gly	Ala	
	1				5					10					15		
5	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Arg	Tyr	Lys	Phe	Thr	Ser	Tyr	
				20					25					30			
10	Tyr	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
			35					40					45				
15	Gly	Ile	Ile	Asn	Pro	Lys	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe	
	50						55					60					
20	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Ser	Thr	Val	Tyr	
	65					70					75					80	
25	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
30	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Phe	Ser	Arg	Leu	Ile	Gln	Leu	Trp	Gly	
				100					105					110			
35	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	
			115					120					125				
40	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	
		130					135					140					
45	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	
	145					150					155					160	
50	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	
					165					170					175		
55	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	
				180					185					190			

	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	
			195					200					205				
5	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	
		210					215					220					
10	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	
	225					230					235					240	
	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	
					245					250					255		
15	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	
				260					265					270			
20	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	
			275					280					285				
	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	
		290					295					300					
25	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	
	305					310					315					320	
30	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile	Glu	Lys	Thr	
					325					330					335		
35	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	Leu	
				340					345					350			
	Pro	Pro	Ser	Gln	Lys	Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	Cys	
			355					360					365				
40	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	Ser	
		370					375					380					
45	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	Asp	
	385					390					395					400	
	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	Ser	
					405					410					415		
50	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met	His	Glu	Ala	
				420					425					430			
55	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu	Ser	Pro			
			435					440					445				

<210> 422
 <211> 8
 <212> PRT
 <213> Homo sapiens
 5
 <400> 422

 Gly Phe Thr Phe Asn Ser Tyr Trp
 1 5
 10
 <210> 423
 <211> 1341
 <212> DNA
 <213> Artificial Sequence
 15
 <220>
 <223> Nucleic acid encoding N1454H-IgG4-P K439E
 20
 <400> 423
 25
 30
 35
 40
 45
 50
 55

	gaagtgcagc tgggttgaatc tggcggcgga tttgttcagc ctggcggctc tctgagactg	60
	tcctgtgctg tgtccggctt ccggttcaac tcctactgga tgtcctgggt ccgacaggct	120
5	cctggcaaaag gactggaatg ggtcgccaac atcaaccagg acggctcccg gaagttctac	180
	gtggcctctg tgaagggcag attcaccatg tctcgggaca acgccaagaa agaggtgtac	240
10	gtgcagatga actccctgag agccgaggac accgccgtgt actactgtgc tagagagggc	300
	tactcctcca tcaagtacta cggcatggac gtgtggggcc agggcacaac cgtgacagtc	360
	tcttccgctt ccaccaaggg acccagcgtt ttccctctgg ctcccttgctc cagatccacc	420
15	tccgagtcta cagctgctct gggctgcctg gtcaaggact actttcctga gcctgtgacc	480
	gtgtcctgga actctggcgc tctgacatct ggcgtgcaca cctttccagc tgtgctgcag	540
	tcctccggcc tgtactctct gtcctctgtc gtgaccgtgc cttccagctc tctgggaacc	600
20	cagacctaca cctgtaatgt ggaccacaag ccttccaaca ccaaggtgga caagcgcgtg	660
	gaatctaagt acggccctcc ttgtcctcca tgtcctgctc cagagtttct cggcggaccc	720
	tccgtgtttc tgttccctcc aaagcctaag gacaccctga tgatctctcg gaccctgaa	780
25	gtgacctgcg tgggtggtgga tgtgtcccaa gaggatcccg aggtgcagtt caattggtac	840
	gtggacggcg tggaagtgca caatgccaa accaagccta gagaggaaca gtacaactcc	900
30	acctacagag tgggtgtccgt gctgaccgtg ctgcaccagg attggctgaa cggcaaagag	960
	tacaagtgca aggtgtccaa caagggcctg cctagctcca tcgaaaagac catctccaag	1020
	gccaaagggcc agcctcgaga accccagggtt tacaccctgc ctccaagcca agaggaaatg	1080
35	accaagaacc aggtgtccct gacctgtctc gtgaagggct tctaccctc cgatatcgcc	1140
	gtggaatggg agtctaattg ccagccagag aacaactaca agaccacacc tccagtgtg	1200
	gactccgacg gctcattctt tctgtactcc aagctgacag tggacaagtc ccggtggcaa	1260
40		
	gagggcaacg tgttctcctg ctctgtgatg cagcaggccc tgcacaacca ctacacccaa	1320
	gagtcctgt ctctgtcccc t	1341
45		
	<210> 424	
	<211> 447	
	<212> PRT	
	<213> Artificial Sequence	
50		
	<220>	
	<223> N1454H-IgG4-P K439E amino acid sequence	
55	<400> 424	

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Arg	Phe	Asn	Ser	Tyr	
				20					25					30			
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Arg	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Glu	Val	Tyr	
	65					70					75					80	
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
30	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Lys	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	
			115					120					125				
40	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	
		130					135					140					
45	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	
	145					150					155					160	
50	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	
				165						170					175		
55	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	
				180					185					190			

	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Thr	Cys	Asn	Val	Asp	
			195					200					205				
5	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	
		210					215					220					
10	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	
	225					230					235					240	
15	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	
				245						250					255		
20	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	
				260					265					270			
25	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	
			275					280					285				
30	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	
	290						295					300					
35	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	
	305					310					315					320	
40	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile	Glu	Lys	
					325					330					335		
45	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln	Val	Tyr	Thr	
				340					345					350			
50	Leu	Pro	Pro	Ser	Gln	Glu	Glu	Met	Thr	Lys	Asn	Gln	Val	Ser	Leu	Thr	
			355					360					365				
55	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val	Glu	Trp	Glu	
		370					375					380					
60	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro	Pro	Val	Leu	
	385					390					395					400	
65	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr	Val	Asp	Lys	
				405						410					415		
70	Ser	Arg	Trp	Gln	Glu	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val	Met	His	Glu	
				420					425					430			
75	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Glu	Ser	Leu	Ser	Leu	Ser	Pro		
			435					440					445				

<210> 425
 <211> 1341
 <212> DNA
 <213> Artificial Sequence

5

<220>
 <223> Nucleic acid encoding N1441H-IgG4-P K439E

10

<400> 425

15

20

25

30

35

40

45

50

55

```

gaagtgcagc tggttgaatc tggcggcgga tttgttcagc ctggcggctc tctgagactg      60
tcctgtgctg tgtccggctt ccggttcaac tcctactgga tgcctgggt cgcacaggct      120
cctggcaaaag gactggaatg ggtcgccaac atcaaccagg acggctcccg gaagttctac      180
gtggcctctg tgaagggcag attcaccatg tctcgggaca acgccgacaa gtccgtgtac      240
gtgcagatga actccctgag agccgaggac accgccgtgt actactgtgc tagagagggc      300
tactcctcca tcaagtacta cggcatggac gtgtggggcc agggcacaac cgtgacagtc      360
tcttccgctt ccaccaaggg acccagcggt ttccctctgg ctccctgtct cagatccacc      420
tccgagtcta cagctgctct gggctgcctg gtcaaggact actttcctga gcctgtgacc      480
gtgtcctgga actctggcgc tctgacatct ggcgtgcaca cctttccagc tgtgctgcag      540
tcctccggcc tgtactctct gtcctctgtc gtgaccgtgc cttccagctc tctgggaacc      600
cagacctaca cctgtaatgt ggaccacaag cttccaaca ccaagggtga caagcgcgtg      660
gaatctaagt acggccctcc ttgtcctcca tgtcctgtct cagagtttct cggcggaccc      720
tccgtgtttc tgttccctcc aaagcctaag gacaccctga tgatctctcg gaccctgaa      780
gtgacctgcg tgggtggtga tgtgtcccaa gaggatcccg aggtgcagtt caattggtac      840
gtggacggcg tggaagtgca caacgccaag accaagccta gagaggaaca gtacaactcc      900
acctacagag tgggtgtccgt gctgaccgtg ctgcaccagg attggctgaa cggcaaagag      960
tacaagtgca aggtgtccaa caagggcctg cctagctcca tcgaaaagac catctccaag     1020
gccaagggcc agcctcgaga accccagggt tacaccctgc ctccaagcca agaggaaatg     1080
accaagaacc aggtgtccct gacctgtctc gtgaagggtc tctaccctc cgatatcgcc     1140
gtggaatggg agtctaattg ccagccagag acaactaca agaccacacc tccagtgtctg     1200
gactccgacg gctcattctt tctgtactcc aagctgacag tggacaagtc ccggtggcaa     1260
gagggcaacg tgttctcctg ctctgtgatg cagaggccc tgcacaacca ctacacccaa     1320
gagtccttgt ctctgtcccc t                                     1341

```

<210> 426
 <211> 447
 <212> PRT
 <213> Artificial Sequence

<220>

<223> N1441H-IgG4-P K439E amino acid sequence

<400> 426

5

10

15

20

25

30

35

40

45

50

55

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Arg	Phe	Asn	Ser	Tyr	
				20					25					30			
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Arg	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Asp	Lys	Ser	Val	Tyr	
	65					70					75					80	
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
30	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Lys	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	
			115					120					125				
40	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	
		130					135					140					
45	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	
	145					150					155					160	
50	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	
				165						170					175		
55	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	
				180				185						190			
60	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Thr	Cys	Asn	Val	Asp	
			195					200					205				
65	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	
		210					215					220					
70	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	
	225					230					235					240	

	Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser	245	250	255
5	Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp	260	265	270
10	Pro Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn	275	280	285
15	Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val	290	295	300
	Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu	305	310	315
20	Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys	325	330	335
25	Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr	340	345	350
	Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr	355	360	365
30	Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu	370	375	380
35	Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu	385	390	395
40	Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys	405	410	415
	Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu	420	425	430
45	Ala Leu His Asn His Tyr Thr Gln Glu Ser Leu Ser Leu Ser Pro	435	440	445
50	<210> 427			
	<211> 1341			
	<212> DNA			
	<213> Artificial Sequence			
55	<220>			
	<223> Nucleic acid encoding N1442H-IgG4-P K439E			
	<400> 427			

	gaagtgcagc tgggttgaatc tggcggcgga tttgttcagc ctggcggctc tctgagactg	60
5	tcctgtgctg tgtccggctt ccggttcaac tcctactgga tgcctgggt ccgacaggct	120
	cctggcaaag gactggaatg ggtcgccaac atcaaccagg acggctcccg gaagttctac	180
	gtggcctctg tgaagggcag attcaccatg tctcgggaca acgccgagaa gtccgtgtac	240
10	gtgcagatga actccctgag agccgaggac accgccgtgt actactgtgc tagagagggc	300
	tactcctcca tcaagtacta cggcatggac gtgtggggcc agggcacaac cgtgacagtc	360
	tcttccgctt ccaccaaggg acccagcgtt ttccctctgg ctccctgctc cagatccacc	420
15	tccgagtcta cagctgctct gggctgcctg gtcaaggact actttcctga gcctgtgacc	480
	gtgtcctgga actctggcgc tctgacatct ggcgtgcaca cctttccagc tgtgtgtcag	540
20	tcctccggcc tgtactctct gtcctctgtc gtgaccgtgc cttccagctc tctgggaacc	600
	cagacctaca cctgtaatgt ggaccacaag cttccaaca ccaaggtgga caagcgcgtg	660
	gaatctaagt acggccctcc ttgtcctcca tgtcctgctc cagagtttct cggcggaccc	720
25	tccgtgtttc tgttccctcc aaagcctaag gacaccctga tgatctctcg gaccctgaa	780
	gtgacctgcg tgggtgtgga tgtgtcccaa gaggatcccg aggtgcagtt caattggtac	840
	gtggacggcg tggaagtgca caacgccaag accaagccta gagaggaaca gtacaactcc	900
30	acctacagag tgggtgtccgt gctgaccgtg ctgcaccagg attggctgaa cggcaaagag	960
	tacaagtgca aggtgtccaa caagggcctg cctagctcca tcgaaaagac catctccaag	1020
35	gccaagggcc agcctcgaga accccagggt tacaccctgc ctccaagcca agaggaaatg	1080
	accaagaacc aggtgtccct gacctgtctc gtgaagggt tctaccctc cgatatcgcc	1140
	gtggaatggg agtctaattg ccagccagag aacaactaca agaccacacc tccagtgtctg	1200
40	gactccgacg gctcattctt tctgtactcc aagctgacag tggacaagtc ccggtggcaa	1260
	gagggcaacg tgttctcctg ctctgtgatg cacgaggccc tgcacaacca ctacacccaa	1320
	gagtcctgt ctctgtcccc t	1341
45	<210> 428 <211> 447 <212> PRT <213> Artificial Sequence	
50	<220> <223> N1442H-IgG4-P K439E amino acid sequence	
55	<400> 428	

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

5 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Arg Phe Asn Ser Tyr
 20 25 30

10

15

20

25

30

35

40

45

50

55

	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
5	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Arg	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
10	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Glu	Lys	Ser	Val	Tyr	
	65					70					75					80	
15	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90					95		
20	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Lys	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
25	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	
			115					120						125			
30	Ser	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	
		130					135					140					
35	Ala	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	
	145					150					155					160	
40	Val	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	
				165						170					175		
45	Ala	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	
				180					185					190			
50	Val	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Thr	Cys	Asn	Val	Asp	
			195					200					205				
55	His	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	
	210						215					220					
60	Gly	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	
	225					230					235					240	
65	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	
				245						250					255		
70	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	
				260					265					270			
75	Pro	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	
			275					280					285				

Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val
290 295 300

5 Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu
305 310 315 320

10 Tyr Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys
325 330 335

15 Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
340 345 350

Leu Pro Pro Ser Gln Glu Glu Met Thr Lys Asn Gln Val Ser Leu Thr
355 360 365

20 Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
370 375 380

25 Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu
385 390 395 400

30 Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
405 410 415

Ser Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu
420 425 430

35 Ala Leu His Asn His Tyr Thr Gln Glu Ser Leu Ser Leu Ser Pro
435 440 445

<210> 429

<211> 1338

<212> DNA

<213> Artificial Sequence

<220>

<223> Nucleic acid encoding T0736H-IgG4-P E356K

<400> 429

caggttcagc tgattcagtc tggcgccgaa gtgaagaaac ctggcgccctc tgtgaaggtg 60

50 tcctgcaagg cctctcggtg caagttcacc tcctactaca tgcactgggt ccgacaggcc 120

cctggacaag gattggagtg gatgggcatc atcaacccca agtccggctc cacctcttac 180

55 gcccagaaat tccagggcag agtgaccatg accagagaca cctctacctc caccgtgtac 240

atggaactgt ccagcctgag atccgaggac accgccgtgt actactgtgc cagagatggc 300

tacggcagct tctccaggct gatccagttg tggggacagg gcacactggc caccgtgtcc 360

	tctgcttcta ccaagggacc cagcgtgttc cctctggctc cttgctccag atccacctcc	420
	gagtctacag ctgctctggg ctgcctggtc aaggactact ttcctgagcc tgtgaccgtg	480
5	tcttggaact ctggcgctct gacatctggc gtgcacacct ttccagctgt gctgcagtcc	540
	tccggcctgt actctctgtc ctctgtcgtg accgtgcctt ccagctctct gggaaccag	600
10	acctacacct gtaatgtgga ccacaagcct tccaacacca aggtggacaa gcgcgtggaa	660
	tctaagtacg gccctccttg tcctccatgt cctgctccag agtttctcgg cggaccctcc	720
	gtgtttctgt tccctccaaa gcctaaggac accctgatga tctctcggac ccctgaagtg	780
15	acctgcgtgg tggatggatgt gtccaagag gatcccgagg tgcagttcaa ttggtacgtg	840
	gacggcgtgg aagtgcacaa cgccaagacc aagcctagag aggaacagta caactccacc	900
	tacagagtgg tgtccgtgct gaccgtgctg caccaggatt ggctgaacgg caaagagtac	960
20	aagtgcaagg tgtccaacaa gggcctgcct agctccatcg aaaagaccat ctccaaggcc	1020
	aagggccagc ctcgagaacc ccaggtttac accctgcctc caagccagaa agagatgacc	1080
25	aagaaccagg tgtccctgac ctgcctcgtg aagggttctt acccttccga tatcgccgtg	1140
	gaatgggaga gcaatggcca gccagagaac aactacaaga ccacacctcc tgtgctggac	1200
	tccgatggct cattctttct gtactccaag ctgacagtgg acaagtcccg gtggcaagag	1260
30	ggcaacgtgt tctcctgctc tgtgatgcac gaggccctgc acaaccacta caccagaag	1320
	tccctgtctc tgtccct	1338
35	<210> 430 <211> 446 <212> PRT <213> Artificial Sequence	
40	<220> <223> T0736H-IgG4-P E356K amino acid sequence	
	<400> 430	
45		
50		
55		

	Gln	Val	Gln	Leu	Ile	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala	
	1				5					10					15		
5	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Arg	Tyr	Lys	Phe	Thr	Ser	Tyr	
				20					25					30			
	Tyr	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
10			35					40					45				
	Gly	Ile	Ile	Asn	Pro	Lys	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe	
		50					55					60					
15																	
	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Ser	Thr	Val	Tyr	
	65					70					75					80	
20																	
25																	
30																	
35																	
40																	
45																	
50																	
55																	

	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
5	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Phe	Ser	Arg	Leu	Ile	Gln	Leu	Trp	Gly	
				100					105					110			
10	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	
			115					120					125				
15	Val	Phe	Pro	Leu	Ala	Pro	Cys	Ser	Arg	Ser	Thr	Ser	Glu	Ser	Thr	Ala	
		130					135					140					
20	Ala	Leu	Gly	Cys	Leu	Val	Lys	Asp	Tyr	Phe	Pro	Glu	Pro	Val	Thr	Val	
	145					150					155					160	
25	Ser	Trp	Asn	Ser	Gly	Ala	Leu	Thr	Ser	Gly	Val	His	Thr	Phe	Pro	Ala	
					165					170					175		
30	Val	Leu	Gln	Ser	Ser	Gly	Leu	Tyr	Ser	Leu	Ser	Ser	Val	Val	Thr	Val	
				180					185					190			
35	Pro	Ser	Ser	Ser	Leu	Gly	Thr	Gln	Thr	Tyr	Thr	Cys	Asn	Val	Asp	His	
			195					200					205				
40	Lys	Pro	Ser	Asn	Thr	Lys	Val	Asp	Lys	Arg	Val	Glu	Ser	Lys	Tyr	Gly	
		210					215					220					
45	Pro	Pro	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Phe	Leu	Gly	Gly	Pro	Ser	
	225					230					235					240	
50	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu	Met	Ile	Ser	Arg	
					245					250					255		
55	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser	Gln	Glu	Asp	Pro	
				260					265					270			
60	Glu	Val	Gln	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu	Val	His	Asn	Ala	
			275					280					285				
65	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr	Tyr	Arg	Val	Val	
		290					295					300					
70	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn	Gly	Lys	Glu	Tyr	
	305					310					315					320	
75	Lys	Cys	Lys	Val	Ser	Asn	Lys	Gly	Leu	Pro	Ser	Ser	Ile	Glu	Lys	Thr	

	325	330	335
5	Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu 340 345 350		
10	Pro Pro Ser Gln Lys Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys 355 360 365		
15	Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser 370 375 380		
20	Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp 385 390 395 400		
25	Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser 405 410 415		
30	Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala 420 425 430		
35	Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro 435 440 445		
40	<210> 431 <211> 1338 <212> DNA <213> Artificial Sequence		
45	<220> <223> Nucleic acid encoding T0687H-IgG4-P E356K		
50	<400> 431		
55			

	caggttcagc tgattcagtc tggcgccgaa gtgaagaaac ctggcgccctc tgtgaaggtg	60
	tcctgcaagg cctccagata ctccttcacc tcctactaca tgcactgggt ccgacaggcc	120
5	cctggacaag gattggagtg gatgggcatc atcaacccca agtccggctc cacctcttac	180
	gcccagaaat tccagggcag agtgaccatg accagagaca cctctacctc caccgtgtac	240
10	atggaactgt ccagcctgag atccgaggac accgccgtgt actactgtgc cagagatggc	300
	tacggctcct tcagcagagt gatccagttg tggggccagg gcacactggg cacagtgtcc	360
	tctgcttcca ccaagggacc cagcgtgttc cctctggctc cttgctccag atccacctcc	420
15	gagtctacag ctgctctggg ctgcctggtc aaggactact ttcctgagcc tgtgaccgtg	480
	tcttggaact ctggcgctct gacatctggc gtgcacacct ttccagctgt gctgcagtcc	540
	tccggcctgt actctctgtc ctctgtcgtg accgtgcctt ccagctctct gggaaaccag	600
20	acctacacct gtaatgtgga ccacaagcct tccaacacca aggtggacaa gcgcgtggaa	660
	tctaagtacg gccctccttg tcctccatgt cctgctccag agtttctcgg cggaccctcc	720
25	gtgtttctgt tccctccaaa gcctaaggac accctgatga tctctcggac ccctgaagtg	780
	acctgcgtgg tgggtgatgt gtcccaagag gatcccgagg tgcagttcaa ttggtacgtg	840
	gacggcgtgg aagtgcacaa cgccaagacc aagcctagag aggaacagta caactccacc	900
30	tacagagtgg tgtccgtgct gaccgtgctg caccaggatt ggctgaacgg caaagagtac	960
	aagtgcaagg tgtccaacaa gggcctgcct agctccatcg aaaagaccat ctccaaggcc	1020
	aagggccagc ctcgagaacc ccaggtttac accctgcctc caagccagaa agagatgacc	1080
35	aagaaccagg tgtccctgac ctgcctcgtg aagggcttct acccttccga tatcgccgtg	1140
	gaatgggaga gcaatggcca gccagagaac aactacaaga ccacacctcc tgtgctggac	1200
40	tccgatggct cattctttct gtactccaag ctgacagtgg acaagtcccg gtggcaagag	1260
	ggcaacgtgt tctcctgctc tgtgatgcac gaggcctgc acaaccacta caccagaag	1320
	tccctgtctc tgtcccct	1338
45	<210> 432 <211> 446 <212> PRT <213> Artificial Sequence	
50	<220> <223> T0687H-IgG4-P E356K amino acid sequence	
	<400> 432	
55		

	Gln	Val	Gln	Leu	Ile	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala	
	1				5					10					15		
5	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Arg	Tyr	Ser	Phe	Thr	Ser	Tyr	
				20					25					30			
10	Tyr	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
			35					40					45				
15	Gly	Ile	Ile	Asn	Pro	Lys	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe	
		50					55					60					
20	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Ser	Thr	Val	Tyr	
	65					70					75					80	
25	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
30	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Phe	Ser	Arg	Val	Ile	Gln	Leu	Trp	Gly	
				100					105					110			
35	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser	Ala	Ser	Thr	Lys	Gly	Pro	Ser	
40																	
45																	
50																	
55																	

	115	120	125
5	Val Phe Pro Leu Ala Pro Cys Ser Arg Ser Thr Ser Glu Ser Thr Ala 130 135 140		
10	Ala Leu Gly Cys Leu Val Lys Asp Tyr Phe Pro Glu Pro Val Thr Val 145 150 155 160		
15	Ser Trp Asn Ser Gly Ala Leu Thr Ser Gly Val His Thr Phe Pro Ala 165 170 175		
20	Val Leu Gln Ser Ser Gly Leu Tyr Ser Leu Ser Ser Val Val Thr Val 180 185 190		
25	Pro Ser Ser Ser Leu Gly Thr Gln Thr Tyr Thr Cys Asn Val Asp His 195 200 205		
30	Lys Pro Ser Asn Thr Lys Val Asp Lys Arg Val Glu Ser Lys Tyr Gly 210 215 220		
35	Pro Pro Cys Pro Pro Cys Pro Ala Pro Glu Phe Leu Gly Gly Pro Ser 225 230 235 240		
40	Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg 245 250 255		
45	Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser Gln Glu Asp Pro 260 265 270		
50	Glu Val Gln Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala 275 280 285		
55	Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val 290 295 300		
60	Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr 305 310 315 320		
65	Lys Cys Lys Val Ser Asn Lys Gly Leu Pro Ser Ser Ile Glu Lys Thr 325 330 335		
70	Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu 340 345 350		
75	Pro Pro Ser Gln Lys Glu Met Thr Lys Asn Gln Val Ser Leu Thr Cys 355 360 365		

	Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser	
	370 375 380	
5	Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp	
	385 390 395 400	
10	Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser	
	405 410 415	
15	Arg Trp Gln Glu Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala	
	420 425 430	
20	Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro	
	435 440 445	
	<210> 433	
	<211> 15	
	<212> PRT	
	<213> Homo sapiens	
25	<400> 433	
	Ala Arg Glu Gly Tyr Ser Ser Ile Lys Tyr Tyr Gly Met Asp Val	
	1 5 10 15	
30	<210> 434	
	<211> 366	
	<212> DNA	
	<213> Homo sapiens	
35	<400> 434	
	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc	60
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct	120
40	ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtga gaaattctat	180
	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat	240
45	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg	300
	tatagtagta tcaagtatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc	360
	tcctca	366
50	<210> 435	
	<211> 122	
	<212> PRT	
	<213> Homo sapiens	
55	<400> 435	
	Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly	
	1 5 10 15	

	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
5	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
10	Ala	Asn	Ile	Lys	Gln	Asp	Gly	Ser	Glu	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
15	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
20	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90				95			
25	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Lys	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
30	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									
	<210> 436																
	<211> 8																
	<212> PRT																
	<213> Homo sapiens																
	<400> 436																
35						Ile	Asn	Gln	Asp	Gly	Ser	Arg	Lys				
						1				5							
	<210> 437																
	<211> 366																
	<212> DNA																
40	<213> Homo sapiens																
	<400> 437																
45	gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60																
	tcctgtgcag tctctggatt cacctttaat agctattgga tgagctgggt ccgccaggct 120																
	ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtag aaaattctat 180																
50	gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240																
	gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300																
	tatagtagta tctcctatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360																
55	tcctca 366																
	<210> 438																

<211> 122
 <212> PRT
 <213> Homo sapiens

5 <400> 438

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
10																	
	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr	
				20					25					30			
15																	
	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
20																	
	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Arg	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
25																	
	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr	
	65					70					75					80	
30																	
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
35																	
	Ala	Arg	Glu	Gly	Tyr	Ser	Ile	Ser	Ser	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
40																	
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 439
 <211> 366
 <212> DNA
 <213> Homo sapiens

40 <400> 439

45	gaggtgcagc	tggtggagtc	tgggggaggc	tttgtccagc	ctgggggggc	cctgagactc	60
	tcctgtgcag	tctctggatt	cacctttaat	agctattgga	tgagctgggt	ccgccaggct	120
	ccagggaagg	ggctggagtg	ggtggccaac	ataaaccaag	atggaagtag	aaaattctat	180
50	gtggcctctg	tgaagggccg	attcaccatg	tccagagaca	acgccaagaa	atcagtgtat	240
	gtacaaatga	acagcctgag	agccgaggac	acggctgtgt	attactgtgc	gagagagggg	300
	tatagtagta	tcaagtatta	tggtatggac	gtctggggcc	aagggaccac	ggtcaccgtc	360
55	tcctca						366

<210> 440

<211> 122
<212> PRT
<213> Homo sapiens

5 <400> 440

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly
	1				5					10					15	
10																
	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Thr	Phe	Asn	Ser	Tyr
				20					25					30		
15																
	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val
			35					40					45			
20																
	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Arg	Lys	Phe	Tyr	Val	Ala	Ser	Val
		50					55					60				
	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Lys	Lys	Ser	Val	Tyr
	65					70					75					80
25																
	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
30																
	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Lys	Tyr	Tyr	Gly	Met	Asp	Val	Trp
				100					105					110		
35																
	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser						
			115					120								

<210> 441
<211> 8
<212> PRT
<213> Homo sapiens

<400> 441

45 Gly Phe Arg Phe Asn Ser Tyr Trp
1 5

<210> 442
<211> 366
<212> DNA
<213> Homo sapiens

<400> 442

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggc cctgagactc 60
 tcctgtgcag tctctggatt cagatttaat agctattgga tgagctgggt ccgccaggct 120
 5 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag atggaagtag aaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 10 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagta tcaagtatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

15 <210> 443
 <211> 122
 <212> PRT
 <213> Homo sapiens

20 <400> 443

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

25 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Arg Phe Asn Ser Tyr
 20 25 30

30 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

35 Ala Asn Ile Asn Gln Asp Gly Ser Arg Lys Phe Tyr Val Ala Ser Val
 50 55 60

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

40 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Glu Gly Tyr Ser Ser Ile Lys Tyr Tyr Gly Met Asp Val Trp
 100 105 110

50 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

55 <210> 444
 <211> 8
 <212> PRT
 <213> Homo sapiens

<400> 444

Ile Asn Gln Gly Gly Ser Arg Lys
1 5

5 <210> 445
 <211> 366
 <212> DNA
 <213> Homo sapiens

10 <400> 445

15 gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cagatttaat agctattgga tgagctgggt ccgccaggct 120
 ccaggggaagg ggctggagtg ggtggccaac ataaaccaag gcggaagtag aaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagta tcaagtatta tggatatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

25 <210> 446
 <211> 122
 <212> PRT
 <213> Homo sapiens

30 <400> 446

35

40

45

50

55

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 5 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Arg Phe Asn Ser Tyr
 20 25 30
 10 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Gly Gly Ser Arg Lys Phe Tyr Val Ala Ser Val
 50 55 60
 15 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 20 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 25 Ala Arg Glu Gly Tyr Ser Ser Ile Lys Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 30 <210> 447
 <211> 8
 <212> PRT
 <213> Homo sapiens
 35 <400> 447
 Ile Asn Gln Trp Gly Ser Arg Lys
 1 5
 40 <210> 448
 <211> 366
 <212> DNA
 <213> Homo sapiens
 45 <400> 448
 50
 55

gaggtgcagc tgggtggagtc tgggggaggc tttgtccagc ctgggggggtc cctgagactc 60
 tcctgtgcag tctctggatt cagatttaat agctattgga tgagctgggt ccgccaggct 120
 5 ccaggggaagg ggctggagtg ggtggccaac ataaaccaat ggggaagtag aaaattctat 180
 gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
 10 gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
 tatagtagta tcaagtatta tggtatggac gtctggggcc aagggaccac ggtcaccgtc 360
 tcctca 366

15 <210> 449
 <211> 122
 <212> PRT
 <213> Homo sapiens

20 <400> 449

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15

25

Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Arg Phe Asn Ser Tyr
 20 25 30

30

Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45

35

Ala Asn Ile Asn Gln Trp Gly Ser Arg Lys Phe Tyr Val Ala Ser Val
 50 55 60

Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80

40

Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45

Ala Arg Glu Gly Tyr Ser Ser Ile Lys Tyr Tyr Gly Met Asp Val Trp
 100 105 110

50

Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

55

<210> 450
 <211> 8
 <212> PRT
 <213> Homo sapiens

<400> 450

Ile Asn Gln Asp Gly Phe Arg Lys
1 5

5 <210> 451
<211> 366
<212> DNA
<213> Homo sapiens

10 <400> 451

gaggtgcagc tgggtggagtc tggggggaggc tttgtccagc ctgggggggtc cctgagactc 60
tcctgtgcag tctctggatt cagatttaat agctattgga tgagctgggt ccgccaggct 120
15 ccagggaagg ggctggagtg ggtggccaac ataaaccaag atggattcag aaaattctat 180
gtggcctctg tgaagggccg attcaccatg tccagagaca acgccaagaa atcagtgtat 240
gtacaaatga acagcctgag agccgaggac acggctgtgt attactgtgc gagagagggg 300
20 tatagtagta tcaagtatta tggatatggac gtctggggcc aaggggaccac ggtcacccgc 360
tcctca 366

25 <210> 452
<211> 122
<212> PRT
<213> Homo sapiens

30 <400> 452

35

40

45

50

55

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Arg Phe Asn Ser Tyr
 20 25 30
 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 Ala Asn Ile Asn Gln Asp Gly Phe Arg Lys Phe Tyr Val Ala Ser Val
 50 55 60
 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Lys Lys Ser Val Tyr
 65 70 75 80
 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Glu Gly Tyr Ser Ser Ile Lys Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120

30

<210> 453
 <211> 366
 <212> DNA
 <213> Homo sapiens

35

<400> 453

gaggtgcagc tggttgaatc tggcggcgga tttgttcagc ctggcggctc tctgagactg 60
 agctgtgccg tgtccggctt ccggttcaac agctactgga tgcctgggt ccgacaggcc 120
 cctggcaaag gacttgagtg ggtcgccaac atcaaccagg acggcagccg gaagttttac 180
 gtggcctctg tgaagggcag attcaccatg agccgggaca acgccaagaa agaggtgtac 240
 gtgcagatga acagcctgag agccgaggac accgccgtgt actattgtgc cagagagggc 300
 tacagcagca tcaagtacta cggcatggac gtgtggggcc agggcacaac agtgacagtc 360
 tcttct 366

50

<210> 454
 <211> 122
 <212> PRT
 <213> Homo sapiens

55

<400> 454

[illegible]

	Glu	Val	Gln	Leu	Val	Glu	Ser	Gly	Gly	Gly	Phe	Val	Gln	Pro	Gly	Gly	
	1				5					10					15		
5	Ser	Leu	Arg	Leu	Ser	Cys	Ala	Val	Ser	Gly	Phe	Arg	Phe	Asn	Ser	Tyr	
				20					25					30			
10	Trp	Met	Ser	Trp	Val	Arg	Gln	Ala	Pro	Gly	Lys	Gly	Leu	Glu	Trp	Val	
			35					40					45				
15	Ala	Asn	Ile	Asn	Gln	Asp	Gly	Ser	Arg	Lys	Phe	Tyr	Val	Ala	Ser	Val	
		50					55					60					
20	Lys	Gly	Arg	Phe	Thr	Met	Ser	Arg	Asp	Asn	Ala	Asp	Lys	Ser	Val	Tyr	
	65					70					75					80	
25	Val	Gln	Met	Asn	Ser	Leu	Arg	Ala	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
				85						90				95			
30	Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Lys	Tyr	Tyr	Gly	Met	Asp	Val	Trp	
				100					105					110			
35	Gly	Gln	Gly	Thr	Thr	Val	Thr	Val	Ser	Ser							
			115					120									

<210> 457
 <211> 366
 <212> DNA
 <213> Homo sapiens

<400> 457

	gaggtgcagc	tggttgaatc	tggcggcgga	tttgttcagc	ctggcggctc	tctgagactg	60
40	agctgtgccg	tgtccggctt	ccggttcaac	agctactgga	tgtcctgggt	ccgacaggcc	120
	cctggcaaaag	gacttgagtg	ggtcgccaac	atcaaccagg	acggcagccg	gaagttttac	180
45	gtggcctctg	tgaagggcag	attcaccatg	agccgggaca	acgccgagaa	aagcgtgtac	240
	gtgcagatga	acagcctgag	agccgaggac	accgccgtgt	actattgtgc	cagagagggc	300
	tacagcagca	tcaagtacta	cggcatggac	gtgtggggcc	agggcacaac	agtgacagtc	360
50	tcttct						366

<210> 458
 <211> 122
 <212> PRT
 <213> Homo sapiens

<400> 458

Glu Val Gln Leu Val Glu Ser Gly Gly Gly Phe Val Gln Pro Gly Gly
 1 5 10 15
 5 Ser Leu Arg Leu Ser Cys Ala Val Ser Gly Phe Arg Phe Asn Ser Tyr
 20 25 30
 10 Trp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
 35 40 45
 15 Ala Asn Ile Asn Gln Asp Gly Ser Arg Lys Phe Tyr Val Ala Ser Val
 50 55 60
 20 Lys Gly Arg Phe Thr Met Ser Arg Asp Asn Ala Glu Lys Ser Val Tyr
 65 70 75 80
 25 Val Gln Met Asn Ser Leu Arg Ala Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 30 Ala Arg Glu Gly Tyr Ser Ser Ile Lys Tyr Tyr Gly Met Asp Val Trp
 100 105 110
 35 Gly Gln Gly Thr Thr Val Thr Val Ser Ser
 115 120
 40 <210> 459
 <211> 38
 <212> PRT
 <213> Homo sapiens
 45 <400> 459
 50 Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn
 1 5 10 15
 55 Ala Asp Lys Ser Val Tyr Val Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30
 60 Thr Ala Val Tyr Tyr Cys
 35
 65 <210> 460
 <211> 38
 <212> PRT
 <213> Homo sapiens
 70 <400> 460
 75

Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn
 1 5 10 15

5 Ala Glu Lys Ser Val Tyr Val Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

10 Thr Ala Val Tyr Tyr Cys
 35

<210> 461
 <211> 38
 <212> PRT
 15 <213> Homo sapiens
 <400> 461

20 Phe Tyr Val Ala Ser Val Lys Gly Arg Phe Thr Met Ser Arg Asp Asn
 1 5 10 15

25 Ala Lys Lys Glu Val Tyr Val Gln Met Asn Ser Leu Arg Ala Glu Asp
 20 25 30

30 Thr Ala Val Tyr Tyr Cys
 35

30 <210> 462
 <211> 8
 <212> PRT
 <213> Homo sapiens
 35 <400> 462

Arg Tyr Ser Phe Thr Ser Tyr Tyr
 1 5

40 <210> 463
 <211> 8
 <212> PRT
 <213> Homo sapiens
 45 <400> 463

Ile Asn Pro Lys Thr Gly Asp Thr
 1 5

50 <210> 464
 <211> 14
 <212> PRT
 <213> Homo sapiens
 55 <400> 464

Ala Arg Asp Gly Tyr Gly Ser Ser Ala Arg Cys Leu Gln Leu
 1 5 10

<210> 465
 <211> 363
 <212> DNA
 <213> Homo sapiens

5
 <400> 465
 10 caggtgcagc tgggtgcagtc tggggctgag gtgaaaaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactatc tgcattgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaactgggtga cacaagctac 180
 15 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgac cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct cggcccgtg cctccagctc tggggccagg gcaccctggt caccgtctcc 360
 20 tca 363

<210> 466
 <211> 121
 <212> PRT
 25 <213> Homo sapiens
 <400> 466

30 Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 35 Tyr Leu His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 40 Gly Ile Ile Asn Pro Lys Thr Gly Asp Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 45 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Thr Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 50 Ala Arg Asp Gly Tyr Gly Ser Ser Ala Arg Cys Leu Gln Leu Trp Gly
 100 105 110
 55 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 467
 <211> 8
 <212> PRT
 <213> Homo sapiens

5

<400> 467

Ile Asn Pro Lys Ser Gly Ser Thr
 1 5

10

<210> 468
 <211> 14
 <212> PRT
 <213> Homo sapiens

15

<400> 468

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu
 1 5 10

20

<210> 469
 <211> 363
 <212> DNA
 <213> Homo sapiens

25

<400> 469

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

40

<210> 470
 <211> 121
 <212> PRT
 <213> Homo sapiens

45

<400> 470

50

55

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 15 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 20 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 25 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

30

<210> 471
 <211> 363
 <212> DNA
 <213> Homo sapiens

35

<400> 471

40

cagggtgcagc tgatacagtc tggggctgag gtgcagaagc ctggggcctc agtgaagggtt 60

tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120

cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180

45

gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240

atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300

tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggt caccgtctcc 360

50

tca 363

<210> 472
 <211> 121
 <212> PRT
 <213> Homo sapiens

55

<400> 472

	Gln	Val	Gln	Leu	Ile	Gln	Ser	Gly	Ala	Glu	Val	Gln	Lys	Pro	Gly	Ala	
	1				5					10					15		
5	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Arg	Tyr	Ser	Phe	Thr	Ser	Tyr	
				20					25					30			
10	Tyr	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
			35					40					45				
15	Gly	Ile	Ile	Asn	Pro	Lys	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe	
		50					55					60					
20	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Ser	Thr	Val	Tyr	
	65					70					75					80	
25	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
30	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Ser	Ser	Arg	Cys	Leu	Gln	Leu	Trp	Gly	
				100					105					110			
35	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser								
			115					120									

<210> 473
 <211> 363
 <212> DNA
 <213> Homo sapiens

<400> 473

	cagg	tg	cagc	tggt	gcagtc	tggg	gctgag	gtga	aagaagc	ctgg	ggcctc	agtga	agggtt	60
40	tcct	gcaagg	catc	tagata	cagc	ttcacc	agct	actata	tgca	ctgggt	gcga	caggcc	120	
	cctg	gacaag	ggct	tgagtg	gatg	ggaata	atca	acccta	aaag	tggtag	taca	agttac	180	
45	gcac	agaagt	tccag	ggcag	agtc	accatg	accag	ggaca	cgtc	cacgag	cacag	tctac	240	
	atgg	agctga	tcag	cctgag	atct	gaggac	acgg	ccgtgt	attac	tgtgc	gagag	atggg	300	
50	tatg	gcagct	cgtc	cccggtg	cctc	cagctc	tggg	gccagg	gcac	cctggt	cacc	gtctcc	360	
	tca												363	

<210> 474
 <211> 121
 <212> PRT
 <213> Homo sapiens

<400> 474

	Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala	
	1 5 10 15	
5	Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr	
	20 25 30	
10	Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met	
	35 40 45	
15	Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe	
	50 55 60	
20	Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr	
	65 70 75 80	
25	Met Glu Leu Ile Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys	
	85 90 95	
30	Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly	
	100 105 110	
35	Gln Gly Thr Leu Val Thr Val Ser Ser	
	115 120	
40	<210> 475	
	<211> 363	
	<212> DNA	
	<213> Homo sapiens	
45	<400> 475	
50	cagggtgcagc tgggtgcagtc tggggctgag gtgcagaaga ctggggcctc agtgaagggt	60
	tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc	120
	cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac	180
	gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac	240
	atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg	300
	tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggt caccgtctcc	360
	tca	363
55	<210> 476	
	<211> 121	
	<212> PRT	
	<213> Homo sapiens	
	<400> 476	

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Gln Lys Thr Gly Ala
 1 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 15 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 20 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 25 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110
 30 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120
 <210> 477
 <211> 8
 <212> PRT
 35 <213> Homo sapiens
 <400> 477
 40 Ile Asn Pro Lys Ser Gly Asp Thr
 1 5
 <210> 478
 <211> 363
 <212> DNA
 45 <213> Homo sapiens
 <400> 478
 50
 55

caggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtgggtga cacaagctac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga acagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cggcccgtg cctccagctc tggggccagg gcgccctggg caccgtctcc 360
 tca 363

15 <210> 479
 <211> 121
 <212> PRT
 <213> Homo sapiens

20 <400> 479

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35

Gly Ile Ile Asn Pro Lys Ser Gly Asp Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Asn Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45

Ala Arg Asp Gly Tyr Gly Ser Ser Ala Arg Cys Leu Gln Leu Trp Gly
 100 105 110

50

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55 <210> 480
 <211> 363
 <212> DNA
 <213> Homo sapiens

<400> 480

caggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtgggtga cacaagctac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggacctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cggcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 481
 <211> 121
 <212> PRT
 <213> Homo sapiens

20 <400> 481

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35

Gly Ile Ile Asn Pro Lys Ser Gly Asp Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Asp Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45

Ala Arg Asp Gly Tyr Gly Ser Ser Ala Arg Cys Leu Gln Leu Trp Gly
 100 105 110

50

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55

<210> 482
 <211> 363
 <212> DNA
 <213> Homo sapiens

<400> 482

```

caggtgcagc tgggtgcagtc tggggctgag gtgaagaaga ctggggcctc agtgaaggtt      60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc      120
5  cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac      180
gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac      240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg      300
10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc      360
tca                                                                           363

```

```

15 <210> 483
    <211> 121
    <212> PRT
    <213> Homo sapiens

```

```

20 <400> 483

```

```

      Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Thr Gly Ala
      1              5              10              15
25  Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
      20              25              30
30  Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
      35              40              45
      Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
      50              55              60
35
      Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
      65              70              75              80
40  Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
      85              90              95
45  Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
      100              105              110
      Gln Gly Thr Leu Val Thr Val Ser Ser
      115              120
50

```

```

50 <210> 484
    <211> 363
    <212> DNA
    <213> Homo sapiens

```

```

55 <400> 484

```


caggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gaacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 485
 <211> 121
 <212> PRT
 <213> Homo sapiens

20 <400> 485

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Glu Gln Lys Phe
 50 55 60
 35 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

50 <210> 486
 <211> 363
 <212> DNA
 <213> Homo sapiens

55 <400> 486

caggtgcagc tgggtgcagtc tggggctgag gtgcaaaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactatc tgcattgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaactgggtga cacaagctac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgac cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cggcccgtg cctccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

15 <210> 487
 <211> 121
 <212> PRT
 <213> Homo sapiens

20 <400> 487

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Gln Lys Pro Gly Ala
 1 5 10 15

25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30 Tyr Leu His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35 Gly Ile Ile Asn Pro Lys Thr Gly Asp Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Thr Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Asp Gly Tyr Gly Ser Ser Ala Arg Cys Leu Gln Leu Trp Gly
 100 105 110

50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 488
 <211> 363
 55 <212> DNA
 <213> Homo Sapiens

<400> 488

caggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga acagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

15 <210> 489
 <211> 8
 <212> PRT
 <213> Homo Sapiens

20 <400> 489

Gly Phe Thr Phe Asn Ser Tyr Trp
 1 5

25 <210> 490
 <211> 8
 <212> PRT
 <213> Homo Sapiens

30 <400> 490

Gly Phe Thr Phe Asn Ser Tyr Trp

35 1 5

<210> 491
 <211> 8
 40 <212> PRT
 <213> Homo Sapiens

<400> 491

45 Gly Phe Thr Phe Asn Ser Tyr Trp
 1 5

<210> 492
 <211> 8
 50 <212> PRT
 <213> Homo Sapiens

<400> 492

55 Gly Phe Thr Phe Asn Ser Tyr Trp
 1 5

<210> 493

	<211> 8	
	<212> PRT	
	<213> Homo Sapiens	
5	<400> 493	
		Gly Phe Thr Phe Asn Ser Tyr Trp
		1 5
10	<210> 494	
	<211> 8	
	<212> PRT	
	<213> Homo Sapiens	
15	<400> 494	
		Gly Phe Thr Phe Asn Ser Tyr Trp
		1 5
20	<210> 495	
	<211> 8	
	<212> PRT	
	<213> Homo Sapiens	
25	<400> 495	
		Gly Phe Thr Phe Asn Ser Tyr Trp
		1 5
30	<210> 496	
	<211> 8	
	<212> PRT	
	<213> Homo Sapiens	
35	<400> 496	
		Gly Phe Thr Phe Asn Ser Tyr Trp
		1 5
40	<210> 497	
	<211> 8	
	<212> PRT	
	<213> Homo Sapiens	
45	<400> 497	
		Gly Phe Thr Phe Asn Ser Tyr Trp
		1 5
50	<210> 498	
	<211> 8	
	<212> PRT	
	<213> Homo Sapiens	
55	<400> 498	
		Gly Phe Thr Phe Asn Ser Tyr Trp
		1 5

<210> 499
 <211> 121
 <212> PRT
 <213> Homo Sapiens

5

<400> 499

10	Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala	15
	1 5 10	
15	Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr	30
	20 25	
20	Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met	45
	35 40	
25	Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr	80
	65 70 75	
30	Met Glu Leu Asn Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys	95
	85 90	
35	Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly	110
	100 105 110	
	Gln Gly Thr Leu Val Thr Val Ser Ser	120
	115 120	

<210> 500
 <211> 363
 <212> DNA
 <213> Homo Sapiens

40

<400> 500

45	cagggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt	60
	tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc	120
	cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac	180
50	gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac	240
	atggacctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg	300
55	tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc	360
	tca	363

<210> 501

<211> 121
<212> PRT
<213> Homo Sapiens

5 <400> 501

	Gln	Val	Gln	Leu	Val	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala
	1				5					10					15	
10																
	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Arg	Tyr	Ser	Phe	Thr	Ser	Tyr
				20					25					30		
15																
	Tyr	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
			35					40					45			
20																
	Gly	Ile	Ile	Asn	Pro	Lys	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe
		50					55					60				
25																
	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Ser	Thr	Val	Tyr
	65					70					75					80
30																
	Met	Asp	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
				85						90					95	
35																
	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Ser	Ser	Arg	Cys	Leu	Gln	Leu	Trp	Gly
				100					105					110		
35																
	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser							
			115					120								

40

<210>	502
<211>	8
<212>	PRT
<213>	Homo Sapiens
<400>	502

45 Gly Phe Ser Phe Thr Ser Tyr Tyr
1 5

50

<210>	503
<211>	8
<212>	PRT
<213>	Homo Sapiens
<400>	503

55 Ile Asn Pro Arg Ser Gly Ser Thr
1 5

<210> 504
<211> 14

<212> PRT
 <213> Homo Sapiens

<400> 504

5

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Phe Gln Tyr
 1 5 10

<210> 505
 <211> 363
 <212> DNA
 <213> Homo Sapiens

10

<400> 505

15

caggtgcagc	tggtgcagtc	tggggctgag	gtgaagaagc	ctggggcctc	agtgaagggt	60
tcctgcaagg	catctggatt	ctccttcacc	agctactata	tacactgggt	gcgccaggcc	120
cctggacaag	gacttgagtg	gatgggaata	atcaacccta	gaagtggtag	cacaagctac	180
gctcagaagt	tccagggcag	agtcaccatg	accagggaca	cgtccacgaa	cacagtctac	240
atggacctga	gcagcctgag	atctgaggac	acggccgtat	attactgtgc	gagagatggg	300
tatggcagct	cgtcccgatg	cttccagtac	tggggccagg	gcaccctggg	caccgtctcc	360
tca						363

20

25

30

<210> 506
 <211> 121
 <212> PRT
 <213> Homo Sapiens

35

<400> 506

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala

40

45

50

55

	1		5		10		15									
5	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Gly	Phe	Ser	Phe	Thr	Ser	Tyr
			20						25					30		
10	Tyr	Ile	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met
			35					40					45			
15	Gly	Ile	Ile	Asn	Pro	Arg	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe
		50					55					60				
20	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Asn	Thr	Val	Tyr
	65					70					75					80
25	Met	Asp	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys
					85					90					95	
30	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Ser	Ser	Arg	Cys	Phe	Gln	Tyr	Trp	Gly
				100					105					110		
35	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser							
			115					120								

30 <210> 507
 <211> 8
 <212> PRT
 <213> Homo Sapiens

35 <400> 507

Ile Asn Pro Lys Ser Gly Thr Thr
 1 5

40 <210> 508
 <211> 363
 <212> DNA
 <213> Homo Sapiens

45 <400> 508

50

55

caggtgcagc tgggtgcagtc tggggctgag gtgaagaaga ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtgggtac tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggaactga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

15 <210> 509
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 509

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Thr Gly Ala
 1 5 10 15

25

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35

Gly Ile Ile Asn Pro Lys Ser Gly Thr Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110

50

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55

<210> 510
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 510

caggtgcagc tgggtgcagtc tggggctgag gtgaagaaga ctggggcctc agtgaaggtt 60
 tcctgccagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 511
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 511

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Thr Gly Ala
 1 5 10 15

25

Ser Val Lys Val Ser Cys Gln Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110

50

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55

<210> 512
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 512

caggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 ccgggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 513
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 513

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110

50

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55

<210> 514
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 514

caggtgcagc tgggtgcagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactatt tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 515
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 515

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Thr Gly Ala
 1 5 10 15
 25 Ser Val Lys Val Ser Cys Gln Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 35 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

50 <210> 516
 <211> 363
 <212> DNA
 <213> Homo Sapiens

55 <400> 516

caggtgcagc tgggtgcagtc tggggctgag gtgacgaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccgtg cctccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 517
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 517

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Thr Lys Pro Gly Ala
 1 5 10 15

25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr

20 25 30

30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Cys Leu Gln Leu Trp Gly
 100 105 110

50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55 <210> 518
 <211> 120
 <212> PRT
 <213> Homo Sapiens

<400> 518

Gln Val Gln Leu Val Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 15 Gly Ile Ile Asn Pro Ser Gly Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 20 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 25 Ala Arg Gly Tyr Ser Ser Gly Ala Glu Tyr Phe Gln His Trp Gly Gln
 100 105 110
 Gly Thr Leu Val Thr Val Ser Ser
 30 115 120
 <210> 519
 <211> 19
 35 <212> PRT
 <213> Homo Sapiens
 <400> 519
 40 Met Ala Trp Thr Ala Leu Leu Leu Gly Leu Leu Ser His Cys Thr Gly
 1 5 10 15
 Ser Val Thr
 45 <210> 520
 <211> 14
 <212> PRT
 <213> Homo Sapiens
 50 <400> 520
 55 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Ile Ile Gln Leu
 1 5 10
 <210> 521
 <211> 363
 <212> DNA

<213> Homo Sapiens

<400> 521

5 caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 10 cctggacaag ggcttgagt gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 15 tatggcagct cgtcccggat catccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

<210> 522

<211> 121

<212> PRT

<213> Homo Sapiens

<400> 522

25

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

30

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

35

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

45

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Ile Ile Gln Leu Trp Gly
 100 105 110

50

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55

<210> 523

<211> 14

<212> PRT

<213> Homo Sapiens

<400> 523

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Leu Ile Gln Leu
 1 5 10

5

<210> 524

<211> 363

<212> DNA

<213> Homo Sapiens

10

<400> 524

15

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggt 60

tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120

cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180

20

gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240

atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300

tatggcagct cgtcccggct gatccagctc tggggccagg gcaccctggt caccgtctcc 360

25

tca 363

<210> 525

<211> 121

<212> PRT

<213> Homo Sapiens

30

<400> 525

35

40

45

50

55

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 15 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 20 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 25 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

30 <210> 526
 <211> 14
 <212> PRT
 <213> Homo Sapiens

35 <400> 526

40 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Gln Ile Gln Leu
 1 5 10

45 <210> 527
 <211> 363
 <212> DNA
 <213> Homo Sapiens

45 <400> 527

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 50 tcctgcaagg catctagata cagcttcacc agctactata tgactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 55 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct cgtcccggca gatccagctc tggggccagg gcaccctggg caccgtctcc 360

tca

363

<210> 528
 <211> 121
 <212> PRT
 <213> Homo Sapiens

<400> 528

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Gln Ile Gln Leu Trp Gly
 100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 529
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 529

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Ile Leu Met Leu
 1 5 10

<210> 530
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 530

5 caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 10 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct cgtcccggat cctcatgctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

<210> 531
 <211> 121
 <212> PRT
 <213> Homo Sapiens
 <400> 531

25 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Ile Leu Met Leu Trp Gly
 100 105 110
 50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 532
 <211> 14
 <212> PRT
 <213> Homo Sapiens
 <400> 532

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Leu Leu Met Leu
 1 5 10

5 <210> 533
 <211> 363
 <212> DNA
 <213> Homo Sapiens

10 <400> 533

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 20 tatggcagct cgtcccggct gctcatgctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

25 <210> 534
 <211> 121
 <212> PRT
 <213> Homo Sapiens

30 <400> 534

35

40

45

50

55

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 15 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 20 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 25 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Leu Leu Met Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120
 30
 <210> 535
 <211> 14
 <212> PRT
 <213> Homo Sapiens
 35
 <400> 535
 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Gln Leu Met Leu
 1 5 10
 40
 <210> 536
 <211> 363
 <212> DNA
 <213> Homo Sapiens
 45
 <400> 536
 50
 55

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccggca gctcatgctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 537
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 537

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Gln Leu Met Leu Trp Gly
 100 105 110

50 Gln Gly Thr Leu Val Thr Val Ser Ser

115 120

55 <210> 538
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 538

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Ile Ile Met Leu
1 5 10

5

<210> 539

<211> 363

<212> DNA

<213> Homo Sapiens

10

<400> 539

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggtt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
gcacagaagt tccagggcag agtcacccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
tatggcagct cgtcccggat catcatgctc tggggccagg gcaccctggg caccgtctcc 360
tca 363

25

<210> 540

<211> 121

<212> PRT

<213> Homo Sapiens

30

<400> 540

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

35

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
20 25 30

40

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

45

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
50 55 60

50

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys

55

95

5 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Ile Ile Met Leu Trp Gly
100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

10

<210> 541
<211> 14
<212> PRT
<213> Homo Sapiens

<400> 541

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Leu Ile Met Leu
1 5 10

<210> 542
<211> 363
<212> DNA
<213> Homo Sapiens

<400> 542

30	caggtgcagt	tgatacagtc	tggggctgag	gtgaagaagc	ctggggcctc	agtgaaggtt	60
	tcctgcaagg	catctagata	cagcttcacc	agctactata	tgcactgggt	gcgacaggcc	120
	cctggacaag	ggcttgagtg	gatgggaata	atcaacccta	aaagtggtag	tacaagttac	180
35	gcacagaagt	tccagggcag	agtcaccatg	accagggaca	cgtccacgag	cacagtctac	240
	atggagctga	gcagcctgag	atctgaggac	acggccgtgt	attactgtgc	gagagatggg	300
	tatggcagct	cgtcccggct	gatcatgctc	tggggccagg	gcaccctggt	caccgtctcc	360
40	tca						363

45

<210>	543
<211>	121
<212>	PRT
<213>	Homo Sapiens

<400> 543

50

55

	Gln	Val	Gln	Leu	Ile	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala	
	1				5					10					15		
5	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Arg	Tyr	Ser	Phe	Thr	Ser	Tyr	
				20					25					30			
10	Tyr	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
			35					40					45				
	Gly	Ile	Ile	Asn	Pro	Lys	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe	
15																	
				50				55					60				
	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Ser	Thr	Val	Tyr	
20	65					70					75					80	
	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
25	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Ser	Ser	Arg	Leu	Ile	Met	Leu	Trp	Gly	
				100					105					110			
30	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser								
				115				120									
	<210> 544																
	<211> 14																
	<212> PRT																
35	<213> Homo Sapiens																
	<400> 544																
40	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Ser	Ser	Arg	Gln	Ile	Met	Leu			
	1				5					10							
	<210> 545																
	<211> 363																
	<212> DNA																
45	<213> Homo Sapiens																
	<400> 545																
50																	
55																	

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagt gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct cgtcccggca gatcatgctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 546
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 546

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr

20 25 30

30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Gln Ile Met Leu Trp Gly
 100 105 110

50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 547
 <211> 14
 55 <212> PRT
 <213> Homo Sapiens

<400> 547

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Val Ile Gln Leu
 1 5 10

5 <210> 548
 <211> 363
 <212> DNA
 <213> Homo Sapiens

10 <400> 548

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 20 tatggcagct cgtcccgggt gatccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

25 <210> 549
 <211> 121
 <212> PRT
 <213> Homo Sapiens

30 <400> 549

35

40

45

50

55

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Val Ile Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 550
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 550

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Val Leu Met Leu
 1 5 10

<210> 551
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 551

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct cgtcccgggt gctcatgctc tggggccagg gcaccctggg caccgtctcc 360

tca

363

<210> 552
 <211> 121
 <212> PRT
 <213> Homo Sapiens

<400> 552

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Val Leu Met Leu Trp Gly
 100 105 110

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 553
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 553

Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Val Ile Met Leu
 1 5 10

<210> 554
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 554

5 caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 10 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct cgtcccgggt gatcatgctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

<210> 555
 <211> 121
 <212> PRT
 <213> Homo Sapiens
 <400> 555

25 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Ser Ser Arg Val Ile Met Leu Trp Gly
 100 105 110
 50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 556
 <211> 14
 <212> PRT
 <213> Homo Sapiens
 <400> 556

Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Ile Ile Gln Leu
 1 5 10

5 <210> 557
 <211> 363
 <212> DNA
 <213> Homo Sapiens

10 <400> 557

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 20 tatggcagct tctcccggat catccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

25 <210> 558
 <211> 121
 <212> PRT
 <213> Homo Sapiens

30 <400> 558

35

40

45

50

55

1 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 5 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 15 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 20 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 25 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 30 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Ile Ile Gln Leu Trp Gly
 100 105 110
 35 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120
 40 <210> 559
 <211> 14
 <212> PRT
 <213> Homo Sapiens
 45 <400> 559
 50 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Ile Leu Met Leu
 1 5 10
 55 <210> 560
 <211> 363
 <212> DNA
 <213> Homo Sapiens
 60 <400> 560

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagt gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct tctcccggat cctcatgctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

15 <210> 561
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 561

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Ile Leu Met Leu Trp Gly
 100 105 110

50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55 <210> 562
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 562

Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Ile Ile Met Leu
1 5 10

<210> 563
<211> 363
<212> DNA
<213> Homo Sapiens

<400> 563

```

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt      60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc      120
cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac      180
gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac      240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg      300
tatggcagct tctcccggat catcatgctc tggggccagg gcaccctggt caccgtctcc      360
tca                                                                    363

```

<210> 564
<211> 121
<212> PRT
<213> Homo Sapiens

<400> 564

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

5 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Ile Ile Met Leu Trp Gly
100 105 110

10 Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 565

<211> 14

<212> PRT

15 <213> Homo Sapiens

<400> 565

20 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu
1 5 10

<210> 566

<211> 363

<212> DNA

25 <213> Homo Sapiens

<400> 566

30 caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
35 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggg caccgtctcc 360
40 tca 363

<210> 567

<211> 121

45 <212> PRT

<213> Homo Sapiens

<400> 567

50

55

	Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala	
	1 5 10 15	
5	Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr	
	20 25 30	
10	Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met	
	35 40 45	
15	Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe	
	50 55 60	
20	Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr	
	65 70 75 80	
25	Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys	
	85 90 95	
30	Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly	
	100 105 110	
35	Gln Gly Thr Leu Val Thr Val Ser Ser	
	115 120	
40	<210> 568	
	<211> 14	
	<212> PRT	
	<213> Homo Sapiens	
45	<400> 568	
50	Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Leu Met Leu	
	1 5 10	
55	<210> 569	
	<211> 363	
	<212> DNA	
	<213> Homo Sapiens	
60	<400> 569	

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct tctcccggct gctcatgctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 570
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 570

	Gln	Val	Gln	Leu	Ile	Gln	Ser	Gly	Ala	Glu	Val	Lys	Lys	Pro	Gly	Ala	
	1				5					10					15		
25	Ser	Val	Lys	Val	Ser	Cys	Lys	Ala	Ser	Arg	Tyr	Ser	Phe	Thr	Ser	Tyr	
				20					25					30			
30	Tyr	Met	His	Trp	Val	Arg	Gln	Ala	Pro	Gly	Gln	Gly	Leu	Glu	Trp	Met	
			35					40					45				
35	Gly	Ile	Ile	Asn	Pro	Lys	Ser	Gly	Ser	Thr	Ser	Tyr	Ala	Gln	Lys	Phe	
	50						55					60					
40	Gln	Gly	Arg	Val	Thr	Met	Thr	Arg	Asp	Thr	Ser	Thr	Ser	Thr	Val	Tyr	
	65					70					75					80	
45	Met	Glu	Leu	Ser	Ser	Leu	Arg	Ser	Glu	Asp	Thr	Ala	Val	Tyr	Tyr	Cys	
					85					90					95		
50	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Phe	Ser	Arg	Leu	Leu	Met	Leu	Trp	Gly	
				100					105					110			
55	Gln	Gly	Thr	Leu	Val	Thr	Val	Ser	Ser								
				115				120									

<210> 571
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 571

Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Met Leu
1 5 10

5 <210> 572
<211> 363
<212> DNA
<213> Homo Sapiens

10 <400> 572

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
20 tatggcagct tctcccggct gatcatgctc tggggccagg gcaccctggt caccgtctcc 360
tca 363

25 <210> 573
<211> 121
<212> PRT
<213> Homo Sapiens

30 <400> 573

35

40

45

50

55

1 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 15 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 20 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 25 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 30 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Met Leu Trp Gly
 35 Gln Gly Thr Leu Val Thr Val Ser Ser
 40

<210> 574
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 574

1 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Gln Ile Gln Leu
 5

<210> 575
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 575

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 50 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcacatg accagggaca cgtccacgag cacagtctac 240
 55 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300

tatggcagct tctcccggca gatccagctc tggggccagg gcaccctggt caccgtctcc 360

tca 363

5 <210> 576
 <211> 121
 <212> PRT
 <213> Homo Sapiens

10 <400> 576

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

15

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

20

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

25

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

30

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

35

Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Gln Ile Gln Leu Trp Gly
 100 105 110

40

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

45 <210> 577
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 577

50 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Gln Leu Met Leu
 1 5 10

55 <210> 578
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 578

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 5 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 10 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct tctcccggca gctcatgctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363
 15
 <210> 579
 <211> 121
 <212> PRT
 <213> Homo Sapiens
 20
 <400> 579
 25 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Gln Leu Met Leu Trp Gly
 100 105 110
 50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120
 55 <210> 580
 <211> 14
 <212> PRT
 <213> Homo Sapiens
 <400> 580

Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Gln Ile Met Leu
 1 5 10

5 <210> 581
 <211> 363
 <212> DNA
 <213> Homo Sapiens

10 <400> 581

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 20 tatggcagct tctcccggca gatcatgctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

25 <210> 582
 <211> 121
 <212> PRT
 <213> Homo Sapiens

30 <400> 582

35

40

45

50

55

1 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 5 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 15 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 20 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 25 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 30 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Gln Ile Met Leu Trp Gly
 100 105 110
 35 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120
 40 <210> 583
 <211> 14
 <212> PRT
 <213> Homo Sapiens
 45 <400> 583
 50 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Val Ile Gln Leu
 1 5 10
 55 <210> 584
 <211> 363
 <212> DNA
 <213> Homo Sapiens
 60 <400> 584

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct tctcccgggt gatccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 585
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 585

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30

30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Val Ile Gln Leu Trp Gly
 100 105 110

50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55 <210> 586
 <211> 14
 <212> PRT
 <213> Homo Sapiens

<400> 586

Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Val Leu Met Leu
1 5 10

<210> 587
<211> 363
<212> DNA
<213> Homo Sapiens

<400> 587

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggtt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
tatggcagct tctcccgggt gctcatgctc tggggccagg gcaccctggt caccgtctcc 360
tca 363

<210> 588
<211> 121
<212> PRT
<213> Homo Sapiens

<400> 588

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

5 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Val Leu Met Leu Trp Gly
100 105 110

10 Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 589

<211> 14

<212> PRT

15 <213> Homo Sapiens

<400> 589

20 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Val Ile Met Leu
1 5 10

<210> 590

<211> 363

<212> DNA

25 <213> Homo Sapiens

<400> 590

30 cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
cctggacaag ggcttgagt gatgggaata atcaacccta aaagtggtag tacaagttac 180
35 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
tatggcagct tctcccgggt gatcatgctc tggggccagg gcaccctgggt caccgtctcc 360
40 tca 363

<210> 591

<211> 121

45 <212> PRT

<213> Homo Sapiens

<400> 591

50

55

[illegible]

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagatt cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagt gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 594
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 594

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Phe Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 35 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

50 <210> 595
 <211> 8
 <212> PRT
 <213> Homo Sapiens

55 <400> 595

Arg Tyr His Phe Thr Ser Tyr Tyr
1 5

5 <210> 596
 <211> 363
 <212> DNA
 <213> Homo Sapiens

10 <400> 596

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggtt 60
 tcctgcaagg catctagata ccacttcacc agctactata tgcactgggt gcgacaggcc 120
 15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 20 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggt caccgtctcc 360
 tca 363

25 <210> 597
 <211> 121
 <212> PRT
 <213> Homo Sapiens

30 <400> 597

35

40

45

50

55

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr His Phe Thr Ser Tyr
 20 25 30
 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 598
 <211> 8
 <212> PRT
 <213> Homo Sapiens

<400> 598

Arg Tyr Lys Phe Thr Ser Tyr Tyr
 1 5

<210> 599
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 599

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggt 60
 tcctgcaagg catctagata caagttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcacatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300

tatggcagct tctcccggt gatccagctc tggggccagg gcaccctggt caccgtctcc 360

tca 363

5 <210> 600
 <211> 121
 <212> PRT
 <213> Homo Sapiens

10 <400> 600

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

15

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Lys Phe Thr Ser Tyr
 20 25 30

20

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

25

Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

30

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

35

Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110

40

Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

45 <210> 601
 <211> 8
 <212> PRT
 <213> Homo Sapiens

<400> 601

50

Arg Tyr Arg Phe Thr Ser Tyr Tyr
 1 5

55 <210> 602
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 602

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 5 tcctgcaagg catctagata cagattcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagt gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 10 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363
 15
 <210> 603
 <211> 121
 <212> PRT
 <213> Homo Sapiens
 20
 <400> 603
 25 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Arg Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120
 55 <210> 604
 <211> 8
 <212> PRT
 <213> Homo Sapiens
 <400> 604

Arg Tyr Ser Phe Lys Ser Tyr Tyr
1 5

5 <210> 605
<211> 363
<212> DNA
<213> Homo Sapiens

10 <400> 605

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggtt 60
tcctgcaagg catctagata cagcttcaag agctactata tgcactgggt gcgacaggcc 120
15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tacaagttac 180
gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
20 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggt caccgtctcc 360
tca 363

25 <210> 606
<211> 121
<212> PRT
<213> Homo Sapiens

30 <400> 606

35

40

45

50

55

1 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Lys Ser Tyr
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 15 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 20 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 25 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 30 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 35 Gln Gly Thr Leu Val Thr Val Ser Ser
 40 Arg Tyr Ser Phe Thr Ala Tyr Tyr
 45 <210> 607
 <211> 8
 <212> PRT
 <213> Homo Sapiens
 50 <400> 607
 55 <210> 608
 <211> 363
 <212> DNA
 <213> Homo Sapiens
 60 <400> 608

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc gcctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagt gatgggaata atcaacccta aaagtggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 609
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 609

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15

25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ala Tyr
 20 25 30

30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45

35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80

40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95

45 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110

50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

55 <210> 610
 <211> 8
 <212> PRT
 <213> Homo Sapiens

<400> 610

Leu Asn Pro Lys Ser Gly Ser Thr
1 5

5 <210> 611
<211> 363
<212> DNA
<213> Homo Sapiens

10 <400> 611

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggtt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
cctggacaag ggcttgagtg gatgggaata ctgaacccta aaagtggtag tacaagttac 180
gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggg caccgtctcc 360
tca 363

25 <210> 612
<211> 121
<212> PRT
<213> Homo Sapiens

30 <400> 612

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
20 25 30

Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
35 40 45

Gly Ile Leu Asn Pro Lys Ser Gly Ser Thr Ser Tyr Ala Gln Lys Phe
50 55 60

Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
65 70 75 80

Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
85 90 95

5 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
100 105 110

10 Gln Gly Thr Leu Val Thr Val Ser Ser
115 120

<210> 613

<211> 8

<212> PRT

15 <213> Homo Sapiens

<400> 613

20 Ile Asn Pro Lys Ile Gly Ser Thr
1 5

<210> 614

<211> 363

<212> DNA

25 <213> Homo Sapiens

<400> 614

30 caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
cctggacaag ggcttgagt gatgggaata atcaacccta aaatcggtag tacaagttac 180
35 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
tatggcagct tctcccggct gatccagctc tggggccagg gcaccctgggt caccgtctcc 360
40 tca 363

<210> 615

<211> 121

45 <212> PRT

<213> Homo Sapiens

<400> 615

50

55

[illegible]

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 5 cctggacaag ggcttgagtg gatgggaata atcaacccta aaaagggtag tacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 10 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggg caccgtctcc 360
 tca 363

15 <210> 618
 <211> 121
 <212> PRT
 <213> Homo Sapiens

20 <400> 618

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 25 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Lys Gly Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 35 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 40 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 45 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

50 <210> 619
 <211> 8
 <212> PRT
 <213> Homo Sapiens

55 <400> 619

Ile Asn Pro Lys Ser Ser Ser Thr
1 5

5 <210> 620
<211> 363
<212> DNA
<213> Homo Sapiens

10 <400> 620

cagggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaagggt 60
tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
15 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtagcag tacaagttac 180
gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
20 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggt caccgtctcc 360
tca 363

25 <210> 621
<211> 121
<212> PRT
<213> Homo Sapiens

30 <400> 621

35

40

45

50

55

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Ser Ser Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 622
 <211> 8
 <212> PRT
 <213> Homo Sapiens

<400> 622

Ile Asn Pro Lys Ser Gly Asp Thr
 1 5

<210> 623
 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 623

caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtgggtga cacaagttac 180
 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240

atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct tctcccggt gatccagctc tggggccagg gcaccctggt caccgtctcc 360
 5 tca 363

<210> 624
 <211> 121
 <212> PRT
 10 <213> Homo Sapiens
 <400> 624

15 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 20 25 30
 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 25 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Asp Thr Ser Tyr Ala Gln Lys Phe
 50 55 60
 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 30 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 35 85 90 95
 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 40 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 625
 45 <211> 8
 <212> PRT
 <213> Homo Sapiens
 <400> 625
 50

Ile Asn Pro Lys Ser Gly Ser Arg
 1 5

<210> 626
 55 <211> 363
 <212> DNA
 <213> Homo Sapiens

<400> 626

5 caggtgcagt tgatacagtc tggggctgag gtgaagaagc ctggggcctc agtgaaggtt 60
 tcctgcaagg catctagata cagcttcacc agctactata tgcactgggt gcgacaggcc 120
 cctggacaag ggcttgagtg gatgggaata atcaacccta aaagtggtag tagaagttac 180
 10 gcacagaagt tccagggcag agtcaccatg accagggaca cgtccacgag cacagtctac 240
 atggagctga gcagcctgag atctgaggac acggccgtgt attactgtgc gagagatggg 300
 tatggcagct tctcccggct gatccagctc tggggccagg gcaccctggg caccgtctcc 360
 15 tca 363

<210> 627

<211> 121

<212> PRT

<213> Homo Sapiens

<400> 627

25 Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 30 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 35 Gly Ile Ile Asn Pro Lys Ser Gly Ser Arg Ser Tyr Ala Gln Lys Phe
 50 55 60
 40 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 45 85 90 95
 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 50 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

<210> 628

<211> 8

<212> PRT

<213> Homo Sapiens

<400> 628

Ile Asn Pro Lys Ser Gly Ser Ser
1 5

5

<210> 629
<211> 363
<212> DNA
<213> Homo Sapiens

10

<400> 629

15

caggtgcagt	tgatacagtc	tggggctgag	gtgaagaagc	ctggggcctc	agtgaagggt	60
tcctgcaagg	catctagata	cagcttcacc	agctactata	tgactgggt	gcgacaggcc	120
cctggacaag	ggcttgagt	gatgggaata	atcaacccta	aaagtggtag	tagcagttac	180
gcacagaagt	tccagggcag	agtcaccatg	accagggaca	cgtccacgag	cacagtctac	240
atggagctga	gcagcctgag	atctgaggac	acggccgtgt	attactgtgc	gagagatggg	300
tatggcagct	tctcccggct	gatccagctc	tggggccagg	gcaccctggt	caccgtctcc	360
tca						363

25

<210> 630
<211> 121
<212> PRT
<213> Homo Sapiens

30

<400> 630

35

40

45

50

55

Gln Val Gln Leu Ile Gln Ser Gly Ala Glu Val Lys Lys Pro Gly Ala
 1 5 10 15
 5 Ser Val Lys Val Ser Cys Lys Ala Ser Arg Tyr Ser Phe Thr Ser Tyr
 20 25 30
 10 Tyr Met His Trp Val Arg Gln Ala Pro Gly Gln Gly Leu Glu Trp Met
 35 40 45
 Gly Ile Ile Asn Pro Lys Ser Gly Ser Ser Ser Tyr Ala Gln Lys Phe
 50 55 60
 15 Gln Gly Arg Val Thr Met Thr Arg Asp Thr Ser Thr Ser Thr Val Tyr
 65 70 75 80
 20 Met Glu Leu Ser Ser Leu Arg Ser Glu Asp Thr Ala Val Tyr Tyr Cys
 85 90 95
 25 Ala Arg Asp Gly Tyr Gly Ser Phe Ser Arg Leu Ile Gln Leu Trp Gly
 100 105 110
 Gln Gly Thr Leu Val Thr Val Ser Ser
 115 120

30

<210> 631
 <211> 363
 <212> DNA
 <213> Homo Sapiens

35

<400> 631

40

cagggttcagc tgattcagtc cggcgccaaa gtgaagaaac ctggcgccctc tgtgaaggtg 60

tcctgcaagg cctctcggtg caagttcacc tcctactaca tgactgggt cgcacaggcc 120

cctggacaag gattggagtg gatgggcatc atcaacccca agtccggctc cacctcttac 180

45

gcccagaaat tccagggcag agtgaccatg accagagaca cctctacctc caccgtgtac 240

atggaactgt ccagcctgag atccgaggac accgccgtgt actactgtgc cagagatggc 300

tacggcagct tctccagact gatccagttg tggggccagg gcacactggt cacagtgtcc 360

50

tct 363

<210> 632
 <211> 121
 <212> PRT
 <213> Homo Sapiens

55

<400> 632

[illegible]

<400> 634

Ile	Asn	Gln	Asp	Gly	Ser	Xaa	Lys
1				5			

5

<210> 635
 <211> 15
 <212> PRT
 <213> Homo Sapiens

10

<220>
 <221> MISC_FEATURE
 <222> (9) . . (9)
 <223> Xaa is Lys or Ser

15

<400> 635

Ala	Arg	Glu	Gly	Tyr	Ser	Ser	Ile	Xaa	Tyr	Tyr	Gly	Met	Asp	Val
1				5					10					15

20

<210> 636
 <211> 8
 <212> PRT
 <213> Homo Sapiens

25

<220>
 <221> MISC_FEATURE
 <222> (3) . . (3)
 <223> Xaa is Lys or Ser

30

<400> 636

Arg	Tyr	Xaa	Phe	Thr	Ser	Tyr	Tyr

35

1

5

<210> 637
 <211> 14
 <212> PRT
 <213> Homo Sapiens

40

<220>
 <221> MISC_FEATURE
 <222> (8) . . (8)
 <223> Xaa is Phe or Ser

45

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is any amino acid

50

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa is Ile or Leu

55

<400> 637

	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Xaa	Ser	Arg	Xaa	Xaa	Gln	Leu
	1				5					10				

5

<210> 638

<211> 14

<212> PRT

<213> Homo Sapiens

10

<220>

<221> MISC_FEATURE

<222> (8) . . (8)

<223> Xaa is Phe or Ser

15

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is Leu or Val

20

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa is Ile or Leu

25

<400> 638

	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Xaa	Ser	Arg	Xaa	Xaa	Gln	Leu
	1				5					10				

30

<210> 639

<211> 14

<212> PRT

<213> Homo Sapiens

35

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa is Leu or Val

40

<400> 639

	Ala	Arg	Asp	Gly	Tyr	Gly	Ser	Phe	Ser	Arg	Xaa	Ile	Gln	Leu
	1				5					10				

45

50

55

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- WO 2018098363 A [0015]
- WO 2018141863 A [0016]
- WO 2018145125 A [0016] [0146]
- US 2016222129 A [0017]
- CA 3027018 A1 [0018]
- US 2005058640 A [0019]
- WO 2015103072 A [0137]
- WO 02060919 A [0145]
- US 5731168 A [0154]
- WO 9850431 A [0156]
- WO 2006106905 A [0157] [0160] [0162]
- WO 2013157954 A [0164]
- WO 2011143545 A [0165]
- WO 2007110205 A [0166]
- WO 2010151792 A [0167]
- US 10407488 B [0212]
- EP 2018066836 W [0237] [0248]
- WO 2018234575 A [0237]
- GB 1820977 A [0387]
- GB 1906816 A [0387]
- GB 1908190 A [0387]

Non-patent literature cited in the description

- PAZ-PIEL et al. *Blood*, vol. 132 (1), 633 [0020]
- HOAD, R ; GECZY, C. *Journal of Immunological Methods*, 1991, vol. 136, 269-278 [0021]
- Dall'Acqua, Kiener & Wu, *JBC*, 2006, vol. 281 (33), 23514-23524 [0145]
- DORDO et al. *J. Mol Biol*, 1999, vol. 217, 721-739 [0180]
- TAYLOR et al. *J. Theor. Biol.*, 1986, vol. 119, 205-218 [0180]
- S. FRENCH ; B. ROBSON. *J. Mol. Evol.*, 1983, vol. 19, 171 [0180]
- POWELL et al. Compendium of excipients for parenteral formulations. *J Pharm Sci Technol*, 1998, vol. 52, 238-311 [0202]
- LANGER. *Science*, 1990, vol. 249, 1527-1533 [0205]
- TREAT et al. Liposomes in the Therapy of Infectious Disease and Cancer. 1989, 353-365 [0205]
- LANGER. *CRC Crit. Ref. Biomed. Eng. supra*, 1987, vol. 14, 201 [0206]
- Medical Applications of Controlled Release. CRC Pres, 1974 [0206]
- GOODSON. Medical Applications of Controlled Release. supra, 1984, vol. 2, 115-138 [0206]
- LLOYD. *The Art, Science and Technology of Pharmaceutical Compounding*, 1999 [0216]
- KITAZAWA et al. A bispecific antibody to factors IXa and X restores factor VIII hemostatic activity in hemophilia A model. *Nat. Med.*, 2012, vol. 18 (10), 1570-1574 [0381]
- SAMPEI et al. Identification and Multidimensional Optimization of an Asymmetric Bispecific IgG Antibody Mimicking the Function of Factor VIII Cofactor Activity. *PLOS ONE*, 2013, vol. 8 (2) [0381]
- WHO Drug Information, Recommended INN List 75, 2016, vol. 30 (1) [0381]
- UCHIDA et al. A first-in-human phase 1 study of ACE910, a novel factor VIII-mimetic bispecific antibody, in healthy subjects. *Blood*, 2015, vol. 127 (13), 1633-1641 [0381]
- SHIMA et al. Factor VIII-Mimetic Function of Humanized Bispecific Antibody in Hemophilia A. *N Engl J Med*, 2016, vol. 374, 2044-2053 [0381]
- Diagram by Dr Graham Beards, based on information in Pallister CJ and Watson MS. Haematology. UK: Scion Publishing, 2010, 336-347 [0381]
- Fay, Activation of factor VIII and mechanisms of co-factor action. *Blood Reviews*, 2004, vol. 18, 1-15 [0381]
- BRANDSTETTER et al. X-ray structure of clotting factor IXa: Active site and module structure related to Xase activity and hemophilia B. *PNAS*, 1995, vol. 92, 9796-9800 [0381]
- Bowen, Haemophilia A and haemophilia B: molecular insights. *Mol. Pathol*, 2002, vol. 55, 1-18 [0381]
- TRIPODI, A. Thrombin Generation Assay and Its Application in the Clinical Laboratory. *Clinical Chemistry*, 2016, vol. 62 (5), 699-707 [0381]
- KINTIGH, MONAGLE ; IGNJATOVIC. A review of commercially available thrombin generation assays. *Res Pract Thromb Haemost*, 2018, vol. 2, 42-48 [0381]
- YOUNG et al. Thrombin generation and whole blood viscoelastic assays in the management of hemophilia: current state of art and future perspectives. *Blood*, 2013, vol. 121 (11), 1944-1950 [0381]

- Lefranc MP, IMGT unique numbering for immunoglobulin and T cell receptor variable domains and Ig superfamily V-like domains. *Dev Comp Immunol*, 2003, vol. 27 (1), 55-77 **[0381]**
- **RIDGWAY et al.** *Protein Eng.*, 1996, vol. 9, 617-621 **[0381]**
- **DAVIS JH et al.** *PEDS*, vol. 23, 195-202 **[0381]**
- **SMITH et al.** A novel, native-format bispecific antibody triggering T-cell killing of B-cells is robustly active in mouse tumor models and cynomolgus monkeys. *Scientific Reports*, 2015, vol. 5, 17943 **[0381]**
- FDA multidisciplinary review of emicizumab. *Center for Drug Evaluation and Research*, https://www.accessdata.fda.gov/drugsatfda_docs/nda/2017/761083Orig1s000MultidisciplineR.pdf **[0381]**

PATENTKRAV

1. Bispecifikt antistof, der binder FIXa og FX og katalyserer FIXa-medieret aktivering af FX, hvor antistoffet omfatter to tunge-lette immunoglobulin-par, hvor

5

et første tunge-lette kædepar omfatter en FIXa-bindende Fv-region omfattende et første VH-domæne parret med et første VL-domæne, og

et andet tunge-lette kædepar omfatter en FX-bindende Fv-region omfattende et andet VH-domæne parret med et andet VL-domæne, hvor

10

det første VH-domæne omfatter et sæt HCDR'er omfattende HCDR1, HCDR2 og HCDR3 med aminosyresekvenser defineret, hvor HCDR1 er SEQ ID NO: 441, HCDR2 er SEQ ID NO: 436 og HCDR3 er SEQ ID NO: 433, og hvor det første VH-domæne er mindst 95 % identisk med N1280H VH-domænet SEQ ID NO: 443 på aminosyresekvensniveauet;

15

det andet VH-domæne omfatter et sæt HCDR'er omfattende HCDR1, HCDR2 og HCDR3 med aminosyresekvenser defineret, hvor HCDR1 er SEQ ID NO: 598, HCDR2 er SEQ ID NO: 467 og HCDR3 er SEQ ID NO: 565, og hvor det andet VH-domæne er mindst 95 % identisk med T0999H VH-domænet SEQ ID NO: 632 på aminosyresekvensniveauet, og

20

det første VL-domæne og det andet VL-domæne omfatter hver et sæt LCDR'er omfattende LCDR1, LCDR2 og LCDR3 med aminosyresekvenser defineret, hvor LCDR1 er SEQ ID NO: 6, LCDR2 er SEQ ID NO: 7 og LCDR3 er SEQ ID NO: 8, og hvor det første VL-domæne og det andet VL-domæne er mindst 95 % identiske med 0128L VL-domænet SEQ ID NO: 10

25

på aminosyresekvensniveauet.

2. Bispecifikt antistof ifølge et hvilket som helst af de foregående krav, hvor det første VH-domæne har mindst 96 %, mindst 97 %, mindst 98 % eller mindst 99 % aminosyresekvensidentitet med N1280H VH-domæne SEQ ID NO: 443.

30

3. Bispecifikt antistof ifølge krav 1 eller krav 2, hvor det første VH-domæne er N1441H VH-domænet SEQ ID NO: 456.

4. Bispecifikt antistof ifølge krav 1 eller krav 2, hvor det første VH-domæne er N1280H VH-domænet SEQ ID NO: 443.
- 5 5. Bispecifikt antistof ifølge et hvilket som helst af de foregående krav, hvor det andet VH-domæne omfatter SEQ ID NO: 632.
- 10 6. Bispecifikt antistof ifølge et hvilket som helst af de foregående krav, hvor det første VL-domæne og det andet VL-domæne hver har mindst 96 %, mindst 97 %, mindst 98 % eller mindst 99 % aminosyresekvensidentitet med 0128L SEQ ID NO: 10.
- 10 7. Bispecifikt antistof ifølge et hvilket som helst af de foregående krav, hvor det første VL-domæne og det andet VL-domæne er identiske i aminosyresekvens.
- 15 8. Bispecifikt antistof ifølge krav 7, hvor det første VL-domæne og det andet VL-domæne omfatter 0325L-aminosyresekvensen SEQ ID NO: 416.
- 20 9. Bispecifikt antistof ifølge et hvilket som helst af de foregående krav, hvor hvert tunge-lette kædepar yderligere omfatter et CL-konstant-domæne parret med et CH1-domæne.
- 20 10. Bispecifikt antistof ifølge et hvilket som helst af de foregående krav, hvor de tunge-lette kædepar omfatter en fælles let kæde.
- 25 11. Bispecifikt antistof ifølge krav 10, hvor den fælles lette kæde omfatter CL-aminosyresekvensen SEQ ID NO: 146 af den lette kæde 0128L.
12. Bispecifikt antistof ifølge krav 11, hvor den fælles lette kæde er den 0325L lette kæde SEQ ID NO: 414.
- 30 13. Bispecifikt antistof ifølge et hvilket som helst af de foregående krav, hvor den tunge kæde af hver tunge-lette kæde omfatter en tung kæde-konstant-region, og hvor det første og andet tunge-lette kædepar associerer til dannelse af tetramerisk immunoglobulin gennem dimerisering af de tunge kæde-konstante-regioner..

5 **14.** Bispecifikt antistof ifølge krav 13, hvor den tunge kæde-konstante-region af det første tunge-lette kædepar omfatter en anden aminosyresekvens fra den tunge kæde-konstante-region af det andet tunge-lette kædepar, hvor de forskellige aminosyresekvenser er konstrueret til at fremme heterodimerisering af de tunge kæde-konstante-regioner.

15. Bispecifikt antistof ifølge krav 14, hvor de tunge kæde-konstante-regioner omfatter ”knobs-into-holes”-mutationer eller ladningspar-mutationer.

10 **16.** Bispecifikt antistof ifølge krav 14, hvor den tunge kæde-konstante-region af et (f.eks. det første) tunge kædepar er en human IgG4-konstant-region omfattende substitution K439E, og hvor den tunge kæde-konstante-regionen af det andet (f.eks. det andet) tunge-lette kædepar er en IgG4-region, der omfatter substitution E356K, hvor konstant regionnummerering er i overensstemmelse med EU-nummereringssystemet.

15 **17.** Bispecifikt antistof ifølge et hvilket som helst af kravene 13 til 16, hvor den tunge kæde-konstante-region af det ene eller begge tunge-lette kædepar er en human IgG4-konstant-region omfattende substitution S228P, hvor konstant regionsnummerering er i overensstemmelse med EU-nummereringssystemet.

20 **18.** Bispecifikt antistof ifølge et hvilket som helst af kravene 13 til 17, hvor den tunge kæde-konstante-region af det ene (f.eks. det første) tunge-lette kædepar omfatter SEQ ID NO: 409 og den tunge kæde-konstante-region af det andet (f.eks. det andet) tunge-lette kædepar omfatter SEQ ID NO: 410.

25 **19.** Bispecifikt antistof ifølge et hvilket som helst af kravene 13 til 18, omfattende en første tung kæde omfattende en første VH-domæne-aminosyresekvens SEQ ID NO: 456 eller SEQ ID NO: 443,

30 en anden tung kæde omfattende en anden VH-domæne-aminosyresekvens SEQ ID NO: 632, og
 en almindelig let kæde omfattende en VL-domæne-aminosyresekvens SEQ ID NO: 416.

20. Bispecifikt antistof ifølge et hvilket som helst af kravene 13 til 19, omfattende

- 5 en første tung kæde omfattende aminosyresekvens SEQ ID NO: 426
 en anden tung kæde omfattende aminosyresekvens SEQ ID NO: 421, og
 en almindelig let kæde omfattende aminosyresekvens SEQ ID NO: 414.

21. Bispecifikt antistof ifølge et hvilket som helst af kravene 13 til 19, omfattende

- 10 en første tung kæde omfattende aminosyresekvens SEQ ID NO: 419,
 en anden tung kæde omfattende aminosyresekvens SEQ ID NO: 421, og
 en almindelig let kæde omfattende aminosyresekvens SEQ ID NO: 414.

22. Bispecifikt antistof ifølge et hvilket som helst af kravene 1 til 21, hvor antistoffet er humant IgG.

15

23. Bispecifikt antistof ifølge krav 22, hvor antistoffet er humant IgG4.

24. Isoleret nukleinsyre, der koder for et antistof ifølge et hvilket som helst af de foregående krav.

20

25. Værtscelle *in vitro* omfattende rekombinant DNA, der koder for

- 25 en antistof tung kæde omfattende et første VH-domæne som defineret i et
 hvilket som helst af kravene 1 til 23,
 en antistof tung kæde omfattende et andet VH-domæne som defineret i et
 hvilket som helst af kravene 1 til 23, og
 en let antistofkæde omfattende et første eller andet VL-domæne som defineret i et hvilket som helst af kravene 1 til 23.

30 **26.** Værtscelle ifølge krav 25 omfattende rekombinant DNA, der koder for

- en første tung kæde omfattende aminosyresekvens SEQ ID NO: 426 eller
 SEQ ID NO: 419,
 en anden tung kæde omfattende aminosyresekvens SEQ ID NO: 421, og

en almindelig let kæde omfattende aminosyresekvens SEQ ID NO: 414.

27. Kit til fremstilling af et bispecifikt antistof ifølge et hvilket som helst af kravene 1 til 23, omfattende

5

en tung antistof kæde omfattende et første VH-domæne som defineret i et hvilket som helst af kravene 1 til 23, eller nukleinsyre, der koder for nævnte tunge kæde,

10

en tung antistofkæde omfattende et andet VH-domæne som defineret i et hvilket som helst af kravene 1 til 23, eller nukleinsyre, der koder for nævnte tunge kæde,

en let antistofkæde omfattende et første VL-domæne som defineret i et hvilket som helst af kravene 1 til 23, eller nukleinsyre der koder for nævnte lette kæde, og

15

en let antistofkæde, der omfatter et andet VL-domæne som defineret i et hvilket som helst af kravene 1 til 23, eller nukleinsyre, der koder for nævnte lette kæde.

28. Kit ifølge krav 27, omfattende

20

en første tung kæde omfattende aminosyresekvens SEQ ID NO: 426 eller SEQ ID NO: 419, eller nukleinsyre der koder for nævnte første tunge kæde, en anden tung kæde, der omfatter aminosyresekvens SEQ ID NO: 421, eller nukleinsyre, der koder for nævnte anden tunge kæde, og

25

en fælles let kæde omfattende aminosyresekvens SEQ ID NO: 414 eller nukleinsyre der koder for nævnte fælles lette kæde.

29. Fremgangsmåde til fremstilling af et bispecifikt antistof ifølge et hvilket som helst af kravene 1 til 23, omfattende dyrkning af værtsceller ifølge krav 25 eller krav 26 under betingelser for eksprimering af det bispecifikke antistof og udvinding af det bispecifikke antistof fra værtscellekulturen.

30

30. Sammensætning omfattende et bispecifikt antistof ifølge et hvilket som helst af kravene 1 til 23, eller isoleret nukleinsyre ifølge krav 24, i opløsning med en farmaceutisk acceptabel excipiens.

- 5 **31.** Sammensætning ifølge krav 30 til anvendelse i en fremgangsmåde til behandling af den menneskelige krop ved terapi.

DRAWINGS

The three pathways that makeup the classical blood coagulation pathway




Figure 1




Figure 2c

MQRVNMIMAESPGLITICLLGYLLSAECTVFLDHENANKILNRPKR
 YNSGKLEEFV QGNLERECME EKCSFEEARE VFENTERTE 40
 FWKQYVDGDQ CESNPCLNGG SCKDDINSYE CWCPFGFEGK 80
 NCELDVTCNI KNGRCEQFCK NSADNKVVCS CTEGYRLAEN 120
 QKSCEPAVPF PCGRVSVSQT SKLTR AETVF PDVDYVNSTE 160
 AETILDNITQ STQSFNDFTR **VVGGEDAKPG QFPWQVVLNG** 200
KVDAFCGCSI VNEKWIVTAA HCVETGVKIT VVAGEHNIEE 240
TEHTEQKRVN IRIIPHHNYN AAINKYNHDI ALLELDEPLV 280
LNSYVTPICI ADKEYTNIFL KFGSGYVSGW GRVFHKGRSA 320
LVLQYLRVPL VDRATCLRST KFTIYNNMFC AGFHEGGRDS 360
CQGDSSGPHV TEVEGTSFLT GIISWGEECA MKGKYGIYTK 400
VSRYVNWIKE KTKLT 415

Figure 3

10	20	30	40	50
MGRPLHLVLL	SASLAGLLLL	GESLFIRREQ	~~ANNILARVTR~~	ANSFLEEMKK
60	70	80	90	100
GHLERECMEE	TCSYEEAREV	FEDSDKTNEF	WNKYKGDQCC	ETSPCQNGK
110	120	130	140	150
CKDGLGEYTC	TCLEGFEGKN	CELFTRKLCS	LDNGDCDQFC	HEEQNSVVC
160	170	180	190	200
CARGYTLADN	GKACIPTGPY	PCGKQTLERR	KRSVAQATSS	SGEAPDSITW
210	220	230	240	250
KPYDAADLDP	TENPFDLLDF	NQTQPERGDN	NLTRIVGGQE	CKDGECPWQA
260	270	280	290	300
LLINEENEGF	CGGTILSEFY	ILTAAHCLYQ	AKRFKVRVGD	RNTEQEEGGE
310	320	330	340	350
AVHEVEVVIK	HNRETKETYD	FDIAVLRRLKT	PITFRMNVAP	ACLPERDWAE
360	370	380	390	400
STLMTQKTGI	VSGFGRTHEK	GRQSTRLKML	EVFYVDRNSC	KLSSSFIITQ
410	420	430	440	450
NMFCAGYDTK	QEDACQGDSG	GPHVTRFKDT	YFVTGIVSWG	EGCARKGKYG
460	470	480		
IYTKVTAFLK	WIDRSMKTRG	LPKAKSHAPE	VITSSPLK	

Figure 4




Figure 5




Figure 6




Figure 7

Primary FXase screening
for the identification of VH anti-Factor X arm




Figure 8




Figure 9




Figure 10a




Figure 10b

<-----FR1----->X-CDR1->X-CDR2->X-CDR3->X-PR4-->
T0200H QVQLVQSGAEVKKPGASVKVSCKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKTGDTSYAQKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0204H QVQLVQSGAEVQKTKGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0207H QVQLVQSGAEVKKTKGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0205H QVQLVQSGAEVKKPGASVKVSCKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0201H QVQLVQSGAEVKKPGASVKVSCKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0202H QVQLVQSGAEVQKTKGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0217H QVQLVQSGAEVTKPGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0208H QVQLVQSGAEVKKPGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0203H QVQLVQSGAEVKKPGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0209H QVQLVQSGAEVQKTKGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKTGDTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0206H QVQLVQSGAEVKKPGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0210H QVQLVQSGAEVKKPGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0211H QVQLVQSGAEVKKPGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0212H QVQLVQSGAEVKKPGASVKVSKASQSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0213H QVQLVQSGAEVKKTKGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGTTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0214H QVQLVQSGAEVKKTKGASVKVSCQASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0216H QVQLVQSGAEVKKTKGASVKVSCQASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
T0215H QVQLVQSGAEVKKPGASVKVSKASRYSTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCARDGYGSSARCLQLWGQGTFLVTVSS
Germln QVQLVQSGAEVKKPGASVKVSKASGYTTSYTHHWVRQAPGQGLEWMGIIINPKSGSTSYAOKFQGRVTMTSDTSTVYMEISSLRSEDTAVYYCAR--GYSSGAEIFQHWGQGTFLVTVSS

Figure 11

CDR3	A	C	D	E	F	G	H	I	K	L	M	N	P	Q	R	S	T	V	W	Y
ARDGVGSSRCIQ	T590H		T591H	T592H	T593H	T594H	T595H	T596H	T597H	T598H	T599H	T600H	T601H	T602H	T603H	T604H	T605H	T606H	T607H	T608H
ARDGVGSSRCIQ	T609H	T610H	T611H	T612H	T613H	T614H	T615H	T616H	T617H		T618H	T619H	T620H	T621H	T622H	T623H	T624H	T625H	T626H	T627H -
ARDGVGSSRCIQ	T628H	T629H	T630H	T631H	T632H	T633H	T634H	T635H	T636H	T637H	T638H	T639H	T640H		T641H	T642H	T643H	T644H	T645H	T646H -
ARDGVGSSRCIQ	T647H	T648H	T649H	T650H	T651H	T652H	T653H	T654H	T655H		T656H	T657H	T658H	T659H	T660H	T661H	T662H	T663H	T664H	T665H

Figure 12

A

<-----FR1-----><-CDR1-><-----FR2-----><CDR2-->
 QVQLIQSGAEVKKPGASVKVSCKASRYSTSYMHVWRQAPGQGLEWMGIINPKSGST

 <-----FR3-----><-----CDR3-----><-----FR4----->
 SYAQKFQGRVTMTTRDTSTSTVYMELSSLRSEDTAVYYCARDGYGSSSRCLQLWGQGTLVTVSS

B

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Q	V	Q	L	I	Q	S	G	A	-	E	V	K	K	P	G	A	S	V	K

21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
V	S	C	K	A	S	R	Y	S	F	-	-	-	-	T	S	Y	Y	M	H

41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
W	V	R	Q	A	P	G	Q	G	L	E	W	M	G	I	I	N	P	K	-

61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
-	S	G	S	T	S	Y	A	Q	K	F	Q	-	G	R	V	T	M	T	R

81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
D	T	S	T	S	T	V	Y	M	E	L	S	S	L	R	S	E	D	T	A

101	102	103	104	105	106	107	108	109	110	111	111A	112	113	114
V	Y	Y	C	A	R	D	G	Y	G	S	S	S	R	C

115	116	117	118	119	120	121	122	123	124	125	126	127	128
L	Q	L	W	G	Q	G	T	L	V	T	V	S	S

Figure 13

A

```

<-----FR1-----><-CDR1-><-----FR2-----><-CDR2->
N192H(germline) EVQLVESGGGLVQPGGSLRLSCAASGFTFSYWMSWVRQAPGKGLEWVANIXQDGSEK
N0128H          EVQLVESGGGFVQPGGSLRLSCAVSGFTFNSYWMSWVRQAPGKGLEWVANINQDGSEK
N1280H          EVQLVESGGGFVQPGGSLRLSCAVSGFRNSYWMSWVRQAPGKGLEWVANINQDGSRK

<-----FR3-----><-CDR3-----><-----FR4----->
N192H(germline) YYVDSVKGRFTISRDNAKNSLYLQMNSLRAEDTAVYYCAREGYSSYYYGMDVWGQGTITVTVSS
N0128H          FYVASVKGRFTMSRDNAKKSIVYQMNSLRAEDTAVYYCAREGYSSSSYYGMDVWGQGTITVTVSS
N1280H          FYVASVKGRFTMSRDNAKKSIVYQMNSLRAEDTAVYYCAREGYSSIKYYGMDVWGQGTITVTVSS

```

B

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
E	V	Q	L	V	E	S	G	G	-	G	F	V	Q	P	G	G	S	L	R
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
L	S	C	A	V	S	G	F	T	F	-	-	-	-	N	S	Y	W	M	S
41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60
W	V	R	Q	A	P	G	K	G	L	E	W	V	A	N	I	N	Q	D	-
61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
-	G	S	E	K	F	Y	V	A	S	V	K	-	G	R	F	T	M	S	R
81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
D	N	A	K	K	S	V	Y	V	Q	M	N	S	L	R	A	E	D	T	A
101	102	103	104	105	106	107	108	109	110	111	111	112	112	112	113	113	114		
V	Y	Y	C	A	R	E	G	Y	S	S	S	S	S	Y	Y	G			
115	116	117	118	119	120	121	122	123	124	125	126	127	128						
M	D	V	W	G	Q	G	T	T	V	T	V	S	S						

Figure 14




Figure 15




Figure 16




Figure 17




Figure 18




Figure 19

Mutant ID	FR1	CDR1	FR2	CDR2
N0128H	EVQLVESGGGFVQPGGSLRLSCAVS	GFTFNSYW	MSWVRQAPGKGLEWVAN	INQDGSEK
N0436H	EVQLVESGGGFVQPGGSLRLSCAVS	GFTFNSYW	MSWVRQAPGKGLEWVAN	IKQDGSEK
N0511H	EVQLVESGGGFVQPGGSLRLSCAVS	GFTFNSYW	MSWVRQAPGKGLEWVAN	IKQDGSEK
N1091H	EVQLVESGGGFVQPGGSLRLSCAVS	GFTFNSYW	MSWVRQAPGKGLEWVAN	INQDGSRK
N1172H	EVQLVESGGGFVQPGGSLRLSCAVS	GFTFNSYW	MSWVRQAPGKGLEWVAN	INQDGSRK
N1280H	EVQLVESGGGFVQPGGSLRLSCAVS	GFRFNSYW	MSWVRQAPGKGLEWVAN	INQDGSRK
N1314H	EVQLVESGGGFVQPGGSLRLSCAVS	GFRFNSYW	MSWVRQAPGKGLEWVAN	INQGGSRK
N1327H	EVQLVESGGGFVQPGGSLRLSCAVS	GFRFNSYW	MSWVRQAPGKGLEWVAN	INQWGSRK
N1333H	EVQLVESGGGFVQPGGSLRLSCAVS	GFRFNSYW	MSWVRQAPGKGLEWVAN	INQDGF RK





Figure 20


Mutant ID	FR3	CDR3	FR4
N0128H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSSSSYGMDV	WGQGTTTIVTVSS
N0436H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSISISYGMDV	WGQGTTTIVTVSS
N0511H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSIKIYYGMDV	WGQGTTTIVTVSS
N1091H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSISISYGMDV	WGQGTTTIVTVSS
N1172H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSIKIYYGMDV	WGQGTTTIVTVSS
N1280H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSIKIYYGMDV	WGQGTTTIVTVSS
N1314H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSIKIYYGMDV	WGQGTTTIVTVSS
N1327H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSIKIYYGMDV	WGQGTTTIVTVSS
N1333H	FYVASVKGRFTMSRDNAKKSIVYVQMNSLRAEDTAVYYC	AREGYSSIKIYYGMDV	WGQGTTTIVTVSS


Figure 20 (continued)

VH Amino Acid Sequence	
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSSSYYGMDYWGQGTITVTVSS	N0128H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSSSYYGMDYWGQGTITVTVSS	N0436H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSIKYYGMDYWGQGTITVTVSS	N0511H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSSSYYGMDYWGQGTITVTVSS	N1091H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSIKYYGMDYWGQGTITVTVSS	N1172H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSIKYYGMDYWGQGTITVTVSS	N1280H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSIKYYGMDYWGQGTITVTVSS	N1314H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSIKYYGMDYWGQGTITVTVSS	N1327H
EVQLVESGGGFVQPQGGSLRLSCAVSGGFTFNSYMMSWVRQAPGKGLEWVANIQDGSSEKFYVASVKGRFTMSRDNAKSSVYVQMNSLRAEDTAVYYCAREGYSSIKYYGMDYWGQGTITVTVSS	N1333H

Figure 20 (continued)

A(i) FIX/FX Bispecific**A(ii) Isotype control****B(i) FIX/FX Bispecific****B(ii) FX Monospecific****Figure 21**





Factor X arm

Figure 23




Figure 24

T0201H			
ID	CDR1	CDR2	CDR3
CL165509VH	RYSFTSY	INPKSGST	ARDGYGSSSRCLQL

CDR3 single mutation			
T537H	RYSFTSY	INPKSGST	ARDGYGFSRCLQL
T616H	RYSFTSY	INPKSGST	ARDGYGSSSRCLQL
T638H	RYSFTSY	INPKSGST	ARDGYGSSSRCLML
T596H	RYSFTSY	INPKSGST	ARDGYGSSSRLLQL
T598H	RYSFTSY	INPKSGST	ARDGYGSSSRLLQL
T602H	RYSFTSY	INPKSGST	ARDGYGSSSRQLQL
T606H	RYSFTSY	INPKSGST	ARDGYGSSSRVLQL

CDR3 compound mutation			
T666H	RYSFTSY	INPKSGST	ARDGYGSSSRLLQL
T667H	RYSFTSY	INPKSGST	ARDGYGSSSRLLQL
T668H	RYSFTSY	INPKSGST	ARDGYGSSSRQLQL
T669H	RYSFTSY	INPKSGST	ARDGYGSSSRLLML
T670H	RYSFTSY	INPKSGST	ARDGYGSSSRLLML
T671H	RYSFTSY	INPKSGST	ARDGYGSSSRQLML
T672H	RYSFTSY	INPKSGST	ARDGYGSSSRLLML
T673H	RYSFTSY	INPKSGST	ARDGYGSSSRLLML
T674H	RYSFTSY	INPKSGST	ARDGYGSSSRQIML
T675H	RYSFTSY	INPKSGST	ARDGYGSSSRVQL
T676H	RYSFTSY	INPKSGST	ARDGYGSSSRVLLML
T677H	RYSFTSY	INPKSGST	ARDGYGSSSRVIML
T678H	RYSFTSY	INPKSGST	ARDGYGFSRLLQL
T679H	RYSFTSY	INPKSGST	ARDGYGFSRLLML
T680H	RYSFTSY	INPKSGST	ARDGYGFSRLLML
T681H	RYSFTSY	INPKSGST	ARDGYGFSRLLQL
T682H	RYSFTSY	INPKSGST	ARDGYGFSRLLML
T683H	RYSFTSY	INPKSGST	ARDGYGFSRLLML
T684H	RYSFTSY	INPKSGST	ARDGYGFSRQLQL
T685H	RYSFTSY	INPKSGST	ARDGYGFSRQLML
T686H	RYSFTSY	INPKSGST	ARDGYGFSRQIML
T687H	RYSFTSY	INPKSGST	ARDGYGFSRVQL
T688H	RYSFTSY	INPKSGST	ARDGYGFSRVLLML
T689H	RYSFTSY	INPKSGST	ARDGYGFSRVIML

CDR1 + CDR3 compound mutation			
T713H	RFSTSY	INPKSGST	ARDGYGFSRLLQL
T734H	RYHFTSY	INPKSGST	ARDGYGFSRLLQL
T736H	RYKFTSY	INPKSGST	ARDGYGFSRLLQL
T742H	RYRFTSY	INPKSGST	ARDGYGFSRLLQL
T774H	RYRKSY	INPKSGST	ARDGYGFSRLLQL
T785H	RYSTAY	INPKSGST	ARDGYGFSRLLQL

CDR2 + CDR3 compound mutation			
T850H	RYSFTSY	LNPKSGST	ARDGYGFSRLLQL
T925H	RYSFTSY	INPKIGST	ARDGYGFSRLLQL
T926H	RYSFTSY	INPKKGST	ARDGYGFSRLLQL
T951H	RYSFTSY	INPKSST	ARDGYGFSRLLQL
T958H	RYSFTSY	INPKSGDT	ARDGYGFSRLLQL
T989H	RYSFTSY	INPKSGSR	ARDGYGFSRLLQL
T990H	RYSFTSY	INPKSGSS	ARDGYGFSRLLQL

Figure 25




Figure 26




Figure 27





Figure 28

A



B




Figure 29




Figure 30




Figure 31




Figure 32




Figure 33 A




Figure 33 B




Figure 34 A




Figure 34 B




Figure 35




Figure 36




Figure 37 A




Figure 37 B




Figure 37 C





Figure 38 A - B

(C)



(D)




Figure 38 C - D




Figure 39




Figure 40




Figure 41




Figure 42




Figure 43




Figure 44