



(12) **United States Design Patent**
Hsieh et al.

(10) **Patent No.:** **US D993,199 S**
(45) **Date of Patent:** **** Jul. 25, 2023**

(54) **LIGHT-EMITTING DEVICE**
(71) Applicants: **Epistar Corporation**, Hsinchu (TW);
Yenrich Technology Corporation,
Hsinchu (TW)
(72) Inventors: **Min-Hsuan Hsieh**, Hsinchu (TW);
Jen-Chieh Yu, Hsinchu (TW);
Chun-Wei Chen, Hsinchu (TW);
Chun-Hung Liu, Hsinchu (TW)
(73) Assignees: **EPISTAR CORPORATION**, Hsinchu
(TW); **YENRICH TECHNOLOGY**
CORPORATION, Hsinchu (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/763,121**

(22) Filed: **Dec. 21, 2020**

(30) **Foreign Application Priority Data**

Jun. 22, 2020 (CN) 202030321785.9

(51) **LOC (14) CL.** **13-03**

(52) **U.S. CL.**
USPC **D13/180**

(58) **Field of Classification Search**
USPC D13/180; D24/1
CPC ... H01L 25/167; H01L 25/0753; H01L 27/15;
H01L 27/156; H01L 31/02; H01L 33/00;
H01L 33/04; H01L 33/08; H01L 33/10;
H01L 33/20; H01L 33/38; H01L 33/42;
H01L 33/48; H01L 33/483; H01L 33/486
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D539,760 S * 4/2007 Sumitani D13/180
D646,647 S * 10/2011 Chen D13/180

D647,491 S * 10/2011 Chen D13/180
D664,505 S * 7/2012 Ko D13/180
D664,510 S * 7/2012 Wang D13/180
D676,002 S * 2/2013 Watanabe D13/180
D710,316 S * 8/2014 Ikeda D13/180
D719,535 S * 12/2014 Iino D13/180
D742,554 S * 11/2015 Kanemaru D26/1
9,705,052 B1 * 7/2017 Lin H01L 29/866
D897,296 S * 9/2020 Hu D13/180
11,257,990 B2 * 2/2022 Bando H01L 27/15
2016/0141332 A1 * 5/2016 Vaufrey H01L 27/153
438/17
2016/0372646 A1 * 12/2016 Yoon H05B 45/20
2017/0179344 A1 * 6/2017 Matsuda H01L 33/0095
2018/0190884 A1 * 7/2018 Chang H01L 33/58
2018/0259137 A1 * 9/2018 Lee F21S 10/02
2019/0067536 A1 * 2/2019 Oka H01L 33/52
2019/0280176 A1 * 9/2019 Lee H01L 33/50

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, P.C.


(57) **CLAIM**

The ornamental design for a light-emitting device, as shown and described.

DESCRIPTION

FIG. 1 is a first perspective view of a light-emitting device showing our new design;
FIG. 2 is a second perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8