

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2014266830 B2**

- (54) Title
Methods for engineering allogeneic and highly active T cell for immunotherapy
- (51) International Patent Classification(s)
C12N 5/0783 (2010.01) **C07K 16/28** (2006.01)
C07K 14/735 (2006.01)
- (21) Application No: **2014266830** (22) Date of Filing: **2014.05.13**
- (87) WIPO No: **WO14/184741**
- (30) Priority Data
- | (31) Number | (32) Date | (33) Country |
|--------------------------|-------------------|--------------|
| PCT/US2013/040755 | 2013.05.13 | US |
| PCT/US2013/040766 | 2013.05.13 | US |
| 13/892,805 | 2013.05.13 | US |
| 13/942,191 | 2013.07.15 | US |
- (43) Publication Date: **2014.11.20**
(44) Accepted Journal Date: **2020.07.02**
- (71) Applicant(s)
Collectis
- (72) Inventor(s)
Galetto, Roman;Gouble, Agnes;Grosse, Stephanie;Schiffer-Mannioui, Cecile;Poirot, Laurent;Scharenberg, Andrew;Smith, Julianne
- (74) Agent / Attorney
Spruson & Ferguson, GPO Box 3898, Sydney, NSW, 2001, AU
- (56) Related Art
THOME, M., "CARMA1, BCL-10 and MALT1 in lymphocyte development and activation", Nature Reviews Immunology, 2004, VOL. 4, pages 348-359
NARAMURA, M. et al., "c-Cbl and Cbl-b regulate T cell responsiveness by promoting ligand-induced TCR down-modulation", Nature Immunology, 2002, Vol. 3, No. 12, pages 1192-1199



(51) International Patent Classification:

C12N 5/0783 (2010.01) C07K 14/735 (2006.01)
C07K 16/28 (2006.01)

(21) International Application Number:

PCT/IB2014/061409

(22) International Filing Date:

13 May 2014 (13.05.2014)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

13/892,805	13 May 2013 (13.05.2013)	US
PCT/US2013/040755	13 May 2013 (13.05.2013)	US
PCT/US2013/040766	13 May 2013 (13.05.2013)	US
13/942,191	15 July 2013 (15.07.2013)	US

(71) Applicant: CELLECTIS [FR/FR]; 8 rue de la Croix Jarry, F-75013 Paris (FR).

(72) Inventors: **GALETTO, Roman**; 18, rue Communes, F-75003 Paris (FR). **GOUBLE, Agnes**; 65, rue de Tocqueville, F-75017 Paris (FR). **GROSSE, Stephanie**; 7, rue de Moras, F-77750 Saint Cyr Sur Morin (FR). **MANNI-OUI, Cecile**; 8 bis rue Maurice Roy, F-94350 Villiers sur Marne (FR). **POIROT, Laurent**; 4, rue de Torcy, F-75018 Paris (FR). **SCHARENBERG, Andrew**; 1222, NW Norcross Way, Seattle, Washington 98177 (US). **SMITH, Ju-**

lianee; 13, rue de la ferme, F-92350 Le Plessis Robinson (FR).


(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- with sequence listing part of description (Rule 5.2(a))

(54) Title: METHODS FOR ENGINEERING ALLOGENEIC AND HIGHLY ACTIVE T CELL FOR IMMUNOTHERAPY

**Fig.1**

(57) Abstract: The present invention relates to methods for developing engineered T-cells for immunotherapy that are non-alloreactive. The present invention relates to methods for modifying T-cells by inactivating both genes encoding T-cell receptor and an immune checkpoint gene to unleash the potential of the immune response. This method involves the use of specific rare cutting endonucleases, in particular TALE-nucleases (TAL effector endonuclease) and polynucleotides encoding such polypeptides, to precisely target a selection of key genes in T-cells, which are available from donors or from culture of primary cells. The invention opens the way to standard and affordable adoptive immunotherapy strategies for treating cancer and viral infections.

METHODS FOR ENGINEERING ALLOGENEIC AND HIGHLY ACTIVE**T CELL FOR IMMUNOTHERAPY****Field of the invention**

5 The present invention relates to methods for developing engineered non-alloreactive T-cells for immunotherapy and more specifically to methods for modifying T-cells by inactivating both genes encoding T-cell receptor and at least one immune checkpoint gene to unleash the potential of immune response. This method involves the use of specific rare cutting endonucleases, in particular TALE-nucleases (TAL effector endonuclease) and
10 polynucleotides encoding such polypeptides, to precisely target a selection of key genes in T-cells, which are available from donors or from culture of primary cells. The invention also relates to further attributes, which can be brought into such engineered T cells, such as preTCR α ("pTalpha") and functional derivatives thereof, Chimeric Antigen Receptor (CAR), multichain CAR and their use thereof to enhance the efficiency of immunotherapy. The
15 invention opens the way to standard and affordable adoptive immunotherapy strategies for treating cancer and viral infections.

Background of the invention

Adoptive immunotherapy, which involves the transfer of autologous antigen-specific
20 T cells generated *ex vivo*, is a promising strategy to treat viral infections and cancer. The T cells used for adoptive immunotherapy can be generated either by expansion of antigen-specific T cells or redirection of T cells through genetic engineering (Park, Rosenberg et al. 2011). Transfer of viral antigen specific T cells is a well-established procedure used for the treatment of transplant associated viral infections and rare viral-related malignancies.
25 Similarly, isolation and transfer of tumor specific T cells has been shown to be successful in treating melanoma.

Novel specificities in T cells have been successfully generated through the genetic transfer of transgenic T cell receptors or chimeric antigen receptors (CARs) (Jena, Dotti et al. 2010). CARs are synthetic receptors consisting of a targeting moiety that is associated with

one or more signaling domains in a single fusion molecule. In general, the binding moiety of a CAR consists of an antigen-binding domain of a single-chain antibody (scFv), comprising the light and variable fragments of a monoclonal antibody joined by a flexible linker. Binding moieties based on receptor or ligand domains have also been used successfully. The signaling domains for first generation CARs are derived from the cytoplasmic region of the CD3zeta or the Fc receptor gamma chains. First generation CARs have been shown to successfully redirect T cell cytotoxicity, however, they failed to provide prolonged expansion and anti-tumor activity *in vivo*. Signaling domains from co-stimulatory molecules including CD28, OX-40 (CD134), and 4-1BB (CD137) have been added alone (second generation) or in combination (third generation) to enhance survival and increase proliferation of CAR modified T cells. CARs have successfully allowed T cells to be redirected against antigens expressed at the surface of tumor cells from various malignancies including lymphomas and solid tumors (Jena, Dotti et al. 2010).

Present CAR architectures are built on a design in which all relevant domains are contained within a single polypeptide. This design necessitates serial appending of signaling domains, thus necessitating moving some domains from their natural juxtamembrane positions. Thus, architectures in which ligands and signaling domains are separate may allow for improved function of costimulatory domains placed on different chains in their normal juxtamembrane positions, rather than appended together with some domains positioned distal from the plasma membrane. A natural receptor, the high affinity receptor for IgE (FcεRI) would afford such architecture. FcεRI present on mast cells and basophils binds IgE with high affinity. FcεRI is a tetrameric receptor complex consisting of ligand binding alpha subunit, a beta subunit and a homodimer of two signal-transducing gamma subunits (Metzger, Alcaraz et al. 1986). FcεRI alpha domain consists of an extracellular domain containing two Ig-like domains that bind IgE, a transmembrane domain and a short cytoplasmic tail. Beta subunit contains four transmembrane segments separating amino and carboxy terminal cytoplasmic tails. The gamma chain consists essentially of a transmembrane region and cytoplasmic tail containing one immunoreceptor tyrosine-based activation motif (ITAM) (Cambier 1995). The zeta chain of the TCR complex is closely related to the gamma chain and can substitute for the gamma chain of FcεRI (Howard, Rodewald et al. 1990).

The current protocol for treatment of patients using adoptive immunotherapy is based on autologous cell transfer. In this approach, T lymphocytes are recovered from patients, genetically modified or selected *ex vivo*, cultivated *in vitro* in order to amplify the number of cells if necessary and finally infused into the patient. In addition to lymphocyte infusion, the host may be manipulated in other ways that support the engraftment of the T cells or their participation in an immune response, for example pre-conditioning (with radiation or chemotherapy) and administration of lymphocyte growth factors (such as IL-2). Each patient receives an individually fabricated treatment, using the patient's own lymphocytes (i.e. an autologous therapy). Autologous therapies face substantial technical and logistic hurdles to practical application, their generation requires expensive dedicated facilities and expert personnel, they must be generated in a short time following a patient's diagnosis, and in many cases, pretreatment of the patient has resulted in degraded immune function, such that the patient's lymphocytes may be poorly functional and present in very low numbers. Because of these hurdles, each patient's autologous cell preparation is effectively a new product, resulting in substantial variations in efficacy and safety. Ideally, one would like to use a standardized therapy in which allogeneic therapeutic cells could be pre-manufactured, characterized in detail, and available for immediate administration to patients. By allogeneic it is meant that the cells are obtained from individuals belonging to the same species but are genetically dissimilar. However, the use of allogeneic cells presently has many drawbacks. In immune-competent hosts allogeneic cells are rapidly rejected, a process termed host versus graft rejection (HvG), and this substantially limits the efficacy of the transferred cells. In immune-incompetent hosts, allogeneic cells are able to engraft, but their endogenous TCR specificities recognize the host tissue as foreign, resulting in graft versus host disease (GvHD), which can lead to serious tissue damage and death. In order to effectively use allogeneic cells, both of these problems must be overcome.

In immunocompetent hosts, allogeneic cells are rapidly rejected by the host immune system. It has been demonstrated that, allogeneic leukocytes present in non-irradiated blood products will persist for no more than 5 to 6 days. (Boni, Muranski et al. 2008). Thus, to prevent rejection of allogeneic cells, the host's immune system must be effectively suppressed. Glucocorticosteroids are widely used therapeutically for immunosuppression (Coutinho and Chapman 2011). This class of steroid hormones binds to the glucocorticoid

receptor (GR) present in the cytosol of T cells resulting in the translocation into the nucleus and the binding of specific DNA motifs that regulate the expression of a number of genes involved in the immunologic process. Treatment of T cells with glucocorticoid steroids results in reduced levels of cytokine production leading to T cell anergy and interfering in T cell activation. Alemtuzumab, also known as CAMPATH1-H, is a humanized monoclonal antibody targeting CD52, a 12 amino acid glycosylphosphatidyl-inositol- (GPI) linked glycoprotein (Waldmann and Hale 2005). CD52 is expressed at high levels on T and B lymphocytes and lower levels on monocytes while being absent on granulocytes and bone marrow precursors. Treatment with Alemtuzumab, a humanized monoclonal antibody directed against CD52, has been shown to induce a rapid depletion of circulating lymphocytes and monocytes. It is frequently used in the treatment of T cell lymphomas and in certain cases as part of a conditioning regimen for transplantation. However, in the case of adoptive immunotherapy the use of immunosuppressive drugs will also have a detrimental effect on the introduced therapeutic T cells. Therefore, to effectively use an adoptive immunotherapy approach in these conditions, the introduced cells would need to be resistant to the immunosuppressive treatment.

On the other hand, T cell receptors (TCR) are cell surface receptors that participate in the activation of T cells in response to the presentation of antigen. The TCR is generally made from two chains, alpha and beta, which assemble to form a heterodimer and associates with the CD3-transducing subunits to form the T-cell receptor complex present on the cell surface. Each alpha and beta chain of the TCR consists of an immunoglobulin-like N-terminal variable (V) and constant (C) region, a hydrophobic transmembrane domain, and a short cytoplasmic region. As for immunoglobulin molecules, the variable region of the alpha and beta chains are generated by V(D)J recombination, creating a large diversity of antigen specificities within the population of T cells. However, in contrast to immunoglobulins that recognize intact antigen, T cells are activated by processed peptide fragments in association with an MHC molecule, introducing an extra dimension to antigen recognition by T cells, known as MHC restriction. Recognition of MHC disparities between the donor and recipient through the T cell receptor leads to T cell proliferation and the potential development of GVHD. It has been shown that normal surface expression of the TCR depends on the coordinated synthesis and assembly of all seven components of the complex (Ashwell and

Klusner 1990). The inactivation of TCRalpha or TCRbeta can result in the elimination of the TCR from the surface of T cells preventing recognition of alloantigen and thus GVHD. However, TCR disruption results in the elimination of the CD3 signaling component and alters the means of further T cell expansion.

5 T-cell mediated immunity includes multiple sequential steps regulated by a balance between co-stimulatory and inhibitory signals that fine-tune the immunity response. The inhibitory signals referred to as immune checkpoints are crucial for the maintenance of self-tolerance and also to limit immune-mediated collateral tissue damage. The expression of immune checkpoints protein can be deregulated by tumours. The ability of tumours to co-
10 opt these inhibitory pathways represents an important mechanism in immune resistance and limits the success of immunotherapy. One of promising approaches to activating therapeutic T-cell immune response is the blockade of these immune checkpoints (Pardoll 2012). Immune checkpoints represent significant barriers to activation of functional cellular immunity in cancer, and antagonistic antibodies specific for inhibitory ligands on T cells
15 including CTLA4 and programmed death-1 (PD-1) are examples of targeted agents being evaluated in the clinics.

Cytotoxic-T-lymphocyte-associated antigen 4 (CTLA-4; also known as CD152) downregulates the amplitude of T cell activation and treatment with antagonist CTLA4 antibodies (ipilimumab) has shown a survival benefit in patients with melanoma (Robert and
20 Mateus 2011). Programmed cell death protein 1 (PD1 or PDCD1 also known as CD279) represent another very promising target for immunotherapy (Pardoll and Drake 2012; Pardoll 2012). In contrast to CTLA-4, PD1 limits T cell effector functions in peripheral tissue at the time of an inflammatory response to infection and to limit autoimmunity. The first clinical trial with PD1 antibody shows some cases of tumour regression (Brahmer, Drake et
25 al. 2010). Multiple additional immune checkpoint protein represent promising targets for therapeutic blockade based on recently studies.

In normal T-cells, T cell receptors emanate from the pre-T cell receptors (pTCR) which are expressed by immature thymocytes and are crucial for T cell development from the double negative (CD4- CD8-) to the double-positive (CD4+ CD8+) stages. Pre-T cells that
30 succeed in productive rearrangements of the TCRbeta locus express a functional TCRbeta chain which pairs with an invariant preTalpha chain and CD3 signaling components to form

the pre-TCR complex. The expression of the preTCR at the cell surface is necessary for triggering beta-selection, a process that induces the expansion of developing T cells, enforces allelic exclusion of the TCRbeta locus and results in the induction of rearrangements at the TCRalpha locus (von Boehmer 2005). After productive TCRalpha rearrangements and substitution of pTalpha by TCRalpha to form a mature TCR, thymocytes undergo a second step of selection, referred to as positive or TCRalpha/beta selection upon binding of self peptide MHC complexes expressed on thymic epithelial cells. Thus, mature T cells recognize and respond to the antigen/MHC complex through their TCR. The most immediate consequence of TCR activation is the initiation of signaling pathways via the associated CD3 subunits that result in multiple events including clonal expansion of T cells, upregulation of activation markers on the cell surface and induction of cytotoxicity or cytokine secretion.

Because of the nature of selection of TCRbeta chains through pairing with preTalpha during thymic development, in T cells in which TCRalpha has been inactivated, the heterologous introduction of the pTalpha transgene can result in the formation of a preTCR. This pTCR can serve as a means of T cell activation or stimulation in a manner that is non-MHC dependent, thus for example allowing continued expansion of alpha/beta T-cells following TCRalpha inactivation. Importantly, the pTCR complex displays a similar biochemical composition as the TCR in terms of associated CD3 subunits (Carrasco, Ramiro et al. 2001). In addition, in contrast to the TCR, pre-TCR signaling may occur in part by a ligand independent event. The crystal structure of the pTCR extracellular domain has provided a structural basis for the possible ligand-independence of pTCR signaling. The pTCR has been shown to form a head to tail dimer where two pTalpha-TCRbeta heterodimers associate (Pang, Berry et al. 2010).

In the present invention, the inventors have achieved the production of genetically modified T-cells, which overcome the limitations of present immunotherapy strategies, allowing them to be non-alloreactive and highly active. Although, the blockade of immune checkpoints has been realized using antibodies, another way to accomplish inhibition is by the inactivation of the expression of immune checkpoint genes in T cells that allow the production of engineered allogeneic T cells ideally as an "off the shelf" product. This was made possible by gene inactivation using specific TALE-nucleases directed against TCRalpha

or TCRbeta coupled with inactivation of genes encoding immune checkpoint protein such as PD1 and CTLA-4.

In particular, the inactivation of TCRalpha or TCRbeta coupled with inactivation of immune checkpoint genes in T lymphocytes derived from an allogeneic donor significantly
5 reduces the risk of GVHD, by eliminating the TCR, responsible for recognition of MHC disparities, while permitting proliferation and activity of the introduced lymphocytes. Thus, these modified allogeneic T cells are expected to be highly active in patient's blood, where they can target tumor cells or infected cells.

In addition to the above conception of genetically modified T cells, which can be both
10 non alloreactive and highly active, the inventors, by the use and design of specific TALE-nucleases, have concomitantly inactivated these different genes in T-cells, thereby obtaining double mutants. As a matter of fact, double gene targeting by DSB has been so far unachieved in T cells due to the difficulty of yielding and maintaining T-cells in culture over time, to their low transformation rates, and loss during selection procedures. These
15 difficulties result in a low probability of success for obtaining such cells.

Thus, one significant part of the invention is to have designed specific TALE-nucleases, allowing higher rates of DSB events within the T-cells, which are well tolerated by the cells, (especially upon co-transfection), able to target the selection of genes according to the invention. By using rare-cutting endonucleases, such as the TALE-nucleases described
20 therein, the probability of obtaining double inactivation of the genes in the transfected T-cells was significantly increased, so that it now appears possible to produce engineered T cells available from donors on a regular basis, using standard procedures.

In addition, the present invention proposes an embodiment where T-cells are engineered to allow proliferation when TCRalpha is inactivated. A significant problem with T-cells that have undergone TCR subunit inactivation is that the cells can no longer be
25 expanded through the CD3 complex. To overcome this problem, the inventors indeed provide means to expand T-cells in which TCRalpha has been inactivated through the CD3 complex, by expression of preTalpha in the cells, thus restoring a functional CD3 complex in the absence of a functional alpha/beta TCR.

Finally, T cells are further transformed with CAR to redirect allogeneic cells specificity towards tumor associated antigens independent of MHC. In particular, the invention relates to a multi-chain CAR, in which costimulatory domains are placed in their normal juxtamembrane positions to improve their functions and so enhance survival and increase proliferation of engineered T-cells. As a result, the invention provides methods, polypeptides and polynucleotides that allow the effective transformation of allogeneic T cells for adoptive immunotherapy, and their facile expansion.

Summary of the invention

According to a first aspect, the present invention provides A method of preparing T-cell(s) for immunotherapy comprising:

- (a) modifying T-cell(s) by inactivating at least:
 - a first gene encoding an immune checkpoint protein selected from the group consisting of PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, and 2B4, and
 - a second gene encoding a component of the T-cell receptor (TCR);
- (b) introducing into said T-cell(s) a chimeric antigen receptor (CAR); and expanding said T-cell(s).

According to a second aspect, the present invention provides an isolated T-cell or cell line obtained by the method of the first aspect, or a subculture thereof.

According to a third aspect, the present invention provides an isolated T-cell, in which at least two genes have been inactivated which genes are selected from the group consisting of: PD1 and TCR alpha, PD1 and TCR beta, CTLA-4 and TCR alpha, CTLA-4 and TCR beta, LAG3 and TCR alpha, LAG3 and TCR beta, Tim3 and TCR alpha, Tim3 and TCR beta, BTLA and TCR alpha, BTLA and TCR beta, BY55 and TCR alpha, BY55 and TCR beta, TIGIT and TCR alpha, TIGIT and TCR beta, B7H5 and TCR alpha, B7H5 and TCR beta, LAIR1 and TCR alpha, LAIR1 and TCR beta, SIGLEC10 and TCR alpha, SIGLEC10 and TCR beta, 2B4 and TCR alpha, and 2B4 and TCR beta, and comprising an exogenous polynucleotide sequence encoding a Chimeric Antigen Receptor.

According to a fourth aspect, the present invention provides the isolated T-cell according to the second or third aspect, when used as a medicament.

According to a fifth aspect, the present invention provides the isolated T-cell according to the second or third aspect, when used for treating a cancer or a viral infection.

According to a sixth aspect, the present invention provides the isolated T-cell according to the second or third aspect, when used for treating lymphoma.

According to a seventh aspect, the present invention provides the isolated T-cell according to the second or third aspect, when used in allogenic immunotherapy.

According to an eighth aspect, the present invention provides a pharmaceutical composition comprising at least one isolated T-cell of the second or third aspect.

According to a ninth aspect, the present invention provides a method for treating a patient comprising:

- (a) preparing a population of modified T-cells according to the method of the first aspect; and
- (b) administering said modified T-cells to said patient.

According to a tenth aspect, the present invention provides use of a population of modified T-cells according to the method of the first aspect for the manufacture of a medicament for treating a patient in need thereof.

In one aspect, the present invention discloses methods to engineer T cells, in particular allogeneic T cells obtainable from donors, to make them suitable for immunotherapy purposes. The methods of the present invention more particularly allow the precise modification of the genome of cells relevant for immunotherapy by inactivating or replacing genes involved in MHC recognition and/or immune checkpoint proteins. In certain embodiments, the modified cells relevant for immunotherapy further comprise exogenous recombinant polynucleotides encoding CARs for specific cell recognition. Present CARs are single fusion molecules that necessitate serial appending of signaling domains. Moving signaling domains from their natural juxtamembrane position may interfere with their function. Thus, to overcome this drawback, the inventors design a multi-chain CAR derived from FcERI to allow normal juxtamembrane position of all relevant signaling domains. The high affinity IgE binding domain of FcERI alpha chain is replaced by an extracellular ligand-binding domain such as scFv to redirect T-cell specificity to cell targets and the N and/or C-termini tails of FcERI beta chain is used to place costimulatory signals in normal juxtamembrane positions.

In another aspect, in order to promote activation or stimulation of T cells in which TCRalpha has been inactivated, pTalpha or functional variant thereof are introduced into the engineered T-cells. The pTalpha or functional variant thereof used can be either full-length pTalpha, a splice variant (Saint-Ruf, Lechner et al. 1998), a C-terminal truncated version that has been shown to increase preTCR cell surface expression (Carrasco, Ramiro et al. 2001). Other additional truncations either smaller or larger than that described could be used.

2014266830 24 Mar 2020

Different preTalpha versions may further comprise signaling moieties from other molecules (CD28, CD137, CD8, TCRalpha, etc.) to promote proliferation and survival or comprise mutations that affect its ability to dimerize, such as the D22A, R24A, R102A or R117A mutations previously described in mice (Yamasaki, Ishikawa et al. 2006) or the W46R mutation described in humans (Pang, Berry et al. 2010) to decrease the proliferation potential. The scFv portion of the CAR may also be fused to the extracellular domain of a pTalpha or a functional variant thereof, thus coupling the specificity towards target antigens directly with the proliferative activity of the preTCR.

In another aspect, the present invention relates to the polypeptides and the polynucleotides, which encode the rare-cutting endonucleases, to precisely target the above genes of interest, in particular TCRalpha, TCRbeta, immune checkpoint genes, thereby enabling the genetic modification of the T-cells for immunotherapy. The present invention provides more particularly specific target sequences within these genes and TALE-nucleases designed to respectively target those genes.

The present invention also relates to the isolated cells or cell lines comprising any of the proteins, polypeptides or vectors described herein. In certain embodiments, the T cells of the present invention comprise inactivated TCRalpha, TCRbeta, immune checkpoint genes for their use in immunotherapy. The isolated cells of the present invention or cell lines can further comprise exogenous recombinant polynucleotides, in particular polynucleotides encoding pTalpha or functional variant thereof, CARs or multi-chain CARs.

In a preferred embodiment, the modified T cells are used as a therapeutic product, ideally as an "off the shelf" product.

In another aspect, the present invention concerns the method for treating or preventing cancer or infections in the patient by administrating an engineered T-cell obtainable by the above methods.

Brief description of the figures and Tables

In addition to the preceding features, the invention further comprises other features which will emerge from the description which follows, as well as to the appended drawings. A

more complete appreciation of the invention and many of the attendant advantages thereof will be readily obtained as the same becomes better understood by reference to the following Figures in conjunction with the detailed description.

Figure 1: Schematic representation of the normal relationship between T-cells and antigen presenting cell.

Figure 2: Schematic representation of the genetically modified therapeutic T-cells according to the invention and the patient's tumor cells.

Figure 3: Schematic representation of multi-chain CAR.

Figure 4: Schematic of different versions of multi-chain CARs. A. Schematic of the FcεRI receptor. B-C Different versions of multi-chain CARs (csm1 to csm10) comprising a scFv and a CD8 stalk region fused to the transmembrane domain of FcεRI alpha chain. At least one 41BB, CD28 and/or CD3 zeta domains can be fused to a FcεRI alpha, beta and/or gamma chain.

Figure 5: Schematic representation of one example of the method of engineering human allogenic cells for immunotherapy

Figure 6: Concentration in cells per milliliter of live CD52-positive or CD52-negative cells after treatment with anti-CD52 antibody (CAMPATH1-H) with complement or controls.

Figure 7: Comparison of the forward side scatter (FSC) distribution, an indicator of cell size, between TCR-positive and TCR-negative cells, or between CD52-positive and CD52-negative cells, and non activated cells as control.

Figure 8: Flow cytometry analysis of CD107a expression (marker of degranulation) on targeted CD52 and TCRalpha inactivated T cells. CD107 expression is analyzed on CD52+TCRαβ+ cells (first column), CD52-TCRαβ- cells (second column), CD52-TCRαβ+ cells (third column) and CD52+TCRαβ- cells (fourth column) before (A) and after incubation with Daudi cells (B); C) represents flow cytometry analysis of T cells further transfected with a CAR and incubated with Daudi cells; D) represents flow cytometry analysis of T cells transfected with a CAR but not incubated with Daudi cells and E) represents flow cytometry analysis of T cells transfected with a CAR and treated to PMA/ionomycin (positive control).

Figure 9: Deep sequencing analysis of CD52 and TRAC TALE-nucleases potential off-site targets.

Figure 10: Analysis of PDCD1 and CTLA-4 genomic locus by T7-endonuclease assay. Arrows point to digested PCR products.

5 **Figure 11:** Schematic representation of some examples of preTalpha constructs.

Figure 12: Flow cytometry analysis of transduction efficiency (% BFP+ cells) and activity of the FL, Δ18, Δ48 pTalpha constructs (% CD3 surface expression) in TCR alpha inactivated Jurkat cells.

10 **Figure 13:** Schematic representation of a lentiviral construct coding for pTalpha protein (preTCRα).

Figure 14: **A.** Representation of the experimental protocol. **B.** Flow cytometry analysis of TCR alpha/beta, CD3 expression and BFP expression on TCRalpha inactivated T cells (KO) transduced with either BFP-2A-pTalphaΔ48 (KO/Δ48) or control BFP lentiviral vector (KO/BFP) before and after purification. **C.** Flow cytometry analysis of TCR alpha/beta and
15 CD3 expression on purified TCR alpha inactivated cells transduced (BFPpos) or not (BFPneg) with BFP-2A-pTalphaΔ48 lentiviral vector. NEP represents non electroporated cells with TRAC TALE-nucleases.

Figure 15: **A-B.** Flow cytometry analysis of early activation marker CD69 (A), late activation marker CD25 (B) expression 24 and 48 hours after re-activation with anti-CD3/CD28 beads
20 respectively on non electroporated cells (NEP) and TCRalpha inactivated cells (KO) transduced with BFP-2A-pTα-Δ48 lentiviral vector (pTα-Δ48), BFP-2A-pTα-Δ48.41BB lentiviral vector (pTα-Δ48.BB) or control BFP vector (BFP). pTα-Δ48 histograms correspond to the signal detected in TCR inactivated cells expressing pTα-Δ48 (BFP+ cells) while the KO histograms correspond to TCRalpha inactivated cells which do not express pTα-Δ48 (BFP-
25 cells) pTα-Δ48.BB histograms correspond to the signal detected in TCR inactivated cells expressing pTα-Δ48.41BB (BFP+ cells) while the KO histograms correspond to TCRalpha inactivated cells which do not express pTα-Δ48.41BB (BFP- cells). NEP (non electroporated) histograms correspond to signal detected in non engineered cells. **C.** Flow cytometry analysis of the size of cells 72 hours after re-activation with anti-CD3/CD28 beads on non

electroporated cells (NEP) and TCRalpha inactivated cells (KO) transduced with BFP-2A-pTa- Δ 48 lentiviral vector (pTa- Δ 48), BFP-2A-pTa- Δ 48.41BB lentiviral vector (pTa- Δ 48.BB) or control BFP vector (BFP). The values indicated in the upper part of each graph correspond to the geometrical mean of the fluorescence of each population.

- 5 **Figure 16:** Cell growth analysis of TCR alpha inactivated cells (KO) transduced with pTalpa- Δ 48 (pTa Δ 48) or control BFP vector (BFP) maintained in IL2 or in IL2 with anti- CD3/CD28 beads at different time points (x-axis). The BFP+ cells number is estimated at different time points for each condition and the fold induction of these cells (y-axis) was estimated with respect to the value obtained at day 2 post re-activation. The results are obtained from two independent donors. For the second donor, cell growth was also determined for cells transduced with pTalpa- Δ 48.41BB (pTa- Δ 48.BB) and full-length pTalpa- (pTa-FL).

Figure 17: Flow cytometry analysis of GFP positive cells on PBMCs electroporated with the five different Cytopulse programs. The upper line corresponds to transfection of 6×10^6 cells per cuvette, while the lower line corresponds to transfection of 3×10^6 cells per cuvette.

- 15 **Figure 18:** Flow cytometry analysis of purified T cell mortality using viability dye (eFluor-450) and of GFP positive cells among the viable population after electroporation with GFP mRNA, GFP DNA and control pUC DNA. NEP corresponds to cells that were maintained in electroporation buffer but were not electroporated and NT corresponds to non electroporated cells maintained in culture medium.
- 20 **Figure 19:** Flow cytometry analysis of TCR alpha/beta and CD3 expression on human primary T cells following TRAC TALE-nuclease mRNA electroporation (top). Deep sequencing analysis of genomic DNA extracted from human primary T cells following TRAC TALE-nuclease mRNA electroporation (bottom).

- Figure 20: A.** Flow cytometry analysis of CAR expression (anti F(ab')₂) after electroporation of T cells with or without mRNA encoding a single chain CAR. **B.** Flow cytometry analysis of CD107a expression (marker of degranulation) on electroporated T cells cocultured with daudi cells.

Figure 21: A. Representation of mRNA encoding a multi-chain CAR. **B.** Flow cytometry analysis of CAR expression (anti F(ab')₂) on viable T cells electroporated with or without a

polycistronic mRNA encoding a multi-chain CAR. C. Flow cytometry analysis of CD107a expression (marker of degranulation) on electroporated T cells cocultured with daudi cells.

Figure 22: Multi-chain CARs expression in human T cells after electroporation of polycistronic mRNAs.

- 5 **Figure 23:** The expression of the multi-subunit CARs is conditioned by the expression of the three chains: α , β and γ .

Figure 24: The human T cells transiently expressing the multi-chain CARs degranulate following coculture with target cells. A: csm1 to csm5 CAR constructs. B: csm6 to csm10 CAR constructs.

- 10 **Figure 25:** The human T cells transiently expressing the multi-chain CARs secrete cytokines following coculture with target cells (Tcells vs. Daudi cells or K562). A:IL8 release. B:IFN γ release. C:IL5 release.

Figure 26: The human T cells transiently expressing the multi-chain CARs (scm1 to csm10 constructs) lyse target cells.

- 15 **Figure 27:** CTLA4 inactivation in primary T cells measured by intracellular staining using fluorescent antibody and flow cytometry analysis.

Figure 28: distribution of fluorescent T-cells expressing CTLA4 upon transfection with TALENs T1, T2 and T3. Proportion of cells expressing CTLA4 is dramatically reduced with respect to control cells.

- 20 **Figure 29:** PD1 inactivation in primary T cells measured by intracellular staining using fluorescent antibody and flow cytometry analysis. Proportion of cells expressing PD1 is dramatically reduced with respect to control cells.

Figure 30: Diagram showing deletions frequencies observed in T-cells upon transfection with TALEN T01 and T03 targeting PD1 gene.

- 25 **Figure 31 :** Diagram showing that cytotoxic activity is enhanced in T-cells disrupted for PD1 as per the experiment described in Example 3.

Table 1: List of immune checkpoint genes identified by the inventors as appropriate to make allogeneic T-cells more active for immunotherapy.

Table 2: Description of the GR TALE-nucleases and sequences of the TALE-nucleases target sites in the human GR gene.

Table 3: Cleavage activity of the GR TALE-nucleases in yeast. Values are comprised between 0 and 1. Maximal value is 1.

5 **Table 4:** Percentage of targeted mutagenesis at endogenous TALE-nuclease target sites in 293 cells.

Table 5: Percentage of targeted mutagenesis at endogenous TALE-nuclease target sites in primary T lymphocytes.

10 **Table 6:** Description of the CD52, TRAC and TRBC TALE-nucleases and sequences of the TALE-nucleases target sites in the human corresponding genes.

Table 7: Additional target sequences for TRAC and CD52 TALE-nucleases.

Table 8: Percentage of indels for TALE-nuclease targeting CD52_T02, TRAC_T01, TRBC_T01 and TRBC_T02 targets.

15 **Table 9:** Percentages of CD52- negative, TCR-negative and CD52/TCR-double negative T lymphocytes after transfection of corresponding TALE-nuclease-expressing polynucleotides.

Table 10: Percentages of TCR-negative T lymphocytes after transfection of TRBC TALE-nuclease-expressing polynucleotides.

Table 11: Description of the CTLA4 and PDCD1 TALE-nucleases and sequences of the TALE-nucleases target sites in the human corresponding genes.

20 **Table 12:** Description of a subset of pTalpha constructs.

Table 13: Activity of the different pTalpha constructs in Jurkat TCR alpha inactivated cell. Activity was measured by flow cytometry analysis of CD3 expression on jurkat TCR alpha inactivated cell transfected with the different preTalpha constructs.

25 **Table 14:** Different cytopulse programs used to determine the minimal voltage required for electroporation in PBMC derived T-cells.

Table 15: Cytopulse program used to electroporate purified T-cells.

Detailed description of the invention

Unless specifically defined herein, all technical and scientific terms used have the same meaning as commonly understood by a skilled artisan in the fields of gene therapy, biochemistry, genetics, and molecular biology.

5 All methods and materials similar or equivalent to those described herein can be used in the practice or testing of the present invention, with suitable methods and materials being described herein. All publications, patent applications, patents, and other references mentioned herein are incorporated by reference in their entirety, especially for the subject matter disclosed by each reference that pertains to the subject matter in the adjoining
10 sentence(s), paragraph(s) or section(s) in which the reference is cited. In case of conflict, the present specification, including definitions, will prevail. Further, the materials, methods, and examples are illustrative only and are not intended to be limiting, unless otherwise specified.

The practice of the present invention will employ, unless otherwise indicated, conventional techniques of cell biology, cell culture, molecular biology, transgenic biology,
15 microbiology, recombinant DNA, and immunology, which are within the skill of the art. Such techniques are explained fully in the literature. See, for example, Current Protocols in Molecular Biology (Frederick M. AUSUBEL, 2000, Wiley and son Inc, Library of Congress, USA); Molecular Cloning: A Laboratory Manual, Third Edition, (Sambrook et al, 2001, Cold Spring Harbor, New York: Cold Spring Harbor Laboratory Press); Oligonucleotide Synthesis
20 (M. J. Gait ed., 1984); Mullis et al. U.S. Pat. No. 4,683,195; Nucleic Acid Hybridization (B. D. Harries & S. J. Higgins eds. 1984); Transcription And Translation (B. D. Hames & S. J. Higgins eds. 1984); Culture Of Animal Cells (R. I. Freshney, Alan R. Liss, Inc., 1987); Immobilized Cells And Enzymes (IRL Press, 1986); B. Perbal, A Practical Guide To Molecular Cloning (1984); the series, Methods In ENZYMOLOGY (J. Abelson and M. Simon, eds.-in-chief, Academic Press,
25 Inc., New York), specifically, Vols.154 and 155 (Wu et al. eds.) and Vol. 185, "Gene Expression Technology" (D. Goeddel, ed.); Gene Transfer Vectors For Mammalian Cells (J. H. Miller and M. P. Calos eds., 1987, Cold Spring Harbor Laboratory); Immunochemical Methods In Cell And Molecular Biology (Mayer and Walker, eds., Academic Press, London, 1987); Handbook Of Experimental Immunology, Volumes I-IV (D. M. Weir and C. C. Blackwell, eds., 1986); and Manipulating the Mouse Embryo, (Cold Spring Harbor Laboratory Press,
30 Cold Spring Harbor, N.Y., 1986).

In a general aspect, the present invention relates to methods for new adoptive immunotherapy strategies in treating cancer and infections.

Non alloreactive and highly active T cells for immunotherapy

5 In a particular aspect, the present invention relates to a method of engineering T-cells, especially for immunotherapy. In a particular embodiment, the method comprises:

- (a) providing a T cell,
- (b) introducing into said T cell a rare-cutting endonuclease able to selectively inactivate by DNA cleavage an immune checkpoint gene; and

10 (c) expanding said cells.

In particular this method comprises:

- (a) modifying T-cells by inactivating at least:
 - a first gene encoding an immune checkpoint protein, and
 - a second gene encoding a component of the T-cell receptor (TCR)

15 (b) expanding said cells.

T cell-mediated immunity includes multiple sequential steps involving the clonal selection of antigen specific cells, their activation and proliferation in secondary lymphoid tissue, their trafficking to sites of antigen and inflammation, the execution of direct effector function and the provision of help (through cytokines and membrane ligands) for a multitude of effector immune cells. Each of these steps is regulated by counterbalancing stimulatory and inhibitory signal that fine-tune the response. It will be understood by those of ordinary skill in the art, that the term "immune checkpoints" means a group of molecules expressed by T cells. These molecules effectively serve as "brakes" to down-modulate or inhibit an immune response. Immune checkpoint molecules include, but are not limited to

20 Programmed Death 1 (PD-1, also known as PDCD1 or CD279, accession number: NM_005018), Cytotoxic T-Lymphocyte Antigen 4 (CTLA-4, also known as CD152, GenBank accession number AF414120.1), LAG3 (also known as CD223, accession number: NM_002286.5), Tim3 (also known as HAVCR2, GenBank accession number: JX049979.1),

25

BTLA (also known as CD272, accession number: NM_181780.3), BY55 (also known as CD160, GenBank accession number: CR541888.1), TIGIT (also known as VSTM3, accession number: NM_173799), B7H5 (also known as C10orf54, homolog of mouse vista gene, accession number: NM_022153.1), LAIR1 (also known as CD305, GenBank accession number: CR542051.1), SIGLEC10 (GeneBank accession number: AY358337.1), 2B4 (also known as CD244, accession number: NM_001166664.1), which directly inhibit immune cells. For example, CTLA-4 is a cell-surface protein expressed on certain CD4 and CD8 T cells; when engaged by its ligands (B7-1 and B7-2) on antigen presenting cells, T-cell activation and effector function are inhibited. Thus the present invention relates to a method of engineering T-cells, especially for immunotherapy, comprising genetically modifying T-cells by inactivating at least one protein involved in the immune check-point, in particular PD1 and/c⁻ CTLA-4.

In a particular embodiment, the genetic modification step of the method relies on the inactivation of one gene, preferably two genes selected from the group consisting of PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, 2B4, TCR alpha and TCR beta. In another embodiment, the genetic modification step of the method relies on the inactivation of two genes selected from the group consisting of PD1 and TCR alpha, PD1 and TCR beta, CTLA-4 and TCR alpha, CTLA-4 and TCR beta, LAG3 and TCR alpha, LAG3 and TCR beta, Tim3 and TCR alpha, Tim3 and TCR beta, BTLA and TCR alpha, BTLA and TCR beta, BY55 and TCR alpha, BY55 and TCR beta, TIGIT and TCR alpha, TIGIT and TCR beta, B7H5 and TCR alpha, B7H5 and TCR beta, LAIR1 and TCR alpha, LAIR1 and TCR beta, SIGLEC10 and TCR alpha, SIGLEC10 and TCR beta, 2B4 and TCR alpha, 2B4 and TCR beta. In another embodiment, the genetic modification step of the method relies on the inactivation of more than two genes. The genetic modification is preferably operated ex-vivo.

Table 1 below, without being exhaustive, show immune checkpoint genes that can be inactivated according to the teaching of the present invention in order to improve the efficiency and fitness of the engineered T-cells. The immune checkpoints gene are preferably selected from such genes having identity to those listed in this table involved into co-inhibitory receptor function, cell death, cytokine signaling, arginine tryptophan starvation, TCR signaling, Induced T-reg repression, transcription factors controlling exhaustion or anergy, and hypoxia mediated tolerance.

Table 1: Immune checkpoint genes appropriate to make allogeneic T-cells more active for immunotherapy

Pathway	Genes that can be inactivated in pathway	NCBI database gene ID (<i>Homo sapiens</i>) on May 13th, 2014
Co-inhibitory receptors	LAG3 (CD223)	3902
	HAVCR2 (TIM3)	84868
	BTLA (CD272)	151888
	CD160 (NK1)	11126
	TIGIT (VSIG9)	201633
	CD96 (TACTILE)	10225
	CRTAM (CD355)	56253
	LAIR1 (CD305)	3903
	SIGLEC7 (CD328)	27036
	A2A (IGKV2-29)	28882
	SIGLEC9 (CD329)	27180
	CD244 (2B4))	51744
Cell death	TNFRSF10B (CD262)	8795
	TNFRSF10A (CD261)	8797
	CASP3	836
	CASP6	839
	CASP7	840
	CASP8	841
	CASP10	843
	Arhgap5 (GFI2)	394
	Akap8i	10270
	FADD (GIG3)	8772
	FAS (RP11)	355
	Stk17b (DRAK2)	9262
Cytokine signalling	TGFBRII (AAT3)	7048
	TGFBRI	7046
	SMAD2 (JV18)	4087
	SMAD3	4088
	SMAD4	4089
	SMAD10 (SMAD7)	394331
	SKI (SGS)	6497
	SKIL (SNO)	6498
	TGIF1 (HPE4)	7050
	IL10RA (CD210)	3587
	IL10RB	3588
	HMOX2 (HO-2)	3163
	Jun (AP1)	3725
	Ppp3cc	5533
	Ppm1g	5496
	Socs1	8651

	Soc3	9021
	IL6R (CD126)	3570
	IL6ST (CD130)	3572
	Lck	3932
	Fyn	2534
	ADAP (FYB)	2533
	Carma1 (CARD11)	84433
	Bcl10	8915
	Malt1 (IMD12)	10892
	TAK1 (NR2C2)	7182
arginine/tryptophan starvation	EIF2AK4 (GCN2)	440275
	Nuak2	81788
TCR signalling	CSK	1445
	PAG1 (CBP)	55824
	SIT1	27240
	CRTAM (CD355)	56253
	Egr2 (AT591)	1959
	DGK-a (DAGK)	1606
	DGK-z	8525
	Cblb	868
	Inpp5b	3633
	Ptpn2 (PTN2)	5771
	Vamp7	6845
	Mast2	23139
	tnk1	8711
	stk17b (DRAK2)	9262
	Mdfic (HIC)	29969
	F11r (CD321)	50848
Induced Treg	FOXP3 (JM2)	50943
	Entpd1 (CD39)	953
Transcription factors controlling exhaustion/anergy	PRDM1 (blimp1)	12142
	BATF	10538
	Ypel2	388403
	Ppp2r2d	55844
	Rock1	6093
	Sbf1	6305
	Hipk1 (MYAK)	204851
	Map3k3	4215
	Grk6	2870
	Eif2ak3 (PEK)	9451
	Fyn	2534
	NFAT1 (NFATC2)	4773
Hypoxia mediated tolerance	GUCY1A2	2977
	GUCY1A3	2982
	GUCY1B2	2974
	GUCY1B3	2983

By inactivating a gene it is intended that the gene of interest is not expressed in a functional protein form. In particular embodiment, the genetic modification of the method relies on the expression, in provided cells to engineer, of one rare-cutting endonuclease such that said rare-cutting endonuclease specifically catalyzes cleavage in one targeted gene
5 thereby inactivating said targeted gene. The nucleic acid strand breaks caused by the rare-cutting endonuclease are commonly repaired through the distinct mechanisms of homologous recombination or non-homologous end joining (NHEJ). However, NHEJ is an imperfect repair process that often results in changes to the DNA sequence at the site of the cleavage. Mechanisms involve rejoining of what remains of the two DNA ends through direct
10 re-ligation (Critchlow and Jackson 1998) or via the so-called microhomology-mediated end joining (Ma, Kim et al. 2003). Repair via non-homologous end joining (NHEJ) often results in small insertions or deletions and can be used for the creation of specific gene knockouts. Said modification may be a substitution, deletion, or addition of at least one nucleotide. Cells in which a cleavage-induced mutagenesis event, i.e a mutagenesis event consecutive to
15 an NHEJ event, has occurred can be identified and/or selected by well-known method in the art.

In a particular embodiment, said method to engineer cells comprises at least one of the following steps:

(a) providing a T-cell, preferably from a cell culture or from a blood sample;

20 (b) introducing into said T-cell a rare-cutting endonuclease able to selectively inactivate by DNA cleavage, preferably by double-strand break respectively:

- said gene encoding a immune checkpoint protein, and
- at least one gene encoding a component of the T-cell receptor (TCR).

(c) expanding said cells.

25 In a more preferred embodiment, said method comprises:

(a) providing a T-cell, preferably from a cell culture or from a blood sample;

(b) transforming said T cell with nucleic acid encoding a rare-cutting endonuclease able to selectively inactivate by DNA cleavage, preferably by double-strand break respectively:

- said gene encoding a immune checkpoint protein and
- at least one gene encoding a component of the T-cell receptor (TCR)

(c) expressing said rare-cutting endonucleases into said T-cells;

(d) sorting the transformed T-cells, which do not express TCR on their cell surface;

5 (e) expanding said cells.

In particular embodiment, said rare-cutting endonuclease specifically targets one gene selected from the group consisting of: PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, 2B4, TCR alpha and TCR beta. In another embodiment, the genetic modification of the method relies on the expression, in provided cells to engineer, of two
10 rare-cutting endonucleases such that said each of the two rare-cutting endonucleases specifically and respectively catalyzes cleavage in each of the pairs of genes selected from the group consisting of PD1 and TCR alpha, PD1 and TCR beta, CTLA-4 and TCR alpha, CTLA-4 and TCR beta, LAG3 and TCR alpha, LAG3 and TCR beta, Tim3 and TCR alpha, Tim3 and TCR beta, BTLA and TCR alpha, BTLA and TCR beta, BY55 and TCR alpha, BY55 and TCR beta, TIGIT
15 and TCR alpha, TIGIT and TCR beta, B7H5 and TCR alpha, B7H5 and TCR beta, LAIR1 and TCR alpha, LAIR1 and TCR beta, SIGLEC10 and TCR alpha, SIGLEC10 and TCR beta, 2B4 and TCR alpha, 2B4 and TCR beta, thereby inactivating said targeted genes. In another embodiment, more than two rare-cutting endonucleases can be expressed in cells to engineer in order to target and/or inactivate more than two genes.

20 In another embodiment, said rare-cutting endonuclease can be a meganuclease, a Zinc finger nuclease or a TALE-nuclease. In a preferred embodiment, said rare-cutting endonuclease is a TALE-nuclease. By TALE-nuclease is intended a fusion protein consisting of a DNA-binding domain derived from a Transcription Activator Like Effector (TALE) and one nuclease catalytic domain to cleave a nucleic acid target sequence. (Boch, Scholze et al.
25 2009; Moscou and Bogdanove 2009; Christian, Cermak et al. 2010; Cermak, Doyle et al. 2011; Geissler, Scholze et al. 2011; Huang, Xiao et al. 2011; Li, Huang et al. 2011; Mahfouz, Li et al. 2011; Miller, Tan et al. 2011; Morbitzer, Romer et al. 2011; Mussolino, Morbitzer et al. 2011; Sander, Cade et al. 2011; Tesson, Usal et al. 2011; Weber, Gruetzner et al. 2011; Zhang, Cong et al. 2011; Deng, Yan et al. 2012; Li, Piatek et al. 2012; Mahfouz, Li et al. 2012;
30 Mak, Bradley et al. 2012).

In the present invention new TALE-nucleases have been designed for precisely targeting relevant genes for adoptive immunotherapy strategies. Preferred TALE-nucleases according to the invention are those recognizing and cleaving the target sequence selected from the group consisting of: SEQ ID NO: 77 and SEQ ID NO: 78 (PD1), SEQ ID NO: 74 to SEQ ID NO: 76 (CTLA-4), SEQ ID NO: 37, 57 to 60 (TCRalpha), SEQ ID NO: 38 or 39 (TCRbeta). The present invention also relates to TALE-nuclease polypeptides which comprise an amino acid sequence selected from the group consisting of SEQ ID NO: 79 to SEQ ID NO: 88 and SEQ ID NO: 41 to 46.

The present invention also relates to polypeptides comprising an amino acid sequence that has at least 70%, preferably at least 80%, more preferably at least 90 %, 95 % 97 % or 99 % sequence identity with amino acid sequence selected from the group consisting of SEQ ID NO: 79 to SEQ ID NO: 88. Are also comprised in the scope of the present invention, polynucleotides, vectors encoding the above described rare-cutting endonucleases according to the invention. This method can be associated with any one of the different methods described in the present disclosure.

In another embodiment, additional catalytic domain can be further introduced into the cell with said rare-cutting endonuclease to increase mutagenesis in order to enhance their capacity to inactivate targeted genes. In particular, said additional catalytic domain is a DNA end processing enzyme. Non limiting examples of DNA end-processing enzymes include 5-3' exonucleases, 3-5' exonucleases, 5-3' alkaline exonucleases, 5' flap endonucleases, helicases, phosphatase, hydrolases and template-independent DNA polymerases. Non limiting examples of such catalytic domain comprise of a protein domain or catalytically active derivate of the protein domain selected from the group consisting of hExoI (EXO1_HUMAN), Yeast ExoI (EXO1_YEAST), E.coli ExoI, Human TREX2, Mouse TREX1, Human TREX1, Bovine TREX1, Rat TREX1, TdT (terminal deoxynucleotidyl transferase) Human DNA2, Yeast DNA2 (DNA2_YEAST). In a preferred embodiment, said additional catalytic domain has a 3'-5'-exonuclease activity, and in a more preferred embodiment, said additional catalytic domain is TREX, more preferably TREX2 catalytic domain (WO2012/058458). In another preferred embodiment, said catalytic domain is encoded by a single chain TREX polypeptide (WO2013/009525). Said additional catalytic domain may be fused to a nuclease fusion protein or chimeric protein according to the invention optionally by a peptide linker.

Endonucleolytic breaks are known to stimulate the rate of homologous recombination. Thus, in another embodiment, the genetic modification step of the method further comprises a step of introduction into cells an exogenous nucleic acid comprising at least a sequence homologous to a portion of the target nucleic acid sequence, such that homologous recombination occurs between the target nucleic acid sequence and the exogenous nucleic acid. In particular embodiments, said exogenous nucleic acid comprises first and second portions which are homologous to region 5' and 3' of the target nucleic acid sequence, respectively. Said exogenous nucleic acid in these embodiments also comprises a third portion positioned between the first and the second portion which comprises no homology with the regions 5' and 3' of the target nucleic acid sequence. Following cleavage of the target nucleic acid sequence, a homologous recombination event is stimulated between the target nucleic acid sequence and the exogenous nucleic acid. Preferably, homologous sequences of at least 50 bp, preferably more than 100 bp and more preferably more than 200 bp are used within said donor matrix. Therefore, the exogenous nucleic acid is preferably from 200 bp to 6000 bp, more preferably from 1000 bp to 2000 bp. Indeed, shared nucleic acid homologies are located in regions flanking upstream and downstream the site of the break and the nucleic acid sequence to be introduced should be located between the two arms.

In particular, said exogenous nucleic acid successively comprises a first region of homology to sequences upstream of said cleavage, a sequence to inactivate one targeted gene selected from the group consisting of immune checkpoint genes, TCR alpha and TCR beta and a second region of homology to sequences downstream of the cleavage. Said polynucleotide introduction step can be simultaneous, before or after the introduction or expression of said rare-cutting endonuclease. Depending on the location of the target nucleic acid sequence wherein break event has occurred, such exogenous nucleic acid can be used to knock-out a gene, e.g. when exogenous nucleic acid is located within the open reading frame of said gene, or to introduce new sequences or genes of interest. Sequence insertions by using such exogenous nucleic acid can be used to modify a targeted existing gene, by correction or replacement of said gene (allele swap as a non-limiting example), or to up- or down-regulate the expression of the targeted gene (promoter swap as non-limiting example), said targeted gene correction or replacement. In preferred embodiment,

inactivation of genes from the group consisting of immune checkpoint genes, TCR alpha and TCR beta can be done at a precise genomic location targeted by a specific TALE-nuclease, wherein said specific TALE-nuclease catalyzes a cleavage and wherein said exogenous nucleic acid successively comprising at least a region of homology and a sequence to inactivate one
5 targeted gene selected from the group consisting of immune checkpoint genes, TCR alpha and TCR beta which is integrated by homologous recombination. In another embodiment, several genes can be, successively or at the same time, inactivated by using several TALE-nucleases respectively and specifically targeting one defined gene and several specific polynucleotides for specific gene inactivation.

10 By additional genomic modification step, can be intended also the inactivation of another gene selected from the group consisting of immune checkpoint genes, TCR alpha and TCR beta. As mentioned above, said additional genomic modification step can be an inactivation step comprising:

(a) introducing into said cells at least one rare-cutting endonuclease such that said
15 rare-cutting endonuclease specifically catalyzes cleavage in one targeted sequence of the genome of said cell.

(b) Optionally introducing into said cells a exogenous nucleic acid successively comprising a first region of homology to sequences upstream of said cleavage, a sequence to be inserted in the genome of said cell and a second region of
20 homology to sequences downstream of said cleavage,

wherein said introduced exogenous nucleic acid inactivates a gene and integrates at least one exogenous polynucleotide sequence encoding at least one recombinant protein of interest. In another embodiment, said exogenous polynucleotide sequence is integrated within a gene selected from the group consisting of immune checkpoint genes, TCR alpha
25 and TCR beta.

In particular embodiment said method to engineer cell further comprises an additional genomic modification step. By additional genomic modification step, can be intended the introduction into cells to engineer of one protein of interest. Said protein of interest can be, as non limiting examples, pTalpha or functional variant thereof, a Chimeric
30 Antigen Receptor (CAR), a multi-chain CAR, a bispecific antibody as described in the present

disclosure. Said method to engineer cell can also further comprises the introduction of rare-cutting endonuclease able to selectively inactivate by DNA cleavage a gene encoding a target for said immunosuppressive agent as described in the present disclosure.

The invention also relates to TALE-nucleases. Generally, the invention relates to
5 TALE-nuclease comprising:

- (a) A Transcription Activator-Like Effector (TALE) DNA binding domain that has been engineered to bind a target sequence within genes selected from the group consisting of immune checkpoint genes, TCR alpha and TCR beta;
- (b) A cleavage domain or a cleavage half-domain.

10 Preferred TALE-nucleases according to the invention are those recognizing and cleaving the target sequence selected from the group consisting of:

- SEQ ID NO: 77 and SEQ ID NO: 78 (PD1)
- SEQ ID NO: 74 to SEQ ID NO: 76 (CTLA-4),
- SEQ ID NO: 37, 57 to 60 (TCRalpha), and
- 15 - SEQ ID NO: 38 or 39 (TCRbeta),

Said TALE-nucleases preferably comprise a polypeptide sequence selected from the group consisting of SEQ ID NO: 79 to SEQ ID NO: 88 in order to cleave the respective target SEQ ID NO: 74 to 78 and SEQ ID NO: 41 to SEQ ID NO: 46, in order to cleave the respective target sequences SEQ ID NO: 37 to 39.

20 Because some variability may arise from the genomic data from which these polypeptides derive, and also to take into account the possibility to substitute some of the amino acids present in these polypeptides without significant loss of activity (functional variants), the invention encompasses polypeptides variants of the above polypeptides that share at least 70%, preferably at least 80 %, more preferably at least 90 % and even more
25 preferably at least 95 % identity with the sequences provided in this patent application.

The present invention is thus drawn to polypeptides comprising a polypeptide sequence that has at least 70%, preferably at least 80%, more preferably at least 90 %, 95 % 97 % or 99 %

sequence identity with amino acid sequence selected from the group consisting of SEQ ID NO: 79 to SEQ ID NO: 88 and SEQ ID NO: 41 to SEQ ID NO: 46.

Are also comprised in the scope of the present invention, polynucleotides, vectors encoding the above described rare-cutting endonucleases according to the invention.

5 In the scope of the present invention are also encompassed isolated cells or cell lines susceptible to be obtained by said method to engineer cells, in particular T cells, in which at least one gene selected from the group consisting of immune checkpoint genes, preferably genes selected from the group of: PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, 2B4, TCR alpha and TCR beta has been inactivated. Preferably, two genes selected
10 from the group consisting of: PD1 and TCR alpha, PD1 and TCR beta, CTLA-4 and TCR alpha, CTLA-4 and TCR beta, LAG3 and TCR alpha, LAG3 and TCR beta, Tim3 and TCR alpha, Tim3 and TCR beta, BTLA and TCR alpha, BTLA and TCR beta, BY55 and TCR alpha, BY55 and TCR beta, TIGIT and TCR alpha, TIGIT and TCR beta, B7H5 and TCR alpha, B7H5 and TCR beta, LAIR1 and TCR alpha, LAIR1 and TCR beta, SIGLEC10 and TCR alpha, SIGLEC10 and TCR beta,
15 2B4 and TCR alpha, 2B4 and TCR beta have been inactivated.

According to the invention, those genes are preferably inactivated by at least one rare-cutting endonuclease. It has been shown by the inventors that the use of TALE-nucleases was particularly advantageous to achieve double inactivation in T-cells. The invention encompasses an isolated T-cell comprising at least two polynucleotides, said
20 polynucleotides encoding at least a first and second TALE-nucleases, preferably the first TALE-nuclease being directed against a gene encoding TCR and the second being directed against a gene encoding a immune checkpoint protein, such as PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, 2B4. In another embodiment, said isolated cell further comprises one additional genomic modification. In another embodiment, said
25 additional genomic modification is the integration of at least one exogenous polynucleotide sequence. In another embodiment, said exogenous sequence is integrated into one gene selected from the group consisting of PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, 2B4, TCR alpha and TCR beta.

Non alloreactive and immunosuppressive resistant T cells:

In a particular aspect, the present invention relates to a method of engineering T-cells, especially for immunotherapy. In particular this method comprises:

(a) modifying T-cells by inactivating at least:

- 5 - A first gene expressing a target for an immunosuppressive agent, and
- A second gene encoding a component of the T-cell receptor (TCR)

(b) Expanding said cells, optionally in presence of said immunosuppressive agent.

An immunosuppressive agent is an agent that suppresses immune function by one of several mechanisms of action. In other words, an immunosuppressive agent is a role played
10 by a compound which is exhibited by a capability to diminish the extent and/or voracity of an immune response. As non limiting example, an immunosuppressive agent can be a calcineurin inhibitor, a target of rapamycin, an interleukin-2 α -chain blocker, an inhibitor of inosine monophosphate dehydrogenase, an inhibitor of dihydrofolic acid reductase, a corticosteroid or an immunosuppressive antimetabolite. Classical cytotoxic
15 immunosuppressants act by inhibiting DNA synthesis. Others may act through activation of T-cells or by inhibiting the activation of helper cells. The method according to the invention allows conferring immunosuppressive resistance to T cells for immunotherapy by inactivating the target of the immunosuppressive agent in T cells. As non limiting examples, targets for immunosuppressive agent can be a receptor for an immunosuppressive agent
20 such as: CD52, glucocorticoid receptor (GR), a FKBP family gene member and a cyclophilin family gene member.

In a particular embodiment, the genetic modification step of the method relies on the inactivation of one gene selected from the group consisting of CD52, GR, TCR alpha and TCR beta. In another embodiment, the genetic modification step of the method relies on the
25 inactivation of two genes selected from the group consisting of CD52 and GR, CD52 and TCR alpha, CDR52 and TCR beta, GR and TCR alpha, GR and TCR beta, TCR alpha and TCR beta. In another embodiment, the genetic modification step of the method relies on the inactivation of more than two genes. The genetic modification is preferably operated ex-vivo.

By inactivating a gene it is intended that the gene of interest is not expressed in a functional protein form. In particular embodiment, the genetic modification of the method relies on the expression, in provided cells to engineer, of one rare-cutting endonuclease such that said rare-cutting endonuclease specifically catalyzes cleavage in one targeted gene
5 thereby inactivating said targeted gene. In a particular embodiment, said method to engineer cells comprises at least one of the following steps:

- (a) Providing a T-cell, preferably from a cell culture or from a blood sample;
- (b) Selecting a gene in said T-cell expressing a target for an immunosuppressive agent;
- 10 (c) Introducing into said T-cell a rare-cutting endonuclease able to selectively inactivate by DNA cleavage, preferably by double-strand break respectively:
 - said gene encoding a target for said immunosuppressive agent, and
 - at least one gene encoding a component of the T-cell receptor (TCR).
- (d) Expanding said cells, optionally in presence of said immunosuppressive agent.

15 In a more preferred embodiment, said method comprises:

- (a) Providing a T-cell, preferably from a cell culture or from a blood sample;
- (b) Selecting a gene in said T-cell expressing a target for an immunosuppressive agent;
- 20 (c) Transforming said T cell with nucleic acid encoding a rare-cutting endonuclease able to selectively inactivate by DNA cleavage, preferably by double-strand break respectively:
 - said gene encoding a target for said immunosuppressive agent, and
 - at least one gene encoding a component of the T-cell receptor (TCR);
- (d) Expressing said rare-cutting endonucleases into said T-cells;
- 25 (e) Sorting the transformed T-cells, which do not express TCR on their cell surface;
- (f) Expanding said cells, optionally in presence of said immunosuppressive agent.

In particular embodiment, said rare-cutting endonuclease specifically targets one gene selected from the group consisting of CD52, GR, TCR alpha and TCR beta. In another embodiment, the genetic modification of the method relies on the expression, in provided

cells to engineer, of two rare-cutting endonucleases such that said each of the two rare-cutting endonucleases specifically and respectively catalyzes cleavage in each of the pairs of genes selected from the group consisting of CD52 and GR, CD52 and TCR alpha, CDR52 and TCR beta, GR and TCR alpha, GR and TCR beta, TCR alpha and TCR beta, thereby inactivating said targeted genes. In another embodiment, more than two rare-cutting endonucleases can be expressed in cells to engineer in order to target and/or inactivate more than two genes.

In another embodiment, said gene of step (b), specific for an immunosuppressive treatment, is CD52 and the immunosuppressive treatment of step (d) or (e) comprises a humanized antibody targeting CD52 antigen.

In another embodiment, said gene of step (b), specific for an immunosuppressive treatment, is a glucocorticoid receptor (GR) and the immunosuppressive treatment of step (d) or (e) comprises a corticosteroid such as dexamethasone.

In another embodiment, said target gene of step (b), specific for an immunosuppressive treatment, is a FKBP family gene member or a variant thereof and the immunosuppressive treatment of step (d) or (e) comprises FK506 also known as Tacrolimus or fujimycin. In another embodiment, said FKBP family gene member is FKBP12 or a variant thereof.

In another embodiment, said gene of step (b), specific for an immunosuppressive treatment, is a cyclophilin family gene member or a variant thereof and the immunosuppressive treatment of step (d) or (e) comprises cyclosporine.

In another embodiment, said rare-cutting endonuclease can be a meganuclease, a Zinc finger nuclease or a TALE-nuclease. In a preferred embodiment, said rare-cutting endonuclease is a TALE-nuclease. Preferred TALE-nucleases according to the invention are those recognizing and cleaving the target sequence selected from the group consisting of:

- SEQ ID NO: 1 to 6 (GR),
- SEQ ID NO: 37, 57 to 60 (TCRalpha),
- SEQ ID NO: 38 or 39 (TCRbeta), and
- SEQ ID NO: 40, 61 to 65 (CD52)

Said TALE-nucleases preferably comprise a polypeptide sequence selected from SEQ ID NO: 7 to SEQ ID NO: 18 and SEQ ID NO: 41 to SEQ ID NO: 48, in order to cleave the respective target sequences SEQ ID NO: 1 to 6 and SEQ ID NO: 37 to 40.

In another embodiment, additional catalytic domain can be further introduced into the cell with said rare-cutting endonuclease to increase mutagenesis in order to enhance their capacity to inactivate targeted genes. In particular, said additional catalytic domain is a DNA end processing enzyme. Non limiting examples of DNA end-processing enzymes include 5-3' exonucleases, 3-5' exonucleases, 5-3' alkaline exonucleases, 5' flap endonucleases, helicases, phosphatase, hydrolases and template-independent DNA polymerases. Non limiting examples of such catalytic domain comprise of a protein domain or catalytically active derivative of the protein domain selected from the group consisting of hExoI (EXO1_HUMAN), Yeast ExoI (EXO1_YEAST), E.coli ExoI, Human TREX2, Mouse TREX1, Human TREX1, Bovine TREX1, Rat TREX1, TdT (terminal deoxynucleotidyl transferase) Human DNA2, Yeast DNA2 (DNA2_YEAST). In a preferred embodiment, said additional catalytic domain has a 3'-5'-exonuclease activity, and in a more preferred embodiment, said additional catalytic domain is TREX, more preferably TREX2 catalytic domain (WO2012/058458). In another preferred embodiment, said catalytic domain is encoded by a single chain TREX polypeptide. Said additional catalytic domain may be fused to a nuclease fusion protein or chimeric protein according to the invention optionally by a peptide linker.

Endonucleolytic breaks are known to stimulate the rate of homologous recombination. Thus, in another embodiment, the genetic modification step of the method further comprises a step of introduction into cells an exogenous nucleic acid comprising at least a sequence homologous to a portion of the target nucleic acid sequence, such that homologous recombination occurs between the target nucleic acid sequence and the exogenous nucleic acid. In particular embodiments, said exogenous nucleic acid comprises first and second portions which are homologous to region 5' and 3' of the target nucleic acid sequence, respectively. Said exogenous nucleic acid in these embodiments also comprises a third portion positioned between the first and the second portion which comprises no homology with the regions 5' and 3' of the target nucleic acid sequence. Following cleavage of the target nucleic acid sequence, a homologous recombination event is stimulated between the target nucleic acid sequence and the exogenous nucleic acid. Preferably,

homologous sequences of at least 50 bp, preferably more than 100 bp and more preferably more than 200 bp are used within said donor matrix. Therefore, the exogenous nucleic acid is preferably from 200 bp to 6000 bp, more preferably from 1000 bp to 2000 bp. Indeed, shared nucleic acid homologies are located in regions flanking upstream and downstream the site of the break and the nucleic acid sequence to be introduced should be located between the two arms.

In particular, said exogenous nucleic acid successively comprises a first region of homology to sequences upstream of said cleavage, a sequence to inactivate one targeted gene selected from the group consisting of CD52, GR, TCR alpha and TCR beta and a second region of homology to sequences downstream of the cleavage. Said polynucleotide introduction step can be simultaneous, before or after the introduction or expression of said rare-cutting endonuclease. Depending on the location of the target nucleic acid sequence wherein break event has occurred, such exogenous nucleic acid can be used to knock-out a gene, e.g. when exogenous nucleic acid is located within the open reading frame of said gene, or to introduce new sequences or genes of interest. Sequence insertions by using such exogenous nucleic acid can be used to modify a targeted existing gene, by correction or replacement of said gene (allele swap as a non-limiting example), or to up- or down-regulate the expression of the targeted gene (promoter swap as non-limiting example), said targeted gene correction or replacement. In preferred embodiment, inactivation of genes from the group consisting of CD52, GR, TCR alpha and TCR beta can be done at a precise genomic location targeted by a specific TALE-nuclease, wherein said specific TALE-nuclease catalyzes a cleavage and wherein said exogenous nucleic acid successively comprising at least a region of homology and a sequence to inactivate one targeted gene selected from the group consisting of CD52, GR, TCR alpha and TCR beta which is integrated by homologous recombination. In another embodiment, several genes can be, successively or at the same time, inactivated by using several TALE-nucleases respectively and specifically targeting one defined gene and several specific polynucleotides for specific gene inactivation.

By additional genomic modification step, can be intended also the inactivation of another gene selected from the group consisting of CD52, GR, TCR alpha and TCR beta. As mentioned above, said additional genomic modification step can be an inactivation step comprising:

(a) introducing into said cells at least one rare-cutting endonuclease such that said rare-cutting endonuclease specifically catalyzes cleavage in one targeted sequence of the genome of said cell.

(b) Optionally introducing into said cells a exogenous nucleic acid successively comprising a first region of homology to sequences upstream of said cleavage, a sequence to be inserted in the genome of said cell and a second region of homology to sequences downstream of said cleavage,

wherein said introduced exogenous nucleic acid inactivates a gene and integrates at least one exogenous polynucleotide sequence encoding at least one recombinant protein of interest. In another embodiment, said exogenous polynucleotide sequence is integrated within a gene selected from the group consisting of CD52, GR, TCR alpha and TCR beta.

In particular embodiment said method to engineer cell further comprises an additional genomic modification step. By additional genomic modification step, can be intended the introduction into cells to engineer of one protein of interest. Said protein of interest can be, as non limiting examples, pTalpha or functional variant thereof, a Chimeric Antigen Receptor (CAR), a multi-chain CAR, a bispecific antibody or rare-cutting endonuclease targeting PDCD1 or CTLA-4 as described in the present disclosure.

The invention also relates to TALE-nucleases. Generally, the invention relates to TALE-nuclease comprising:

(a) A Transcription Activator-Like Effector (TALE) DNA binding domain that has been engineered to bind a target sequence within genes selected from the group consisting of CD52, GR, TCR alpha and TCR beta;

(b) A cleavage domain or a cleavage half-domain.

Preferred TALE-nucleases according to the invention are those recognizing and cleaving the target sequence selected from the group consisting of:

- SEQ ID NO: 1 to 6 (GR),
- SEQ ID NO: 37, 57 to 60 (TCRalpha),
- SEQ ID NO: 38 or 39 (TCRbeta), and

- SEQ ID NO: 40, 61 to 65 (CD52)

Said TALE-nucleases preferably comprise a polypeptide sequence selected from SEQ ID NO: 7 to SEQ ID NO: 18 and SEQ ID NO: 41 to SEQ ID NO: 48, in order to cleave the respective target sequences SEQ ID NO: 1 to 6 and SEQ ID NO: 37 to 40.

5 Because some variability may arise from the genomic data from which these polypeptides derive, and also to take into account the possibility to substitute some of the amino acids present in these polypeptides without significant loss of activity (functional variants), the invention encompasses polypeptides variants of the above polypeptides that share at least 70%, preferably at least 80 %, more preferably at least 90 % and even more
10 preferably at least 95 % identity with the sequences provided in this patent application.

The present invention is thus drawn to polypeptides comprising a polypeptide sequence that has at least 70%, preferably at least 80%, more preferably at least 90 %, 95 % 97 % or 99 % sequence identity with amino acid sequence selected from the group consisting of SEQ ID NO: 7 to SEQ ID NO: 18 and SEQ ID NO: 41 to SEQ ID NO: 48.

15 Are also comprised in the scope of the present invention, polynucleotides, vectors encoding the above described rare-cutting endonucleases according to the invention.

In the scope of the present invention are also encompassed isolated cells or cell lines susceptible to be obtained by said method to engineer cells, in particular T cells, in which at least one gene selected from the group consisting of CD52, GR, TCR alpha and TCR beta has
20 been inactivated. Preferably, two genes selected from the group consisting of CD52 and GR, CD52 and TCR alpha, CD52 and TCR beta, GR and TCR alpha, GR and TCR beta, TCR alpha and TCR beta have been inactivated.

According to the invention, those genes are preferably inactivated by at least one rare-cutting endonuclease. It has been shown by the inventors that the use of TALE-
25 nucleases was particularly advantageous to achieve double inactivation in T-cells. The invention encompasses an isolated T-cell comprising at least two polynucleotides, said polynucleotides encoding at least a first and second TALE-nucleases, preferably the first TALE-nuclease being directed against a gene encoding TCR and the second being directed against a gene encoding a receptor for an immunosuppressive agent, such as CD52 or GR.

In another embodiment, said isolated cell further comprises one additional genomic modification. In another embodiment, said additional genomic modification is the integration of at least one exogenous polynucleotide sequence. In another embodiment, said exogenous sequence is integrated into one gene selected from the group consisting of
5 CD52, GR, TCR alpha and TCR beta.

PreTalpha

In another aspect, the invention relates to a method of expanding TCR alpha deficient T-cell comprising introducing into said T-cell pTalpha (also named preTCR α) or a functional
10 variant thereof and expanding said cells, optionally through stimulation of the CD3 complex. In a preferred embodiment, the method comprises:

- a) Transforming said cells with nucleic acid encoding at least a fragment of pTalpha to support CD3 surface expression
- b) Expressing said pTalpha into said cells
- 15 c) Expanding said cells optionally, optionally through stimulation of the CD3 complex.

The invention also relates to a method of preparing T-cells for immunotherapy comprising steps of the method for expansion for T-cell.

In particular embodiment, the pTalpha polynucleotide sequence can be introduced
20 randomly or else through homologous recombination, in particular the insertion could be associated with the inactivation of the TCRalpha gene.

According to the invention, different functional variants of pTalpha are used. A "functional variant" of the peptide refers to a molecule substantially similar to either the entire peptide or a fragment thereof. A "fragment" of the pTalpha or functional variant
25 thereof of the present Invention, refers to any subset of the molecule, that is, a shorter peptide. Preferred pTalpha or functional variants can be full length pTalpha or a C-terminal truncated pTalpha version. C-terminal truncated pTalpha lacks in C-terminal end one or more residues. As non limiting examples, C-terminal truncated pTalpha version lacks 18 , 48, 62, 78, 92, 110 or 114 residues from the C-terminus of the protein (SEQ ID NO: 107 to SEQ ID

NO: 114). Moreover, amino acid sequence variants of the peptide can be prepared by mutations in the DNA which encodes the peptide. Such functional variants include, for example, deletions from, or insertions or substitutions of, residues within the amino acid sequence. Any combination of deletion, insertion, and substitution may also be made to arrive at the final construct, provided that the final construct possesses the desired activity, in particular the restoration of a functional CD3 complex. In preferred embodiment, at least one mutation is introduced in the different pTalpha versions as described above to affect dimerization. As non limiting example, mutated residue can be at least W46R, D22A, K24A, R102A or R117A of the human pTalpha protein or aligned positions using CLUSTALW method on pTalpha family or homologue member. Preferably pTalpha or variant thereof as described above comprise the mutated residue W46R (SEQ ID NO:123) or the mutated residues D22A, K24A, R102A and R117A (SEQ ID NO: 124). In particular embodiment, said pTalpha or variants are also fused to a signal-transducing domain such as CD28, OX40, ICOS, CD27, CD137 (4-1BB) and CD8 as non limiting examples (SEQ ID NO: 115 to SEQ ID NO: 120). The extracellular domain of pTalpha or variants as described above can be fused to a fragment of the TCRalpha protein, particularly the transmembrane and intracellular domain of TCRalpha (SEQ ID NO: 122). pTalpha variants can also be fused to the intracellular domain of TCRalpha (SEQ ID NO:121).

In another embodiment, said pTalpha versions are fused to an extracellular ligand-binding domain and more preferably pTalpha or functional variant thereof is fused to a single chain antibody fragment (scFV) comprising the light (V_L) and the heavy (V_H) variable fragment of a target antigen specific monoclonal antibody joined by a flexible linker. As a non limiting example, amino acid sequence of pTalpha or functional variant thereof is selected from the group consisting of SEQ ID NO: 107 to SEQ ID NO: 124.

Because some variability may arise from the genomic data from which these polypeptides derive, and also to take into account the possibility to substitute some of the amino acids present in these polypeptides without significant loss of activity (functional variants), the invention encompasses polypeptides variants of the above polypeptides that share at least 70%, preferably at least 80 %, more preferably at least 90 % and even more preferably at least 95 % identity with the sequences provided in this patent application.

The present invention is thus drawn to polypeptides comprising a polypeptide sequence that has at least 70%, preferably at least 80%, more preferably at least 90 %, 95 % 97 % or 99 % sequence identity with amino acid sequence selected from the group consisting of SEQ ID NO:107 to SEQ ID NO: 124.

5 By TCR alpha deficient T cell is intended an isolated T cell that lacks expression of a functional TCR alpha chain. This may be accomplished by different means, as non limiting examples, by engineering a T cell such that it does not express any functional TCR alpha on its cell surface or by engineering a T cell such that it produces very little functional TCR alpha chain on its surface or by engineering a T cell to express mutated or truncated form of TCR
10 alpha chain.

TCR alpha deficient cells can no longer be expanded through CD3 complex. Thus, to overcome this problem and to allow proliferation of TCR alpha deficient cells, pTalpha or functional variant thereof is introduced into said cells, thus restoring a functional CD3 complex. In a preferred embodiment, the method further comprises introducing into said T
15 cells rare-cutting endonucleases able to selectively inactivate by DNA cleavage one gene encoding one component of the T-cell receptor (TCR). In particular embodiment, said rare-cutting endonuclease is a TALE-nucleases. As non limiting examples, TALE-nuclease is directed against one of the gene target sequences of TCRalpha selected from the group consisting of SEQ ID NO: 37 and SEQ ID NO: 57 to 60. Preferably, TALE-nucleases are selected
20 from the group consisting of SEQ ID NO: 41 and SEQ ID NO: 42.

In particular embodiment said method for expansion of TCR alpha deficient T-cells comprises an additional genomic modification step. By additional genomic modification step, can be intended the introduction into cells to engineer of one protein of interest. Said protein of interest can be, as non limiting examples, a Chimeric Antigen Receptor (CAR),
25 particularly CAR comprising amino acid sequence SEQ ID NO: 73, a multi-chain CAR, particularly multi-chain CAR comprising amino acid sequence SEQ ID NO: 125 a bispecific antibody, rare-cutting endonucleases targeting PDCD1 or CTLA-4, particularly targeting nucleic acid sequence SEQ ID NO: 74 to SEQ ID NO: 78 or a rare-cutting endonuclease targeting a target for immunosuppressive agent as described in the present disclosure.

Are also encompassed in the present invention polypeptides encoding pTalpha, particularly functional variants described above. In a preferred embodiment the invention relates to a pTalpha or functional variant thereof fused to a signal transducing domain such as CD28, OX40, ICOS, CD137 and CD8. More particularly, the invention relates to pTalpha functional variant comprising amino acid sequence selected from the group consisting of SEQ ID NO: 107 to SEQ ID NO: 124. Are also encompassed in the present invention polynucleotides, vectors encoding pTalpha or functional variants thereof described above.

In the scope of the present invention are also encompassed isolated cells or cell lines susceptible to be obtained by said method. In particular said isolated cells or cell lines are obtained by introducing into said cells a pTalpha or a functional variant thereof to support CD3 surface expression. In a preferred embodiment, said isolated cell or cell line are further genetically modified by inactivating TCRalpha gene. This gene is preferably inactivating by at least one rare-cutting endonuclease. In a preferred embodiment said rare-cutting endonuclease is TALE-nuclease.

Multi-chain Chimeric Antigen Receptor (CAR)

In another embodiment, the invention relates to a multi-chain chimeric antigen receptor (CAR) particularly adapted to the production and expansion of engineered T-cells of the present invention. The multi-chain CAR comprising at least two of the following components:

- a) one polypeptide comprising the transmembrane domain of FcεRI alpha chain and an extracellular ligand-binding domain,
- b) one polypeptide comprising a part of N- and C- terminal cytoplasmic tail and the transmembrane domain of FcεRI beta chain and/or
- c) two polypeptides comprising each a part of intracytoplasmic tail and the transmembrane domain of FcεRI gamma chain, whereby different polypeptides multimerize together spontaneously to form dimeric, trimeric or tetrameric CAR.

One example of tetrameric CAR is illustrated in Figure 3. Different versions of multichain CARs are represented in Figure 4. One example of multi-chain CAR comprises amino acid

sequence SEQ ID NO: 125. The term "a part of" used herein refers to any subset of the molecule, that is a shorter peptide. Alternatively, amino acid sequence functional variants of the polypeptide can be prepared by mutations in the DNA which encodes the polypeptide. Such functional variants include, for example, deletions from, or insertions or substitutions of, residues within the amino acid sequence. Any combination of deletion, insertion, and substitution may also be made to arrive at the final construct, provided that the final construct possesses the desired activity, especially to exhibit a specific anti-target cellular immune activity.

In a preferred embodiment, said extracellular ligand-binding domain is a scFv. Other binding domain than scFv can also be used for predefined targeting of lymphocytes, such as camelid single-domain antibody fragments or receptor ligands like a vascular endothelial growth factor polypeptide, an integrin-binding peptide, heregulin or an IL-13 mutein, antibody binding domains, antibody hypervariable loops or CDRs as non limiting examples.

In a preferred embodiment said polypeptide of a) further comprises a stalk region between said extracellular ligand-binding domain and said transmembrane domain. The term "stalk region" used herein generally means any oligo- or polypeptide that functions to link the transmembrane domain to the extracellular ligand-binding domain. In particular, stalk region are used to provide more flexibility and accessibility for the extracellular ligand-binding domain. A stalk region may comprise up to 300 amino acids, preferably 10 to 100 amino acids and most preferably 25 to 50 amino acids. Stalk region may be derived from all or part of naturally occurring molecules, such as from all or part of the extracellular region of CD8, CD4 or CD28, or from all or part of an antibody constant region. Alternatively the stalk region may be a synthetic sequence that corresponds to a naturally occurring stalk sequence, or may be an entirely synthetic stalk sequence.

In a preferred embodiment, said polypeptide of a), b) and/or c) further comprises at least one signal-transducing domain. In a most preferred embodiment, said signal-transducing domain is selected from the group consisting of CD28, OX40, ICOS, CD137 and CD8.

In a preferred embodiment, said C-terminal cytoplasmic tail of FcεRI alpha, beta and/or gamma chain fragment further comprises TNFR-associated Factor 2 (TRAF2) binding

motifs. In a most preferred embodiment, said C- terminal cytoplasmic tail of FcεRI alpha, beta and/or gamma chain is replaced by intracytoplasmic tail of costimulatory TNFR member family. Cytoplasmic tail of costimulatory TNFR family member contains TRAF2 binding motifs consisting of the major conserved motif (P/S/A)X(Q/E)E or the minor motif (PXQXXD), wherein X is any amino acid. TRAF proteins are recruited to the intracellular tails of many TNFRs in response to receptor trimerization.

In another preferred embodiment said intracytoplasmic domain of FcεRI alpha, beta and/or gamma chain is replaced by intracytoplasmic domain of TCR zeta chain (also named CD3 zeta). In another preferred embodiment, said intracytoplasmic domain of FcεRI alpha, beta and/or gamma chain comprises at least one additional immunoreceptor tyrosine-based activation motif (ITAM). ITAMs are well defined signaling motifs found in the intracytoplasmic tail of a variety of receptors that serve as binding sites for syk/zap70 class tyrosine kinases. Examples of ITAM used in the invention include those derived from TCRzeta, FCRgamma, FCRbeta, CD3gamma, CD3delta, CD3epsilon, CD5, CD22, CD79a, CD79b, and CD66d.

As non limiting example, different versions of multi-chain CAR are illustrated in Figure 4.

In a preferred embodiment the multi-chain CAR comprise the amino acid sequence SEQ ID NO: 125. The present invention relates to polypeptides comprising a polypeptide sequence that has at least 70%, preferably at least 80%, more preferably at least 90 %, 95 % 97 % or 99 % sequence identity with amino acid sequence selected from the group consisting of SEQ ID NO: 125.

Are also comprised in the scope of the present invention, polynucleotides, vectors encoding the above described multi-chain CAR according to the invention.

In encompassed particular embodiment, the invention relates to a method of preparing T-cells for immunotherapy comprising introducing into said T-cells the different polypeptides composing said multi-chain CAR and expanding said cells.

In another embodiment, said method further comprises a step of genetically modifying said cells by inactivating at least one gene expressing one component of the TCR and/or a target for an immunosuppressive agent. In a preferred embodiment, said gene is

selected from the group consisting of TCRalpha, TCRbeta, CD52 and GR. In a preferred embodiment said method further comprises introducing into said T cells a rare-cutting endonuclease able to selectively inactivate by DNA cleavage said genes. In a more preferred embodiment said rare-cutting endonuclease is TALE-nuclease. Preferred TALE-nucleases according to the invention are those recognizing and cleaving the target sequence selected from the group consisting of: SEQ ID NO: 1 to 6 (GR), SEQ ID NO: 37, 57 to 60 (TCRalpha), SEQ ID NO: 38 or 39 (TCRbeta), and SEQ ID NO: 40, SEQ ID NO: 61 to SEQ ID NO: 65 (CD52).

In particular embodiment said method further comprises an additional genomic modification step. By additional genomic modification step, can be intended the introduction into cells to engineer of one protein of interest. Said protein of interest can be, as non limiting examples a bispecific antibody, rare-cutting endonuclease targeting PDCD1 or CTLA-4, a pTalpha or a functional variant thereof as described in the present disclosure.

The present invention also relates isolated cells or cell lines susceptible to be obtained by said method to engineer cells. In particular said isolated cell comprises exogenous polynucleotide sequences encoding polypeptides composing said multi-chain CAR.

Bispecific antibodies

According to a further embodiment, engineered T cells obtained by the different methods as previously described can be further exposed with bispecific antibodies. Said T-cells could be exposed to bispecific antibodies *ex vivo* prior to administration to a patient or *in vivo* following administration to a patient. Said bispecific antibodies comprise two variable regions with distinct antigen properties that allow bringing the engineered cells into proximity to a target antigen. As a non limiting example, said bispecific antibody is directed against a tumor marker and lymphocyte antigen such as CD3 and has the potential to redirect and activate any circulating T cells against tumors.

Delivery methods

The different methods described above involve introducing pTalpha or functional variants thereof, rare cutting endonuclease, TALE-nuclease, CAR or multi-chain CAR optionally with DNA-end processing enzyme or exogenous nucleic acid into a cell.

5 As non-limiting example, said pTalpha or functional variant thereof, rare cutting endonucleases, TALE-nucleases, CAR or multi-chain CAR optionally with DNA-end processing enzyme or exogenous nucleic acid can be introduced as transgenes encoded by one or as different plasmidic vectors. Different transgenes can be included in one vector which comprises a nucleic acid sequence encoding ribosomal skip sequence such as a sequence
10 encoding a 2A peptide. 2A peptides, which were identified in the Aphthovirus subgroup of picornaviruses, causes a ribosomal "skip" from one codon to the next without the formation of a peptide bond between the two amino acids encoded by the codons (see Donnelly et al., J. of General Virology 82: 1013-1025 (2001); Donnelly et al., J. of Gen. Virology 78: 13-21 (1997); Doronina et al., Mol. And. Cell. Biology 28(13): 4227-4239 (2008); Atkins et al., RNA
15 13: 803-810 (2007)). By "codon" is meant three nucleotides on an mRNA (or on the sense strand of a DNA molecule) that are translated by a ribosome into one amino acid residue. Thus, two polypeptides can be synthesized from a single, contiguous open reading frame within an mRNA when the polypeptides are separated by a 2A oligopeptide sequence that is in frame. Such ribosomal skip mechanisms are well known in the art and are known to be
20 used by several vectors for the expression of several proteins encoded by a single messenger RNA. As non-limiting example, in the present invention, 2A peptides have been used to express into the cell the rare-cutting endonuclease and a DNA end-processing enzyme or the different polypeptides of the multi-chain CAR.

Said plasmid vector can contain a selection marker which provides for identification
25 and/or selection of cells which received said vector.

Polypeptides may be synthesized *in situ* in the cell as a result of the introduction of polynucleotides encoding said polypeptides into the cell. Alternatively, said polypeptides could be produced outside the cell and then introduced thereto. Methods for introducing a polynucleotide construct into animal cells are known in the art and including as non limiting
30 examples stable transformation methods wherein the polynucleotide construct is integrated

into the genome of the cell, transient transformation methods wherein the polynucleotide construct is not integrated into the genome of the cell and virus mediated methods. Said polynucleotides may be introduced into a cell by for example, recombinant viral vectors (e.g. retroviruses, adenoviruses), liposome and the like. For example, transient transformation methods include for example microinjection, electroporation or particle bombardment. Said polynucleotides may be included in vectors, more particularly plasmids or virus, in view of being expressed in cells.

- *Electroporation*

A more preferred embodiment of the invention, polynucleotides encoding polypeptides according to the present invention can be mRNA which is introduced directly into the cells, for example by electroporation. The inventors determined the optimal condition for mRNA electroporation in T-cell.

The inventor used the cytoPulse technology which allows, by the use of pulsed electric fields, to transiently permeabilize living cells for delivery of material into the cells. The technology, based on the use of PulseAgile (Cellestis property) electroporation waveforms grants the precise control of pulse duration, intensity as well as the interval between pulses (U.S. patent 6,010,613 and International PCT application WO2004083379). All these parameters can be modified in order to reach the best conditions for high transfection efficiency with minimal mortality. Basically, the first high electric field pulses allow pore formation, while subsequent lower electric field pulses allow to move the polynucleotide into the cell. In one aspect of the present invention, the inventor describe the steps that led to achievement of >95% transfection efficiency of mRNA in T cells, and the use of the electroporation protocol to transiently express different kind of proteins in T cells. In particular the invention relates to a method of transforming T cell comprising contacting said T cell with RNA and applying to T cell an agile pulse sequence consisting of:

- (a) one electrical pulse with a voltage range from 2250 to 3000 V per centimeter, a pulse width of 0.1 ms and a pulse interval of 0.2 to 10 ms between the electrical pulses of step (a) and (b);

(b) one electrical pulse with a voltage range from 2250 to 3000 V with a pulse width of 100 ms and a pulse interval of 100 ms between the electrical pulse of step (b) and the first electrical pulse of step (c) ; and

(c) 4 electrical pulses with a voltage of 325 V with a pulse width of 0.2 ms and a pulse interval of 2 ms between each of 4 electrical pulses.

In particular embodiment, the method of transforming T cell comprising contacting said T cell with RNA and applying to T cell an agile pulse sequence consisting of:

(a) one electrical pulse with a voltage of 2250, 2300, 2350, 2400, 2450, 2500, 2550, 2400, 2450, 2500, 2600, 2700, 2800, 2900 or 3000V per centimeter, a pulse width of 0.1 ms and a pulse interval of 0.2, 0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9 or 10 ms between the electrical pulses of step (a) and (b);

(b) one electrical pulse with a voltage range from 2250, of 2250, 2300, 2350, 2400, 2450, 2500, 2550, 2400, 2450, 2500, 2600, 2700, 2800, 2900 or 3000V with a pulse width of 100 ms and a pulse interval of 100 ms between the electrical pulse of step (b) and the first electrical pulse of step (c); and

(c) 4 electrical pulses with a voltage of 325 V with a pulse width of 0.2 ms and a pulse interval of 2 ms between each of 4 electrical pulses.

Any values included in the value range described above are disclosed in the present application. Electroporation medium can be any suitable medium known in the art. Preferably, the electroporation medium has conductivity in a range spanning 0.01 to 1.0 milliSiemens.

In particular embodiments, as non limiting examples, said RNA encodes a rare-cutting endonuclease, one monomer of the rare-cutting endonuclease such as Half-TALE-nuclease, a Chimeric Antigen Receptor, at least one component of the multi-chain chimeric antigen receptor, a pTalpha or functional variant thereof, an exogenous nucleic acid, one additional catalytic domain.

Activation and expansion of T cells

Whether prior to or after genetic modification of the T cells, the T cells can be activated and expanded generally using methods as described, for example, in U.S. Patents 6,352,694; 6,534,055; 6,905,680; 6,692,964; 5,858,358; 6,887,466; 6,905,681; 7,144,575; 7,067,318; 7,172,869; 7,232,566; 7,175,843; 5,883,223; 6,905,874; 6,797,514; 6,867,041; and U.S. Patent Application Publication No. 20060121005. T cells can be expanded *in vitro* or *in vivo*.

Generally, the T cells of the invention are expanded by contact with a surface having attached thereto an agent that stimulates a CD3 TCR complex associated signal and a ligand that stimulates a co-stimulatory molecule on the surface of the T cells.

In particular, T cell populations may be stimulated *in vitro* such as by contact with an anti-CD3 antibody, or antigen-binding fragment thereof, or an anti-CD28 antibody immobilized on a surface, or by contact with a protein kinase C activator (e.g., bryostatin) in conjunction with a calcium ionophore. For co-stimulation of an accessory molecule on the surface of the T cells, a ligand that binds the accessory molecule is used. For example, a population of T cells can be contacted with an anti-CD3 antibody and an anti-CD28 antibody, under conditions appropriate for stimulating proliferation of the T cells. To stimulate proliferation of either CD4⁺ T cells or CD8⁺ T cells, an anti-CD3 antibody and an anti-CD28 antibody. For example, the agents providing each signal may be in solution or coupled to a surface. As those of ordinary skill in the art can readily appreciate, the ratio of particles to cells may depend on particle size relative to the target cell. In further embodiments of the present invention, the cells, such as T cells, are combined with agent-coated beads, the beads and the cells are subsequently separated, and then the cells are cultured. In an alternative embodiment, prior to culture, the agent-coated beads and cells are not separated but are cultured together. Cell surface proteins may be ligated by allowing paramagnetic beads to which anti-CD3 and anti-CD28 are attached (3x28 beads) to contact the T cells. In one embodiment the cells (for example, 4 to 10 T cells) and beads (for example, DYNABEADS® M-450 CD3/CD28 T paramagnetic beads at a ratio of 1:1) are combined in a buffer, preferably PBS (without divalent cations such as, calcium and magnesium). Again, those of ordinary skill in the art can readily appreciate any cell concentration may be used. The mixture may be cultured for several hours (about 3

hours) to about 14 days or any hourly integer value in between. In another embodiment, the mixture may be cultured for 21 days. Conditions appropriate for T cell culture include an appropriate media (e.g., Minimal Essential Media or RPMI Media 1640 or, X-vivo 5, (Lonza)) that may contain factors necessary for proliferation and viability, including serum (e.g., fetal
5 bovine or human serum), interleukin-2 (IL-2), insulin, IFN- γ , 1L-4, 1L-7, GM-CSF, -10, -2, 1L-15, TGF β , and TNF- or any other additives for the growth of cells known to the skilled artisan. Other additives for the growth of cells include, but are not limited to, surfactant, plasmanate, and reducing agents such as N-acetyl-cysteine and 2-mercaptoethanol. Media can include RPMI 1640, A1M-V, DMEM, MEM, α -MEM, F-12, X-Vivo 1, and X-Vivo 20,
10 Optimizer, with added amino acids, sodium pyruvate, and vitamins, either serum-free or supplemented with an appropriate amount of serum (or plasma) or a defined set of hormones, and/or an amount of cytokine(s) sufficient for the growth and expansion of T cells. Antibiotics, e.g., penicillin and streptomycin, are included only in experimental cultures, not in cultures of cells that are to be infused into a subject. The target cells are
15 maintained under conditions necessary to support growth, for example, an appropriate temperature (e.g., 37° C) and atmosphere (e.g., air plus 5% CO₂). T cells that have been exposed to varied stimulation times may exhibit different characteristics

In another particular embodiment, said cells can be expanded by co-culturing with tissue or cells. Said cells can also be expanded *in vivo*, for example in the subject's blood
20 after administering said cell into the subject.

Modified T-cells

In the scope of the present invention is also encompassed an isolated T cell obtained according to any one of the methods previously described. Said T-cell according to
25 the present invention can be derived from a stem cell. The stem cells can be adult stem cells, embryonic stem cells, more particularly non-human stem cells, cord blood stem cells, progenitor cells, bone marrow stem cells, induced pluripotent stem cells, totipotent stem cells or hematopoietic stem cells. Representative human cells are CD34+ cells. Said isolated cell can also be a dendritic cell, a NK-cell, a B-cell or a T-cell selected from the group
30 consisting of inflammatory T-lymphocytes, cytotoxic T-lymphocytes, regulatory T-

lymphocytes or helper T-lymphocytes. In another embodiment, said cell can be derived from the group consisting of CD4+ T-lymphocytes and CD8+ T-lymphocytes. Prior to expansion and genetic modification of the cells of the invention, a source of cells can be obtained from a subject through a variety of non-limiting methods. T cells can be obtained from a number
5 of non-limiting sources, including peripheral blood mononuclear cells, bone marrow, lymph node tissue, cord blood, thymus tissue, tissue from a site of infection, ascites, pleural effusion, spleen tissue, and tumors. In certain embodiments of the present invention, any number of T cell lines available and known to those skilled in the art, may be used. In another embodiment, said cell can be derived from a healthy donor, from a patient
10 diagnosed with cancer or from a patient diagnosed with an infection. In another embodiment, said cell is part of a mixed population of cells which present different phenotypic characteristics. In the scope of the present invention is also encompassed a cell line obtained from a transformed T- cell according to the method previously described. Modified cells resistant to an immunosuppressive treatment and susceptible to be obtained
15 by the previous method are encompassed in the scope of the present invention.

In another embodiment, said isolated cell according to the present invention comprises one inactivated gene selected from the group consisting of CD52, GR, PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, 2B4, TCR alpha and TCR beta and/or expresses a CAR, a multi-chain CAR and/or a pTalpha transgene. In another
20 embodiment, said isolated cell according to the present invention comprises two inactivated genes selected from the group consisting of CD52 and GR, CD52 and TCR alpha, CDR52 and TCR beta, GR and TCR alpha, GR and TCR beta, TCR alpha and TCR beta, PD1 and TCR alpha, PD1 and TCR beta, CTLA-4 and TCR alpha, CTLA-4 and TCR beta, LAG3 and TCR alpha, LAG3 and TCR beta, Tim3 and TCR alpha, Tim3 and TCR beta, BTLA and TCR alpha, BTLA and TCR
25 beta, BY55 and TCR alpha, BY55 and TCR beta, TIGIT and TCR alpha, TIGIT and TCR beta, B7H5 and TCR alpha, B7H5 and TCR beta, LAIR1 and TCR alpha, LAIR1 and TCR beta, SIGLEC10 and TCR alpha, SIGLEC10 and TCR beta, 2B4 and TCR alpha, 2B4 and TCR beta and/or expresses a CAR, a multi-chain CAR and/or a pTalpha transgene.

In another embodiment, TCR is rendered not functional in the cells according to the
30 invention by inactivating TCR alpha gene and/or TCR beta gene(s). The above strategies are used more particularly to avoid GvHD. In a particular aspect of the present invention is a

method to obtain modified cells derived from an individual, wherein said cells can proliferate independently of the Major Histocompatibility Complex signaling pathway. Said method comprises the following steps:

(a) Recovering cells from said individual;

5 (b) Genetically modifying said cells ex-vivo by inactivating TCR alpha or TCR beta genes;

(c) Cultivating genetically modified T-cells in vitro in appropriate conditions to amplify said cells.

Modified cells, which can proliferate independently of the Major Histocompatibility
10 Complex signaling pathway, susceptible to be obtained by this method are encompassed in the scope of the present invention. Said modified cells can be used in a particular aspect of the invention for treating patients in need thereof against Host versus Graft (HvG) rejection and Graft versus Host Disease (GvHD); therefore in the scope of the present invention is a method of treating patients in need thereof against Host versus Graft (HvG) rejection and
15 Graft versus Host Disease (GvHD) comprising treating said patient by administering to said patient an effective amount of modified cells comprising inactivated TCR alpha and/or TCR beta genes.

Therapeutic applications

20 In another embodiment, isolated cell obtained by the different methods or cell line derived from said isolated cell as previously described can be used as a medicament. In another embodiment, said medicament can be used for treating cancer or infections in a patient in need thereof. In another embodiment, said isolated cell according to the invention or cell line derived from said isolated cell can be used in the manufacture of a medicament
25 for treatment of a cancer or a viral infection in a patient in need thereof.

In another aspect, the present invention relies on methods for treating patients in need thereof, said method comprising at least one of the following steps:

(a) providing a T-cell obtainable by any one of the methods previously described;

(b) Administering said transformed T-cells to said patient,

On one embodiment, said T cells of the invention can undergo robust *in vivo* T cell expansion and can persist for an extended amount of time.

Said treatment can be ameliorating, curative or prophylactic. It may be either part of an autologous immunotherapy or part of an allogenic immunotherapy treatment. By autologous, it is meant that cells, cell line or population of cells used for treating patients are originating from said patient or from a Human Leucocyte Antigen (HLA) compatible donor. By allogeneic is meant that the cells or population of cells used for treating patients are not originating from said patient but from a donor.

The invention is particularly suited for allogenic immunotherapy, insofar as it enables the transformation of T-cells, typically obtained from donors, into non-alloreactive cells. This may be done under standard protocols and reproduced as many times as needed. The resulted modified T cells may be pooled and administrated to one or several patients, being made available as an "off the shelf" therapeutic product.

Cells that can be used with the disclosed methods are described in the previous section. Said treatment can be used to treat patients diagnosed with cancer, viral infection, autoimmune disorders or Graft versus Host Disease (GvHD). Cancers that may be treated include tumors that are not vascularized, or not yet substantially vascularized, as well as vascularized tumors. The cancers may comprise nonsolid tumors (such as hematological tumors, for example, leukemias and lymphomas) or may comprise solid tumors. Types of cancers to be treated with the CARs of the invention include, but are not limited to, carcinoma, blastoma, and sarcoma, and certain leukemia or lymphoid malignancies, benign and malignant tumors, and malignancies e.g., sarcomas, carcinomas, and melanomas. Adult tumors/cancers and pediatric tumors/cancers are also included.

It can be a treatment in combination with one or more therapies against cancer selected from the group of antibodies therapy, chemotherapy, cytokines therapy, dendritic cell therapy, gene therapy, hormone therapy, laser light therapy and radiation therapy.

According to a preferred embodiment of the invention, said treatment can be administrated into patients undergoing an immunosuppressive treatment. Indeed, the present invention preferably relies on cells or population of cells, which have been made resistant to at least one immunosuppressive agent due to the inactivation of a gene

encoding a receptor for such immunosuppressive agent. In this aspect, the immunosuppressive treatment should help the selection and expansion of the T-cells according to the invention within the patient.

The administration of the cells or population of cells according to the present invention may be carried out in any convenient manner, including by aerosol inhalation, injection, ingestion, transfusion, implantation or transplantation. The compositions described herein may be administered to a patient subcutaneously, intradermally, intratumorally, intranodally, intramedullary, intramuscularly, by intravenous or intralymphatic injection, or intraperitoneally. In one embodiment, the cell compositions of the present invention are preferably administered by intravenous injection.

The administration of the cells or population of cells can consist of the administration of 10^4 - 10^9 cells per kg body weight, preferably 10^5 to 10^6 cells/kg body weight including all integer values of cell numbers within those ranges. The cells or population of cells can be administered in one or more doses. In another embodiment, said effective amount of cells are administered as a single dose. In another embodiment, said effective amount of cells are administered as more than one dose over a period time. Timing of administration is within the judgment of managing physician and depends on the clinical condition of the patient. The cells or population of cells may be obtained from any source, such as a blood bank or a donor. While individual needs vary, determination of optimal ranges of effective amounts of a given cell type for a particular disease or conditions within the skill of the art. An effective amount means an amount which provides a therapeutic or prophylactic benefit. The dosage administered will be dependent upon the age, health and weight of the recipient, kind of concurrent treatment, if any, frequency of treatment and the nature of the effect desired.

In another embodiment, said effective amount of cells or composition comprising those cells are administered parenterally. Said administration can be an intravenous administration. Said administration can be directly done by injection within a tumor.

In certain embodiments of the present invention, cells are administered to a patient in conjunction with (e.g., before, simultaneously or following) any number of relevant treatment modalities, including but not limited to treatment with agents such as antiviral

therapy, cidofovir and interleukin-2, Cytarabine (also known as ARA-C) or natalizimab treatment for MS patients or efalizimab treatment for psoriasis patients or other treatments for PML patients. In further embodiments, the T cells of the invention may be used in combination with chemotherapy, radiation, immunosuppressive agents, such as cyclosporin, azathioprine, methotrexate, mycophenolate, and FK506, antibodies, or other immunoablative agents such as CAM PATH, anti-CD3 antibodies or other antibody therapies, cytoxin, fludaribine, cyclosporin, FK506, rapamycin, mycoplienolic acid, steroids, FR901228, cytokines, and irradiation. These drugs inhibit either the calcium dependent phosphatase calcineurin (cyclosporine and FK506) or inhibit the p70S6 kinase that is important for growth factor induced signaling (rapamycin) (Liu et al., Cell 66:807-815, 1991; Henderson et al., Immun. 73:316-321, 1991; Bierer et al., Citr. Opin. mm n. 5:763-773, 1993). In a further embodiment, the cell compositions of the present invention are administered to a patient in conjunction with (e.g., before, simultaneously or following) bone marrow transplantation, T cell ablative therapy using either chemotherapy agents such as, fludarabine, external-beam radiation therapy (XRT), cyclophosphamide, or antibodies such as OKT3 or CAMPATH, In another embodiment, the cell compositions of the present invention are administered following B-cell ablative therapy such as agents that react with CD20, e.g., Rituxan. For example, in one embodiment, subjects may undergo standard treatment with high dose chemotherapy followed by peripheral blood stem cell transplantation. In certain embodiments, following the transplant, subjects receive an infusion of the expanded immune cells of the present invention. In an additional embodiment, expanded cells are administered before or following surgery. Said modified cells obtained by any one of the methods described here can be used in a particular aspect of the invention for treating patients in need thereof against Host versus Graft (HvG) rejection and Graft versus Host Disease (GvHD); therefore in the scope of the present invention is a method of treating patients in need thereof against Host versus Graft (HvG) rejection and Graft versus Host Disease (GvHD) comprising treating said patient by administering to said patient an effective amount of modified cells comprising inactivated TCR alpha and/or TCR beta genes.

Example of method to engineer human allogeneic cells for immunotherapy

For a better understanding of the invention, one example of method to engineer human allogeneic cells for immunotherapy is illustrated in Figure 5. The method comprising a combination of one or several of the following steps:

- 5 1. Providing T-cells from a cell culture or from a blood sample from one individual patient or from blood bank and activating said T cells using anti-CD3/C28 activator beads. The beads provide both the primary and co-stimulatory signals that are required for activation and expansion of T cells.
- 10 2. a) Transducing said cells with pTalpha or functional variant thereof transgene to support CD3 surface expression and allow cell expansion through stimulation of CD3 complex. TCR disruption is expected to the elimination of the TCR complex and removes alloreactivity (GvHD) but may alter allogeneic cells expansion due to the loss of CD3 signaling component. Transduced cells are expected to express pTalpha chain or functional variant thereof. This pTalpha chain pairs with TCRbeta chain and
15 CD3 signaling components to form the preTCR complex and, thus restore a functional CD3 complex and support activation or stimulation of inactivated TCRalpha cells. Transduction of T-cells with pTalpha lentiviral vector can be realized before or after TCRalpha inactivation.
- 20 b) Transducing said cells with multi-chain CARs allow redirecting T cells against antigens expressed at the surface of target cells from various malignancies including lymphomas and solid tumors. To improve the function of co-stimulatory domain, the inventors have designed a multi-chain CAR derived from FcεRI as previously described. Transduction can be realized before or after the inactivation of TCRalpha and the other genes, such as CD52 genes.
- 25 3. Engineering non alloreactive and immunosuppressive resistant T cells:
 - a) It is possible to Inactivate TCR alpha in said cells to eliminate the TCR from the surface of the cell and prevent recognition of host tissue as foreign by TCR of allogeneic and thus to avoid GvHD.

b) It is also possible to inactive one gene encoding target for immunosuppressive agent to render said cells resistant to immunosuppressive treatment to prevent graft rejection without affecting transplanted T cells. In this example, target of immunosuppressive agents is CD52 and immunosuppressive agent is a humanized monoclonal anti-CD52 antibody.

It has been shown by the inventors that the use of TALE-nuclease by allowing higher rates of DSB events within T-cells was particularly advantageous to achieve the above double inactivation in T-cells. Preferably, TCRalpha and CD52 genes are inactivated by electroporating T cells with mRNA coding for TALE-nuclease targeting said genes. It has been found by the inventors that using mRNA resulted into high transformation rate was less harmful to T-cells and so, was critical in the process of engineering T-cells. Then, inactivated T cells are sorted using magnetic beads. For example, T cells expressing CD52 are removed by fixation on a solid surface, and inactivated cells are not exposed of the stress of being passed through a column. This gentle method increases the concentration of properly engineered T-cells.

4. Expansion *in vitro* of engineered T-cells prior to administration to a patient or *in vivo* following administration to a patient through stimulation of CD3 complex. Before administration step, patients can be subjected to an immunosuppressive treatment such as CAMPATH1-H, a humanized monoclonal antibody anti-CD52.

5. Optionally exposed said cells with bispecific antibodies *ex vivo* prior to administration to a patient or *in vivo* following administration to a patient to bring the engineered cells into proximity to a target antigen.

Other definitions

- Amino acid residues in a polypeptide sequence are designated herein according to the one-letter code, in which, for example, Q means Gln or Glutamine residue, R means Arg or Arginine residue and D means Asp or Aspartic acid residue.

- Amino acid substitution means the replacement of one amino acid residue with another, for instance the replacement of an Arginine residue with a Glutamine residue in a peptide sequence is an amino acid substitution.

- Nucleotides are designated as follows: one-letter code is used for designating the base of a nucleoside: a is adenine, t is thymine, c is cytosine, and g is guanine. For the degenerated nucleotides, r represents g or a (purine nucleotides), k represents g or t, s represents g or c, w represents a or t, m represents a or c, y represents t or c (pyrimidine nucleotides), d represents g, a or t, v represents g, a or c, b represents g, t or c, h represents a, t or c, and n represents g, a, t or c.

- "As used herein, "nucleic acid" or "polynucleotides" refers to nucleotides and/or polynucleotides, such as deoxyribonucleic acid (DNA) or ribonucleic acid (RNA), oligonucleotides, fragments generated by the polymerase chain reaction (PCR), and fragments generated by any of ligation, scission, endonuclease action, and exonuclease action. Nucleic acid molecules can be composed of monomers that are naturally-occurring nucleotides (such as DNA and RNA), or analogs of naturally-occurring nucleotides (e.g., enantiomeric forms of naturally-occurring nucleotides), or a combination of both. Modified nucleotides can have alterations in sugar moieties and/or in pyrimidine or purine base moieties. Sugar modifications include, for example, replacement of one or more hydroxyl groups with halogens, alkyl groups, amines, and azido groups, or sugars can be functionalized as ethers or esters. Moreover, the entire sugar moiety can be replaced with sterically and electronically similar structures, such as aza-sugars and carbocyclic sugar analogs. Examples of modifications in a base moiety include alkylated purines and pyrimidines, acylated purines or pyrimidines, or other well-known heterocyclic substitutes. Nucleic acid monomers can be linked by phosphodiester bonds or analogs of such linkages. Nucleic acids can be either single stranded or double stranded.

- by "polynucleotide successively comprising a first region of homology to sequences upstream of said double-stranded break, a sequence to be inserted in the genome of said cell and a second region of homology to sequences downstream of said double-stranded break" it is intended to mean a DNA construct or a matrix comprising a first and second portion that are homologous to regions 5' and 3' of a DNA target *in situ*. The DNA construct also comprises a third portion positioned between the first and second portion which

comprise some homology with the corresponding DNA sequence *in situ* or alternatively comprise no homology with the regions 5' and 3' of the DNA target *in situ*. Following cleavage of the DNA target, a homologous recombination event is stimulated between the genome containing the targeted gene comprised in the locus of interest and this matrix, wherein the genomic sequence containing the DNA target is replaced by the third portion of the matrix and a variable part of the first and second portions of said matrix.

- by "DNA target", "DNA target sequence", "target DNA sequence", "nucleic acid target sequence", "target sequence", or "processing site" is intended a polynucleotide sequence that can be targeted and processed by a rare-cutting endonuclease according to the present invention. These terms refer to a specific DNA location, preferably a genomic location in a cell, but also a portion of genetic material that can exist independently to the main body of genetic material such as plasmids, episomes, virus, transposons or in organelles such as mitochondria as non-limiting example. As non-limiting examples of TALE-nuclease targets, targeted genomic sequences generally consist of two 17-bp long sequences (called half targets) separated by a 15-bp spacer. Each half-target is recognized by repeats of TALE-nucleases listed in tables 2, 6, 7 and 11 as non-limiting examples, encoded in plasmids, under the control of EF1-alpha promoter or T7 promoter. The nucleic acid target sequence is defined by the 5' to 3' sequence of one strand of said target, as indicated in tables 2, 6, 7 and 11.

- By chimeric antigen receptor (CAR) is intended molecules that combine a binding domain against a component present on the target cell, for example an antibody-based specificity for a desired antigen (e.g., tumor antigen) with a T cell receptor-activating intracellular domain to generate a chimeric protein that exhibits a specific anti-target cellular immune activity. Generally, CAR consists of an extracellular single chain antibody (scFvFc) fused to the intracellular signaling domain of the T cell antigen receptor complex zeta chain (scFvFc:ζ) and have the ability, when expressed in T cells, to redirect antigen recognition based on the monoclonal antibody's specificity. One example of CAR used in the present invention is a CAR directing against CD19 antigen and can comprise as non-limiting example the amino acid sequence : SEQ ID NO: 73

- By "delivery vector" or "delivery vectors" is intended any delivery vector which can be used in the present invention to put into cell contact (i.e "contacting") or deliver inside

cells or subcellular compartments (i.e. "introducing") agents/chemicals and molecules (proteins or nucleic acids) needed in the present invention. It includes, but is not limited to liposomal delivery vectors, viral delivery vectors, drug delivery vectors, chemical carriers, polymeric carriers, lipoplexes, polyplexes, dendrimers, microbubbles (ultrasound contrast agents), nanoparticles, emulsions or other appropriate transfer vectors. These delivery vectors allow delivery of molecules, chemicals, macromolecules (genes, proteins), or other vectors such as plasmids, peptides developed by Diatos. In these cases, delivery vectors are molecule carriers. By "delivery vector" or "delivery vectors" is also intended delivery methods to perform transfection.

- The terms "vector" or "vectors" refer to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. A "vector" in the present invention includes, but is not limited to, a viral vector, a plasmid, a RNA vector or a linear or circular DNA or RNA molecule which may consists of a chromosomal, non chromosomal, semi-synthetic or synthetic nucleic acids. Preferred vectors are those capable of autonomous replication (episomal vector) and/or expression of nucleic acids to which they are linked (expression vectors). Large numbers of suitable vectors are known to those of skill in the art and commercially available.

Viral vectors include retrovirus, adenovirus, parvovirus (e. g. adenoassociated viruses), coronavirus, negative strand RNA viruses such as orthomyxovirus (e. g., influenza virus), rhabdovirus (e. g., rabies and vesicular stomatitis virus), paramyxovirus (e. g. measles and Sendai), positive strand RNA viruses such as picornavirus and alphavirus, and double-stranded DNA viruses including adenovirus, herpesvirus (e. g., Herpes Simplex virus types 1 and 2, Epstein-Barr virus, cytomegalovirus), and poxvirus (e. g., vaccinia, fowlpox and canarypox). Other viruses include Norwalk virus, togavirus, flavivirus, reoviruses, papovavirus, hepadnavirus, and hepatitis virus, for example. Examples of retroviruses include: avian leukosis-sarcoma, mammalian C-type, B-type viruses, D type viruses, HTLV-BLV group, lentivirus, spumavirus (Coffin, J. M., Retroviridae: The viruses and their replication, In Fundamental Virology, Third Edition, B. N. Fields, et al., Eds., Lippincott-Raven Publishers, Philadelphia, 1996).

- By "lentiviral vector" is meant HIV-Based lentiviral vectors that are very promising for gene delivery because of their relatively large packaging capacity, reduced

immunogenicity and their ability to stably transduce with high efficiency a large range of different cell types. Lentiviral vectors are usually generated following transient transfection of three (packaging, envelope and transfer) or more plasmids into producer cells. Like HIV, lentiviral vectors enter the target cell through the interaction of viral surface glycoproteins with receptors on the cell surface. On entry, the viral RNA undergoes reverse transcription, which is mediated by the viral reverse transcriptase complex. The product of reverse transcription is a double-stranded linear viral DNA, which is the substrate for viral integration in the DNA of infected cells. By “integrative lentiviral vectors (or LV)”, is meant such vectors as non limiting example, that are able to integrate the genome of a target cell. At the opposite by “non integrative lentiviral vectors (or NILV)” is meant efficient gene delivery vectors that do not integrate the genome of a target cell through the action of the virus integrase.

- Delivery vectors and vectors can be associated or combined with any cellular permeabilization techniques such as sonoporation or electroporation or derivatives of these techniques.

- By cell or cells is intended any eukaryotic living cells, primary cells and cell lines derived from these organisms for *in vitro* cultures.

- By “primary cell” or “primary cells” are intended cells taken directly from living tissue (i.e. biopsy material) and established for growth *in vitro*, that have undergone very few population doublings and are therefore more representative of the main functional components and characteristics of tissues from which they are derived from, in comparison to continuous tumorigenic or artificially immortalized cell lines.

As non limiting examples cell lines can be selected from the group consisting of CHO-K1 cells; HEK293 cells; Caco2 cells; U2-OS cells; NIH 3T3 cells; NSO cells; SP2 cells; CHO-S cells; DG44 cells; K-562 cells, U-937 cells; MRC5 cells; IMR90 cells; Jurkat cells; HepG2 cells; HeLa cells; HT-1080 cells; HCT-116 cells; Hu-h7 cells; Huvec cells; Molt 4 cells.

All these cell lines can be modified by the method of the present invention to provide cell line models to produce, express, quantify, detect, study a gene or a protein of interest; these models can also be used to screen biologically active molecules of interest in research

and production and various fields such as chemical, biofuels, therapeutics and agronomy as non-limiting examples.

- by "mutation" is intended the substitution, deletion, insertion of up to one, two, three, four, five, six, seven, eight, nine, ten, eleven, twelve, thirteen, fourteen, fifteen, 5 twenty, twenty five, thirty, forty, fifty, or more nucleotides/amino acids in a polynucleotide (cDNA, gene) or a polypeptide sequence. The mutation can affect the coding sequence of a gene or its regulatory sequence. It may also affect the structure of the genomic sequence or the structure/stability of the encoded mRNA.

- by "variant(s)", it is intended a repeat variant, a variant, a DNA binding variant, a 10 TALE-nuclease variant, a polypeptide variant obtained by mutation or replacement of at least one residue in the amino acid sequence of the parent molecule.

- by "functional variant" is intended a catalytically active mutant of a protein or a protein domain; such mutant may have the same activity compared to its parent protein or protein domain or additional properties, or higher or lower activity.

15 - By "gene" is meant the basic unit of heredity, consisting of a segment of DNA arranged in a linear manner along a chromosome, which codes for a specific protein or segment of protein. A gene typically includes a promoter, a 5' untranslated region, one or more coding sequences (exons), optionally introns, a 3' untranslated region. The gene may further comprise a terminator, enhancers and/or silencers.

20 - As used herein, the term "locus" is the specific physical location of a DNA sequence (e.g. of a gene) on a chromosome. The term "locus" can refer to the specific physical location of a rare-cutting endonuclease target sequence on a chromosome. Such a locus can comprise a target sequence that is recognized and/or cleaved by a rare-cutting endonuclease according to the invention. It is understood that the locus of interest of the 25 present invention can not only qualify a nucleic acid sequence that exists in the main body of genetic material (i.e. in a chromosome) of a cell but also a portion of genetic material that can exist independently to said main body of genetic material such as plasmids, episomes, virus, transposons or in organelles such as mitochondria as non-limiting examples.

- The term "endonuclease" refers to any wild-type or variant enzyme capable of 30 catalyzing the hydrolysis (cleavage) of bonds between nucleic acids within a DNA or RNA

molecule, preferably a DNA molecule. Endonucleases do not cleave the DNA or RNA molecule irrespective of its sequence, but recognize and cleave the DNA or RNA molecule at specific polynucleotide sequences, further referred to as “target sequences” or “target sites”. Endonucleases can be classified as rare-cutting endonucleases when having typically a polynucleotide recognition site greater than 12 base pairs (bp) in length, more preferably of 14-55 bp. Rare-cutting endonucleases significantly increase HR by inducing DNA double-strand breaks (DSBs) at a defined locus (Rouet, Smih et al. 1994; Choulika, Perrin et al. 1995; Pingoud and Silva 2007). Rare-cutting endonucleases can for example be a homing endonuclease (Paques and Duchateau 2007), a chimeric Zinc-Finger nuclease (ZFN) resulting from the fusion of engineered zinc-finger domains with the catalytic domain of a restriction enzyme such as FokI (Porteus and Carroll 2005) or a chemical endonuclease (Eisenschmidt, Lanio et al. 2005; Arimondo, Thomas et al. 2006). In chemical endonucleases, a chemical or peptidic cleaver is conjugated either to a polymer of nucleic acids or to another DNA recognizing a specific target sequence, thereby targeting the cleavage activity to a specific sequence. Chemical endonucleases also encompass synthetic nucleases like conjugates of orthophenanthroline, a DNA cleaving molecule, and triplex-forming oligonucleotides (TFOs), known to bind specific DNA sequences (Kalish and Glazer 2005). Such chemical endonucleases are comprised in the term “endonuclease” according to the present invention.

Rare-cutting endonucleases can also be for example TALE-nucleases, a new class of chimeric nucleases using a FokI catalytic domain and a DNA binding domain derived from Transcription Activator Like Effector (TALE), a family of proteins used in the infection process by plant pathogens of the *Xanthomonas* genus (Boch, Scholze et al. 2009; Moscou and Bogdanove 2009; Christian, Cermak et al. 2010; Li, Huang et al.). The functional layout of a FokI-based TALE-nuclease (TALE-nuclease) is essentially that of a ZFN, with the Zinc-finger DNA binding domain being replaced by the TALE domain. As such, DNA cleavage by a TALE-nuclease requires two DNA recognition regions flanking an unspecific central region. Rare-cutting endonucleases encompassed in the present invention can also be derived from TALE-nucleases.

Rare-cutting endonuclease can be a homing endonuclease, also known under the name of meganuclease. Such homing endonucleases are well-known to the art (Stoddard

2005). Homing endonucleases recognize a DNA target sequence and generate a single- or double-strand break. Homing endonucleases are highly specific, recognizing DNA target sites ranging from 12 to 45 base pairs (bp) in length, usually ranging from 14 to 40 bp in length. The homing endonuclease according to the invention may for example correspond to a LAGLIDADG endonuclease, to a HNH endonuclease, or to a GIY-YIG endonuclease. Preferred homing endonuclease according to the present invention can be an I-CreI variant.

- By a "TALE-nuclease" (TALEN) is intended a fusion protein consisting of a nucleic acid-binding domain typically derived from a Transcription Activator Like Effector (TALE) and one nuclease catalytic domain to cleave a nucleic acid target sequence. The catalytic domain is preferably a nuclease domain and more preferably a domain having endonuclease activity, like for instance I-TevI, ColE7, NucA and Fok-I. In a particular embodiment, the TALE domain can be fused to a meganuclease like for instance I-CreI and I-OnuI or functional variant thereof. In a more preferred embodiment, said nuclease is a monomeric TALE-Nuclease. A monomeric TALE-Nuclease is a TALE-Nuclease that does not require dimerization for specific recognition and cleavage, such as the fusions of engineered TAL repeats with the catalytic domain of I-TevI described in WO2012138927. Transcription Activator like Effector (TALE) are proteins from the bacterial species *Xanthomonas* comprise a plurality of repeated sequences, each repeat comprising di-residues in position 12 and 13 (RVD) that are specific to each nucleotide base of the nucleic acid targeted sequence. Binding domains with similar modular base-per-base nucleic acid binding properties (MBBBD) can also be derived from new modular proteins recently discovered by the applicant in a different bacterial species. The new modular proteins have the advantage of displaying more sequence variability than TAL repeats. Preferably, RVDs associated with recognition of the different nucleotides are HD for recognizing C, NG for recognizing T, NI for recognizing A, NN for recognizing G or A, NS for recognizing A, C, G or T, HG for recognizing T, IG for recognizing T, NK for recognizing G, HA for recognizing C, ND for recognizing C, HI for recognizing C, HN for recognizing G, NA for recognizing G, SN for recognizing G or A and YG for recognizing T, TL for recognizing A, VT for recognizing A or G and SW for recognizing A. In another embodiment, critical amino acids 12 and 13 can be mutated towards other amino acid residues in order to modulate their specificity towards nucleotides A, T, C and G and in particular to enhance this specificity. TALE-nuclease have been already described and used to stimulate gene targeting and gene

modifications (Boch, Scholze et al. 2009; Moscou and Bogdanove 2009; Christian, Cermak et al. 2010; Li, Huang et al.). Engineered TAL-nucleases are commercially available under the trade name TALENTM (Cellestis, 8 rue de la Croix Jarry, 75013 Paris, France).

- The term "cleavage" refers to the breakage of the covalent backbone of a polynucleotide. Cleavage can be initiated by a variety of methods including, but not limited to, enzymatic or chemical hydrolysis of a phosphodiester bond. Both single-stranded cleavage and double-stranded cleavage are possible, and double-stranded cleavage can occur as a result of two distinct single-stranded cleavage events. Double stranded DNA, RNA, or DNA/RNA hybrid cleavage can result in the production of either blunt ends or staggered ends.

- By "fusion protein" is intended the result of a well-known process in the art consisting in the joining of two or more genes which originally encode for separate proteins or part of them, the translation of said "fusion gene" resulting in a single polypeptide with functional properties derived from each of the original proteins.

- "identity" refers to sequence identity between two nucleic acid molecules or polypeptides. Identity can be determined by comparing a position in each sequence which may be aligned for purposes of comparison. When a position in the compared sequence is occupied by the same base, then the molecules are identical at that position. A degree of similarity or identity between nucleic acid or amino acid sequences is a function of the number of identical or matching nucleotides at positions shared by the nucleic acid sequences. Various alignment algorithms and/or programs may be used to calculate the identity between two sequences, including FASTA, or BLAST which are available as a part of the GCG sequence analysis package (University of Wisconsin, Madison, Wis.), and can be used with, e.g., default setting. For example, polypeptides having at least 70%, 85%, 90%, 95%, 98% or 99% identity to specific polypeptides described herein and preferably exhibiting substantially the same functions, as well as polynucleotide encoding such polypeptides, are contemplated.

- "similarity" describes the relationship between the amino acid sequences of two or more polypeptides. BLASTP may also be used to identify an amino acid sequence having at least 70%, 75%, 80%, 85%, 87.5%, 90%, 92.5%, 95%, 97.5%, 98%, 99% sequence similarity to

a reference amino acid sequence using a similarity matrix such as BLOSUM45, BLOSUM62 or BLOSUM80. Unless otherwise indicated a similarity score will be based on use of BLOSUM62. When BLASTP is used, the percent similarity is based on the BLASTP positives score and the percent sequence identity is based on the BLASTP identities score. BLASTP "Identities" shows the number and fraction of total residues in the high scoring sequence pairs which are identical; and BLASTP "Positives" shows the number and fraction of residues for which the alignment scores have positive values and which are similar to each other. Amino acid sequences having these degrees of identity or similarity or any intermediate degree of identity of similarity to the amino acid sequences disclosed herein are contemplated and encompassed by this disclosure. The polynucleotide sequences of similar polypeptides are deduced using the genetic code and may be obtained by conventional means. For example, a functional variant of pTalpha can have 70%, 75%, 80%, 85%, 87.5%, 90%, 92.5%, 95%, 97.5%, 98%, 99% sequence similarity to the amino acid sequence of SEQ ID NO : 107. A polynucleotide encoding such a functional variant would be produced by reverse translating its amino acid sequence using the genetic code.

- "signal-transducing domain" or "co-stimulatory ligand" refers to a molecule on an antigen presenting cell that specifically binds a cognate co-stimulatory molecule on a T-cell, thereby providing a signal which, in addition to the primary signal provided by, for instance, binding of a TCR/CD3 complex with an MHC molecule loaded with peptide, mediates a T cell response, including, but not limited to, proliferation activation, differentiation and the like. A co-stimulatory ligand can include but is not limited to CD7, B7-1 (CD80), B7-2 (CD86), PD-L1, PD-L2, 4-1BBL, OX40L, inducible costimulatory ligand (ICOS-L), intercellular adhesion molecule (ICAM, CD30L, CD40, CD70, CD83, HLA-G, MICA, M1CB, HVEM, lymphotoxin beta receptor, 3/TR6, ILT3, ILT4, an agonist or antibody that binds Toll ligand receptor and a ligand that specifically binds with B7-H3. A co-stimulatory ligand also encompasses, inter alia, an antibody that specifically binds with a co-stimulatory molecule present on a T cell, such as but not limited to, CD27, CD28, 4-1BB, OX40, CD30, CD40, PD-1, ICOS, lymphocyte function-associated antigen-1 (LFA-1), CD2, CD7, LTGHT, NKG2C, B7-H3, a ligand that specifically binds with CD83.

A "co-stimulatory molecule" refers to the cognate binding partner on a Tcell that specifically binds with a co-stimulatory ligand, thereby mediating a co-stimulatory response

by the cell, such as, but not limited to proliferation. Co-stimulatory molecules include, but are not limited to an MHC class I molecule, BTLA and Toll ligand receptor.

A "co-stimulatory signal" as used herein refers to a signal, which in combination with primary signal, such as TCR/CD3 ligation, leads to T cell proliferation and/or upregulation or downregulation of key molecules.

- "bispecific antibody" refers to an antibody that has binding sites for two different antigens within a single antibody molecule. It will be appreciated by those skilled in the art that other molecules in addition to the canonical antibody structure may be constructed with two binding specificities. It will further be appreciated that antigen binding by bispecific antibodies may be simultaneous or sequential. Bispecific antibodies can be produced by chemical techniques (see e.g., Kranz et al. (1981) Proc. Natl. Acad. Sci. USA 78, 5807), by "polydoma" techniques (See U.S. Pat. No. 4,474,893) or by recombinant DNA techniques, which all are known per se. As a non limiting example, each binding domain comprises at least one variable region from an antibody heavy chain ("VH or H region"), wherein the VH region of the first binding domain specifically binds to the lymphocyte marker such as CD3, and the VH region of the second binding domain specifically binds to tumor antigen.

-The term "extracellular ligand-binding domain" as used herein is defined as an oligo- or polypeptide that is capable of binding a ligand. Preferably, the domain will be capable of interacting with a cell surface molecule. For example, the extracellular ligand-binding domain may be chosen to recognize a ligand that acts as a cell surface marker on target cells associated with a particular disease state. Thus examples of cell surface markers that may act as ligands include those associated with viral, bacterial and parasitic infections, autoimmune disease and cancer cells.

The term "subject" or "patient" as used herein includes all members of the animal kingdom including non-human primates and humans.

The above written description of the invention provides a manner and process of making and using it such that any person skilled in this art is enabled to make and use the same, this enablement being provided in particular for the subject matter of the appended claims, which make up a part of the original description.

Where a numerical limit or range is stated herein, the endpoints are included. Also, all values and subranges within a numerical limit or range are specifically included as if explicitly written out.

The above description is presented to enable a person skilled in the art to make and
5 use the invention, and is provided in the context of a particular application and its
requirements. Various modifications to the preferred embodiments will be readily apparent
to those skilled in the art, and the generic principles defined herein may be applied to other
embodiments and applications without departing from the spirit and scope of the invention.
Thus, this invention is not intended to be limited to the embodiments shown, but is to be
10 accorded the widest scope consistent with the principles and features disclosed herein.

Having generally described this invention, a further understanding can be obtained
by reference to certain specific examples, which are provided herein for purposes of
illustration only, and are not intended to be limiting unless otherwise specified.

Examples

Example 1: TALE-nucleases cleaving the human GR gene

Six heterodimeric TALE-nucleases targeting exons of the human GR gene were designed and produced. Table 2 below indicates the target sequences cleaved by each TALE-nuclease. GR TALE-nuclease was composed of two independent entities (called half TALE-nucleases) each containing a repeat sequence engineered to bind and cleave GR target sequences consisting of two 17-bp long sequences (called half targets) separated by a 15-bp spacer.

Target name	Target sequence	Repeat sequence	Half TALE-nuclease sequence
GRex2	TATTCAGTATGGACTC caaagaatcattaac TCCTGGTAGAGAAGAAA (SEQ ID NO: 1)	Repeat GRex2-LPT9-L1 (SEQ ID NO: 7)	GRex2-L TALEN (SEQ ID NO: 19)
		Repeat -GRex2-LPT9-R1 (SEQ ID NO: 8)	GRex2-R TALEN (SEQ ID NO: 20)
GRex3T2	TGCCTGGTGTGCTCTGA tgaagcttcaggatg TCATTATGGAGTCTTAA (SEQ ID NO: 2)	Repeat -GRex3T2-L1 (SEQ ID NO: 9)	GRex3T2-L TALEN (SEQ ID NO: 21)
		Repeat -GRex3T2-R1 (SEQ ID NO: 10)	GRex3T2-R TALEN (SEQ ID NO: 22)
GRex3T4	TGCTCTGATGAAGCTTC aggatgtcattatgg AGTCTTAACTTGTGGAA (SEQ ID NO: 3)	Repeat -GRex3T4-L1 (SEQ ID NO: 11)	GRex3T4-L TALEN (SEQ ID NO: 23)
		Repeat -GRex3T4-R1 (SEQ ID NO: 12)	GRex3T4-R TALEN (SEQ ID NO: 24)
GRex5T1	TGGTGTCACTGTTGGAG gttattgaacctgaa GTGTTATATGCAGGATA (SEQ ID NO: 4)	Repeat -GRex5T1-LPT8-L1 (SEQ ID NO: 13)	GRex5T1-L TALEN (SEQ ID NO: 25)
		Repeat -GRex5T1-LPT8-R1 (SEQ ID NO: 14)	GRex5T1-R TALEN (SEQ ID NO: 26)
GRex5T2	TATGATAGCTCTGTTCC agactcaacttgag GATCATGACTACGCTCA (SEQ ID NO: 5)	Repeat -GRex5T2-L1 (SEQ ID NO: 15)	GRex5T2-L TALEN (SEQ ID NO: 27)
		Repeat GRex5T2-R1 (SEQ ID NO: 16)	GRex5T2-R TALEN (SEQ ID NO: 28)
GRex5T3	TTATATGCAGGATATGA tagctctgtccaga CTCAACTTGGAGGATCA (SEQ ID NO: 6)	Repeat -GRex5T3-L1 (SEQ ID NO: 17)	GRex5T3-L TALEN (SEQ ID NO: 29)
		Repeat -GRex5T3-R1 (SEQ ID NO: 18)	GRex5T3-R TALEN (SEQ ID NO: 30)

Table 2: Description of the GR TALE-nucleases and sequences of the TALE-nucleases target sites in the human GR gene.

The amino acid sequences of the N-terminal, C-terminal domains and repeat are based on the AvrBs3 TALE (ref: GenBank: X16130.1). The C-terminal and the N-terminal domains are separated by two BsmBI restriction sites. The repeat arrays (SEQ ID NO: 7 to 18), targeting the desired sequences (SEQ ID NO: 1 to 6) were synthesized using a solid support method composed of consecutive restriction/ligation/washing steps (International PCT application WO2013/017950). In brief, the first block (coding for a di-repeat) was immobilized on a solid support through biotin/streptavidin interaction, the second block (tri-repeat) was then ligated to the first and after SfaNI digestion a third bloc (tri-repeat) was coupled. The process was repeated using tri- or di-repeat blocks upon obtaining the desired repeat array. The product was then cloned in a classical pAPG10 cloning plasmid for amplification in *E. coli* and sequenced. The repeat array sequences thus obtained were subcloned in a yeast expression TALE vector using type IIS restriction enzymes BsmBI for the receiving plasmid and BbvI and SfaNI for the inserted repeat sequence. DNA coding for the half TALE-nuclease, containing a TALE derived DNA binding domain fused to the catalytic domain of the FokI restriction enzyme, was amplified in *E. coli*, recovered by standard miniprep techniques and sequenced to assess the integrity of the insert.

Activity of GR TALE-nucleases in yeast:

Nuclease activity of the six GR-TALE-nucleases were tested at 37°C and 30°C in our yeast SSA assay previously described (International PCT Applications WO 2004/067736 and in (Epinat, Arnould et al. 2003; Chames, Epinat et al. 2005; Arnould, Chames et al. 2006; Smith, Grizot et al. 2006) on targets containing the two TALE target sequences facing each other on the DNA strand separated by a spacer of 15 bps resulting in SEQ ID NO: 1 to 6. All the yeast target reporter plasmids containing the TALE-nuclease DNA target sequences were constructed as previously described (International PCT Applications WO 2004/067736 and in (Epinat, Arnould et al. 2003; Chames, Epinat et al. 2005; Arnould, Chames et al. 2006; Smith, Grizot et al. 2006). TALE-nuclease cleavage activity levels, in yeast, of individual clones on the targets are presented in table 3.

Target	Half TALE-nuclease transfected	yeast gal37°C	yeast gal30°C
GRex2	GRex2-L TALEN	1	1
	GRex2-R TALEN		
GRex3T2	GRex3T2-L TALEN	0,92	0,87
	GRex3T2-R TALEN		
GRex3T4	GRex3T4-L TALEN	0,94	0,87
	GRex3T4-R TALEN		
GRex5T1	GRex5T1-L TALEN	0,48	0,36
	GRex5T1-R TALEN		
GRex5T2	GRex5T2-L TALEN	0,97	0,91
	GRex5T2-R TALEN		
GRex5T3	GRex5T3-L TALEN	1	0,98
	GRex5T3-R TALEN		

Values are comprised between 0 and 1. Maximal value is 1.

Table 3: Cleavage activity of the GR TALE-nucleases in yeast.

5 Activity of GR TALE-nucleases in HEK293 cells:

Each TALE-nuclease construct was subcloned using restriction enzyme digestion in a mammalian expression vector under the control of a pEF1alpha long promoter.

One million HEK293cells were seeded one day prior to transfection. Cells were co-transfected with 2.5 µg of each of two plasmids encoding left and right half of GRex2, GRex3T2, GRex3T4, GRex5T1, GRex5T2 or GRex5T3 TALE-nuclease recognizing the two half targets genomic sequences of interest in the GR gene under the control of EF1alpha promoter using 25µL of lipofectamine (Invitrogen) according to the manufacturer's instructions. As a control, cells were co-transfected with 2.5 µg of each of the two plasmids encoding the left and the right half of TALE-nucleases targeting the T-cell receptor alpha constant chain region (TRAC_T01) target site ((TRAC_T01-L and -R TALE-nuclease (SEQ ID NO: 41 and SEQ ID NO: 42, TRAC_T01 target site (SEQ ID NO: 37)) under the control of EF1alpha promoter. The double strand break generated by TALE-nucleases in GR coding sequence induces non homologous end joining (NHEJ), which is an error-prone mechanism. Activity of

TALE-nucleases is measured by the frequency of insertions or deletions at the genomic locus targeted.

2 or 7 days post transfection cells were harvested and locus specific PCRs were performed on genomic DNA extracted using the following primers: 5'-CCATCTCATCCCTGCGTGTCTCCGACTCAG-3' (forward adaptor sequence)- 10N (TAG)- locus specific forward sequence for GR exon 2: 5'-GGTTCATTTAACAAGCTGCC-3' (SEQ ID NO: 31), for GR exon 3: 5'-GCATTCTGACTATGAAGTGA-3' (SEQ ID NO: 32) and for GR exon 5: 5'-TCAGCAGGCCACTACAGGAGTCTCACAAG-3' (SEQ ID NO: 33) and the reverse primer 5'-CCTATCCCCTGTGTGCCTTGGCAGTCTCAG-3' (reverse adaptor sequence)- locus specific reverse sequence for GR exon 2 : 5'-AGCCAGTGAGGGTGAAGACG-3' (SEQ ID NO: 34), for GR exon 3 : 5'-GGGCTTTGCATATAATGGAA-3' (SEQ ID NO: 35) and for GR exon 5 : 5'-CTGACTCTCCCCTTCATAGTCCCCAGAAC-3' (SEQ ID NO: 36).

PCR products were sequenced by a 454 sequencing system (454 Life Sciences). Approximately 10,000 sequences were obtained per PCR product and then analyzed for the presence of site-specific insertion or deletion events. Table 4 indicates the percentage of the sequences showing insertions or deletions at the TALE-nuclease target site among the total number of sequences in the sample. In table 4 are listed for GRex2, GRex3T2 and GRex3T4 the results of a representative experiment.

In all cases tested, the % of mutagenesis was similar at day 7 compared to the one of the sample at day 2 post transfection. The nature of the mutagenic events was also analyzed, revealing a majority of deletions in all cases compared to insertions.

Target	% Indels at 2 days with GR TALE-nuclease transfection	% Indels at 7 days with GR TALE-nuclease transfection	% Indels at 2 days with TRAC_T01 TALE-nuclease control transfection
GRex2	20.3	24.9	0.5
GRex3T2	9.3	9.8	0
GRex3T4	19	18.3	0.0
GRex5T1	11.2	NA	0.7
GRex5T2	3.4	NA	0
GRex5T3	8.3	NA	0

Table 4: Percentage of targeted mutagenesis at endogenous TALE-nuclease Target sites in HEK293 cells.

Activity of GR TALE-nucleases in primary T lymphocytes:

Each TALE-nuclease construct was subcloned using restriction enzyme digestion in an expression vector under the control of a T7 promoter.

mRNA encoding TALE-nucleases cleaving GR genomic sequences were synthesized from each plasmid carrying the coding sequences downstream from the T7 promoter. T lymphocytes isolated from peripheral blood were activated for 5 days using anti-CD3/CD28 activator beads (Life technologies) and 5 million cells were transfected by electroporation with 10 µg of each of 2 mRNAs encoding both half TALE-nucleases using a CytolVT-P instrument (BTX-Harvard apparatus). T cells transfected with 10µg of each of the 2 mRNAs encoding both half TALE-nucleases targeting the CD52 gene (CD52_T02-L and -R TALEN (SEQ ID NO: 55 and 56), target sequence CD52_T02 SEQ ID NO: 40) are used as a control.

3 and 7 days after transfection, genomic DNA was isolated from transfected cells and locus specific PCRs were performed using the primers described previously. PCR products were sequenced by a 454 sequencing system (454 Life Sciences). Approximately 10,000 sequences were obtained per PCR product and then analyzed for the presence of site-specific insertion or deletion events; results are in Table 5.

Target	% Indels at day 3 with GR TALE-nuclease transfection	% Indels at day 7 with GR TALE-nuclease transfection	% Indels at day 3 with CD52 TALE-nuclease control transfection
GRex2	26.2	30.7	0.7
GRex3T2	1.09	0.86	0.02
GRex3T4	6.3	6.93	0
GRex5T1	0.04	0.035	0.05
GRex5T2	1.3	1.0	0.22
GRex5T3	17.4	NA	0.41

Table 5: Percentage of targeted mutagenesis at endogenous TALE-nuclease target sites in primary T lymphocytes.

Example 2: TALE-nucleases cleaving the human CD52 gene, the human T-cell receptor alpha constant chain (TRAC) and the human T-cell receptor beta constant chains 1 and 2 (TRBC)

As described in example 1, heterodimeric TALE-nucleases targeting respectively CD52, TRAC and TRBC genes were designed and produced. The targeted genomic sequences consist of two 17-bp long sequences (called half targets) separated by an 11 or 15-bp spacer. Each half-target is recognized by repeats of half TALE-nucleases listed in table 6. The human genome contains two functional T-cell receptor beta chains (TRBC1 and TRBC2). During the development of alpha/beta T lymphocytes, one of these two constant chains is selected in each cell to be spliced to the variable region of TCR-beta and form a functional full length beta chain. The 2 TRBC targets were chosen in sequences conserved between TRBC1 and TRBC2 so that the corresponding TALE-nuclease would cleave both TRBC1 and TRBC2 at the same time.

Target	Target sequence	Repeat sequence	Half TALE-nuclease
TRAC_T01	TTGTCCACAGATATCC Agaaccctgaccctg CCGTGTACCAGCTGAGA (SEQ ID NO: 37)	Repeat TRAC_T01-L (SEQ ID NO: 41)	TRAC_T01-L TALEN (SEQ ID NO: 49)
		Repeat TRAC_T01-R (SEQ ID NO: 42)	TRAC_T01-R TALEN (SEQ ID NO: 50)
TRBC_T01	TGTGTTTGAGCCATCAG aagcagagatctccc ACACCCAAAAGGCCACA (SEQ ID NO: 38)	Repeat TRBC_T01-L (SEQ ID NO: 43)	TRBC_T01-L TALEN (SEQ ID NO: 51)
		Repeat TRBC_T01-R (SEQ ID NO: 44)	TRBC_T01-R TALEN (SEQ ID NO: 52)
TRBC_T02	TTCCACCCGAGGTCGC tgtgttgagccatca GAAGCAGAGATCTCCCA (SEQ ID NO: 39)	Repeat TRBC_T02-L (SEQ ID NO: 45)	TRBC_T02-L TALEN (SEQ ID NO: 53)
		Repeat TRBC_T02-R (SEQ ID NO: 46)	TRBC_T02-R TALEN (SEQ ID NO: 54)
CD52_T02	TTCCTCCTACTACCAT cagcctcctggttat GGTACAGGTAAGAGCAA (SEQ ID NO: 40)	Repeat CD52_T02-L (SEQ ID NO: 47)	CD52_T02-L TALEN (SEQ ID NO: 55)
		Repeat CD52_T02-R (SEQ ID NO: 48)	CD52_T02-R TALEN (SEQ ID NO: 56)

Table 6: Description of the CD52, TRAC and TRBC TALE-nucleases and sequences of the TALE-nucleases target sites in the human corresponding genes.

Other target sequences in TRAC and CD52 genes have been designed, which are displayed in Table 7.

Target	Target sequence
TRAC_T02	TTAGAAAAGTTCCTGTG atgtcaagctggtcg AGAAAAGCTTTGAAACA (SEQ ID NO: 57)
TRAC_T03	TCCAGTGACAAGTCTGT ctgcctattcaccga TTTTGATTCTCAAACAA (SEQ ID NO: 58)
TRAC_T04	TATATCACAGACAAAAC tgtgctagacatgag GTCTATGGACTTCAAGA (SEQ ID NO: 59)
TRAC_T05	TGAGGTCTATGGACTTC aagagcaacagtgc GTGGCCTGGAGCAACAA (SEQ ID NO: 60)
CD52_T01	TTCCTCTTCCTCTAC caccatcagcctcct TTACCTGTACCATAAC (SEQ ID NO: 61)
CD52_T04	TTCCTCCTACTCACCA cagcctcctgg TCTTACCTGTACCATA (SEQ ID NO: 62)
CD52_T05	TCCTACTCACCATCAG ctcctggttat TTGCTCTTACCTGTAC (SEQ ID NO: 63)
CD52_T06	TTATCCCACTTCTCT ctacagatacaact TTTTGTCCTGAGAGTC (SEQ ID NO: 64)
CD52_T07	TGGA CTCTCAGGACAA acgacaccagccaaa TGCTGAGGGGCTGCTG (SEQ ID NO: 65)

Table 7: Additional target sequences for TRAC and CD52 TALE-nucleases.

Activity of CD52-TALE-nuclease, TRAC-TALE-nuclease and TRBC-TALE-nuclease in HEK293 cells

Each TALE-nuclease construct was subcloned using restriction enzyme digestion in a mammalian expression vector under the control of pEF1alpha long promoter. One million
5 HEK293 cells were seeded one day prior to transfection. Cells were co-transfected with 2.5 µg of each of the two plasmids encoding the TALE-nucleases recognizing the two half targets

in the genomic sequence of interest in the CD52 gene, T-cell receptor alpha constant chain region (TRAC) or T-cell receptor beta constant chain region (TRBC) under the control of the EF1-alpha promoter or 5 µg of a control pUC vector (pCLS0003) using 25 µl of lipofectamine (Invitrogen) according to the manufacturer's instructions. The double stranded cleavage generated by TALE-nucleases in CD52 or TRAC coding sequences is repaired in live cells by non homologous end joining (NHEJ), which is an error-prone mechanism. Activity of TALE-nucleases in live cells is measured by the frequency of insertions or deletions at the genomic locus targeted. 48 hours after transfection, genomic DNA was isolated from transfected cells and locus specific PCRs were performed using the following primers: 5'-CCATCTCATCCCTGCGTGTCTCCGACTCAG (forward adaptor sequence)- 10N (TAG)- locus specific forward sequence for CD52: 5'-CAGATCTGCAGAAAGGAAGC-3' (SEQ ID NO: 66), for TRAC: 5'-ATCACTGGCATCTGGACTCCA-3' (SEQ ID NO: 67), for TRBC1: 5'-AGAGCCCCTACCAGAACCAGAC-3' (SEQ ID NO: 68), or for TRBC2: 5'-GGACCTAGTAACATAATTGTGC-3' (SEQ ID NO: 69), and the reverse primer 5'-CCTATCCCCTGTGTGCCTTGGCAGTCTCAG (reverse adaptor sequence)- endogenous locus specific reverse sequence for CD52: 5'-CCTGTTGGAGTCCATCTGCTG-3' (SEQ ID NO: 70), for TRAC: 5'-CCTCATGTCTAGCACAGTTT-3' (SEQ ID NO: 71), for TRBC1 and TRBC2: 5'-ACCAGCTCAGCTCCACGTGGT-3' (SEQ ID NO: 72). PCR products were sequenced by a 454 sequencing system (454 Life Sciences). Approximately 10,000 sequences were obtained per PCR product and then analyzed for the presence of site-specific insertion or deletion events; results are in Table 8.

Target	% Indels with TALE-nuclease transfection	% Indels with pUC control transfection
CD52_T02	28.0	0.9
TRAC_T01	41.9	0.3
TRBC_T01 in constant chain 1	3.81	0
TRBC_T01 in constant chain 2	2.59	0
TRBC_T02 in constant chain 1	14.7	0
TRBC_T02 in constant chain 1	5.99	0

Table 8: Percentages of indels for TALE-nuclease targeting CD52_T02, TRAC_T01, TRBC_T01 and TRBC_T02 targets.

Activity of CD52-TALE-nuclease, TRBC-TALE-nuclease and TRAC-TALE-nuclease in primary T lymphocytes

Each TALE-nuclease construct was subcloned using restriction enzyme digestion in a mammalian expression vector under the control of the T7 promoter.

5 mRNA encoding TALE-nuclease cleaving CD52 TRAC and TRBC genomic sequence were synthesized from plasmid carrying the coding sequences downstream from the T7 promoter. T lymphocytes isolated from peripheral blood were activated for 5 days using anti-CD3/CD28 activator beads (Life technologies) and 5 million cells were then transfected by electroporation with 10 µg of each of 2 mRNAs encoding both half TALE-nuclease (or non
10 coding RNA as controls) using a CytolVT-P instrument. As a consequence of the insertions and deletions induced by NHEJ, the coding sequence for CD52 and/or TRAC will be out of frame in a fraction of the cells resulting in non-functional genes. 5 days after electroporation, cells were labeled with fluorochrome-conjugated anti-CD52 or anti-TCR antibody by flow cytometry for the presence of CD52 or TCR at their cell surface. Since all T
15 lymphocytes expanded from peripheral blood normally express CD52 and TCR, the proportion of CD52-negative or TCR-negative cells is a direct measure of TALE-nuclease activity. In table 9 are listed the results of a representative experiment. The table 10 shows the results of a representative experiment testing the efficiency of TRBC TALE-nucleases.

ARN transfected	% CD52-negative cells	% TCR-negative cells	% CD52/TCR double negative cells
non coding RNA	1,21	1,531	0,111
TALEN CD52_T02	49,2	1,6	0,78
TALEN TRAC_T01	2,16	44,8	0,97
TALEN CD52_T02 + TALEN TRAC_T01	29,3	39,6	15,5

Table 9: Percentages of CD52- negative, TCR-negative and CD52/TCR-double negative T lymphocytes after transfection of corresponding TALE-nuclease-expressing polynucleotides.

ARN transfected	% TCR-negative cells
no RNA	1,22
TALEN TRBC_T01	6,52
TALEN TRBC_T02	23,5

Table 10: Percentages of TCR-negative T lymphocytes after transfection of TRBC TALE-nuclease-expressing polynucleotides.

5 Functional analysis of T cells with targeted CD52 gene

The goal of CD52 gene inactivation is to render T lymphocytes resistant to anti-CD52 antibody mediated immunosuppression. As described in the previous paragraph, T lymphocytes were transfected with mRNA encoding TALE-nuclease cleaving CD52. 7 days after transfection, cells were treated with 50µg/ml anti-CD52 monoclonal antibody (or rat IgG as control) with or without 30% rabbit complement (Cedarlane). After 2 hours of incubation at 37°C, the cells were labeled with a fluorochrome-conjugated anti-CD52 antibody together with a fluorescent viability dye (eBioscience) and analyzed by flow cytometry to measure the frequency of CD52-positive and CD52-negative cells among live cells. Figure 6 shows the result of a representative experiment, demonstrating that CD52-negative cells are completely resistant to complement-mediated anti-CD52 antibody toxicity.

Functional analysis of T cells with targeted TRAC gene

The goal of TRAC gene inactivation is to render T lymphocytes unresponsive to T-cell receptor stimulation. As described in the previous paragraph, T lymphocytes were transfected with mRNA encoding TALE-nuclease cleaving TRAC or CD52. 16 days after transfection, cells were treated with up to 5µg/ml of phytohemagglutinin (PHA, Sigma-Aldrich), a T-cell mitogen acting through the T cell receptor. Cells with a functional T-cell receptor should increase in size following PHA treatment. After three days of incubation, cells were labeled with a fluorochrome-conjugated anti-CD52 or anti-TCR antibody and analyzed by flow cytometry to compare the cell size distribution between TCR-positive and TCR-negative cells, or between CD52-positive and CD52-negative cells. Figure 7 shows that TCR-positive cells significantly increase in size after PHA treatment whereas TCR-negative cells have the same size as untreated cells indicating that TRAC inactivation rendered them

unresponsive to TCR-signaling. By contrast, CD52-positive and CD52-negative increase in size to same extent.

Functional analysis of T cells with targeted CD52 and TRAC genes

5 To verify that genome engineering did not affect the ability of T cells to present anti-tumor activity when provided with a chimeric antigen receptor (CAR), we transfected T cells that had been targeted with CD52-TALE-nuclease and TRAC-TALE-nuclease with 10µg of RNA encoding an anti-CD19 CAR (SEQ ID NO: 73). 24 hours later, T cells were incubated for 4 hours with CD19 expressing Daudi cells. The cell surface upregulation of CD107a, a marker of
10 cytotoxic granule release by T lymphocytes (called degranulation) was measured by flow cytometry analysis (Betts, Brenchley et al. 2003). The results are included in Figure 8 and show that CD52-negative/TCRαβ-negative cells and CD52-positive/TCRαβ-positive have the same ability to degranulate in response to PMA /ionomycin (positive control) or CD19+ Daudi cells. CD107 upregulation is dependent on the presence of a CD19+. These data
15 suggest that genome engineering has no negative impact on the ability of T cells to mount a controlled anti-tumor response.

Genomic safety of CD52-TALE-nuclease and TRAC-TALE-nuclease in primary T lymphocytes

As our constructs include nuclease subunits, an important question is whether
20 multiple TALE-nuclease transfection can lead to genotoxicity and off-target cleavage at 'close match' target sequences or by mispairing of half-TALE-nucleases. To estimate the impact of TRAC-TALE-nuclease and CD52-TALE-nuclease on the integrity of the cellular genomes, we listed sequences in the human genome that presented the potential for off-site cleavage. To generate this list, we identified all the sequences in the genome with up to 4 substitutions
25 compared to the original half targets and then identified the pairs of potential half targets in a head to head orientation with a spacer of 9 to 30 bp from each other. This analysis included sites potentially targeted by homodimers of one half-TALE-nuclease molecule or heterodimers formed by one CD52 half TALE-nuclease and one TRAC half-TALE-nuclease. We scored the potential off-site targets based on the specificity data taking into account the cost
30 of individual substitutions and the position of the substitutions (where mismatches are

better tolerated for bases at the 3' end of the half target). We obtained 173 unique sequences with a score reflecting an estimation of the likelihood of cleavage. We selected the 15 top scores and analyzed by deep sequencing the frequency of mutations found at these loci in T cells simultaneously transfected with CD52 and TRAC TALE-nuclease and purified by magnetic separation as CD52-negative, TCR $\alpha\beta$ -negative. Results are in Figure 9. The highest frequency of insertion/deletion is 7×10^{-4} . These results make the putative offsite target at least 600 times less likely to be mutated than the intended targets. The TALE-nuclease reagents used in this study therefore appear extremely specific.

Example 3: TALE-nucleases cleaving the human CTLA4 gene and the human PDCD1 gene.

As described in example 1, heterodimeric TALE-nucleases targeting respectively PDCD1 and CTLA4 genes were designed and produced. The targeted genomic sequences consist of two 17-bp long sequences (called half targets) separated by an 11 or 15-bp spacer.

Each half-target is recognized by repeats of half TALE-nucleases listed in table 11.

Target	Target sequence	Repeat sequence	Half TALE-nuclease
CTLA4_T01	TGGCCCTGCACTCTCCT gttttttcttctctt CATCCCTGTCTTCTGCA (SEQ ID NO: 74)	Repeat CTLA4_T01-L (SEQ ID NO: 79)	CTLA4_T01-L TALEN (SEQ ID NO: 89)
		Repeat CTLA4_T01-R (SEQ ID NO: 80)	CTLA4_T01-R TALEN (SEQ ID NO: 90)
CTLA4_T03	TTTTCCATGCTAGCAAT gcacgtggcccagcc TGCTGTGGTACTGGCCA (SEQ ID NO : 75)	Repeat CTLA4_T03-L (SEQ ID NO: 81)	CTLA4_T03-L TALEN (SEQ ID NO: 91)
		Repeat CTLA4_T03-R (SEQ ID NO: 82)	CTLA4_T03-R TALEN (SEQ ID NO: 92)
CTLA4_T04	TCCATGCTAGCAATGCA cgtggcccagcctgc TGTGGTACTGGCCAGCA (SEQ ID NO: 76)	Repeat CTLA4_T04-L (SEQ ID NO: 84)	CTLA4_T04-L TALEN (SEQ ID NO: 93)
		Repeat CTLA4_T04-R (SEQ ID NO: 85)	CTLA4_T04-R TALEN (SEQ ID NO: 94)
PDCD1_T01	TTCTCCCCAGCCCTGCT cgtggtgaccgaagg GGACAACGCCACCTTCA (SEQ ID NO : 77)	Repeat PDCD1_T01-L (SEQ ID NO: 86)	PDCD1_T01-L TALEN (SEQ ID NO: 95)
		Repeat PDCD1_T01-R (SEQ ID NO: 87)	PDCD1_T01-R TALEN (SEQ ID NO: 96)
PDCD1_T03	TACCTCTGTGGGGCCAT ctccctggcccccaa GGCGCAGATCAAAGAGA (SEQ ID NO : 78)	Repeat PDCD1_T03-L (SEQ ID NO: 88)	PDCD1_T03-L TALEN (SEQ ID NO: 97)
		Repeat PDCD1_T03-R (SEQ ID NO: 89)	PDCD1_T03-R TALEN (SEQ ID NO: 98)

Table 11: Description of the CTLA4 and PDCD1 TALE-nucleases and sequences of the TALE-nucleases target sites in the human corresponding genes.

Activity of CTLA4-TALE-nuclease and PDCD1-TALE-nuclease in HEK293 cells

Each TALE-nuclease construct was subcloned using restriction enzyme digestion in a mammalian expression vector under the control of the pEF1alpha long promoter. One million HEK293 cells were seeded one day prior to transfection. Cells were co-transfected with 2.5 µg of each of two plasmids encoding the TALE-nucleases recognizing the two half targets in the genomic sequence of interest in the PDCD1 and CTLA-4 gene under the control of the EF1-alpha promoter or 5 µg of a control pUC vector (pCLS0003) using 25 µl of lipofectamine (Invitrogen) according to the manufacturer's instructions.

The double stranded cleavage generated by TALE-nucleases in PDCD1 or CTLA-4 coding sequences is repaired in live cells by non homologous end joining (NHEJ), which is an error-prone mechanism. Activity of TALE-nucleases in live cells is measured by the frequency of insertions or deletions at the genomic locus targeted. 48 hours after transfection, genomic DNA was isolated from transfected cells and locus specific PCRs were performed using the following primers: 5'-CCATCTCATCCCTGCGTGTCTCCGACTCAG (forward adaptor sequence)- 10N (TAG)- locus specific forward sequence for CTLA4_T01: 5'-CTCTACTTCCTGAAGACCTG-3' (SEQ ID NO: 99) , for CTLA4_T03/T04: 5'-ACAGTTGAGAGATGGAGGGG-3' (SEQ ID NO: 100), for PDCD1_T01: 5'-CCACAGAGGTAGGTGCCGC-3' (SEQ ID NO: 101) or for PDCD1_T03: 5'-GACAGAGATGCCGGTCACCA-3' (SEQ ID NO: 102) and the reverse primer 5'-CCTATCCCCTGTGTGCCTTGGCAGTCTCAG (reverse adaptor sequence)- endogenous locus specific reverse sequence for CTLA4_T01: 5'-TGGAATACAGAGCCAGCCAA-3' (SEQ ID NO: 103), for CTLA4_T03/T04: 5'-GGTGCCCGTGCAGATGGAAT-3' (SEQ ID NO: 104), for PDCD1_T01: 5'-GGCTCTGCAGTGGAGGCCAG-3' (SEQ ID NO: 105) or for PDCD1_T03: 5'-GGACAACGCCACCTTCACCT-3' (SEQ ID NO: 106).

PCR products were analyzed by T7-endonuclease assay: briefly, after denaturation and reannealing of the PCR product, T7 endonuclease will specifically digest mismatched DNA composed of wild type and mutated strands. The digestion product is then resolved by polyacrylamide gel electrophoresis. The presence of a digested product is indicative of mutated sequences induced by TALE-nuclease activity. Results are displayed in Figure 10 where arrows point to the digested PCR products. They demonstrate that PDCD1_T1,

PDCD1_T3, CTLA4_T1, CTLA4_T3 and CTLA4_T4 TALE-nucleases all exhibit mutagenic nuclease activity at their target sites.

CTLA4 inactivation in primary T cells:

Human primary T cells were activated with CD3/28 beads. Five days later, 5×10^6 cells were electroporated with 20 µg of RNA encoding one of three TALENTM (T1, T2 and T3) designed with respect to CTLA4 gene or without RNA as control. Three days post electroporation, CTLA4 expression was measured by intracellular staining using fluorescent antibody and flow cytometry analysis (Figures 27 and 28).

All three TALENTM induced downregulation of CTLA4 expression in a manner correlated with their efficiency in HEK293 cell lines (T1 was more efficient than T3 and T4).

Deep sequencing analysis of genomic DNA isolated from transfected cells using 454 technology (Roche) revealed that 96 % of CTLA4 alleles were mutated in TALEN T1-treated cells compared to 0.1% in the control sample without TALEN.

PD1 inactivation in primary T cells:

Human primary T cells were activated with CD3/28 beads. Five days later 5×10^6 cells were electroporated with 20 µg of RNA encoding one of two TALENs specific for human PD1 gene or without RNA as control. Ten days later, cells were re-activated and 3 days post re-activation, PD1 expression was measured by surface staining using fluorescent antibody and flow cytometry analysis (see Figure 29).

Both TALENs induced significant downregulation of PD1 expression. Deep sequencing analysis of genomic DNA isolated from cells transfected with TALEN T1 and TALEN T03 respectively using 454 technology (Roche) revealed that 34 % and 39% of PD1 alleles were mutated respectively (results shown in Figure 30).

Enhanced anti-tumor activity PD1-TALEN treated cells:

Human primary T cells were activated with CD3/28 beads. Five days later 5×10^6 cells were electroporated with 20 µg of RNA encoding a TALEN specific for human PD1 gene or without RNA as control. A week later, cells were electroporated with mRNA encoding a chimeric antigen receptor specific for human CD19 or no RNA as negative control. The next day, their antitumor activity was measured in cellular cytotoxicity assay using CD19+ Daudi cells (vs. K562 as control) or HCT116 cells, which express PD1ligand 1 (PDL1) transduced with CD19 expression vector (vs. parental HCT116 cells as control). Cytotoxic activity was determined by comparing viability of target cells and control cells. Results are shown in the diagrams of Figure 31. PD1 TALEN transfection restored cytotoxic activity against PDL1-expressing HCT116 cells and improved cytotoxic activity against Daudi cells.

Example 4: pTalpha permits CD3 surface expression in inactivated TCR alpha T lymphocytes:**Description of the different preTalpha versions:**

The human pTalpha gene encodes a transmembrane glycoprotein comprising an extracellular Ig-like domain, a hydrophobic transmembrane domain and a large C-terminal intracytoplasmic tail. Different versions derived from human pTalpha glycoprotein have been designed and are described in Table 12 and represented in figure 11.

PTalpha versions	Description	SEQ ID
pTalpha-FL	Full-length of human pTalpha glycoprotein	107
pTalpha-Δ18	Truncated Human pTalpha glycoprotein lacking 18 residues from the C-terminus.	108
pTalpha-Δ48	Truncated Human pTalpha glycoprotein lacking 48 residues from the C-terminus.	109
pTalpha-Δ62	Truncated Human pTalpha glycoprotein lacking 62 residues from the C-terminus.	110
pTalpha-Δ78	Truncated Human pTalpha glycoprotein lacking 78 residues from the C-terminus.	111
pTalpha-Δ92	Truncated Human pTalpha glycoprotein lacking 92 residues from the C-terminus.	112
pTalpha-Δ110	Truncated Human pTalpha glycoprotein lacking 110 residues from the C-terminus.	113
pTalpha-Δ114	Truncated Human pTalpha glycoprotein lacking 114 residues from the C-terminus.	114
pTalpha-FL-CD28	Full-length of human pTalpha glycoprotein fused in C-terminus with CD28 activation domain.	115
pTalpha-FL-CD8	Full-length of human pTalpha glycoprotein fused in C-terminus with CD8 activation domain.	116
pTalpha-FL-4-1BB	Full-length of human pTalpha glycoprotein fused in C-terminus with 4-1BB activation domain..	117
pTalpha-Δ48-CD28	pTalpha-Δ48 glycoprotein fused in C-terminus with CD28 activation domain.	118
pTalpha -Δ48-CD8	pTalpha-Δ48 glycoprotein fused in C-terminus with CD8 activation domain.	119
pTalpha -Δ48-41BB	pTalpha-Δ48 glycoprotein fused in C-terminus with 4-1BB activation domain.	120
pTalpha-Δ114/TCRα.IC	pTalpha-Δ114 glycoprotein fused in C-terminus with the intracellular domain of TCRalpha	121
pTalpha-EC/TCRα.TM.IC	pTalpha extracellular domain fused in C-terminus with the transmembrane and intracellular domain of TCRalpha.	122
pTalpha-Δ48-1xMUT	pTalpha-Δ48 glycoprotein with mutated residue W46R.	123
preTalpha-Δ48-4xMUT	pTalpha-Δ48 glycoprotein with mutated residues D22A, K24A, R102A, R117A	124

Table 12: Description of a subset of pTalpha constructs

The different preTalpha constructs tested include:

- 1) **pTalpha deletion mutants:** Different deletions were generated in the intracellular cytoplasmic tail of the human pTalpha protein (which comprises 114 amino acids) (SEQ ID NO: 107). The constructs tested include the full length version of the protein (FL) and mutants in which 18, 48, 62, 78, 92, 110 and 114 amino acids were deleted from the C-terminus of the protein (SEQ ID NO: 108 to SEQ ID NO: 114).
- 2) **pTalpha mutants containing intracellular activation domains:** The FL and $\Delta 48$ variants were fused to the CD8, CD28 or 41BB intracellular activation domains at their C-terminus (SEQ ID NO: 115 to SEQ ID NO: 120).
- 3) **pTalpha/TCR α chimeric mutants:** In one of the constructs, the TCR α intracellular domain (IC) was fused to a tail-less version ($\Delta 114$) of pTalpha (SEQ ID NO: 121). A second construct was also generated in which the pTalpha extracellular domain was fused to the transmembrane (TM) and the IC domains from TCR α (SEQ ID NO: 122).
- 4) **pTalpha dimerization mutants:** Some mutations have been described in the literature as being capable to alter the oligomerisation/dimerisation ability of the preTCR complex. These mutants are proposed to allow preTCR expression at the cell surface, without inducing the constitutive signaling (supposed to be induced upon preTCR oligomerization). The mutations have been introduced in the pTalpha $\Delta 48$ variant and are:
 - 1xMUT: W46R (SEQ ID NO: 123)
 - 4x MUT: D22A, K24A, R102A, R117A (SEQ ID NO: 124)

Activity of different preTalpha constructs in TRAC inactivated Jurkat cells:

In order to screen different pTalpha variants for their ability to restore CD3 surface expression in TCRalpha inactivated cells, a cell line was generated in which the TCRalpha gene was disrupted using TALEN targeting TRAC. Jurkat cells (a T-cell leukemia cell line) were transfected with plasmids coding for the TALEN cleaving TRAC using CytoPulse electroporation, and the KO cells (TCR α/β ^{NEG}; CD3^{NEG}) were then purified by negative selection using CD3 magnetic beads. The KO population (JKT_KOx3 cells) was amplified and used for screening of the different pTalpha variants. Screening was performed by transfection of one million of JKT_KOx3 cells with 15 μ g of plasmid coding the different

pTalpha variants under control of the EF1 α promoter, followed by analysis by flow cytometry of CD3 cell surface expression 48h after transfection. Figure 12 is a representative example of the transfection efficiencies (% of BFP+ cells) and activity of the FL, Δ 18 and Δ 48 pTalpha constructs in JKT_KOx3 cells, based on the % of CD3+ cells, determined by flow cytometry. The results from the different constructs are grouped in Table 13.

Mutant	ID	% CD3 _{Low}	SD
0	NEG	4,69	1,53
1	preTCR α -FL	31,18	4,15
2	preTCR α - Δ 18	20,13	4,56
3	preTCR α - Δ 48	44,86	3,90
4	preTCR α - Δ 62	32,42	2,95
5	preTCR α - Δ 78	24,75	3,87
6	preTCR α - Δ 92	20,63	3,70
7	preTCR α - Δ 110	18,18	3,49
8	preTCR α - Δ 114	4,29	2,74
9	preTCR α -FL-CD8	18,16	5,30
10	preTCR α -FL-CD28	5,67	2,77
11	preTCR α -FL-41BB	27,27	3,66
12	preTCR α - Δ 48-CD8	11,56	6,01
13	preTCR α - Δ 48-CD28	12,22	4,72
14	preTCR α - Δ 48-41BB	35,93	4,55
15	preTCR α - Δ 114/TCR α .IC	3,94	1,95
16	preTCR α -EC/TCR α .TM.IC	17,80	4,47
17	preTCR α - Δ 48-1xMUT	26,88	4,37
18	preTCR α - Δ 48-4xMUT	7,59	1,06

Table 13: Activity of the different pTalpha constructs in Jurkat TCR alpha inactivated cells.

Activity was measured by flow cytometry analysis of CD3 expression in jurkat TCR alpha inactivated cells transfected with the different preTalpha constructs.

Activity of pTalpha-FL and pTalpha- Δ 48 in TCR alpha inactivated primary T lymphocytes:

In order to test the ability of pTalpha-FL and pTalpha- Δ 48 versions to induce CD3 surface expression in TCR alpha inactivated T lymphocytes, pTalpha-FL and pTalpha- Δ 48 coding sequences were cloned into a self-inactivating pLV-SFFV-BFP-2A-PCTRA lentiviral vector that codes for Blue Fluorescent protein (BFP) under the SFFV promoter followed by the self-cleaving T2A peptide (figure 13).

T lymphocytes isolated from peripheral blood were activated for 72 hours using anti-CD3/CD28 activator beads (Life technologies) and 4.5 million cells were transfected by electroporation with 10 µg mRNA encoding the TALE-nuclease targeting TCR alpha constant chain region (TRAC) using a CytolVT-S instrument (BTX-Harvard Harbour). Two days after electroporation, T cells were transduced with either the LV-SFFV-BFP-2A- pTalpha-Δ48 or LV-SFFV-BFP-2A-control lentiviral vectors. CD3 negative and CD3^{low} T cells were then purified using anti-CD3 magnetic beads (Miltenyi Biotech). This experimental protocol is represented in Figure 14A.

Figure 14B represents flow cytometry analysis of TCRalpha/beta, CD3 cell surface expression, and BFP expression on TCRalpha inactivated T cells (KO) transduced with either BFP-2A-pTalphaΔ48 (KO/Δ48) or control BFP lentiviral vector (KO/BFP) before and after purification with CD3 beads. TCRalpha inactivated cells transduced with the BFP-2A-pTalpha-Δ48 vector (BFP+ cells) show higher levels of CD3 compared to non transduced cells (BFP- cells). No differences are observed among cells transduced with the control BFP vector. These results indicate that pTalpha mediates restoration of CD3 expression at the cell surface of TCRalpha inactivated cells. In contrast, TCRalpha/beta staining remains, as expected, unchanged in cells transduced or not with the pTalpha-Δ48 expressing vector.

pTalpha-mediated CD3 expression supports activation of TCR-deficient T-cells:

To determine the capacity of pTalpha to transduce cell activation signals, expression of early and later activation markers was analyzed on TCR alpha inactivated T cells transduced with pTalpha-Δ48 and pTalpha-Δ48.41BB. TCR alpha inactivated T cells transduced with pTalpha-Δ48 and pTalpha-Δ48.41BB were generated from primary human T-cells as described in previous section and in Figure 14A.

To detect signaling via CD3, cells were re-activated using anti-CD3/CD28-coated beads 3 days after purification of TCR alpha inactivated T cells with CD3 beads (figure 14A). Cells were stained with fluorochrome-conjugated anti-CD69 (early activation marker) and anti-CD25 (late activation marker), 24 and 48 hours after re-activation respectively and analyzed by flow cytometry (Figure 15A-B). As represented in figure 15A-B, TCR alpha inactivated cells expressing pTalpha-Δ48 (KO/pTα-Δ48) or pTalpha-Δ48.41BB (KO/pTα-

Δ48.BB) show upregulation of the activation markers, to levels similar to those observed in TCRalpha/beta expressing cells (NEP: non electroporated cells).

Another indicator of T cell activation is an increase in cell size which is sometimes referred to as “blasting”. The capacity of the preTCR complexes to induce “blasting” was measured by flow cytometry analysis of the cell size 72 hours after re-activation using anti-CD3/CD28-beads (Figure 15C). Stimulation with anti-CD3/CD28 beads induced comparable increases in cell size in cells expressing TCRalpha/beta complexes vs. cells expressing pTalpha-Δ48 or pTalpha-Δ48.41BB. Taken together, these results suggest that preTCR complexes are competent to transduce signals that efficiently couple to the mechanisms mediating activation marker upregulation.

pTalpha mediated CD3 expression supports expansion of TCR-deficient primary T-cells using stimulatory anti-CD3/CD28 antibodies

To evaluate the capacity of preTCR complexes to support long term cell proliferation, proliferation of cells generated as previously described was measured. Ten days after the initial activation, cells were maintained in IL2 (non-Re-act) or in IL2 with anti-CD3/CD28 beads (Re-act). For each condition, cells were counted and analyzed by flow cytometry at the different time points to estimate the number of BFP+ cells. The growth of TCRalpha inactivated cells (KO) transduced with BFP or BFP-T2A-preTCRα-Δ48 vectors was compared, and the fold induction of these cells was estimated with respect to the value obtained at day 2 post re-activation. Figure 16 shows the results obtained with two independent donors. In both cases, TCRalpha inactivated cells expressing pTalpha-Δ48 displayed greater expansion than TCR alpha inactivated cells expressing only the BFP control vector. For the second donor, TCRalpha inactivated cells expressing pTalpha-Δ48.41BB or full-length pTalpha were also included, displaying also greater expansion than TCRalpha inactivated cells expressing only the BFP control vector.

Example 5: optimization of mRNA transfection in T cells using Cytopulse Technology.**Determination of the optimized cytopulse program**

A first set of experiments were performed on non activated PBMCs in order to determine a voltage range in which cells could be transfected. Five different programs were tested as described in Table 14.

<u>Cyto-pulse program</u>	Group 1				Group 2				Group 3			
	Pul- ses	V	duration (ms)	Interval (ms)	Pul- ses	V	duration (ms)	Interval (ms)	Pul- ses	V	duration (ms)	Interval (ms)
1	1	600	0.1	0.2	1	600	0.1	100	4	130	0.2	2
2	1	900	0.1	0.2	1	900	0.1	100	4	130	0.2	2
3	1	1200	0.1	0.2	1	1200	0.1	100	4	130	0.2	2
4	1	1200	0.1	10	1	900	0.1	100	4	130	0.2	2
5	1	900	0.1	20	1	600	0.1	100	4	130	0.2	2

Table 14 : Different cytopulse programs used to determine the minimal voltage required for electroporation in PBMC derived T-cells.

3 or 6 million of cells were electroporated in 0.4 cm gap cuvette (30 or 15x10⁶ cells/ml) with 20 µg of plasmids encoding GFP and control plasmids pUC using the different Cytopulse programs. 24 hours post electroporation, GFP expression was analyzed in electroporated cells by flow cytometry to determine the efficiency of transfection. The data shown in Figure 17 indicates the minimal voltage required for plasmid electroporation in PBMC derived T cells. These results demonstrate that the cytopulse program 3 and 4 allow an efficient transformation of T cells (EP#3 and #4).

Electroporation of mRNA of purified Tcells activated

After determining the best cytopulse program that allows an efficient DNA electroporation of T cells, we tested whether this method was applicable to the mRNA electroporation.

5x10⁶ purified T cells preactivated 6 days with PHA/IL2 were resuspended in cytoporation buffer T (BTX-Harvard apparatus) and electroporated in 0.4 cm cuvettes with 10µg of mRNA encoding GFP or 20µg of plasmids encoding GFP or pUC using the preferred cytopulse program as determined in the previous section (table 15).

	Group 1				Group 2				Group 3			
<i>Cyto-pulse program</i>	Pulse	V	duration (ms)	Interval (ms)	Pulse	V	duration (ms)	Interval (ms)	Pulse	V	duration (ms)	Interval (ms)
3	1	1200	0.1	0.2	1	1200	0.1	100	4	130	0.2	2

Table 15: Cytopulse program used to electroporate purified T-cells.

48h after transfection cells were stained with viability dye (eFluor-450) and the cellular viability and % of viable GFP+ cells was determined by flow cytometry analysis (Figure 18).

The data shown in Figure 18 indicates that the electroporation of RNA with the optimal condition determined here is not toxic and allows transfection of more than 95% of the viable cells.

In synthesis, the whole dataset shows that T-cells can be efficiently transfected either with DNA or RNA. In particular, RNA transfection has no impact on cellular viability and allows uniform expression levels of the transfected gene of interest in the cellular population.

Efficient transfection can be achieved early after cellular activation, independently of the activation method used (PHA/IL-2 or CD3/CD28-coated-beads). The inventors have succeeded in transfecting cells from 72h after activation with efficiencies of >95%. In addition, efficient transfection of T cells after thawing and activation can also be obtained using the same electroporation protocol.

mRNA electroporation in primary human T cells for TALE-nuclease functional expression

After demonstrating that mRNA electroporation allows efficient expression of GFP in primary human T cells, we tested whether this method was applicable to the expression of other proteins of interest. Transcription activator-like effector nucleases (TALE-nuclease) are site-specific nucleases generated by the fusion of a TAL DNA binding domain to a DNA cleavage domain. They are powerful genome editing tools as they induce double-strand breaks at practically any desired DNA sequence. These double-strand breaks activate Non-homologous end-joining (NHEJ), an error-prone DNA repair mechanism, potentially leading

to inactivation of any desired gene of interest. Alternatively, if an adequate repair template is introduced into the cells at the same time, TALE-nuclease-induced DNA breaks can be repaired by homologous recombination, therefore offering the possibility of modifying at will the gene sequence.

5 We have used mRNA electroporation to express a TALE-nuclease designed to specifically cleave a sequence in the human gene coding for the alpha chain of the T cell antigen receptor (TRAC). Mutations induced in this sequence are expected to result in gene inactivation and loss of TCR $\alpha\beta$ complex from the cell surface. TRAC TALE-nuclease RNA or non coding RNA as control are transfected into activated primary human T lymphocytes
10 using Cytopulse technology. The electroporation sequence consisted in 2 pulses of 1200 V followed by four pulses of 130 V as described in Table 15.

By flow cytometry analysis of TCR surface expression 7 days post electroporation (Figure 19, top panel), we observed that 44% of T cells lost the expression of TCR $\alpha\beta$. We analyzed the genomic DNA of the transfected cells by PCR amplification of the TRAC locus
15 followed by 454 high throughput sequencing. 33% of alleles sequenced (727 out of 2153) contained insertion or deletion at the site of TALE-nuclease cleavage. Figure 19 (bottom panel) shows examples of the mutated alleles.

These data indicate that electroporation of mRNA using cytopulse technology results in functional expression of TRAC TALE-nuclease.

20

Electroporation of T cells with a monocistronic mRNA encoding for an anti-CD19 single chain chimeric antigen receptor (CAR):

5X10⁶ T cells preactivated several days (3-5) with anti-CD3/CD28 coated beads and IL2 were resuspended in cytoporation buffer T, and electroporated in 0.4cm cuvettes
25 without mRNA or with 10 μ g of mRNA encoding a single chain CAR (SEQ ID NO: 73) using the program described in Table 15.

24 hours post electroporation, cells were stained with a fixable viability dye eFluor-780 and a PE-conjugated goat anti mouse IgG F(ab')₂ fragment specific to assess the cell surface expression of the CAR on the live cells. The data is shown in the figure 20. A indicates

that the vast majority of the live T cells electroporated with the monocistronic mRNA described previously express the CAR at their surface. 24 hours post electroporation, T cells were cocultured with Daudi (CD19⁺) cells for 6 hours and analyzed by flow cytometry to detect the expression of the degranulation marker CD107a at their surface (Betts, Brenchley
5 et al. 2003).

The data shown in figure 20 indicates that the majority of the cells electroporated with the monocistronic mRNA described previously degranulate in the presence of target cells expressing CD19. These results clearly demonstrate that the CAR expressed at the surface of electroporated T cells is active.

10
Electroporation of T cells with a polycistronic mRNA encoding for an anti-CD19 multisubunit chimeric antigen receptor (CAR):

5X10⁶ T cells preactivated several days (3-5) with anti CD3/CD28 coated beads and IL2 were electroporated in cytoporation buffer T, and electroporated in 0.4cm cuvettes
15 without mRNA or with 45µg of mRNA encoding a multi-chain CAR (SEQ ID NO: 125, encoded by SEQ ID NO: 126, Figure 21A and figure 4B (csm4)) using the program as described in Table 15.

24 hours post electroporation, cells were stained with a fixable viability dye eFluor-780 and a PE-conjugated goat anti mouse IgG F(ab')₂ fragment specific to assess the cell
20 surface expression of the CAR on the live cells. The data shown in Figure 21 indicates that the vast majority of the live T cells electroporated with the polycistronic mRNA described previously express the CAR at their surface.

24 hours post electroporation, T cells were cocultured with Daudi (CD19⁺) for 6 hours and analyzed by flow cytometry to detect the expression of the degranulation marker
25 CD107a at their surface. The data shown in Figure 21 indicates that the majority of the cells electroporated with the polycistronic mRNA described previously degranulate in the presence of target cells expressing CD19. These results clearly demonstrate that the CAR expressed at the surface of electroporated T cells is active.

List of references cited in the description

- Arimondo, P. B., C. J. Thomas, et al. (2006). "Exploring the cellular activity of camptothecin-triple-helix-forming oligonucleotide conjugates." Mol Cell Biol **26**(1): 324-33.
- Arnould, S., P. Chames, et al. (2006). "Engineering of large numbers of highly specific homing endonucleases that induce recombination on novel DNA targets." J Mol Biol **355**(3): 443-58.
- Ashwell, J. D. and R. D. Klusner (1990). "Genetic and mutational analysis of the T-cell antigen receptor." Annu Rev Immunol **8**: 139-67.
- Betts, M. R., J. M. Brenchley, et al. (2003). "Sensitive and viable identification of antigen-specific CD8+ T cells by a flow cytometric assay for degranulation." J Immunol Methods **281**(1-2): 65-78.
- Boch, J., H. Scholze, et al. (2009). "Breaking the code of DNA binding specificity of TAL-type III effectors." Science **326**(5959): 1509-12.
- Boni, A., P. Muranski, et al. (2008). "Adoptive transfer of allogeneic tumor-specific T cells mediates effective regression of large tumors across major histocompatibility barriers." Blood **112**(12): 4746-54.
- Brahmer, J. R., C. G. Drake, et al. (2010). "Phase I study of single-agent anti-programmed death-1 (MDX-1106) in refractory solid tumors: safety, clinical activity, pharmacodynamics, and immunologic correlates." J Clin Oncol **28**(19): 3167-75.
- Cambier, J. C. (1995). "Antigen and Fc receptor signaling. The awesome power of the immunoreceptor tyrosine-based activation motif (ITAM)." J Immunol **155**(7): 3281-5.
- Carrasco, Y. R., A. R. Ramiro, et al. (2001). "An endoplasmic reticulum retention function for the cytoplasmic tail of the human pre-T cell receptor (TCR) alpha chain: potential role in the regulation of cell surface pre-TCR expression levels." J Exp Med **193**(9): 1045-58.
- Cermak, T., E. L. Doyle, et al. (2011). "Efficient design and assembly of custom TALEN and other TAL effector-based constructs for DNA targeting." Nucleic Acids Res **39**(12): e82.
- Chames, P., J. C. Epinat, et al. (2005). "In vivo selection of engineered homing endonucleases using double-strand break induced homologous recombination." Nucleic Acids Res **33**(20): e178.
- Choulika, A., A. Perrin, et al. (1995). "Induction of homologous recombination in mammalian chromosomes by using the I-SceI system of *Saccharomyces cerevisiae*." Mol Cell Biol **15**(4): 1968-73.
- Christian, M., T. Cermak, et al. (2010). "Targeting DNA double-strand breaks with TAL effector nucleases." Genetics **186**(2): 757-61.
- Coutinho, A. E. and K. E. Chapman (2011). "The anti-inflammatory and immunosuppressive effects of glucocorticoids, recent developments and mechanistic insights." Mol Cell Endocrinol **335**(1): 2-13.

- Critchlow, S. E. and S. P. Jackson (1998). "DNA end-joining: from yeast to man." Trends Biochem Sci **23**(10): 394-8.
- Deng, D., C. Yan, et al. (2012). "Structural basis for sequence-specific recognition of DNA by TAL effectors." Science **335**(6069): 720-3.
- Eisenschmidt, K., T. Lanio, et al. (2005). "Developing a programmed restriction endonuclease for highly specific DNA cleavage." Nucleic Acids Res **33**(22): 7039-47.
- Epinat, J. C., S. Arnould, et al. (2003). "A novel engineered meganuclease induces homologous recombination in yeast and mammalian cells." Nucleic Acids Res **31**(11): 2952-62.
- Geissler, R., H. Scholze, et al. (2011). "Transcriptional activators of human genes with programmable DNA-specificity." PLoS One **6**(5): e19509.
- Howard, F. D., H. R. Rodewald, et al. (1990). "CD3 zeta subunit can substitute for the gamma subunit of Fc epsilon receptor type I in assembly and functional expression of the high-affinity IgE receptor: evidence for interreceptor complementation." Proc Natl Acad Sci U S A **87**(18): 7015-9.
- Huang, P., A. Xiao, et al. (2011). "Heritable gene targeting in zebrafish using customized TALENs." Nat Biotechnol **29**(8): 699-700.
- Jena, B., G. Dotti, et al. (2010). "Redirecting T-cell specificity by introducing a tumor-specific chimeric antigen receptor." Blood **116**(7): 1035-44.
- Kalish, J. M. and P. M. Glazer (2005). "Targeted genome modification via triple helix formation." Ann N Y Acad Sci **1058**: 151-61.
- Li, L., M. J. Piatek, et al. (2012). "Rapid and highly efficient construction of TALE-based transcriptional regulators and nucleases for genome modification." Plant Mol Biol **78**(4-5): 407-16.
- Li, T., S. Huang, et al. (2011). "TAL nucleases (TALNs): hybrid proteins composed of TAL effectors and FokI DNA-cleavage domain." Nucleic Acids Res **39**(1): 359-72.
- Li, T., S. Huang, et al. (2011). "Modularly assembled designer TAL effector nucleases for targeted gene knockout and gene replacement in eukaryotes." Nucleic Acids Res **39**(14): 6315-25.
- Ma, J. L., E. M. Kim, et al. (2003). "Yeast Mre11 and Rad1 proteins define a Ku-independent mechanism to repair double-strand breaks lacking overlapping end sequences." Mol Cell Biol **23**(23): 8820-8.
- Mahfouz, M. M., L. Li, et al. (2012). "Targeted transcriptional repression using a chimeric TALE-SRDX repressor protein." Plant Mol Biol **78**(3): 311-21.
- Mahfouz, M. M., L. Li, et al. (2011). "De novo-engineered transcription activator-like effector (TALE) hybrid nuclease with novel DNA binding specificity creates double-strand breaks." Proc Natl Acad Sci U S A **108**(6): 2623-8.
- Mak, A. N., P. Bradley, et al. (2012). "The crystal structure of TAL effector PthXo1 bound to its DNA target." Science **335**(6069): 716-9.
- Metzger, H., G. Alcaraz, et al. (1986). "The receptor with high affinity for immunoglobulin E." Annu Rev Immunol **4**: 419-70.

- Miller, J. C., S. Tan, et al. (2011). "A TALE nuclease architecture for efficient genome editing." Nat Biotechnol **29**(2): 143-8.
- Morbitzer, R., P. Romer, et al. (2011). "Regulation of selected genome loci using de novo-engineered transcription activator-like effector (TALE)-type transcription factors." Proc Natl Acad Sci U S A **107**(50): 21617-22.
- Moscou, M. J. and A. J. Bogdanove (2009). "A simple cipher governs DNA recognition by TAL effectors." Science **326**(5959): 1501.
- Mussolino, C., R. Morbitzer, et al. (2011). "A novel TALE nuclease scaffold enables high genome editing activity in combination with low toxicity." Nucleic Acids Res **39**(21): 9283-93.
- Pang, S. S., R. Berry, et al. (2010). "The structural basis for autonomous dimerization of the pre-T-cell antigen receptor." Nature **467**(7317): 844-8.
- Paques, F. and P. Duchateau (2007). "Meganucleases and DNA double-strand break-induced recombination: perspectives for gene therapy." Curr Gene Ther **7**(1): 49-66.
- Pardoll, D. and C. Drake (2012). "Immunotherapy earns its spot in the ranks of cancer therapy." J Exp Med **209**(2): 201-9.
- Pardoll, D. M. (2012). "The blockade of immune checkpoints in cancer immunotherapy." Nat Rev Cancer **12**(4): 252-64.
- Park, T. S., S. A. Rosenberg, et al. (2011). "Treating cancer with genetically engineered T cells." Trends Biotechnol **29**(11): 550-7.
- Pingoud, A. and G. H. Silva (2007). "Precision genome surgery." Nat Biotechnol **25**(7): 743-4.
- Porteus, M. H. and D. Carroll (2005). "Gene targeting using zinc finger nucleases." Nat Biotechnol **23**(8): 967-73.
- Robert, C. and C. Mateus (2011). "[Anti-CTLA-4 monoclonal antibody: a major step in the treatment of metastatic melanoma]." Med Sci (Paris) **27**(10): 850-8.
- Rouet, P., F. Smih, et al. (1994). "Introduction of double-strand breaks into the genome of mouse cells by expression of a rare-cutting endonuclease." Mol Cell Biol **14**(12): 8096-106.
- Saint-Ruf, C., O. Lechner, et al. (1998). "Genomic structure of the human pre-T cell receptor alpha chain and expression of two mRNA isoforms." Eur J Immunol **28**(11): 3824-31.
- Sander, J. D., L. Cade, et al. (2011). "Targeted gene disruption in somatic zebrafish cells using engineered TALENs." Nat Biotechnol **29**(8): 697-8.
- Smith, J., S. Grizot, et al. (2006). "A combinatorial approach to create artificial homing endonucleases cleaving chosen sequences." Nucleic Acids Res **34**(22): e149.
- Stoddard, B. L. (2005). "Homing endonuclease structure and function." Q Rev Biophys **38**(1): 49-95.
- Tesson, L., C. Usal, et al. (2011). "Knockout rats generated by embryo microinjection of TALENs." Nat Biotechnol **29**(8): 695-6.
- von Boehmer, H. (2005). "Unique features of the pre-T-cell receptor alpha-chain: not just a surrogate." Nat Rev Immunol **5**(7): 571-7.

- Waldmann, H. and G. Hale (2005). "CAMPATH: from concept to clinic." Philos Trans R Soc Lond B Biol Sci **360**(1461): 1707-11.
- Weber, E., R. Gruetzner, et al. (2011). "Assembly of designer TAL effectors by Golden Gate cloning." PLoS One **6**(5): e19722.
- Yamasaki, S., E. Ishikawa, et al. (2006). "Mechanistic basis of pre-T cell receptor-mediated autonomous signaling critical for thymocyte development." Nat Immunol **7**(1): 67-75.
- Zhang, F., L. Cong, et al. (2011). "Efficient construction of sequence-specific TAL effectors for modulating mammalian transcription." Nat Biotechnol **29**(2): 149-53.

CLAIMS

- 1) A method of preparing T-cell(s) for immunotherapy comprising:
 - (a) modifying T-cell(s) by inactivating at least:
 - a first gene encoding an immune checkpoint protein selected from the group consisting of PD1, CTLA-4, LAG3, Tim3, BTLA, BY55, TIGIT, B7H5, LAIR1, SIGLEC10, and 2B4, and
 - a second gene encoding a component of the T-cell receptor (TCR);
 - (b) introducing into said T-cell(s) a chimeric antigen receptor (CAR); and
 - (c) expanding said T-cell(s).
- 2) The method of claim 1 comprising modifying T-cells by:
 - (a) introducing into said T-cell at least one rare-cutting endonuclease able to selectively inactivate by DNA cleavage respectively:
 - said gene encoding an immune checkpoint protein, and
 - at least one gene encoding one component of the T-cell receptor (TCR); and
 - (b) expanding said T-cells.
- 3) The method according to claim 1 or 2, wherein said T-cells are provided from a cell culture or from a blood sample.
- 4) The method according to any one of claims 1-3, wherein said modified T-cells are expanded in a patient's blood.
- 5) The method according to any one of claims 1-3, wherein said modified T-cells are expanded *in vitro*.
- 6) The method according to any one of claims 1-5, wherein said immune checkpoint gene is PD1 or CTLA-4.
- 7) The method according to any one of claims 1-5, wherein the at least first and second inactivated genes are selected from the group consisting of PD1 and TCR alpha, PD1 and TCR beta, CTLA-4 and TCR alpha, CTLA-4 and TCR beta, LAG3 and TCR alpha, LAG3 and TCR beta, Tim3 and TCR alpha, Tim3 and TCR beta, BTLA and TCR alpha, BTLA and TCR beta, BY55 and TCR alpha, BY55 and TCR beta, TIGIT and TCR alpha, TIGIT and TCR beta, B7H5 and TCR alpha, B7H5 and TCR beta, LAIR1 and TCR alpha, LAIR1 and TCR beta, SIGLEC10 and TCR alpha, SIGLEC10 and TCR beta, 2B4 and TCR alpha, and 2B4 and TCR beta.

- 8) The method according to any one of claims 2-7, wherein said at least one rare-cutting endonuclease is encoded by mRNA.
- 9) The method according to any one of claims 2-8, comprising introducing one or more rare-cutting endonuclease(s) into said T-cell in step (a) by way of RNA electroporation.
- 10) The method according to any one of claims 2-9, wherein said at least one rare-cutting endonuclease is a TALE-nuclease.
- 11) The method according to claim 10, wherein at least one TALE-nuclease is directed against one of the gene target sequences of TCRalpha selected from SEQ ID NO: 37 or SEQ ID NO: 57 to SEQ ID NO: 60.
- 12) The method according to claim 10, wherein at least one TALE-nuclease is directed against one of the gene target sequences of TCRbeta selected from the group consisting of SEQ ID NO: 38 and SEQ ID NO: 39.
- 13) The method according to claim 10, wherein at least one TALE-nuclease is directed against one of the gene target sequences of PD1 selected from the group consisting of SEQ ID NO: 77 and SEQ ID NO: 78.
- 14) The method according to claim 9, wherein at least one TALE-nuclease is directed against one of the gene target sequences of CTLA-4 selected from the group consisting of SEQ ID NO: 74 and SEQ ID NO: 76.
- 15) The method according to any one of claims 1-14, wherein said T-cell(s) in step a) are derived from inflammatory T-lymphocytes, cytotoxic T-lymphocytes, regulatory T-lymphocytes or helper T-lymphocytes.
- 16) The method according to any one of claims 1-14, wherein said T-cell(s) in step a) are derived from CD4+ T-lymphocytes and/or CD8+ T-lymphocytes.
- 17) An isolated T-cell or cell line obtained by the method of any one of claims 1-16, or a subculture thereof.
- 18) An isolated T-cell, in which at least two genes have been inactivated which genes are selected from the group consisting of: PD1 and TCR alpha, PD1 and TCR beta, CTLA-4 and TCR alpha, CTLA-4 and TCR beta, LAG3 and TCR alpha, LAG3 and TCR beta, Tim3 and TCR alpha, Tim3 and TCR beta, BTLA and TCR alpha, BTLA and TCR beta, BY55 and TCR alpha, BY55 and TCR beta, TIGIT and TCR alpha, TIGIT and TCR beta, B7H5 and TCR alpha, B7H5 and TCR beta, LAIR1 and TCR alpha, LAIR1 and TCR beta, SIGLEC10 and TCR alpha, SIGLEC10 and TCR beta,

2B4 and TCR alpha, and 2B4 and TCR beta, and comprising an exogenous polynucleotide sequence encoding a Chimeric Antigen Receptor.

19) The isolated T-cell of claim 18 wherein said Chimeric Antigen Receptor is a multi-chain Chimeric Antigen Receptor.

20) The isolated T-cell of any one of claims 17-19, further comprising an exogenous nucleic acid comprising at least a fragment of pTalpha transgene to support CD3 surface expression.

21) The isolated T-cell of any one of claims 17-20, when used as a medicament.

22) The isolated T-cell of any one of claims 17-20, when used for treating a cancer or a viral infection.

23) The isolated T-cell of any one of claims 17-20, when used for treating lymphoma.

24) The isolated T-cell of any one of claims 17-20, when used in allogenic immunotherapy.

25) A pharmaceutical composition comprising at least one isolated T-cell of any one of claims 17-20.

26) A method for treating a patient comprising:

(a) preparing a population of modified T-cells according to the method of any one of claims 1-16; and

(b) administering said modified T-cells to said patient.

27) The method according to claim 26, wherein said patient is diagnosed with cancer, a viral infection, an autoimmune disorder or Graft versus Host Disease (GvHD).

28) The method according to claim 26 or claim 27, wherein the T-cells do not originate from said patient but from a donor



29) Use of a population of modified T-cells prepared according to the method of any one of claims 1-16 for the manufacture of a medicament for treating a patient in need thereof.


30) The use according to claim 29, wherein said patient is diagnosed with cancer, a viral infection, an autoimmune disorder or Graft versus Host Disease (GvHD).

Collectis

Patent Attorneys for the Applicant/Nominated Person

SPRUSON & FERGUSON

***Fig.1******Fig.2***



- beta chain allows all
signaling domains to be
in natural juxtamembrane
position
- beta chain already positioned
for interactions of signals
from FcRγ or TCRζ

Fig.3








Fig. 4A



***Fig.4C***

**Fig.5**

***Fig. 6***









Fig. 7

8/41

*Fig. 8A**Fig. 8B**Fig. 8C*

9/41

***Fig. 8D******Fig. 8E***

	LEFT HALF TARGET	Spacer size (bp)	RIGHT HALF TARGET	
TRAC	TTGTCCCACAGATATCC	15	CCGTGTACCCAGCTGAGA	
CD52	TTCCTCCTACTCACCAT	15	GGTACAGGTAAGAGCA A	
Potential offsite targets	Left matched sequence	Spacer size (bp)	Right matched sequence	Mis- mat- ches
1	ttgctctCaccAgtaTA	25	TTtTcaggtaagTgcaa	8
2	tCActcttacctgGacc	19	CCtacagggttaagGgcCa	7
3	tctcagAtgAtacacCC	24	AgtacaggCaTgagcCa	8
4	tGAtcccacagaAatAc	18	gCatTtctgtgggaTCa	8
5	ttCctctAacctgtaTT	25	gAtCcaggtaagGTcaa	8
6	tAgtcccCagatatGA	19	aAggtgTgGaTgaggaa	8
7	ttgtcAcacaTataCcG	21	TgGtatTtgtgTgacaa	8
8	tAActcttacctgtaGT	16	AgatTtctCtgggGcaa	8
9	ttActccAactAacTat	16	ccgtTtaccGgctTaga	7
10	tGgctcAtacctgtaGT	14	aGgAtgagGTggaggaa	8
11	ttgctcAtacAtgtGcA	21	atgCtgTgtaggTggTa	8
12	ttgtcccacagaCatTc	18	ccACgtaGcagctgGga	6
13	tcAcaCctggtacaTAg	27	GtgTtTagtaggGggaa	8
14	ttgtcccacagCtaCcc	29	gAgtCtTtgtAggacaa	6
15	tctcaActgAAacaAgg	23	TgtaAtgTCaagagcaa	8

Fig. 9A

	Control transfection (no RNA)			CD52-TALEN+TRAC+TALEN transfection		
	Nb seq analyzed	Nb indels	Frequency indels (less than)	Nb seq analyzed	Nb indels	Frequency indels (less than)
	3965	0	2.52E-04	7560	3371	0.44
	1046	0	9.56E-04	2266	1056	0.47
Matched sequence						
CD52-R_TRAC-R	7132	0	1.4E-04	7644	1	1.3E-04
CD52-R_TRAC-R	6431	0	1.6E-04	7377	2	2.7E-04
CD52-R_TRAC-R	2771	0	3.6E-04	2704	80	3.7E-04
TRAC-L_CD52-L	5525	0	1.8E-04	4739	0	2.1E-04
CD52-R_TRAC-R	27958	0	3.6E-05	16646	0	6.0E-05
TRAC-L_CD52-L	22456	0	4.5E-05	32912	10	3.0E-04
TRAC-L_CD52-L	8275	0	1.2E-04	5629	0	1.8E-04
TRAC-L_CD52-R	23253	0	4.3E-05	22054	16	7.3E-04
CD52-L_TRAC-R	13371	0	7.5E-05	13688	1	7.3E-05
CD52	22856	0	4.4E-05	31292	0	3.2E-05
CD52	3238	1	3.1E-04	3064	0	3.3E-04
TRAC	4530	0	2.2E-04	4652	0	2.1E-04
CD52-L_TRAC-R	17361	0	5.8E-05	14454	0	6.9E-05
TRAC-L_CD52-L	32823	0	3.0E-05	33911	1	2.9E-05
CD52-R_TRAC-R	6479	0	1.5E-04	6088	0	1.6E-04

Fig. 9B





Fig. 10

**Fig. 11****Fig. 13**

14/41




Fig. 12




Fig.14A




Fig. 14B







Fig. 14C



18/41

**Fig.15A****Fig.15B**

19/41

***Fig.15C***

20/41

**Fig. 16A****Fig. 16B**




Fig. 17




Fig. 17-1

23/41




Fig.18

24/41





Fig. 18-1





Wildtype seq CATGTCCTAACCCCTGATCCTCTTGTCGCCACAGATATCCAGAACCCCTGACCCCTGCCGTGTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCTGATCCTCTTGTCGCCACAGATAT-----CCGCTGTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCTGATCCTCTTGTCGCCACAGATATCCAGA-----TATCCGCTGTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCT-----CGATCCTGCCGTGTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCTGATCCTCTTGTCGCCACAGATATCCAGA-----TATCCTGCCGTGTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCTGATCCTCTTGTCGCCACAGATATCCAGAACCCCTG-----ACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCTGATCCTCTTGTCGCCACAGATAT-----GAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCTGATCCTCTTGTCGCCAC-----CCTGCCGTGTACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG
CATGTCCTAACCCCTGATCCTCTTGTCGCCACAGATATCCAGAA-----ACCAGCTGAGAGACTCTAAATCCAGTGACAAGTCTGCTGCGCTATTCACCGATTTTG




high-throughput sequencing

Fig. 19

26/41

***Fig.20A******Fig.20B***

27/41

**Fig.21A****Fig.21B****Fig.21C**




Figure 22




Figure 23




Figure 24A




Figure 24B




Figure 25A




Figure 25B




Figure 25C






Figure 26








Fig. 28




Fig. 29




Fig. 30




Fig. 31

SEQUENCE LISTING

<110> GALETTO ROMAN
 GROSSE STEPHANIE
 GOUBLE AGNES
 MANNIOUI CECILE
 POIROT LAURENT
 SMITH JULIANNE
 SCHARENBERG ANDREW
 CELLECTIS

<120> METHODS FOR ENGINEERING ALLOGENEIC AND HIGHLY ACTIVE
 T CELL FOR IMMUNOTHERAPY

<130> 435147W0 (DI2013-18PCT)

<160> 126

<170> PatentIn version 3.5

<210> 1

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex2

<400> 1

tattcactga tggactccaa agaatcatta actcctggta gagaagaaa

49

<210> 2

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex3T2

<400> 2

tgcttggtgt gctctgatga agcttcagga tgctcattat gagtcttaa

49

<210> 3

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex3T4

<400> 3

tgctctgatg aagcttcagg atgtcattat ggagtcttaa cttgtggaa

49

<210> 4

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T1

<400> 4

tggtgtcact gttggagggtt attgaacctg aagtgttata tgcaggata

49

<210> 5

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T2

<400> 5

tatgatagct ctgttcaga ctcaacttgg aggatcatga ctacgtca

49

<210> 6

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T3

<400> 6

ttatatgcag gatatgatag ctctgttcca gactcaactt ggaggatca

49

<210> 7

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex2-LPT9-L1

<400> 7

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
1 5 10 15Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
20 25 30His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
35 40 45Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala

345147W0-seql-000001

100

105

110

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
 275 280 285

Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350

Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 Page 3

370

375

380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 435 440 445

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
 530

<210> 8

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex2-LPT9-R1

<400> 8

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60

345147W0-seql-000001

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 65 70 75 80
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95
 Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 100 105 110
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 130 135 140
 Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
 325 330 335

345147W0-seq1-000001

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
340 345 350

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
370 375 380

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 9

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex3T2-L1

<400> 9

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 100 105 110

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 130 135 140

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala

290

295

300

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 340 345 350

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
 485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
 530

<210> 10

<211> 530

<212> PRT

<213> Artificial Sequence

345147W0-seq1-000001

<220>

<223> Repeat-GRex3T2-R1

<400> 10

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
 50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 65 70 75 80

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 100 105 110

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 245 250 255

345147W0-seq1-000001

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 370 375 380
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415
 Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 465 470 475 480
 Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
 485 490 495
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
530

<210> 11

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex3T4-L1

<400> 11

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
100 105 110

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
165 170 175

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
195 200 205

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
Page 11

210

215

220

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 245 250 255

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
 325 330 335

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 Page 12

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
 530

<210> 12

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex3T4-R1

<400> 12

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175

345147W0-seq1-000001

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 370 375 380
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 405 410 415
 Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 435 440 445

345147W0-seql-000001

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 13

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex5T1-LPT8-L1

<400> 13

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala

345147W0-seq1-000001

130

135

140

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 210 215 220

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 245 250 255

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala

345147W0-seql-000001

405

410

415

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 485 490 495

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
 530

<210> 14

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex5T1-LPT8-R1

<400> 14

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95

345147W0-seq1-000001

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 130 135 140
 Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365

345147W0-seql-000001

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
435 440 445

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 15

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex5T2-L1

<400> 15

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys

345147W0-seql-000001

50

55

60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
165 170 175

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
195 200 205

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
245 250 255

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
290 295 300

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys

345147W0-seql-000001

325

330

335

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 16

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex5T2-R1

<400> 16

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

345147W0-seql-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 35 40 45
 Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
 50 55 60
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 65 70 75 80
 Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 130 135 140
 Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285

345147W0-seql-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
290 295 300

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
325 330 335

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 17

<211> 530

<212> PRT
 <213> Artificial Sequence

<220>
 <223> Repeat-GRex5T3-L1

<400> 17
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
 50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 65 70 75 80

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 130 135 140

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala

245

250

255

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
 485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 Page 25

515

Leu Glu
530

<210> 18

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat-GRex5T3-R1

<400> 18

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
100 105 110

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
130 135 140

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
165 170 175

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
195 200 205

345147W0-seq1-000001

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
245 250 255

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
260 265 270

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
275 280 285

Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
290 295 300

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
325 330 335

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

345147W0-seql-000001

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 19

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex2-L TALEN

<400> 19

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcgttcgac	agtggcgag	caccacgagg	cactggtcgg	ccacgggttt	180
acacacgcgc	acatcgttgc	gttaagccaa	caccgcgcag	cgtagggac	cgctcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtcggcggc	acgcgctctg	gaggccttgc	tcacgggtggc	gggagagttg	360
agagggtccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtctaac	480
ttgaccccg	agcaggtggt	ggccatcgcc	agcaatattg	gtggcaagca	ggcgctggag	540
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	600
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	720
ggcgggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	840
ctggagacgg	tccagcggt	gttgccggtg	ctgtgccagg	cccacggctt	gaccccgag	900
caggtggtgg	ccatcgccag	caatattggt	ggcaagcagg	cgctggagac	ggtgcaggcg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccg	agcaggtggt	ggccatcgcc	1020
agccacgatg	gcggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ccagcaggtg	gtggccatcg	ccagcaatgg	cgggtggcaag	1140
caggcgctgg	agacggtcca	gcggctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccccagcagg	tgggtggccat	cgccagcaat	aatggtggca	agcaggcgct	ggagacggtc	1260
cagcggtgtg	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1320
atcgccagca	atattggtgg	caagcaggcg	ctggagacgg	tgacggcgct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gaccccccag	caggtggtgg	ccatcgccag	caatggcggt	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgacccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	1560
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	1740
attggtggca	agcaggcgct	ggagacggtg	caggcgctgt	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	1860
ctggagacgg	tccagcggt	gttgccggtg	ctgtgccagg	cccacggctt	gaccccccag	1920
caggtggtgg	ccatcgccag	caatggcggt	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgtcgctt	tggcctgcct	cggcgggcgt	2160
cctgcgctgg	atgcagttaa	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgcccacc	2280
gagtacatcg	gatcgatcga	gatcgccggg	aacagcaccc	aggaccgtat	cctggagatg	2340
aagggtgatgg	agttcttcat	gaagggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400

345147W0-seq1-000001

aggaagcccc	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacg	gccaggccga	cgaaatgcag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	acccaacga	gtggtggaag	2580
gtgtaccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcaccct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 20

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex2-R TALEN

<400> 20

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccc	tgccaagttc	60
gagagacagc	acatggacag	catcgatata	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgttcgacag	tggcgagca	ccacgaggca	180
ctggtcggcc	acgggtttac	acacgcgcac	atcgttgctg	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgag	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgtcgg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acggtggcgg	gagagttgag	aggtccaccg	ttacagttag	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtgc	atgcatggcg	caatgcaactg	480
acgggtgccc	cgctcaactt	gacccccag	cagggtggtg	ccatcgccag	caatggcggg	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctggtgccc	tgctgtgcca	ggcccacggc	600
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	660
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	720
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacgggtcca	gcggctgttg	780
cggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	840
ggcgtgggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccgggtgct	gtgccaggcc	900
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	960
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccggag	1020
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1140
agcaatggcg	gtggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1200
caggcccacg	gcttgacccc	ggagcagggtg	gtggccatcg	ccagccacga	tggcggcaag	1260
caggcgctgg	agacgggtcca	gcggctgttg	ccgggtgctgt	gccaggccca	cggcttgacc	1320
ccccagcagg	tgggtggccat	cgccagcaat	ggcgggtggca	agcaggcgct	ggagacggtc	1380
cagcggtctg	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1440
atcgccatga	atatgtgtgg	caagcaggcg	ctggagacgg	tgcaggcgct	ggtgcccgtg	1500
ctgtgccagg	cccacggctt	gaccccggag	caggtggtgg	ccatcgccag	ccacgatggc	1560
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccc	tgctgtgcca	ggcccacggc	1620
ttgaccccc	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	1680
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	1740
gtggccatcg	ccagcaatat	tgggtggcaag	caggcgctgg	agacgggtgca	ggcgctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	1860
aatggtggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccgggtgct	gtgccaggcc	1920
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	1980
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cgcttatctc	gccctgatcc	ggcgttgccc	gcgttgacca	acgaccacct	cgctgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgctggat	gcagtgaata	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcacccag	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	gactacgtga	caccaaggcc	tactccggcg	gctacaacct	gcccacggcg	2520
caggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaaggt	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttctgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 21

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex3T2-L TALEN

<400> 21

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcggttcgac	agtggcgag	caccacgagg	cactggtcgg	ccacgggttt	180
acacacgcgc	acatcgttgc	gttaagccaa	caccggcgag	cgtagggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtcggcggc	acgcgctctg	gaggccttgc	tcacggtggc	gggagagtgtg	360
agagggtccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtcgaac	480
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	540
acggtccagc	ggctgttgcc	gggtgctgtg	caggcccacg	gcttgacccc	ggagcaggtg	600
gtggccatcg	ccagccacga	tggcggaag	caggcgctgg	agacggtcca	gcggctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	720
gatggcggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccggtgct	gtgccaggcc	780
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	840
ctggagacgg	tccagcggtc	gttgccgggt	ctgtgccagg	cccacggctt	gacccccag	900
caggtggtgg	ccatcgccag	caataatggt	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1020
agcaataatg	gtggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ccagcaggtg	gtggccatcg	ccagcaatgg	cggtggcaag	1140
caggcgctgg	agacggtcca	gcggctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccccagcagg	tgggtggccat	cgccagcaat	aatggtggca	agcaggcgct	ggagacggtc	1260
cagcggctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1320
atcgccagca	atggcggtgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccggtg	1380
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgacccccg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	1560
acggctccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	1740
gatggcggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	1860
ctggagacgg	tccagcggtc	gttgccggtg	ctgtgccagg	cccacggctt	gacccccag	1920
caggtggtgg	agctgcgccag	caataatggt	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgctgcct	tggcctgcct	cggcgggcgt	2160
cctgcgctgg	atgcagtga	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtcggagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgcccac	2280
gagtacatcg	agctgatcga	gatcgccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	ggcggtctcc	2400
aggaagcccg	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacat	gccaggccga	cgaatgcaag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	accccaacga	gtggtggaag	2580
gtgtacccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcaccct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 22

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex3T2-R TALEN

345147W0-seq1-000001

```

<400> 22
atgggcgatc ctaaaaagaa acgtaagggtc atcgataagg agaccgcccgc tgccaagtctc 60
gagagacagc acatggacag catcgatatc gccgatctac gcacgctcgg ctacagccag 120
cagcaacagg agaagatcaa accgaagggtt cgttcgacag tggcgagcag ccacgaggca 180
ctggtcggcc acgggtttac acacgcgcac atcgttgcgt taagccaaca cccggcagcg 240
ttagggaccg tcgctgtcaa gtatcaggac atgatcgagc cgttgccaga ggcgacacac 300
gaagcgatcg ttggcgtcgg caaacagtgg tccggcgcac gcgctctgga ggccttgctc 360
acggtggcgg gagagttgag aggtccaccg ttacagttgg acacaggcca acttctcaag 420
attgcaaaac gtggcggcgt gaccgcagtg gaggcagtgc atgcatggcg caatgcactg 480
acgggtgccc cgctcaactt gacccccagc caggtggtgg ccacgcccag caatggcggt 540
ggcaagcagg cgctggagac ggtccagcgg ctggttgccg tgctgtgcca ggcccacggc 600
ttgacccccg agcaggtggt ggccatcgcc agcaatattg gtggcaagca ggcgctggag 660
acggtgcagg cgctgttgcc ggtgctgtgc caggcccacg gcttgacccc ggagcaggtg 720
gtggccatcg ccagcaatat tgggtggcaag caggcgctgg agacggtgca ggcgctgttg 780
ccggtgctgt gccaggccca cggcttgacc cccagcaggg tgggtggccat cgccagcaat 840
aatggtggca agcaggcgct ggagacggtc cagcggtgtg tgccggtgct gtgccaggcc 900
cacggcttga ccccgagca ggtggtggcc atcgccagca atattggtgg caagcaggcg 960
ctggagacgg tgcaggcgct gttgccggtg ctgtgccagg cccacggctt gacccccgag 1020
caggtggtgg ccacgcccag ccacgatggc ggcaagcagg cgctggagac ggtccagcgg 1080
ctgttgccgg tgctgtgcca ggcccacggc ttgacccccc agcaggtggt ggccatcgcc 1140
agcaatggcg gtggcaagca ggcgctggag acggtccagc ggctgttgcc ggtgctgtgc 1200
caggcccacg gcttgacccc ggagcaggtg gtggccatcg ccagccacga tggcggaag 1260
caggcgctgg agacggtcca cgggtgctgt cccagggcca cggcttgacc 1320
ccggagcagg tgggtggccat cgccagccac gatggcggca agcaggcgct ggagacggtc 1380
cagcggtgtg gtccggtgct gtgccaggcc caggcttga ccccgagca ggtggtggcc 1440
atcgccatga atattggtgg caagcaggcg ctggagacgg tgcaggcgct gttgcccgtg 1500
ctgtgccagg cccacggctt gacccccagc caggtggtgg ccacgcccag caatggcggt 1560
ggcaagcagg cgctggagac ggtccagcgg ctggttgccg tgctgtgcca ggcccacggc 1620
ttgacccccg agcaggtggt ggccatcgcc agcaatattg gtggcaagca ggcgctggag 1680
acggtgcagg cgctgttgcc ggtgctgtgc caggcccacg gcttgacccc ggagcaggtg 1740
gtggccatcg ccagcaatat tgggtggcaag caggcgctgg agacggtgca ggcgctgttg 1800
ccggtgctgt gccaggccca cggcttgacc cccagcaggg tgggtggccat cgccagcaat 1860
ggcggtggca agcaggcgct ggagacggtc cagcggtgtg tgccggtgct gtgccaggcc 1920
cacggcttga ccccccagca ggtggtggcc atcgccagca ataatggtgg caagcaggcg 1980
ctggagacgg tccagcggtt gttgccggtg ctgtgccagg cccacggctt gacccctcag 2040
caggtggtgg ccacgcccag caatggcggtt ggaggccgg cgctggagag cattgttgcc 2100
cagttatctc gccctgatcc ggcgttgccc gcgttgacca acgaccacct cgtcgcttg 2160
gcctgcctcg gcgggcgtcc tgcgctggat gcagtgaata agggattggg ggatcctatc 2220
agccgttccc agctggtgaa gtccgagctg gaggagaaga aatccgagtt gaggcacaag 2280
ctgaagtacg tgccccacga gtacatcgag ctgatcgaga tcgcccggaa cagcacccag 2340
gaccgtatcc tggagatgaa ggtgatggag ttcttcatga aggtgtacgg ctacaggggc 2400
aagcacctg gcggctccag gaagcccagc ggcgccatct acaccgtggg ctccccatc 2460
gactacggcg tgatcgtgga caccaaggcc tactccggcg gctacaacct gccatcggc 2520
caggccgacg aaatgcagag gtacgtggag gagaaccaga ccaggaacaa gcacatcaac 2580
cccaacgagt ggtggaaggt gtacccctcc agcgtgaccg agttcaagtt cctgttcgtg 2640
tccggccact tcaagggcaa ctacaaggcc cagctgacca ggctgaacca catcaccaac 2700
tgcaacggcg ccgtgctgtc cgtggaggag ctcttgatcg gcggcgagat gatcaaggcc 2760
ggcacctga ccctggagga ggtgaggagg aagttcaaca acggcgagat caacttcgcg 2820
cccactgat aa

```

<210> 23

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> GReX3T4-L TALEN

```

<400> 23
atgggcgatc ctaaaaagaa acgtaagggtc atcgattacc catacgatgt tccagattac 60
gctatcgata tcgccgatct acgcacgctc ggctacagcc agcagcaaca ggagaagatc 120
aaaccgaagg ttcgttcgac agtggcgagc caccacgagg cactggtcgg ccacgggttt 180
acacacgcgc acatcgttgc gtttaagcca caccggcagc cgtaggggac cgtcgctgtc 240
aagtatcagg agcgttgcca gaggcgacac gaggccttgc acgaagcgat cgttggcgctc 300
ggcaaacagt ggtccggcgc acgcgctctg gaggccttgc tcacggtggc gggagagttg 360

```

345147W0-seq1-000001

agaggtccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtcaca	480
ttgaccccc	agcagggtgt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	540
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	600
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacgggtcca	gcggctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	720
ggcgggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccgggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	840
ctggagacgg	tccagcggt	gttgccgggt	ctgtgccagg	cccacggctt	gacccccag	900
caggtggtgg	ccatcgccag	caatggcgg	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1020
agcaataatg	gtggcaagca	ggcgctggag	acgggtccagc	ggctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ggagcaggtg	gtggccatcg	ccagcaatat	tgggtggcaag	1140
caggcgctgg	agacgggtga	ggcgctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccccagcagg	tgggtggccat	cgccagcaat	ggcgggtggca	agcaggcgct	ggagacggtc	1260
cagcggctgt	tgccgggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1320
atcgccagca	ataatggtgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gaccccggag	caggtggtgg	ccatcgccag	caatattggt	1440
ggcaagcagg	cgctggagac	ggtgcaggcg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccgg	agcaggtggt	ggccatcgcc	agcaatatg	gtggcaagca	ggcgctggag	1560
acggtgacgg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacgggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	1740
gatggcggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccgggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcgggtg	caagcaggcg	1860
ctggagacgg	tccagcggct	gttgccgggt	ctgtgccagg	cccacggctt	gacccccag	1920
caggtggtgg	ccatcgccag	caatggcgg	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcgcttg	ccgcgttgac	caacgaccac	ctcgtcgcct	tggcctgcct	cggcgggctg	2160
cctgcgtcgg	atgcagtga	aaagggttg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cggtccccc	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacagg	gcaagcacct	gggcggctcc	2400
aggaagccc	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgatgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacg	gccaggccga	cgaatgcaag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	accccaacga	gtggtggaag	2580
gtgtacccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgctccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cggcgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcacctt	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 24

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex3T4-R TALEN

<400> 24

atgggcatc	ctaaaaagaa	acgtaaggct	atcgataagg	agaccgccgc	tgccaagtgc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaagggt	cggtcgacag	tggcgacagg	ccacgaggca	180
ctggtcggcc	acgggtttac	acacgcgcac	atcggttgcg	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgag	cggttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgctcg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acgggtggcg	gagagttag	aggtccaccg	ttacagttag	acacaggcca	acttctcaag	420
attgcaaaac	gtggcgcggt	gaccgcagtg	gaggcagtg	atgcatggcg	caatgcactg	480
acgggtgccc	cgctcaactt	gacccccag	caggtggtgg	ccatcgccag	caatggcgg	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	600
ttgaccccgg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	660
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	720
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacgggtcca	gcggctgttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	840
attggtggca	agcaggcgct	ggagacgggtg	caggcgctgt	tgccgggtgct	gtgccaggcc	900

345147W0-seq1-000001

cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	960
ctggagacgg	tccagcggct	gttgccgggt	ctgtgccagg	cccacggctt	gaccccggag	1020
caggtgggtg	ccatcgccag	caatattggt	ggcaagcagg	cgctggagac	ggtgcaggcg	1080
ctgttgccgg	tgctgtgcc	ggcccacggc	ttgaccccg	agcagggtgt	ggccatcgcc	1140
agcaatattg	gtggcaagca	ggcgctggag	acggtgcagg	cgctgttgcc	ggtgctgtgc	1200
caggcccacg	gcttgacccc	ccagcagggt	gtggccatcg	ccagcaataa	tgggtggcaag	1260
caggcgctgg	agacgggtcca	gcggctgttg	ccgggtgctgt	gccaggccca	cggcttgacc	1320
ccccagcagg	tgggtggccat	cgccagcaat	ggcgggtggca	agcaggcgct	ggagacggtc	1380
cagcggctgt	tgccgggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1440
atcgccagca	atggcgggtg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1500
ctgtgccagg	cccacggctt	gaccccggag	caggtggtgg	ccatcgccag	caatattggt	1560
ggcaagcagg	cgctggagac	ggtgcaggcg	ctgttgccgg	tgctgtgcc	ggcccacggc	1620
ttgaccccg	agcagggtgt	ggccatcgcc	agcaatattg	gtggcaagca	ggcgctggag	1680
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcagggtg	1740
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacgggtcca	gcggctgttg	1800
ccgggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	1860
attggtggca	agcaggcgct	ggagacgggt	caggcgctgt	tgccgggtgct	gtgccaggcc	1920
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	1980
ctggagacgg	tccagcggct	gttgccgggt	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggttg	ccatcgccag	caatggcggc	ggcaggcccg	cgctggagag	cattgttgcc	2100
cagttatctc	gccctgatcc	ggcgttggcc	gcgttgacca	acgaccacct	cgtcgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgctggat	gcagtgaata	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcacccag	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacggc	2520
caggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
ccaacgagt	ggtggaagg	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttcgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgcaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcacctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 25

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T1-L TALEN

<400> 25

atgggagatc	ctaaaaagaa	acgtaagggtc	atcgattacc	catagcatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcggttcgac	agtggcgag	caccacgagg	cactggctcg	ccacgggttt	180
acacacgcgc	acatggttgc	gttaagccaa	caccggcag	cgtagggac	cgctcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtccggcgc	acgcgctctg	gaggccttgc	tcacgggtggc	gggagagttg	360
agaggtccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcacatcgat	cgcaatgcac	tgacgggtgc	cccgtcctaac	480
ttgaccccc	agcagggtgt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	540
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcagggtg	600
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacgggtcca	gcggctgttg	660
ccgggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	720
ggcgggtggca	agcaggcgct	ggagacgggt	cagcggtgtg	tgccgggtgct	gtgccaggcc	780
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatgggtg	caagcaggcg	840
ctggagacgg	tccagcggct	gttgccgggt	ctgtgccagg	cccacggctt	gacccccag	900
caggtggttg	ccatcgccag	caatggcgg	ggcaagcagg	cgctggagac	ggtccagcg	960
ctgttgccgg	tgctgtgcc	ggcccacggc	ttgaccccg	agcagggtgt	ggccatcgcc	1020
agccacgatg	gcggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ggagcagggt	gtggccatcg	ccagcaatat	tgggtggcaag	1140
caggcgctgg	agacgggtgca	ggcgctgttg	ccgggtgctgt	gccaggccca	cggcttgacc	1200
ccggagcagg	tgggtggccat	cgccagccac	gatggcggca	agcaggcgct	ggagacggtc	1260
cagcggtgtg	tgccgggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1320
atcgccagca	atggcgggtg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1380

345147W0-seq1-000001

ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	1560
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tggtggccat	cgccagcaat	1740
aatggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	1860
ctggagacgg	tccagcggt	gttgccggtg	ctgtgccagg	cccacggctt	gaccccggag	1920
caggtggtgg	ccatcgccag	caatatgtgt	ggcaagcagg	cgctggagac	ggtgcaggcg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgtcgcc	tgccctgcct	cggcgggctg	2160
cctgcgctgg	atgcagtga	aaagggattg	ggggatccta	tcagccgttc	ccagctggag	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagcccc	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccac	gccaggccga	cgaatgcaag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	accccaacga	gtggtggaag	2580
gtgtacccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcaccct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 26

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T1-R TALEN

<400> 26

atgggcatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccc	tgccaagttc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgctcgacag	tgccgcagca	ccacgaggca	180
ctggctggcc	acgggtttac	acacgcgcac	atcggttgcg	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgca	cggttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgtcgg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acgggtggcg	gagagttgag	aggtccaccg	ttacagttgg	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtc	gaggcagtcg	atgcatggcg	caatgcatag	480
acgggtgccc	cgctcaactt	gaccccggag	caggtggtgg	ccatcgccag	caatatgtgt	540
ggcaagcagg	cgctggagac	ggtgcaggcg	ctgttgccgg	tgctgtgcca	ggcccacggc	600
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	660
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	720
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacggtcca	gcggctgttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tggtggccat	cgccagccac	840
gatggcggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	900
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcgggtg	caagcaggcg	960
ctggagacgg	tccagcggt	gttgccggtg	ctgtgccagg	cccacggctt	gacccccag	1020
caggtggtgg	ccatcgccag	caataatggt	ggcaagcagg	cgctggagac	ggtccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccgg	agcaggtggt	ggccatcgcc	1140
agccacgatg	gcggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1200
caggcccacg	gcttgacccc	ggagcaggtg	gtggccatcg	ccagcaatat	tggtggcaag	1260
caggcgctgg	agacggtgca	ggcgctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1320
ccccagcagg	tggtggccat	cgccagcaat	ggcgggtggca	agcaggcgct	ggagacggtc	1380
cagcggctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1440
atcgccagca	atattggtgg	caagcaggcg	ctggagacgg	tgcaggcgct	gttgccggtg	1500
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caatggcggt	1560
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1620
ttgaccccgg	agcaggtggt	ggccatcgcc	agcaatatgt	gtggcaagca	ggcgctggag	1680
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	1740
gtggccatcg	ccagcaatat	tggtggcaag	caggcgctgg	agacggtgca	ggcgctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tggtggccat	cgccagccac	1860
gatggcggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	1920

345147W0-seq1-000001

cacggcttga	ccccggagca	ggtggtggcc	atcgccagca	atattggtgg	caagcaggcg	1980
ctggagacgg	tcagggcgct	gttgccggtg	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgtttgcc	2100
cagttatctc	gccctgatcc	ggcgttggcc	gcgttgacca	acgaccacct	cgtcgccttg	2160
gcctgcctcg	gcgggctgcc	tcgctgggat	gcagtgaana	agggattggg	ggatcctatc	2220
agccgtttcc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcaccagc	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccga	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacgggc	2520
caggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaagg	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttctgt	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgcaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 27

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T2-L TALEN

<400> 27

atgggagatc	ctaaaaagaa	acgtaaggctc	atcgattacc	catagcatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcgttcgac	agtggcgacg	caccacgagg	cactgggtcgg	ccacgggttt	180
acacacgcgc	acatcggttg	gttaagccaa	caccggcgag	cgttaggagac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtccggcgc	acgcgctctg	gaggccttgc	tcacgggtggc	gggagagttg	360
agagggtccac	cgttacagtt	ggacacaggc	caactttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtctaac	480
ttgaccccg	agcaggtggt	ggccatcgcc	agcaatatgt	gtggcaagca	ggcgctggag	540
accgtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	600
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacgggtcca	gcggctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	720
aatggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagca	atattggtgg	caagcaggcg	840
ctggagacgg	tcagggcgct	gttgccggtg	ctgtgccagg	cccacggctt	gacccccag	900
caggtggtgg	ccatcgccag	caatggcggt	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccg	agcaggtggt	ggccatcgcc	1020
agcaatatgt	gtggcaagca	ggcgctggag	acggtgcagg	cgctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ccagcaggtg	gtggccatcg	ccagcaataa	tgggtggcaag	1140
caggcgctgg	agacgggtcca	gcggctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccggagcagg	tgggtggcct	cgccagccac	gatggcgcca	agcaggcgct	ggagacggtc	1260
cagcggctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1320
atcgccagca	atggcggtgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gaccccgagg	caggtggtgg	ccatcgccag	ccacgatggc	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgacccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	1560
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacgggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	1740
ggcggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	1860
ctggagacgg	tccagcggct	gttgccggtg	ctgtgccagg	cccacggctt	gacccccagg	1920
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcgcttg	ccgcgttgac	caacgaccac	ctcgtcgcct	tggcctgcct	cggcgggcgt	2160
cctgcgctgg	atgcagttaa	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	gatcgcccg	gatcgcccg	aacagcaccc	aggaccgtat	cctggagatg	2340
aagggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400

345147W0-seq1-000001

aggaagcccc	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacg	gccaggccga	cgaaatgcag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	acccaacga	gtggtggaag	2580
gtgtaccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcaccct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 28

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T2-R TALEN

<400> 28

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccc	tgccaagtgc	60
gagagacagc	acatggacag	catcgataac	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgttcgacag	tggcgcagca	ccacgaggca	180
ctggtcggcc	acgggtttac	acacgcgcac	atcgttgcgt	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgag	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgtcgg	caaacagttg	tccggcgcac	gcgctctgga	ggccttgctc	360
acggtggcgg	gagagttgag	aggtccaccg	ttacagttgg	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtcg	atgcatggcg	caatgcaactg	480
acgggtgccc	cgctcaactt	gacccccag	cagggtggtg	ccatcgccag	caataatggt	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctggtgccc	tgctgtgcca	ggcccacggc	600
ttgacccccg	agcaggtggt	ggccatcgcc	agcaatattg	gtggcaagca	ggcgctggag	660
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	720
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	780
ccgggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	840
gatggcggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccggtgct	gtgccaggcc	900
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	960
ctggagacgg	tccagcggct	gttgccggtg	ctgtgccagg	cccacggctt	gacccccag	1020
caggtggtgg	ccatcgccag	caatggcggg	ggcaagcagg	cgctggagac	ggtccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccgg	agcaggtggt	ggccatcgcc	1140
agcaatattg	gtggcaagca	ggcgctggag	acggtgcagg	cgctgttgcc	ggtgctgtgc	1200
caggcccacg	gcttgacccc	ccagcaggtg	gtggccatcg	ccagcaataa	tgggtggcaag	1260
caggcgctgg	agacggtcca	gcggctgttg	ccgggtgctgt	gccaggccca	cggcttgacc	1320
ccccagcagg	tgggtggccat	cgccagcaat	ggcgggtggca	agcaggcgct	ggagacggtc	1380
cagcggtctg	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1440
atcgccagcc	caagcaggcg	ctggagcagg	ctggagcagg	tccagcggct	ggtgcccgtg	1500
ctgtgccagg	cccacggctt	gacccccgag	cagggtggtg	ccatcgccag	caatattggt	1560
ggcaagcagg	cgctggagac	ggtgcaggcg	ctgttgccc	tgctgtgcca	ggcccacggc	1620
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	1680
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1740
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	1860
attggtggca	agcaggcgct	ggagacggtg	caggcgctgt	tgccggtgct	gtgccaggcc	1920
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	1980
ctggagacgg	tccagcggct	gttgccggtg	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggg	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gccctgatcc	ggcgttgccc	gcgttgacca	acgaccacct	cgctgccttg	2160
gcctgcctcg	gcgggcgtcc	tgctgtggat	gcagtgaata	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcaccacg	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	gactacgtga	caccaaggcc	tactccggcg	gctacaacct	gcccacggcg	2520
caggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaaggt	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttctgt	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 29

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T3-L TALEN

<400> 29

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcgttcgac	agtggcgag	caccacgagg	cactggtcgg	ccacgggttt	180
acacacgcgc	acatcgttgc	gttaagccaa	caccggcgag	cgtagggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggctccggcg	acgcgctctg	gaggccttgc	tcacggtggc	gggagagtgtg	360
agagggtccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtcgaac	480
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	540
acgggtccagc	ggctgttgcc	gggtgctgtg	caggcccacg	gcttgacccc	ggagcaggtg	600
gtggccatcg	ccagcaatat	tgggtggcaag	caggcgctgg	agacggtgca	ggcgctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	720
ggcgggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagca	atattggtgg	caagcaggcg	840
ctggagacgg	tgcaggcgct	gttgccggtg	ctgtgccagg	cccacggctt	gacccccag	900
caggtggtgg	ccatcgccag	caatggcggt	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1020
agcaataatg	gtggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ggagcaggtg	gtggccatcg	ccagccacga	tggcggcaag	1140
caggcgctgg	agacggtcca	gcggtgtgtg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccggagcagg	tggtgcccat	cgccagcaat	attggtggca	agcaggcgct	ggagacggtg	1260
caggcgctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1320
atcgccagca	ataatggtgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccggtg	1380
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatatgt	gtggcaagca	ggcgctggag	1560
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	1740
attggtggca	agcaggcgct	ggagacggtg	caggcgctgt	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	1860
ctggagacgg	tccagcggt	gttgccggtg	ctgtgccagg	cccacggctt	gacccccag	1920
caggtgggtg	agctgcggag	caataatggt	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgctgcct	tggcctgcct	cggcgggcgt	2160
cctgcgctgg	atgcagtga	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtcggagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagcccg	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacat	gccaggccga	cgaatgcaag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	accccaacga	gtggtggaag	2580
gtgtacccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcaccct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 30

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> GRex5T3-R TALEN

345147W0-seq1-000001

```

<400> 30
atgggcatc ctaaaaagaa acgtaaggtc atcgataagg agaccgccgc tgccaagttc 60
gagagacagc acatggacag catcgatata gccgatctac gcacgctcgg ctacagccag 120
cagcaacagg agaagatcaa accgaaggtt cgttcgacag tggcgagcag ccacgaggca 180
ctggtcggcc acgggtttac acacgcgcac atcgtttgct taagccaaca cccggcagcg 240
ttagggaccg tcgctgtcaa gtatcaggac atgatcgagc cgttgccaga ggcgacacac 300
gaagcgatcg ttggcgtcgg caaacagtgg tccggcgcac gcgctctgga ggccttgctc 360
acggtggcgg gagagttag aggtccaccg ttacagttgg acacaggcca acttctcaag 420
attgcaaaac gtggcggcgt gaccgcagtg gaggcagtgc atgcatggcg caatgcaactg 480
acgggtgccc cgctcaactt gacccccagc caggtggtgg ccacgcccag caataatggt 540
ggcaagcagg cgctggagac ggtccagcgg ctggttgccg tgctgtgcca ggcccacggc 600
ttgacccccg agcaggtggt ggccatcgcc agcaatattg gtggcaagca ggcgctggag 660
acggtgcagg cgctgttgcc ggtgctgtgc caggcccacg gcttgacccc ccagcaggtg 720
gtggccatcg ccagcaatgg cgggtggcaag caggcgctgg agacgggtcca gcggtgttg 780
ccggtgctgt gccaggccca cggcttgacc ccggagcagg tgggtggccat cgccagccac 840
gatggcggca agcaggcgct ggagacggtc cagcggtgtg tgccggtgct gtgccaggcc 900
cacggcttga ccccgagca ggtggtggcc atcgccagcc acgatggcgg caagcaggcg 960
ctggagacgg tccagcggct gttgccggtg ctgtgccagg cccacggctt gacccccag 1020
caggtggtgg caatggcggg ggcaagcagg ggcaagcagg cgctggagac ggtccagcgg 1080
ctgttgccgg tgctgtgcca ggcccacggc ttgacccccg agcaggtggt ggccatcgcc 1140
agccacgatg gcggcaagca ggcgctggag acggtccagc ggctgttgcc ggtgctgtgc 1200
caggcccacg gcttgacccc ggagcaggtg gtggccatcg ccagccacga tggcggaag 1260
caggcgctgg agacggtcca cgggtgttg ccgggtgctg gccaggccca cggcttgacc 1320
ccggagcagg tgggtggccat cgccagcaat attggtggca agcaggcgct ggagacggtg 1380
caggcgctgt gtgccaggcc caggcttga ccccgagca ggtggtggcc 1440
atcgccatga atattggtgg caagcaggcg ctggagacgg tgcaggcgct gttgcccgtg 1500
ctgtgccagg cccacggctt gacccccagc caggtggtgg ccacgcccag caataatggt 1560
ggcaagcagg cgctggagac ggtccagcgg ctggttgccg agcaatggcg gtggcaagca ggcgctggag 1620
ttgacccccg agcaggtggt ggccatcgcc agcaatggcg gcttgacccc ccagcaggtg 1680
acggtccagc ggtgttgcc ggtgctgtgc caggcccacg gcttgacccc ccagcaggtg 1740
gtggccatcg ccagcaatgg cgggtggcaag caggcgctgg agacgggtcca gcggtgttg 1800
ccgggtgctgt gccaggccca cggcttgacc cccagcagg tgggtggccat cgccagcaat 1860
aatggtggca agcaggcgct ggagacggtc cagcggtgtg tgccggtgct gtgccaggcc 1920
cacggcttga ccccgagca ggtggtggcc atcgccagca atattggtgg caagcaggcg 1980
ctggagacgg tgcaggcgct gttgccggtg ctgtgccagg cccacggctt gaccctcag 2040
caggtggtgg ccacgcccag caatggcggc ggcaggccgg cgctggagag cattgttgcc 2100
cagttatctc gccctgaccc ggcgttgacc gcgttgacca acgaccacct cgtcgcttg 2160
gcctgcctcg gcgggcgtcc tgcgctggat gcagtgaata agggattggg ggatcctatc 2220
agccgttccc agctggtgaa gtccgagctg gaggagaaga aatccgagtt gaggcacaag 2280
ctgaagtacg tgccccacga gtacatcgag ctgatcgaga tcgcccggaa cagcacccag 2340
gaccgtatcc tggagatgaa ggtgatggag ttcttcatga aggtgtacgg ctacaggggc 2400
aagcaccttg gcggtccag gaagcccagc ggcgccatct acaccgtggg ctccccatc 2460
gactacggcg tgatcgtgga caccaaggcc tactccggcg gctacaacct gcccatcgcc 2520
caggccgacg aaatgcagag gtacgtggag gagaaccaga ccaggaacaa gcacatcaac 2580
cccaacgagt ggtggaaggt gtacccctcc agcgtgaccg agttcaagtt cctgttcgtg 2640
tccggccact tcaagggcaa ctacaaggcc cagctgacca ggctgaacca catcaccaac 2700
tgcaacggcg ccgtgctgtc cgtggaggag ctcttgatcg gcggcgagat gatcaaggcc 2760
ggcacctga ccctggagga ggtgaggagg aagttcaaca acggcgagat caacttcgcg 2820
cccactgat aa

```

<210> 31

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Forward primer GR exon 2

<220>

<221> misc_feature

<222> (31)..(40)

<223> n is a or c or t or g

<400> 31

```
ccatctcatc cctgcgtgtc tccgactcag nnnnnnnnnn ggttcattta acaagctgcc 60
```

<210> 32
 <211> 60
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Forward primer GR exon 3
 <220>
 <221> misc_feature
 <222> (31)..(40)
 <223> n is a or c or t or g
 <400> 32
 ccattctcatc cctgcgtgtc tccgactcag nnnnnnnnnn gcattctgac tatgaagtga 60
 <210> 33
 <211> 69
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Forward primer GR exon 5
 <220>
 <221> misc_feature
 <222> (31)..(40)
 <223> n is a or c or t or g
 <400> 33
 ccattctcatc cctgcgtgtc tccgactcag nnnnnnnnnn tcagcaggcc actacaggag 60
 tctcacaag 69
 <210> 34
 <211> 50
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Reverse primer GR exon 2
 <400> 34
 cctatcccct gtgtgccttg gcagtctcag agccagttag ggtgaagacg 50
 <210> 35
 <211> 50
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Reverse primer GR exon 3
 <400> 35
 cctatcccct gtgtgccttg gcagtctcag gggctttgca tataatggaa 50
 <210> 36
 <211> 59

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> Reverse primer GR exon 5

 <400> 36
 cctatcccct gtgtgccttg gcagtctcag ctgactctcc cttcatagt cccagaac 59

 <210> 37

 <211> 49
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> TRAC_T01

 <400> 37
 ttgtcccaca gatatccaga accctgaccc tgccgtgtac cagctgaga 49

 <210> 38

 <211> 49
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> TRBC_T01

 <400> 38
 tgtgtttgag ccatcagaag cagagatctc ccacacccaa aaggccaca 49

 <210> 39

 <211> 50
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> TRBC_T02

 <400> 39
 ttcccacccg aggtcgtgt gtttgagcca tcagaagcag agatctccca 50

 <210> 40

 <211> 49
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> CD52_T02

 <400> 40
 ttctcctac tcaccatcag cctcctgggt atggtacagg taagagcaa 49

 <210> 41

 <211> 530
 <212> PRT

<213> Artificial Sequence

<220>

<223> Repeat TRAC_T01-L

<400> 41

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 65 70 75 80

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 210 215 220

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 245 250 255

345147W0-seq1-000001

Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415
 Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 465 470 475 480
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 485 490 495
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
530

<210> 42

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat TRAC_T01-R

<400> 42

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
165 170 175

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
195 200 205

345147W0-seq1-000001

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 370 375 380
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415
 Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 435 440 445
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 465 470 475 480

345147W0-seq1-000001

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 43

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat TRBC_T01-L

<400> 43

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
165 170 175

345147W0-seq1-000001

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
195 200 205

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
245 250 255

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
290 295 300

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
325 330 335

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
340 345 350

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
435 440 445

345147W0-seq1-000001

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 44

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat TRBC_T01-R

<400> 44

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

345147W0-seq1-000001

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380
 Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

345147W0-seq1-000001

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 45

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat TRBC_T02-L

<400> 45

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

345147W0-seq1-000001

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365

345147W0-seql-000001

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
405 410 415

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 46

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat TRBC_T02-R

<400> 46

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
35 40 45

345147W0-seq1-000001

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 65 70 75 80
 Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 130 135 140
 Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 305 310 315 320

345147W0-seq1-000001

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
325 330 335

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
405 410 415

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 47

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat CD52_T02-L

<400> 47

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
1 5 10 15

345147W0-seql-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
130 135 140

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
165 170 175

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
195 200 205

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
245 250 255

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
260 265 270

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
275 280 285

345147W0-seq1-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 340 345 350
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 370 375 380
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 435 440 445
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 465 470 475 480
 Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 485 490 495
 Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525
 Leu Glu
 530

<210> 48

<211> 530
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> Repeat CD52_T02-R

<400> 48
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
 1 5 10 15
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 35 40 45
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 65 70 75 80
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95
 Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 100 105 110
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

345147W0-seq1-000001

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380
 Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 405 410 415
 Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 435 440 445
 Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460
 Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 465 470 475 480
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 485 490 495
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
 530

<210> 49

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> TRAC_T01-L TALEN

<400> 49

atgggcgatc	ctaaaaagaa	acgtaaggct	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcgttcgac	agtggcgag	caccacgagg	cactggctcg	ccacgggttt	180
acacacgcgc	acatcggttc	gttaagccaa	caccggcgag	cgtagggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtccggcgc	acgcgctctg	gaggccttgc	tcacggtggc	gggagagttg	360
agaggtccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtcaac	480
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	540
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	600
gtggccatcg	ccagcaataa	tggtaggcaag	caggcgctgg	agacggtcca	gcggtgtttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tggtaggcat	cgccagcaat	720
ggcggtagga	agcaggcgct	ggagacgggt	cagcggctgt	tgccggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	840
ctggagacgg	tccagcggtc	gttgccggtg	ctgtgccagg	cccacggctt	gaccccgag	900
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccgg	agcaggtggt	ggccatcgcc	1020
agccacgatg	gcggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1080
cagggtagga	cgttgacccc	ggagcaggtg	gtggccatcg	ccagcaatat	tggtaggcaag	1140
caggcgctgg	agacggtgca	ggcgctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccggagcagg	tggtaggcat	cgccagccac	gatggcggca	agcaggcgct	ggagacggtc	1260
cagcggctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1320
atcgccagca	atattggtgg	caagcaggcg	ctggagacgg	tgcaggcgct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	1440
ggcaagcagg	cgctggagag	gttccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccgg	agcaggtggt	ggccatcgcc	agcaatatgt	gtggcaagca	ggcgctggag	1560
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaatgg	cggtaggcaag	caggcgctgg	agacggtcca	gcggtgtttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tggtaggcat	cgccagcaat	1740
attggtggca	agcaggcgct	ggagacgggt	caggcgctgt	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcgggtg	caagcaggcg	1860
ctggagacgg	tccagcggtc	gttgccggtg	ctgtgccagg	cccacggctt	gaccccgag	1920
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccttc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgtgcctt	tggcctgcct	cggcgggctg	2160
cctgcgctgg	atgcagttaa	aaagggattg	ggggatccta	tcagccgttc	ccagctgggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagccc	acggcgccat	ctacaccgtg	ggctccccca	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacg	gccaggccga	cgaatgcag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	acccaacga	gtggtggaag	2580
gtgtaccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcacct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 50

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> TRAC_T01-R TALEN

<400> 50

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccgc	tgccaagttc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgttcgacag	tggcgcagca	ccacgaggca	180
ctggctcgcc	acgggtttac	acacgcgcac	atcggttgcg	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgca	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgctcg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acggtggcgg	gagagttag	aggtccaccg	ttacagttag	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtg	atgcatggcg	caatgcaactg	480
acgggtgccc	cgctcaactt	gaccccgagg	cagggtggtg	ccatcgccag	ccacgatggc	540
ggcaagcagg	cgtctggagc	ggtccagcgg	ctggtgccgg	tgctgtgcca	ggcccacggc	600
ttgaccccc	agcagggtgt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	660
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	720
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacggtcca	gcggctgttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	840
attggtggca	agcaggcgct	ggagacgggtg	caggcgctgt	tgccggtgct	gtgccaggcc	900
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	960
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccgagg	1020
cagggtggtg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcagggtgt	ggccatcgcc	1140
agcaatggcg	gtggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1200
caggcccacg	gcttgacccc	ccagcagggtg	gtggccatcg	ccagcaataa	tgggtggcaag	1260
caggcgctgg	agacgggtcca	cggctgtgtg	ccggtgctgt	gccaggccca	cggcttgacc	1320
ccccagcagg	tgggtggccat	cgccagcaat	aatggtggca	agcaggcgct	ggagacggtc	1380
cagcggctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1440
atcgccagca	atggcgggtg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1500
ctgtgccagg	cccacggctt	gaccccgagg	cagggtggtg	ccatcgccag	caatatgtgt	1560
ggcaagcagg	cgtctggagc	ggtgcaggcg	ctggtgccgg	tgctgtgcca	ggcccacggc	1620
ttgacccccg	agcagggtgt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	1680
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	1740
gtggccatcg	ccagcaatat	tgggtggcaag	caggcgctgg	agacggtgca	ggcgctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	1860
gatggcggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccggtgct	gtgccaggcc	1920
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	1980
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccctcag	2040
cagggtggtg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gccctgatcc	ggcgttgacc	gcgttgacca	acgaccacct	cgtcgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgctggat	gcagtgaata	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccagagt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcaccag	2340
gaccgtatcc	tgagatgaa	ggtgatggag	ttcttcata	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacgggc	2520
caggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaaggt	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttcgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgcaaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 51

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> TRBC_T01-L TALEN

345147W0-seq1-000001

```

<400> 51
atgggcgatc ctaaaaagaa acgtaaggtc atcgattacc catacgaatgt tccagattac 60
gctatcgata tcgccgatct acgcacgctc ggctacagcc agcagcaaca ggagaagatc 120
aaaccgaagg ttcgttcgac agtggcgag caccacgagg cactggtcgg ccacgggttt 180
acacacgcgc acatcgttgc gttaagccaa caccggcgag cgtagggac cgtcgctgtc 240
aagtatcagg acatgatcgc agcgttgcca gaggcgacac acgaagcgat cgttggcgctc 300
ggcaaacagt ggtccggcgc acgcgctctg gaggccttgc tcacggtggc gggagagttg 360
agaggtccac cgttacagtt ggacacaggg caacttctca agattgcaaa acgtggcggc 420
gtgaccgcag tggaggcagt gcatgcatgg cgcaatgcac tgacgggtgc cccgctcaac 480
ttgaccccc agcaggtggt ggccatcgcc agcaataatg gtggcaagca ggcgctggag 540
acggtccagc ggctgttgcc ggtgctgtgc caggcccacg gcttgacccc ccagcaggtg 600
gtggccatcg ccagcaatgg cgggtggcaag caggcgctgg agacggtcca gcggtgttg 660
ccggtgtgtg gccaggccca cggcttgacc cccagcagg tggtagccat cgccagcaat 720
aatggtggca agcaggcgct ggagacggtc cagcggctgt tgccggtgct gtgccaggcc 780
cacggcttga cccccagca ggtggtggcc atcgccagca atggcggtgg caagcaggcg 840
ctggagacgg tccagcggct gttgccggtg ctgtgccagg cccacggctt gacccccag 900
caggtggtgg ccatcgccag caatggcggg ggcaagcagg cgctggagac ggtccagcgg 960
ctgttgccgg tgctgtgcca ggcccacggc ttgaccccc agcaggtggt ggccatcgcc 1020
agcaatggcg gtggcagcgg ggcgctggag acggtccagc ggctgttgcc ggtgtgtgc 1080
cagggccacg ccttgacccc ccagcaggtg gtggccatcg ccagcaataa tggtagcaag 1140
caggcgctgg agacggtcca gcggtgttg ccggtgtgtg gccaggccca cggcttgacc 1200
ccggagcagg tggtagccat cgccagcaat attggtggca agcaggcgct ggagacggtg 1260
caggcgctgt tgccggtgct gtgccaggcc cagggttga cccccagca ggtggtggcc 1320
atcgccagca ataaggtggt caagcaggcg ctggagacgg tccagcggct gttgccggtg 1380
ctgtgcccag gacccggctt gaccccgagg cagggtgtgg ccacgcagag ccacgatggc 1440
ggcaagcagg cgctggagac ggtccagcgg ggtccagcgg agccacgatg gcggcaagca ggcgctggag 1500
ttgaccccc agcaggtggt ggccatcgcc ggtgctgtgc caggcccacg gcttgacccc ggagcaggtg 1560
acggtccagc ccagcaatat tggtaggcaag caggcgctgg ccccagcagg tggtagccat cgccagcaat 1620
gtggccatcg ccagcaatat cggcttgacc cccagcagg tgccggtgct gtgccaggcc 1680
ccggtgtgtg gccaggccca cggcttgacc cccagcagg tgccggtgct gtgccaggcc 1740
ggcgggtggc agcaggcgct gagacggctg cagcggctgt tggcgggtgct ggtccaggcc 1800
cagcgcttga ccccgagca ggtggtggcc atcgccagcc acgatggcgg caagcaggcg 1860
ctggagacgg tccagcggct gttgccggtg ctgtgccagg cccacggctt gacccccgag 1920
caggtggtgg ccatcgccag caatattggt ggcaagcagg cgctggagac ggtgcaggcg 1980
ctgttgccgg tgctgtgcca ggcccacggc ttgacccttc agcaggtggt ggccatcgcc 2040
agcaatggcg gcggcaggcc ggcgctggag agcattgttg cccagttatc tcgcccgtat 2100
ccggcgttgg ccgcttgacc caacgaccac ctgctgcctt tggcctgcct cggcggcgct 2160
cctgcgctgg atgcagtga aaagggttg ggggatccta tcagccgttc ccagctggtg 2220
aagtcggagc tggaggagaa gaaatccgag ttgaggcaca agctgaagta cgtgccccac 2280
gagtacatcg agctgatcga gatcgcccgg aacagcacc aggaccgtat cctggagatg 2340
aaggtgatgg agttcttcat gaaggtgtac ggctacaggg gcaagcacct gggcggcttc 2400
aggaagccc acggcgccat ctacaccgtg ggtccccca tcgactacgg cgtgatcgtg 2460
gacaccaagg cctactccgg cggctacaac ctgcccacg gccaggccga cgaaatgcag 2520
aggtacgtgg aggagaacca gaccaggaac aagcacatca accccaacga gtggtggaag 2580
gtgtaccct ccagcgtgac cgagttcaag ttcctgttcg tgtccggcca cttaagggc 2640
aactacaagg cccagctgac caggctgaac cacatcacca actgcaacgg cgccgtgctg 2700
tccgtggagg agtctctgat cggcggcgag atgatcaagg cggcaccct gaccctggag 2760
gaggtgagga ggaagttcaa caacggcgag atcaacttcg cggccgactg ataa 2814

```

<210> 52

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> TRBC_T01-R TALEN

```

<400> 52
atgggcgatc ctaaaaagaa acgtaaggtc atcgataagg agaccgcccgc tgccaagttc 60
gagagacagc acatggacag catcgatatc gccgatctac gcacgctcgg ctacagccag 120
cagcaacagg agaagatcaa accgaaggtt cgttcgacag tggcgagca ccacagggca 180
ctggtcggcc acgggtttac acacgcgcac atcgttgcgt taagccaaca cccggcagcg 240
ttagggaccg tcgctgtcaa gtatcaggac atgatcgagc cgttgccaga ggcgacacac 300
gaagcgtatc ttggcgtcgg caaacagtgg tccggcgcac gcgctctgga ggccttgcctc 360
acggtggcgg gagagttgag aggtccaccg ttacagttgg acacaggcca acttctcaag 420

```

345147W0-seq1-000001

attgcaaaac	gtggcggcgt	gaccgcagt	gaggcagtgc	atgcatggcg	caatgcactg	480
acgggtgccc	cgctcaactt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	600
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	660
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	720
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	840
aatggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	900
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	960
ctggagacgg	tccagcggct	ggtgccgggtg	ctgtgccagg	cccacggctt	gaccccgag	1020
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1140
agcaatggcg	gtggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1200
caggcccacg	gcttgacccc	ccagcaggtg	gtggccatcg	ccagcaatgg	cgggtggcaag	1260
caggcgctgg	agacggtcca	cggtgctgtg	cggtgctgtg	gccaggccca	cggcttgacc	1320
ccccagcagg	tgggtggccat	cgccagcaat	ggcgggtggca	agcaggcgct	ggagacggtc	1380
cagcggctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1440
atcgccagca	atggcgggtg	caagcaggcg	ctggagacgg	tccagcggct	ggtgccgggtg	1500
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	1560
ggcaagcagg	cgctggagac	ggtccagcgg	atcgccagca	tgctgtgcca	ggcccacggc	1620
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	1680
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1740
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	1860
ggcgggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	1920
cacggcttga	tgccccagca	ggtggtggcc	ctgttgccgg	ataatggtgg	caagcaggcg	1980
ctggagacgg	tccagcggct	ggtgccgggtg	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gccctgatcc	ggcgttgacc	gcgttgacca	acgaccacct	cgtcgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgctggat	gcagtgaata	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcacccag	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccatcggc	2520
caggccgacg	aatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacagag	ggtggaaggt	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttctgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	gcagctgacca	ggctgaacca	catcaccaac	2700
tgcaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccttga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 53

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> TRBC_T02-L TALEN

<400> 53

atgggcgatc	ctaaaaagaa	acgtaaggctc	atcgattacc	catacgaatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcgttcgac	agtggcgacg	caccacgagg	cactggtcgg	ccacgggttt	180
acacacgcgc	acatcgttgc	gttaagccaa	cacccggcag	cgttagggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtccggcgc	acgcgctctg	gaggccttgc	tcacggtggc	gggagagttg	360
agaggccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcattg	cgcaatgcac	tgacgggtgc	cccgtcaac	480
ttgacccccg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	540
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	600
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacggtcca	gcggctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	720
gatggcggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagca	atattggtgg	caagcaggcg	840
ctggagacgg	tgcaggcgct	ggtgccgggtg	ctgtgccagg	cccacggctt	gaccccgag	900

345147W0-seq1-000001

caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccgg	agcaggtggt	ggccatcgcc	1020
agccacgatg	gcggcaagca	ggcgctggag	acgggtccagc	ggctgttgcc	ggtgctgtgc	1080
cagggccacg	gcttgacccc	ggagcaggtg	gtggccatcg	ccagccacga	tggcggcaag	1140
caggcgctgg	agacgggtcca	gcggctgttg	ccgggtgctgt	gccaggccca	cggcttgacc	1200
ccccagcagg	tgggtggccat	cgccagcaat	aatggtggca	agcaggcgct	ggagacggtc	1260
cagcggctgt	tgccgggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1320
atcgccagca	atatgtgtgg	caagcaggcg	ctggagacgg	tgcaggcgct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	1560
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacgggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	1740
gatggcgcca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccgggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	1860
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccggag	1920
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgtcgctt	tggcctgcct	cggcggcgct	2160
cctgcgctgg	atgcagtga	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcaccc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagcccg	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcggtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacatg	gccaggccga	cgaatgcag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	acccaacga	gtggtggaag	2580
gtgtaccctt	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agtcctgat	cggcggcgag	atgatcaagg	cgggcaccct	gaccctggag	2760
gaggtgagga	ggaagttaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 54

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> TRBC_T02-R TALEN

<400> 54

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccgc	tgccaagttc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaagggt	cgttcgacag	tggcgacgca	ccacgaggca	180
ctggtcggcc	acgggtttac	acacgcgcac	atcgttgctg	taagccaaca	cccggcagcg	240
ttagggaccg	tgctgtcaa	gtatcaggac	atgatcgag	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgctcg	caaacagtgg	tccggcgac	gcgctctgga	ggccttgctc	360
acggtggcgg	gagagttag	aggtccaccg	ttacagttag	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtg	atgcatggcg	caatgcactg	480
acgggtgccc	cgctcaactt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	600
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	660
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	720
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacgggtcca	gcggctgttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	840
attggtggca	agcaggcgct	ggagacgggtg	caggcgctgt	tgccgggtgct	gtgccaggcc	900
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	960
ctggagacgg	ttccagcgct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccggag	1020
caggtggtgg	ccatcgccag	caatatgtgt	ggcaagcagg	cgctggagac	ggtgcaggcg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1140
agcaatggcg	gtggcaagca	ggcgctggag	acgggtccagc	ggctgttgcc	ggtgctgtgc	1200
cagggccacg	gcttgacccc	ggagcaggtg	gtggccatcg	ccagccacga	tggcggcaag	1260
caggcgctgg	agacgggtcca	gcggctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1320
ccccagcagg	tgggtggccat	cgccagcaat	ggcggtggca	agcaggcgct	ggagacggtc	1380
cagcggctgt	tgccgggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1440

345147W0-seq1-000001

atcgccagcc	acgatggcgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1500
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caatggcggt	1560
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1620
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	1680
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	1740
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacggtcca	gcggctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tggtagccat	cgccagcaat	1860
ggcggtagga	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	1920
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcgggtg	caagcaggcg	1980
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gccctgatcc	ggcgttgggc	gcgttgacca	acgaccacct	cgtcgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgctggat	gcagtgaata	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcaccacg	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacgggc	2520
caggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaagg	gtacccctcg	acgctgaccg	agttcaagtt	cctgttcgtg	2640
tccggccact	tcaaggga	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccttga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 55

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> CD52_T02-L TALEN

<400> 55

atgggcatg	ctaaaaagaa	acgtaaggct	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcgttcgac	agtggcgag	caccacgagg	cactggctcg	ccacgggttt	180
acacacgcgc	acatcgttgc	gttaagccaa	caccggcgag	cgtaggggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtccggcgc	acgcgctctg	gaggccttgc	tcacggtggc	gggagagttg	360
agaggccac	ggttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcgcc	420
gtgaccgcag	tggagcgagt	gcatgcatgg	cgcaattgcac	tgacgggtgc	cccgtccaac	480
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	540
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	600
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacggtcca	gcggctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tggtagccat	cgccagccac	720
gatggcggga	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	780
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcgggtg	caagcaggcg	840
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccgag	900
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccg	agcaggtggt	ggccatcgcc	1020
agccacgatg	gcggcaagca	ggcgtggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1080
caggcccacg	ccttgacccc	ccagcaggtg	gtggccatcg	ccagcaatgg	cggtggcaag	1140
caggcgctgg	agacggtcca	gcggctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccggagcagg	tggtagccat	cgccagcaat	attggtggca	agcaggcgct	ggagacgggtg	1260
caggcgctgt	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1320
atcgccagcc	acgatggcgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caatggcggt	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	1560
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	1620
gtggccatcg	ccagcaatat	tggtagcaag	caggcgctgg	agacggtgca	ggcgctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tggtagccat	cgccagccac	1740
gatggcggga	agcaggcgct	ggagacggtc	cagcggctgt	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	1860
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccgag	1920

345147W0-seq1-000001

caggtggtgg	ccatcgccag	caatattggt	ggcaagcagg	cgctggagac	ggtgcaggcg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgctcgct	tggcctgcct	cggcgggcgt	2160
cctgcgctgg	atgcagtga	aaagggattg	ggggatccta	tcagccgttc	ccagctgggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagcccg	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccac	gccaggccga	cgaatgcag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	acccaacga	gtggtggaag	2580
gtgtaccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agtcctgat	cggcggcgag	atgatcaagg	ccggcaccct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 56

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> CD52_T02-R TALEN

<400> 56

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccc	tgccaagttc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgttcgacag	tggcgcagca	ccacgaggca	180
ctggctcgcc	acgggtttac	acacgcgcac	atcgttgctg	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgca	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgctcg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acgggtggcg	gagagttag	aggtccaccg	ttacagttag	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtg	atgcatggcg	caatgcaactg	480
acgggtgccc	cgctcaactt	gacccccag	caggtgggtg	ccatcgccag	caatggcggt	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctggtgccc	tgctgtgcca	ggcccacggc	600
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	660
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcagggtg	720
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacggtcca	gcggctgttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	840
ggcgggtggca	agcaggcgct	ggagacgggt	cagcggtgtg	tgccggtgct	gtgccaggcc	900
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	960
ctggagacgg	tccagcggtc	gttgccgggt	ctgtgccagg	cccacggctt	gacccccag	1020
caggtggtgg	ccatcgccag	caatggcggt	ggcaagcagg	cgctggagac	ggtccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1140
agcaatggcg	gtggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1200
caggcccacg	gcttgacccc	ggagcagggt	gtggccatcg	ccagcaatat	tgggtggcaag	1260
caggcgctgg	agacggtgca	ggcgctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1320
ccggagcagg	tgggtggccat	gccagccac	gatggcgga	agcaggcgct	ggagacgggtc	1380
cagcggtgtg	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1440
atcgccagcc	acgatggcgg	caagcaggcg	ctggagacgg	tccagcggt	gttgccgggtg	1500
ctgtgccagg	cccacggctt	gacccccag	caggtgggtg	ccatcgccag	caatggcggt	1560
ggcaagcagg	cgctggagac	ggtccagcgg	ctggtgccc	tgctgtgcca	ggcccacggc	1620
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	1680
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcagggtg	1740
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	1860
attggtggca	agcaggcgct	ggagacgggt	caggcgctgt	tgccggtgct	gtgccaggcc	1920
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	1980
ctggagacgg	ttcagcggtc	gttgccgggt	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gccctgatcc	ggcggtggcc	gcgttgacca	acgaccacct	cgctgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgctggat	gcagtgaata	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccagatt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcaccagc	2340
gaccgtatcc	tggtatgga	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460

345147W0-seq1-000001

gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacgccc	2520
cagggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaagg	gtaccctcc	agcgtgaccg	agttcaagtt	cctgttcgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgcaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 57

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> TRAC_T02

<400> 57

tttagaaagt tcctgtgatg tcaagctggt cgagaaaagc tttgaaaca 49

<210> 58

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> TRAC_T03

<400> 58

tccagtgcaga agtctgtctg cctattcacc gattttgatt ctcaaacaa 49

<210> 59

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> TRAC_T04

<400> 59

tatatcacag acaaaactgt gctagacatg aggtctatgg acttcaaga 49

<210> 60

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> TRAC_T05

<400> 60

tgaggtctat ggacttcaag agcaacagtg ctgtggcctg gagcaacaa 49

<210> 61

<211> 47

<212> DNA

<213> Artificial Sequence

<220>

<223> CD52_T01
 <400> 61
 ttctcttcc tcctaccacc atcagcctcc tttacctgta ccataac 47
 <210> 62
 <211> 43
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> CD52_T04
 <400> 62
 ttctcctac tcaccacagc ctctgtgtct tacctgtacc ata 43
 <210> 63
 <211> 43
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> CD52_T05
 <400> 63
 tcctactcac catcagctcc tgggtatttg ctcttacctg tac 43
 <210> 64
 <211> 47
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> CD52_T06
 <400> 64
 ttatcccact tctcctctac agatacaaac tttttgtcct gagagtc 47
 <210> 65
 <211> 47
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> CD52_T07
 <400> 65
 tggactctca ggacaaacga caccagccaa atgctgaggg gctgctg 47
 <210> 66
 <211> 60
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Forward primer CD52
 <220>

```

<221> misc_feature
<222> (31)..(40)
<223> n is a or c or t or g

<400> 66
ccatctcatc cctgcgtgtc tccgactcag nnnnnnnnnn cagatctgca gaaaggaagc 60

<210> 67

<211> 61
<212> DNA
<213> Artificial Sequence

<220>
<223> Forward primer TRAC

<220>
<221> misc_feature
<222> (31)..(40)
<223> n is a or c or t or g

<400> 67
ccatctcatc cctgcgtgtc tccgactcag nnnnnnnnnn atcactggca tctggactcc 60
a 61

<210> 68

<211> 62
<212> DNA
<213> Artificial Sequence

<220>
<223> Forward primer TRBC1

<220>
<221> misc_feature
<222> (31)..(40)
<223> n is a or c or t or g

<400> 68
ccatctcatc cctgcgtgtc tccgactcag nnnnnnnnnn agagccccta ccagaaccag 60
ac 62

<210> 69

<211> 62
<212> DNA
<213> Artificial Sequence

<220>
<223> Forward primer TRBC2

<220>
<221> misc_feature
<222> (31)..(40)
<223> n is a or c or t or g

<400> 69
ccatctcatc cctgcgtgtc tccgactcag nnnnnnnnnn ggacctagta acataattgt 60
gc 62

<210> 70

<211> 51

```

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> Reverse primer GR CD52

 <400> 70
 cctatcccct gtgtgccttg gcagtctcag cctgttggag tccatctgct g 51

 <210> 71
 <211> 50
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Reverse primer GR TRAC

 <400> 71
 cctatcccct gtgtgccttg gcagtctcag cctcatgtct agcacagttt 50

 <210> 72
 <211> 51
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Reverse primer GR TRBC1-2

 <400> 72
 cctatcccct gtgtgccttg gcagtctcag accagctcag ctccacgtgg t 51

 <210> 73
 <211> 495
 <212> PRT
 <213> Artificial Sequence

 <220>
 <223> anti-CD19 CAR

 <400> 73
 Met Glu Thr Asp Thr Leu Leu Leu Trp Val Leu Leu Leu Trp Val Pro
 1 5 10 15

 Gly Ser Thr Gly Glu Val Gln Leu Gln Gln Ser Gly Pro Glu Leu Ile
 20 25 30

 Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys Ala Ser Gly Tyr Thr
 35 40 45

 Phe Thr Ser Tyr Val Met His Trp Val Lys Gln Lys Pro Gly Gln Gly
 50 55 60

 Leu Glu Trp Ile Gly Tyr Ile Asn Pro Tyr Asn Asp Gly Thr Lys Tyr
 65 70 75 80

 Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr Ser Asp Lys Ser Ser
 Page 68

Ser Thr Ala Tyr₁₀₀ Met Glu Leu Ser Ser₁₀₅ Leu Thr Ser Glu Asp₁₁₀ Ser Ala
 Val Tyr Tyr₁₁₅ Cys Ala Arg Gly Thr₁₂₀ Tyr Tyr Tyr Gly Ser₁₂₅ Arg Val Phe
 Asp Tyr₁₃₀ Trp Gly Gln Gly Thr₁₃₅ Thr Leu Thr Val Ser₁₄₀ Ser Gly Gly Gly
 Gly Ser Gly Gly Gly Gly₁₅₀ Ser Gly Gly Gly Gly₁₅₅ Ser Asp Ile Val Met₁₆₀
 Thr Gln Ala Ala Pro₁₆₅ Ser Ile Pro Val Thr₁₇₀ Pro Gly Glu Ser Val₁₇₅ Ser
 Ile Ser Cys Arg₁₈₀ Ser Ser Lys Ser Leu₁₈₅ Leu Asn Ser Asn Gly₁₉₀ Asn Thr
 Tyr Leu Tyr₁₉₅ Trp Phe Leu Gln Arg₂₀₀ Pro Gly Gln Ser Pro₂₀₅ Gln Leu Leu
 Ile Tyr₂₁₀ Arg Met Ser Asn Leu₂₁₅ Ala Ser Gly Val Pro₂₂₀ Asp Arg Phe Ser
 Gly Ser Gly Ser Gly Thr₂₃₀ Ala Phe Thr Leu Arg₂₃₅ Ile Ser Arg Val Glu₂₄₀
 Ala Glu Asp Val Gly₂₄₅ Val Tyr Tyr Cys Met₂₅₀ Gln His Leu Glu Tyr₂₅₅ Pro
 Phe Thr Phe Gly₂₆₀ Ala Gly Thr Lys Leu₂₆₅ Glu Leu Lys Arg Ser₂₇₀ Asp Pro
 Thr Thr Thr₂₇₅ Pro Ala Pro Arg Pro₂₈₀ Pro Thr Pro Ala Pro₂₈₅ Thr Ile Ala
 Ser Gln₂₉₀ Pro Leu Ser Leu Arg₂₉₅ Pro Glu Ala Cys Arg₃₀₀ Pro Ala Ala Gly
 Gly Ala Val His Thr Arg₃₁₀ Gly Leu Asp Phe Ala₃₁₅ Cys Asp Ile Tyr Ile₃₂₀
 Trp Ala Pro Leu Ala₃₂₅ Gly Thr Cys Gly Val₃₃₀ Leu Leu Leu Ser Leu₃₃₅ Val
 Ile Thr Leu Tyr₃₄₀ Cys Lys Arg Gly Arg₃₄₅ Lys Lys Leu Leu Tyr₃₅₀ Ile Phe
 Lys Gln Pro Phe Met Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly

355

360

365

Cys Ser Cys Arg Phe Pro Glu Glu Glu Glu Gly Gly Cys Glu Leu Arg
 370 375 380

Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly Gln
 385 390 395 400

Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr Asp
 405 410 415

Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys Pro
 420 425 430

Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys Asp
 435 440 445

Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg Arg
 450 455 460

Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala Thr
 465 470 475 480

Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg
 485 490 495

<210> 74

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> CTLA4_T01

<400> 74

tggccctgca ctctcctgtt ttttcttctc ttcacccctg tcttctgca

49

<210> 75

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> CTLA4_T03

<400> 75

ttttccatgc tagcaatgca cgtggcccag cctgctgtgg tactggcca

49

<210> 76

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> CTLA4_T04

<400> 76

tccatgctag caatgcacgt ggcccagcct gctgtggtac tggccagca

49

<210> 77

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> PDCD1_T01

<400> 77

ttctccccag ccctgctcgt ggtgaccgaa ggggacaacg ccaccttca

49

<210> 78

<211> 49

<212> DNA

<213> Artificial Sequence

<220>

<223> PDCD1_T03

<400> 78

tacctctgtg gggccatctc cctggccccc aaggcgcaga tcaaagaga

49

<210> 79

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat CTLA4_T01-L

<400> 79

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
35 40 45Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
65 70 75 80Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

345147W0-seq1-000001

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365

345147W0-seq1-000001

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
370 375 380

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
435 440 445

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 80

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat CTLA4_T01-R

<400> 80

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

345147W0-seql-000001

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
165 170 175

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
195 200 205

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
245 250 255

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
260 265 270

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
290 295 300

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
325 330 335

345147W0-seq1-000001

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 81

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> RepeatCTLA4_T03-L

<400> 81

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
1 5 10 15

345147W0-seq1-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 35 40 45
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60
 Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
 65 70 75 80
 Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 275 280 285

345147W0-seq1-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
 305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 370 375 380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 435 440 445

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460

Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
 485 490 495

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
 530

<210> 82

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat CTLA4_T03-R

<400> 82

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 100 105 110

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140

Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
 245 250 255

345147W0-seql-000001

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 370 375 380
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 405 410 415
 Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445
 Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 465 470 475 480
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 485 490 495
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 500 505 510
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
 515 520 525

Leu Glu
530

<210> 83

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat CTLA4_T04-L

<400> 83

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
165 170 175

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
195 200 205

345147W0-seq1-000001

Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
 340 345 350
 Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 370 375 380
 Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu
 385 390 395 400
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 405 410 415
 Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 420 425 430
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 435 440 445
 Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
 450 455 460
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 465 470 475 480

345147W0-seq1-000001

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 84

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat CTLA4_T04-R

<400> 84

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
165 170 175

345147W0-seql-000001

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
195 200 205

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
245 250 255

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
275 280 285

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
290 295 300

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
325 330 335

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
370 375 380

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
405 410 415

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
435 440 445

345147W0-seq1-000001

Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 85

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat PDCD1_T01-L

<400> 85

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
100 105 110

Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

345147W0-seq1-000001

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
 165 170 175
 Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
 195 200 205
 Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
 305 310 315 320
 Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 325 330 335
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 340 345 350
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 355 360 365
 Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala
 370 375 380
 Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 385 390 395 400

345147W0-seq1-000001

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
435 440 445

Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 86

<211> 529

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat PDCD1_T01-R

<400> 86

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn
65 70 75 80

Ile Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val
85 90 95

345147W0-seql-000001

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 100 105 110
 Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
 130 135 140
 Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Gly Gly Lys Gln
 275 280 285
 Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His
 290 295 300
 Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly
 305 310 315 320
 Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln
 325 330 335
 Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly
 340 345 350
 Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu
 355 360 365

345147W0-seq1-000001

Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser
370 375 380

Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro
385 390 395 400

Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile
405 410 415

Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu
420 425 430

Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val
435 440 445

Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln
450 455 460

Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln
465 470 475 480

Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr
485 490 495

Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro
500 505 510

Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala Leu
515 520 525

Glu

<210> 87

<211> 530

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat PDCD1_T03-L

<400> 87

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys
1 5 10 15

Gln Ala Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
35 40 45

345147W0-seq1-000001

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
 50 55 60
 Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
 65 70 75 80
 Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
 85 90 95
 Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
 100 105 110
 Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
 115 120 125
 Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
 130 135 140
 Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
 145 150 155 160
 Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
 165 170 175
 Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
 180 185 190
 Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
 195 200 205
 Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
 210 215 220
 Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
 225 230 235 240
 Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala
 245 250 255
 Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly
 260 265 270
 Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys
 275 280 285
 Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
 290 295 300
 His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Asn Gly
 305 310 315 320

345147W0-seq1-000001

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
325 330 335

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
405 410 415

Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
420 425 430

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val
435 440 445

Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr Val
450 455 460

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu
465 470 475 480

Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala Leu Glu
485 490 495

Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
500 505 510

Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala
515 520 525

Leu Glu
530

<210> 88

<211> 529

<212> PRT

<213> Artificial Sequence

<220>

<223> Repeat PDCD1_T03-R

<400> 88

Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly Gly Lys
1 5 10 15

345147W0-seql-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
20 25 30

His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly
35 40 45

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
50 55 60

Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His
65 70 75 80

Asp Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
85 90 95

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
100 105 110

Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
115 120 125

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala
130 135 140

Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg
145 150 155 160

Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val
165 170 175

Val Ala Ile Ala Ser Asn Gly Gly Gly Lys Gln Ala Leu Glu Thr Val
180 185 190

Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln
195 200 205

Gln Val Val Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu
210 215 220

Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr
225 230 235 240

Pro Glu Gln Val Val Ala Ile Ala Ser Asn Ile Gly Gly Lys Gln Ala
245 250 255

Leu Glu Thr Val Gln Ala Leu Leu Pro Val Leu Cys Gln Ala His Gly
260 265 270

Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Lys
275 280 285

345147W0-seq1-000001

Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala
290 295 300

His Gly Leu Thr Pro Glu Gln Val Val Ala Ile Ala Ser His Asp Gly
305 310 315 320

Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val Leu Cys
325 330 335

Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala Ser Asn
340 345 350

Gly Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu Pro Val
355 360 365

Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val Ala Ile Ala
370 375 380

Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu Leu
385 390 395 400

Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln Val Val Ala
405 410 415

Ile Ala Ser Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln Arg Leu
420 425 430

Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Gln Gln Val Val
435 440 445

Ala Ile Ala Ser Asn Asn Gly Gly Lys Gln Ala Leu Glu Thr Val Gln
450 455 460

Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro Glu Gln
465 470 475 480

Val Val Ala Ile Ala Ser His Asp Gly Gly Lys Gln Ala Leu Glu Thr
485 490 495

Val Gln Arg Leu Leu Pro Val Leu Cys Gln Ala His Gly Leu Thr Pro
500 505 510

Gln Gln Val Val Ala Ile Ala Ser Asn Gly Gly Gly Arg Pro Ala Leu
515 520 525

Glu

345147W0-seq1-000001

<211> 2814
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> CTLA4_T01-L TALEN

```

<400> 89
atggggcgatc ctaaaaagaa acgtaaggctc atcgattacc catacgatgt tccagattac 60
gctatcgata tcgccgatct acgcacgctc ggctacagcc agcagcaaca ggagaagatc 120
aaaccgaagg ttcgttcgac agtggcgag caccacgagg cactggtcgg ccacgggttt 180
acacacgcgc acatcgttgc gttaagccaa caccggcgag cgtagggac cgtcgctgtc 240
aagtatcagg acatgatcgc agcgttgcca gaggcgacac acgaagcgat cgttggcgctc 300
ggcaaacagt ggtccggcgc acgcgctctg gaggccttgc tcacggtggc gggagagtgtg 360
agaggtccac cgttacagtt ggacacaggc caacttctca agattgcaaa acgtggcggc 420
gtgaccgcag tggaggcagt gcatgcatgg cgcaatgcac tgacgggtgc cccgctcaac 480
ttgaccccc agcaggtggt ggccatcgcc agcaataatg gtggcaagca ggcgctggag 540
acggtccagc ggctgttgcc ggtgctgtgc caggcccacg gcttgacccc ccagcaggtg 600
ctgggcatcg ccagcaataa tgggtggcaag caggcgctgg agacggtcca gcggtgttg 660
ccggtgctgt gccaggccca cggcttgacc ccggagcagg tgggtggccat cgccagccac 720
gatggcggca agcaggcgct ggagacggtc cagcggctgt tgccggtgct gtgccaggcc 780
cacggcttga ccccgagca ggtggtggcc atcgccagcc acgatggcgg caagcaggcg 840
ctggagacgg tccagcggct gttgccggtg ctgtgccagg cccacggctt gaccccgag 900
caggtggtgg ccacgcgag ccacgatggc ggcaagcagg cgctggagac ggtccagcgg 960
ctgttgccgg tgcgttgcca ggcccacggc ttgaccccc agcaggtggt ggccatcgcc 1020
agcaatggcg gtggcaagca ggcgctggag acggtccagc ggctgttgcc ggtgctgtgc 1080
caggcccacg gcttgacccc ccagcaggtg gtggccatcg ccagcaataa tgggtggcaag 1140
caggcgctgg agacggtcca gcggctgttg ccggtgctgt gccaggccca cggcttgacc 1200
ccggagcagg tgggtggccat cgccagccac gatggcggca agcaggcgct ggagacggtc 1260
cagcggctgt tgccggtgct gtgccaggcc cagggcttga ccccgagca ggtggtggcc 1320
atcgccagca atattggtgg caagcaggcg ctggagacgg tgcaggcgct gttgccggtg 1380
ctgtgccagg cccacggctt gaccccgag caggtggtgg ccacgcgag ccacgatggc 1440
ggcaagcagg cgctggagac ggtccagcgg ctgttgccgg tgctgtgcca ggcccacggc 1500
ttgaccccc agcaggtggt ggccatcgcc agcaatggcg gtggcaagca ggcgctggag 1560
acggtccagc ggctgttgcc ggtgctgtgc caggcccacg gcttgacccc ggagcaggtg 1620
gtggccatcg ccagccacga tggcggcaag caggcgctgg agacggtcca gcggtgttg 1680
ccggtgctgt gccaggccca cggcttgacc tgggtggccat cgccagcaat 1740
ggcgggtggc agcaggcgct ggagacggtc cagcggctgt tgccggtgct gtgccaggcc 1800
cacggcttga ccccgagca ggtggtggcc atcgccagcc acgatggcgg caagcaggcg 1860
ctggagacgg tccagcggct gttgccggtg ctgtgccagg cccacggctt gaccccgag 1920
caggtggtgg ccacgcgag ccacgatggc ggcaagcagg cgctggagac ggtccagcgg 1980
ctgttgccgg tgcgttgcca ggcccacggc ttgacccctc agcaggtggt ggccatcgcc 2040
agcaatggcg gcggcaggcc ggcgctggag agcattgttg cccagttatc tcgccctgat 2100
ccggcgcttg ccgcgttgac caacgaccac ctgctgcct tggcctgcct cggcgggcgt 2160
cctgcgctgg atgcagtga aaagggattg ggggatccta tcagccgttc ccagctggtg 2220
aagtcgagc tggaggagaa gaaatccgag ttgaggcaca agctgaagta cgtgccccac 2280
gagtacatcg agctgatcga gatcggcgg aacagcacc aggaccgtat cctggagatg 2340
aaggtgatcg agttcttcac gaaggtgtac ggtacaggg gcaagcacct gggcggctcc 2400
aggaagcccc acggcgccat ctacaccgtg ggctccccc tcgactacgg cgtgatcgtg 2460
gacaccaagg cctactccgg cggctacaac ctgcccacg gccaggccga cgaaatgcag 2520
aggtacgtgg aggagaacca gaccaggaac aagcacatca accccaacga gtggtggaag 2580
gtgtaccctt ccagcgtgac cgagttcaag ttcctgttcg tgtccggcca cttcaagggc 2640
aactacaagg cccagctgac caggctgaac cacatcacca actgcaacgg cgccgtgctg 2700
tccgtggagg agtcctgat cggcggcgag atgatcaagg ccggcacctt gacctggag 2760
gaggtgagga ggaagttcaa caacggcgag atcaacttcg cggccgactg ataa 2814

```

<210> 90

<211> 2832
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> CTLA4_T01-R TALEN

<400> 90

345147W0-seq1-000001

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccc	tgccaagttc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaaacagc	agaagatcaa	accgaagggt	cgttcgacag	tggcgagca	ccacgaggca	180
ctggctggcc	acgggtttac	acacgcgcac	atcggttgcg	taagccaaca	ccggcgagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgag	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgctcg	caaacagtgg	tccggcgac	gcgctctgga	ggccttgctc	360
acgggtggcgg	gagagttag	aggtccaccg	ttacagttgg	acacaggcca	acttctcaag	420
attgcaaaac	gtggcgcgct	gaccgcagtg	gaggcagtc	atgcatggcg	caatgactg	480
acgggtgccc	cgctcaactt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	600
ttgaccccg	agcaggtggt	ggccatcgcc	agccacgatg	gcggaagca	ggcgctggag	660
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	720
gtggccatcg	ccagcaatat	tgggtggcaag	caggcgctgg	agacggtgca	ggcgctgttg	780
ccggtgtgtg	gccaggccca	cggtttgacc	ccccagcagg	tgggtggccat	cgccagcaat	840
aatggtggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccggtgct	gtgccaggcc	900
cacggcttga	ccccggagca	ggtggtggcc	atcgccagca	atattggtgg	caagcaggcg	960
ctggagacgg	tgcaggcgct	ggtgccggtg	ctgtgccagg	cccacggctt	gaccccgag	1020
caggtggtgg	ccatcgccag	caatattggt	ggcaagcagg	cgctggagac	ggtgcaggcg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1140
agcaataatg	gtggcgagca	ggcgctggag	acgggtccagc	ggctgttgcc	ggtgctgtgc	1200
caggcccacg	cgcttgacccc	ggagcaggtg	gtggccatcg	ccagcaatat	tgggtggcaag	1260
caggcgctgg	agacggtgca	ggcgctgttg	ccggtgtgtg	gccaggccca	cggtttgacc	1320
ccggagcagg	tgggtggccat	cgccagccac	gatggcgga	agcaggcgct	ggagacggtc	1380
cagcggtgtg	tgccggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1440
atcgccagca	atatggtgg	caagcaggcg	ctggagacgg	tgcaggcgct	ggtgccggtg	1500
ctgtgcccag	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	1560
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1620
ttgacccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	1680
acgggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1740
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	1800
ccggtgtgtg	gccaggccca	cggtttgacc	ccggagcagg	tgggtggccat	cgccagcaat	1860
attggtggca	agcaggcgct	ggagacggtg	caggcgctgt	tgccggtgct	gtgccaggcc	1920
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	1980
ctggagacgg	tccagcggtc	ggtgccggtg	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gcccgtgatcc	ggcgttggtc	gcgttgacca	acgaccacct	cgtcgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgtggtg	gcagtgaata	agggattggg	ggatcctatc	2220
agcggttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcaccag	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacggcg	2520
caggccgagc	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaaggt	gtacccctcc	agcgtgtacc	agttcaagtt	cctgttcgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgcaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 91

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> CTLA4_T03-L TALEN

<400> 91

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcggttcgac	agtggcgag	caccacgagg	cactggctcg	ccacgggttt	180
acacacgcgc	acatcgttgc	gttaagccaa	cacccggcag	cgtagggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgct	300
ggcaaacagg	ggtccggcgc	acgcgctctg	gaggccttgc	tcacgggtggc	gggagagttc	360
agaggtccac	ggttacagtt	ggacacaggg	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcag	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtcaac	480

345147W0-seq1-000001

ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	540
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	600
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacgggtcca	gcggtgtttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	720
ggcgggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccgggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	840
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccggag	900
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccgg	agcaggtggt	ggccatcgcc	1020
agcaatattg	gtggcaagca	ggcgctggag	acggtgcagg	cgctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ccagcaggtg	gtggccatcg	ccagcaatgg	cgggtggcaag	1140
caggcgctgg	agacgggtcca	gcggtgtttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccccagcagg	tgggtggccat	cgccagcaat	aatggtggca	agcaggcgct	ggagacggtc	1260
cagcggctgt	tgccgggtgct	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1320
atcgccagcc	acgatggcgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gacccccag	caggtggtgg	ccatcgccag	caatggcggt	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccgg	agcaggtggt	ggccatcgcc	agcaatattg	gtggcaagca	ggcgctggag	1560
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	1620
gtggccatcg	ccagcaataa	tgggtggcaag	caggcgctgg	agacgggtcca	gcggtgtttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	1740
gatggcggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccgggtgct	gtgccaggcc	1800
cacggcttga	ccccggagca	ggtggtggcc	atcgccagca	atattggtgg	caagcaggcg	1860
ctggagacgg	tgcaggcgct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccggag	1920
caggtggtgg	ccatcgccag	caatattggt	ggcaagcagg	cgctggagac	ggtgcaggcg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatattg	cgggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcgcttg	ccgcgttgac	caacgaccac	ctcgtgcctt	tggcctgcct	cggcgggcgt	2160
cctgcgctgg	atgcagtga	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcaccc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaagggtgac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagcccc	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacatg	gccaggccga	cgaatgacag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	acccaacga	gtggtggaag	2580
gtgtacccct	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	catatcacca	actgcaacgg	cggcgtgctg	2700
tccgtggagg	agtcctgat	cggcggcgag	atgatcaagg	ccggcacccct	gacctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 92

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> CTLA4_T03-RTALEN

<400> 92

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccgc	tgccaagttc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgttcgacag	tggcgcagca	ccacgaggca	180
ctggtcgccc	acgggtttac	acacgcgcac	atcgttgcgt	taagccaaca	cccggcagcg	240
ttaggggaccg	tcgctgtcaa	gtatcaggac	atgatcgag	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgtcgg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acggtggcgg	gagagttag	aggtccaccg	ttacagttag	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtg	atgcatggcg	caatgcaactg	480
acgggtgccc	cgctcaactt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	540
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	600
ttgaccccc	agcaggtggt	ggccatcgcc	agcaataatg	gtggcaagca	ggcgctggag	660
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	720
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacgggtcca	gcggtgtttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagccac	840
gatggcggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccgggtgct	gtgccaggcc	900
cacggcttga	ccccggagca	ggtggtggcc	atcgccagca	atattggtgg	caagcaggcg	960
ctggagacgg	tgcaggcgct	gttgccgggtg	ctgtgccagg	cccacggctt	gacccccag	1020

345147W0-seq1-000001

caggtggtgg	ccatcgccag	caataatggt	ggcaagcagg	cgctggagac	ggccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccc	agcaggtggt	ggccatcgcc	1140
agcaatggcg	gtggcaagca	ggcgctggag	acgggtccagc	ggctgttgcc	gggtgctgtgc	1200
cagggccacg	gcttgacccc	ggagcaggtg	gtggccatcg	ccagcaatat	tgggtggcaag	1260
caggcgctgg	agacgggtga	ggcgctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1320
ccggagcagg	tgggtggccat	cgccagccac	gatggcggca	agcaggcgct	ggagacgggtc	1380
cagcggctgt	tgccgggtgt	gtgccaggcc	cacggcttga	ccccggagca	ggtggtggcc	1440
atcgccagcc	acgatggcgg	caagcaggcg	ctggagacgg	tccagcggct	ggtgcccgggtg	1500
ctgtgcccgg	cccacggctt	gaccccggag	caggtggtgg	ccatcgccag	caatattggt	1560
ggcaagcagg	cgctggagac	ggtgcaggcg	ctgttgccgg	tgctgtgcca	ggcccacggc	1620
ttgaccccgg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	1680
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	1740
gtggccatcg	ccagcaatat	tgggtggcaag	caggcgctgg	agacgggtga	ggcgctgttg	1800
ccggtgtgtg	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	1860
aatggtggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccgggtgt	gtgccaggcc	1920
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	1980
ctggagacgg	tccagcggct	ggtgccgggtg	ctgtgccagg	cccacggctt	gacccctcag	2040
caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gcccgtgatcc	ggcgttgacc	gcgttgacca	acgaccacct	cgtcgccctt	2160
gcctgcccgc	gcgggcgtcc	tgcgctggat	gcagtgaana	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcacccag	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacggcg	2520
caggccgagc	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaagg	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttcgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgcaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcacccctga	ccctggaggga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 93

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> CTLA4_T04-L TALEN

<400> 93

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcggttcgac	agtggcgagc	caccacgagg	cactggctcg	ccacgggttt	180
acacacgcgc	acatcggttg	gttaagccaa	cacccggcag	cgtaggggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgtc	300
ggcaaacagt	ggtccggcgc	acgcgctctg	gagcccttgc	tcacggtggc	gggagagtgtg	360
agaggtccac	cgttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtcaaac	480
ttgaccccgg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	540
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	600
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacgggtcca	gcggctgttg	660
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	720
attggtggca	agcaggcgct	ggagacgggtg	caggcgctgt	tgccgggtgt	gtgccaggcc	780
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	atggcggtgg	caagcaggcg	840
ctggagacgg	tccagcggct	ggtgccgggtg	ctgtgccagg	cccacggctt	gacccccag	900
caggtggtgg	ccatcgccag	caataatggt	ggcaagcagg	cgctggagac	ggccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccgg	agcaggtggt	ggccatcgcc	1020
agccacgatg	gcggcaagca	ggcgctggag	acgggtccagc	ggctgttgcc	gggtgctgtgc	1080
cagggccacg	gcttgacccc	ccagcaggtg	gtggccatcg	ccagcaatgg	cgggtggcaag	1140
caggcgctgg	agacgggtcca	gcggctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1200
ccggagcagg	tgggtggccat	cgccagcaat	attggtggca	agcaggcgct	ggagacgggtg	1260
caggcgctgt	tgccgggtgt	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1320
atcgccagca	ataatggttg	caagcaggcg	ctggagacgg	tccagcggct	ggtgcccgggtg	1380
ctgtgcccag	cccacggctt	gaccccggag	caggtggtgg	ccatcgccag	ccacgatggc	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500

345147W0-seq1-000001

ttgacccccg	agcaggtggt	ggccatcgcc	agcaatattg	gtggcaagca	ggcgctggag	1560
acggtgcagg	cgctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	1620
gtggccatcg	ccagcaatat	tgggtggcaag	caggcgctgg	agacggtgca	ggcgctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	1740
ggcggtggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	1860
ctggagacgg	tccagcggtc	ggtgcccgtg	ctgtgccagg	cccacggctt	gaccccggag	1920
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcgttgac	caacgaccac	ctcgctgcct	tggcctgcct	cggcgggcgt	2160
cctgcgctgg	atgcagtga	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagcccc	acggcgccat	ctacaccgtg	ggctccccc	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacat	gccaggccga	cgaaatgcag	2520
aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	accccaacga	gtggtggaag	2580
gtgtacccct	ccagcgtgac	cgagttcaag	ttcctgttcc	tgtccggcca	cttcaagggc	2640
aactacaagg	ccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcacccct	gaccctggag	2760
gaggtgagga	ggaagttaaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 94

<211> 2832

<212> DNA

<213> Artificial Sequence

<220>

<223> CTLA4_T04-R TALEN

<400> 94

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccgc	tgccaagttc	60
gagagacagc	acatggacag	catcgatatc	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgttcgacag	tggcgcagca	ccacgaggca	180
ctggtcgccc	acgggtttac	acacgcgcac	atcgtttcgt	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgtag	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgctcg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acggtggcgg	gagagttag	aggtccaccg	ttacagttgg	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtgc	atgcatggcg	caatgcactg	480
acgggtgccc	cgctcaactt	gacccccag	caggtggtgg	ccatcgccag	caataatggt	540
ggcaagcagg	cgctggagag	ggtccagcgg	ctggtgcggg	tgctgtgcca	ggcccacggc	600
ttgacccccg	agcaggtggt	ggccatcgcc	agccacgatg	gcggaagca	ggcgctggag	660
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ccagcaggtg	720
gtggccatcg	ccagcaatgg	cgggtggcaag	caggcgctgg	agacggtcca	gcggctgttg	780
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	840
aatggtggca	agcaggcgct	ggagacggtc	cagcggtgtg	tgccggtgct	gtgccaggcc	900
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	960
ctggagacgg	tccagcggtc	ggtgcccgtg	ctgtgccagg	cccacggctt	gaccccggag	1020
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1080
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccg	agcaggtggt	ggccatcgcc	1140
agccacgatg	gcggcaagca	ggcgctggag	acggtccagc	ggctgttgcc	ggtgctgtgc	1200
caggcccacg	cgctgacccc	ggagcaggtg	gtggccatcg	ccagcaatat	tgggtggcaag	1260
caggcgctgg	agacggtgca	ggcgctgttg	ccggtgctgt	gccaggccca	cggcttgacc	1320
ccccagcagg	tgggtggccat	cgccagcaat	aatggtggca	agcaggcgct	ggagacggtc	1380
cagcggtgtg	tgccggtgct	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1440
atcgccagca	atggcgggtg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1500
ctgtgccagg	cccacggctt	gaccccggag	caggtggtgg	ccatcgccag	caatatggtg	1560
ggcaagcagg	cgctggagac	ggtgcaggcg	ctgttgccgg	tgctgtgcca	ggcccacggc	1620
ttgacccccg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	1680
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	1740
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacggtcca	gcggctgttg	1800
ccggtgctgt	gccaggccca	cggcttgacc	ccggagcagg	tgggtggccat	cgccagcaat	1860
attggtggca	agcaggcgct	ggagacggtg	caggcgctgt	tgccggtgct	gtgccaggcc	1920
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	1980
ctggagacgg	tccagcggtc	ggtgcccgtg	ctgtgccagg	cccacggctt	gacccctcag	2040

345147W0-seq1-000001

caggtggtgg	ccatcgccag	caatggcggc	ggcaggccgg	cgctggagag	cattgttgcc	2100
cagttatctc	gccctgatcc	ggcggttgcc	gcgttgacca	acgaccacct	cgtcgccttg	2160
gcctgcctcg	gcgggcgtcc	tgcgctggat	gcagtgaana	agggattggg	ggatcctatc	2220
agccgttccc	agctggtgaa	gtccgagctg	gaggagaaga	aatccgagtt	gaggcacaag	2280
ctgaagtacg	tgccccacga	gtacatcgag	ctgatcgaga	tcgcccggaa	cagcaccacg	2340
gaccgtatcc	tggagatgaa	ggtgatggag	ttcttcatga	aggtgtacgg	ctacaggggc	2400
aagcacctgg	gcggctccag	gaagcccagc	ggcgccatct	acaccgtggg	ctcccccatc	2460
gactacggcg	tgatcgtgga	caccaaggcc	tactccggcg	gctacaacct	gcccacgcgc	2520
caggccgacg	aaatgcagag	gtacgtggag	gagaaccaga	ccaggaacaa	gcacatcaac	2580
cccaacgagt	ggtggaaggt	gtacccctcc	agcgtgaccg	agttcaagtt	cctgttcgtg	2640
tccggccact	tcaagggcaa	ctacaaggcc	cagctgacca	ggctgaacca	catcaccaac	2700
tgcaacggcg	ccgtgctgtc	cgtggaggag	ctcctgatcg	gcggcgagat	gatcaaggcc	2760
ggcaccctga	ccctggagga	ggtgaggagg	aagttcaaca	acggcgagat	caacttcgcg	2820
gccgactgat	aa					2832

<210> 95

<211> 2814

<212> DNA

<213> Artificial Sequence

<220>

<223> PDCD1_T01-L TALEN

<400> 95

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgattacc	catacgatgt	tccagattac	60
gctatcgata	tcgccgatct	acgcacgctc	ggctacagcc	agcagcaaca	ggagaagatc	120
aaaccgaagg	ttcggttcgac	agtggcgag	caccacgagg	cactggtcgg	ccacgggttt	180
acacacgcgc	acatcgttgc	gttaagccaa	caccggcgag	cgtaggggac	cgtcgctgtc	240
aagtatcagg	acatgatcgc	agcgttgcca	gaggcgacac	acgaagcgat	cgttggcgctc	300
ggcaaacagt	ggtccggcgc	acgcgctctg	gaggccttgc	tcacgggtggc	gggagagttg	360
agaggtccac	ggttacagtt	ggacacaggc	caacttctca	agattgcaaa	acgtggcggc	420
gtgaccgcag	tggaggcagt	gcatgcatgg	cgcaatgcac	tgacgggtgc	cccgtcgaac	480
ttgaccccc	agcaggtggt	ggccatcgcc	agcaatggcg	gtggcaagca	ggcgctggag	540
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	600
ctggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacgggtcca	gcggctgttg	660
cggtgtctgt	cccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	720
ggcgggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccgggtgct	gtgccaggcc	780
cacggcttga	ccccggagca	ggtggtggcc	atcgccagcc	acgatggcgg	caagcaggcg	840
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccggag	900
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	960
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgaccccgg	agcaggtggt	ggccatcgcc	1020
agccacgatg	gcccagccca	ggcgctggag	acggtccagg	ggctgttgcc	ggtgctgtgc	1080
caggcccacg	gcttgacccc	ggagcaggtg	gtggccatcg	ccagccacga	tggcggcaag	1140
caggcgctgg	agacgggtcca	gcggtgtttg	ccggtgtgtg	gccaggccca	cggcttgacc	1200
ccggagcagg	tgggtggccat	cgccagcaat	attggtggca	agcaggcgct	ggagacgggtg	1260
caggcgctgt	tgccgggtgt	gtgccaggcc	cacggcttga	ccccccagca	ggtggtggcc	1320
atcgccagca	ataatggtgg	caagcaggcg	ctggagacgg	tccagcggct	gttgccgggtg	1380
ctgtgccagg	cccacggctt	gaccccggag	caggtggtgg	ccatcgccag	ccacgatggc	1440
ggcaagcagg	cgctggagac	ggtccagcgg	ctgttgccgg	tgctgtgcca	ggcccacggc	1500
ttgaccccgg	agcaggtggt	ggccatcgcc	agccacgatg	gcggcaagca	ggcgctggag	1560
acggtccagc	ggctgttgcc	ggtgctgtgc	caggcccacg	gcttgacccc	ggagcaggtg	1620
gtggccatcg	ccagccacga	tggcggcaag	caggcgctgg	agacgggtcca	gcggctgttg	1680
ccggtgctgt	gccaggccca	cggcttgacc	ccccagcagg	tgggtggccat	cgccagcaat	1740
ggcgggtggca	agcaggcgct	ggagacggtc	cagcggctgt	tgccgggtgct	gtgccaggcc	1800
cacggcttga	ccccccagca	ggtggtggcc	atcgccagca	ataatggtgg	caagcaggcg	1860
ctggagacgg	tccagcggct	gttgccgggtg	ctgtgccagg	cccacggctt	gaccccggag	1920
caggtggtgg	ccatcgccag	ccacgatggc	ggcaagcagg	cgctggagac	ggtccagcgg	1980
ctgttgccgg	tgctgtgcca	ggcccacggc	ttgacccctc	agcaggtggt	ggccatcgcc	2040
agcaatggcg	gcggcaggcc	ggcgctggag	agcattgttg	cccagttatc	tcgccctgat	2100
ccggcggttg	ccgcttgac	caacgaccac	ctcgtgcgct	tggcctgcct	cggcgggctg	2160
cctgcgctgg	atgcagttaa	aaagggattg	ggggatccta	tcagccgttc	ccagctggtg	2220
aagtccgagc	tggaggagaa	gaaatccgag	ttgaggcaca	agctgaagta	cgtgccccac	2280
gagtacatcg	agctgatcga	gatcgcccgg	aacagcacc	aggaccgtat	cctggagatg	2340
aaggtgatgg	agttcttcat	gaaggtgtac	ggctacaggg	gcaagcacct	gggcggctcc	2400
aggaagcccg	acggcggcat	ctacaccgtg	ggctccccca	tcgactacgg	cgtgatcgtg	2460
gacaccaagg	cctactccgg	cggctacaac	ctgcccacgc	gccaggccga	cgaaatgcag	2520

345147W0-seq1-000001

aggtacgtgg	aggagaacca	gaccaggaac	aagcacatca	accccaacga	gtggtggaag	2580
gtgtaccctt	ccagcgtgac	cgagttcaag	ttcctgttcg	tgtccggcca	cttcaagggc	2640
aactacaagg	cccagctgac	caggctgaac	cacatcacca	actgcaacgg	cgccgtgctg	2700
tccgtggagg	agctcctgat	cggcggcgag	atgatcaagg	ccggcaccct	gaccctggag	2760
gaggtgagga	ggaagttcaa	caacggcgag	atcaacttcg	cggccgactg	ataa	2814

<210> 96

<211> 2829

<212> DNA

<213> Artificial Sequence

<220>

<223> PDCD1_T01-R TALEN

<400> 96

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccgc	tgccaagttc	60
gagagacagc	acatggacag	catcgatata	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaagggt	cgttcgacag	tggcgcagca	ccacgaggca	180
ctggctcggc	acgggtttac	acacgcgcac	atcgttgctg	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgacg	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgtcgg	caaacagtgg	tccggcgcac	gcgctctgga	ggccttgctc	360
acggtggcgg	gagagttag	aggtccaccg	ttacagttgg	acacaggcca	acttctcaag	420
attgcaaaac	gtggcggcgt	gaccgcagtg	gaggcagtcg	atgcatggcg	caatgcactg	480
acgggtgccc	cgctcaactt	gacccccag	caagtcgctg	caatcgccag	caataacgga	540
gggaagcaag	agcaggcact	cgtgcagcgg	ttgcttcctg	tgctctgcca	ggcccacggc	600
cttacccttg	agcaggtggt	ggccatcgca	agtaacattg	gaggaaagca	agccttgga	660
acagtgcagg	ccctgttgcc	cgtgctgtgc	caggcacacg	gcctcacacc	agagcagggtc	720
gtggccattg	ctccaacat	cggggggaaa	caggctctgg	agaccgtcca	ggccctgctg	780
cccgtcctct	gtcaagctca	cggcctgact	ccccaacaag	tggtcgccat	cgctctctaat	840
aacggcgggg	agcaggcact	ggaaacagtg	cagagactgc	tccctgtgct	ttgccaagct	900
catgggttga	cccccaaca	ggtcgtcgtc	attgcctcaa	acaacggggg	caagcaggcc	960
cttgagactg	tgcagaggct	gttgccagtg	ctgtgtcagg	ctcacgggct	cactccacaa	1020
cagggtggtcg	caattgccag	caacggcggc	ggaaagcaag	ctcttgaaac	cgtgcaacgc	1080
ctcctgcccc	tgctctgtca	ggctcatggc	ctgacaccac	aacaagtcgt	ggccatcgcc	1140
agtaataatg	gcgggaaaca	ggctcttgag	accgtccaga	ggctgctccc	agtgtctctg	1200
caggcacacg	ggctgacccc	ccagcaggtg	ctggctatcg	ccagcaataa	tgggggcaag	1260
caggccctgg	aaacagtcca	gcgcctgctg	ccagtgtttt	gccaggctca	cgggctcact	1320
cccgaacagg	tcgtggcaat	cgcctccaac	ggaggggaagc	aggctctgga	gaccgtgcag	1380
agactgctgc	ccgtcttgtg	ccaggcccac	ggactcacac	ctcagcaggt	cgtcgccatt	1440
gcctctaaca	acggggggcaa	acaagccctg	gagacagtcg	agcggctgtt	gcctgtgttg	1500
tgccaagccc	acggcttgac	tcctcaacaa	gtggtcgcca	tcgcctcaaa	tggcggcgga	1560
aaacaagctc	tggagagctg	cgagaggttg	ctgcccgctc	tctgccaagc	ccacggcctg	1620
actccccaac	aggtcgtcgc	cattgccagc	aacggcggag	gaaagcaggc	tctcgaaact	1680
gtgcagcggc	tgcttcctgt	gctgtgtcag	gctcatgggc	tgacccccca	gcaagtgggtg	1740
gctattgcct	ctaacaatgg	aggcaagcaa	gcccttgaga	cagtccagag	gctgttgcca	1800
gtgctgtgcc	aggcccacgg	gctcacacc	cagcaggtgg	tcgccatcgc	cagtaacggc	1860
ggggggcaaac	aggcattgga	aaccgtccag	cgcctgtctc	cagtgtcttg	ccaggcacac	1920
ggactgacac	ccgaacagggt	ggtggccatt	gcatcccatg	atggggggcaa	gcaggccctg	1980
gagaccgtgc	agagactcct	gccagtgttg	tgccaagctc	acggcctcac	ccctcagcaa	2040
gtcgtggcca	tcgcctcaaa	cggggggggc	cggcctgcac	tggagagcat	tggttgccag	2100
ttatctcgcc	ctgatccggc	gttgcccgcg	ttgaccaacg	accacctcgt	cgccttgggc	2160
tgctcggcg	ggcgtcctgc	gctggatgca	gtgaaaaagg	gattggggga	tcctatcagc	2220
cgttcccagc	tggtagagtc	cgagctggag	gagaagaaat	ccgagttgag	gcacaagctg	2280
aagtacgtgc	cccacagata	catcgagctg	atcgagatcg	cccgggaacag	caccaggac	2340
cgtatcctgg	agatgaaggt	gatggagttc	ttcatgaagg	tgtacggcta	caggggcaag	2400
cacctgggcg	gctccaggaa	gcccagcggc	gccatctaca	ccgtgggctc	ccccatcgac	2460
tacggcgtga	tcgtggacac	caaggcctac	tccggcggct	acaacctgcc	catcggccag	2520
gccgacgaaa	tgcagaggta	cgtggaggag	aaccagacca	ggaacaagca	catcaacccc	2580
aacgagtggg	ggaaggtgta	cccctccagc	gtgaccgagt	tcaagttcct	gttcgtgtcc	2640
ggccacttca	agggcaacta	caaggcccag	ctgaccaggc	tgaaccacat	caccaactgc	2700
aacggcgccg	tgctgtccgt	ggaggagctc	ctgatcggcg	gcgagatgat	caaggccggc	2760
accctgaccc	tggaggaggt	gaggaggaag	ttcaacaacg	gcgagatcaa	cttcgcggcc	2820
gactgataa						2829

<210> 97

345147W0-seq1-000001

<211> 2814
<212> DNA
<213> Artificial Sequence

<220>
<223> PDCD1_T03-L TALEN

<400> 97
atggggcgatc ctaaaaagaa acgtaaggctc atcgattacc catacgatgt tccagattac 60
gctatcgata tcgccgatct acgcacgctc ggctacagcc agcagcaaca ggagaagatc 120
aaaccgaagg ttcgttcgac agtggcgag caccacgagg cactggtcgg ccacgggttt 180
acacacgcgc acatcgttgc gttaagccaa caccggcgag cgtagggac cgtcgtctgc 240
aagtatcagg acatgatcgc agcgttgcca gaggcgacac acgaagcgat cgttggcgctc 300
ggcaaacagt ggtccggcgc acgcgctctg gaggccttgc tcacgggtggc gggagagtgtg 360
agaggtccac cgttacagtt ggacacaggc caacttctca agattgcaaa acgtggcggc 420
gtgaccgcag tggaggcagt gcatgcatgg cgcaatgcac tgacgggtgc cccgctcaac 480
ttgacccccg agcaggtggt ggccatcgcc agcaatattg gtggcaagca ggcgctggag 540
acggtgcagg cgctgttgcc ggtgctgtgc caggcccacg gcttgacccc ggagcagggtg 600
ctgggcatcg ccagccacga tggcggaag caggcgctgg agacggtcca gcggctgttg 660
ccggtgctgt gccaggccca cggcttgacc ccggagcagg tgggtggccat cgccagccac 720
gatggcggca agcaggcgct ggagacggtc cagcggctgt tgccggtgct gtgccaggcc 780
cacggcttga cccccagca ggtggtggcc atcgccagca atggcggtgg caagcaggcg 840
ctggagacgg tccagcggct gttgccggtg ctgtgccagg cccacggctt gaccccggag 900
caggtggtgg ccacgcgag ccacgatggc ggcaagcagg cgctggagac ggtccagcgg 960
ctgttgccgg tgctgtgcca ggcccacggc agcaggtggt ggccatcgcc 1020
agcaatggcg tgggcaagca ggcgctggag acggtccagc ggctgttgcc ggtgctgtgc 1080
caggcccacg gcttgacccc ccagcaggtg gtggccatcg ccagcaataa tgggtggcaag 1140
caggcgctgg agacggtcca gcggctgttg ccggtgctgt gccaggccca cggcttgacc 1200
ccccagcagg tgggtggccat cgccagcaat ggcggtggca agcaggcgct ggagacggctc 1260
cagcggctgt tgccggtgct gtgccaggcc caggcttga cccccagca ggtggtggcc 1320
atcgccagca ataattggtg caagcaggcg cggactgacc ctggagacgg tccagcggct gttgccggtg 1380
ctgtgccagg cccacggctt gacccccag caggtggtgg ccacgcgag caataatggt 1440
ggcaagcagg cgctggagac ggtccagcgg ctgttgccgg tgctgtgcca ggcccacggc 1500
ttgaccccc agcaggtggt ggccatcgcc agcaataatg gtggcaagca ggcgctggag 1560
acggtccagc ggctgttgcc ggtgctgtgc caggcccacg gcttgacccc ccagcaggtg 1620
gtggccatcg ccagcaataa tgggtggcaag caggcgctgg agacggtcca gcggctgttg 1680
ccggtgctgt gccaaggcca cggcttgacc cggagcagg cggagcggct tggtggccat cgccagccac 1740
gatggcggca agcaggcgct ggagacggtc cagcggctgt tgccggtgct gtgccaggcc 1800
cacggcttga ccccgagca ggtggtggcc atcgccagcc acgatggcgg caagcaggcg 1860
ctggagacgg tccagcggct gttgccggtg ctgtgccagg cccacggctt gaccccggag 1920
caggtggtgg ccacgcgag caatattggt ggcaagcagg cgctggagac ggtgcaggcg 1980
ctgttgccgg tgctgtgcca ggcccacggc ttgacccctc agcaggtggt ggccatcgcc 2040
agcaatggcg cgggcaggcc ggcgctggag agcattgttg cccagttatc tcgccctgat 2100
ccggcgcttg ccgcgttgac caacgaccac ctgctgcct tggcctgcct cggcggcgct 2160
cctgcgctgg atgcagtga aaagggttg ggggatccta tcagccgttc ccagctggtg 2220
aagtcggagc tggaggagaa gaaatccgag ttgaggcaca agctgaagta cgtgccccac 2280
gagtacatcg agctgatcga gatcgcccgg aacagcacc aggaccgtat cctggagatg 2340
aaggtgatcg agttcttcac gaaggtgtac ggtacaggg gcaagcacct gggcggtctc 2400
aggaagcccc acggcgccat ctacaccgtg ggctccccc tcgactacgg cgtgatcgtg 2460
gacaccaagg cctactccgg cggctacaac ctgcccacg gccaggccga cgaaatgcag 2520
aggtacgtgg aggagaacca gaccaggaac aagcacatca accccaacga gtggtggaag 2580
gtgtaccctt ccagcgtgac cgagttcaag ttcctgttcg tgtccggcca cttcaagggc 2640
aactacaagg cccagctgac caggctgaac cacatcacca actgcaacgg cgccgtgctg 2700
tccgtggagg agctcctgat cggcggcgag atgatcaagg ccggcacctt gacctggag 2760
gaggtgagga ggaagttcaa caacggcgag atcaacttcg cggccgactg ataa 2814

<210> 98
<211> 2829
<212> DNA
<213> Artificial Sequence

<220>
<223> PDCD1_T03-R TALEN

<400> 98

345147W0-seq1-000001

atgggcgatc	ctaaaaagaa	acgtaaggtc	atcgataagg	agaccgccgc	tgccaagttc	60
gagagacagc	acatggacag	catcgatata	gccgatctac	gcacgctcgg	ctacagccag	120
cagcaacagg	agaagatcaa	accgaaggtt	cgttcgacag	tggcgagca	ccacgaggca	180
ctggctggcc	acgggtttac	acacgcgcac	atcggttgcg	taagccaaca	cccggcagcg	240
ttagggaccg	tcgctgtcaa	gtatcaggac	atgatcgag	cgttgccaga	ggcgacacac	300
gaagcgatcg	ttggcgtcgg	caaacagtg	tccggcgac	gcgctctgga	ggccttgctc	360
acgggtggcgg	gagagttgag	aggtccaccg	ttacagttgg	acacaggcca	acttctcaag	420
attgcaaaa	gtggcggcgt	gaccgcagtg	gaggcagtcg	atgcatggcg	caatgactg	480
acgggtgccc	cgctcaactt	gacccccgag	caagtcgtcg	caatcgccag	ccatgatgga	540
gggaagcaag	ccctcgaaac	cgtgcagcgg	ttgcttcctg	tgctctgcca	ggcccacggc	600
cttaccctc	agcaggtggt	ggccatcgca	agtaacggag	gaggaaagca	agccttgag	660
acagtgcagc	gcctgttgcc	cgtgctgtgc	caggcacacg	gcctcacacc	agagcaggtc	720
gtggccattg	cctcccatga	cggggggaaa	caggctcttg	agaccgtcca	gaggctgctg	780
cccgtcctct	gtcaagctca	cggcctgact	ccccaaaca	tggtcgccat	cgcctcta	840
ggcggcggga	agcaggcact	ggaaacagtg	cagagactgc	tccctgtgct	ttgccaagct	900
catgggttga	ccccccaaca	ggtcgtcgct	attgcctcaa	acgggggggg	caagcaggcc	960
cttgagactg	tgcagaggct	ggtgccagtg	ctgtgtcagg	ctcacgggct	cactccacaa	1020
caggtggtcg	caattgccag	caacggcggc	ggaaagcaag	ctcttgaaac	cgtgcaacgc	1080
ctcctgcccc	tgctctgtca	ggctcatggc	ctgacaccac	aacaagtcgt	ggccatcgcc	1140
agtaataatg	gcgggaaaca	ggctcttgag	accgtccaga	ggctgctccc	agtgtctg	1200
caggcacacg	ggctgacccc	cgagcaggtg	gtggctatcg	ccagcaatat	tgggggcaag	1260
caggccctgg	aaacagtcca	ggcctgctg	ccagtgtctt	gccaggctca	cgggctcact	1320
cccagcagg	tcgtggcaat	cgcctccaac	ggcggaggga	agcaggctct	ggagaccgtg	1380
cagagactgc	tgcccgtctt	gtgccaggcc	cacggactca	cacctgaaca	ggtcgtcgcc	1440
attgcctctc	acgatggggg	caaacaagcc	ctggagacag	tgcagcggct	gttgcctgtg	1500
ttgtgccaag	cccacggctt	gactcctcaa	caagtgtgct	ccatcgccctc	aaatggcggc	1560
ggaaaaaag	ctctggagac	agtgcagagg	ttgtgtcccc	tcctctgcca	agcccacggc	1620
ctgactcccc	aacaggtcgt	cgccattgcc	agcaacaacg	gaggaaagca	ggctctcgaa	1680
actgtgcagc	ggctgcttcc	tgtgctgtgt	caggctcatg	ggctgacccc	cgagcaagtg	1740
gtggctattg	cctctaattg	aggcaagcaa	gcccttgaga	cagtccagag	gctgttgcca	1800
gtgctgtgcc	aggcccacgg	gctcacacc	cagcaggtgg	tcgccatcgc	cagtaacaac	1860
ggggggcaaac	aggcattgga	aaccgtccag	cgcctgtctc	cagtgtctctg	ccaggcacac	1920
ggactgacac	ccgaacaggt	ggtggccatt	gcatcccatg	atgggggcaa	gcaggccctg	1980
gagaccgtgc	agagactcct	gccagtgttg	tgccaagctc	acggcctcac	ccctcagcaa	2040
gtcgtggcca	tcgcctcaaa	cggggggggc	cggcctgcac	tggagagcat	tggtgccag	2100
ttatctcgcc	ctgatccggc	gttggcccg	ttgaccaacg	accacctcgt	cgccttggcc	2160
tgcttcggcg	ggcgtcctgc	gctggatgca	gtgaaaaagg	gattggggga	tcctatcagc	2220
cgttcccagc	tggtagagtc	cgagctggag	gagaagaaat	ccgagttgag	gcacaagctg	2280
aagtacgtgc	cccacgagta	catcgagctg	atcgagatcg	cccggaaacag	caccagggac	2340
cgtatcctgg	agatgaaggt	gatggagttc	ttcatgaagg	tgtacggcta	caggggcaag	2400
cacctgggcg	gctccaggaa	gcccgcagcg	gccatctaca	ccgtgggctc	ccccatcgac	2460
tacggcgtga	tcgtggacac	caaggcctac	tccggcggct	acaacctgcc	catcggccag	2520
gccgacgaaa	tgagaggta	cgtggaggag	aaccagacca	ggaacaagca	catcaacccc	2580
aacgagtggt	ggaagggtga	cccctccagc	gtgaccgagt	tcaagttcct	gttcgtgtcc	2640
ggccacttca	agggcaacta	caaggcccag	ctgaccaggc	tgaaccacat	caccaactgc	2700
aacggcgccg	tgctgtccgt	ggaggagctc	ctgatcggcg	gcgagatgat	caaggccggc	2760
accctgacct	tggaggaggt	gaggaggaag	ttcaacaacg	gcgagatcaa	cttcgcggcc	2820
gactgataa						2829

<210> 99

<211> 60

<212> DNA

<213> Artificial Sequence

<220>

<223> Forward primer CTLA4_T01

<220>

<221> misc_feature

<222> (31)..(40)

<223> n is a or c or t or g

<400> 99

ccatctcatc cctgcgtgtc tccgactcag nnnnnnnnnn ctctacttcc tgaagacctg 60

<210> 100
 <211> 60
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Forward primer CTLA4_T03/T04
 <220>
 <221> misc_feature
 <222> (31)..(40)
 <223> n is a or c or t or g
 <400> 100
 ccattctcatc cctgcgtgtc tccgactcag nnnnnnnnnn acagttgaga gatggagggg 60
 <210> 101
 <211> 59
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Forward primer PDCD1_T01
 <220>
 <221> misc_feature
 <222> (31)..(40)
 <223> n is a or c or t or g
 <400> 101
 ccattctcatc cctgcgtgtc tccgactcag nnnnnnnnnn ccacagaggt aggtgccgc 59
 <210> 102
 <211> 60
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Forward primer PDCD1_T03
 <220>
 <221> misc_feature
 <222> (31)..(40)
 <223> n is a or c or t or g
 <400> 102
 ccattctcatc cctgcgtgtc tccgactcag nnnnnnnnnn gacagagatg ccggtcacca 60
 <210> 103
 <211> 50
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Reverse primer CTLA4_T01
 <400> 103
 cctatcccct gtgtgccttg gcagtctcag tggaatacag agccagccaa 50
 <210> 104

<211> 50
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Reverse primer CTLA4_T03/04

<400> 104
 cctatcccct gtgtgccttg gcagtctcag ggtgcccggtg cagatggaat 50

<210> 105

<211> 50
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Reverse primer PDCD1_T01

<400> 105
 cctatcccct gtgtgccttg gcagtctcag ggctctgcag tggaggccag 50

<210> 106

<211> 50
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Reverse primer PDCD1_T03

<400> 106
 cctatcccct gtgtgccttg gcagtctcag ggacaacgcc accttcacct 50

<210> 107

<211> 281
 <212> PRT
 <213> Artificial Sequence

<220>
 <223> pTalpha-FL

<400> 107
 Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
 1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80

345147W0-seql-000001

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val Trp Gly Glu Gly Ser Tyr Leu
225 230 235 240

Ser Ser Tyr Pro Thr Cys Pro Ala Gln Ala Trp Cys Ser Arg Ser Arg
245 250 255

Leu Arg Ala Pro Ser Ser Ser Leu Gly Ala Phe Phe Arg Gly Asp Leu
260 265 270

Pro Pro Pro Leu Gln Ala Gly Ala Ala
275 280

<210> 108

<211> 263

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta18

<400> 108

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
Page 104

20

25

30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
 85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
 100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
 165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
 180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
 195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
 210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val Trp Gly Glu Gly Ser Tyr Leu
 225 230 235 240

Ser Ser Tyr Pro Thr Cys Pro Ala Gln Ala Trp Cys Ser Arg Ser Arg
 245 250 255

Leu Arg Ala Pro Ser Ser Ser
 260

<210> 109

<211> 233

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta48

<400> 109

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
 1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
 85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
 100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
 165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
 180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
 195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
 210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val
 225 230

<210> 110

<211> 219

<212> PRT
 <213> Artificial Sequence

<220>
 <223> pTalpha-Delta62

<400> 110
 Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
 1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
 85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
 100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
 165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
 180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
 195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg
 210 215

<210> 111

<211> 203
 <212> PRT
 <213> Artificial Sequence

345147W0-seq1-000001

<220>

<223> pTalpha-Delta78

<400> 111

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly
195 200

<210> 112

<211> 189

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta92

<400> 112

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala

345147W0-seql-000001

1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg
180 185

<210> 113

<211> 171

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta110

<400> 113

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
35 40 45

345147W0-seql-000001

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys
165 170

<210> 114

<211> 167

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta114

<400> 114

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
Page 110

345147W0-seql-000001

100

105

110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

Leu Leu Phe Asp Leu Leu Leu
 165

<210> 115

<211> 344

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-FL-CD28

<400> 115

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
 1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
 85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
 100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

345147W0-seq1-000001

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val Trp Gly Glu Gly Ser Tyr Leu
225 230 235 240

Ser Ser Tyr Pro Thr Cys Pro Ala Gln Ala Trp Cys Ser Arg Ser Arg
245 250 255

Leu Arg Ala Pro Ser Ser Ser Leu Gly Ala Phe Phe Arg Gly Asp Leu
260 265 270

Pro Pro Pro Leu Gln Ala Gly Ala Ala Ala Ser Gly Gly Val Leu Ala
275 280 285

Cys Tyr Ser Leu Leu Val Thr Val Ala Phe Ile Ile Phe Trp Val Arg
290 295 300

Ser Lys Arg Ser Arg Gly Gly His Ser Asp Tyr Met Asn Met Thr Pro
305 310 315 320

Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro
325 330 335

Arg Asp Phe Ala Ala Tyr Arg Ser
340

<210> 116

<211> 311

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-FL-CD8

<400> 116

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
Page 112

35

40

45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
 85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
 100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
 165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
 180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
 195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
 210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val Trp Gly Glu Gly Ser Tyr Leu
 225 230 235 240

Ser Ser Tyr Pro Thr Cys Pro Ala Gln Ala Trp Cys Ser Arg Ser Arg
 245 250 255

Leu Arg Ala Pro Ser Ser Ser Leu Gly Ala Phe Phe Arg Gly Asp Leu
 260 265 270

Pro Pro Pro Leu Gln Ala Gly Ala Ala Ala Ser His Arg Asn Arg Arg
 275 280 285

Arg Val Cys Lys Cys Pro Arg Pro Val Val Lys Ser Gly Asp Lys Pro
 290 295 300

Ser Leu Ser Ala Arg Tyr Val

305

310

<210> 117

<211> 325

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-FL-41BB

<400> 117

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
 1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
 85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
 100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
 165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
 180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
 195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
 210 215 220

345147W0-seql-000001

Pro Gly Arg Lys Pro Gly Ser Pro Val Trp Gly Glu Gly Ser Tyr Leu
225 230 235 240

Ser Ser Tyr Pro Thr Cys Pro Ala Gln Ala Trp Cys Ser Arg Ser Arg
245 250 255

Leu Arg Ala Pro Ser Ser Ser Leu Gly Ala Phe Phe Arg Gly Asp Leu
260 265 270

Pro Pro Pro Leu Gln Ala Gly Ala Ala Gly Ser Lys Arg Gly Arg Lys
275 280 285

Lys Leu Leu Tyr Ile Phe Lys Gln Pro Phe Met Arg Pro Val Gln Thr
290 295 300

Thr Gln Glu Glu Asp Gly Cys Ser Cys Arg Phe Pro Glu Glu Glu Glu
305 310 315 320

Gly Gly Cys Glu Leu
325

<210> 118

<211> 296

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta48-CD28

<400> 118

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
Page 115

115

120

125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
 145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
 165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
 180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
 195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
 210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val Ala Ser Gly Gly Val Leu Ala
 225 230 235 240

Cys Tyr Ser Leu Leu Val Thr Val Ala Phe Ile Ile Phe Trp Val Arg
 245 250 255

Ser Lys Arg Ser Arg Gly Gly His Ser Asp Tyr Met Asn Met Thr Pro
 260 265 270

Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro
 275 280 285

Arg Asp Phe Ala Ala Tyr Arg Ser
 290 295

<210> 119

<211> 263

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta48-CD8

<400> 119

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
 1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

345147W0-seq1-000001

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
50 55 60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val Ala Ser His Arg Asn Arg Arg
225 230 235 240

Arg Val Cys Lys Cys Pro Arg Pro Val Val Lys Ser Gly Asp Lys Pro
245 250 255

Ser Leu Ser Ala Arg Tyr Val
260

<210> 120

<211> 277

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta48-41BB

<400> 120

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala

```

1           5           10           15
Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
      20      25      30
Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
      35      40      45
Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
      50      55      60
Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
      65      70      75      80
Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
      85      90      95
Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
      100      105      110
Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
      115      120      125
Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
      130      135      140
Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
      145      150      155      160
Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
      165      170      175
Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
      180      185      190
Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
      195      200      205
Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
      210      215      220
Pro Gly Arg Lys Pro Gly Ser Pro Val Gly Ser Lys Arg Gly Arg Lys
      225      230      235      240
Lys Leu Leu Tyr Ile Phe Lys Gln Pro Phe Met Arg Pro Val Gln Thr
      245      250      255
Thr Gln Glu Glu Asp Gly Cys Ser Cys Arg Phe Pro Glu Glu Glu Glu
      260      265      270
Gly Gly Cys Glu Leu

```

275

<210> 121

<211> 172

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha-Delta114-TCRalpha.IC

<400> 121

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
35 40 45Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
50 55 60Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160Leu Leu Phe Asp Leu Leu Leu Arg Leu Trp Ser Ser
165 170

<210> 122

<211> 173

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha.EC-TCRalpha. TM. IC

<400> 122

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala

345147W0-seq1-000001

1 5 10 15
 Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30
 Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45
 Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
 50 55 60
 Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
 65 70 75 80
 Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
 85 90 95
 Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
 100 105 110
 Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
 115 120 125
 Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
 130 135 140
 Gly Gly Leu Ser Val Ile Gly Phe Arg Ile Leu Leu Leu Lys Val Ala
 145 150 155 160
 Gly Phe Asn Leu Leu Met Thr Leu Arg Leu Trp Ser Ser
 165 170

<210> 123

<211> 233

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha.EC-Delta48-1xMUT

<400> 123

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
 1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
 20 25 30

Ile Met Leu Leu Val Asp Gly Lys Gln Gln Met Val Val Val Cys Leu
 35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Arg Phe Ser
 50 55 60

345147W0-seql-000001

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Arg Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125

Ala Ser Thr Ala Arg Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val
225 230

<210> 124

<211> 233

<212> PRT

<213> Artificial Sequence

<220>

<223> pTalpha.EC-Delta48-4xMUT

<400> 124

Met Ala Gly Thr Trp Leu Leu Leu Leu Leu Ala Leu Gly Cys Pro Ala
1 5 10 15

Leu Pro Thr Gly Val Gly Gly Thr Pro Phe Pro Ser Leu Ala Pro Pro
20 25 30

Ile Met Leu Leu Val Ala Gly Ala Gln Gln Met Val Val Val Cys Leu
35 40 45

Val Leu Asp Val Ala Pro Pro Gly Leu Asp Ser Pro Ile Trp Phe Ser
Page 121

345147W0-seq1-000001

50

55

60

Ala Gly Asn Gly Ser Ala Leu Asp Ala Phe Thr Tyr Gly Pro Ser Pro
65 70 75 80

Ala Thr Asp Gly Thr Trp Thr Asn Leu Ala His Leu Ser Leu Pro Ser
85 90 95

Glu Glu Leu Ala Ser Trp Glu Pro Leu Val Cys His Thr Gly Pro Gly
100 105 110

Ala Glu Gly His Ser Ala Ser Thr Gln Pro Met His Leu Ser Gly Glu
115 120 125

Ala Ser Thr Ala Ala Thr Cys Pro Gln Glu Pro Leu Arg Gly Thr Pro
130 135 140

Gly Gly Ala Leu Trp Leu Gly Val Leu Arg Leu Leu Leu Phe Lys Leu
145 150 155 160

Leu Leu Phe Asp Leu Leu Leu Thr Cys Ser Cys Leu Cys Asp Pro Ala
165 170 175

Gly Pro Leu Pro Ser Pro Ala Thr Thr Thr Arg Leu Arg Ala Leu Gly
180 185 190

Ser His Arg Leu His Pro Ala Thr Glu Thr Gly Gly Arg Glu Ala Thr
195 200 205

Ser Ser Pro Arg Pro Gln Pro Arg Asp Arg Arg Trp Gly Asp Thr Pro
210 215 220

Pro Gly Arg Lys Pro Gly Ser Pro Val
225 230

<210> 125

<211> 848

<212> PRT

<213> Artificial Sequence

<220>

<223> Multi-chain CAR

<400> 125

Met Ala Pro Ala Met Glu Ser Pro Thr Leu Leu Cys Val Ala Leu Leu
1 5 10 15

Phe Phe Ala Pro Asp Gly Val Leu Ala Glu Val Gln Leu Gln Gln Ser
20 25 30

Gly Pro Glu Leu Ile Lys Pro Gly Ala Ser Val Lys Met Ser Cys Lys
35 40 45

345147W0-seql-000001

Ala Ser Gly Tyr Thr Phe Thr Ser Tyr Val Met His Trp Val Lys Gln
 50 55 60
 Lys Pro Gly Gln Gly Leu Glu Trp Ile Gly Tyr Ile Asn Pro Tyr Asn
 65 70 75 80
 Asp Gly Thr Lys Tyr Asn Glu Lys Phe Lys Gly Lys Ala Thr Leu Thr
 85 90 95
 Ser Asp Lys Ser Ser Ser Thr Ala Tyr Met Glu Leu Ser Ser Leu Thr
 100 105 110
 Ser Glu Asp Ser Ala Val Tyr Tyr Cys Ala Arg Gly Thr Tyr Tyr Tyr
 115 120 125
 Gly Ser Arg Val Phe Asp Tyr Trp Gly Gln Gly Thr Thr Leu Thr Val
 130 135 140
 Ser Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly Ser Gly Gly Gly Gly
 145 150 155 160
 Ser Asp Ile Val Met Thr Gln Ala Ala Pro Ser Ile Pro Val Thr Pro
 165 170 175
 Gly Glu Ser Val Ser Ile Ser Cys Arg Ser Ser Lys Ser Leu Leu Asn
 180 185 190
 Ser Asn Gly Asn Thr Tyr Leu Tyr Trp Phe Leu Gln Arg Pro Gly Gln
 195 200 205
 Ser Pro Gln Leu Leu Ile Tyr Arg Met Ser Asn Leu Ala Ser Gly Val
 210 215 220
 Pro Asp Arg Phe Ser Gly Ser Gly Ser Gly Thr Ala Phe Thr Leu Arg
 225 230 235 240
 Ile Ser Arg Val Glu Ala Glu Asp Val Gly Val Tyr Tyr Cys Met Gln
 245 250 255
 His Leu Glu Tyr Pro Phe Thr Phe Gly Ala Gly Thr Lys Leu Glu Leu
 260 265 270
 Lys Arg Ala Asp Thr Thr Thr Pro Ala Pro Arg Pro Pro Thr Pro Ala
 275 280 285
 Pro Thr Ile Ala Ser Gln Pro Leu Ser Leu Arg Pro Glu Ala Cys Arg
 290 295 300
 Pro Ala Ala Gly Gly Ala Val His Thr Arg Gly Leu Asp Phe Ala Cys
 305 310 315 320

345147W0-seq1-000001

Asp Phe Phe Ile Pro Leu Leu Val Val Ile Leu Phe Ala Val Asp Thr
 325 330 335
 Gly Leu Phe Ile Ser Thr Gln Gln Gln Val Thr Phe Leu Leu Lys Ile
 340 345 350
 Lys Arg Thr Arg Lys Gly Phe Arg Leu Leu Asn Pro His Pro Lys Pro
 355 360 365
 Asn Pro Lys Asn Asn Arg Ala Glu Gly Arg Gly Ser Leu Leu Thr Cys
 370 375 380
 Gly Asp Val Glu Glu Asn Pro Gly Pro Met Asp Thr Glu Ser Asn Arg
 385 390 395 400
 Arg Ala Asn Leu Ala Leu Pro Gln Glu Pro Ser Ser Val Pro Ala Phe
 405 410 415
 Glu Val Leu Glu Ile Ser Pro Gln Glu Val Ser Ser Gly Arg Leu Leu
 420 425 430
 Lys Ser Ala Ser Ser Pro Pro Leu His Thr Trp Leu Thr Val Leu Lys
 435 440 445
 Lys Glu Gln Glu Phe Leu Gly Val Thr Gln Ile Leu Thr Ala Met Ile
 450 455 460
 Cys Leu Cys Phe Gly Thr Val Val Cys Ser Val Leu Asp Ile Ser His
 465 470 475 480
 Ile Glu Gly Asp Ile Phe Ser Ser Phe Lys Ala Gly Tyr Pro Phe Trp
 485 490 495
 Gly Ala Ile Phe Phe Ser Ile Ser Gly Met Leu Ser Ile Ile Ser Glu
 500 505 510
 Arg Arg Asn Ala Thr Tyr Leu Val Arg Gly Ser Leu Gly Ala Asn Thr
 515 520 525
 Ala Ser Ser Ile Ala Gly Gly Thr Gly Ile Thr Ile Leu Ile Ile Asn
 530 535 540
 Leu Lys Lys Ser Leu Ala Tyr Ile His Ile His Ser Cys Gln Lys Phe
 545 550 555 560
 Phe Glu Thr Lys Cys Phe Met Ala Ser Phe Ser Thr Glu Ile Val Val
 565 570 575
 Met Met Leu Phe Leu Thr Ile Leu Gly Leu Gly Ser Ala Val Ser Leu
 580 585 590

345147W0-seq1-000001

Thr Ile Cys Gly Ala Gly Glu Glu Leu Lys Gly Asn Lys Val Pro Glu
595 600 605

Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe Lys Gln Pro Phe Met
610 615 620

Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly Cys Ser Cys Arg Phe
625 630 635 640

Pro Glu Glu Glu Glu Gly Gly Cys Glu Leu Gly Ser Gly Val Lys Gln
645 650 655

Thr Leu Asn Phe Asp Leu Leu Lys Leu Ala Gly Asp Val Glu Ser Asn
660 665 670

Pro Gly Pro Met Ile Pro Ala Val Val Leu Leu Leu Leu Leu Val
675 680 685

Glu Gln Ala Ala Ala Leu Gly Glu Pro Gln Leu Cys Tyr Ile Leu Asp
690 695 700

Ala Ile Leu Phe Leu Tyr Gly Ile Val Leu Thr Leu Leu Tyr Cys Arg
705 710 715 720

Leu Lys Ile Gln Val Arg Lys Ala Ala Ile Thr Ser Tyr Glu Lys Ser
725 730 735

Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr Gln Gln Gly
740 745 750

Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr
755 760 765

Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met Gly Gly Lys
770 775 780

Pro Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu Leu Gln Lys
785 790 795 800

Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys Gly Glu Arg
805 810 815

Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu Ser Thr Ala
820 825 830

Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu Pro Pro Arg
835 840 845

<210> 126

<211> 2547

<212> DNA

<213> Artificial Sequence

<220>

<223> Multi-chain CAR

<400> 126

atggctcctg	ccatggaatc	ccctactcta	ctgtgtgtag	ccttactgtt	cttcgctcca	60
gatggcgtgt	tagcagaggt	gcagttgcag	cagtcagggc	cagagttgat	taagcccgga	120
gcctccgtca	agatgtcctg	caaggccagc	gggtacactt	tcaccagcta	cgatcatgcat	180
tgggtgaagc	agaagccagg	ccaggggctt	gagtggattg	ggtacatcaa	cccctacaac	240
gacgggacca	aatacaacga	gaaattcaag	ggcaaagcca	cactcacctc	cgataagtcc	300
tcctctaccg	cctacatgga	gctcagctcc	ctgacctccg	aggatagcgc	tgtgtattac	360
tgcgcaaggg	gcacatacta	ctatggctct	aggggtgttcg	actactgggg	gcaggggact	420
actctcacag	tgagctcagg	cggaggaggc	agtggcggag	ggggaagtgg	gggcggcggc	480
agcgaatattg	tcatgaccca	ggcagcccct	agtatccctg	tgactccagg	cgagagcgtg	540
agcatcagct	gccggtccag	caagagcctg	ctgaacagta	acggaaacac	atacctctac	600
tggtttctgc	agaggcccgg	ccagagccct	cagctgctga	tttaccgcat	gtcaaattctt	660
gcctctgggg	tgcccgatag	atttagtggg	agcggatccg	gcacagcttt	tacattgcgg	720
atctccagag	tcgaggccga	agacgtgggg	gtctattact	gtatgcaaca	cctggaatac	780
ccctttacct	tcggagccgg	cacaaagctg	gagctgaagc	gggctgacac	cacaaccccc	840
gctccaaggc	cccctacccc	cgcaccaact	attgcctccc	agccactctc	actgcggcct	900
gaggcctgtc	ggcccgtgc	tggaggcgca	gtgcatacaa	ggggcctcga	tttcgcctgc	960
gattttttta	tccattgttt	ggtggtgatt	ctgtttgctg	tggacacagg	attattttatc	1020
tcaactcagc	agcaggtcac	atttctcttg	aagattaaga	gaaccaggaa	aggcttcaga	1080
cttctgaacc	cacatcctaa	gccaaacccc	aaaaacaaca	gagccgaggg	cagaggcagc	1140
ctgtcgacct	gcggcgacgt	ggaggagaac	ccaggcccca	tggacacaga	aagtaatagg	1200
agagcaaadc	ttgctctccc	acaggagcct	tccagtgtgc	ctgcatttga	agtcttggaa	1260
atatctcccc	aggaagtatc	ttcaggcaga	ctattgaagt	cggcctcatc	cccaccactg	1320
catacatggc	tgacagtttt	gaaaaaagag	caggagttcc	tgggggtaac	acaaattctg	1380
actgctatga	tatgcctttg	ttttggaaca	gttgtctgct	ctgtacttga	tatttcacac	1440
attgagggag	acattttttc	atcatttaaa	gcaggttatc	cattctgggg	agccatattt	1500
ttttctattt	ctggaatggt	gtcaattata	tctgaaagga	gaaatgcaac	atatctgggtg	1560
agaggaagcc	tgggagcaaa	cactgccagc	agcatagctg	ggggaacggg	aattaccatc	1620
ctgatcatca	acctgaagaa	gagcttggcc	tatatccaca	tccacagttg	ccagaaattt	1680
tttgagacca	agtgccttat	ggcttccttt	tccactgaaa	ttgtagtgat	gatgctgttt	1740
ctcaccattc	tgggacttgg	tagtgctgtg	tcactcacia	tctgtggagc	tggggaagaa	1800
ctcaaaggaa	acaaggttcc	agagaaacgg	ggccggaaga	agctcctcta	catttttaag	1860
cagcctttca	tgcgccaggt	gcagacaacc	caagaggagg	atgggtgttc	ctgcagattc	1920
cctgaggaag	aggaaggcgg	gtgcgagctg	ggttctggcg	tgaacagac	tttgaatttt	1980
gaccttctca	agttggcggg	agacgtggag	tccaaccag	ggcccatgat	tccagcagtg	2040
gtcttgctct	tactcctttt	ggttgaacaa	gcagcggccc	tgggagagcc	tcagctctgc	2100
tatatcctgg	atgccatcct	gtttctgtat	ggaattgtcc	tcaccctcct	ctactgtcga	2160
ctgaagatcc	aagtgcgaaa	ggcagctata	accagctatg	agaaatcaag	agtgaagttc	2220
tccaggagcg	cagatgcccc	cgcctatcaa	cagggccaga	accagctcta	caacgagctt	2280
aacctcgggg	ggcgcgaaga	atacgacgtg	ttggataaga	gaagggggcg	ggaccccag	2340
atgggaggaa	agccccggag	gaagaaccct	caggagggcc	tgtacaacga	gctgcagaag	2400
gataagatgg	ccgaggccta	ctcagagatc	gggatgaagg	gggagcggcg	ccgcgggaag	2460
gggcacgatg	ggctctacca	ggggctgagc	acagccacaa	aggacacata	cgacgccttg	2520
cacatgcagg	cccttcacc	ccggtga				2547