



US00D764019S

(12) **United States Design Patent**
Watanabe et al.

(10) **Patent No.:** **US D764,019 S**

(45) **Date of Patent:** **** Aug. 16, 2016**

- (54) **FILTER**
- (71) Applicant: **KUBOTA CORPORATION**,
Osaka-shi, Osaka (JP)
- (72) Inventors: **Keishi Watanabe**, Kobe (JP); **Shintaro Nishimoto**, Nishinomiya (JP); **Tetsuya Uenaka**, Amagasaki (JP)
- (73) Assignee: **KUBOTA CORPORATION**, Osaka (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/518,146**
- (22) Filed: **Feb. 20, 2015**
- (51) **LOC (10) Cl.** **23-01**
- (52) **U.S. Cl.**
USPC **D23/209**
- (58) **Field of Classification Search**
USPC D23/207, 209; 210/321.6, 636-7
CPC B01D 61/18; B01D 63/082
See application file for complete search history.

- 7,569,144 B2 * 8/2009 De Biran B01D 63/082
D63/82
- 7,611,627 B2 * 11/2009 Terpstra B01D 53/22
210/321.6
- 8,366,929 B2 * 2/2013 Masutani B01D 61/18
210/200
- 8,382,981 B2 * 2/2013 Rogers B01D 61/18
210/232
- 8,741,141 B2 * 6/2014 Masutani B01D 61/20
210/321.75

* cited by examiner

Primary Examiner — Robin V Webster
(74) *Attorney, Agent, or Firm* — Oliff PLC

(57) **CLAIM**
The ornamental design for a filter, as shown and described.


DESCRIPTION

FIG. 1 is a top, front, left-side perspective view of the filter;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a right-side elevational view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a cross-sectional view thereof taken along line 6-6 in FIG. 2;
 FIG. 7 is a cross-sectional view thereof taken along line 7-7 in FIG. 3; and,
 FIG. 8 is a cross-sectional view thereof taken along line 8-8 in FIG. 3.

The left-side elevational view is a mirror image of the right-side elevational view, and the rear elevational view is a mirror image of the front elevational view. Thus, the left-side elevational view and the rear elevational view are not provided.

1 Claim, 5 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- 4,816,150 A * 3/1989 Pierrard B01D 63/082
210/321.82
- 5,895,573 A * 4/1999 Scharstuhl B01D 61/18
210/321.87
- 6,527,954 B1 * 3/2003 Furuhashi B01D 39/16
210/315
- D574,923 S * 8/2008 Crawford D23/209






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8