



US00PP11017P

United States Patent [19]
Chamberlin, Sr.

[11] Patent Number: Plant 11,017
[45] Date of Patent: Jul. 27, 1999

- [54] PEACH TREE NAMED '92-287'
[75] Inventor: Thomas O. Chamberlin, Sr., Visalia, Calif.
[73] Assignee: Corrin Family Trust, Reedly, Calif.
[21] Appl. No.: 08/988,171
[22] Filed: Dec. 10, 1997
[51] Int. Cl.⁶ A01H 5/00
[52] U.S. Cl. Plt./198
[58] Field of Search Plt./43.2, 198

Primary Examiner—Howard J. Locker
Assistant Examiner—Anne Marie Grünberg
Attorney, Agent, or Firm—Richard A. Ryan

[57] ABSTRACT

A new and distinct variety of peach tree which is distinguished by producing free stone fruit which are mature for harvesting and shipment approximately September 10 to September 15 in the San Joaquin Valley of central California. The fruit are large, round and very firm and do not bruise easily. The flesh is crisp with a clear yellow coloration.

1 Drawing Sheet

1

BACKGROUND OF THE NEW VARIETY

The present invention relates to a new and distinct variety of peach tree, which will hereinafter be denominated vari-
etally as the '92-287' peach tree, and, more particularly, to
such a peach tree which produces free stone fruit having
clear yellow flesh and red pit cavity which mature for
commercial harvesting and shipment approximately Sep-
tember 10 to September 15 in the San Joaquin Valley of
central California.

Although the varieties of peach trees producing commer-
cially acceptable fruit relatively common, it is not common
to find peach varieties that produce commercially acceptable
fruit at the beginning or end of the typical peach growing
season. Most peaches available at the end of the growing
season are usually characterized as only marginally accept-
able due to various factors, including poor coloration or
taste, small size and unsuitable handling abilities. New
peach varieties which produce fruit at the end of the growing
season that have characteristics which are found in fruit
produced at or near the peak portion of the growing season
are usually considered to be commercially valuable. The
variety of peach tree of the present invention is such a
variety, as set forth herein.

ORIGIN AND ASEXUAL REPRODUCTION OF
THE NEW VARIETY

The peach tree of the present invention was discovered by
the inventor as a chance seedling in a nursery located near
Reedley in the San Joaquin Valley of central California. The
first fruit was seen on this seedling in September of 1992. As
the fruit matured, it was examined as to size, shape,
coloration, ripening date, flavor, texture and as to other
criteria which were sought in a peach variety having the
desired commercial potential. The initial fruit had the size,
shape, color and handling characteristics which the inventor
was looking for in the early to mid-September date period.
Specifically, the fruit was a free stone peach having clear
yellow flesh and was very firm, making it easy to handle and
able to ship well. The seedling was marked for further
testing.

Bud wood was collected from this seedling in the Winter
of 1992-1993. Seedlings were grafted onto Nenaguard root-
stock in the early Spring of 1993 in the testing part of the
nursery. Additional seedlings were grafted in the early
Spring of 1994. The first fruit from these asexually produced
trees of the new variety was observed by the inventor in
September 1995.

2

The harvest time for the asexually produced trees of this
new variety was early to mid-September, the same time as
the original seedling. These trees produced the same large,
round fruit having flesh of a very firm texture as that seen on
the original seedling. The flavor of the fruit was very good.
The flesh coloration of the fruit was the same clear yellow
color. The leaves and bark matched those on the original
seedling. The inventor has confirmed that the asexually
reproduced trees of the new variety are the same in all
respects to the original seedling.

SUMMARY OF THE NEW VARIETY

'92-287' peach tree is characterized by producing a fruit
which has a yellow flesh coloration and is ripe for harvesting
and shipment approximately September 10 to September 15
in the San Joaquin Valley of central California. The fruit of
the new variety are approximately three (3) inches or larger
in diameter and almost fully round in shape. The flavor of
the fruit at harvest date is good. The fruit is crisp, but it still
has good flavor. The skin of the fruit from this variety is very
high color, almost full red. The flesh is full yellow with red
only in the pit cavity. At harvest time this fruit is very firm,
making it easy to handle and ship. The skin is tenacious to
the flesh, which also helps in handling and shipping. The
inventor has not seen any breakdown on the suture line, or
at the base or apex area of this fruit. The fruit has been
determined to have outstanding storage life, retaining its
firm flesh of very good flavor even after thirty (30) days in
cold storage. The inventor has kept fruit from this new
variety on the shelf for a week at room temperature and it
held up very well.

BRIEF DESCRIPTION OF THE DRAWING

The drawing is a color photograph showing mature fruit
of the new variety including a first in top plan view showing
the base thereof; a second in side elevation showing the
suture thereof; a third sectioned and laid open to show the
stone in one section and the stone cavity in the other section;
a fourth in side elevation; a fifth in bottom plan view
showing the apex area thereof; and representative foliage, all
of the new variety.

DETAILED DESCRIPTION

Referring more specifically to the pomological details of
this new and distinct variety of peach tree, the following has
been observed under the ecological conditions prevailing at
the orchard of origin, which is located near Reedley, Calif.

All major color code designations are by reference to the *Inter-Society Color Council, National Bureau of Standards* color name chart. Common color names are also occasionally employed.

TREE

Generally:

Size.—Normal as to pruning and shaping. In first year, four to five feet in height and three feet wide on a single leader tree.

Vigor.—Very vigorous, spring growth three to four feet in length.

Productivity.—Very good, 36 pounds per tree.

Regularity of bearing.—Will bear well every year.

Trunk:

Size.—Normal diameter.

Surface Texture.—Normal peach tree bark.

Color.—72 d.oy.

Lenticels—numbers.—Approximately 22 small lenticels per square inch

Lenticels —size.—Approximately 0.318 cm ($\frac{1}{8}$ inch) long.

Trunk:

Size.—Normal diameter.

Surface texture.—Normal peach tree bark.

Color.—72 d.oy.

Lenticels —numbers.—Approximately 22 small lenticels per square inch.

Lenticels —size.—Approximately 0.318 cm ($\frac{1}{8}$ inch) long.

Bark color.—Light grey brown (80 gr.y.Br).

Branches:

Size.—Normal as to pruning and shaping.

Surface texture.—Normal. Same characteristics as the trunk.

Surface color.—Light grey brown (80 gr.y.Br.).

Lenticels —size —length.—About 20-22 per square inch. Approximately 0.318 cm ($\frac{1}{8}$ inch) in length.

Color.—72 d.oy

LEAVES

Size:

Generally.—Normal

Average length.—13.97 cm ($1\frac{1}{2}$ inches) to 17.78 (7 inches).

Average width.—2.54 cm (1 inch) to 3.175 cm ($1\frac{1}{4}$ inches).

Leaf thickness.—Normal.

Shape: Lanceolate.

Color:

Upwardly disposed surface.—Dark green. (125 m.ol.G).

Downwardly disposed surface.—Lighter green (120 m.Y.G).

Marginal form: Serrate.

Petiole:

Length.—1.27 cm ($\frac{1}{2}$ inch).

Width.—0.159 cm ($\frac{1}{16}$ inch).

Stem glands:

Number.—Will vary. 1–2 pair per leaf stem.

Arrangement.—Found in pairs on each side of petiole of leaf base.

Size.—Very small depending on age and size of leaf.

Type.—Reniform.

Color.—Light yellow. (73 p.oy).

FLOWER BUDS

Generally: Information taken as color starting to shown at apex of bud.

Size —Length.—0.438 cm ($\frac{7}{16}$ inch).

Size —diameter.—0.313 cm ($\frac{5}{16}$ inch).

Shape.—Slightly elongated. Bud looks round in appearance.

Petiole.—Very short approximately 0.159 cm ($\frac{1}{16}$ inch).

Color.—Very dark red brown. (17 V.d.Red).

Other characteristics.—Dark red bud with bright pink showing at apex (2 S.pink).

FLOWERS

Date of bloom: Approximately February 27th to March 8th at Reedley, Calif.

Petals:

Diameter.—1.746 cm ($1\frac{1}{16}$ inch).

Length.—2.064 cm ($1\frac{3}{16}$ inch).

Shape of each petal.—Slightly elongated.

Bloom —diameter.—5.08 cm (2 inches).

Fragrance.—No characteristic fragrance.

Color: Bright pink (4.1-pink) with darker pink at base (2S. pink).

Fertility: Self fertile.

Petiole length: Very short, approximately 0.159 cm ($\frac{1}{16}$ inch).

Other characteristics: Large light pink blossoms.

FRUIT

Date of maturity: Approximately September 10th to 15th at Reedley, Calif.

Size:

Generally.—Large and uniform.

Uniformity.—Very good. Very round with medium to wide base and round apex area.

Diameter.—Approximately 6.985 cm ($2\frac{3}{4}$ inches) to 8.255 cm ($3\frac{1}{4}$ inches).

Transverse in suture plane.—Approximately 8.255 cm ($3\frac{1}{4}$ inches) to 9.535 cm ($3\frac{3}{4}$ inches).

Transverse at right angle to suture plane.—6.985 cm ($2\frac{3}{4}$ inches) to 8.255 cm ($3\frac{1}{4}$ inches).

Symmetrical.—Yes.

Suture:

Generally.—Mostly very smooth.

Length.—From base to apex 11.43 cm ($4\frac{1}{2}$ inches) to 12.7 cm (5 inches).

Stem cavity: Rounded approximately 1.27 cm ($\frac{1}{2}$ inch) deep.

Base: Medium wide and rounded.

Apex area: Slightly rounded.

Pistil point: Very small.

Stem:

Size. —length.—Approximately 1.27 cm ($\frac{1}{2}$ inch).

Size. —diameter.—Approximately 0.188 cm ($\frac{3}{16}$ inch).

Skin:

Thickness.—Normal peach skin.

Texture.—Smooth and tenacious to flesh.

Color.—Dark red with some bright yellow. (a) Dark red (17 V.d.Red), 50 % on exposed portion. (b) Bright Red (13 Deep red), 40 % on reversed portion. (c) Yellow (68 S.oy.), 10% background color on least exposed portion.

Tendency to crack.—None.

Pubescence.—Very light.

Weight.—Average 3 per pound.

Sugar content.—18 Brix.

Flesh:

Color.—Yellow. (83 brill Y.).

Surface of pit cavity.—Rough and dark red in color (13 Deep red).

Juice production.—Medium juicy.

Aroma.—Slight.

Fibers.—None.

Flavor.—Mild. Low acid.

Ripening.—Even.

Eating quality.—Has mild flavor. Very low acid taste. Will be quite crisp at harvest date.

Stone:

Attachment.—Free.

Fibers.—None.

Size —length.—3.969 cm ($1\frac{9}{16}$ inches).

Size —width.—2.54 cm (1 inch).

Size —thickness.—1.905 cm ($\frac{3}{4}$ inch).

Color —dry.—Dark red. (41 Deep r.Br).

Form.—Ovid.

Base —shape.—Elongated.

Base —length.—0.794 cm ($\frac{5}{16}$ inch).

Base —width.—0.635 cm ($\frac{1}{4}$ inch).

Apex —shape.—Pointed.

Sides —generally.—Rough.

Ridges.—Some approximately 0.079 cm ($\frac{1}{32}$ inch) to 0.063 cm ($\frac{1}{16}$ inch) deep.

Tendency to split.—None.

Use: Fresh Market.

Keeping quality: Very good shelf life. Kept at room temperature for about one week. Has kept in cold storage for over 30 days.

Shipping and handling quality: Due to firm nature of fruit, it will ship and handle very well.

Although the new variety of peach tree possesses the described characteristics noted above as a result of the growing conditions prevailing near and in the central part of the San Joaquin Valley of California, it is to be understood that variations in the usual magnitude and characteristics incident to changes in growing conditions, irrigation, fertilization, pruning, pest control, climatic variation and the like are to be expected.

Having thus described and illustrated my new variety of peach tree, what I claim as new and desire to be secured by Plant Letters Patent is:

1. A new and distinct variety of peach tree substantially as illustrated and described which is distinguished by producing large, fully rounded free stone fruit having clear yellow flesh coloration that is crisp and firm and which are mature for commercial harvesting and shipment approximately September 10 to September 15 in the San Joaquin Valley of central California.

* * * * *

